

OPTIMUM Main Database (Final) (PID: 19243)

03/13/2025 11:04am

Instruments	Events
--------------------	---------------

Codes for Missing Data

#	Variable / Field Name	Field Label <i>Field Note</i>	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)
Instrument: Demographic Info (demographic_info_toronto_only)			
1	[record_id]	Record ID	text
2	[ref_source]	Referral Source:	radio <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p>1 Physician Referral: I'm calling because at a recent appointment with Dr. _____, you agreed to be contacted about the OPTIMUM depression research study.</p> <p>2 Self-Referral: I'm returning your call about the OPTIMUM depression research study.</p> <p>3 Other: (Explain why we are calling them)</p> </div> Custom alignment: LV
3	[gender]	Section Header: Gender	radio <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p>1 Male</p> <p>2 Female</p> </div> Custom alignment: RH
4	[dob]	Section Header: DOB:	text (date_mdy), Identifier Custom alignment: RH
5	[tor_age]	Age	calc Calculation: datediff([baseline_arm_1] [dob], [tracking_arm_1] [date_of_consent],"d","mdy",true) / 365.25
6	[ethnicity]	Section Header: Ethnicity: Do you identify as...	radio <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p>1 Hispanic/Latino</p> <p>2 Non-Hispanic</p> </div> Custom alignment: RH
7	[race]	Section Header: Race: What race do you identify as?	radio <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p>1 Black/African American</p> <p>2 White</p> </div>

3	Hawaiian/Pacific Islander
4	Asian
5	American Indian/Alaska Native (includes First Nations)
6	Multi-race
7	Other

8	[group_step1]	group assignment for step 1	text Field Annotation: @HIDDEN-SURVEY @HIDDEN-PDF @HIDDEN-FORM						
9	[group_step1_code]	group assignment code for step 1	radio <table border="1"> <tr><td>1</td><td>Augmentation with Aripiprazole</td></tr> <tr><td>2</td><td>Augmentation with Bupropion</td></tr> <tr><td>3</td><td>Switch to Bupropion</td></tr> </table> Field Annotation: @HIDDEN-SURVEY @HIDDEN-PDF @HIDDEN-FORM	1	Augmentation with Aripiprazole	2	Augmentation with Bupropion	3	Switch to Bupropion
1	Augmentation with Aripiprazole								
2	Augmentation with Bupropion								
3	Switch to Bupropion								
10	[demographic_info_to_continue_only_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

Instrument: Mini MDD (mini_mdd)	[collapsed]
Instrument: Mini MDD Note (mini_mdd_note)	[collapsed]
Instrument: Visit Form (visit_form)	[collapsed]
Instrument: Medical History Form (Revised 3/27/17) (medical_history_form_revised_32717)	[collapsed]
Instrument: Medical History Form (Revised 3/30/17): USE THIS ONE! (medical_history_form_revised_33017_use_this_one)	[collapsed]
Instrument: Psychiatric Medication Form V2 (psychiatric_medication_form_v2)	[collapsed]
Instrument: Drug Abuse Screening Test (DAST) (drug_abuse_screening_test_dast)	[collapsed]
Instrument: Medication Form V2 (medication_form_v2)	[collapsed]
Instrument: NIH Toolbox Baseline (nih_toolbox_baseline)	[collapsed]
Instrument: Randomization Form Step 2 (randomization_form_step_2_please_do_not_actually_c)	[collapsed]
Instrument: Baseline Suicide History Risk And Protective Factors (baseline_suicide_history_risk_and_protective_facto)	[collapsed]
Instrument: Blinded Central MADRS (blinded_central_madrs)	[collapsed]
Instrument: Cumulative Illness Rating Scale For Geriatrics (CIRS-G) (cumulative_illness_rating_scale_for_geriatrics_cir)	[collapsed]
Instrument: Baseline Forms (baseline_forms)	[collapsed]
Instrument: ATHF Form1 (athf_form1_treatments_110)	[collapsed]

Instrument: Alcohol Use Disorders Identification Test (AUDIT) (alcohol_use_disorders_identification_test_audit)						
		[collapsed]				
Instrument: ATHF Form2 (If Needed - Treatments 11-20) (athf_form2_if_needed_treatments_1120)		[collapsed]				
Instrument: ATHF Form3 (If Needed - Treatments 21-30) (athf_form3_if_needed_treatments_2130)		[collapsed]				
Instrument: ATHF Form4 (If Needed - Treatments 31-40) (athf_form4_if_needed_treatments_3140)		[collapsed]				
Instrument: Contact Information Form (contact_information_form)		[collapsed]				
Instrument: Participant Tracking Form (participant_tracking_form)						
3357 [screening_id]	Screening ID	text, Required				
3358 [prim_res_staff]	Primary research staff for this participant	text				
3359 [referral_source]	Referral Source <i>Imported from eligibility db after cleaning in March 2022</i>	radio <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <input type="radio"/> 1 PCP (Primary Care Practice) <input type="radio"/> 2 MH (Mental Health) </div>				
3360 [date_of_consent]	Section Header: <i>Baseline</i> Date of Consent	text (date_mdy), Required				
3361 [neuro_text] Show the field ONLY if: [date_of_consent] >= '01/01/2020'	Please check the checkbox below if the participant was enrolled directly into Optimum Neuro.	descriptive				
3362 [direct_into_neuro]	Optimum Neuro	checkbox <div style="border: 1px solid black; padding: 2px; width: fit-content;"> <input type="checkbox"/> 1 direct_into_neuro__1 </div>				
3363 [ic_for_qual_int]	Please check the checkbox if participant provided informed consent for qualitative interview.	checkbox <div style="border: 1px solid black; padding: 2px; width: fit-content;"> <input type="checkbox"/> 1 ic_for_qual_int__1 </div>				
3364 [rand_selected_qual_int]	Please check the checkbox if participant was randomly selected for qualitative interview.	checkbox <div style="border: 1px solid black; padding: 2px; width: fit-content;"> <input type="checkbox"/> 1 rand_selected_qual_int__1 </div>				
3365 [agreed_to_qual_int] Show the field ONLY if: [rand_selected_qual_int(1)] = '1'	Participant agreed to participate in qualitative interview?	yesno <div style="border: 1px solid black; padding: 2px; width: fit-content;"> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>1</td><td>Yes</td> </tr> <tr> <td>0</td><td>No</td> </tr> </table> </div>	1	Yes	0	No
1	Yes					
0	No					
3366 [compl_qual_int] Show the field ONLY if: [agreed_to_qual_int] = '1'	Did the participant complete the Qualitative Interview?	yesno <div style="border: 1px solid black; padding: 2px; width: fit-content;"> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>1</td><td>Yes</td> </tr> <tr> <td>0</td><td>No</td> </tr> </table> </div>	1	Yes	0	No
1	Yes					
0	No					
3367 [saliva_dna_provide_d]	Saliva/DNA sample provided?	yesno <div style="border: 1px solid black; padding: 2px; width: fit-content;"> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>1</td><td>Yes</td> </tr> <tr> <td>0</td><td>No</td> </tr> </table> </div>	1	Yes	0	No
1	Yes					
0	No					

3368	[saliva_dna_date] Show the field ONLY if: [saliva_dna_provided] = '1'	Saliva/DNA Sample Date	text (date_mdy)															
3369	[why_no_saliva_dna] Show the field ONLY if: [saliva_dna_provided] = '0'	Why was saliva/DNA sample not provided?	notes Custom alignment: LV															
3370	[b_b1_madrs_done]	Blinded MADRS Completion	text (date_mdy)															
3371	[b_survey_status]	Survey Status	radio <table border="1"> <tr> <td>1</td> <td>Sent</td> </tr> <tr> <td>2</td> <td>Completed online</td> </tr> </table>	1	Sent	2	Completed online											
1	Sent																	
2	Completed online																	
3372	[tracking_w0]	Data collection	radio <table border="1"> <tr> <td>1</td> <td>Completed</td> </tr> <tr> <td>2</td> <td>Partially completed</td> </tr> <tr> <td>3</td> <td>No data collected</td> </tr> </table>	1	Completed	2	Partially completed	3	No data collected									
1	Completed																	
2	Partially completed																	
3	No data collected																	
3373	[tracking_w0_date] Show the field ONLY if: [tracking_w0] = '1'	Date completed:	text (date_mdy)															
3374	[tracking_w0_date_part] Show the field ONLY if: [tracking_w0] = '2'	Date partially completed	text (date_mdy)															
3375	[tracking_w0_reason_part] Show the field ONLY if: [tracking_w0] = '2'	Reason partially completed:	notes Custom alignment: LV															
3376	[tracking_w0_incom] Show the field ONLY if: [tracking_w0] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>1</td> <td>tracking_w0_incom__1</td> <td>Consent Form</td> </tr> <tr> <td>2</td> <td>tracking_w0_incom__2</td> <td>Eligibility Criteria Baseline</td> </tr> <tr> <td>3</td> <td>tracking_w0_incom__3</td> <td>ATHF Form</td> </tr> <tr> <td>4</td> <td>tracking_w0_incom__4</td> <td>CIRS-G</td> </tr> <tr> <td>5</td> <td>tracking_w0_incom__5</td> <td>Medical History Form</td> </tr> </table>	1	tracking_w0_incom__1	Consent Form	2	tracking_w0_incom__2	Eligibility Criteria Baseline	3	tracking_w0_incom__3	ATHF Form	4	tracking_w0_incom__4	CIRS-G	5	tracking_w0_incom__5	Medical History Form
1	tracking_w0_incom__1	Consent Form																
2	tracking_w0_incom__2	Eligibility Criteria Baseline																
3	tracking_w0_incom__3	ATHF Form																
4	tracking_w0_incom__4	CIRS-G																
5	tracking_w0_incom__5	Medical History Form																

6	tracking_w0_incom_6	Medication Form
7	tracking_w0_incom_7	Psychiatric Medication Form
8	tracking_w0_incom_8	Decision Support Form
9	tracking_w0_incom_9	NIH Toolbox Baseline
10	tracking_w0_incom_10	PROMIS Physical Function
11	tracking_w0_incom_11	PROMIS Ability to Part. in SRA
12	tracking_w0_incom_12	PROMIS Anxiety
13	tracking_w0_incom_13	MADRS
14	tracking_w0_incom_14	Falls Assessment Baseline

3377	[tracking_w0_no] Show the field ONLY if: [tracking_w0] = '3'	Reason no data collected:	notes Custom alignment: LV				
3378	[baseline_notes]	Notes or Comments	notes Custom alignment: LV				
3379	[tracking_step1_r]	Section Header: <i>Step 1 Randomization</i> Patient agrees to initiate randomized treatment? <i>(if no, please describe below in the comments section)</i>	yesno <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No
1	Yes						
0	No						
3380	[tracking_step1_r1]	1. Was participant randomized to a Step 1 treatment?	yesno <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No
1	Yes						
0	No						
3381	[tracking_step1_r1a]	Is randomization pending?	yesno <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No
1	Yes						
0	No						
3382	[tracking_step1_r2]	2. Randomization assignment communicated to patient on:	text (date_mdy)				
3383	[tracking_step1_r3]	3. Randomization assignment communicated to provider on:	text (date_mdy)				
3384	[tracking_step1_r4]	4. Date of first dose of Step 1 treatment	text (date_mdy)				
3385	[tracking_step1_r4a]	AM/PM	radio				

			<table border="1"> <tr><td>1</td><td>AM</td></tr> <tr><td>2</td><td>PM</td></tr> </table>	1	AM	2	PM		
1	AM								
2	PM								
3386	[tracking_step1_r4b]	Anticipated/Actual	radio <table border="1"> <tr><td>1</td><td>Anticipated</td></tr> <tr><td>2</td><td>Actual</td></tr> </table>	1	Anticipated	2	Actual		
1	Anticipated								
2	Actual								
3387	[s1_random_notes]	Notes or Comments	notes Custom alignment: LV						
3388	[tracking_w2]	Section Header: Step 1 Week 2 Data collection	radio <table border="1"> <tr><td>1</td><td>Completed</td></tr> <tr><td>2</td><td>Partially completed</td></tr> <tr><td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected
1	Completed								
2	Partially completed								
3	No data collected								
3389	[tracking_w2_date] Show the field ONLY if: [tracking_w2] = '1'	Date completed:	text (date_mdy)						
3390	[tracking_w2_date_part] Show the field ONLY if: [tracking_w2] = '2'	Date partially completed	text (date_mdy)						
3391	[tracking_w2_reason_part] Show the field ONLY if: [tracking_w2] = '2'	Reason partially completed:	notes Custom alignment: LV						
3392	[tracking_w2_incom] Show the field ONLY if: [tracking_w2] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr><td>8</td><td>tracking_w2_incom__8</td><td>Decision Support Form</td></tr> </table>	8	tracking_w2_incom__8	Decision Support Form			
8	tracking_w2_incom__8	Decision Support Form							
3393	[tracking_w2_no] Show the field ONLY if: [tracking_w2] = '3'	Reason no data collected:	notes Custom alignment: LV						
3394	[s1w2_notes]	Notes or comments	notes Custom alignment: LV						
3395	[tracking_w4]	Section Header: Step 1 Week 4 Data collection	radio <table border="1"> <tr><td>1</td><td>Completed</td></tr> <tr><td>2</td><td>Partially completed</td></tr> <tr><td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected
1	Completed								
2	Partially completed								
3	No data collected								
3396	[tracking_w4_date] Show the field ONLY if: [tracking_w4] = '1'	Date completed:	text (date_mdy)						

3397	[tracking_w4_date_p rt] Show the field ONLY i f: [tracking_w4] = '2'	Date partially completed	text (date_mdy)						
3398	[tracking_w4_reason_ part] Show the field ONLY i f: [tracking_w4] = '2'	Reason partially completed:	notes Custom alignment: LV						
3399	[tracking_w4_incom] Show the field ONLY i f: [tracking_w4] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>8</td> <td>tracking_w4_incom__8</td> <td>Decision Support Form</td> </tr> </table>	8	tracking_w4_incom__8	Decision Support Form			
8	tracking_w4_incom__8	Decision Support Form							
3400	[tracking_w4_no] Show the field ONLY i f: [tracking_w4] = '3'	Reason no data collected:	notes Custom alignment: LV						
3401	[s1w4_notes]	Notes or Comments	notes Custom alignment: LV						
3402	[tracking_w6]	Section Header: <i>Step 1 Week 6</i> Data collection	radio <table border="1"> <tr> <td>1</td> <td>Completed</td> </tr> <tr> <td>2</td> <td>Partially completed</td> </tr> <tr> <td>3</td> <td>No data collected</td> </tr> </table>	1	Completed	2	Partially completed	3	No data collected
1	Completed								
2	Partially completed								
3	No data collected								
3403	[tracking_w6_date] Show the field ONLY i f: [tracking_w6] = '1'	Date completed:	text (date_mdy)						
3404	[tracking_w6_date_p rt] Show the field ONLY i f: [tracking_w6] = '2'	Date partially completed	text (date_mdy)						
3405	[tracking_w6_reason_ part] Show the field ONLY i f: [tracking_w6] = '2'	Reason partially completed:	notes Custom alignment: LV						
3406	[tracking_w6_incom] Show the field ONLY i f: [tracking_w6] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>8</td> <td>tracking_w6_incom__8</td> <td>Decision Support Form</td> </tr> </table>	8	tracking_w6_incom__8	Decision Support Form			
8	tracking_w6_incom__8	Decision Support Form							
3407	[tracking_w6_no] Show the field ONLY i f:	Reason no data collected:	notes Custom alignment: LV						

	[tracking_w6] = '3'								
3408	[s1w6_notes]	Notes or Comments	notes Custom alignment: LV						
3409	[tracking_w8]	Section Header: Step 1 Week 8 Data collection	radio <table border="1"> <tr> <td>1</td><td>Completed</td></tr> <tr> <td>2</td><td>Partially completed</td></tr> <tr> <td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected
1	Completed								
2	Partially completed								
3	No data collected								
3410	[tracking_w8_date] Show the field ONLY if: [tracking_w8] = '1'	Date completed:	text (date_mdy)						
3411	[tracking_w8_date_part] Show the field ONLY if: [tracking_w8] = '2'	Date partially completed	text (date_mdy)						
3412	[tracking_w8_incom2_ef6] Show the field ONLY if: [tracking_w8] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>8</td><td>tracking_w8_incom2_ef6__8</td><td>Decision Support Form</td></tr> </table>	8	tracking_w8_incom2_ef6__8	Decision Support Form			
8	tracking_w8_incom2_ef6__8	Decision Support Form							
3413	[tracking_w8_reason_part] Show the field ONLY if: [tracking_w8] = '2'	Reason partially completed:	notes Custom alignment: LV						
3414	[tracking_w8_no] Show the field ONLY if: [tracking_w8] = '3'	Reason no data collected:	notes Custom alignment: LV						
3415	[s1w8_notes]	Notes or Comments	notes Custom alignment: LV						
3416	[s1w10_blind_madrs_done]	Section Header: Step 1 Week 10 Blinded MADRS Completed	text (date_mdy)						
3417	[s1w10_survey_status]	Survey Status	radio <table border="1"> <tr> <td>1</td><td>Sent</td></tr> <tr> <td>2</td><td>Completed online</td></tr> </table>	1	Sent	2	Completed online		
1	Sent								
2	Completed online								
3418	[tracking_s1w10]	Data collection	radio <table border="1"> <tr> <td>1</td><td>Completed</td></tr> <tr> <td>2</td><td>Partially completed</td></tr> <tr> <td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected
1	Completed								
2	Partially completed								
3	No data collected								
3419	[tracking_s1w10_date]	Date completed:	text (date_mdy)						

	Show the field ONLY if: [tracking_s1w10] = '1'																				
3420	[tracking_s1w10_date_part] Show the field ONLY if: [tracking_s1w10] = '2'	Date partially completed	text (date_mdy)																		
3421	[tracking_s1w10_reason_part] Show the field ONLY if: [tracking_s1w10] = '2'	Reason partially completed:	notes Custom alignment: LV																		
3422	[tracking_s1w10_incom] Show the field ONLY if: [tracking_s1w10] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>15</td><td>tracking_s1w10_incom__15</td><td>Exclusion to Enter Step 2</td></tr> <tr> <td>8</td><td>tracking_s1w10_incom__8</td><td>Decision Support Form</td></tr> <tr> <td>16</td><td>tracking_s1w10_incom__16</td><td>NIH Toolbox Followup</td></tr> <tr> <td>10</td><td>tracking_s1w10_incom__10</td><td>PROMIS Physical Function</td></tr> <tr> <td>11</td><td>tracking_s1w10_incom__11</td><td>PROMIS Ability to Part. in SRA</td></tr> <tr> <td>13</td><td>tracking_s1w10_incom__13</td><td>MADRS</td></tr> </table>	15	tracking_s1w10_incom__15	Exclusion to Enter Step 2	8	tracking_s1w10_incom__8	Decision Support Form	16	tracking_s1w10_incom__16	NIH Toolbox Followup	10	tracking_s1w10_incom__10	PROMIS Physical Function	11	tracking_s1w10_incom__11	PROMIS Ability to Part. in SRA	13	tracking_s1w10_incom__13	MADRS
15	tracking_s1w10_incom__15	Exclusion to Enter Step 2																			
8	tracking_s1w10_incom__8	Decision Support Form																			
16	tracking_s1w10_incom__16	NIH Toolbox Followup																			
10	tracking_s1w10_incom__10	PROMIS Physical Function																			
11	tracking_s1w10_incom__11	PROMIS Ability to Part. in SRA																			
13	tracking_s1w10_incom__13	MADRS																			
3423	[tracking_s1w10_no] Show the field ONLY if: [tracking_s1w10] = '3'	Reason no data collected:	notes Custom alignment: LV																		
3424	[s1w10_notes]	Notes or Comments	notes Custom alignment: LV																		
3425	[tracking_step1_out]	Section Header: <i>Step 1 Outcome</i> Step 1 Outcome	radio <table border="1"> <tr> <td>1</td><td>Step 1 Remitter</td></tr> <tr> <td>2</td><td>Step 1 Non-remitter</td></tr> </table>	1	Step 1 Remitter	2	Step 1 Non-remitter														
1	Step 1 Remitter																				
2	Step 1 Non-remitter																				
3426	[random_fid_s1]	Randomization Fidelity	dropdown <table border="1"> <tr> <td>1</td><td>Stayed on randomized treatment</td></tr> <tr> <td>2</td><td>Discontinued augmentation but remained on index</td></tr> <tr> <td>3</td><td>Discontinued switch and returned to initial treatment</td></tr> </table>	1	Stayed on randomized treatment	2	Discontinued augmentation but remained on index	3	Discontinued switch and returned to initial treatment												
1	Stayed on randomized treatment																				
2	Discontinued augmentation but remained on index																				
3	Discontinued switch and returned to initial treatment																				

			<table border="1"> <tr><td>4</td><td>Discontinued switch and initiated new treatment</td></tr> <tr><td>5</td><td>Continued switch medication but augmented with previous treatment</td></tr> <tr><td>6</td><td>Other</td></tr> </table>	4	Discontinued switch and initiated new treatment	5	Continued switch medication but augmented with previous treatment	6	Other														
4	Discontinued switch and initiated new treatment																						
5	Continued switch medication but augmented with previous treatment																						
6	Other																						
Field Annotation: @HIDDEN																							
3427	[random_fid_s1_desc] Show the field ONLY if: [random_fid_s1] = '6'	Please describe the randomization fidelity.	notes Custom alignment: LV Field Annotation: @HIDDEN																				
3428	[rand_fid_s1]	Randomization Fidelity	dropdown <table border="1"> <tr><td>1</td><td>Stayed on randomized treatment at target dosage</td></tr> <tr><td>2</td><td>Never started the randomized treatment</td></tr> <tr><td>3</td><td>Started and Stayed on the randomized treatment but never reached target dosage</td></tr> <tr><td>4</td><td>Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step</td></tr> <tr><td>5</td><td>Discontinued augmentation but remained on index</td></tr> <tr><td>6</td><td>Discontinued switch and returned to initial treatment</td></tr> <tr><td>7</td><td>Discontinued switch and initiated new antidepressant</td></tr> <tr><td>8</td><td>Continued switch medication but augmented with previous antidepressant</td></tr> <tr><td>9</td><td>Continued augmentation but switched index</td></tr> <tr><td>10</td><td>Other (e.g., ect, tms, etc...)</td></tr> </table>	1	Stayed on randomized treatment at target dosage	2	Never started the randomized treatment	3	Started and Stayed on the randomized treatment but never reached target dosage	4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step	5	Discontinued augmentation but remained on index	6	Discontinued switch and returned to initial treatment	7	Discontinued switch and initiated new antidepressant	8	Continued switch medication but augmented with previous antidepressant	9	Continued augmentation but switched index	10	Other (e.g., ect, tms, etc...)
1	Stayed on randomized treatment at target dosage																						
2	Never started the randomized treatment																						
3	Started and Stayed on the randomized treatment but never reached target dosage																						
4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step																						
5	Discontinued augmentation but remained on index																						
6	Discontinued switch and returned to initial treatment																						
7	Discontinued switch and initiated new antidepressant																						
8	Continued switch medication but augmented with previous antidepressant																						
9	Continued augmentation but switched index																						
10	Other (e.g., ect, tms, etc...)																						
3429	[rand_fid_s1_desc] Show the field ONLY if: [rand_fid_s1] = '10'	Please briefly describe (1 or 2 words) the randomization fidelity.	text																				
3430	[rand_fid_s1a] Show the field ONLY if: [rand_fid_s1] = '2' or [rand_fid_s1] = '3' or [rand_fid_s1] = '4' or [rand_fid_s1] = '5' or [rand_	Please indicate further why patient was unable to stay on randomized treatment at an adequate dose.	dropdown <table border="1"> <tr><td>1</td><td>Clinician hard to reach or unwilling to work with research team</td></tr> <tr><td>2</td><td>Patient had side effects</td></tr> <tr><td>3</td><td>Clinician thought a different treatment was needed</td></tr> </table>	1	Clinician hard to reach or unwilling to work with research team	2	Patient had side effects	3	Clinician thought a different treatment was needed														
1	Clinician hard to reach or unwilling to work with research team																						
2	Patient had side effects																						
3	Clinician thought a different treatment was needed																						

	<pre>fid_s1] = '6' or [rand_fid_s1] = '7' or [rand_fid_s1] = '8' or [rand_fid_s1] = '9' or [rand_fid_s1] = '10'</pre>		<table border="1"> <tr><td>4</td><td>Patient hard to reach or unwilling to work with research team</td></tr> <tr><td>5</td><td>Patient preferred different treatment</td></tr> <tr><td>6</td><td>Patient had medical issues which interfered with treatment</td></tr> </table>	4	Patient hard to reach or unwilling to work with research team	5	Patient preferred different treatment	6	Patient had medical issues which interfered with treatment
4	Patient hard to reach or unwilling to work with research team								
5	Patient preferred different treatment								
6	Patient had medical issues which interfered with treatment								
3431	<p>[tracking_step1_out = 1]</p> <p>Show the field ONLY if: [tracking_step1_out] = '1'</p>	Remitters proceed to Continuation	descriptive						
3432	<p>[tracking_step1_out = 2]</p> <p>Show the field ONLY if: [tracking_step1_out] = '2'</p>	Non-remitters proceed to Step 2	descriptive						
3433	<p>[s1_outcome2]</p> <p>Show the field ONLY if: [tracking_step1_out] = '2'</p>	Proceeded to Step 2?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3434	<p>[no_s2_why]</p> <p>Show the field ONLY if: [tracking_step1_out] = '2' and [s1_outcome2] = '0'</p>	Why didn't the participant proceed to Step 2?	dropdown <table border="1"> <tr><td>1</td><td>Ineligible for Step 2</td></tr> <tr><td>2</td><td>Patient not interested in Step 2</td></tr> <tr><td>3</td><td>Other</td></tr> </table>	1	Ineligible for Step 2	2	Patient not interested in Step 2	3	Other
1	Ineligible for Step 2								
2	Patient not interested in Step 2								
3	Other								
3435	<p>[no_s2_desc]</p> <p>Show the field ONLY if: [no_s2_why] = '3'</p>	Please describe why the participant did not proceed to Step 2.	notes Custom alignment: LV						
3436	<p>[s1_outcome1]</p>	Proceeded to Step 1 Continuation?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3437	<p>[s1_outcome_notes]</p>	Notes or Comments	notes Custom alignment: LV						
3438	<p>[tracking_step2_r]</p>	Section Header: <i>Step 2 Randomization</i> Patient agrees to initiate randomized treatment? <i>(If no, please describe below in the comments section)</i>	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3439	<p>[tracking_step2_r1]</p>	1. Was participant randomized to a Step 2 treatment?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								

3440	[tracking_step2_r1a]	Is randomization pending?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3441	[tracking_step2_r2]	2. Randomization assignment communicated to patient on:	text (date_mdy)						
3442	[tracking_step2_r3]	3. Randomization assignment communicated to provider on:	text (date_mdy)						
3443	[tracking_step2_r4]	4. Date of first dose of Step 2 treatment:	text (date_mdy)						
3444	[tracking_step2_r4a]	AM/PM	radio <table border="1"> <tr><td>1</td><td>AM</td></tr> <tr><td>2</td><td>PM</td></tr> </table>	1	AM	2	PM		
1	AM								
2	PM								
3445	[tracking_step2_r4b]	Anticipated/Actual	radio <table border="1"> <tr><td>1</td><td>Anticipated</td></tr> <tr><td>2</td><td>Actual</td></tr> </table>	1	Anticipated	2	Actual		
1	Anticipated								
2	Actual								
3446	[s2_random_from_s1contin]	Randomized to Step 2 after entering Step 1 Continuation?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3447	[s2_baseline_date]	Date of last assessment before Step 2 randomization	text (date_mdy)						
3448	[s2_random_notes]	Notes or Comments	notes Custom alignment: LV						
3449	[tracking_s2w2]	Section Header: <i>Step 2 Week 2</i> Data collection	radio <table border="1"> <tr><td>1</td><td>Completed</td></tr> <tr><td>2</td><td>Partially completed</td></tr> <tr><td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected
1	Completed								
2	Partially completed								
3	No data collected								
3450	[tracking_s2w2_date] Show the field ONLY if: [tracking_s2w2] = '1'	Date completed:	text (date_mdy)						
3451	[tracking_s2w2_date_part] Show the field ONLY if: [tracking_s2w2] = '2'	Date partially completed	text (date_mdy)						
3452	[tracking_s2w2_reason_part] Show the field ONLY if: [tracking_s2w2] = '2'	Reason partially completed:	notes Custom alignment: LV						
3453	[tracking_s2w2_incom] Show the field ONLY if: [tracking_s2w2] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr><td>8</td><td>tracking_s2w2_incom_8</td><td>Decision Support</td></tr> </table>	8	tracking_s2w2_incom_8	Decision Support			
8	tracking_s2w2_incom_8	Decision Support							

	Show the field ONLY if: [tracking_s2w2] = '2'			Form						
3454	[tracking_s2w2_no] Show the field ONLY if: [tracking_s2w2] = '3'	Reason no data collected:	notes Custom alignment: LV							
3455	[s2w2_notes]	Notes or Comments	notes Custom alignment: LV							
3456	[tracking_s2w4]	Section Header: <i>Step 2 Week 4</i> Data collection	radio <table border="1"> <tr> <td>1</td> <td>Completed</td> </tr> <tr> <td>2</td> <td>Partially completed</td> </tr> <tr> <td>3</td> <td>No data collected</td> </tr> </table>	1	Completed	2	Partially completed	3	No data collected	
1	Completed									
2	Partially completed									
3	No data collected									
3457	[tracking_s2w4_date] Show the field ONLY if: [tracking_s2w4] = '1'	Date completed:	text (date_mdy)							
3458	[tracking_s2w4_date_part] Show the field ONLY if: [tracking_s2w4] = '2'	Date partially completed	text (date_mdy)							
3459	[tracking_s2w4_reason_part] Show the field ONLY if: [tracking_s2w4] = '2'	Reason partially completed:	notes Custom alignment: LV							
3460	[tracking_s2w4_incom_m] Show the field ONLY if: [tracking_s2w4] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>8</td> <td>tracking_s2w4_incom_8</td> <td>Decision Support Form</td> </tr> </table>	8	tracking_s2w4_incom_8	Decision Support Form				
8	tracking_s2w4_incom_8	Decision Support Form								
3461	[tracking_s2w4_no] Show the field ONLY if: [tracking_s2w4] = '3'	Reason no data collected:	notes Custom alignment: LV							
3462	[s2w4_notes]	Notes or Comments	notes Custom alignment: LV							
3463	[tracking_s2w6]	Section Header: <i>Step 2 Week 6</i> Data collection	radio <table border="1"> <tr> <td>1</td> <td>Completed</td> </tr> <tr> <td>2</td> <td>Partially completed</td> </tr> <tr> <td>3</td> <td>No data collected</td> </tr> </table>	1	Completed	2	Partially completed	3	No data collected	
1	Completed									
2	Partially completed									
3	No data collected									
3464	[tracking_s2w6_date]	Date completed:	text (date_mdy)							

	Show the field ONLY if: [tracking_s2w6] = '1'								
3465	[tracking_s2w6_date_part] Show the field ONLY if: [tracking_s2w6] = '2'	Date partially completed	text (date_mdy)						
3466	[tracking_s2w6_reason_part] Show the field ONLY if: [tracking_s2w6] = '2'	Reason partially completed:	notes Custom alignment: LV						
3467	[tracking_s2w6_incom_m] Show the field ONLY if: [tracking_s2w6] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>8</td><td>tracking_s2w6_incom__8</td><td>Decision Support Form</td></tr> </table>	8	tracking_s2w6_incom__8	Decision Support Form			
8	tracking_s2w6_incom__8	Decision Support Form							
3468	[tracking_s2w6_no] Show the field ONLY if: [tracking_w6] = '3'	Reason no data collected:	notes Custom alignment: LV						
3469	[s2w6_notes]	Notes or Comments	notes Custom alignment: LV						
3470	[tracking_s2w8]	Section Header: <i>Step 2 Week 8</i> Data collection	radio <table border="1"> <tr> <td>1</td><td>Completed</td></tr> <tr> <td>2</td><td>Partially completed</td></tr> <tr> <td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected
1	Completed								
2	Partially completed								
3	No data collected								
3471	[tracking_s2w8_date] Show the field ONLY if: [tracking_s2w8] = '1'	Date completed:	text (date_mdy)						
3472	[tracking_s2w8_date_part] Show the field ONLY if: [tracking_s2w8] = '2'	Date partially completed	text (date_mdy)						
3473	[tracking_s2w8_reason_part] Show the field ONLY if: [tracking_s2w8] = '2'	Reason partially completed:	notes Custom alignment: LV						
3474	[tracking_s2w8_incom_m] Show the field ONLY if:	List incomplete assessments:	checkbox <table border="1"> <tr> <td>8</td><td>tracking_s2w8_incom__8</td><td>Decision Support Form</td></tr> </table>	8	tracking_s2w8_incom__8	Decision Support Form			
8	tracking_s2w8_incom__8	Decision Support Form							

	[tracking_s2w8] = '2'																	
3475	[tracking_s2w8_no] Show the field ONLY if: [tracking_s2w8] = '3'	Reason no data collected:	notes Custom alignment: LV															
3476	[s2w8_notes]	Notes or Comments	notes Custom alignment: LV															
3477	[s2w10_blind_madrs_d one]	Section Header: <i>Step 2 Week 10</i> Blinded MADRS Completion	text (date_mdy)															
3478	[s2w10_survey_statu s]	Survey Status	radio <table border="1"> <tr> <td>1</td> <td>Sent</td> </tr> <tr> <td>2</td> <td>Completed online</td> </tr> </table>	1	Sent	2	Completed online											
1	Sent																	
2	Completed online																	
3479	[tracking_s2w10]	Data collection	radio <table border="1"> <tr> <td>1</td> <td>Completed</td> </tr> <tr> <td>2</td> <td>Partially completed</td> </tr> <tr> <td>3</td> <td>No data collected</td> </tr> </table>	1	Completed	2	Partially completed	3	No data collected									
1	Completed																	
2	Partially completed																	
3	No data collected																	
3480	[tracking_s2w10_dat e] Show the field ONLY if: [tracking_s2w10] = '1'	Date completed:	text (date_mdy)															
3481	[tracking_s2w10_date _part] Show the field ONLY if: [tracking_s2w10] = '2'	Date partially completed	text (date_mdy)															
3482	[tracking_s2w10_reas on_part] Show the field ONLY if: [tracking_s2w10] = '2'	Reason partially completed:	notes Custom alignment: LV															
3483	[tracking_s2w10_inco m] Show the field ONLY if: [tracking_s2w10] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>8</td> <td>tracking_s2w10_incom__8</td> <td>Decision Support Form</td> </tr> <tr> <td>16</td> <td>tracking_s2w10_incom__16</td> <td>NIH Toolbox Followup</td> </tr> <tr> <td>10</td> <td>tracking_s2w10_incom__10</td> <td>PROMIS Physical Function</td> </tr> <tr> <td>11</td> <td>tracking_s2w10_incom__11</td> <td>PROMIS Ability to Part. in S</td> </tr> <tr> <td>13</td> <td>tracking_s2w10_incom__13</td> <td>MADRS</td> </tr> </table>	8	tracking_s2w10_incom__8	Decision Support Form	16	tracking_s2w10_incom__16	NIH Toolbox Followup	10	tracking_s2w10_incom__10	PROMIS Physical Function	11	tracking_s2w10_incom__11	PROMIS Ability to Part. in S	13	tracking_s2w10_incom__13	MADRS
8	tracking_s2w10_incom__8	Decision Support Form																
16	tracking_s2w10_incom__16	NIH Toolbox Followup																
10	tracking_s2w10_incom__10	PROMIS Physical Function																
11	tracking_s2w10_incom__11	PROMIS Ability to Part. in S																
13	tracking_s2w10_incom__13	MADRS																

			<table border="1"> <tr><td>18</td><td>tracking_s2w10_incom_18</td><td>Relapse (MADRS >=15)</td></tr> <tr><td>17</td><td>tracking_s2w10_incom_17</td><td>Falls Assessment Followup</td></tr> </table>	18	tracking_s2w10_incom_18	Relapse (MADRS >=15)	17	tracking_s2w10_incom_17	Falls Assessment Followup						
18	tracking_s2w10_incom_18	Relapse (MADRS >=15)													
17	tracking_s2w10_incom_17	Falls Assessment Followup													
3484	[tracking_s2w10_no] Show the field ONLY if: [tracking_s2w10] = '3'	Reason no data collected:	notes Custom alignment: LV												
3485	[s2w10_notes]	Notes or Comments	notes Custom alignment: LV												
3486	[tracking_step2_out]	Section Header: <i>Step 2 Outcome</i> Step 2 Outcome	radio <table border="1"> <tr><td>1</td><td>Step 2 Remitter</td></tr> <tr><td>2</td><td>Step 2 Non-remitter</td></tr> </table>	1	Step 2 Remitter	2	Step 2 Non-remitter								
1	Step 2 Remitter														
2	Step 2 Non-remitter														
3487	[random_fid_s2]	Randomization Fidelity	dropdown <table border="1"> <tr><td>1</td><td>Stayed on randomized treatment</td></tr> <tr><td>2</td><td>Discontinued augmentation but remained on index</td></tr> <tr><td>3</td><td>Discontinued switch and returned to initial treatment</td></tr> <tr><td>4</td><td>Discontinued switch and initiated new treatment</td></tr> <tr><td>5</td><td>Continued switch medication but augmented with previous treatment</td></tr> <tr><td>6</td><td>Other</td></tr> </table> Field Annotation: @HIDDEN	1	Stayed on randomized treatment	2	Discontinued augmentation but remained on index	3	Discontinued switch and returned to initial treatment	4	Discontinued switch and initiated new treatment	5	Continued switch medication but augmented with previous treatment	6	Other
1	Stayed on randomized treatment														
2	Discontinued augmentation but remained on index														
3	Discontinued switch and returned to initial treatment														
4	Discontinued switch and initiated new treatment														
5	Continued switch medication but augmented with previous treatment														
6	Other														
3488	[random_fid_s2_desc] Show the field ONLY if: [random_fid_s2] = '6'	Please describe the randomization fidelity	notes Custom alignment: LV Field Annotation: @HIDDEN												
3489	[rand_fid_s2]	Randomization Fidelity	dropdown <table border="1"> <tr><td>1</td><td>Stayed on randomized treatment at target dosage</td></tr> <tr><td>2</td><td>Never started the randomized treatment</td></tr> <tr><td>3</td><td>Started and Stayed on the randomized treatment but never reached target dosage</td></tr> <tr><td>4</td><td>Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step</td></tr> </table>	1	Stayed on randomized treatment at target dosage	2	Never started the randomized treatment	3	Started and Stayed on the randomized treatment but never reached target dosage	4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step				
1	Stayed on randomized treatment at target dosage														
2	Never started the randomized treatment														
3	Started and Stayed on the randomized treatment but never reached target dosage														
4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step														

			<table border="1"> <tr><td>5</td><td>Discontinued augmentation but remained on index</td></tr> <tr><td>6</td><td>Discontinued switch and returned to initial treatment</td></tr> <tr><td>7</td><td>Discontinued switch and initiated new antidepressant</td></tr> <tr><td>8</td><td>Continued switch medication but augmented with previous antidepressant</td></tr> <tr><td>9</td><td>Continued augmentation but switched index</td></tr> <tr><td>10</td><td>Other (e.g., ect, tms, etc...)</td></tr> </table>	5	Discontinued augmentation but remained on index	6	Discontinued switch and returned to initial treatment	7	Discontinued switch and initiated new antidepressant	8	Continued switch medication but augmented with previous antidepressant	9	Continued augmentation but switched index	10	Other (e.g., ect, tms, etc...)
5	Discontinued augmentation but remained on index														
6	Discontinued switch and returned to initial treatment														
7	Discontinued switch and initiated new antidepressant														
8	Continued switch medication but augmented with previous antidepressant														
9	Continued augmentation but switched index														
10	Other (e.g., ect, tms, etc...)														
3490	[rand_fid_s2_desc] Show the field ONLY if: [rand_fid_s2] = '10'	Please briefly describe (1 or 2 words) the randomization fidelity.	text												
3491	[rand_fid_s2a] Show the field ONLY if: [rand_fid_s2] = '2' or [rand_fid_s2] = '3' or [rand_fid_s2] = '4' or [rand_fid_s2] = '5' or [rand_fid_s2] = '6' or [rand_fid_s2] = '7' or [rand_fid_s2] = '8' or [rand_fid_s2] = '9' or [rand_fid_s2] = '10'	Please indicate further why patient was unable to stay on randomized treatment at an adequate dose.	<p>dropdown</p> <table border="1"> <tr><td>1</td><td>Clinician hard to reach or unwilling to work with research team</td></tr> <tr><td>2</td><td>Patient had side effects</td></tr> <tr><td>3</td><td>Clinician thought a different treatment was needed</td></tr> <tr><td>4</td><td>Patient hard to reach or unwilling to work with research team</td></tr> <tr><td>5</td><td>Patient preferred different treatment</td></tr> <tr><td>6</td><td>Patient had medical issues which interfered with treatment</td></tr> </table>	1	Clinician hard to reach or unwilling to work with research team	2	Patient had side effects	3	Clinician thought a different treatment was needed	4	Patient hard to reach or unwilling to work with research team	5	Patient preferred different treatment	6	Patient had medical issues which interfered with treatment
1	Clinician hard to reach or unwilling to work with research team														
2	Patient had side effects														
3	Clinician thought a different treatment was needed														
4	Patient hard to reach or unwilling to work with research team														
5	Patient preferred different treatment														
6	Patient had medical issues which interfered with treatment														
3492	[tracking_step2_outcome]	Proceeded to Continuation?	<p>yesno</p> <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No								
1	Yes														
0	No														
3493	[track_step2_out_text] Show the field ONLY if: [tracking_step2_outcome] = '0'	Please fill out the termination form	descriptive												
3494	[s2_outcome_notes]	Notes or Comments	<p>notes Custom alignment: LV</p>												
3495	[s1m4_blind_madrs_done]	Section Header: Step 1 Continuation: Month 4 Blinded MADRS Completion	text (date_mdy)												
3496	[s1m4_survey_status]	Survey Status	<p>radio</p> <table border="1"> <tr><td>1</td><td>Sent</td></tr> <tr><td>2</td><td>Completed online</td></tr> </table>	1	Sent	2	Completed online								
1	Sent														
2	Completed online														

3497	[tracking_s1m4]	Data collection	radio <table border="1"> <tr><td>1</td><td>Completed</td></tr> <tr><td>2</td><td>Partially completed</td></tr> <tr><td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected												
1	Completed																				
2	Partially completed																				
3	No data collected																				
3498	[tracking_s1m4_date] Show the field ONLY if: [tracking_s1m4] = '1'	Date completed:	text (date_mdy)																		
3499	[tracking_s1m4_date_part] Show the field ONLY if: [tracking_s1m4] = '2'	Date partially completed	text (date_mdy)																		
3500	[tracking_s1m4_reason_part] Show the field ONLY if: [tracking_s1m4] = '2'	Reason partially completed:	notes Custom alignment: LV																		
3501	[tracking_s1m4_incom] Show the field ONLY if: [tracking_s1m4] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr><td>16</td><td>tracking_s1m4_incom__16</td><td>NIH Toolbox Followup</td></tr> <tr><td>13</td><td>tracking_s1m4_incom__13</td><td>MADRS</td></tr> <tr><td>12</td><td>tracking_s1m4_incom__12</td><td>PROMIS Physical Function</td></tr> <tr><td>14</td><td>tracking_s1m4_incom__14</td><td>PROMIS Ability to Participate in SRA</td></tr> <tr><td>18</td><td>tracking_s1m4_incom__18</td><td>Relapse (if MADRS >=15)</td></tr> <tr><td>17</td><td>tracking_s1m4_incom__17</td><td>Falls Assessment Followup</td></tr> </table>	16	tracking_s1m4_incom__16	NIH Toolbox Followup	13	tracking_s1m4_incom__13	MADRS	12	tracking_s1m4_incom__12	PROMIS Physical Function	14	tracking_s1m4_incom__14	PROMIS Ability to Participate in SRA	18	tracking_s1m4_incom__18	Relapse (if MADRS >=15)	17	tracking_s1m4_incom__17	Falls Assessment Followup
16	tracking_s1m4_incom__16	NIH Toolbox Followup																			
13	tracking_s1m4_incom__13	MADRS																			
12	tracking_s1m4_incom__12	PROMIS Physical Function																			
14	tracking_s1m4_incom__14	PROMIS Ability to Participate in SRA																			
18	tracking_s1m4_incom__18	Relapse (if MADRS >=15)																			
17	tracking_s1m4_incom__17	Falls Assessment Followup																			
3502	[tracking_s1m4_no] Show the field ONLY if: [tracking_s1m4] = '3'	Reason no data collected:	notes Custom alignment: LV																		
3503	[s1m4_notes]	Notes or Comments	notes Custom alignment: LV																		
3504	[s2m4_blind_madrs_donne]	Section Header: Step 2 Continuation: Month 4 Blinded MADRS Completion	text (date_mdy)																		
3505	[s2m4_survey_status]	Survey Status	radio																		

			<table border="1"> <tr><td>1</td><td>Sent</td></tr> <tr><td>2</td><td>Completed online</td></tr> </table>	1	Sent	2	Completed online														
1	Sent																				
2	Completed online																				
3506	[tracking_s2m4]	Data collection	radio <table border="1"> <tr><td>1</td><td>Completed</td></tr> <tr><td>2</td><td>Partially completed</td></tr> <tr><td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected												
1	Completed																				
2	Partially completed																				
3	No data collected																				
3507	[tracking_s2m4_date]	Date completed: Show the field ONLY if: [tracking_s2m4] = '1'	text (date_mdy)																		
3508	[tracking_s2m4_date_part]	Date partially completed Show the field ONLY if: [tracking_s2m4] = '2'	text (date_mdy)																		
3509	[tracking_s2m4_reason_part]	Reason partially completed: Show the field ONLY if: [tracking_s2m4] = '2'	notes Custom alignment: LV																		
3510	[tracking_s2m4_incom]	List incomplete assessments: Show the field ONLY if: [tracking_s2m4] = '2'	checkbox <table border="1"> <tr><td>16</td><td>tracking_s2m4_incom_16</td><td>NIH Toolbox Followup</td></tr> <tr><td>13</td><td>tracking_s2m4_incom_13</td><td>MADRS</td></tr> <tr><td>12</td><td>tracking_s2m4_incom_12</td><td>PROMIS Physical Function</td></tr> <tr><td>14</td><td>tracking_s2m4_incom_14</td><td>PROMIS Ability to Participate in SRA</td></tr> <tr><td>18</td><td>tracking_s2m4_incom_18</td><td>Relapse (if MADRS >=15)</td></tr> <tr><td>17</td><td>tracking_s2m4_incom_17</td><td>Falls Assessment Followup</td></tr> </table>	16	tracking_s2m4_incom_16	NIH Toolbox Followup	13	tracking_s2m4_incom_13	MADRS	12	tracking_s2m4_incom_12	PROMIS Physical Function	14	tracking_s2m4_incom_14	PROMIS Ability to Participate in SRA	18	tracking_s2m4_incom_18	Relapse (if MADRS >=15)	17	tracking_s2m4_incom_17	Falls Assessment Followup
16	tracking_s2m4_incom_16	NIH Toolbox Followup																			
13	tracking_s2m4_incom_13	MADRS																			
12	tracking_s2m4_incom_12	PROMIS Physical Function																			
14	tracking_s2m4_incom_14	PROMIS Ability to Participate in SRA																			
18	tracking_s2m4_incom_18	Relapse (if MADRS >=15)																			
17	tracking_s2m4_incom_17	Falls Assessment Followup																			
3511	[tracking_s2m4_no]	Reason no data collected: Show the field ONLY if: [tracking_s2m4] = '3'	notes Custom alignment: LV																		
3512	[s2m4_notes]	Notes or Comments	notes Custom alignment: LV																		

3513	[s1m8_blind_madrs_donne]	Section Header: Step 1 Continuation: Month 8 Blinded MADRS Completion	text (date_mdy)																		
3514	[s1m8_survey_status]	Survey Status	radio <table border="1"> <tr> <td>1</td> <td>Sent</td> </tr> <tr> <td>2</td> <td>Completed online</td> </tr> </table>	1	Sent	2	Completed online														
1	Sent																				
2	Completed online																				
3515	[tracking_s1m8]	Data collection	radio <table border="1"> <tr> <td>1</td> <td>Completed</td> </tr> <tr> <td>2</td> <td>Partially completed</td> </tr> <tr> <td>3</td> <td>No data collected</td> </tr> </table>	1	Completed	2	Partially completed	3	No data collected												
1	Completed																				
2	Partially completed																				
3	No data collected																				
3516	[tracking_s1m8_date] Show the field ONLY if: [tracking_s1m8] = '1'	Date completed:	text (date_mdy)																		
3517	[tracking_s1m8_date_part] Show the field ONLY if: [tracking_s1m8] = '2'	Date partially completed	text (date_mdy)																		
3518	[tracking_s1m8_reason_part] Show the field ONLY if: [tracking_s1m8] = '2'	Reason partially completed:	notes Custom alignment: LV																		
3519	[tracking_s1m8_incom] Show the field ONLY if: [tracking_s1m8] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>16</td> <td>tracking_s1m8_incom__16</td> <td>NIH Toolbox Followup</td> </tr> <tr> <td>13</td> <td>tracking_s1m8_incom__13</td> <td>MADRS</td> </tr> <tr> <td>12</td> <td>tracking_s1m8_incom__12</td> <td>PROMIS Physical Function</td> </tr> <tr> <td>14</td> <td>tracking_s1m8_incom__14</td> <td>PROMIS Ability to Participate in SRA</td> </tr> <tr> <td>18</td> <td>tracking_s1m8_incom__18</td> <td>Relapse (if MADRS >=15)</td> </tr> <tr> <td>17</td> <td>tracking_s1m8_incom__17</td> <td>Falls Assessment Followup</td> </tr> </table>	16	tracking_s1m8_incom__16	NIH Toolbox Followup	13	tracking_s1m8_incom__13	MADRS	12	tracking_s1m8_incom__12	PROMIS Physical Function	14	tracking_s1m8_incom__14	PROMIS Ability to Participate in SRA	18	tracking_s1m8_incom__18	Relapse (if MADRS >=15)	17	tracking_s1m8_incom__17	Falls Assessment Followup
16	tracking_s1m8_incom__16	NIH Toolbox Followup																			
13	tracking_s1m8_incom__13	MADRS																			
12	tracking_s1m8_incom__12	PROMIS Physical Function																			
14	tracking_s1m8_incom__14	PROMIS Ability to Participate in SRA																			
18	tracking_s1m8_incom__18	Relapse (if MADRS >=15)																			
17	tracking_s1m8_incom__17	Falls Assessment Followup																			
3520	[tracking_s1m8_no] Show the field ONLY if: [tracking_s1m8] = '3'	Reason no data collected:	notes Custom alignment: LV																		

3521	[s1m8_notes]	Notes or Comments	notes Custom alignment: LV																		
3522	[s2m8_blind_madrs_done]	Section Header: <i>Step 2 Continuation: Month 8</i> Blinded MADRS Completion	text (date_mdy)																		
3523	[s2m8_survey_status]	Survey Status	radio <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>1</td> <td>Sent</td> </tr> <tr> <td>2</td> <td>Completed online</td> </tr> </table>	1	Sent	2	Completed online														
1	Sent																				
2	Completed online																				
3524	[tracking_s2m8]	Data collection	radio <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>1</td> <td>Completed</td> </tr> <tr> <td>2</td> <td>Partially completed</td> </tr> <tr> <td>3</td> <td>No data collected</td> </tr> </table>	1	Completed	2	Partially completed	3	No data collected												
1	Completed																				
2	Partially completed																				
3	No data collected																				
3525	[tracking_s2m8_date] Show the field ONLY if: [tracking_s2m8] = '1'	Date completed:	text (date_mdy)																		
3526	[tracking_s2m8_date_part] Show the field ONLY if: [tracking_s2m8] = '2'	Date partially completed	text (date_mdy)																		
3527	[tracking_s2m8_reason_part] Show the field ONLY if: [tracking_s2m8] = '2'	Reason partially completed:	notes Custom alignment: LV																		
3528	[tracking_s2m8_incom] Show the field ONLY if: [tracking_s2m8] = '2'	List incomplete assessments:	checkbox <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>16</td> <td>tracking_s2m8_incom__16</td> <td>NIH Toolbox Followup</td> </tr> <tr> <td>13</td> <td>tracking_s2m8_incom__13</td> <td>MADRS</td> </tr> <tr> <td>12</td> <td>tracking_s2m8_incom__12</td> <td>PROMIS Physical Function</td> </tr> <tr> <td>14</td> <td>tracking_s2m8_incom__14</td> <td>PROMIS Ability to Participate in SRA</td> </tr> <tr> <td>18</td> <td>tracking_s2m8_incom__18</td> <td>Relapse (if MADRS >=15)</td> </tr> <tr> <td>17</td> <td>tracking_s2m8_incom__17</td> <td>Falls Assessment Followup</td> </tr> </table>	16	tracking_s2m8_incom__16	NIH Toolbox Followup	13	tracking_s2m8_incom__13	MADRS	12	tracking_s2m8_incom__12	PROMIS Physical Function	14	tracking_s2m8_incom__14	PROMIS Ability to Participate in SRA	18	tracking_s2m8_incom__18	Relapse (if MADRS >=15)	17	tracking_s2m8_incom__17	Falls Assessment Followup
16	tracking_s2m8_incom__16	NIH Toolbox Followup																			
13	tracking_s2m8_incom__13	MADRS																			
12	tracking_s2m8_incom__12	PROMIS Physical Function																			
14	tracking_s2m8_incom__14	PROMIS Ability to Participate in SRA																			
18	tracking_s2m8_incom__18	Relapse (if MADRS >=15)																			
17	tracking_s2m8_incom__17	Falls Assessment Followup																			
3529	[tracking_s2m8_no]	Reason no data collected:	notes																		

	Show the field ONLY if: [tracking_s2m8] = '3'																	
3530	[s2m8_notes]	Notes or Comments	notes Custom alignment: LV															
3531	[s1m12_blind_madrs_d one]	Section Header: <i>Step 1 Continuation: Month 12</i> Blinded MADRS Completion	text (date_mdy)															
3532	[s1m12_survey_status]	Survey Status	radio <table border="1"> <tr> <td>1</td><td>Sent</td></tr> <tr> <td>2</td><td>Completed online</td></tr> </table>	1	Sent	2	Completed online											
1	Sent																	
2	Completed online																	
3533	[tracking_s1m12]	Data collection	radio <table border="1"> <tr> <td>1</td><td>Completed</td></tr> <tr> <td>2</td><td>Partially completed</td></tr> <tr> <td>3</td><td>No data collected</td></tr> </table>	1	Completed	2	Partially completed	3	No data collected									
1	Completed																	
2	Partially completed																	
3	No data collected																	
3534	[tracking_s1m12_date] Show the field ONLY if: [tracking_s1m12] = '1'	Date completed:	text (date_mdy)															
3535	[tracking_s1m12_date_part] Show the field ONLY if: [tracking_s1m12] = '2'	Date partially completed	text (date_mdy)															
3536	[tracking_s1m12_reason_part] Show the field ONLY if: [tracking_s1m12] = '2'	Reason partially completed:	notes Custom alignment: LV															
3537	[tracking_s1m12_incom] Show the field ONLY if: [tracking_s1m12] = '2'	List incomplete assessments:	checkbox <table border="1"> <tr> <td>16</td><td>tracking_s1m12_incom__16</td><td>NIH Toolbox Followup</td></tr> <tr> <td>10</td><td>tracking_s1m12_incom__10</td><td>PROMIS Physical Function</td></tr> <tr> <td>11</td><td>tracking_s1m12_incom__11</td><td>PROMIS Ability to Part. in S</td></tr> <tr> <td>13</td><td>tracking_s1m12_incom__13</td><td>MADRS</td></tr> <tr> <td>18</td><td>tracking_s1m12_incom__18</td><td>Relapse (MADRS >=15)</td></tr> </table>	16	tracking_s1m12_incom__16	NIH Toolbox Followup	10	tracking_s1m12_incom__10	PROMIS Physical Function	11	tracking_s1m12_incom__11	PROMIS Ability to Part. in S	13	tracking_s1m12_incom__13	MADRS	18	tracking_s1m12_incom__18	Relapse (MADRS >=15)
16	tracking_s1m12_incom__16	NIH Toolbox Followup																
10	tracking_s1m12_incom__10	PROMIS Physical Function																
11	tracking_s1m12_incom__11	PROMIS Ability to Part. in S																
13	tracking_s1m12_incom__13	MADRS																
18	tracking_s1m12_incom__18	Relapse (MADRS >=15)																

			17 tracking_s1m12_incom__17	Falls Assessm Followup
3538	[tracking_s1m12_no] Show the field ONLY if: [tracking_s1m12] = '3'	Reason no data collected:	notes Custom alignment: LV	
3539	[s1m12_notes]	Notes or Comments	notes Custom alignment: LV	
3540	[s2m12_blind_madrsdone]	Section Header: <i>Step 2 Continuation: Month 12</i> Blinded MADRS Completion	text (date_mdy)	
3541	[s2m12_survey_status]	Survey Status	radio 1 Sent 2 Completed online	
3542	[tracking_s2m12]	Data collection	radio 1 Completed 2 Partially completed 3 No data collected	
3543	[tracking_s2m12_date] Show the field ONLY if: [tracking_s2m12] = '1'	Date completed:	text (date_mdy)	
3544	[tracking_s2m12_date_part] Show the field ONLY if: [tracking_s2m12] = '2'	Date partially completed	text (date_mdy)	
3545	[tracking_s2m12_reason_part] Show the field ONLY if: [tracking_s2m12] = '2'	Reason partially completed:	notes Custom alignment: LV	
3546	[tracking_s2m12_incom] Show the field ONLY if: [tracking_s2m12] = '2'	List incomplete assessments:	checkbox 16 tracking_s2m12_incom__16 10 tracking_s2m12_incom__10 11 tracking_s2m12_incom__11 13 tracking_s2m12_incom__13	NIH Toolbox Followup PROMIS Physical Function PROMIS Ability to Part. in S MADRS

			<table border="1"> <tr> <td>18</td><td>tracking_s2m12_incom_18</td><td>Relapse (MADRS >=15)</td></tr> <tr> <td>17</td><td>tracking_s2m12_incom_17</td><td>Falls Assessment Followup</td></tr> </table>	18	tracking_s2m12_incom_18	Relapse (MADRS >=15)	17	tracking_s2m12_incom_17	Falls Assessment Followup														
18	tracking_s2m12_incom_18	Relapse (MADRS >=15)																					
17	tracking_s2m12_incom_17	Falls Assessment Followup																					
3547	[tracking_s2m12_no] Show the field ONLY if: [tracking_s2m12] = '3'	Reason no data collected:	notes Custom alignment: LV																				
3548	[s2m12_notes]	Notes or Comments	notes Custom alignment: LV																				
3549	[rand_fid_s1cont]	Section Header: <i>Step 1 Continuation Randomization Fidelity</i> Randomization Fidelity	dropdown <table border="1"> <tr> <td>1</td> <td>Stayed on randomized treatment at target dosage</td> </tr> <tr> <td>2</td> <td>Never started the randomized treatment</td> </tr> <tr> <td>3</td> <td>Started and Stayed on the randomized treatment but never reached target dosage</td> </tr> <tr> <td>4</td> <td>Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step</td> </tr> <tr> <td>5</td> <td>Discontinued augmentation but remained on index</td> </tr> <tr> <td>6</td> <td>Discontinued switch and returned to initial treatment</td> </tr> <tr> <td>7</td> <td>Discontinued switch and initiated new antidepressant</td> </tr> <tr> <td>8</td> <td>Continued switch medication but augmented with previous antidepressant</td> </tr> <tr> <td>9</td> <td>Continued augmentation but switched index</td> </tr> <tr> <td>10</td> <td>Other (e.g., ect, tms, etc...)</td> </tr> </table>	1	Stayed on randomized treatment at target dosage	2	Never started the randomized treatment	3	Started and Stayed on the randomized treatment but never reached target dosage	4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step	5	Discontinued augmentation but remained on index	6	Discontinued switch and returned to initial treatment	7	Discontinued switch and initiated new antidepressant	8	Continued switch medication but augmented with previous antidepressant	9	Continued augmentation but switched index	10	Other (e.g., ect, tms, etc...)
1	Stayed on randomized treatment at target dosage																						
2	Never started the randomized treatment																						
3	Started and Stayed on the randomized treatment but never reached target dosage																						
4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step																						
5	Discontinued augmentation but remained on index																						
6	Discontinued switch and returned to initial treatment																						
7	Discontinued switch and initiated new antidepressant																						
8	Continued switch medication but augmented with previous antidepressant																						
9	Continued augmentation but switched index																						
10	Other (e.g., ect, tms, etc...)																						
3550	[rand_fid_s1cont_des_c] Show the field ONLY if: [rand_fid_s1cont] = '10'	Please briefly describe (1 or 2 words) the randomization fidelity.	text																				
3551	[rand_fid_s1conta] Show the field ONLY if: [rand_fid_s1cont] = '2' or [rand_fid_s1cont] =	Please indicate further why patient was unable to stay on randomized treatment at an adequate dose.	dropdown <table border="1"> <tr> <td>1</td> <td>Clinician hard to reach or unwilling to work with research team</td> </tr> <tr> <td>2</td> <td>Patient had side effects</td> </tr> </table>	1	Clinician hard to reach or unwilling to work with research team	2	Patient had side effects																
1	Clinician hard to reach or unwilling to work with research team																						
2	Patient had side effects																						

	'3' or [rand_fid_s1cont] = '4' or [rand_fid_s1cont] = '5' or [rand_fid_s1cont] = '6' or [rand_fid_s1cont] = '7' or [rand_fid_s1cont] = '8' or [rand_fid_s1cont] = '9' or [rand_fid_s1cont] = '10'		<table border="1"> <tr><td>3</td><td>Clinician thought a different treatment was needed</td></tr> <tr><td>4</td><td>Patient hard to reach or unwilling to work with research team</td></tr> <tr><td>5</td><td>Patient preferred different treatment</td></tr> <tr><td>6</td><td>Patient had medical issues which interfered with treatment</td></tr> </table>	3	Clinician thought a different treatment was needed	4	Patient hard to reach or unwilling to work with research team	5	Patient preferred different treatment	6	Patient had medical issues which interfered with treatment												
3	Clinician thought a different treatment was needed																						
4	Patient hard to reach or unwilling to work with research team																						
5	Patient preferred different treatment																						
6	Patient had medical issues which interfered with treatment																						
3552	[rand_fid_s2cont]	Section Header: <i>Step 2 Continuation Randomization Fidelity</i> Randomization Fidelity	dropdown <table border="1"> <tr><td>1</td><td>Stayed on randomized treatment at target dosage</td></tr> <tr><td>2</td><td>Never started the randomized treatment</td></tr> <tr><td>3</td><td>Started and Stayed on the randomized treatment but never reached target dosage</td></tr> <tr><td>4</td><td>Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step</td></tr> <tr><td>5</td><td>Discontinued augmentation but remained on index</td></tr> <tr><td>6</td><td>Discontinued switch and returned to initial treatment</td></tr> <tr><td>7</td><td>Discontinued switch and initiated new antidepressant</td></tr> <tr><td>8</td><td>Continued switch medication but augmented with previous antidepressant</td></tr> <tr><td>9</td><td>Continued augmentation but switched index</td></tr> <tr><td>10</td><td>Other (e.g., ect, tms, etc...)</td></tr> </table>	1	Stayed on randomized treatment at target dosage	2	Never started the randomized treatment	3	Started and Stayed on the randomized treatment but never reached target dosage	4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step	5	Discontinued augmentation but remained on index	6	Discontinued switch and returned to initial treatment	7	Discontinued switch and initiated new antidepressant	8	Continued switch medication but augmented with previous antidepressant	9	Continued augmentation but switched index	10	Other (e.g., ect, tms, etc...)
1	Stayed on randomized treatment at target dosage																						
2	Never started the randomized treatment																						
3	Started and Stayed on the randomized treatment but never reached target dosage																						
4	Started and Stayed on the randomized treatment and reached target dosage, but dose was reduced below target by end of acute step																						
5	Discontinued augmentation but remained on index																						
6	Discontinued switch and returned to initial treatment																						
7	Discontinued switch and initiated new antidepressant																						
8	Continued switch medication but augmented with previous antidepressant																						
9	Continued augmentation but switched index																						
10	Other (e.g., ect, tms, etc...)																						
3553	[rand_fid_s2cont_des_c] Show the field ONLY if: [rand_fid_s2cont] = '10'	Please briefly describe (1 or 2 words) the randomization fidelity.	text																				
3554	[rand_fid_s2conta] Show the field ONLY if: [rand_fid_s2cont] = '2' or [rand_fid_s2cont] = '3' or [rand_fid_s2cont] = '4' or [rand_fid_s2cont] = '5' or [rand_fid_s2cont] = '6' or [rand_fid_s2cont]	Please indicate further why patient was unable to stay on randomized treatment at an adequate dose.	dropdown <table border="1"> <tr><td>1</td><td>Clinician hard to reach or unwilling to work with research team</td></tr> <tr><td>2</td><td>Patient had side effects</td></tr> <tr><td>3</td><td>Clinician thought a different treatment was needed</td></tr> <tr><td>4</td><td>Patient hard to reach or unwilling to work with research team</td></tr> </table>	1	Clinician hard to reach or unwilling to work with research team	2	Patient had side effects	3	Clinician thought a different treatment was needed	4	Patient hard to reach or unwilling to work with research team												
1	Clinician hard to reach or unwilling to work with research team																						
2	Patient had side effects																						
3	Clinician thought a different treatment was needed																						
4	Patient hard to reach or unwilling to work with research team																						

	2cont] = '7' or [rand_fid_s2cont] = '8' or [rand_fid_s2cont] = '9' or [rand_fid_s2cont] = '10'		<table border="1"> <tr> <td>5</td><td>Patient preferred different treatment</td></tr> <tr> <td>6</td><td>Patient had medical issues which interfered with treatment</td></tr> </table>	5	Patient preferred different treatment	6	Patient had medical issues which interfered with treatment		
5	Patient preferred different treatment								
6	Patient had medical issues which interfered with treatment								
3555	[tracking_step1_active]	1. Is patient currently active on Step 1 randomized treatment (bupropion or aripiprazole)? Select yes if they are taking Step 1 treatment now; or if they terminated from the study while on Step 1 treatment.	radio <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>99</td> <td>Not applicable (not randomized in Step 1)</td> </tr> </table> <p>Field Annotation: @HIDDEN</p>	1	Yes	0	No	99	Not applicable (not randomized in Step 1)
1	Yes								
0	No								
99	Not applicable (not randomized in Step 1)								
3556	[tracking_step1_last_dose] Show the field ONLY if: [tracking_step1_active] = '0'	1.a. Date of final dose of Step 1 treatment <i>last day on Step 1 assigned med</i>	text (date_mdy) Field Annotation: @HIDDEN						
3557	[tracking_step2_active]	2. Is patient currently active on Step 2 randomized treatment?(select yes if they are taking Step 2 treatment now; or if they terminated from the study while on Step 2 treatment)	radio <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>99</td> <td>Not applicable (not randomized in Step 2)</td> </tr> </table> <p>Field Annotation: @HIDDEN</p>	1	Yes	0	No	99	Not applicable (not randomized in Step 2)
1	Yes								
0	No								
99	Not applicable (not randomized in Step 2)								
3558	[tracking_step2_last_dose] Show the field ONLY if: [tracking_step2_active] = '0'	2.a. Date of final dose of Step 2 treatment <i>last day on Step 2 assigned med</i>	text (date_mdy) Field Annotation: @HIDDEN						
3559	[tracking_index_active]	3. Is patient currently active on their index antidepressant? Select yes if they are taking index now; or if they terminated from the study while on index.	yesno <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> </table> <p>Field Annotation: @HIDDEN</p>	1	Yes	0	No		
1	Yes								
0	No								
3560	[tracking_index_last_dose] Show the field ONLY if: [tracking_index_active] = '0'	3.a. Date of final dose of index antidepressant <i>last day on index med</i>	text (date_mdy) Field Annotation: @HIDDEN						
3561	[participant_tracking_form_complete]	Section Header: <i>Form Status Complete?</i>	dropdown <table border="1"> <tr> <td>0</td> <td>Incomplete</td> </tr> <tr> <td>1</td> <td>Unverified</td> </tr> <tr> <td>2</td> <td>Complete</td> </tr> </table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

Instrument: Decision Support Form (decision_support_form)											
3562 [decision_d]	Review the following information in the tracking arm: patient name, contact info, preferred contact method, contact log medication list (specifically psychiatric medications) running side effect list running adverse event list physician name, contact info, preferred contact method, contact log	descriptive									
3563 [decision_date]	Date:	text (date_mdy), Required									
3564 [decision_rater]	Rater	text, Required									
3565 [phq9_1]	Section Header: <i>The Patient Health Questionnaire (PHQ-9)</i> <i>Over the last 2 weeks how often have you been bothered by any of the following problems? (Click the circle to indicate your answer)</i> 1. Little interest or pleasure in doing things	radio	<table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3566 [phq9_2]	2. Feeling down, depressed, or hopeless	radio	<table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3567 [phq9_3]	3. Trouble falling or staying asleep, or sleeping too much	radio	<table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3568 [phq9_4]	4. Feeling tired or having little energy	radio	<table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3569 [phq9_5]	5. Poor appetite or overeating	radio	<table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3570 [phq9_6]	6. Feeling bad about yourself -- or that you are a failure or have let yourself or your family down	radio	<table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> </table>	0	0- Not at all						
0	0- Not at all										

			<table border="1"> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	1	1- Several days	2	2- More than half the days	3	3- Nearly every day		
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3571	[phq9_7]	7. Trouble concentrating on things, such as reading the newspaper or watching television	radio <table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3572	[phq9_8]	8. Moving or speaking so slowly that other people could have noticed? Or the opposite -- being so fidgety or restless that you have been moving around a lot more than usual	radio <table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3573	[phq9_9]	9. Thoughts that you would be better off dead or of hurting yourself in some way	radio <table border="1"> <tr><td>0</td><td>0- Not at all</td></tr> <tr><td>1</td><td>1- Several days</td></tr> <tr><td>2</td><td>2- More than half the days</td></tr> <tr><td>3</td><td>3- Nearly every day</td></tr> </table>	0	0- Not at all	1	1- Several days	2	2- More than half the days	3	3- Nearly every day
0	0- Not at all										
1	1- Several days										
2	2- More than half the days										
3	3- Nearly every day										
3574	[phq9_suicide]	For any score > 0 on #9, conduct Suicide Risk Management protocol Show the field ONLY if: [phq9_9] = '3' or [phq9_9] = '2' or [phq9_9] = '1'	descriptive								
3575	[phq9_total_score]	PHQ-9 Total Score:	calc Calculation: [phq9_1]+[phq9_2]+[phq9_3]+[phq9_4]+[phq9_5]+[phq9_6]+[phq9_7]+[phq9_8]+[phq9_9]								
3576	[phq9_how_difficult]	If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	radio <table border="1"> <tr><td>1</td><td>1- Not difficult at all</td></tr> <tr><td>2</td><td>2- Somewhat difficult</td></tr> <tr><td>3</td><td>3- Very difficult</td></tr> <tr><td>4</td><td>4- Extremely difficult</td></tr> </table>	1	1- Not difficult at all	2	2- Somewhat difficult	3	3- Very difficult	4	4- Extremely difficult
1	1- Not difficult at all										
2	2- Somewhat difficult										
3	3- Very difficult										
4	4- Extremely difficult										
3577	[decision_se_1]	Section Header: <i>Side Effect</i> 1. Have you had any side effects in the past week from your antidepressant?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No				
1	Yes										
0	No										
3578	[decision_se_y]	If Yes, access and add to running list in tracking arm. Show the field ONLY if: [decision_se_1] = '1'	descriptive								

3579	[decision_se_2] Show the field ONLY if: [decision_se_1] = '1'	2. Given the side effect (s) you told me about, would you be comfortable with continuing at this dose?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> <tr><td>2</td><td>Unsure</td></tr> </table>	1	Yes	0	No	2	Unsure
1	Yes								
0	No								
2	Unsure								
3580	[decision_se_3] Show the field ONLY if: [decision_se_1] = '1'	3.(If side effects and a dose increase is otherwise warranted) Given the side effect (s) you told me about, would you be comfortable with increasing this dose?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> <tr><td>2</td><td>Unsure</td></tr> </table>	1	Yes	0	No	2	Unsure
1	Yes								
0	No								
2	Unsure								
3581	[decision_change_1]	Section Header: <i>Health and Medical Changes</i> 1. Have you had any new problems with your health since we last spoke with you?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3582	[decision_change_1y] Show the field ONLY if: [decision_change_1] = '1'	If Yes, access and add to running AE list in tracking arm.	descriptive						
3583	[decision_change_2]	2. Have you seen a medical professional since we last talked with you?"	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3584	[decision_change_2y] Show the field ONLY if: [decision_change_2] = '1'	Reason for visit: "What for?"	text						
3585	[desicion_change_3]	3. Have you had any medication changes since we last talked with you?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3586	[dicision_change_3y] Show the field ONLY if: [desicion_change_3] = '1'	If Yes, update medication list in tracking arm.	descriptive						
3587	[desicion_change_4]	4. Have you had any medical procedures since we last talked with you?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No		
1	Yes								
0	No								
3588	[decision_change_4y] Show the field ONLY if: [desicion_change_4] = '1'	If Yes, access and add to running AE list in tracking arm.	descriptive						
3589	[decision_change_5]	5. Note specific details from the patient and follow up with physician and or medical records	notes						

		if unclear:																
3590	[decision_alc_cons_t ext]	<p>Section Header: <i>Alcohol Consumption</i></p> <p>1. How many drinks containing alcohol did you have in the last week (7 days)? Record a numeric response of the patient's best estimation. Probe for specifics if needed on frequency, # of drinks, and volume estimations. Document any additional pertinent information in the comments field and report to study psychiatrist any amount greater than 7 drinks in a week.</p>	descriptive															
3591	[decision_num_drinks]	Number of drinks	text (number)															
3592	[decision_alc_cons_c omm]	Comments:	notes Custom alignment: LV															
3593	[decision_fall_1]	<p>Section Header: <i>Falls</i></p> <p>1. Have you had any falls since your last assessment? A fall is defined as a slip or trip in which you lost your balance and landed on the floor or ground or lower level.</p>	radio <table border="1"> <tr><td>1</td><td>Zero (0)</td></tr> <tr><td>2</td><td>One time (1)</td></tr> <tr><td>3</td><td>Two times (2)</td></tr> <tr><td>4</td><td>Three or more (>2)</td></tr> </table>	1	Zero (0)	2	One time (1)	3	Two times (2)	4	Three or more (>2)							
1	Zero (0)																	
2	One time (1)																	
3	Two times (2)																	
4	Three or more (>2)																	
3594	[decision_fall_2] Show the field ONLY if: [decision_fall_1] = '2' or [decision_fall_1] = '3' or [decision_fall_1] = '4'	2. Did any of your falls result in the following?	checkbox <table border="1"> <tr><td>1</td><td>decision_fall_2__1</td><td>1. No injury</td></tr> <tr><td>2</td><td>decision_fall_2__2</td><td>2. Minor bruising or cuts</td></tr> <tr><td>3</td><td>decision_fall_2__3</td><td>3. Reduced mobility</td></tr> <tr><td>4</td><td>decision_fall_2__4</td><td>4. Severe and persistent pain</td></tr> <tr><td>5</td><td>decision_fall_2__5</td><td>5. Injury</td></tr> </table>	1	decision_fall_2__1	1. No injury	2	decision_fall_2__2	2. Minor bruising or cuts	3	decision_fall_2__3	3. Reduced mobility	4	decision_fall_2__4	4. Severe and persistent pain	5	decision_fall_2__5	5. Injury
1	decision_fall_2__1	1. No injury																
2	decision_fall_2__2	2. Minor bruising or cuts																
3	decision_fall_2__3	3. Reduced mobility																
4	decision_fall_2__4	4. Severe and persistent pain																
5	decision_fall_2__5	5. Injury																
3595	[decision_fall_3] Show the field ONLY if: [decision_fall_2(3)] = '1' or [decision_fall_2(4)] = '1' or [decision_fall_2(5)] = '1'	Please add the Fall to the AE form!	descriptive															
3596	[decision_fall_5] Show the field ONLY if: [decision_fall_2(1)] = '1' or [decision_fall_2(2)] = '1'	NO NEED to add the Fall to the AE form!	descriptive															
3597	[decision_fall_4] Show the field ONLY if: [decision_fall_1] = '2' or [decision_fall_1] = '3'	Description:	notes															

	or [decision_fall_1] = '4'																																				
3598	[adherence_1]	<p>Section Header: <i>Adherence</i></p> <p>1. Review the decisional support provided at the last assessment with the participant:</p> <p>SAY "At your last assessment, we recommended that your doctor continue/ reduce/ increase your dose of __ to __ mg per day (if applicable - while continuing to take __ mg of __)."</p>	descriptive																																		
3599	[adherence_2]	<p>2. Did you receive the recommended medication and dose?</p>	yesno <table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>0</td><td>No</td></tr> </table>	1	Yes	0	No																														
1	Yes																																				
0	No																																				
3600	[adherence_2_d] Show the field ONLY if: [adherence_2] = '0'	Describe and problem solve any barriers to obtaining medication:	notes																																		
3601	[adherence_3]	<p>3. Since your last assessment, how often did you miss your recommended dose of each medication?</p>	descriptive																																		
3602	[adherence_3_med1]	<p>Section Header: <i>Recommended medication 1</i></p> <p>Drug name</p>	text <table border="1"> <tr> <td>BIOPORTAL:RXNORM</td><td>BIOPORTAL:RXNORM</td></tr> </table>	BIOPORTAL:RXNORM	BIOPORTAL:RXNORM																																
BIOPORTAL:RXNORM	BIOPORTAL:RXNORM																																				
3603	[type_in_rec_med1]	Please type in the drug name.	text																																		
3604	[adherence_3_dose1]	Recommended dose	text																																		
3605	[adherence_3_unit1]	Unit	dropdown <table border="1"> <tr><td>1</td><td>g</td></tr> <tr><td>2</td><td>kg</td></tr> <tr><td>3</td><td>mcg</td></tr> <tr><td>4</td><td>mg</td></tr> <tr><td>5</td><td>mL</td></tr> <tr><td>6</td><td>tab</td></tr> <tr><td>7</td><td>tabs</td></tr> <tr><td>8</td><td>tbsp</td></tr> <tr><td>9</td><td>tsp</td></tr> <tr><td>10</td><td>L</td></tr> <tr><td>11</td><td>umol</td></tr> <tr><td>12</td><td>mmol</td></tr> <tr><td>13</td><td>ng</td></tr> <tr><td>14</td><td>puff</td></tr> <tr><td>15</td><td>drop</td></tr> <tr><td>16</td><td>IU</td></tr> <tr><td>17</td><td>%</td></tr> </table>	1	g	2	kg	3	mcg	4	mg	5	mL	6	tab	7	tabs	8	tbsp	9	tsp	10	L	11	umol	12	mmol	13	ng	14	puff	15	drop	16	IU	17	%
1	g																																				
2	kg																																				
3	mcg																																				
4	mg																																				
5	mL																																				
6	tab																																				
7	tabs																																				
8	tbsp																																				
9	tsp																																				
10	L																																				
11	umol																																				
12	mmol																																				
13	ng																																				
14	puff																																				
15	drop																																				
16	IU																																				
17	%																																				

			18 mEq
3606 [adherence_3_freq1]	Frequency	dropdown	
		1	Not taking it at all (missed all doses)
		2	Missed dose more often than not
		3	Missed dose more often than 2 times a week
		4	Missed dose more often than 1 time a week
		5	Missed dose 1 time a week
		6	Missed dose less than 1 time a week
		7	Never missed a dose
3607 [adherence_3_med2]	Section Header: Recommended medication 2 Drug name	text	BIOPORTAL:RXNORM BIOPORTAL:RXNORM
3608 [type_in_rec_med2]	Please type in the drug name.	text	
3609 [adherence_3_dose2]	Recommended dose	text	
3610 [adherence_3_unit2]	Unit	dropdown	
		1	g
		2	kg
		3	mcg
		4	mg
		5	mL
		6	tab
		7	tabs
		8	tbsp
		9	tsp
		10	L
		11	umol
		12	mmol
		13	ng
		14	puff
		15	drop
		16	IU
		17	%
		18	mEq
3611 [adherence_3_freq2]	Frequency	dropdown	
		1	Not taking it at all (missed all doses)
		2	Missed dose more often than not
		3	Missed dose more often than 2 times a week

			<table border="1"> <tr><td>4</td><td>Missed dose more often than 1 time a week</td></tr> <tr><td>5</td><td>Missed dose 1 time a week</td></tr> <tr><td>6</td><td>Missed dose less than 1 time a week</td></tr> <tr><td>7</td><td>Never missed a dose</td></tr> </table>	4	Missed dose more often than 1 time a week	5	Missed dose 1 time a week	6	Missed dose less than 1 time a week	7	Never missed a dose		
4	Missed dose more often than 1 time a week												
5	Missed dose 1 time a week												
6	Missed dose less than 1 time a week												
7	Never missed a dose												
3612	[adherence_4]	4. Have you been taking a different antidepressant medication instead of or in addition to the ones we recommended?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No						
1	Yes												
0	No												
3613	[adherence_4_name] Show the field ONLY if: [adherence_4] = '1'	Name of medication	text <table border="1"> <tr><td>BIOPORTAL:RXNORM</td><td>BIOPORTAL:RXNORM</td></tr> </table>	BIOPORTAL:RXNORM	BIOPORTAL:RXNORM								
BIOPORTAL:RXNORM	BIOPORTAL:RXNORM												
3614	[adherence_5]	5. Have you been taking a different dose of the medication than what we recommended?	yesno <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No						
1	Yes												
0	No												
3615	[adherence_5_dose] Show the field ONLY if: [adherence_5] = '1'	Dose mg	text										
3616	[adherence_comments]	Comments	notes										
3617	[tip]	Treatment Initiation and Participation (TIP) as needed	descriptive										
3618	[phq9_total_score_copyp]	Section Header: <i>Decision Support Recommendation</i> PHQ-9 Total Score:	calc Calculation: [phq9_1]+[phq9_2]+[phq9_3]+[phq9_4]+[phq9_5]+[phq9_6]+[phq9_7]+[phq9_8]+[phq9_9]										
3619	[dose_chg_table]	Please use this table to determine what dose change, if any, is needed.	descriptive (Attachment: Presentation6.png, Display format: Inline image/PDF)										
3620	[decision_rec_dose1_name]	Section Header: <i>Documentation of Recommendation</i> Recommended Medication 1:	text <table border="1"> <tr><td>BIOPORTAL:RXNORM</td><td>BIOPORTAL:RXNORM</td></tr> </table>	BIOPORTAL:RXNORM	BIOPORTAL:RXNORM								
BIOPORTAL:RXNORM	BIOPORTAL:RXNORM												
3621	[rec_med1]	Please type in Recommended Medication 1	text										
3622	[decision_rec_dose1]	Recommended Medication 1:	radio <table border="1"> <tr><td>1</td><td>Increase dose</td></tr> <tr><td>2</td><td>Continue taking</td></tr> <tr><td>3</td><td>Reduce dose</td></tr> <tr><td>4</td><td>Stop taking</td></tr> <tr><td>5</td><td>Start taking</td></tr> </table>	1	Increase dose	2	Continue taking	3	Reduce dose	4	Stop taking	5	Start taking
1	Increase dose												
2	Continue taking												
3	Reduce dose												
4	Stop taking												
5	Start taking												
3623	[decision_rec_dose1_1] Show the field ONLY if:	Increase dose of Med. 1 to __ mg mg	text (number)										

	[decision_rec_dose1] = '1'												
3624	[decision_rec_dose1_2] Show the field ONLY if: [decision_rec_dose1] = '2'	Continue taking Med. 1 at __mg <i>mg</i>	text (number)										
3625	[decision_rec_dose1_3] Show the field ONLY if: [decision_rec_dose1] = '3'	Reduce dose of Med. 1 to __mg <i>mg</i>	text (number)										
3626	[decision_rec_dose2_name]	Recommended Medication 2:	text <div style="display: flex; justify-content: space-around;">BIOPORTAL:RXNORMBIOPORTAL:RXNORM</div>										
3627	[rec_med2]	Please type in Recommended Medication 2	text										
3628	[decision_rec_dose2]	Recommended Medication 2:	radio <table border="1"><tr><td>1</td><td>Increase dose</td></tr><tr><td>2</td><td>Continue taking</td></tr><tr><td>3</td><td>Reduce dose</td></tr><tr><td>4</td><td>Stop taking</td></tr><tr><td>5</td><td>Start taking</td></tr></table>	1	Increase dose	2	Continue taking	3	Reduce dose	4	Stop taking	5	Start taking
1	Increase dose												
2	Continue taking												
3	Reduce dose												
4	Stop taking												
5	Start taking												
3629	[decision_rec_dose2_1] Show the field ONLY if: [decision_rec_dose2] = '1'	Increase dose of Med. 2 to __ mg <i>mg</i>	text (number)										
3630	[decision_rec_dose2_2] Show the field ONLY if: [decision_rec_dose2] = '2'	Continue taking Med. 2 at __mg <i>mg</i>	text (number)										
3631	[decision_rec_dose2_3] Show the field ONLY if: [decision_rec_dose2] = '3'	Reduce dose of Med. 2 to __mg <i>mg</i>	text (number)										
3632	[decision_check]	Section Header: <i>Decision Support Checklist</i> Decision Support Checklist	checkbox <table border="1"><tr><td>1</td><td>decision_check__1</td><td>Communicated with study Dr. regarding patient</td></tr></table>	1	decision_check__1	Communicated with study Dr. regarding patient							
1	decision_check__1	Communicated with study Dr. regarding patient											

			status and dose recommendation
2	decision_check__2	Communicated dose recommendation to patient	
3	decision_check__3	Patient verbalized understanding and agreement with dose recommendation	
4	decision_check__4	Communicated dose recommendation and patient status to provider	
5	decision_check__5	Provider or representative acknowledged receipt of recommendation	

3633	[decision_check_com] Show the field ONLY if: [decision_check(4)] = '1'	Method of Communication	checkbox <table border="1"> <tr> <td>1</td><td>decision_check_com__1</td><td>via EHR</td></tr> <tr> <td>2</td><td>decision_check_com__2</td><td>via fax</td></tr> <tr> <td>3</td><td>decision_check_com__3</td><td>via e-mail</td></tr> <tr> <td>4</td><td>decision_check_com__4</td><td>via phone</td></tr> </table>	1	decision_check_com__1	via EHR	2	decision_check_com__2	via fax	3	decision_check_com__3	via e-mail	4	decision_check_com__4	via phone
1	decision_check_com__1	via EHR													
2	decision_check_com__2	via fax													
3	decision_check_com__3	via e-mail													
4	decision_check_com__4	via phone													
3634	[decision_note]	Decision Support Note:	notes												
3635	[date_next_call]	Section Header: Date of next Decision Support Call	text (date_mdy)												
3636	[decision_support_form_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr> <td>0</td> <td>Incomplete</td> </tr> <tr> <td>1</td> <td>Unverified</td> </tr> <tr> <td>2</td> <td>Complete</td> </tr> </table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete														
1	Unverified														
2	Complete														

Instrument: **Suicide Risk Management Protocol (SRMP)** (`suicide_risk_management_protocol_srmp`) [[collapsed](#)]

Instrument: **Blinded SRMP** (`suicide_risk_management_protocol_srmp_2`) [[collapsed](#)]

Instrument: **NIH Toolbox Followup** (`nih_toolbox_followup`) [[collapsed](#)]

Instrument: **Spontaneous Report of Side Effects V2** (`spontaneous_report_of_side_effects_v2`) [[collapsed](#)]

Instrument: **Adverse Event V2** (`adverse_event_v2`)

3877	[adverse_d_v2]	See OPTIMUM Study Protocol for Adverse Event definitions and reporting procedures. The Redcap database will be the primary method for documenting Adverse Events. The presence of	descriptive
------	----------------------------------	---	-------------

	<p>Adverse Events will be assessed at each timepoint by asking whether the patient has had any new problems with their health, but new AE's should be documented promptly if they occur between timepoints.</p> <p>If clarification is needed:</p> <p>Mild: Discomfort noticed, but no disruption of normal daily activity</p> <p>Moderate: Discomfort sufficient to reduce or affect normal daily activity</p> <p>Severe: Incapacitating, with inability to work or to perform normal daily activity</p> <p>Note that determining expectedness should take into account the product information AND the population under study (depressed older adults).</p>																																			
3878 [date_ae_entered]	Section Header: Date Entered	text (date_mdy)																																		
3879 [ae_rater]	Documented by:	text																																		
3880 [reference_guide]	Reference Guide	descriptive (Attachment: Reference Guide to UKU terms and ratings - 2020-04-17 - Covid Update.doc, Display format: Link)																																		
3881 [ae_title]	Section Header: Brief title for AE <i>NOTE: PLEASE DO NOT ENTER INTO THIS FIELD ANYMORE. THIS FIELD WILL SOON BE DEACTIVATED.</i>	text Field Annotation: @HIDDEN																																		
3882 [uku_sym_cat]	Symptom Category (UKU)	<p>dropdown, Required</p> <table border="1"> <tr><td>20</td><td>Accommodation Disturbances</td></tr> <tr><td>16</td><td>Akathesia</td></tr> <tr><td>38</td><td>Amenorrhea</td></tr> <tr><td>2</td><td>Asthenia/Lassitude/Increased Fatigability</td></tr> <tr><td>40</td><td>Breast Enlargement</td></tr> <tr><td>52</td><td>Cold/Flu Symptoms</td></tr> <tr><td>1</td><td>Concentration Difficulties</td></tr> <tr><td>25</td><td>Constipation</td></tr> <tr><td>60</td><td>COVID-19</td></tr> <tr><td>54</td><td>Decreased Appetite Without Weight Loss</td></tr> <tr><td>24</td><td>Diarrhea</td></tr> <tr><td>42</td><td>Diminished Sexual Desire</td></tr> <tr><td>55</td><td>Dizziness</td></tr> <tr><td>46</td><td>Dry Vagina</td></tr> <tr><td>11</td><td>Dystonia</td></tr> <tr><td>44</td><td>Ejaculatory Dysfunction</td></tr> <tr><td>10</td><td>Emotional Indifference</td></tr> </table>	20	Accommodation Disturbances	16	Akathesia	38	Amenorrhea	2	Asthenia/Lassitude/Increased Fatigability	40	Breast Enlargement	52	Cold/Flu Symptoms	1	Concentration Difficulties	25	Constipation	60	COVID-19	54	Decreased Appetite Without Weight Loss	24	Diarrhea	42	Diminished Sexual Desire	55	Dizziness	46	Dry Vagina	11	Dystonia	44	Ejaculatory Dysfunction	10	Emotional Indifference
20	Accommodation Disturbances																																			
16	Akathesia																																			
38	Amenorrhea																																			
2	Asthenia/Lassitude/Increased Fatigability																																			
40	Breast Enlargement																																			
52	Cold/Flu Symptoms																																			
1	Concentration Difficulties																																			
25	Constipation																																			
60	COVID-19																																			
54	Decreased Appetite Without Weight Loss																																			
24	Diarrhea																																			
42	Diminished Sexual Desire																																			
55	Dizziness																																			
46	Dry Vagina																																			
11	Dystonia																																			
44	Ejaculatory Dysfunction																																			
10	Emotional Indifference																																			

17	Epileptic Seizures
43	Erectile Dysfunction
4	Failing Memory
56	Fall
39	Galactorrhea
19	Headache
49	Hospitalization (non-psychiatric)
48	Hospitalization (psychiatric)
50	Hospitalization (With Surgery)
14	Hyperkinesia
13	Hypokinesia/Akinesia
57	Increased Appetite Without Weight Gain
9	Increased Dream Activity
7	Increased Duration of Sleep
34	Increased Pigmentation
21	Increased Salivation
41	Increased Sexual Desire
30	Increased Tendency to Sweating
58	Irritability or Emotional Lability
37	Menorrhagia
26	Micturition Disturbances
23	Nausea/Vomiting
45	Orgasmic Dysfunction
59	Outpatient Surgery
29	Palpitations/Tachycardia
18	Paraesthesia
33	Photosensitivity
27	Polyuria/Polydipsia
32	Pruritus
31	Rash
8	Reduced Duration of Sleep
22	Reduced Salivation (Dryness of Mouth)
12	Rigidity
3	Sleepiness/Sedation
6	Tension/Inner Unrest
15	Tremor

35	Weight Gain
36	Weight Loss (Baseline=0)
47	Other Side Effect That Does Not Fit Any Above

			descriptive						
3883	[sae_text] Show the field ONLY if: [uku_sym_cat] = '48' or [uku_sym_cat] = '49' or [uku_sym_cat] = '50'	PLEASE RECORD THIS AS AN SAE.							
3884	[psychic_side_effect 1] Show the field ONLY if: [uku_sym_cat] = '1'	Difficulties in ability to concentrate, to collect one's thoughts, or sustain one's attention.	radio <table border="1"> <tr><td>1</td><td>1: The patient must try harder than usual to collect his/her thoughts, but not to the degree that it hampers the patient in his everyday life.</td></tr> <tr><td>2</td><td>2: The difficulties in concentrating are pronounced enough to hamper the patient in his everyday life.</td></tr> <tr><td>3</td><td>3: The patient's difficulties in concentrating are obvious to the interviewer during the interview.</td></tr> </table>	1	1: The patient must try harder than usual to collect his/her thoughts, but not to the degree that it hampers the patient in his everyday life.	2	2: The difficulties in concentrating are pronounced enough to hamper the patient in his everyday life.	3	3: The patient's difficulties in concentrating are obvious to the interviewer during the interview.
1	1: The patient must try harder than usual to collect his/her thoughts, but not to the degree that it hampers the patient in his everyday life.								
2	2: The difficulties in concentrating are pronounced enough to hamper the patient in his everyday life.								
3	3: The patient's difficulties in concentrating are obvious to the interviewer during the interview.								
3885	[psychic_side_effect 2] Show the field ONLY if: [uku_sym_cat] = '2'	The patient's experience of lassitude and lack of endurance. The assessment is based upon the patient's reported statements.	radio <table border="1"> <tr><td>1</td><td>1: The patient tires more easily than usual; however, this does not mean that the patient needs to rest more than usual during the day.</td></tr> <tr><td>2</td><td>2: Must rest now and then during the day because of lassitude.</td></tr> <tr><td>3</td><td>3: Must rest most of the day because of lassitude.</td></tr> </table>	1	1: The patient tires more easily than usual; however, this does not mean that the patient needs to rest more than usual during the day.	2	2: Must rest now and then during the day because of lassitude.	3	3: Must rest most of the day because of lassitude.
1	1: The patient tires more easily than usual; however, this does not mean that the patient needs to rest more than usual during the day.								
2	2: Must rest now and then during the day because of lassitude.								
3	3: Must rest most of the day because of lassitude.								
3886	[psychic_side_effect 3] Show the field ONLY if: [uku_sym_cat] = '3'	Diminished ability to stay awake during the day. When possible, the assessment is based on clinical signs during the interview.	radio <table border="1"> <tr><td>1</td><td>1: Slightly sleep/drowsy as regards facial expression and speech.</td></tr> <tr><td>2</td><td>2: More markedly sleepy/drowsy. The patient yawns and tends to fall asleep when there is a pause in the conversation.</td></tr> <tr><td>3</td><td>3: Difficult to keep the patient awake and to wake the patient, respectively.</td></tr> </table>	1	1: Slightly sleep/drowsy as regards facial expression and speech.	2	2: More markedly sleepy/drowsy. The patient yawns and tends to fall asleep when there is a pause in the conversation.	3	3: Difficult to keep the patient awake and to wake the patient, respectively.
1	1: Slightly sleep/drowsy as regards facial expression and speech.								
2	2: More markedly sleepy/drowsy. The patient yawns and tends to fall asleep when there is a pause in the conversation.								
3	3: Difficult to keep the patient awake and to wake the patient, respectively.								

3887	<p>[psychic_side_effect 4]</p> <p>Show the field ONLY if: [uku_sym_cat] = '4'</p>	<p>Impaired memory. Assessment should be independent of any concentration difficulties.</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 122 1122 466">1</td><td data-bbox="1122 122 1530 466">1: Slight, subjective feeling of reduced memory compared with the patient's usual condition; however, not interfering with functioning.</td></tr> <tr> <td data-bbox="1057 291 1122 403">2</td><td data-bbox="1122 291 1530 403">2: The failing memory hampers the patient and or slight signs of this are observed during the interview.</td></tr> <tr> <td data-bbox="1057 403 1122 466">3</td><td data-bbox="1122 403 1530 466">3: The patient shows clear signs of failing memory during the interview.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Slight, subjective feeling of reduced memory compared with the patient's usual condition; however, not interfering with functioning.	2	2: The failing memory hampers the patient and or slight signs of this are observed during the interview.	3	3: The patient shows clear signs of failing memory during the interview.
1	1: Slight, subjective feeling of reduced memory compared with the patient's usual condition; however, not interfering with functioning.								
2	2: The failing memory hampers the patient and or slight signs of this are observed during the interview.								
3	3: The patient shows clear signs of failing memory during the interview.								
3888	<p>[psychic_side_effect 6]</p> <p>Show the field ONLY if: [uku_sym_cat] = '6'</p>	<p>Inability to relax, nervous restlessness. This item is to be assessed on the basis of the patient's experience and must be distinguished from motor akathesia.</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 601 1122 734">1</td><td data-bbox="1122 601 1530 734">1: The patient states that he is slightly tense and restless; however, this does not interfere with his functioning.</td></tr> <tr> <td data-bbox="1057 756 1122 931">2</td><td data-bbox="1122 756 1530 931">2: Considerable tension and inner unrest; however, without this being so intense or constant that the patient's daily life is influenced to any marked degree.</td></tr> <tr> <td data-bbox="1057 952 1122 1064">3</td><td data-bbox="1122 952 1530 1064">3: The patient feels tension or restlessness that is so marked that his daily life is clearly affected.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: The patient states that he is slightly tense and restless; however, this does not interfere with his functioning.	2	2: Considerable tension and inner unrest; however, without this being so intense or constant that the patient's daily life is influenced to any marked degree.	3	3: The patient feels tension or restlessness that is so marked that his daily life is clearly affected.
1	1: The patient states that he is slightly tense and restless; however, this does not interfere with his functioning.								
2	2: Considerable tension and inner unrest; however, without this being so intense or constant that the patient's daily life is influenced to any marked degree.								
3	3: The patient feels tension or restlessness that is so marked that his daily life is clearly affected.								
3889	<p>[psychic_side_effect 7]</p> <p>Show the field ONLY if: [uku_sym_cat] = '7'</p>	<p>This should be assessed on the basis of the average of sleep over three preceding nights. The assessment is to be made in relation to the patient's usual pre-illness state.</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 1184 1122 1317">1</td><td data-bbox="1122 1184 1530 1317">1: Sleep up to 2 hours longer than usual.</td></tr> <tr> <td data-bbox="1057 1296 1122 1345">2</td><td data-bbox="1122 1296 1530 1345">2: Sleeps 2 or 3 hours longer than usual.</td></tr> <tr> <td data-bbox="1057 1366 1122 1415">3</td><td data-bbox="1122 1366 1530 1415">3: Sleeps more than 3 hours longer than usual.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Sleep up to 2 hours longer than usual.	2	2: Sleeps 2 or 3 hours longer than usual.	3	3: Sleeps more than 3 hours longer than usual.
1	1: Sleep up to 2 hours longer than usual.								
2	2: Sleeps 2 or 3 hours longer than usual.								
3	3: Sleeps more than 3 hours longer than usual.								
3890	<p>[psychic_side_effect 8]</p> <p>Show the field ONLY if: [uku_sym_cat] = '8'</p>	<p>Should be assessed on the basis of the average of sleep over the preceding nights. The assessment is to be made in relation to the patient's usual pre-illness state.</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 1558 1122 1670">1</td><td data-bbox="1122 1558 1530 1670">1: Sleep up to 2 hours shorter than usual.</td></tr> <tr> <td data-bbox="1057 1670 1122 1719">2</td><td data-bbox="1122 1670 1530 1719">2: Sleeps 2 or 3 hours shorter than usual.</td></tr> <tr> <td data-bbox="1057 1740 1122 1788">3</td><td data-bbox="1122 1740 1530 1788">3: Sleeps more than 3 hours shorter than usual.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Sleep up to 2 hours shorter than usual.	2	2: Sleeps 2 or 3 hours shorter than usual.	3	3: Sleeps more than 3 hours shorter than usual.
1	1: Sleep up to 2 hours shorter than usual.								
2	2: Sleeps 2 or 3 hours shorter than usual.								
3	3: Sleeps more than 3 hours shorter than usual.								
3891	<p>[psychic_side_effect 9]</p>	<p>Should be assessed independently of dream content and based on the average of sleep over</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 1932 1122 2023">1</td><td data-bbox="1122 1932 1530 2023">1: Slightly increase dream activity, which does not disturb the nights</td></tr> </table>	1	1: Slightly increase dream activity, which does not disturb the nights				
1	1: Slightly increase dream activity, which does not disturb the nights								

	Show the field ONLY if: [uku_sym_cat] = '9'	the preceding nights in relation to the usual pre-illness dream activity.	sleep, however. 2: More pronounced increase of dream activity. 3: Very pronounced increase of dream activity.	
		Custom alignment: LV		
3892	[psychic_side_effect 10] Show the field ONLY if: [uku_sym_cat] = '10'	A diminution of the patient's empathy, leading to apathy.	radio 1: 1: Slight subduing of the patient's empathy. 2: 2: Obvious emotional indifference. 3: 3: Pronounced indifference so that the patient behaves apathetically in relation to his surroundings.	
	Custom alignment: LV			
3893	[neuro_side_effect1 1] Show the field ONLY if: [uku_sym_cat] = '11'	Acute forms of dystonia in the forms of tonic muscular contractions localized to one or several muscle groups, particularly in the mouth, tongue, and/or neck. The assessment is to be made on the basis of the last seven days preceding the examination.	radio 1: 1: Very slight or short spasms, for instance in the musculature of the jaws or neck. 2: 2: More pronounced contractions of a longer duration and/or a wider localization. 3: 3: Marked forms of, for instance, oculogyric crisis or opisthotonus.	
	Custom alignment: LV			
3894	[neuro_side_effect1 2] Show the field ONLY if: [uku_sym_cat] = '12'	Increased muscle tone of a uniform and general nature, observed on the basis of a uniform, steady resistance to passive movements of the limbs. Special importance is attached to the muscles around the elbow joints and shoulders.	radio 1: 1: Slight rigidity in neck, shoulder, and extremities. It must be possible to observe the rigidity on the basis of resistance to passive movements of the elbow joints. 2: 2: Medium rigidity assessed on the basis of resistance to passive movements of for instance the elbow joints. 3: 3: Very marked rigidity.	
	Custom alignment: LV			
3895	[neuro_side_effect1 3] Show the field ONLY if: [uku_sym_cat] = '13'	Slow movements (bradykinesia), reduced facial expression, reduced arm swinging, reduced length of stride, perhaps leading to cessation of movement (Akinesia).	radio 1: 1: Slights reduced movement, for instance slightly reduced swinging of an arm when walking or slightly reduced facial expression. 2: 2: More clear reduction of mobility, for instance slow walking.	

			<table border="1"> <tr> <td>3</td><td>3: Very marked reduction of mobility, bordering on and including akinesia, e.g. Parkinsonian mask and/or very short length of stride.</td></tr> </table> <p>Custom alignment: LV</p>	3	3: Very marked reduction of mobility, bordering on and including akinesia, e.g. Parkinsonian mask and/or very short length of stride.					
3	3: Very marked reduction of mobility, bordering on and including akinesia, e.g. Parkinsonian mask and/or very short length of stride.									
3896	[neuro_side_effect1 4] Show the field ONLY if: [uku_sym_cat] = '14'	Involuntary movements, most frequently affecting the oro-facial region in the form of the so-called bucco-lingual-masticatory syndrome. However, it is often also seen in the extremities, especially the finger, more rarely in the musculature of the body and respiratory system. Both initial and tardive hyperkinesias are included.	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1: Slight hyperkinesias. Only present intermittently.</td> </tr> <tr> <td>2</td> <td>2: Moderate hyperkinesias present most of the time.</td> </tr> <tr> <td>3</td> <td>3: Severe hyperkinesias, present most of the time with marked tongue protrusion, opening of the mouth, facial hyperkinesia, with or without involvement of the extremities.</td> </tr> </table> <p>Custom alignment: LV</p>	radio	1	1: Slight hyperkinesias. Only present intermittently.	2	2: Moderate hyperkinesias present most of the time.	3	3: Severe hyperkinesias, present most of the time with marked tongue protrusion, opening of the mouth, facial hyperkinesia, with or without involvement of the extremities.
radio										
1	1: Slight hyperkinesias. Only present intermittently.									
2	2: Moderate hyperkinesias present most of the time.									
3	3: Severe hyperkinesias, present most of the time with marked tongue protrusion, opening of the mouth, facial hyperkinesia, with or without involvement of the extremities.									
3897	[neuro_side_effect1 5] Show the field ONLY if: [uku_sym_cat] = '15'	This item comprises all forms of tremor.	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1: Very slight tremor that does not hamper the patient.</td> </tr> <tr> <td>2</td> <td>2: Clear tremor hampering the patient. The amplitude of finger tremor being less than 3 cm.</td> </tr> <tr> <td>3</td> <td>3: Clear tremor with an amplitude of more than 3 cm and which cannot be controlled by the patient.</td> </tr> </table> <p>Custom alignment: LV</p>	radio	1	1: Very slight tremor that does not hamper the patient.	2	2: Clear tremor hampering the patient. The amplitude of finger tremor being less than 3 cm.	3	3: Clear tremor with an amplitude of more than 3 cm and which cannot be controlled by the patient.
radio										
1	1: Very slight tremor that does not hamper the patient.									
2	2: Clear tremor hampering the patient. The amplitude of finger tremor being less than 3 cm.									
3	3: Clear tremor with an amplitude of more than 3 cm and which cannot be controlled by the patient.									
3898	[neuro_side_effect1 6] Show the field ONLY if: [uku_sym_cat] = '16'	A subjective felling and objective signs of muscle unrest, particularly in the lower extremities, so that it may be difficult for the patient to remain seated. Assessment of this item is based on clinical signs observed during the interview, as well as on the patient's report.	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1: Slight akathesia; however, the patient can keep still without effort.</td> </tr> <tr> <td>2</td> <td>2: Moderate akathesia; however, the patient can, with an effort, remain sitting during the interview.</td> </tr> <tr> <td>3</td> <td>3: When the patient has to rise to his feet several times during the interview because of akathesia.</td> </tr> </table> <p>Custom alignment: LV</p>	radio	1	1: Slight akathesia; however, the patient can keep still without effort.	2	2: Moderate akathesia; however, the patient can, with an effort, remain sitting during the interview.	3	3: When the patient has to rise to his feet several times during the interview because of akathesia.
radio										
1	1: Slight akathesia; however, the patient can keep still without effort.									
2	2: Moderate akathesia; however, the patient can, with an effort, remain sitting during the interview.									
3	3: When the patient has to rise to his feet several times during the interview because of akathesia.									
3899	[neuro_side_effect1 7] Show the field ONLY if: [uku_sym_cat] = '17'	Only generalized tonic-clonic seizures are to be recorded here.	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1: One seizure within the last six months.</td> </tr> <tr> <td>2</td> <td>2: 2 or 3 seizures within the last six months.</td> </tr> <tr> <td>3</td> <td>3: More than 3 seizures within the last six months.</td> </tr> </table>	radio	1	1: One seizure within the last six months.	2	2: 2 or 3 seizures within the last six months.	3	3: More than 3 seizures within the last six months.
radio										
1	1: One seizure within the last six months.									
2	2: 2 or 3 seizures within the last six months.									
3	3: More than 3 seizures within the last six months.									

			Custom alignment: LV						
3900	[neuro_side_effect1 8] Show the field ONLY if: [uku_sym_cat] = '18'	Pricking, creeping, or burning sensations in the skin.	radio <table border="1"> <tr> <td>1</td><td>1: Mild paraesthesia, scarcely bothering the patient.</td></tr> <tr> <td>2</td><td>2: Moderate paraesthesia, clearly bothering the patient.</td></tr> <tr> <td>3</td><td>3: Severe paraesthesia, markedly bothering the patient.</td></tr> </table>	1	1: Mild paraesthesia, scarcely bothering the patient.	2	2: Moderate paraesthesia, clearly bothering the patient.	3	3: Severe paraesthesia, markedly bothering the patient.
1	1: Mild paraesthesia, scarcely bothering the patient.								
2	2: Moderate paraesthesia, clearly bothering the patient.								
3	3: Severe paraesthesia, markedly bothering the patient.								
3901	[neuro_side_effect1 9] Show the field ONLY if: [uku_sym_cat] = '19'		radio <table border="1"> <tr> <td>1</td><td>1: Slight headache.</td></tr> <tr> <td>2</td><td>2: Moderate hampering headache which does not interfere with the patient's daily life.</td></tr> <tr> <td>3</td><td>3: Pronounced headache interfering with the patient's daily life.</td></tr> </table>	1	1: Slight headache.	2	2: Moderate hampering headache which does not interfere with the patient's daily life.	3	3: Pronounced headache interfering with the patient's daily life.
1	1: Slight headache.								
2	2: Moderate hampering headache which does not interfere with the patient's daily life.								
3	3: Pronounced headache interfering with the patient's daily life.								
3902	[autonomic_side_effect20] Show the field ONLY if: [uku_sym_cat] = '20'	Difficulty in seeing clearly or distinctly at close quarters (with or without glasses), whereas the patient sees clearly in a long distance. If the patient uses bifocal glasses, the condition must be assessed on the basis of the use of the distance glasses.	radio <table border="1"> <tr> <td>1</td><td>1: Newspaper text can be read, but the patient's eyes tire rapidly and/or he must hold the paper further away.</td></tr> <tr> <td>2</td><td>2: The patient cannot read an ordinary newspaper text, but still manages to read texts printed in larger types.</td></tr> <tr> <td>3</td><td>3: The patient can read large type, such as headlines, only with aid, such as a magnifying glass.</td></tr> </table>	1	1: Newspaper text can be read, but the patient's eyes tire rapidly and/or he must hold the paper further away.	2	2: The patient cannot read an ordinary newspaper text, but still manages to read texts printed in larger types.	3	3: The patient can read large type, such as headlines, only with aid, such as a magnifying glass.
1	1: Newspaper text can be read, but the patient's eyes tire rapidly and/or he must hold the paper further away.								
2	2: The patient cannot read an ordinary newspaper text, but still manages to read texts printed in larger types.								
3	3: The patient can read large type, such as headlines, only with aid, such as a magnifying glass.								
3903	[autonomic_side_effect21] Show the field ONLY if: [uku_sym_cat] = '21'	Increased, non-stimulated salivation.	radio <table border="1"> <tr> <td>1</td><td>1: Salivation clearly increased, but not bothersome.</td></tr> <tr> <td>2</td><td>2: Disturbing increase of salivation; need for spitting or frequent swallowing of saliva; only exceptional dribbling, perhaps concomitant speech disturbances.</td></tr> <tr> <td>3</td><td>3: Frequent or constant dribbling, perhaps concomitant speech disturbances</td></tr> </table>	1	1: Salivation clearly increased, but not bothersome.	2	2: Disturbing increase of salivation; need for spitting or frequent swallowing of saliva; only exceptional dribbling, perhaps concomitant speech disturbances.	3	3: Frequent or constant dribbling, perhaps concomitant speech disturbances
1	1: Salivation clearly increased, but not bothersome.								
2	2: Disturbing increase of salivation; need for spitting or frequent swallowing of saliva; only exceptional dribbling, perhaps concomitant speech disturbances.								
3	3: Frequent or constant dribbling, perhaps concomitant speech disturbances								

3904	<p>[autonomic_side_effec22]</p> <p>Show the field ONLY if: [uku_sym_cat] = '22'</p>	<p>Dryness of mouth because of diminished salivation. May result in increased consumption of liquids, but must be distinguished from thirst.</p>	<p>radio</p> <table border="1"> <tr><td>1</td><td>1: Slight dryness of mouth not disturbing to the patient.</td></tr> <tr><td>2</td><td>2: Moderate and slightly disturbing dryness of mouth.</td></tr> <tr><td>3</td><td>3: Dryness of mouth which clearly disturbs the patient's daily life.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Slight dryness of mouth not disturbing to the patient.	2	2: Moderate and slightly disturbing dryness of mouth.	3	3: Dryness of mouth which clearly disturbs the patient's daily life.
1	1: Slight dryness of mouth not disturbing to the patient.								
2	2: Moderate and slightly disturbing dryness of mouth.								
3	3: Dryness of mouth which clearly disturbs the patient's daily life.								
3905	<p>[autonomic_side_effec23]</p> <p>Show the field ONLY if: [uku_sym_cat] = '23'</p>	<p>To be recorded on the basis of the last seven days.</p>	<p>radio</p> <table border="1"> <tr><td>1</td><td>1: Slight nausea.</td></tr> <tr><td>2</td><td>2: Disturbing nausea, but without vomiting.</td></tr> <tr><td>3</td><td>3: Nausea and vomiting.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Slight nausea.	2	2: Disturbing nausea, but without vomiting.	3	3: Nausea and vomiting.
1	1: Slight nausea.								
2	2: Disturbing nausea, but without vomiting.								
3	3: Nausea and vomiting.								
3906	<p>[autonomic_side_effec24]</p> <p>Show the field ONLY if: [uku_sym_cat] = '24'</p>	<p>Increased frequency and/or thinner consistency of feces.</p>	<p>radio</p> <table border="1"> <tr><td>1</td><td>1: Clearly present, but does not disturb work, or other performance.</td></tr> <tr><td>2</td><td>2: Disturbing, with need for several daily, inconvenient stools.</td></tr> <tr><td>3</td><td>3: Marked, imperative need for defecation, threatening or actual incontinence, results in frequent interruptions of work.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Clearly present, but does not disturb work, or other performance.	2	2: Disturbing, with need for several daily, inconvenient stools.	3	3: Marked, imperative need for defecation, threatening or actual incontinence, results in frequent interruptions of work.
1	1: Clearly present, but does not disturb work, or other performance.								
2	2: Disturbing, with need for several daily, inconvenient stools.								
3	3: Marked, imperative need for defecation, threatening or actual incontinence, results in frequent interruptions of work.								
3907	<p>[autonomic_side_effec25]</p> <p>Show the field ONLY if: [uku_sym_cat] = '25'</p>	<p>Reduced frequency of defecation and/or thicker consistence of feces. (rate on pts response & if on laxative add 1 point)</p>	<p>radio</p> <table border="1"> <tr><td>1</td><td>1: Slight constipation, but bearable. (if take fiber = 1)</td></tr> <tr><td>2</td><td>2: More marked constipation which hampers the patient. (slight constipation on laxative =2)</td></tr> <tr><td>3</td><td>3: Very pronounced constipation.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Slight constipation, but bearable. (if take fiber = 1)	2	2: More marked constipation which hampers the patient. (slight constipation on laxative =2)	3	3: Very pronounced constipation.
1	1: Slight constipation, but bearable. (if take fiber = 1)								
2	2: More marked constipation which hampers the patient. (slight constipation on laxative =2)								
3	3: Very pronounced constipation.								
3908	<p>[autonomic_side_effec26]</p> <p>Show the field ONLY if: [uku_sym_cat] = '26'</p>	<p>Feeling of difficulty in starting and of resistance to micturition, weaker stream and/or increased time of nicturition. Should be assessed on the basis of the last 7 days.</p>	<p>radio</p> <table border="1"> <tr><td>1</td><td>1: Clearly present, but bearable.</td></tr> <tr><td>2</td><td>2: Poor stream, considerable increased time of micturition, feeling of incomplete emptying of bladder.</td></tr> <tr><td>3</td><td>3: Retention of urine with high volume residual urine and/or threatened or actual or acute retention.</td></tr> </table> <p>Custom alignment: LV</p>	1	1: Clearly present, but bearable.	2	2: Poor stream, considerable increased time of micturition, feeling of incomplete emptying of bladder.	3	3: Retention of urine with high volume residual urine and/or threatened or actual or acute retention.
1	1: Clearly present, but bearable.								
2	2: Poor stream, considerable increased time of micturition, feeling of incomplete emptying of bladder.								
3	3: Retention of urine with high volume residual urine and/or threatened or actual or acute retention.								

3909	<p>[autonomic_side_effect27]</p> <p>Show the field ONLY if: [uku_sym_cat] = '27'</p>	<p>Increased urine production resulting in increased frequency of micturition and discharge of an abundant quantity of urine at each micturition; secondarily increased consumption of fluid.</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 122 1106 249">1</td><td data-bbox="1106 122 1530 249">1: Clearly present, but not hampering. Nocturia: At most once per night (in young people).</td></tr> <tr> <td data-bbox="1057 259 1106 428">2</td><td data-bbox="1106 259 1530 428">2: Moderately hampering because of frequent thirst, nocturia two or three times a night, or micturition more frequent than every two hours.</td></tr> <tr> <td data-bbox="1057 439 1106 576">3</td><td data-bbox="1106 439 1530 576">3: Very hampering, almost constant thirst, nocturia at least four times a night, or micturition at least every hour.</td></tr> </table>	1	1: Clearly present, but not hampering. Nocturia: At most once per night (in young people).	2	2: Moderately hampering because of frequent thirst, nocturia two or three times a night, or micturition more frequent than every two hours.	3	3: Very hampering, almost constant thirst, nocturia at least four times a night, or micturition at least every hour.
1	1: Clearly present, but not hampering. Nocturia: At most once per night (in young people).								
2	2: Moderately hampering because of frequent thirst, nocturia two or three times a night, or micturition more frequent than every two hours.								
3	3: Very hampering, almost constant thirst, nocturia at least four times a night, or micturition at least every hour.								
			<p>Custom alignment: LV</p>						
3910	<p>[autonomic_side_effect29]</p> <p>Show the field ONLY if: [uku_sym_cat] = '29'</p>	<p>Palpitations, feeling of rapid, strong and/or irregular heartbeats.</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 703 1106 872">1</td><td data-bbox="1106 703 1530 872">1: Clearly present, but not hampering, only short occasional attacks or more constant, but not marked palpitations.</td></tr> <tr> <td data-bbox="1057 882 1106 1051">2</td><td data-bbox="1106 882 1530 1051">2: Hampering frequent or constant palpitations that worries the patient or disturbs his night's sleep; however, without concomitant symptoms.</td></tr> <tr> <td data-bbox="1057 1062 1106 1231">3</td><td data-bbox="1106 1062 1530 1231">3: Suspicion of real tachycardia, for instance because of concomitant feeling of weakness and need to lie down, dyspnea, tendency to fainting, or precordial pain.</td></tr> </table>	1	1: Clearly present, but not hampering, only short occasional attacks or more constant, but not marked palpitations.	2	2: Hampering frequent or constant palpitations that worries the patient or disturbs his night's sleep; however, without concomitant symptoms.	3	3: Suspicion of real tachycardia, for instance because of concomitant feeling of weakness and need to lie down, dyspnea, tendency to fainting, or precordial pain.
1	1: Clearly present, but not hampering, only short occasional attacks or more constant, but not marked palpitations.								
2	2: Hampering frequent or constant palpitations that worries the patient or disturbs his night's sleep; however, without concomitant symptoms.								
3	3: Suspicion of real tachycardia, for instance because of concomitant feeling of weakness and need to lie down, dyspnea, tendency to fainting, or precordial pain.								
			<p>Custom alignment: LV</p>						
3911	<p>[autonomic_side_effect30]</p> <p>Show the field ONLY if: [uku_sym_cat] = '30'</p>	<p>Localized to the whole body, not only palms and soles of the foot.</p>	<p>radio</p> <table border="1"> <tr> <td data-bbox="1057 1358 1106 1484">1</td><td data-bbox="1106 1358 1530 1484">1: Clearly present, but mild, for example a profuse outburst of sweat only after considerable effort.</td></tr> <tr> <td data-bbox="1057 1495 1106 1664">2</td><td data-bbox="1106 1495 1530 1664">2: Hampering, requires frequent change of clothes, profuse sweating after moderate activity, for instance walking upstairs.</td></tr> <tr> <td data-bbox="1057 1674 1106 1843">3</td><td data-bbox="1106 1674 1530 1843">3: Profuse outbursts of sweat after slight activity or when resting, the patient is constantly wet, must change clothes several times a day and must also change night clothes or bedclothes.</td></tr> </table>	1	1: Clearly present, but mild, for example a profuse outburst of sweat only after considerable effort.	2	2: Hampering, requires frequent change of clothes, profuse sweating after moderate activity, for instance walking upstairs.	3	3: Profuse outbursts of sweat after slight activity or when resting, the patient is constantly wet, must change clothes several times a day and must also change night clothes or bedclothes.
1	1: Clearly present, but mild, for example a profuse outburst of sweat only after considerable effort.								
2	2: Hampering, requires frequent change of clothes, profuse sweating after moderate activity, for instance walking upstairs.								
3	3: Profuse outbursts of sweat after slight activity or when resting, the patient is constantly wet, must change clothes several times a day and must also change night clothes or bedclothes.								
			<p>Custom alignment: LV</p>						
3912	<p>[other_side_effect31]</p>		<p>radio</p>						

	Show the field ONLY if: [uku_sym_cat] = '31'		<table border="1"> <tr><td>1</td><td>1: Localized to less than 5 percent of the skin surface, for instance to the palms.</td></tr> <tr><td>2</td><td>2: Scattered all over the skin, but covers less than 1/3 of the skin surface.</td></tr> <tr><td>3</td><td>3: Universal, i.e. covers more than 1/3 of the skin surface.</td></tr> </table>	1	1: Localized to less than 5 percent of the skin surface, for instance to the palms.	2	2: Scattered all over the skin, but covers less than 1/3 of the skin surface.	3	3: Universal, i.e. covers more than 1/3 of the skin surface.
1	1: Localized to less than 5 percent of the skin surface, for instance to the palms.								
2	2: Scattered all over the skin, but covers less than 1/3 of the skin surface.								
3	3: Universal, i.e. covers more than 1/3 of the skin surface.								
	Custom alignment: LV								
3913	[other_side_effect3 2] Show the field ONLY if: [uku_sym_cat] = '32'		radio <table border="1"> <tr><td>1</td><td>1: Slight pruritus.</td></tr> <tr><td>2</td><td>2: Pronounced pruritus, so that the patient is being hampered. There may be scratch marks.</td></tr> <tr><td>3</td><td>3: Severe pruritus that markedly hampers the patient. There are distinct skin changes because of scratching.</td></tr> </table>	1	1: Slight pruritus.	2	2: Pronounced pruritus, so that the patient is being hampered. There may be scratch marks.	3	3: Severe pruritus that markedly hampers the patient. There are distinct skin changes because of scratching.
1	1: Slight pruritus.								
2	2: Pronounced pruritus, so that the patient is being hampered. There may be scratch marks.								
3	3: Severe pruritus that markedly hampers the patient. There are distinct skin changes because of scratching.								
	Custom alignment: LV								
3914	[other_side_effect3 3] Show the field ONLY if: [uku_sym_cat] = '33'	Increased sensitivity to sunlight	radio <table border="1"> <tr><td>1</td><td>1: Slight, but not hampering.</td></tr> <tr><td>2</td><td>2: More pronounced and hampering to the patient.</td></tr> <tr><td>3</td><td>3: So pronounced that drug withdraw is clearly necessary.</td></tr> </table>	1	1: Slight, but not hampering.	2	2: More pronounced and hampering to the patient.	3	3: So pronounced that drug withdraw is clearly necessary.
1	1: Slight, but not hampering.								
2	2: More pronounced and hampering to the patient.								
3	3: So pronounced that drug withdraw is clearly necessary.								
	Custom alignment: LV								
3915	[other_side_effect3 4] Show the field ONLY if: [uku_sym_cat] = '34'	Increased skin pigmentation of brown or other color, often localized to parts of the skin exposed to light.	radio <table border="1"> <tr><td>1</td><td>1: Slightly increased pigmentation.</td></tr> <tr><td>2</td><td>2: Such marked pigmentation, generally or localized, that it worries the patient but is not conspicuous to others.</td></tr> <tr><td>3</td><td>3: So pronounced that the pigmentation can easily be observed by other people.</td></tr> </table>	1	1: Slightly increased pigmentation.	2	2: Such marked pigmentation, generally or localized, that it worries the patient but is not conspicuous to others.	3	3: So pronounced that the pigmentation can easily be observed by other people.
1	1: Slightly increased pigmentation.								
2	2: Such marked pigmentation, generally or localized, that it worries the patient but is not conspicuous to others.								
3	3: So pronounced that the pigmentation can easily be observed by other people.								
	Custom alignment: LV								
3916	[other_side_effect3 5] Show the field ONLY if: [uku_sym_cat] = '35'	The rating is to be made on the basis of the preceding month. May or may not be associated with increased appetite.	radio <table border="1"> <tr><td>1</td><td>1: Weight gain amounting to 1-2 kg during the preceding month.</td></tr> <tr><td>2</td><td>2: Weight gain amounting to 3-4 kg during the preceding month.</td></tr> <tr><td>3</td><td>3: Weight gain amounting to more than 4 kg during the preceding</td></tr> </table>	1	1: Weight gain amounting to 1-2 kg during the preceding month.	2	2: Weight gain amounting to 3-4 kg during the preceding month.	3	3: Weight gain amounting to more than 4 kg during the preceding
1	1: Weight gain amounting to 1-2 kg during the preceding month.								
2	2: Weight gain amounting to 3-4 kg during the preceding month.								
3	3: Weight gain amounting to more than 4 kg during the preceding								

			<input type="text"/> month. Custom alignment: LV						
3917	[other_side_effect3 6] Show the field ONLY if: [uku_sym_cat] = '36'	The rating is to be made on the basis of the preceding month. May or may not be associated with reduced appetite.	radio <table border="1"> <tr> <td>1</td><td>1: Weight loss amounting to 1-2 kg during the preceding month.</td></tr> <tr> <td>2</td><td>2: Weight loss amounting to 3-4 kg during the preceding month.</td></tr> <tr> <td>3</td><td>3: Weight loss amounting to more than 4 kg during the preceding month.</td></tr> </table> Custom alignment: LV	1	1: Weight loss amounting to 1-2 kg during the preceding month.	2	2: Weight loss amounting to 3-4 kg during the preceding month.	3	3: Weight loss amounting to more than 4 kg during the preceding month.
1	1: Weight loss amounting to 1-2 kg during the preceding month.								
2	2: Weight loss amounting to 3-4 kg during the preceding month.								
3	3: Weight loss amounting to more than 4 kg during the preceding month.								
3918	[other_side_effect3 7] Show the field ONLY if: [uku_sym_cat] = '37'	Hypermenorrhoea, polymenorrhoea, or metrorrhagia during the last 3 months.	radio <table border="1"> <tr> <td>1</td><td>1: Hypermenorrhoea, i.e. the menstrual flow is more intense than usual, the intervals being normal.</td></tr> <tr> <td>2</td><td>2: Polymenorrhoea, i.e. the menstrual flow occurs more frequently and is more intense than normal.</td></tr> <tr> <td>3</td><td>3: Metrorrhagia, i.e. irregular intervals and intensity, the blood loss being more frequent and intense compared with the usual pattern.</td></tr> </table> Custom alignment: LV	1	1: Hypermenorrhoea, i.e. the menstrual flow is more intense than usual, the intervals being normal.	2	2: Polymenorrhoea, i.e. the menstrual flow occurs more frequently and is more intense than normal.	3	3: Metrorrhagia, i.e. irregular intervals and intensity, the blood loss being more frequent and intense compared with the usual pattern.
1	1: Hypermenorrhoea, i.e. the menstrual flow is more intense than usual, the intervals being normal.								
2	2: Polymenorrhoea, i.e. the menstrual flow occurs more frequently and is more intense than normal.								
3	3: Metrorrhagia, i.e. irregular intervals and intensity, the blood loss being more frequent and intense compared with the usual pattern.								
3919	[other_side_effect3 8] Show the field ONLY if: [uku_sym_cat] = '38'	Hypomenorrhea, oligomenorrhea, or amenorrhea during the last 3 months.	radio <table border="1"> <tr> <td>1</td><td>1: Hypomenorrhea, i.e. uterine bleeding of less than the normal amount, but occurring at normal intervals.</td></tr> <tr> <td>2</td><td>2: Oligomenorrhea, i.e. prolonged intervals compared with the usual condition; the intensity may also be lower than usual.</td></tr> <tr> <td>3</td><td>3: Amenorrhea, i.e. menstruation has been absent for more than 3 months.</td></tr> </table> Custom alignment: LV	1	1: Hypomenorrhea, i.e. uterine bleeding of less than the normal amount, but occurring at normal intervals.	2	2: Oligomenorrhea, i.e. prolonged intervals compared with the usual condition; the intensity may also be lower than usual.	3	3: Amenorrhea, i.e. menstruation has been absent for more than 3 months.
1	1: Hypomenorrhea, i.e. uterine bleeding of less than the normal amount, but occurring at normal intervals.								
2	2: Oligomenorrhea, i.e. prolonged intervals compared with the usual condition; the intensity may also be lower than usual.								
3	3: Amenorrhea, i.e. menstruation has been absent for more than 3 months.								
3920	[other_side_effect3 9] Show the field ONLY if: [uku_sym_cat] = '39'	Increased secretion of milk outside periods of breast feeding.	radio <table border="1"> <tr> <td>1</td><td>1: Galactorrhea present, but to a very slight degree.</td></tr> <tr> <td>2</td><td>2: Galactorrhea is present to a moderate degree and is felt to be somewhat disturbing.</td></tr> </table>	1	1: Galactorrhea present, but to a very slight degree.	2	2: Galactorrhea is present to a moderate degree and is felt to be somewhat disturbing.		
1	1: Galactorrhea present, but to a very slight degree.								
2	2: Galactorrhea is present to a moderate degree and is felt to be somewhat disturbing.								

			<table border="1"> <tr> <td>3</td><td>3: Galactorrhea is very pronounced and clearly disturbing.</td></tr> </table>	3	3: Galactorrhea is very pronounced and clearly disturbing.				
3	3: Galactorrhea is very pronounced and clearly disturbing.								
			Custom alignment: LV						
3921	[other_side_effect4 0] Show the field ONLY if: [uku_sym_cat] = '40'	Excessive development of the mammary glands.	<p>radio</p> <table border="1"> <tr> <td>1</td><td>1: Gynecomastia present to a very slight degree compared with the usual state.</td></tr> <tr> <td>2</td><td>2: Gynecomastia clearly present; however, only hampering when patient is undressed.</td></tr> <tr> <td>3</td><td>3: Gynecomastia present to such a severe degree that it affects the patient cosmetically as it can be observed even if he is dressed.</td></tr> </table>	1	1: Gynecomastia present to a very slight degree compared with the usual state.	2	2: Gynecomastia clearly present; however, only hampering when patient is undressed.	3	3: Gynecomastia present to such a severe degree that it affects the patient cosmetically as it can be observed even if he is dressed.
1	1: Gynecomastia present to a very slight degree compared with the usual state.								
2	2: Gynecomastia clearly present; however, only hampering when patient is undressed.								
3	3: Gynecomastia present to such a severe degree that it affects the patient cosmetically as it can be observed even if he is dressed.								
			Custom alignment: LV						
3922	[other_side_effect4 1] Show the field ONLY if: [uku_sym_cat] = '41'	Increased desire for sexual activity.	<p>radio</p> <table border="1"> <tr> <td>1</td><td>1: Slight increase, which is, however, still felt as natural by the partner.</td></tr> <tr> <td>2</td><td>2: Clear increase that has given rise to comments and discussions with the partner.</td></tr> <tr> <td>3</td><td>3: When the usual desire has increased to such a severe extent that the patient's life with his partner is considerably disturbed.</td></tr> </table>	1	1: Slight increase, which is, however, still felt as natural by the partner.	2	2: Clear increase that has given rise to comments and discussions with the partner.	3	3: When the usual desire has increased to such a severe extent that the patient's life with his partner is considerably disturbed.
1	1: Slight increase, which is, however, still felt as natural by the partner.								
2	2: Clear increase that has given rise to comments and discussions with the partner.								
3	3: When the usual desire has increased to such a severe extent that the patient's life with his partner is considerably disturbed.								
			Custom alignment: LV						
3923	[other_side_effect4 2] Show the field ONLY if: [uku_sym_cat] = '42'	Reduced desire for sexual activity.	<p>radio</p> <table border="1"> <tr> <td>1</td><td>1: The desire for sexual activity is slightly diminished, but without hampering the patient.</td></tr> <tr> <td>2</td><td>2: A distinct reduction of the patient's desire for and interest in sexual activity so that it becomes a problem for the patient.</td></tr> <tr> <td>3</td><td>3: Desire and interest have diminished to such an extent that sexual intercourse occurs extremely seldom or has stopped.</td></tr> </table>	1	1: The desire for sexual activity is slightly diminished, but without hampering the patient.	2	2: A distinct reduction of the patient's desire for and interest in sexual activity so that it becomes a problem for the patient.	3	3: Desire and interest have diminished to such an extent that sexual intercourse occurs extremely seldom or has stopped.
1	1: The desire for sexual activity is slightly diminished, but without hampering the patient.								
2	2: A distinct reduction of the patient's desire for and interest in sexual activity so that it becomes a problem for the patient.								
3	3: Desire and interest have diminished to such an extent that sexual intercourse occurs extremely seldom or has stopped.								
			Custom alignment: LV						
3924	[other_side_effect4 3] Show the field ONLY if: [uku_sym_cat] = '43'	Difficulty in attaining or maintaining an erection.	<p>radio</p> <table border="1"> <tr> <td>1</td><td>1: Slightly diminished ability to attain or maintain an erection.</td></tr> <tr> <td>2</td><td>2: A distinct change in the patient's ability to attain or maintain an erection.</td></tr> </table>	1	1: Slightly diminished ability to attain or maintain an erection.	2	2: A distinct change in the patient's ability to attain or maintain an erection.		
1	1: Slightly diminished ability to attain or maintain an erection.								
2	2: A distinct change in the patient's ability to attain or maintain an erection.								

			<table border="1"> <tr> <td>3</td><td>3: The patient only rarely (or never) can attain or maintain an erection.</td></tr> </table> <p>Custom alignment: LV</p>	3	3: The patient only rarely (or never) can attain or maintain an erection.				
3	3: The patient only rarely (or never) can attain or maintain an erection.								
3925	<p>[other_side_effect4 4] Show the field ONLY if: [uku_sym_cat] = '44'</p>	Dysfunction of the patient's ability to control ejaculation. Includes a) premature or b) delayed ejaculation.	<p>radio</p> <table border="1"> <tr> <td>1</td> <td>1: It is somewhat more difficult than usual for the patient to control ejaculation, but it does not trouble him.</td> </tr> <tr> <td>2</td> <td>2: A distinct change in the patient's ability to control ejaculation, so that it becomes a problem for him.</td> </tr> <tr> <td>3</td> <td>3: The patient's ability to control ejaculation is influenced to such an extent that it has become a dominating problem in his sexual intercourse and thus to a great extent influences his experience of orgasm.</td> </tr> </table> <p>Custom alignment: LV</p>	1	1: It is somewhat more difficult than usual for the patient to control ejaculation, but it does not trouble him.	2	2: A distinct change in the patient's ability to control ejaculation, so that it becomes a problem for him.	3	3: The patient's ability to control ejaculation is influenced to such an extent that it has become a dominating problem in his sexual intercourse and thus to a great extent influences his experience of orgasm.
1	1: It is somewhat more difficult than usual for the patient to control ejaculation, but it does not trouble him.								
2	2: A distinct change in the patient's ability to control ejaculation, so that it becomes a problem for him.								
3	3: The patient's ability to control ejaculation is influenced to such an extent that it has become a dominating problem in his sexual intercourse and thus to a great extent influences his experience of orgasm.								
3926	<p>[other_side_effect4 5] Show the field ONLY if: [uku_sym_cat] = '45'</p>	Difficulty in obtaining and experiencing satisfactory orgasm.	<p>radio</p> <table border="1"> <tr> <td>1</td> <td>1: It is more difficult for the patient than usual to obtain orgasm and/or the experience of orgasm is slightly influenced.</td> </tr> <tr> <td>2</td> <td>2: The patient states that there is a clear change in the ability to obtain orgasm and/or in the experience of orgasm. This change has reached such a degree that it troubles the patient.</td> </tr> <tr> <td>3</td> <td>3: When the patient rarely or never can obtain orgasm and/or the experience of orgasm is markedly reduced.</td> </tr> </table> <p>Custom alignment: LV</p>	1	1: It is more difficult for the patient than usual to obtain orgasm and/or the experience of orgasm is slightly influenced.	2	2: The patient states that there is a clear change in the ability to obtain orgasm and/or in the experience of orgasm. This change has reached such a degree that it troubles the patient.	3	3: When the patient rarely or never can obtain orgasm and/or the experience of orgasm is markedly reduced.
1	1: It is more difficult for the patient than usual to obtain orgasm and/or the experience of orgasm is slightly influenced.								
2	2: The patient states that there is a clear change in the ability to obtain orgasm and/or in the experience of orgasm. This change has reached such a degree that it troubles the patient.								
3	3: When the patient rarely or never can obtain orgasm and/or the experience of orgasm is markedly reduced.								
3927	<p>[other_side_effect4 6] Show the field ONLY if: [uku_sym_cat] = '46'</p>	Dryness of vagina with sexual stimulation.	<p>radio</p> <table border="1"> <tr> <td>1</td> <td>1: Slight dryness of vagina with sexual stimulation.</td> </tr> <tr> <td>2</td> <td>2: Moderately disturbing dryness of vagina with sexual stimulation.</td> </tr> <tr> <td>3</td> <td>3: Severely disturbing, marked dryness of vagina making coitus difficult (or necessitating the use of lubricants)</td> </tr> </table> <p>Custom alignment: LV</p>	1	1: Slight dryness of vagina with sexual stimulation.	2	2: Moderately disturbing dryness of vagina with sexual stimulation.	3	3: Severely disturbing, marked dryness of vagina making coitus difficult (or necessitating the use of lubricants)
1	1: Slight dryness of vagina with sexual stimulation.								
2	2: Moderately disturbing dryness of vagina with sexual stimulation.								
3	3: Severely disturbing, marked dryness of vagina making coitus difficult (or necessitating the use of lubricants)								

3928	[other_side_effect_desc] Show the field ONLY if: [uku_sym_cat] = '47'	Please list the side effect in 1 or 2 words.	text						
3929	[side_effect_52] Show the field ONLY if: [uku_sym_cat] = '52'	Cold/Flu Symptoms Severity.	radio <table border="1"> <tr> <td>1</td><td>1: Mild: Discomfort noticed, but no disruption of normal daily activity</td></tr> <tr> <td>2</td><td>2: Moderate: Discomfort sufficient to reduce or affect normal daily activity</td></tr> <tr> <td>3</td><td>3: Severe: Incapacitating, with inability to work or to perform normal daily activity</td></tr> </table> Custom alignment: LV	1	1: Mild: Discomfort noticed, but no disruption of normal daily activity	2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity	3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity
1	1: Mild: Discomfort noticed, but no disruption of normal daily activity								
2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity								
3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity								
3930	[side_effect_54] Show the field ONLY if: [uku_sym_cat] = '54'	Decreased Appetite Without Weight Loss Severity.	radio <table border="1"> <tr> <td>1</td><td>1: Mild: Discomfort noticed, but no disruption of normal daily activity</td></tr> <tr> <td>2</td><td>2: Moderate: Discomfort sufficient to reduce or affect normal daily activity</td></tr> <tr> <td>3</td><td>3: Severe: Incapacitating, with inability to work or to perform normal daily activity</td></tr> </table> Custom alignment: LV	1	1: Mild: Discomfort noticed, but no disruption of normal daily activity	2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity	3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity
1	1: Mild: Discomfort noticed, but no disruption of normal daily activity								
2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity								
3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity								
3931	[side_effect_55] Show the field ONLY if: [uku_sym_cat] = '55'	Feeling of dizziness, weakness, everything going black, buzzing in the ears, or increased tendency to faint. May be associated with changing from supine or sitting position to upright position.	radio <table border="1"> <tr> <td>1</td><td>1: Clearly present, but requires no special countermeasures</td></tr> <tr> <td>2</td><td>2: Hampering, but can be neutralized (for example, by slow and/or stagewise change to upright position).</td></tr> <tr> <td>3</td><td>3: Threatening fainting or real episodes of fainting despite careful change of position, with a tendency to this type of dizziness as long as the patient is in an upright position.</td></tr> </table> Custom alignment: LV	1	1: Clearly present, but requires no special countermeasures	2	2: Hampering, but can be neutralized (for example, by slow and/or stagewise change to upright position).	3	3: Threatening fainting or real episodes of fainting despite careful change of position, with a tendency to this type of dizziness as long as the patient is in an upright position.
1	1: Clearly present, but requires no special countermeasures								
2	2: Hampering, but can be neutralized (for example, by slow and/or stagewise change to upright position).								
3	3: Threatening fainting or real episodes of fainting despite careful change of position, with a tendency to this type of dizziness as long as the patient is in an upright position.								
3932	[side_effect_56] Show the field ONLY if: [uku_sym_cat] = '56'	Note that falls are also assessed on the Decision Support Form and all falls should be captured there. Only falls resulting in reduced mobility, severe and persistent pain, or injury should be documented as Adverse Events. A fall resulting in injury and/or hospitalization should only be documented as one Adverse Event.	radio <table border="1"> <tr> <td>1</td><td>1: Mild: Discomfort noticed, but no disruption of normal daily activity.</td></tr> <tr> <td>2</td><td>2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.</td></tr> </table>	1	1: Mild: Discomfort noticed, but no disruption of normal daily activity.	2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.		
1	1: Mild: Discomfort noticed, but no disruption of normal daily activity.								
2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.								

			<table border="1"> <tr> <td>3</td><td>3: Severe: Incapacitating, with inability to work or to perform normal daily activity.</td></tr> </table>	3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity.				
3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity.								
			Custom alignment: LV						
3933	[side_effect_49] Show the field ONLY if: [uku_sym_cat] = '49'	Hospitalization (Non-Psychiatric) Severity	radio <table border="1"> <tr> <td>3</td> <td>3: Severe</td> </tr> </table> Custom alignment: LV	3	3: Severe				
3	3: Severe								
3934	[side_effect_48] Show the field ONLY if: [uku_sym_cat] = '48'	Hospitalization (Psychiatric) Severity	radio <table border="1"> <tr> <td>3</td> <td>3: Severe</td> </tr> </table> Custom alignment: LV	3	3: Severe				
3	3: Severe								
3935	[side_effect_50] Show the field ONLY if: [uku_sym_cat] = '50'	Hospitalization (With Surgery) Severity	radio <table border="1"> <tr> <td>3</td> <td>3: Severe</td> </tr> </table> Custom alignment: LV	3	3: Severe				
3	3: Severe								
3936	[side_effect_57] Show the field ONLY if: [uku_sym_cat] = '57'	Increased Appetite Without Weight Gain Severity.	radio <table border="1"> <tr> <td>1</td> <td>1: Mild: Noticeable, but no disruption of normal daily activity.</td> </tr> <tr> <td>2</td> <td>2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.</td> </tr> <tr> <td>3</td> <td>3: Severe: Incapacitating, with inability to work or to perform normal daily activity.</td> </tr> </table> Custom alignment: LV	1	1: Mild: Noticeable, but no disruption of normal daily activity.	2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.	3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity.
1	1: Mild: Noticeable, but no disruption of normal daily activity.								
2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.								
3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity.								
3937	[side_effect_58] Show the field ONLY if: [uku_sym_cat] = '58'	Irritability or Emotional Lability Severity.	radio <table border="1"> <tr> <td>1</td> <td>1: Mild: Discomfort noticed, but no disruption of normal daily activity.</td> </tr> <tr> <td>2</td> <td>2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.</td> </tr> <tr> <td>3</td> <td>3: Severe: Incapacitating, with inability to work or to perform normal daily activity.</td> </tr> </table> Custom alignment: LV	1	1: Mild: Discomfort noticed, but no disruption of normal daily activity.	2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.	3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity.
1	1: Mild: Discomfort noticed, but no disruption of normal daily activity.								
2	2: Moderate: Discomfort sufficient to reduce or affect normal daily activity.								
3	3: Severe: Incapacitating, with inability to work or to perform normal daily activity.								
3938	[side_effect_59] Show the field ONLY if: [uku_sym_cat] = '59'	Outpatient Surgery Severity.	radio <table border="1"> <tr> <td>2</td> <td>2: Moderate (minimally invasive procedure with minimal recovery time)</td> </tr> <tr> <td>3</td> <td>3: Severe (more extensive recovery needed)</td> </tr> </table> Custom alignment: LV	2	2: Moderate (minimally invasive procedure with minimal recovery time)	3	3: Severe (more extensive recovery needed)		
2	2: Moderate (minimally invasive procedure with minimal recovery time)								
3	3: Severe (more extensive recovery needed)								

3939	[side_effect_60] Show the field ONLY if: [uku_sym_cat] = '60'	COVID-19	radio <table border="1"> <tr><td>1</td><td>1: Mild: Treated at home</td></tr> <tr><td>2</td><td>2: Moderate: Required inpatient hospitalization</td></tr> <tr><td>3</td><td>3: Severe: Required ICU</td></tr> </table>	1	1: Mild: Treated at home	2	2: Moderate: Required inpatient hospitalization	3	3: Severe: Required ICU				
1	1: Mild: Treated at home												
2	2: Moderate: Required inpatient hospitalization												
3	3: Severe: Required ICU												
3940	[covid_status] Show the field ONLY if: [uku_sym_cat] = '60'	COVID-19 Test status	radio <table border="1"> <tr><td>1</td><td>1. Confirmed positive</td></tr> <tr><td>2</td><td>2. Suspected but not tested</td></tr> </table>	1	1. Confirmed positive	2	2. Suspected but not tested						
1	1. Confirmed positive												
2	2. Suspected but not tested												
3941	[ae_sev] Show the field ONLY if: [uku_sym_cat] = '47'	Severity	radio <table border="1"> <tr><td>1</td><td>1: Mild</td></tr> <tr><td>2</td><td>2: Moderate</td></tr> <tr><td>3</td><td>3: Severe</td></tr> </table>	1	1: Mild	2	2: Moderate	3	3: Severe				
1	1: Mild												
2	2: Moderate												
3	3: Severe												
3942	[ae_severity] Show the field ONLY if: [uku_sym_cat] = '47'	Severity NOTE: PLEASE DO NOT ENTER INTO THIS FIELD ANYMORE. THIS FIELD WILL SOON BE DEACTIVATED.	radio <table border="1"> <tr><td>1</td><td>Mild</td></tr> <tr><td>2</td><td>Moderate</td></tr> <tr><td>3</td><td>Severe</td></tr> </table> Field Annotation: @HIDDEN	1	Mild	2	Moderate	3	Severe				
1	Mild												
2	Moderate												
3	Severe												
3943	[ae_onset_date]	Section Header: Onset Date:	text (date_mdy), Required										
3944	[ae_onset_during]	Onset occurred during:	dropdown, Required <table border="1"> <tr><td>1</td><td>Step 1 Acute</td></tr> <tr><td>2</td><td>Step 2 Acute</td></tr> <tr><td>3</td><td>Step 1 Continuation</td></tr> <tr><td>4</td><td>Step 2 Continuation</td></tr> <tr><td>5</td><td>Neuro Follow-up</td></tr> </table>	1	Step 1 Acute	2	Step 2 Acute	3	Step 1 Continuation	4	Step 2 Continuation	5	Neuro Follow-up
1	Step 1 Acute												
2	Step 2 Acute												
3	Step 1 Continuation												
4	Step 2 Continuation												
5	Neuro Follow-up												
3945	[ae_narrative]	Section Header: Narrative Description of AE (if needed).	notes Custom alignment: LV										
3946	[ae_outcome]	Section Header: Outcome	radio, Required <table border="1"> <tr><td>1</td><td>Resolved</td></tr> <tr><td>2</td><td>Ongoing</td></tr> <tr><td>3</td><td>Death</td></tr> </table>	1	Resolved	2	Ongoing	3	Death				
1	Resolved												
2	Ongoing												
3	Death												
3947	[ae_death_notify] Show the field ONLY if: [ae_outcome] = '3'	Please notify site PI and Dr. Lenze (lenzee@wustl.edu)!	descriptive										
3948	[ae_end_date] Show the field ONLY if: [ae_outcome] = '1'	Section Header: End Date:	text (date_mdy)										

3949	[ae_relevant_info]	Section Header: List any relevant tests, laboratory data, history, including preexisting medical conditions	notes Custom alignment: LV												
3950	[ae_relationship]	Section Header: Relationship	radio <table border="1"><tr><td>1</td><td>Probably related</td></tr><tr><td>2</td><td>Possibly related</td></tr><tr><td>3</td><td>Not likely related</td></tr></table>	1	Probably related	2	Possibly related	3	Not likely related						
1	Probably related														
2	Possibly related														
3	Not likely related														
3951	[ae_reported_as_se]	Section Header: Was this AE described by the patient as a side effect of a study medication?	yesno <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No								
1	Yes														
0	No														
3952	[ae_expected]	Section Header: Expected?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No, it is an Unexpected AE</td></tr></table>	1	Yes	2	No, it is an Unexpected AE								
1	Yes														
2	No, it is an Unexpected AE														
3953	[ae_action]	Section Header: Action Taken <i>NOTE: PLEASE DO NOT ENTER INTO THIS FIELD ANYMORE. THIS FIELD WILL SOON BE DEACTIVATED.</i>	radio <table border="1"><tr><td>1</td><td>Study Medication Stopped</td></tr><tr><td>2</td><td>Study Medication Dose Reduced</td></tr><tr><td>3</td><td>Study Medication Dose Increased</td></tr><tr><td>4</td><td>Study Medication Dose Delayed</td></tr><tr><td>5</td><td>Other</td></tr></table> Field Annotation: @HIDDEN	1	Study Medication Stopped	2	Study Medication Dose Reduced	3	Study Medication Dose Increased	4	Study Medication Dose Delayed	5	Other		
1	Study Medication Stopped														
2	Study Medication Dose Reduced														
3	Study Medication Dose Increased														
4	Study Medication Dose Delayed														
5	Other														
3954	[ae_action_taken]	Action Taken	radio, Required <table border="1"><tr><td>5</td><td>No Change to Study Med</td></tr><tr><td>1</td><td>Study Medication Stopped</td></tr><tr><td>2</td><td>Study Medication Dose Reduced</td></tr><tr><td>3</td><td>Study Medication Dose Increased</td></tr><tr><td>4</td><td>Study Medication Dose Delayed</td></tr><tr><td>6</td><td>Other</td></tr></table>	5	No Change to Study Med	1	Study Medication Stopped	2	Study Medication Dose Reduced	3	Study Medication Dose Increased	4	Study Medication Dose Delayed	6	Other
5	No Change to Study Med														
1	Study Medication Stopped														
2	Study Medication Dose Reduced														
3	Study Medication Dose Increased														
4	Study Medication Dose Delayed														
6	Other														
3955	[ae_action_other]	Other: <i>Show the field ONLY if: [ae_action_taken] = '6'</i>	text Field Annotation: @HIDDEN												
3956	[ae_study_term]	Section Header: AE resulted in study termination (withdrawn from study)?	yesno, Required <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No								
1	Yes														
0	No														
3957	[ae_study_term_text]	Please complete the Termination Form! <i>Show the field ONLY if: [ae_study_term] = '1'</i>	descriptive												
3958	[ae_serious]	Section Header:	yesno, Required												

		Serious AE?	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No																														
1	Yes																																				
0	No																																				
3959	[ae_death_notify2] Show the field ONLY if: [ae_serious] = '1'	Please notify site PI and Dr. Lenze (lenzee@wustl.edu)!	descriptive																																		
3960	[ae_category] Show the field ONLY if: [ae_serious] = '1'	Category of SAE:	radio <table border="1"> <tr><td>1</td><td>Death</td></tr> <tr><td>2</td><td>Life-threatening</td></tr> <tr><td>3</td><td>Hospitalization - initial or prolonged</td></tr> <tr><td>4</td><td>Disability / incapacityCongenital anomaly / birth defect</td></tr> <tr><td>5</td><td>Required intervention to prevent</td></tr> <tr><td>6</td><td>Permanent impairment</td></tr> <tr><td>7</td><td>Other</td></tr> </table>	1	Death	2	Life-threatening	3	Hospitalization - initial or prolonged	4	Disability / incapacityCongenital anomaly / birth defect	5	Required intervention to prevent	6	Permanent impairment	7	Other																				
1	Death																																				
2	Life-threatening																																				
3	Hospitalization - initial or prolonged																																				
4	Disability / incapacityCongenital anomaly / birth defect																																				
5	Required intervention to prevent																																				
6	Permanent impairment																																				
7	Other																																				
3961	[ae_category_other] Show the field ONLY if: [ae_category] = '7'	Other	text																																		
3962	[ae_other_category]	Other AE Category <i>this variable was added after data collection</i>	dropdown <table border="1"> <tr><td>0</td><td>None apply</td></tr> <tr><td>1</td><td>Accommodation problems/blurry vision</td></tr> <tr><td>2</td><td>Akathesia</td></tr> <tr><td>3</td><td>Anxiety / Tension</td></tr> <tr><td>5</td><td>Asthenia/Lassitude/Increased Fatigability</td></tr> <tr><td>6</td><td>Bronchitis</td></tr> <tr><td>7</td><td>Chest Pain</td></tr> <tr><td>8</td><td>Cold/ flu symptoms</td></tr> <tr><td>9</td><td>Concentration Difficulties</td></tr> <tr><td>10</td><td>Decreased Appetite Without Weight Loss</td></tr> <tr><td>11</td><td>Diarrhea</td></tr> <tr><td>12</td><td>Disturbed Sleep</td></tr> <tr><td>13</td><td>dizziness/impaired balance</td></tr> <tr><td>14</td><td>elevated blood sugar</td></tr> <tr><td>15</td><td>Extremity Swelling</td></tr> <tr><td>37</td><td>Failing memory</td></tr> <tr><td>16</td><td>Fall</td></tr> </table>	0	None apply	1	Accommodation problems/blurry vision	2	Akathesia	3	Anxiety / Tension	5	Asthenia/Lassitude/Increased Fatigability	6	Bronchitis	7	Chest Pain	8	Cold/ flu symptoms	9	Concentration Difficulties	10	Decreased Appetite Without Weight Loss	11	Diarrhea	12	Disturbed Sleep	13	dizziness/impaired balance	14	elevated blood sugar	15	Extremity Swelling	37	Failing memory	16	Fall
0	None apply																																				
1	Accommodation problems/blurry vision																																				
2	Akathesia																																				
3	Anxiety / Tension																																				
5	Asthenia/Lassitude/Increased Fatigability																																				
6	Bronchitis																																				
7	Chest Pain																																				
8	Cold/ flu symptoms																																				
9	Concentration Difficulties																																				
10	Decreased Appetite Without Weight Loss																																				
11	Diarrhea																																				
12	Disturbed Sleep																																				
13	dizziness/impaired balance																																				
14	elevated blood sugar																																				
15	Extremity Swelling																																				
37	Failing memory																																				
16	Fall																																				

17	GI distress
35	Hospitalization - non-psychiatric
34	Hospitalization - with surgery
18	Hypertension
19	Increased Appetite Without Weight Gain
20	Increased Dream Activity
38	Increased Salivation
21	Irritability or Emotional lability
39	Micturition Disturbances
22	Muskuloskeletal Pain
36	Outpatient surgery
23	Pneumonia
24	Polyuria/Polydipsia
25	Pruritus
40	Rash
26	Reduced Salivation (Dryness of Mouth)
27	shakiness
28	Shortness of breath
29	slurred speech
30	Tinnitus
41	Tremor
31	Urinary Incontinence
32	Urinary tract infection
33	Vertigo

Field Annotation: @HIDDEN

3963	<p>[ae_imp_to_pt_safet y]</p> <p>Show the field ONLY if: $[ae_serious] = '0'$ and $(([[psychic_side_effect_1] = '1' \text{ or } [psychic_side_effect1] = '2') \text{ or } ([psychic_side_effect2] = '1' \text{ or } [psychic_side_effect2] = '2')) \text{ or } (([psychic_side_effect3] = '1' \text{ or } [psychic_side_effect3] = '2') \text{ or } ([psychic_side_effect4] = '1' \text{ or } [psychic_side_effect4] = '2'))$</p>	<p>Section Header: AE deemed important to participant safety?</p>	<p>yesno</p> <table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>0</td><td>No</td></tr> </table>	1	Yes	0	No
1	Yes						
0	No						

chic_side_effect6] = '1' or [psychic_side_effect6] = '2') or ([psychic_side_effect7] = '1' or [psychic_side_effect7] = '2') or ([psychic_side_effect8] = '1' or [psychic_side_effect8] = '2') or ([psychic_side_effect9] = '1' or [psychic_side_effect9] = '2') or ([psychic_side_effect10] = '1' or [psychic_side_effect10] = '2') or ([neuro_side_effect11] = '1' or [neuro_side_effect11] = '2') or ([neuro_side_effect12] = '1' or [neuro_side_effect12] = '2') or ([neuro_side_effect13] = '1' or [neuro_side_effect13] = '2') or ([neuro_side_effect14] = '1' or [neuro_side_effect14] = '2') or ([neuro_side_effect15] = '1' or [neuro_side_effect15] = '2') or ([neuro_side_effect16] = '1' or [neuro_side_effect16] = '2') or ([neuro_side_effect17] = '1' or [neuro_side_effect17] = '2') or ([neuro_side_effect18] = '1' or [neuro_side_effect18] = '2') or ([neuro_side_effect19] = '1' or [neuro_side_effect19] = '2') or ([autonomic_side_effect20] = '1' or [autonomic_side_effect20] = '2') or ([autonomic_side_effect21] = '1' or [autonomic_side_effect21] = '2') or ([autonomic_side_effect22] = '1' or [autonomic_side_effect22] = '2') or ([autonomic_side_effect23] = '1' or [autonomic_side_effect23] = '2') or ([autonomic_side_effect24] = '1' or [autonomic_side_effect24] = '2') or ([autonomic_side_effect25] = '1' or [autonomic_side_effect25] = '2') or ([autonomic_side_effect26] = '1' or [autonomic_side_effect26] = '2')

6] = '1' or [autonomic_side_effect26] = '2') or ([autonomic_side_effect27] = '1' or [autonomic_side_effect27] = '2') or ([autonomic_side_effect29] = '1' or [autonomic_side_effect29] = '2') or ([autonomic_side_effect30] = '1' or [autonomic_side_effect30] = '2') or ([other_side_effect31] = '1' or [other_side_effect31] = '2') or ([other_side_effect32] = '1' or [other_side_effect32] = '2') or ([other_side_effect33] = '1' or [other_side_effect33] = '2') or ([other_side_effect34] = '1' or [other_side_effect34] = '2') or ([other_side_effect35] = '1' or [other_side_effect35] = '2') or ([other_side_effect36] = '1' or [other_side_effect36] = '2') or ([other_side_effect37] = '1' or [other_side_effect37] = '2') or ([other_side_effect38] = '1' or [other_side_effect38] = '2') or ([other_side_effect39] = '1' or [other_side_effect39] = '2') or ([other_side_effect40] = '1' or [other_side_effect40] = '2') or ([other_side_effect41] = '1' or [other_side_effect41] = '2') or ([other_side_effect42] = '1' or [other_side_effect42] = '2') or ([other_side_effect43] = '1' or [other_side_effect43] = '2') or ([other_side_effect44] = '1' or [other_side_effect44] = '2') or ([other_side_effect45] = '1' or [other_side_effect45] = '2') or ([other_side_effect46] = '1' or [other_side_effect46] = '2') or ([side_effect_52] = '1' or [side_effect_52] = '2') or ([side_effect_54] = '1' or

	[side_effect_54] = '2') or ([side_effect_55] = '1' or [side_effect_55] = '2') or ([side_effect_56] = '1' or [side_effect_56] = '2') or ([side_effect_57] = '1' or [side_effect_57] = '2') or ([side_effect_58] = '1' or [side_effect_58] = '2') or ([side_effect_59] = '1' or [ae_sev]=='1' or [ae_sev] ='2')))	
--	---	--

3964	[ae_dod] Show the field ONLY if: [ae_category] = '1'	Section Header: Date of death	text (date_mdy)
------	--	--------------------------------------	-----------------

3965	[adverse_event_v2_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

Instrument: Relapse (IF MADRS>=15) (relapse_if_madrs15)	[collapsed]
---	-------------

Instrument: Termination Form (termination_form)
--

3972	[date_term_form_entered]	Section Header: <i>Complete this section when a consented participant leaves the study for any reason, including study completion.</i> Date Entered	text (date_mdy)								
3973	[termination_form_instr]	Complete this section when a consented participant leaves the study for any reason, including study completion.	descriptive								
3974	[date_termination_entered]	Date Termination Information Entered	text (date_mdy)								
3975	[end_rater]	Documented by:	text, Required								
3976	[end_date]	Termination Date	text (date_mdy), Required								
3977	[end_phase]	During what phase was the participant terminated?	dropdown <table border="1"><tr><td>1</td><td>Screening (i.e., consented but was not randomized)</td></tr><tr><td>2</td><td>Step 1</td></tr><tr><td>3</td><td>Step 2</td></tr><tr><td>4</td><td>Continuation</td></tr></table>	1	Screening (i.e., consented but was not randomized)	2	Step 1	3	Step 2	4	Continuation
1	Screening (i.e., consented but was not randomized)										
2	Step 1										
3	Step 2										
4	Continuation										
3978	[end_last_date]	Last Assessment Conducted	text (date_mdy)								
3979	[end_reason]	Termination Reason (choose one and note details below)	dropdown <table border="1"><tr><td>1</td><td>Participant was not eligible for randomization</td></tr><tr><td>2</td><td>Participant Withdrawn</td></tr></table>	1	Participant was not eligible for randomization	2	Participant Withdrawn				
1	Participant was not eligible for randomization										
2	Participant Withdrawn										

			<table border="1"> <tr><td>3</td><td>Study Completion</td></tr> <tr><td>4</td><td>Lost to follow-up (i.e., unable to contact after several attempts)</td></tr> <tr><td>5</td><td>Death</td></tr> <tr><td>6</td><td>Investigator discretion</td></tr> <tr><td>7</td><td>Other</td></tr> </table>	3	Study Completion	4	Lost to follow-up (i.e., unable to contact after several attempts)	5	Death	6	Investigator discretion	7	Other												
3	Study Completion																								
4	Lost to follow-up (i.e., unable to contact after several attempts)																								
5	Death																								
6	Investigator discretion																								
7	Other																								
3980	[<code>end_reason_1</code>] Show the field ONLY if: [<code>end_reason</code>] = '1'	If Participant was not eligible for randomization: Select reason:	<p>dropdown</p> <table border="1"> <tr><td>1</td><td>No current MDD</td></tr> <tr><td>2</td><td>PHQ-9 score < 6</td></tr> <tr><td>3</td><td>Dementia or Short Blessed >10</td></tr> <tr><td>4</td><td>Lifetime diagnosis of bipolar disorder, schizophrenia, schizoaffective disorder, schizophreniform disorder, delusional disorder, or current psychotic symptoms.</td></tr> <tr><td>5</td><td>High risk for suicide and unable to be managed safely</td></tr> <tr><td>6</td><td>Contraindication to study medications(Non-correctable, clinically significant sensory impairment; Unstable medical illness)</td></tr> <tr><td>7</td><td>Moderate to severe substance or alcohol use disorder</td></tr> <tr><td>8</td><td>Seizure disorder</td></tr> <tr><td>9</td><td>Parkinson's Disease</td></tr> <tr><td>10</td><td>Less than two failed antidepressant trials of recommended dose and duration</td></tr> <tr><td>11</td><td>Other (specify reason in notes)</td></tr> </table>	1	No current MDD	2	PHQ-9 score < 6	3	Dementia or Short Blessed >10	4	Lifetime diagnosis of bipolar disorder, schizophrenia, schizoaffective disorder, schizophreniform disorder, delusional disorder, or current psychotic symptoms.	5	High risk for suicide and unable to be managed safely	6	Contraindication to study medications(Non-correctable, clinically significant sensory impairment; Unstable medical illness)	7	Moderate to severe substance or alcohol use disorder	8	Seizure disorder	9	Parkinson's Disease	10	Less than two failed antidepressant trials of recommended dose and duration	11	Other (specify reason in notes)
1	No current MDD																								
2	PHQ-9 score < 6																								
3	Dementia or Short Blessed >10																								
4	Lifetime diagnosis of bipolar disorder, schizophrenia, schizoaffective disorder, schizophreniform disorder, delusional disorder, or current psychotic symptoms.																								
5	High risk for suicide and unable to be managed safely																								
6	Contraindication to study medications(Non-correctable, clinically significant sensory impairment; Unstable medical illness)																								
7	Moderate to severe substance or alcohol use disorder																								
8	Seizure disorder																								
9	Parkinson's Disease																								
10	Less than two failed antidepressant trials of recommended dose and duration																								
11	Other (specify reason in notes)																								
3981	[<code>end_reason_2</code>] Show the field ONLY if: [<code>end_reason</code>] = '2'	If participant withdrew: Describe reasons why patient withdrew	<p>checkbox</p> <table border="1"> <tr><td>1</td><td><code>end_reason_2__1</code></td><td>Side effects</td></tr> <tr><td>2</td><td><code>end_reason_2__2</code></td><td>Other</td></tr> </table>	1	<code>end_reason_2__1</code>	Side effects	2	<code>end_reason_2__2</code>	Other																
1	<code>end_reason_2__1</code>	Side effects																							
2	<code>end_reason_2__2</code>	Other																							
3982	[<code>end_reason_2_se</code>] Show the field ONLY if: [<code>end_reason_2(1)</code>] = '1'	Side Effects:	notes																						
3983	[<code>end_reason_2_other</code>] Show the field ONLY if: [<code>end_reason_2(2)</code>] = '1'	Other	notes																						
3984	[<code>end_note</code>]	Note details:	notes																						

3985	[termination_form_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								
Instrument: Medication Form (Please use V2) (medication_form_please_use_v2)			[collapsed]						
Instrument: Psychiatric Medication Form (Please use V2) (psychiatric_medication_form_please_use_v2)			[collapsed]						
Instrument: Spontaneous Report Of Side Effects (Please use V2) (spontaneous_report_of_side_effects_please_use_v2)			[collapsed]						
Instrument: Adverse Event (Please use V2) (adverse_event_please_use_v2)			[collapsed]						
Instrument: Partial Remission (Toronto only) (partial_remission_toronto_only)			[collapsed]						
Instrument: Short Blessed Test (Toronto only) (short_blessed_test_toronto_only)			[collapsed]						
Instrument: Medical Conditions (Toronto only) (medical_conditions_toronto_only)			[collapsed]						
Instrument: Athf Form (under testing, DO NOT USE) (athf_form_under_testing_do_not_use)			[collapsed]						
Instrument: Running Clinical Notes (Please transition to v2) (running_clinical_notes)			[collapsed]						
Instrument: Running Clinical Notes (v2) (running_clinical_notes_v2)			[collapsed]						
Instrument: Height and Weight (height_and_weight)			[collapsed]						
Instrument: Local Repeat MADRS (local_repeat_madrs)			[collapsed]						
Instrument: Local Repeat PHQ-9 (repeat_phq9)			[collapsed]						
Instrument: Labs (labs)			[collapsed]						
Instrument: Labs (Follow-up) (labs_fup)			[collapsed]						
Instrument: ECG (Follow-up) (ecg_followup)			[collapsed]						
Instrument: Survey Reminder (survey_reminder)			[collapsed]						
Instrument: ATHF Form1 V2 (athf_form1_v2)			[collapsed]						
Instrument: ATHF Form2 (If Needed - Treatments 11-20) V2 (athf_form2_if_needed_treatments_1120_v2)			[collapsed]						
Instrument: ATHF Form3 (If Needed - Treatments 21-30) V2 (athf_form3_if_needed_treatments_2130_v2)			[collapsed]						
Instrument: ATHF Form4 (If Needed - Treatments 31-40) V2 (athf_form4_if_needed_treatments_3140_v2)			[collapsed]						
Instrument: Neuro MRI Form (optimum_neuro_mri)			[collapsed]						
Instrument: Analyzed MRI Data - Brain Volumes (analyzed_mri_data)			[collapsed]						
Instrument: Analyzed MRI Data - Thickness (analyzed_mri_data_thickness)			[collapsed]						
Instrument: Analyzed MRI Data - Surface (analyzed_mri_data_surface)			[collapsed]						
Instrument: Demographics (demographics)									
7969	[date_demographics]	Section Header:	text (date_mdy)						

		Demographics date															
7970	[demo_age]	Age (at first visit)	text (integer, Min: 50, Max: 100)														
7971	[demo_sex]	Sex	radio <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>Male</td></tr> <tr><td>2</td><td>Female</td></tr> <tr><td>3</td><td>Other</td></tr> </table>	1	Male	2	Female	3	Other								
1	Male																
2	Female																
3	Other																
7972	[demo_sex_other] Show the field ONLY if: [demo_sex] = '3'	Sex - other	text														
7973	[demo_ethnicity]	Ethnicity	dropdown <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>Hispanic/Latino</td></tr> <tr><td>2</td><td>Non-Hispanic</td></tr> </table>	1	Hispanic/Latino	2	Non-Hispanic										
1	Hispanic/Latino																
2	Non-Hispanic																
7974	[demo_race]	Race	dropdown <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>Black/African American</td></tr> <tr><td>2</td><td>White</td></tr> <tr><td>3</td><td>Hawaiian/Pacific Islander</td></tr> <tr><td>4</td><td>Asian</td></tr> <tr><td>5</td><td>American Indian/Alaska Native (includes First Nations)</td></tr> <tr><td>6</td><td>Multi-race</td></tr> <tr><td>7</td><td>Other</td></tr> </table>	1	Black/African American	2	White	3	Hawaiian/Pacific Islander	4	Asian	5	American Indian/Alaska Native (includes First Nations)	6	Multi-race	7	Other
1	Black/African American																
2	White																
3	Hawaiian/Pacific Islander																
4	Asian																
5	American Indian/Alaska Native (includes First Nations)																
6	Multi-race																
7	Other																
7975	[demo_edu]	Education (years)	text (number)														
7976	[demographics_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete								
0	Incomplete																
1	Unverified																
2	Complete																
Instrument: Consent Termination Reconsent (consent_termination_reconsent)																	
7977	[meta_ra]	Section Header: <i>Consent</i> Approached by:	text Field Annotation: @USERNAME														
7978	[meta_consent_date]	Date of consent	text (date_mdy)														
7979	[meta_consent_version]	Consent version:	dropdown <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>1</td></tr> <tr><td>2</td><td>2</td></tr> <tr><td>3</td><td>3</td></tr> <tr><td>4</td><td>4</td></tr> <tr><td>5</td><td>5</td></tr> <tr><td>6</td><td>6</td></tr> <tr><td>7</td><td>7</td></tr> </table>	1	1	2	2	3	3	4	4	5	5	6	6	7	7
1	1																
2	2																
3	3																
4	4																
5	5																
6	6																
7	7																

8	8
9	9
10	10

7980	[camh_mri_consent_signed] Show the field ONLY if: [site] = '4'	Was CAMH MRI Centre consent signed?	yesno <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No										
1	Yes																
0	No																
7981	[date_of_signature] Show the field ONLY if: [camh_mri_consent_signed] = '1'	Date of signature	text (date_mdy)														
7982	[meta_consent_cmts]	Consent notes	text Custom alignment: RH														
7983	[meta_terminate_yn]	Section Header: <i>Termination</i> Did the participant terminate from the study?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table> Field Annotation: @DEFAULT = '2'	1	Yes	2	No										
1	Yes																
2	No																
7984	[meta_terminate_date] Show the field ONLY if: [meta_terminate_yn] = '1'	Date of termination	text (date_mdy)														
7985	[meta_terminate_reason] Show the field ONLY if: [meta_terminate_yn] = '1'	Reason for termination	dropdown <table border="1"><tr><td>1</td><td>Participant was not eligible for randomization</td></tr><tr><td>2</td><td>Participant Withdrawn</td></tr><tr><td>3</td><td>Study Completion</td></tr><tr><td>4</td><td>Lost to follow-up (i.e., unable to contact after several attempts)</td></tr><tr><td>5</td><td>Death</td></tr><tr><td>6</td><td>Investigator discretion</td></tr><tr><td>7</td><td>Other</td></tr></table>	1	Participant was not eligible for randomization	2	Participant Withdrawn	3	Study Completion	4	Lost to follow-up (i.e., unable to contact after several attempts)	5	Death	6	Investigator discretion	7	Other
1	Participant was not eligible for randomization																
2	Participant Withdrawn																
3	Study Completion																
4	Lost to follow-up (i.e., unable to contact after several attempts)																
5	Death																
6	Investigator discretion																
7	Other																
7986	[meta_terminate_other] Show the field ONLY if: [meta_terminate_reason] = '7'	Reason for termination - please specify	text														
7987	[meta_terminate_cmts]	Termination notes	text														

	Show the field ONLY if: [meta_terminate_yn] = '1'																						
7988	[meta_reconsent_yn]	Section Header: <i>Re-consent</i> Did the participant re-consent to the study?	radio <table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>2</td><td>No</td></tr> </table> Field Annotation: @DEFAULT = '2'	1	Yes	2	No																
1	Yes																						
2	No																						
7989	[meta_reconsent_date] Show the field ONLY if: [meta_reconsent_yn] = '1'	Date of re-consent	text (date_mdy)																				
7990	[meta_reconsent_date 2] Show the field ONLY if: [meta_reconsent_yn] = '1'	Date of additional re-consent (if necessary)	text (date_mdy)																				
7991	[meta_reconsent_date 3] Show the field ONLY if: [meta_reconsent_yn] = '1'	Date of additional re-consent (if necessary)	text (date_mdy)																				
7992	[meta_reconsent_date 4] Show the field ONLY if: [meta_reconsent_yn] = '1'	Date of additional re-consent (if necessary)	text (date_mdy)																				
7993	[meta_reconsent_version] Show the field ONLY if: [meta_reconsent_yn] = '1'	Consent version	dropdown <table border="1"> <tr><td>1</td><td>1</td></tr> <tr><td>2</td><td>2</td></tr> <tr><td>3</td><td>3</td></tr> <tr><td>4</td><td>4</td></tr> <tr><td>5</td><td>5</td></tr> <tr><td>6</td><td>6</td></tr> <tr><td>7</td><td>7</td></tr> <tr><td>8</td><td>8</td></tr> <tr><td>9</td><td>9</td></tr> <tr><td>10</td><td>10</td></tr> </table>	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10
1	1																						
2	2																						
3	3																						
4	4																						
5	5																						
6	6																						
7	7																						
8	8																						
9	9																						
10	10																						

7994	[meta_reconsent_cmts] Show the field ONLY if: [meta_reconsent_yn] = '1'	Reconsent notes	text Custom alignment: RH						
7995	[consent_termination_reconsent_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr> <td>0</td><td>Incomplete</td></tr> <tr> <td>1</td><td>Unverified</td></tr> <tr> <td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								
Instrument: Clinical Assessments Dates (clinical_assessments_dates)			[collapsed]						
Instrument: Neurocog Assessments Dates (neurocog_assessments_dates)			[collapsed]						
Instrument: Neurocog Scoring (neurocog_scoring)			[collapsed]						
Instrument: Biomarkers MRI (biomarkers_mri)			[collapsed]						
Instrument: Payment (payment)			[collapsed]						
Instrument: Storage (storage)			[collapsed]						
Instrument: GUID (guid)			[collapsed]						
Instrument: Self Reporting Hearing and Noise Exposure (HNE) (self_reporting_hearing_and_noise_exposure_hne)			[collapsed]						
Instrument: Documentation of Missing and Verified Data (missing_data_documentation)			[collapsed]						
Instrument: Participant Email (participant_email)			[collapsed]						
Instrument: WU COVID 19 Verbal Consent (wu_covid_19_verbal_consent)			[collapsed]						
Instrument: Columbia's COVID E-Consent (columbias_covid_econsent)  Enabled as survey			[collapsed]						
Instrument: Columbia's Compensation Form (columbia_compensation_form)			[collapsed]						
Instrument: Duke Social Support (DSSI) (duke_social_support_dssi)			[collapsed]						
Instrument: Perceived Stress Scale (perceived_stress_scale)			[collapsed]						
Instrument: UCLA Revised Loneliness Scale (ucla_revised_loneliness_scale)  Enabled as survey			[collapsed]						
Instrument: Connor-Davidson Resilience Scale (CD-RISC) (connordavidson_resilience_scale_cdrrisc)  Enabled as survey			[collapsed]						
Instrument: CAAM COVID Survey (caam_covid_survey)			[collapsed]						
Instrument: CAAM COVID Survey Antidepressant Section (complete the CAAM COVID Survey First) (covid_survey_antidepressant_section)			[collapsed]						
Instrument: PHQ-9 (COVID) (phq9_covid)			[collapsed]						
Instrument: Physical Activity (physical_activity_optn_at_month_24)			[collapsed]						
Instrument: COVID-19 (covid19)			[collapsed]						

