Data Dictionary Codebook

OPTIMUM Main Database (Final) (PID: 19243)

03/26/2025 2:36pm

Instruments	Events	Codes for Missing Data

	#	Variable / Field Name	Field Label *Field Note*	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)	
Instrument:		**Demographic Info** (demographic_info_toronto_only)			**[collapsed]**
Instrument:		**Mini MDD** (mini_mdd)			**[collapsed]**
Instrument:		**Mini MDD Note** (mini_mdd_note)			**[collapsed]**
Instrument:		**Visit Form** (visit_form)			**[collapsed]**
Instrument:		**Medical History Form (Revised 3/27/17)** (medical_history_form_revised_32717)			**[collapsed]**
Instrument:		**Medical History Form (Revised 3/30/17): USE THIS ONE!** (medical_history_form_revised_33017_use_this_one)			**[collapsed]**
Instrument:		**Psychiatric Medication Form V2** (psychiatric_medication_form_v2)			**[collapsed]**
Instrument:		**Drug Abuse Screening Test (DAST)** (drug_abuse_screening_test_dast)			**[collapsed]**
Instrument:		**Medication Form V2** (medication_form_v2)			**[collapsed]**
Instrument:		**NIH Toolbox Baseline** (nih_toolbox_baseline)			**[collapsed]**
Instrument:		**Randomization Form Step 2** (randomization_form_step_2_please_do_not_actually_c)			**[collapsed]**
Instrument:		**Baseline Suicide History Risk And Protective Factors** (baseline_suicide_history_risk_and_protective_facto)			
	571	[suicide_d1]	Conduct at baseline for all participants.	descriptive	
	572	[suic_hx_date]	Date:	text (date_mdy)	
	573	[suicide_h1]	Section Header: *Suicide History* 1. Have you ever...(assess each and check all that apply)	checkbox 1 suicide_h1___1 had thoughts of your own death 2 suicide_h1___2 had thoughts about suicide or doing something that was likely to end your life	

		3	suicide_h1___3	considered a specific plan for killing yourself
		4	suicide_h1___4	attempted suicide
		0	suicide_h1___0	None

574	[suicide_h2] Show the field ONLY if: [suicide_h1(4)] = '1'	2. If there is a past suicide attempt (endorsed 1.d.): I'd like to know more about any time in your life that you attempted suicide. Beginning with the most recent, please tell me:	descriptive
575	[suicide_h2_1d] Show the field ONLY if: [suicide_h1(4)] = '1'	Section Header: *Attempt 1* Date: (When did this happen?)	text (date_mdy)
576	[suicide_h2_1m] Show the field ONLY if: [suicide_h1(4)] = '1'	Method (What did you do/ use?)	text
577	[suicide_h2_1l] Show the field ONLY if: [suicide_h1(4)] = '1'	Describe the lethality of the attempt (Were you injured? Did you need medical attention? Were you medically hospitalized? Were you near death?)	notes
578	[suicide_h2_2d] Show the field ONLY if: [suicide_h1(4)] = '1'	Section Header: *Attempt 2* Date: (When did this happen?)	text (date_mdy)
579	[suicide_h2_2m] Show the field ONLY if: [suicide_h1(4)] = '1'	Method (What did you do/ use?)	text
580	[suicide_h2_2l] Show the field ONLY if: [suicide_h1(4)] = '1'	Describe the lethality of the attempt (Were you injured? Did you need medical attention? Were you medically hospitalized? Were you near death?)	notes
581	[suicide_h2_3d] Show the field ONLY if: [suicide_h1(4)] = '1'	Section Header: *Attempt 3* Date: (When did this happen?)	text (date_mdy)

582	[suicide_h2_3m] Show the field ONLY if: [suicide_h1(4)] = '1'	Method (What did you do/ use?)	text
583	[suicide_h2_3l] Show the field ONLY if: [suicide_h1(4)] = '1'	Describe the lethality of the attempt (Were you injured? Did you need medical attention? Were you medically hospitalized? Were you near death?)	notes
584	[suicide_h2_4d] Show the field ONLY if: [suicide_h1(4)] = '1'	Section Header: *Attempt 4* Date: (When did this happen?)	text (date_mdy)
585	[suicide_h2_4m] Show the field ONLY if: [suicide_h1(4)] = '1'	Method (What did you do/ use?)	text
586	[suicide_h2_4l] Show the field ONLY if: [suicide_h1(4)] = '1'	Describe the lethality of the attempt (Were you injured? Did you need medical attention? Were you medically hospitalized? Were you near death?)	notes
587	[suicide_h2_5d] Show the field ONLY if: [suicide_h1(4)] = '1'	Section Header: *Attempt 5* Date: (When did this happen?)	text (date_mdy)
588	[suicide_h2_5m] Show the field ONLY if: [suicide_h1(4)] = '1'	Method (What did you do/ use?)	text
589	[suicide_h2_5l] Show the field ONLY if: [suicide_h1(4)] = '1'	Describe the lethality of the attempt (Were you injured? Did you need medical attention? Were you medically hospitalized? Were you near death?)	notes
590	[suicide_h3] Show the field ONLY if: ([suicide_h1(1)] = '1' or [suicide_h1(2)] = '1' or [suicide_h1(3)] = '1') and [suicide_h1(4)] <> '1'	3. When were your most recent thoughts of death or thoughts of suicide? *Date*	text (date_mdy)

591	[suicide_h3d] Show the field ONLY if: ([suicide_h1(1)] = '1' or [suicide_h1(2)] = '1' or [suicide_h1(3)] = '1') and [suicide_h1(4)] <> '1'	Describe: *Date*	notes
592	[suicide_d2]	(Over) Assess Risk and Protective Factors for anyone with history of Suicidal Ideation and/or attempts. For patients who are currently suicidal or have made a recent suicide attempt, conduct the Suicidal Risk Management Protocol, then fill out the risk and protective factors with the information obtained in the Suicidal Risk Management Protocol.	descriptive
593	[suicide_d3]	Section Header: *Risk Factors* These items will likely be known from previous items or assessments; confirm or clarify as needed.	descriptive
594	[suicide_r1]	1. Sex = Male	yesno 1 Yes 0 No
595	[suicide_r2]	2. Previous attempt	yesno 1 Yes 0 No
596	[suicide_r3]	3. Single, widowed, or divorced	yesno 1 Yes 0 No
597	[suicide_r4]	4. Organized plan	yesno 1 Yes 0 No
598	[suicide_r5]	5. No Social Support	yesno 1 Yes 0 No

599	[suicide_d4]	Ask specifically if unknown:	descriptive
600	[suicide_r6]	6. Have you had any psychiatric hospitalizations in the past?	yesno 1 Yes 0 No
601	[suicide_r7]	7. Do you have access to a gun?	yesno 1 Yes 0 No
602	[suicide_r8]	8. Have you been stockpiling (saving up) medications?	yesno 1 Yes 0 No
603	[suicide_r9]	9. Are you feeling hopeless?	yesno 1 Yes 0 No
604	[suicide_r10]	10. Do you feel as though you're a burden to others?	yesno 1 Yes 0 No
605	[suicide_r11]	11. Are you experiencing chronic pain?	yesno 1 Yes 0 No
606	[suicide_r12]	12. Have you been under a lot of stress recently? For example, a recent loss, or difficult family or financial circumstances?	yesno 1 Yes 0 No
607	[suicide_p1]	Section Header: *Protective Factors: Ask specifically if unknown* 1. What are your reasons for living?	notes
608	[suicide_p2]	2. Do you have responsibilities or commitments to others?	notes
609	[suicide_p3]	3. Are there people in your life to help and support you?	notes

610	[suicide_sp]	Safety Plan	notes

611	[baseline_suicide_history_risk_and_protective_facto_complete]	Section Header: *Form Status* Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>

Instrument: **Blinded Central MADRS** (blinded_central_madrs)			**[collapsed]**
Instrument: **Cumulative Illness Rating Scale For Geriatrics (CIRS-G)** (cumulative_illness_rating_scale_for_geriatrics_cir)			**[collapsed]**
Instrument: **Baseline Forms** (baseline_forms)			**[collapsed]**
Instrument: **ATHF Form1** (athf_form1_treatments_110)			**[collapsed]**
Instrument: **Alcohol Use Disorders Identification Test (AUDIT)** (alcohol_use_disorders_identification_test_audit)			**[collapsed]**
Instrument: **ATHF Form2 (If Needed - Treatments 11-20)** (athf_form2_if_needed_treatments_1120)			**[collapsed]**
Instrument: **ATHF Form3 (If Needed - Treatments 21-30)** (athf_form3_if_needed_treatments_2130)			**[collapsed]**
Instrument: **ATHF Form4 (If Needed - Treatments 31-40)** (athf_form4_if_needed_treatments_3140)			**[collapsed]**
Instrument: **Contact Information Form** (contact_information_form)			**[collapsed]**
Instrument: **Participant Tracking Form** (participant_tracking_form)			**[collapsed]**
Instrument: **Decision Support Form** (decision_support_form)			**[collapsed]**
Instrument: **Suicide Risk Management Protocol (SRMP)** (suicide_risk_management_protocol_srmp)			

3637	[srmp_title]	Suicidal Risk Management Protocol Complete this form if: Patient endorses or mentions suicidal ideation at any timePHQ-9 Item 9 is a 1 or higher ORMADRS Item 10 is 1 or higher ORMINI Item A3g is a YES ORFor participants who endorsed suicidal ideation at pre-screen, the full SRMP should be conducted at baseline if the Quick Version was conducted at pre-screen.	descriptive
3638	[srmp_date]	Section Header: Date:	text (date_mdy)

3639	[srmp_part_a_instr]	Section Header: PART A: Characteristics of Attitudes towards Living/Dying Interviewer: Using the key beneath each symptom, rate with the number that best describes that symptom's severity. Earlier, you mentioned to me < some thoughts about dying> < your desire to be dead> < some suicidal thoughts>. I would like to ask you some questions now about your attitude towards living and dying.	descriptive
3640	[srmp_a_1]	1. Can you tell me about your wish to live today? Is it moderate to strong? Weak? Or None?	radio 0 | 0: Moderate to strong 1 | 1: Weak 2 | 2: None Custom alignment: LV
3641	[srmp_a_2]	2. Can you tell me about your wish to die? Is it moderate to strong? Weak? Or none?	radio 0 | 0: None 1 | 1: Weak 2 | 2: Moderate to strong Custom alignment: LV
3642	[srmp_score_a]	SCORE A:	calc Calculation: [srmp_a_1]+[srmp_a_2] Custom alignment: LV
3643	[srmp_part_b]	Section Header: *Suicide Risk Management Protocol: Part B* PART B:	descriptive
3644	[srmp_b_3]	3. Would you say today that your reasons for living outweigh your reasons for dying?	radio 0 | 0: For living outweighing for dying 1 | 1: About equal 2 | 2: For dying outweighing for living

			Custom alignment: LV
3645	[srmp_b_4]	4. What is your current desire to to actively harm or kill yourself?	radio | 0	0: None
1	1: Weak
2	2: Moderate to strong	 Custom alignment: LV
3646	[srmp_b_5]	5. Would you take precautions to save your own life?	radio | 0	0: Would take precautions to save life
1	1: Would leave life/death to chance (e.g., carelessly crossing a busy street)
2	2: Would avoid steps necessary to safe or maintain life (e.g., diabetic ceasing to take insulin)	 Custom alignment: LV
3647	[srmp_score_b]	SCORE B:	calc Calculation: [srmp_b_3]+[srmp_b_4]+[srmp_b_5] Custom alignment: LV
3648	[srmp_part_c_instr] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	Section Header: *Suicide Risk Management Protocol: Part C* PART C: Risk Factor Assessment Record source of information after each item applicable in comment field. If the answer is unclear or you are unable to obtain the answer, mark as unknown and explain in comment field.	descriptive
3649	[srmp_c_1] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	1. Previous suicide attempts: "Have you ever tried to kill or harm yourself?"	radio | 0	0: No
1	1: Yes
2	2: Unknown	

			Custom alignment: LV
3650	[srmp_c_1_comm] Show the field ONLY if: [srmp_c_1] = '2'	Please comment.	notes Custom alignment: LH
3651	[srmp_c_2] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	2. Poor impulse control (Anger outbursts, gambling, etc.). "When you are very angry, do you sometimes say or do things that you later regret?" "Do you gamble?"	radio | 0	0: No
1	1: Yes
2	2: Unknown	 Custom alignment: LV
3652	[srmp_c_2_comm] Show the field ONLY if: [srmp_c_2] = '2'	Please comment.	notes Custom alignment: LH
3653	[srmp_c_3_text] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	3. Alcohol/Substance Abuse or Dependence.	descriptive
3654	[pt_gender] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	Patient's gender:	radio | 1	Male
2	Female	 Custom alignment: RH
3655	[srmp_c_3i] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	i) How many drinks containing alcohol have you had in the past week?	radio | 0	0: 0-4
1	1: 5-6
2	2: 7-13
3	3: 14 or more	 Custom alignment: LV

3656	[srmp_c_3ii] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp _score_b] >= 3	ii) How often in the past week did you have 6 or more drinks on one occasion?	radio 0 | 0: Never 1 | 1: Once 2 | 2: More than once Custom alignment: LV
3657	[srmp_c_3a_msg1] Show the field ONLY if: ([pt_gender] = '1' and ([srmp_ score_a] >= 3 or [srmp_score_ b] >= 1)) or ([pt_gender] = '2' and ([srmp_score_a] >= 2 or [srmp_score_b] >= 1))	Please answer Yes for 3a below.	descriptive
3658	[srmp_c_3a_msg2] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp _score_b] >= 3	If not prompted to code Yes for 3a below, please either code No or Unknown	descriptive
3659	[srmp_c_3a] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp _score_b] >= 3	3a.	radio 0 | 0: No 1 | 1: Yes 2 | 2: Unknown Custom alignment: LV
3660	[srmp_c_3a_comm] Show the field ONLY if: [srmp_c_3a] = '2'	Please comment.	notes Custom alignment: LH

| 3661 | [srmp_c_3b]

Show the field ONLY if:
[srmp_score_a] >= 3 or [srmp_score_b] >= 3 | 3b. During the past week, have you used any recreational or street drugs or any medications that were not prescribed to you? | radio

| 0 | 0: No |
| 1 | 1: Yes |
2	2: Unknown	 Custom alignment: LV
3662	[srmp_c_3b_comm] Show the field ONLY if: [srmp_c_3b] = '2'	Please comment.	notes Custom alignment: LH
3663	[srmp_c_4] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	4. Stressful life events "Do you think that you have been under a lot of stress recently? Tell me about it." (Ask about acute major medical problems, financial problems, significant recent loss)	radio | 0	0: No
1	1: Yes
2	2: Unknown	 Custom alignment: LV
3664	[srmp_c_4_comm] Show the field ONLY if: [srmp_c_4] = '2'	Please comment.	notes Custom alignment: LH
3665	[srmp_c_5a] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	5a. Good social support "Is there someone whom you can confide? Who?"	radio | 1	1: No
0	0: Yes
2	2: Unknown	 Custom alignment: LV
3666	[srmp_c_5a_comm] Show the field ONLY if: [srmp_c_5a] = '2'	Please comment.	notes Custom alignment: LH

| 3667 | [srmp_c_5b]

Show the field ONLY if:
[srmp_score_a] >= 3 or [srmp_score_b] >= 3 | 5b. "Is anyone with you right now? Who?" [For how long will they stay with you?] | radio

| 1 | 1: No |
| 0 | 0: Yes |
2	2: Unknown	 Custom alignment: LV
3668	[srmp_c_5b_comm] Show the field ONLY if: [srmp_c_5b] = '2'	Please comment.	notes Custom alignment: LH
3669	[srmp_c_6_text] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	6. Access to means of self harm.	descriptive
3670	[srmp_c_6a] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	a) "Do you have access to a gun or any other type of firearms?"	radio | 0	0: No
1	1: Yes
2	2: Unknown	 Custom alignment: LV
3671	[srmp_c_6a_comm] Show the field ONLY if: [srmp_c_6a] = '2'	Please comment.	notes Custom alignment: LH
3672	[srmp_c_6b] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	b) "Have you been stockpiling (saving up) medications?"	radio | 0	0: No
1	1: Yes
2	2: Unknown	 Custom alignment: LV

3673	[srmp_c_6b_comm] Show the field ONLY if: [srmp_c_6b] = '2'	Please comment.	notes Custom alignment: LH
3674	[srmp_c_7] Show the field ONLY if: [srmp_score_a] >= 3 or [srmp_score_b] >= 3	7. Severe depressive symptoms (=PHQ-9>15 or clinical impression).	radio | 0	0: No
1	1: Yes
2	2: Unknown	 Custom alignment: LV
3675	[srmp_c_7_comm] Show the field ONLY if: [srmp_c_7] = '2'	Please comment.	notes Custom alignment: LH
3676	[srmp_score_c] Show the field ONLY if: [srmp_score_b] >= 3	Number of risk factors = SCORE C:	calc Calculation: [srmp_c_1]+[srmp_c_2]+[srmp_c_3a]+[srmp_c_3b]+[srmp_c_4]+[srmp_c_5a]+[srmp_c_5b]+[srmp_c_6a]+[srmp_c_6b]+[srmp_c_7] Custom alignment: LH
3677	[srmp_d_text] Show the field ONLY if: [srmp_score_c] >= 2	Section Header: *Suicide Risk Management Protocol: Part D* PART D: Characteristics of Suicide Ideation/Wish	descriptive
3678	[srmp_d_1] Show the field ONLY if: [srmp_score_c] >= 2	1. How often do you have thoughts of suicide?	radio | 0	0: Do they occur rarely, occasionally (zero, occasional)?
1	1: Do they occur more frequently (intermittent)?
2	2: Do you have thoughts most of the time, or all of the time (persistent, continuous)?	 Custom alignment: LV
3679	[srmp_d_1_comm] Show the field ONLY if: [srmp_d_1] = '0' or [srmp_d_1] = '1' or [srmp_d_1] = '2'	Please provide any comments.	notes Custom alignment: LH

| 3680 | [srmp_d_2]

Show the field ONLY if:
[srmp_score_c] >= 2 | 2. When you have thoughts of suicide, are they brief or last a long time? | radio

| 0 | 0: Fleeting |
| 1 | 1: Lasting a long time |
2	2: Persistent or almost continuous	 Custom alignment: LV
3681	[srmp_d_2_comm] Show the field ONLY if: [srmp_d_2] = '0' or [srmp_d_2] = '1' or [srmp_d_2] = '2'	Please provide any comments.	notes Custom alignment: LH
3682	[srmp_d_3] Show the field ONLY if: [srmp_score_c] >= 2	3. Do you believe that you would be able to complete suicide, that is you know how to do it, you have the means and the motivation? Do you know exactly what you'd have to do to cause your own death, and do you feel that you would not hesitate to do it?	radio | 0	0: No determination, does not believe he or she would be able to do it
1	1: Unsure of ability, determination
2	2: Sure of ability and determination	 Custom alignment: LV
3683	[srmp_d_3_comm] Show the field ONLY if: [srmp_d_3] = '0' or [srmp_d_3] = '1' or [srmp_d_3] = '2'	Please provide any comments.	notes Custom alignment: LH
3684	[srmp_d_4] Show the field ONLY if: [srmp_score_c] >= 2	4. Does thinking about anyone or anything prevent you from trying to kill yourself?	radio | 0	0: Would not attempt suicide because of deterrent
1	1: Some concern about deterrent
2	2: Minimal or no concern about deterrents	 Custom alignment: LV

3685	[srmp_d_4_comm] Show the field ONLY if: [srmp_d_4] = '0' or [srmp_d_4] = '1' or [srmp_d_4] = '2'	Please provide any comments.	notes Custom alignment: LH
3686	[srmp_d_5] Show the field ONLY if: [srmp_score_c] >= 2	5. When you think about killing yourself, what are the main reasons?	radio 0 | 0: To manipulate the environment, get attention, revenge 1 | 1: Combination of 0 and 2 2 | 2: To escape, solve problems Custom alignment: LV
3687	[srmp_d_5_comm] Show the field ONLY if: [srmp_d_5] = '0' or [srmp_d_5] = '1' or [srmp_d_5] = '2'	Please provide any comments.	notes Custom alignment: LH
3688	[srmp_d_6] Show the field ONLY if: [srmp_score_c] >= 2	6. Have you tied up loose ends because you anticipate killing yourself? For example, have you taken out an insurance policy or prepared a will? Have you started or finished writing a suicide note?	radio 0 | 0: None 1 | 1: Started but not completed; only thought about it 2 | 2: Complete Custom alignment: LV
3689	[srmp_d_6_comm] Show the field ONLY if: [srmp_d_6] = '0' or [srmp_d_6] = '1' or [srmp_d_6] = '2'	Please provide any comments.	notes Custom alignment: LH
3690	[srmp_d_7] Show the field ONLY if: [srmp_score_c] >= 2	7. Sometimes people hesitate to talk about their suicidal thoughts because they fear others will think they're crazy or will make them go to the hospital. Could this be going on with you? If you had thoughts about suicide, would you tell someone close to you? Or would you hesitate?	radio 0 | 0: Revealed or would reveal ideas openly 1 | 1: Held or would hold back on revealing 2 | 2: Attempted or would attempt to deceive, conceal

			Custom alignment: LV
3691	[srmp_d_7_comm] Show the field ONLY if: [srmp_d_7] = '0' or [srmp_d_7] = '1' or [srmp_d_7] = '2'	Please provide any comments.	notes Custom alignment: LH
3692	[srmp_score_d] Show the field ONLY if: [srmp_score_c] >= 2	SCORE D:	calc Calculation: [srmp_d_1]+[srmp_d_2]+[srmp_d_3]+[srmp_d_4]+[srmp_d_5]+[srmp_d_6]+[srmp_d_7] Custom alignment: LH
3693	[srmp_e_text] Show the field ONLY if: [srmp_score_d] >= 4	Section Header: *Suicide Risk Management Protocol: Part E* PART E: Characteristics of Contemplated Attempts	descriptive
3694	[srmp_e_1] Show the field ONLY if: [srmp_score_d] >= 4	1. Have you worked out the way to carry out your thoughts of suicide? Do you have the chance right now? Do you think that you'll have the chance to kill yourself soon?	radio 0 | 0: Method not available; no opportunity 1 | 1: Method would take time/effort; opportunity not readily available 2 | 2: Future opportunity or availability of method anticipated 3 | 3: Method and opportunity available Custom alignment: LV
3695	[srmp_e_1_comm] Show the field ONLY if: [srmp_e_1] = '0' or [srmp_e_1] = '1' or [srmp_e_1] = '2' or [srmp_e_1] = '3'	Please provide any comments.	notes Custom alignment: LH
3696	[srmp_e_2] Show the field ONLY if: [srmp_score_d] >= 4	2. Have you taken any steps to make it possible for you to take your own life? In other words, have you actually put your method into place?	radio 0 | 0: None 1 | 1: Partial (e.g. starting to collect pills) 2 | 2: Complete (e.g. has pills, razor, gun)

			Custom alignment: LV
3697	[srmp_e_2_comm] Show the field ONLY if: [srmp_e_2] = '0' or [srmp_e_2] = '1' or [srmp_e_2] = '2'	Please provide any comments.	notes Custom alignment: LH
3698	[srmp_e_3] Show the field ONLY if: [srmp_score_d] >= 4	3. Import score of Question D.3 above or clarify further ability and determination: Do you believe that you would be able to complete suicide, that is you know how to do it, you have the means and the motivation? Do you know exactly what you'd have to do to cause your own death, and do you feel that you would not hesitate to do it?	radio 0 │ 0: No determination, does not believe he or she would be able to do it 1 │ 1: Unsure of ability, determination 2 │ 2: Sure of ability and determination Custom alignment: LV
3699	[srmp_e_3_comm] Show the field ONLY if: [srmp_e_3] = '0' or [srmp_e_3] = '1' or [srmp_e_3] = '2'	Please provide any comments.	notes Custom alignment: LH
3700	[srmp_e_4] Show the field ONLY if: [srmp_score_d] >= 4	4. Do you expect or anticipate that you will actually make a suicide attempt? Are you certain that you will make an attempt? [Probe for details]	radio 0 │ 0: No (ask again "What will keep you from doing so?") 1 │ 1: Uncertain, not sure, or in future 2 │ 2: Yes, will within next hours/day Custom alignment: LV
3701	[srmp_e_4_comm] Show the field ONLY if: [srmp_e_4] = '0' or [srmp_e_4] = '1' or [srmp_e_4] = '2'	Please provide any comments.	notes Custom alignment: LH
3702	[srmp_score_e] Show the field ONLY if: [srmp_score_d] >= 4	SCORE E:	calc Calculation: [srmp_e_1]+[srmp_e_2]+[srmp_e_3]+[srmp_e_4] Custom alignment: LH

3703	[srmp_risk_lvl_low] Show the field ONLY if: (([srmp_score_a]<>'' and [srmp_score_a] <= 2) or ([srmp_score_b]<>'' and [srmp_score_b] <= 2) or ([srmp_score_c]<>'' and [srmp_score_c] <= 1)) or ([srmp_score_c] > 1 and ([srmp_score_d]<>'' and [srmp_score_d] < 4) and [srmp_d_4] = '0')	Section Header: Risk Level is Low. Please select 'Low' below.	descriptive
3704	[srmp_risk_lvl_moderate] Show the field ONLY if: [srmp_score_a] >= 3 and [srmp_score_b] >= 3 and [srmp_score_c] >= 2 and [srmp_score_d] >= 4 and [srmp_score_e] < 3	Risk Level is Moderate. Please select 'Moderate' below.	descriptive
3705	[srmp_risk_lvl_high] Show the field ONLY if: ([srmp_score_a] >= 3 and [srmp_score_b] >= 3 and [srmp_score_c] >= 2 and [srmp_score_d] >= 4) and ([srmp_score_e] >= 3 and ([srmp_e_4] = '0' or [srmp_e_4] = '1'))	Risk Level is High. Please select 'High' below.	descriptive
3706	[srmp_risk_lvl_immediate] Show the field ONLY if: [srmp_score_a] >= 3 and [srmp_score_b] >= 3 and ([srmp_score_c] >= 2 and ([srmp_c_1] = '1' or ([srmp_c_6a] = '1' or [srmp_c_6b] = '1'))) and [srmp_score_d] >= 4 and ([srmp_e_2] = '2' and [srmp_e_4] = '2')	Risk Level is Immediate. Please select 'Immediate' below.	descriptive
3707	[srmp_risk_level]	Risk Level	radio

	1	Low
	2	Moderate
	3	High
	4	Immediate

Custom alignment: LV

3708	[srmp_low_risk_action] Show the field ONLY if: [srmp_risk_level] = '1'	ACTION 1. Give patient resources (e.g., re:solve) 2. Inform supervisor, investigator, or health provider 3. Complete Documentation and Short Narrative section	descriptive
3709	[srmp_mod_risk_action] Show the field ONLY if: [srmp_risk_level] = '2'	ACTION 1. Contract for safety with patient & schedule call back within 2 hours 2. Inform supervisor and health provider or investigator/on-call psychiatrist 3. Call back patient at scheduled time and discuss tx recommendations 4. Complete Documentation and Short Narrative sections 5. Complete Follow-Up Documentation section as indicated	descriptive
3710	[srmp_high_risk_action] Show the field ONLY if: [srmp_risk_level] = '3'	ACTION 1. Contract for safety with patient & schedule call back within 1 hour or keep patient on phone 2. Contact investigator/on-call psychiatrist ASAP 3. Inform health provider 4. Discuss tx recommendations with patient 5. Complete Documentation and Short Narrative sections 6. Complete Follow-Up Documentation section as indicated	descriptive
3711	[srmp_immediate_risk_actio n] Show the field ONLY if: [srmp_risk_level] = '4'	ACTION 1. Keep patient on phone 2. Call 911 3. Follow instructions of 911	descriptive

4. Inform supervisor, investigator, and health provider
5. Complete Documentation and Short Narrative sections
6. Complete Follow-Up Documentation section as indicated

3712	[srmp_doc_contact] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Section Header: *Suicide Risk Management Protocol: Documentation* 1. Was your supervisor and an investigator contacted? *(please select all that apply)*	checkbox <table><tr><td>1</td><td>srmp_doc_contact___1</td><td>Supervisor was contacted</td></tr><tr><td>2</td><td>srmp_doc_contact___2</td><td>Investigator was contacted</td></tr></table> Custom alignment: LV
3713	[srmp_sup_name] Show the field ONLY if: [srmp_doc_contact(1)] = '1'	Supervisor's Name:	text Custom alignment: LH
3714	[srmp_sup_date_time] Show the field ONLY if: [srmp_doc_contact(1)] = '1'	Date/Time Supervisor Contacted:	text (datetime_mdy) Custom alignment: LH
3715	[srmp_sup_how] Show the field ONLY if: [srmp_doc_contact(1)] = '1'	How was the supervisor contacted?	text Custom alignment: LH
3716	[srmp_inv_name] Show the field ONLY if: [srmp_doc_contact(2)] = '1'	Investigator's Name:	text Custom alignment: LH
3717	[srmp_inv_date_time] Show the field ONLY if: [srmp_doc_contact(2)] = '1'	Date/Time Investigator Contacted:	text (datetime_mdy) Custom alignment: LH
3718	[srmp_inv_how] Show the field ONLY if: [srmp_doc_contact(2)] = '1'	How was the investigator contacted?	text Custom alignment: LH
3719	[srmp_psych_contact] Show the field ONLY if:	2. Was an on-call psychiatrist contacted?	yesno <table><tr><td>1</td><td>Yes</td></tr></table>

		[srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	0 | No Custom alignment: LH
	3720	[srmp_why_no_psych] Show the field ONLY if: [srmp_psych_contact] = '0'	Why not?	notes Custom alignment: LH
	3721	[srmp_psych_name] Show the field ONLY if: [srmp_psych_contact] = '1'	Psychiatrist's Name:	text Custom alignment: LH
	3722	[srmp_psych_date_time] Show the field ONLY if: [srmp_psych_contact] = '1'	Date/Time Psychiatrist Contacted:	text (datetime_mdy) Custom alignment: LH
	3723	[srmp_psych_how] Show the field ONLY if: [srmp_psych_contact] = '1'	How was the psychiatrist contacted?	text Custom alignment: LH
	3724	[srmp_hp_informed] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	3. Was patient's health provider informed?	yesno 1 | Yes 0 | No Custom alignment: LH
	3725	[srmp_why_no_hp] Show the field ONLY if: [srmp_hp_informed] = '0'	Why not?	notes Custom alignment: LH
	3726	[srmp_hp_name] Show the field ONLY if: [srmp_hp_informed] = '1'	Health Provider's Name:	text Custom alignment: LH
	3727	[srmp_hp_date_time] Show the field ONLY if: [srmp_hp_informed] = '1'	Date/Time Health Provider Contacted:	text (datetime_mdy) Custom alignment: LH

3728	[srmp_hp_how] Show the field ONLY if: [srmp_hp_informed] = '1'	How was the Health Provider contacted?	text Custom alignment: LH
3729	[srmp_recomm_text] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	4. What were the recommendations made by study investigator (SI), health provider (HP), or on-call psychiatrist (MHS)?	descriptive
3730	[srmp_rec_med_chg] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Medication change	checkbox 1 srmp_rec_med_chg___1 SI 2 srmp_rec_med_chg___2 HP 3 srmp_rec_med_chg___3 MHS Custom alignment: LH
3731	[srmp_rec_hp_visit] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Visit with health provider	checkbox 1 srmp_rec_hp_visit___1 SI 2 srmp_rec_hp_visit___2 HP 3 srmp_rec_hp_visit___3 MHS Custom alignment: LH
3732	[srmp_rec_mhs] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Consult/referral to MHS	checkbox 1 srmp_rec_mhs___1 SI 2 srmp_rec_mhs___2 HP 3 srmp_rec_mhs___3 MHS Custom alignment: LH
3733	[srmp_rec_er] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_ris	Go to ER	checkbox 1 srmp_rec_er___1 SI 2 srmp_rec_er___2 HP 3 srmp_rec_er___3 MHS

		k_level] = '3' or [srmp_risk_level] = '4'		Custom alignment: LH
	3734	[srmp_rec_inpt_hosp] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Inpatient hospitalization	checkbox <table><tr><td>1</td><td>srmp_rec_inpt_hosp___1</td><td>SI</td></tr><tr><td>2</td><td>srmp_rec_inpt_hosp___2</td><td>HP</td></tr><tr><td>3</td><td>srmp_rec_inpt_hosp___3</td><td>MHS</td></tr></table> Custom alignment: LH
	3735	[srmp_rec_oth1] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Other	checkbox <table><tr><td>1</td><td>srmp_rec_oth1___1</td><td>SI</td></tr><tr><td>2</td><td>srmp_rec_oth1___2</td><td>HP</td></tr><tr><td>3</td><td>srmp_rec_oth1___3</td><td>MHS</td></tr></table> Custom alignment: LH
	3736	[srmp_rec_oth1_desc] Show the field ONLY if: [srmp_rec_oth1(1)] = '1' or [srmp_rec_oth1(2)] = '1' or [srmp_rec_oth1(3)] = '1'	What was the recommendation?	text Custom alignment: LH
	3737	[srmp_no_rec_made] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'		checkbox <table><tr><td>1</td><td>srmp_no_rec_made___1</td><td>No recommendations made</td></tr></table> Custom alignment: LH
	3738	[srmp_short_narrative] Show the field ONLY if: [srmp_risk_level] = '1' or [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Section Header: *Suicide Risk Management Protocol: Short Narrative* Short Narrative	notes Custom alignment: LH
	3739	[srmp_no_fup_need]	Section Header: *Suicide Risk Management Protocol: Follow-Up Documentation*	checkbox

		Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Follow-up documentation (from day of suicidal ideation)	1	srmp_no_fup_need___1	No follow-up deemed necessary

Custom alignment: LH

3740	[srmp_fup1_date_time] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Section Header: Date/Time of First Follow-up:	text (datetime_mdy) Custom alignment: LH
3741	[srmp_fup1_desc] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Describe First Follow-Up:	notes Custom alignment: LH
3742	[srmp_fup2_date_time] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Section Header: Date/Time of Subsequent Follow-up:	text (datetime_mdy) Custom alignment: LH
3743	[srmp_fup2_desc] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Describe Subsequent Follow-Up:	notes Custom alignment: LH
3744	[srmp_fup3_date_time] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Section Header: Date/Time of Subsequent Follow-up:	text (datetime_mdy) Custom alignment: LH
3745	[srmp_fup3_desc] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Describe Subsequent Follow-Up:	notes Custom alignment: LH

3746	[srmp_fup4_date_time] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Section Header: Date/Time of Subsequent Follow-up:	text (datetime_mdy) Custom alignment: LH
3747	[srmp_fup4_desc] Show the field ONLY if: [srmp_risk_level] = '2' or [srmp_risk_level] = '3' or [srmp_risk_level] = '4'	Describe Subsequent Follow-Up:	notes Custom alignment: LH
3748	[suicide_risk_management_protocol_srmp_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete

Instrument: **Blinded SRMP** (suicide_risk_management_protocol_srmp_2)

3749	[srmp_title_bl]	Suicidal Risk Management Protocol Complete this form if: Patient endorses or mentions suicidal ideation at any timePHQ-9 Item 9 is a 1 or higher ORMADRS Item 10 is 1 or higher ORMINI Item A3g is a YES ORFor participants who endorsed suicidal ideation at pre-screen, the full SRMP should be conducted at baseline if the Quick Version was conducted at pre-screen.	descriptive
3750	[srmp_date_bl]	Section Header: Date:	text (date_mdy)
3751	[srmp_part_a_instr_bl]	Section Header: PART A: Characteristics of Attitudes towards Living/Dying Interviewer: Using the key beneath each symptom, rate with the number that best describes that symptom's severity.	descriptive

		Earlier, you mentioned to me < some thoughts about dying> < your desire to be dead> < some suicidal thoughts>. I would like to ask you some questions now about your attitude towards living and dying.	
3752	[srmp_a_1_bl]	1. Can you tell me about your wish to live today? Is it moderate to strong? Weak? Or None?	radio 0 | 0: Moderate to strong 1 | 1: Weak 2 | 2: None Custom alignment: LV
3753	[srmp_a_2_bl]	2. Can you tell me about your wish to die? Is it moderate to strong? Weak? Or none?	radio 0 | 0: None 1 | 1: Weak 2 | 2: Moderate to strong Custom alignment: LV
3754	[srmp_score_a_bl]	SCORE A:	calc Calculation: [srmp_a_1_bl]+[srmp_a_2_bl] Custom alignment: LV
3755	[srmp_part_b_bl]	Section Header: *Suicide Risk Management Protocol: Part B* PART B:	descriptive
3756	[srmp_b_3_bl]	3. Would you say today that your reasons for living outweigh your reasons for dying?	radio 0 | 0: For living outweighing for dying 1 | 1: About equal 2 | 2: For dying outweighing for living Custom alignment: LV
3757	[srmp_b_4_bl]	4. What is your current desire to to actively harm or kill yourself?	radio 0 | 0: None 1 | 1: Weak 2 | 2: Moderate to strong

			Custom alignment: LV
3758	[srmp_b_5_bl] Show the field ONLY if: [srmp_score_a_bl] >= 2	4. What is your current desire to to actively harm or kill yourself?	radio | 0	0: Would take precautions to save life
1	1: Would leave life/death to chance (e.g., carelessly crossing a busy street)
2	2: Would avoid steps necessary to safe or maintain life (e.g., diabetic ceasing to take insulin)	 Custom alignment: LV Field Annotation: @HIDDEN
3759	[srmp_b_5a_bl]	5. Today, would you take precautions necessary to save your life? Would you take medicine to save your life? Would you drive safely to keep yourself alive?	radio | 0	0: Would take precautions to save life
1	1: Would leave life/death to chance (e.g., carelessly crossing a busy street)
2	2: Would avoid steps necessary to safe or maintain life (e.g., diabetic ceasing to take insulin)	 Custom alignment: LV
3760	[srmp_score_b_bl]	SCORE B:	calc Calculation: [srmp_b_3_bl]+[srmp_b_4_bl]+[srmp_b_5a_bl] Custom alignment: LV
3761	[srmp_part_c_instr_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	Section Header: *Suicide Risk Management Protocol: Part C* PART C: Risk Factor Assessment Record source of information after each item applicable in comment field. If the answer is unclear or you are unable to obtain the answer, mark as unknown and explain in comment field.	descriptive

| 3762 | [srmp_c_1_bl]

Show the field ONLY if:
[srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3 | 1. Previous suicide attempts: "Have you ever tried to kill or harm yourself?" | radio

| 0 | 0: No |
| 1 | 1: Yes |
2	2: Unknown	 Custom alignment: LV
3763	[srmp_c_1_comm_bl] Show the field ONLY if: [srmp_c_1_bl] = '2'	Please comment.	notes Custom alignment: LH
3764	[srmp_c_2_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	2. Poor impulse control (Anger outbursts, gambling, etc.). "When you are very angry, do you sometimes say or do things that you later regret?" "Do you gamble?"	radio | 0	0: No
1	1: Yes
2	2: Unknown	 Custom alignment: LV
3765	[srmp_c_2_comm_bl] Show the field ONLY if: [srmp_c_2_bl] = '2'	Please comment.	notes Custom alignment: LH
3766	[srmp_c_3_text_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	3. Alcohol/Substance Abuse or Dependence.	descriptive
3767	[pt_gender_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	The patient is [gender].	descriptive
3768	[srmp_c_3i_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	i) How many drinks containing alcohol have you had in the past week?	radio | 0	0: 0-4
1	1: 5-6
2	2: 7-13	

			3 | 3: 14 or more
			Custom alignment: LV
3769	[srmp_c_3ii_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	ii) How often in the past week did you have 6 or more drinks on one occasion?	radio 0 | 0: Never 1 | 1: Once 2 | 2: More than once Custom alignment: LV
3770	[srmp_c_3a_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	3a. If male, i)= 3 and/or ii) ?1, then answer "yes" If female, i) ? 2 and/or ii) ?1, then answer "yes"	radio 0 | 0: No 1 | 1: Yes 2 | 2: Unknown Custom alignment: LV
3771	[srmp_c_3a_comm_bl] Show the field ONLY if: [srmp_c_3a_bl] = '2'	Please comment.	notes Custom alignment: LH
3772	[srmp_c_3b_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	3b. During the past week, have you used any recreational or street drugs or any medications that were not prescribed to you?	radio 0 | 0: No 1 | 1: Yes 2 | 2: Unknown Custom alignment: LV
3773	[srmp_c_3b_comm_bl] Show the field ONLY if: [srmp_c_3b_bl] = '2'	Please comment.	notes Custom alignment: LH
3774	[srmp_c_4_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	4. Stressful life events "Do you think that you have been under a lot of stress recently? Tell me about it."	radio 0 | 0: No 1 | 1: Yes

			2 | 2: Unknown
		(Ask about acute major medical problems, financial problems, significant recent loss)	Custom alignment: LV
3775	[srmp_c_4_comm_bl] Show the field ONLY if: [srmp_c_4_bl] = '2'	Please comment.	notes Custom alignment: LH
3776	[srmp_c_5a_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	5a. Good social support "Is there someone whom you can confide? Who?"	radio 1 | 1: No 0 | 0: Yes 2 | 2: Unknown Custom alignment: LV
3777	[srmp_c_5a_comm_bl] Show the field ONLY if: [srmp_c_5a_bl] = '2'	Please comment.	notes Custom alignment: LH
3778	[srmp_c_5b_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	5b. "Is anyone with you right now? Who?" [For how long will they stay with you?]	radio 1 | 1: No 0 | 0: Yes 2 | 2: Unknown Custom alignment: LV
3779	[srmp_c_5b_comm_bl] Show the field ONLY if: [srmp_c_5b_bl] = '2'	Please comment.	notes Custom alignment: LH
3780	[srmp_c_6_text_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	6. Access to means of self harm.	descriptive
3781	[srmp_c_6a_bl] Show the field ONLY if:	a) "Do you have access to a gun or any other type of firearms?"	radio 0 | 0: No

		[srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3		1	1: Yes
				2	2: Unknown

Custom alignment: LV

3782	[srmp_c_6a_comm_bl] Show the field ONLY if: [srmp_c_6a_bl] = '2'	Please comment.	notes Custom alignment: LH
3783	[srmp_c_6b_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	b) "Have you been stockpiling (saving up) medications?"	radio 0 | 0: No 1 | 1: Yes 2 | 2: Unknown Custom alignment: LV
3784	[srmp_c_6b_comm_bl] Show the field ONLY if: [srmp_c_6b_bl] = '2'	Please comment.	notes Custom alignment: LH
3785	[srmp_c_7_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	7. Severe depressive symptoms (=PHQ-9>15 or clinical impression).	radio 0 | 0: No 1 | 1: Yes 2 | 2: Unknown Custom alignment: LV
3786	[srmp_c_7_comm_bl] Show the field ONLY if: [srmp_c_7_bl] = '2'	Please comment.	notes Custom alignment: LH
3787	[srmp_score_c_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 or [srmp_score_b_bl] >= 3	Number of risk factors = SCORE C:	calc Calculation: [srmp_c_1_bl]+[srmp_c_2_bl]+[srmp_c_3a_bl]+[srmp_c_3b_bl]+[srmp_c_4_bl]+[srmp_c_5a_bl]+[srmp_c_5b_bl]+[srmp_c_6a_bl]+[srmp_c_6b_bl]+[srmp_c_7_bl] Custom alignment: LH

3788	[srmp_d_text_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	Section Header: *Suicide Risk Management Protocol: Part D* PART D: Characteristics of Suicide Ideation/Wish	descriptive
3789	[srmp_d_1_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	1. How often do you have thoughts of suicide?	radio 0 | 0: Do they occur rarely, occasionally (zero, occasional)? 1 | 1: Do they occur more frequently (intermittent)? 2 | 2: Do you have thoughts most of the time, or all of the time (persistent, continuous)? Custom alignment: LV
3790	[srmp_d_1_comm_bl] Show the field ONLY if: [srmp_d_1_bl] = '0' or [srmp_d_1_bl] = '1' or [srmp_d_1_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3791	[srmp_d_2_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	2. When you have thoughts of suicide, are they brief or last a long time?	radio 0 | 0: Fleeting 1 | 1: Lasting a long time 2 | 2: Persistent or almost continuous Custom alignment: LV
3792	[srmp_d_2_comm_bl] Show the field ONLY if: [srmp_d_2_bl] = '0' or [srmp_d_2_bl] = '1' or [srmp_d_2_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3793	[srmp_d_3_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	3. Do you believe that you would be able to complete suicide, that is you know how to do it, you have the means and the motivation? Do you know exactly what you'd have to do to cause your own death, and do you feel that you would not hesitate to do it?	radio 0 | 0: No determination, does not believe he or she would be able to do it 1 | 1: Unsure of ability, determination 2 | 2: Sure of ability and determination

			Custom alignment: LV
3794	[srmp_d_3_comm_bl] Show the field ONLY if: [srmp_d_3_bl] = '0' or [srmp_d_3_bl] = '1' or [srmp_d_3_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3795	[srmp_d_4_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	4. Does thinking about anyone or anything prevent you from trying to kill yourself?	radio <table><tr><td>0</td><td>0: Would not attempt suicide because of deterrent</td></tr><tr><td>1</td><td>1: Some concern about deterrent</td></tr><tr><td>2</td><td>2: Minimal or no concern about deterrents</td></tr></table> Custom alignment: LV
3796	[srmp_d_4_comm_bl] Show the field ONLY if: [srmp_d_4_bl] = '0' or [srmp_d_4_bl] = '1' or [srmp_d_4_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3797	[srmp_d_5_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	5. When you think about killing yourself, what are the main reasons?	radio <table><tr><td>0</td><td>0: To manipulate the environment, get attention, revenge</td></tr><tr><td>1</td><td>1: Combination of 0 and 2</td></tr><tr><td>2</td><td>2: To escape, solve problems</td></tr></table> Custom alignment: LV
3798	[srmp_d_5_comm_bl] Show the field ONLY if: [srmp_d_5_bl] = '0' or [srmp_d_5_bl] = '1' or [srmp_d_5_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3799	[srmp_d_6_bl]	6. Have you tied up loose ends because you anticipate killing yourself? For example, have you taken out an	radio

		Show the field ONLY if: [srmp_score_c_bl] >= 2	insurance policy or prepared a will? Have you started or finished writing a suicide note?	0	0: None
				1	1: Started but not completed; only thought about it
				2	2: Complete
					Custom alignment: LV
	3800	[srmp_d_6_comm_bl] Show the field ONLY if: [srmp_d_6_bl] = '0' or [srmp_d_6_bl] = '1' or [srmp_d_6_bl] = '2'	Please provide any comments.	notes Custom alignment: LH	
	3801	[srmp_d_7_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	7. Sometimes people hesitate to talk about their suicidal thoughts because they fear others will think they're crazy or will make them go to the hospital. Could this be going on with you? If you had thoughts about suicide, would you tell someone close to you? Or would you hesitate?	radio	
				0	0: Revealed or would reveal ideas openly
				1	1: Held or would hold back on revealing
				2	2: Attempted or would attempt to deceive, conceal
					Custom alignment: LV
	3802	[srmp_d_7_comm_bl] Show the field ONLY if: [srmp_d_7_bl] = '0' or [srmp_d_7_bl] = '1' or [srmp_d_7_bl] = '2'	Please provide any comments.	notes Custom alignment: LH	
	3803	[srmp_score_d_bl] Show the field ONLY if: [srmp_score_c_bl] >= 2	SCORE D:	calc Calculation: [srmp_d_1_bl]+[srmp_d_2_bl]+[srmp_d_3_bl]+[srmp_d_4_bl]+[srmp_d_5_bl]+[srmp_d_6_bl]+[srmp_d_7_bl] Custom alignment: LH	
	3804	[srmp_e_text_bl] Show the field ONLY if: [srmp_score_d_bl] >= 4	Section Header: *Suicide Risk Management Protocol: Part E* PART E: Characteristics of Contemplated Attempts	descriptive	
	3805	[srmp_e_1_bl]	1. Have you worked out the way to carry out your thoughts of suicide? Do you have the chance right now?	radio	

	Show the field ONLY if: [srmp_score_d_bl] >= 4	Do you think that you'll have the chance to kill yourself soon?	0 | 0: Method not available; no opportunity 1 | 1: Method would take time/effort; opportunity not readily available 2 | 2: Future opportunity or availability of method anticipated 3 | 3: Method and opportunity available Custom alignment: LV
3806	[srmp_e_1_comm_bl] Show the field ONLY if: [srmp_e_1_bl] = '0' or [srmp_e_1_bl] = '1' or [srmp_e_1_bl] = '2' or [srmp_e_1_bl] = '3'	Please provide any comments.	notes Custom alignment: LH
3807	[srmp_e_2_bl] Show the field ONLY if: [srmp_score_d_bl] >= 4	2. Have you taken any steps to make it possible for you to take your own life? In other words, have you actually put your method into place?	radio 0 | 0: None 1 | 1: Partial (e.g. starting to collect pills) 2 | 2: Complete (e.g. has pills, razor, gun) Custom alignment: LV
3808	[srmp_e_2_comm_bl] Show the field ONLY if: [srmp_e_2_bl] = '0' or [srmp_e_2_bl] = '1' or [srmp_e_2_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3809	[srmp_e_3_bl] Show the field ONLY if: [srmp_score_d_bl] >= 4	3. Import score of Question D.3 above or clarify further ability and determination: Do you believe that you would be able to complete suicide, that is you know how to do it, you have the means and the motivation? Do you know exactly what you'd have to do to cause your own death, and do you feel that you would not hesitate to do it?	radio 0 | 0: No determination, does not believe he or she would be able to do it 1 | 1: Unsure of ability, determination 2 | 2: Sure of ability and determination Custom alignment: LV

3810	[srmp_e_3_comm_bl] Show the field ONLY if: [srmp_e_3_bl] = '0' or [srmp_e_3_bl] = '1' or [srmp_e_3_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3811	[srmp_e_4_bl] Show the field ONLY if: [srmp_score_d_bl] >= 4	4. Do you expect or anticipate that you will actually make a suicide attempt? Are you certain that you will make an attempt? [Probe for details]	radio <table><tr><td>0</td><td>0: No (ask again "What will keep you from doing so?")</td></tr><tr><td>1</td><td>1: Uncertain, not sure, or in future</td></tr><tr><td>2</td><td>2: Yes, will within next hours/day</td></tr></table> Custom alignment: LV
3812	[srmp_e_4_comm_bl] Show the field ONLY if: [srmp_e_4_bl] = '0' or [srmp_e_4_bl] = '1' or [srmp_e_4_bl] = '2'	Please provide any comments.	notes Custom alignment: LH
3813	[srmp_score_e_bl] Show the field ONLY if: [srmp_score_d_bl] >= 4	SCORE E:	calc Calculation: [srmp_e_1_bl]+[srmp_e_2_bl]+[srmp_e_3_bl]+[srmp_e_4_bl] Custom alignment: LH
3814	[srmp_risk_lvl_low_bl] Show the field ONLY if: (([srmp_score_a_bl]<>'' and [srmp_score_a_bl] <= 2) or ([srmp_score_b_bl]<>'' and [srmp_score_b_bl] <= 2) or ([srmp_score_c_bl]<>'' and [srmp_score_c_bl] <= 1)) or ([srmp_score_c_bl] > 1 and ([srmp_score_d_bl]<>'' and [srmp_score_d_bl] < 4) and [srmp_d_4_bl] = '0')	Risk Level is Low. Please select 'Low' below.	descriptive
3815	[srmp_risk_lvl_moderate_bl]	Risk Level is Moderate. Please select 'Moderate' below.	descriptive

		Show the field ONLY if: [srmp_score_a_bl] >= 3 and [srmp_score_b_bl] >= 3 and [srmp_score_c_bl] >= 2 and [srmp_score_d_bl] >= 4 and [srmp_score_e_bl] < 3	
3816	[srmp_risk_lvl_high_bl] Show the field ONLY if: ([srmp_score_a_bl] >= 3 and [srmp_score_b_bl] >= 3 and [srmp_score_c_bl] >= 2 and [srmp_score_d_bl] >= 4) and ([srmp_score_e_bl] >= 3 and ([srmp_e_4_bl] = '0' or [srmp_e_4_bl] = '1'))	Risk Level is High. Please select 'High' below.	descriptive
3817	[srmp_risk_lvl_immediate_bl] Show the field ONLY if: [srmp_score_a_bl] >= 3 and [srmp_score_b_bl] >= 3 and ([srmp_score_c_bl] >= 2 and ([srmp_c_1_bl] = '1' or ([srmp_c_6a_bl] = '1' or [srmp_c_6b_bl] = '1'))) and [srmp_score_d_bl] >= 4 and ([srmp_e_2_bl] = '2' and [srmp_e_4_bl] = '2')	Risk Level is Immediate. Please select 'Immediate' below.	descriptive
3818	[srmp_risk_level_bl]	Risk Level	radio | 1	Low
2	Moderate
3	High
4	Immediate	 Custom alignment: LV
3819	[srmp_low_risk_action_bl] Show the field ONLY if:	ACTION	descriptive

		[srmp_risk_level_bl] = '1'	1. Give patient resources (e.g., re:solve) 2. Inform supervisor, investigator, or health provider 3. Complete Documentation and Short Narrative section	
	3820	[srmp_mod_risk_action_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2'	ACTION 1. Contract for safety with patient & schedule call back within 2 hours 2. Inform supervisor and health provider or investigator/on-call psychiatrist 3. Call back patient at scheduled time and discuss tx recommendations 4. Complete Documentation and Short Narrative sections 5. Complete Follow-Up Documentation section as indicated	descriptive
	3821	[srmp_high_risk_action_bl] Show the field ONLY if: [srmp_risk_level_bl] = '3'	ACTION 1. Contract for safety with patient & schedule call back within 1 hour or keep patient on phone 2. Contact investigator/on-call psychiatrist ASAP 3. Inform health provider 4. Discuss tx recommendations with patient 5. Complete Documentation and Short Narrative sections 6. Complete Follow-Up Documentation section as indicated	descriptive
	3822	[srmp_immediate_risk_action_bl] Show the field ONLY if: [srmp_risk_level_bl] = '4'	ACTION 1. Keep patient on phone 2. Call 911 3. Follow instructions of 911 4. Inform supervisor, investigator, and health provider 5. Complete Documentation and Short Narrative sections 6. Complete Follow-Up Documentation section as indicated	descriptive
	3823	[srmp_doc_contact_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [sr	Section Header: *Suicide Risk Management Protocol: Documentation* 1. Was your supervisor and an investigator contacted? *(please select all that apply)*	checkbox | 1	srmp_doc_contact_bl___1	Supervisor was contacted
2	srmp_doc_contact_bl___2	Investigator was contacted	

		mp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'		Custom alignment: LV
	3824	[srmp_sup_name_bl] Show the field ONLY if: [srmp_doc_contact_bl(1)] = '1'	Supervisor's Name:	text Custom alignment: LH
	3825	[srmp_sup_date_time_bl] Show the field ONLY if: [srmp_doc_contact_bl(1)] = '1'	Date/Time Supervisor Contacted:	text (datetime_mdy) Custom alignment: LH
	3826	[srmp_sup_how_bl] Show the field ONLY if: [srmp_doc_contact_bl(1)] = '1'	How was the supervisor contacted?	text Custom alignment: LH
	3827	[srmp_inv_name_bl] Show the field ONLY if: [srmp_doc_contact_bl(2)] = '1'	Investigator's Name:	text Custom alignment: LH
	3828	[srmp_inv_date_time_bl] Show the field ONLY if: [srmp_doc_contact_bl(2)] = '1'	Date/Time Investigator Contacted:	text (datetime_mdy) Custom alignment: LH
	3829	[srmp_inv_how_bl] Show the field ONLY if: [srmp_doc_contact_bl(2)] = '1'	How was the investigator contacted?	text Custom alignment: LH
	3830	[srmp_psych_contact_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	2. Was an on-call psychiatrist contacted?	yesno 1 Yes 0 No Custom alignment: LH
	3831	[srmp_why_no_psych_bl] Show the field ONLY if: [srmp_psych_contact_bl] = '0'	Why not?	notes Custom alignment: LH
	3832	[srmp_psych_name_bl] Show the field ONLY if:	Psychiatrist's Name:	text Custom alignment: LH

		[srmp_psych_contact_bl] = '1'		
	3833	[srmp_psych_date_time_bl] Show the field ONLY if: [srmp_psych_contact_bl] = '1'	Date/Time Psychiatrist Contacted:	text (datetime_mdy) Custom alignment: LH
	3834	[srmp_psych_how_bl] Show the field ONLY if: [srmp_psych_contact_bl] = '1'	How was the psychiatrist contacted?	text Custom alignment: LH
	3835	[srmp_hp_informed_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	3. Was patient's health provider informed?	yesno 1 Yes 0 No Custom alignment: LH
	3836	[srmp_why_no_hp_bl] Show the field ONLY if: [srmp_hp_informed_bl] = '0'	Why not?	notes Custom alignment: LH
	3837	[srmp_hp_name_bl] Show the field ONLY if: [srmp_hp_informed_bl] = '1'	Health Provider's Name:	text Custom alignment: LH
	3838	[srmp_hp_date_time_bl] Show the field ONLY if: [srmp_hp_informed_bl] = '1'	Date/Time Health Provider Contacted:	text (datetime_mdy) Custom alignment: LH
	3839	[srmp_hp_how_bl] Show the field ONLY if: [srmp_hp_informed_bl] = '1'	How was the Health Provider contacted?	text Custom alignment: LH
	3840	[srmp_recomm_text_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	4. What were the recommendations made by study investigator (SI), health provider (HP), or on-call psychiatrist (MHS)?	descriptive

| 3841 | [srmp_rec_med_chg_bl]

Show the field ONLY if:
[srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4' | Medication change | checkbox

| 1 | srmp_rec_med_chg_bl___1 | SI |
| 2 | srmp_rec_med_chg_bl___2 | HP |
3	srmp_rec_med_chg_bl___3	MHS	 Custom alignment: LH
3842	[srmp_rec_hp_visit_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Visit with health provider	checkbox | 1	srmp_rec_hp_visit_bl___1	SI
2	srmp_rec_hp_visit_bl___2	HP
3	srmp_rec_hp_visit_bl___3	MHS	 Custom alignment: LH
3843	[srmp_rec_mhs_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Consult/referral to MHS	checkbox | 1	srmp_rec_mhs_bl___1	SI
2	srmp_rec_mhs_bl___2	HP
3	srmp_rec_mhs_bl___3	MHS	 Custom alignment: LH
3844	[srmp_rec_er_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Go to ER	checkbox | 1	srmp_rec_er_bl___1	SI
2	srmp_rec_er_bl___2	HP
3	srmp_rec_er_bl___3	MHS	 Custom alignment: LH
3845	[srmp_rec_inpt_hosp_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Inpatient hospitalization	checkbox | 1	srmp_rec_inpt_hosp_bl___1	SI
2	srmp_rec_inpt_hosp_bl___2	HP
3	srmp_rec_inpt_hosp_bl___3	MHS	 Custom alignment: LH

| 3846 | [srmp_rec_oth1_bl]

Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4' | Other | checkbox

| 1 | srmp_rec_oth1_bl___1 | SI |
| 2 | srmp_rec_oth1_bl___2 | HP |
3	srmp_rec_oth1_bl___3	MHS	 Custom alignment: LH
3847	[srmp_rec_oth1_desc_bl] Show the field ONLY if: [srmp_rec_oth1_bl(1)] = '1' or [srmp_rec_oth1_bl(2)] = '1' or [srmp_rec_oth1_bl(3)] = '1'	What was the recommendation?	text Custom alignment: LH
3848	[srmp_no_rec_made_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'		checkbox | 1	srmp_no_rec_made_bl___1	No recommendations made | Custom alignment: LH
3849	[srmp_short_narrative_bl] Show the field ONLY if: [srmp_risk_level_bl] = '1' or [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Section Header: *Suicide Risk Management Protocol: Short Narrative* Short Narrative	notes Custom alignment: LH
3850	[srmp_no_fup_need_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Section Header: *Suicide Risk Management Protocol: Follow-Up Documentation* Follow-up documentation (from day of suicidal ideation)	checkbox | 1	srmp_no_fup_need_bl___1	No follow-up deemed necessary | Custom alignment: LH
3851	[srmp_fup1_date_time_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Section Header: Date/Time of First Follow-up:	text (datetime_mdy) Custom alignment: LH

3852	[srmp_fup1_desc_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Describe First Follow-Up:	notes Custom alignment: LH
3853	[srmp_fup2_date_time_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Section Header: Date/Time of Subsequent Follow-up:	text (datetime_mdy) Custom alignment: LH
3854	[srmp_fup2_desc_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Describe Subsequent Follow-Up:	notes Custom alignment: LH
3855	[srmp_fup3_date_time_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Section Header: Date/Time of Subsequent Follow-up:	text (datetime_mdy) Custom alignment: LH
3856	[srmp_fup3_desc_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Describe Subsequent Follow-Up:	notes Custom alignment: LH
3857	[srmp_fup4_date_time_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [srmp_risk_level_bl] = '4'	Section Header: Date/Time of Subsequent Follow-up:	text (datetime_mdy) Custom alignment: LH
3858	[srmp_fup4_desc_bl] Show the field ONLY if: [srmp_risk_level_bl] = '2' or [srmp_risk_level_bl] = '3' or [sr	Describe Subsequent Follow-Up:	notes Custom alignment: LH

		mp_risk_level_bl] = '4'		
3859	[`suicide_risk_management_protocol_srmp_2_complete`]	Section Header: *Form Status* Complete?	dropdown	

0	Incomplete
1	Unverified
2	Complete

Instrument: **NIH Toolbox Followup** (nih_toolbox_followup)   [collapsed]

Instrument: **Spontaneous Report of Side Effects V2** (spontaneous_report_of_side_effects_v2)   [collapsed]

Instrument: **Adverse Event V2** (adverse_event_v2)   [collapsed]

Instrument: **Relapse (IF MADRS>=15)** (relapse_if_madrs15)   [collapsed]

Instrument: **Termination Form** (termination_form)   [collapsed]

Instrument: **Medication Form (Please use V2)** (medication_form_please_use_v2)   [collapsed]

Instrument: **Psychiatric Medication Form (Please use V2)** (psychiatric_medication_form_please_use_v2)   [collapsed]

Instrument: **Spontaneous Report Of Side Effects (Please use V2)** (spontaneous_report_of_side_effects_please_use_v2)   [collapsed]

Instrument: **Adverse Event (Please use V2)** (adverse_event_please_use_v2)   [collapsed]

Instrument: **Partial Remission (Toronto only)** (partial_remission_toronto_only)   [collapsed]

Instrument: **Short Blessed Test (Toronto only)** (short_blessed_test_toronto_only)   [collapsed]

Instrument: **Medical Conditions (Toronto only)** (medical_conditions_toronto_only)   [collapsed]

Instrument: **Athf Form (under testing, DO NOT USE)** (athf_form_under_testing_do_not_use)   [collapsed]

Instrument: **Running Clinical Notes (Please transition to v2)** (running_clinical_notes)   [collapsed]

Instrument: **Running Clinical Notes (v2)** (running_clinical_notes_v2)   [collapsed]

Instrument: **Height and Weight** (height_and_weight)   [collapsed]

Instrument: **Local Repeat MADRS** (local_repeat_madrs)   [collapsed]

Instrument: **Local Repeat PHQ-9** (repeat_phq9)   [collapsed]

Instrument: **Labs** (labs)   [collapsed]

Instrument: **Labs (Follow-up)** (labs_fup)	**[collapsed]**
Instrument: **ECG (Follow-up)** (ecg_followup)	**[collapsed]**
Instrument: **Survey Reminder** (survey_reminder)	**[collapsed]**
Instrument: **ATHF Form1 V2** (athf_form1_v2)	**[collapsed]**
Instrument: **ATHF Form2 (If Needed - Treatments 11-20) V2** (athf_form2_if_needed_treatments_1120_v2)	**[collapsed]**
Instrument: **ATHF Form3 (If Needed - Treatments 21-30) V2** (athf_form3_if_needed_treatments_2130_v2)	**[collapsed]**
Instrument: **ATHF Form4 (If Needed - Treatments 31-40) V2** (athf_form4_if_needed_treatments_3140_v2)	**[collapsed]**
Instrument: **Neuro MRI Form** (optimum_neuro_mri)	**[collapsed]**
Instrument: **Analyzed MRI Data - Brain Volumes** (analyzed_mri_data)	**[collapsed]**
Instrument: **Analyzed MRI Data - Thickness** (analyzed_mri_data_thickness)	**[collapsed]**
Instrument: **Analyzed MRI Data - Surface** (analyzed_mri_data_surface)	**[collapsed]**
Instrument: **Demographics** (demographics)	**[collapsed]**
Instrument: **Consent Termination Reconsent** (consent_termination_reconsent)	**[collapsed]**
Instrument: **Clinical Assessments Dates** (clinical_assessments_dates)	**[collapsed]**
Instrument: **Neurocog Assessments Dates** (neurocog_assessments_dates)	**[collapsed]**
Instrument: **Neurocog Scoring** (neurocog_scoring)	**[collapsed]**
Instrument: **Biomarkers MRI** (biomarkers_mri)	**[collapsed]**
Instrument: **Payment** (payment)	**[collapsed]**
Instrument: **Storage** (storage)	**[collapsed]**
Instrument: **GUID** (guid)	**[collapsed]**
Instrument: **Self Reporting Hearing and Noise Exposure (HNE)** (self_reporting_hearing_and_noise_exposure_hne)	**[collapsed]**
Instrument: **Documentation of Missing and Verified Data** (missing_data_documentation)	**[collapsed]**
Instrument: **Participant Email** (participant_email)	**[collapsed]**

Instrument: **WU COVID 19 Verbal Consent** (wu_covid_19_verbal_consent)	[collapsed]
Instrument: **Columbia's COVID E-Consent** (columbias_covid_econsent) 👥 **Enabled as survey**	[collapsed]
Instrument: **Columbia's Compensation Form** (columbia_compensation_form)	[collapsed]
Instrument: **Duke Social Support (DSSI)** (duke_social_support_dssi)	[collapsed]
Instrument: **Perceived Stress Scale** (perceived_stress_scale)	[collapsed]
Instrument: **UCLA Revised Loneliness Scale** (ucla_revised_loneliness_scale) 👥 **Enabled as survey**	[collapsed]
Instrument: **Connor-Davidson Resilience Scale (CD-RISC)** (connordavidson_resilience_scale_cdrisc) 👥 **Enabled as survey**	[collapsed]
Instrument: **CAAM COVID Survey** (caam_covid_survey)	[collapsed]
Instrument: **CAAM COVID Survey Antidepressant Section (complete the CAAM COVID Survey First)** (covid_survey_antidepressant_section)	[collapsed]
Instrument: **PHQ-9 (COVID)** (phq9_covid)	[collapsed]
Instrument: **Physical Activity** (physical_activity_optn_at_month_24)	[collapsed]
Instrument: **COVID-19** (covid19)	[collapsed]