```sql
create database store;


create table countries(
    code int primary key,
    name varchar(20) unique ,
    continent_name varchar(20) not null

);

create table user(
    id int primary key,
    full_name varchar(20),
    email varchar(20) unique ,
    gender char check ( gender='f' or gender= 'm'),
    date_of_birth varchar(15),
    created_at timestamp default current_timestamp,
    country_code int,
    foreign key(country_code)references countries (code)

);

create table orders(
    id int primary key ,
    user_id int,
    status varchar(6) check( status='start' or status = 'finish' ),
    created_at timestamp default current_timestamp,
    foreign key (user_id)references user(id)

);

create table order_products(
    order_id int,
    product_id int,
    quantity int default 0,
    foreign key (order_id)references orders (id),
    foreign key (product_id) references products (id)


);


create table products(
    id int primary key ,
    name varchar(10) not null ,
```

```sql
    price int default 0,
    status varchar(10) check ( status='valid'or status= 'expired' ),
    created_at timestamp default current_timestamp

);


insert into countries value ('+966','saudi arabia','asia');
insert into countries value ('+965','kuwait','asia');
insert into countries value ('+971','united arab emirates','asia');



insert into user value (123,'hassan
','H12@gmail.com','m','2000/9/16',current_timestamp,'+966');
insert into user value (1234,'sara
alghamdi','M020@gmail.com','f','1999/2/1',current_timestamp,'+966');
insert into user value (123415,'nora
otaibi','N8387@gmail.com','f','1989/5/8',current_timestamp,'+966');


insert into orders value (1,user_id,'start',current_timestamp);
insert into orders value (2,user_id,'start',current_timestamp);
insert into orders value (5,user_id,'finish',current_timestamp);


insert into products value (1,'car',50000,'valid',current_timestamp);
insert into products value (2,'headphone',150,'expired',current_timestamp);
insert into products value (3,'TV',4000,'expired',current_timestamp);


insert into  order_products value (order_id,product_id,30);
insert into  order_products value (order_id,product_id,22);
insert into  order_products value (order_id,product_id,60);



update  countries set  name='oman' where code='+966';
update  countries set  name='qatar' where code=+965;
update  countries set  name='bahrani' where code=+971;


delete from  products where id=1;
delete from  products where id=2;
delete from  products where id=3;
```