


Gather Information using Advance Google hacking Techniques



Gather information for FTP search Engines

The screenshot shows the NAPALM FTP Indexer search results for the query 'microsoft'. The page displays a list of search results with columns for file names, sizes, and download links. The first result is '/debian/pool/main/m/microsoft-authentication-extensions-for-python_1.0.0.orig.tar.gz' with a size of 26.6 KB. Other results include '/ubuntu/pool/universe/m/mono-basic/libmono-microsoft-visualbasic8.0-cil_3.0-pre20130627.4dcc70f-1_all.deb' (92.2 KB), '/ubuntu/pool/universe/m/mono-basic/libmono-microsoft-visualbasic11.0-cil_3.0-pre20130627.4dcc70f-1_all.deb' (89.1 KB), and '/ubuntu/pool/universe/m/mono-basic/libmono-microsoft-visualbasic10.0-cil_4.0.1-3_all.deb' (90.1 KB). The page also features a sidebar with 'Related keywords' and a 'Microsoft Azure' advertisement.

NAPALM FTP Indexer

searchhttps.net

Showing results 0 to 19 of about 10000 for "microsoft"

Order Date Desc Date Asc Size Desc Size Asc None

Related keywords

- pool
- main
- dfsg
- ubuntu
- universe
- basic
- system
- json
- microsoft4
- deb11u1
- csharp4
- pre20130627
- 4dcc70f
- visualbasic10
- authentication
- extensions
- for
- python
- pub
- centos
- 2009
- extras
- x86

/debian/pool/main/m/microsoft-authentication-extensions-for-python_1.0.0.orig.tar.gz 26.6 KB DOWNLOAD

Last checked: 2023-11-27 20:59 Similar files: [Browse]

/ubuntu/pool/universe/m/mono-basic/libmono-microsoft-visualbasic8.0-cil_3.0-pre20130627.4dcc70f-1_all.deb 92.2 KB DOWNLOAD

Last checked: 2023-11-27 20:59 Similar files: [Browse]

/ubuntu/pool/universe/m/mono-basic/libmono-microsoft-visualbasic11.0-cil_3.0-pre20130627.4dcc70f-1_all.deb 89.1 KB DOWNLOAD

Last checked: 2023-11-27 20:59 Similar files: [Browse]

/ubuntu/pool/universe/m/mono-basic/libmono-microsoft-visualbasic10.0-cil_4.0.1-3_all.deb 90.1 KB DOWNLOAD

Microsoft Azure

Access the full catalogue of services to what

Microsoft Azure

Customise cloud services to what

Code, experiment and build your next great app using 12 months of free services

Find the company's Domain and Sub-domain using Netcraft

The screenshot shows the Netcraft website report for the URL 'https://www.eccouncil.org'. The report provides information about the website's background, network, and security. The 'Background' section includes the site title 'Cybersecurity Courses Online | Best Cybersecurity Training', the date first seen (February 2002), and the site rank (1554). The 'Network' section lists the site URL, domain, netblock owner (Cloudflare, Inc.), nameserver (henry.ns.cloudflare.com), hosting company (Cloudflare), domain registrar (pir.org), hosting country (US), and IP address (104.18.9.180). The report also includes a 'Netcraft Risk Rating' of 0/10.

Tools | Netcraft

Site report for https://www.eccouncil.org

netcraft

Background

Site title Cybersecurity Courses Online | Best Cybersecurity Training Date first seen February 2002

Site rank 1554 Netcraft Risk Rating 0/10

Description Enroll in the best cybersecurity courses online by EC-Council. Boost your career with one of the best cybersecurity courses and training. Get certified now! Primary language English

Network

Site https://www.eccouncil.org/ Domain eccouncil.org

Netblock Owner Cloudflare, Inc. Nameserver henry.ns.cloudflare.com

Hosting company Cloudflare Domain registrar pir.org

Hosting country US US organisation whois.cloudflare.com

IPv4 address 104.18.9.180 (WhatIsIP) Organisation REDACTED FOR PRIVACY (English (United States) United Kingdom keyboard shortcuts to activate Windows To switch input methods, press Windows key+Space. Go to Settings)

IPv4 autonomous systems AS13335 DNS admin

The screenshot shows the Netcraft search results for the query 'eccouncil.org'. The results are displayed in a table with columns for Rank, Site, First seen, Netblock, and OS. The first result is 'aspen.eccouncil.org' with a rank of 573, first seen in June 2010, netblock Cloudflare, Inc., and OS Linux. Other results include 'coders.eccouncil.org' (rank 649, first seen January 2020), 'cyber.eccouncil.org' (rank 887, first seen October 2018), 'info.eccouncil.org' (rank 1010, first seen October 2009), 'www.eccouncil.org' (rank 1554, first seen February 2002), 'cert.eccouncil.org' (rank 7628, first seen March 2012), and 'store.eccouncil.org' (rank 10221, first seen July 2013). The table shows 22 results in total.

Tools | Netcraft

Hostnames matching "eccouncil.org"

searchdns.netcraft.com/?hosts=eccouncil.org


netcraft

22 results (showing 1 to 20)

Rank	Site	First seen	Netblock	OS
573	aspen.eccouncil.org	June 2010	Cloudflare, Inc.	Linux
649	coders.eccouncil.org	January 2020	Cloudflare, Inc.	Linux
887	cyber.eccouncil.org	October 2018	Cloudflare, Inc.	Linux
1010	info.eccouncil.org	October 2009	Cloudflare, Inc.	unknown
1554	www.eccouncil.org	February 2002	Cloudflare, Inc.	Linux
7628	cert.eccouncil.org	March 2012	Cloudflare, Inc.	Linux
10221	store.eccouncil.org	July 2013	Cloudflare, Inc.	Linux


Task 3

Gather an email list using the Harvesters



Task 4

Gather information using the deep and dark web searching



Task 5

Determine target os through passive Footprinting

Lab 3

Task 1

Gather employees information from linkedin using the harvester



```
Applications Places System Tue Dec 5, 12:37
Parrot Terminal
File Edit View Search Terminal Help
[attacker@attacker-vmwarevirtualplatform]~/home/attacker
$ theHarvester -d aau -l 200 -b linkedin

*****
* Home
*
* theHarvester 4.0.3
* Coded by Christian Martorella
* Edge-Security Research
* cmartorella@edge-security.com
*
*****


[*] Target: aau

    Searching 100 results.
    Searching 200 results.
[*] Searching LinkedIn.

[*] LinkedIn Users found: 197
-----
AAU Recruitment Services
AAU School of Pharmacy Alumni
AAU Student Law Review
AIC-AAU Incubator
APHREA-DST AAU
Aau Admission Officer
Aau Wai Keong
Menu Parrot Terminal
```

Task 2

Gather personal information form various social networking sites using sherlock




```
Applications Places System Tue Dec 5, 13:02
Parrot Terminal
File Edit View Search Terminal Help
[attacker@attacker-vmwarevirtualplatform]~
$ sudo su
[sudo] password for attacker:
[root@attacker-vmwarevirtualplatform]~/home/attacker
# cd
[root@attacker-vmwarevirtualplatform]~
$ git clone https://github.com/sherlock-project/sherlock.git
Cloning into 'sherlock'...
remote: Enumerating objects: 7713, done.
remote: Counting objects: 100% (2714/2714), done.
remote: Compressing objects: 100% (159/159), done.
remote: Total 7713 (delta 2589), reused 2569 (delta 2542), pack-reused 4999
Receiving objects: 100% (7713/7713), 16.31 MiB | 500.00 KiB/s, done.
Resolving deltas: 100% (4907/4907), done.
[root@attacker-vmwarevirtualplatform]~
#
```

Module 3

Lab 2

Task 3

Explore various network scanning techniques using nmap



Task 4

Explore various network scanning techniques using hping3

```
Applications Places System Windows 10 Windows Server 2016 Parrot...
Parrot Terminal
File Edit View Search Terminal Help
[sudo] password for attacker:
root@attacker-vmwarevirtualplatform:~/home/attacker
#cd
root@attacker-vmwarevirtualplatform:~#
#hping3 -A 10.10.10.16 -p 80 -c 5
HPING 10.10.10.16 (ens33 10.10.10.16): A set, 40 headers + 0 data bytes
len=46 ip=10.10.10.16 ttl=128 id=53281 sport=80 flags=R seq=0 win=32767 rtt=7.8 ms
len=46 ip=10.10.10.16 ttl=128 id=53282 sport=80 flags=R seq=1 win=32767 rtt=7.5 ms
len=46 ip=10.10.10.16 ttl=128 id=53283 sport=80 flags=R seq=2 win=32767 rtt=6.4 ms
len=46 ip=10.10.10.16 ttl=128 id=53284 sport=80 flags=R seq=3 win=32767 rtt=1.5 ms
len=46 ip=10.10.10.16 ttl=128 id=53285 sport=80 flags=R seq=4 win=32767 rtt=9.3 ms

--- 10.10.10.16 hping statistic ---
5 packets transmitted, 5 packets received, 0% packet loss
round-trip min/avg/max = 1.5/6.5/9.3 ms
root@attacker-vmwarevirtualplatform:~#
```


```
Applications Places System Windows 10 Windows Server 2016 Parrot...
Parrot Terminal
File Edit View Search Terminal Help
root@attacker-vmwarevirtualplatform:~#
#hping3 -S 0-100 -S 10.10.10.16 -V
using ens33, addr: 192.168.204.132, MTU: 1500
Scanning 10.10.10.16 (10.10.10.16), port 0-100
101 ports to scan, use -V to see all the replies
+-----+
|port| serv name | flags |ttl| id | win | len |
+-----+
All replies received. Done.
Not responding ports: (0) (1 tcpmux) (2 nbp) (3) (4 echo) (5) (6 zip) (7 ec
ho) (8) (9 discard) (10) (11 systat) (12) (13 daytime) (14) (15 netstat) (
16) (17 qotd) (18) (19 chargen) (20 ftp-data) (21 ftp) (22 ssh) (23 telnet)
(24) (25 smtp) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (3
6) (37 time) (38) (39) (40) (41) (42) (43 whois) (44) (45) (46) (47)
(48) (49 tacacs) (50) (51) (52) (53 domain) (54) (55) (56) (57) (58)
(59) (60) (61) (62) (63) (64) (65) (66) (67 bootps) (68 bootpc) (69 t
ftp) (70 gopher) (71) (72) (73) (74) (75) (76) (77) (78) (79 finger) (
80 http) (81) (82) (83) (84) (85) (86) (87) (88 kerberos) (89) (90) (
91) (92) (93) (94) (95) (96) (97) (98) (99) (100)
root@attacker-vmwarevirtualplatform:~#
```

```
Applications Places System Windows 10 Windows Server 2016 Parrot...
Parrot Terminal
File Edit View Search Terminal Help
root@attacker-vmwarevirtualplatform:~#
#hping3 -F -P -U 10.10.10.16 -p 80 -c 5
HPING 10.10.10.16 (ens33 10.10.10.16): FPU set, 40 headers + 0 data bytes

--- 10.10.10.16 hping statistic ---
0 packets transmitted, 0 packets received, 100% packet loss
round-trip min/avg/max = 0.0/0.0/0.0 ms
root@attacker-vmwarevirtualplatform:~#
```


```
root@attacker-vmwarevirtualplatform:~#
#hping3 --scan 0-100 -S 10.10.10.16
Scanning 10.10.10.16 (10.10.10.16), port 0-100
101 ports to scan, use -V to see all the replies
+-----+
|port| serv name | flags |ttl| id | win | len |
+-----+
All replies received. Done.
Not responding ports: (0) (1 tcpmux) (2 nbp) (3) (4 echo) (5) (6 zip) (7 ec
ho) (8) (9 discard) (10) (11 systat) (12) (13 daytime) (14) (15 netstat) (
16) (17 qotd) (18) (19 chargen) (20 ftp-data) (21 ftp) (22 ssh) (23 telnet)
(24) (25 smtp) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (3
6) (37 time) (38) (39) (40) (41) (42) (43 whois) (44) (45) (46) (47)
(48) (49 tacacs) (50) (51) (52) (53 domain) (54) (55) (56) (57) (58)
(59) (60) (61) (62) (63) (64) (65) (66) (67 bootps) (68 bootpc) (69 t
ftp) (70 gopher) (71) (72) (73) (74) (75) (76) (77) (78) (79 finger) (
80 http) (81) (82) (83) (84) (85) (86) (87) (88 kerberos) (89) (90) (
91) (92) (93) (94) (95) (96) (97) (98) (99) (100)
root@attacker-vmwarevirtualplatform:~#
```



Task 2 perform os discovery using nmap script engine



Task 3

Perform os discovery using uniscan





MODULE 4

LAB 1 TASK 1

```
Windows Server 2019 - VMware Workstation
Edit View VM Tabs Help
Windows 10 ParrotSecurity Windows Server 2016 Ubuntu Windows Server 2019
Administrator: Command Prompt

C:\Users\Administrator>nbstat -a 10.10.10.10

Ethernet0:
Node IpAddress: [10.10.10.19] Scope Id: []

NetBIOS Remote Machine Name Table

Name                Type                Status
-----
WINS10              <20>               UNIQUE             Registered
WINS10              <00>               UNIQUE             Registered
WORKGROUP           <00>               GROUP              Registered

MAC Address = 00-0C-29-3A-BD-49

C:\Users\Administrator>nbstat -c

Ethernet0:
Node IpAddress: [10.10.10.19] Scope Id: []


NetBIOS Remote Cache Name Table

Name                Type                Host Address      Life [sec]
-----
WINS10              <20>               UNIQUE            10.10.10.10       385


C:\Users\Administrator>net use
New connections will be remembered.

Status      Local      Remote          Network
-----
Unavailable Z: \\WINS10\CEH Tools      Microsoft Windows Network
The command completed successfully.
```


LAB 1 TASK 2



LAB 1 TASK 3



LAB 2 TASK 1




A terminal window on a Linux system. The user is at the prompt `attacker@attacker-vmwarevirtualplatform`. They run `sudo su` to become root. Then they run `nmap -sU -p 161 10.10.10.16`. The output shows that the host is up and has an open SNMP service on port 161. The user then runs `snmp-check 10.10.10.16`, which shows the SNMPv1 community 'public' is accessible.

```
attacker@attacker-vmwarevirtualplatform
sudo su
[snmp] password for attacker:
root@attacker-vmwarevirtualplatform
#cd
root@attacker-vmwarevirtualplatform
#nmap -sU -p 161 10.10.10.16
Starting Nmap 7.52 ( https://nmap.org ) at 2023-12-08 20:36 MAT
Nmap scan report for 10.10.10.16
Host is up (0.00093s latency).

PORT      STATE SERVICE
161/udp   open  snmp
MAC Address: 00:0C:29:0D:F7:55 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.66 seconds
root@attacker-vmwarevirtualplatform#snmp-check 10.10.10.16
snmp-check v1.9 - SNMP enumerator
Copyright (c) 2005-2015 by Matteo Cantoni (www.nothink.org)

[+] Try to connect to 10.10.10.16 using SNMPv1 and community 'public'
```




The same terminal window showing the output of the `snmp-check` command. It displays various system information including IP address, hostname, hardware, uptime, and a list of user accounts.

```
Host IP address      : 10.10.10.16
Hostname             : WINSERVER2016.CEH.com
Description          : Hardware: Intel64 Family 6 Model 78 Stepping 3
AT/AT COMPATIBLE - Software: Windows Version 6.3 (Build 14393 Multiprocessor Pr
Contact              : -
Location              : -
Uptime snmp          : 00:07:18.35
Uptime system        : 00:05:24.13
System date          : 2023-12-8 11:37:20.0
Domain               : CEH





[*] User accounts:

Guest
jason
krbtgt
martin
shiela
Administrator
DefaultAccount
```


LAB 3 TASK 1







LAB 7 TASK 3



```
theHarvester: master > #enum4linux -u martin -p apple -U 10.10.10.16
Starting enum4linux v0.8.9 ( http://labs.portcullis.co.uk/application/enum4linux/ ) on Tue Dec 12 00:03:45 2023

=====
| Target Information |
=====
Target ..... 10.10.10.16
RID Range ..... 500-550,1000-1050
Username ..... 'martin'
Password ..... 'apple'
Known Usernames .. administrator, guest, krbtgt, domain admins, root, bin, none

=====
| Enumerating Workgroup/Domain on 10.10.10.16 |
=====
[+] Got domain/workgroup name: CEH

=====
| Nbtstat Information for 10.10.10.16 |
=====
```

```
theHarvester: master > #enum4linux -u martin -p apple -U 10.10.10.16
Starting enum4linux v0.8.9 ( http://labs.portcullis.co.uk/application/enum4linux/ ) on Tue Dec 12 00:03:45 2023

=====
| Target Information |
=====
Target ..... 10.10.10.16
RID Range ..... 500-550,1000-1050
Username ..... 'martin'
Password ..... 'apple'
Known Usernames .. administrator, guest, krbtgt, domain admins, root, bin, none

=====
| Enumerating Workgroup/Domain on 10.10.10.16 |
=====
[+] Got domain/workgroup name: CEH

=====
| Session Check on 10.10.10.16 |
=====
```

```
theHarvester: master > #enum4linux -u martin -p apple -U 10.10.10.16
Starting enum4linux v0.8.9 ( http://labs.portcullis.co.uk/application/enum4linux/ ) on Tue Dec 12 00:03:45 2023

=====
| Getting domain SID for 10.10.10.16 |
=====
Domain Name: CEH
Domain Sid: S-1-5-21-1194628483-265383631-1292692020
[+] Host is part of a domain (not a workgroup)

=====
| OS information on 10.10.10.16 |
=====
Use of uninitialized value $os_info in concatenation (.) or string at ./enum4linux.pl line 464.
[+] Got OS info for 10.10.10.16 from smbclient:
[+] Got OS info for 10.10.10.16 from srvinfo:
10.10.10.16 Wk Sv PDC Tim NT My business server
platform_id : 500
os version : 10.0
server type : 0x80102b
enum4linux complete on Tue Dec 12 00:05:00 2023
```

```
theHarvester: master > #enum4linux -u martin -p apple -U 10.10.10.16
Starting enum4linux v0.8.9 ( http://labs.portcullis.co.uk/application/enum4linux/ ) on Tue Dec 12 00:03:45 2023

[+] Found domain(s):
[+] CEH
[+] Built-in

[+] Password Info for Domain: CEH

[+] Minimum password length: None
[+] Password history length: None
[+] Maximum password age: Not Set
[+] Password Complexity Flags: 000000

[+] Domain Refuse Password Change: 0
[+] Domain Password Store Cleartext: 0
[+] Domain Password Lockout Admins: 0
[+] Domain Password No Clear Change: 0
[+] Domain Password No Anon Change: 0
[+] Domain Password Complex: 0

[+] Minimum password age: None
[+] Reset Account Lockout Counter: 30 minutes
[+] Locked Account Duration: 30 minutes
```

theHarvester
master

```
=====
Sharename      Type      Comment
-----
ADMIN$         Disk      Remote Admin
C$             Disk      Default share
IPC$           IPC        Remote IPC
NETLOGON       Disk      Logon server share
SYSVOL         Disk      Logon server share
SMB1 disabled -- no workgroup available
```

```
[+] Attempting to map shares on 10.10.10.16
//10.10.10.16/ADMIN$ Mapping: DENIED, Listing: N/A
//10.10.10.16/C$ Mapping: DENIED, Listing: N/A
//10.10.10.16/IPC$ [E] Can't understand response:
NT STATUS_INVALID_INFO CLASS listing \*
//10.10.10.16/NETLOGON Mapping: OK, Listing: OK
//10.10.10.16/SYSVOL Mapping: OK, Listing: OK
enum4linux complete on Tue Dec 12 00:07:55 2023
```

I