



Task 2



$$\textcircled{2} \Rightarrow A \oplus C \oplus B \oplus A \oplus B \oplus \sim C$$

$$\therefore F_0 = \sim (A \oplus C \oplus B \oplus A \oplus B \oplus \sim C)$$

$\Rightarrow$ Simplifying logic circuits

$$F_0 = 1$$

$\Rightarrow$ This is Tautology


Date: /

To Draw Truth Table

0 0
0 1
1 0
1 1

→ Initial

Depend
Sum & Carry



ch

0 → 0 0
1 → 0 1
2 → 1 0
3 → 1 1

Iteration 1%

0 >> 1 8 1 → 0
0 >> 0 8 1 → 0
INT

String
00

Iteration 2%

1 >> 1 8 1 → 1
1 >> 0 8 1 → 0
01

Date: / /

TTetation 3 :

$$\left[\begin{array}{l} 10 \rightarrow 00 \\ 10 \rightarrow 10 \end{array} \right] \begin{array}{l} 2 \ggg 1 \\ 2 \ggg 0 \end{array} \begin{array}{l} 8 \ 1 \rightarrow 0 \\ 8 \ 1 \rightarrow 1 \end{array} \right]$$

TTetation 4 :

$$\left[\begin{array}{l} 11 \rightarrow 10 \\ 11 \rightarrow 11 \end{array} \right] \begin{array}{l} 3 \ggg 1 \\ 3 \ggg 0 \end{array} \begin{array}{l} 8 \ 1 \rightarrow 1 \\ 8 \ 1 \rightarrow 1 \end{array} \right]$$

$\Rightarrow$ This is easy To Implement

$$0 \rightarrow 2^n - 1$$

$$\text{int bit} = (i \gg j) \& 1 \quad (0 \rightarrow n - 1)$$

$$S += \text{char}(\text{bit} + '0')$$

$\hookrightarrow$ Convert To String

Date: /



a	b
0	0
0	1
1	0
1	1

I need To extract all Combination values To each I/P

⇒ Soln

```
struct gate {  
    name ;  
    Value [ ] ;  
}
```



[{ a : [0 0 1 1] }

{ b : [0 1 0 1] }

↙
name

↘ values

