

# LING 573 Paper

Eli Bales, Pangbo Ban, Avani Pai, Hilly Steinmetz

University of Washington

Seattle, WA USA

{elibales, pbban, apai3, hsteinm}@uw.edu

## Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## 1 Introduction

Jokes are a form of figurative language that present a unique challenge to NLP systems. Using humor to communicate provides a difficult subjectivity that even humans have trouble tackling, as what one person may find funny, another may take offense to. Such controversy may point to hateful or offensive content, which is using humor to veil its intentions. Being able to identify a joke can help improve interaction between humans and computers, and recognizing if a joke is controversial will assist in user-content moderation.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## 2 Task description

[Hahackathon](#) is a shared task from SemEval 2021. The text data used in the shared class were collected from Twitter and from the Kaggle Short Jokes dataset<sup>1</sup> and labelled by 20 human readers

<sup>1</sup><https://www.kaggle.com/datasets/abhinavmoudgil95/short-jokes>

aged 18-70. Readers classified the texts as humorous or not and rated how humorous the texts was on a 0-4 scale. Readers also classified humorous texts as offensive and provided a rating of how offensive the text was on a 0-4 scale. To identify which jokes were controversial, any joke with a humor rating variance higher than a set threshold was marked "controversial." (Meaney et al., 2021)

We developed a system to classify texts as humorous or not, curating data by randomly splitting the shared task's training set of 8,000 texts into 6,600 training texts, 800 development/validation texts, and 800 test texts. Performance is evaluated on the training and test sets by calculating its F-score and accuracy. We then extended our system by training it on the controversial humorous texts, evaluating controversial classification performance the same way as humor classification evaluation.

## 3 System Overview

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## 4 Approach

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## 5 Results

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## 6 Discussion

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## 7 Conclusion

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## References

- Dan Jurafsky and James H. Martin. 2022. *Speech and Language Processing*, 3rd edition (draft) edition. Online.
- J. A. Meaney, Steven Wilson, Luis Chiruzzo, Adam Lopez, and Walid Magdy. 2021. [SemEval 2021 task 7: HaHackathon, detecting and rating humor and offense](#). In *Proceedings of the 15th International Workshop on Semantic Evaluation (SemEval-2021)*, pages 105–119, Online. Association for Computational Linguistics.
- Julia M. Taylor. 2014. *Linguistic Theories of Humor*, volume 2, pages 455–457. SAGE Reference, Los Angeles, CA. Topic overview.