

# Cucumber Report

Jul 21, 2023, 4:15:54 PM

Start : Jul 21, 4:15:47.359 PM

End : Jul 21, 4:15:53.532 PM

Duration : 6.173 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0



<i>Feature</i>		<i>Scenario</i>				<i>Step</i>			
<i>Name</i>	<i>Duration</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<u>Check_lesson</u>	6.173 s	1	0	1	0	2	1	1	0

#	Feature Name	Scenario Name
1	<u>Check_lesson</u>	<u>US8_Get_created_lesson_by_lesson_name</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@api_test	1	0	1	0	1	0	1	0
@Check_created_new_lessons_API_TC_01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Check_lesson</u>	1	0	1	0	6.173 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check_lesson</u>	<u>US8_Get_created_lesson_by_lesson_name</u>	2	1	1	0	6.167 s

## Check\_lesson

<b>FAILED</b>	DURATION - 6.173 s	Scenarios		Steps	
/ 4:15:47.359 PM // 4:15:53.532 PM /		Total - 1		Total - 2	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## US8\_Get\_created\_lesson\_by\_lesson\_name

<div>FAILED</div> <div>DURATION - 6.167 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:15:47.365 PM // 4:15:53.532 PM /</div>				
<div>Check_lesson</div>				
<div>@api_test @Check_created_new_lessons_API_TC_01</div>				

#	Step / Hook Details	Status	Duration
1	Given send get request by lesson_name "Cypress" to get the lesson schedule	PASSED	0.219 s
2	Then body should contains lesson_name "Cypress" , compulsory "true", creditScore "10" java.lang.IllegalArgumentException: The parameter "lessonName" was used but not defined. Define parameters using the JsonPath.params(...) function at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:286) at io.restassured.internal.path.json.JSONAssertion.getAsJsonObject(JSONAssertion.groovy:50) at io.restassured.internal.path.json.JSONAssertion\$getAsJsonObject.callCurrent(Unknown Source) at io.restassured.internal.path.json.JSONAssertion.getResult(JSONAssertion.groovy:28) at io.restassured.path.json.JsonPath.get(JsonPath.java:203) at io.restassured.path.json.JsonPath.getList(JsonPath.java:375) at stepdefinitions.US_08_StepDefs.US_08_API_StepDefs.	FAILED	0.128 s

#	Step / Hook Details	Status	Duration
	<p>bodyShouldContainsLesson_nameCompulsoryCreditScore(US_08_API_StepDefs.java:33)</p> <p>at ?.body should contains lesson_name "Cypress", compulsory "true", creditScore "10"(file:///C:/Users/Gulay/team03project/./src/test/resources/features/US_08/API_TC_01.feature:7)</p> <p>Caused by: groovy.lang.MissingPropertyException: No such property: lessonName for class: java.util.LinkedHashMap\$Entry</p> <p>at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.unwrap(ScriptBytecodeAdapter.java:67)</p> <p>at org.codehaus.groovy.vmplugin.v8.IndyGuardsFiltersAndSignatures.unwrap(IndyGuardsFiltersAndSignatures.java:161)</p> <p>at org.codehaus.groovy.vmplugin.v8.IndyInterface.fromCache(IndyInterface.java:318)</p> <p>at Script1\$_run_closure1.doCall(Script1.groovy:1)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)</p> <p>at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)</p> <p>at org.codehaus.groovy.runtime.metaclass.ClosureMetaClass.invokeMethod(ClosureMetaClass.java:279)</p> <p>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaClassSite.call(PogoMetaClassSite.java:39)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)</p> <p>at org.codehaus.groovy.runtime.callsite.BooleanReturningMethodInvoker.invoke(BooleanReturningMethodInvoker.java:49)</p> <p>at org.codehaus.groovy.runtime.callsite.BooleanClosureWrapper.call(BooleanClosureWrapper.java:52)</p> <p>at org.codehaus.groovy.runtime.callsite.BooleanClosureWrapper.callForMap(BooleanClosureWrapper.java:64)</p> <p>at org.codehaus.groovy.runtime.DefaultGroovyMethods.findAll(DefaultGroovyMethods.java:4645)</p> <p>at org.codehaus.groovy.runtime.dgm\$248.doMethodInvoke(Unknown Source)</p> <p>at org.codehaus.groovy.vmplugin.v8.IndyInterface.fromCache(IndyInterface.java:318)</p> <p>at Script1.run(Script1.groovy:1)</p> <p>at groovy.lang.GroovyShell.evaluate(GroovyShell.java:460)</p> <p>at groovy.lang.GroovyShell.evaluate(GroovyShell.java:495)</p> <p>at groovy.lang.GroovyShell.evaluate(GroovyShell.java:469)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrap.invoke(PogoMetaMethodSite.java:186)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.call(PogoMetaMethodSite.java:75)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)</p> <p>at io.restassured.internal.path.json.JSONAssertion.eval(JSONAssertion.groovy:84)</p> <p>at io.restassured.internal.path.json.JSONAssertion.this\$2\$eval(JSONAssertion.groovy)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.path.json.JSONAssertion.getAsJsonObject(JSONAssertion.groovy:46) at io.restassured.internal.path.json.JSONAssertion\$getAsJsonObject.callCurrent(Unknown Source) at io.restassured.internal.path.json.JSONAssertion.getResult(JSONAssertion.groovy:28) at io.restassured.path.json.JsonPath.get(JsonPath.java:203) at io.restassured.path.json.JsonPath.getList(JsonPath.java:375) at stepdefinitions.US_08_StepDefs.US_08_API_StepDefs. bodyShouldContainsLesson_nameCompulsoryCreditScore(US_08_API_StepDefs.java:33) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.953 s
	screenshots		