

Cucumber Report

Jul 22, 2023, 12:20:51 PM

Start : Jul 22, 12:18:34.348 PM

End : Jul 22, 12:20:50.368 PM

Duration : 2 m 16.020 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 5
SKIPPED - 0


PASSED - 80
FAILED - 5
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>US_04_TC01_UI Admin should be able to add Dean</u>	2 m 16.020 s	5	0	5	0	90	80	5	5

#	Feature Name	Scenario Name
1	<u>US_04_TC01_UI Admin should be able to add Dean</u>	<u>Add a new Dean with valid information</u>
2		<u>Add a new Dean with invalid information</u>
3		<u>Add a new Dean with invalid information</u>
4		<u>Add a new Dean with invalid information</u>
5		<u>Add a new Dean with invalid information</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@US04	5	0	5	0	1	0	1	0
@US_04_TC01	5	0	5	0	1	0	1	0
@ui_test	5	0	5	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>US_04_TC01_UI Admin should be able to add Dean</u>	5	0	5	0	2 m 16.020 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>US_04_TC01_UI Admin should be able to add Dean</u>	<u>Add a new Dean with valid information</u>	18	16	1	1	32.691 s
2		<u>Add a new Dean with invalid information</u>	18	16	1	1	25.755 s
3		<u>Add a new Dean with invalid information</u>	18	16	1	1	26.114 s
4		<u>Add a new Dean with invalid information</u>	18	16	1	1	25.672 s
5		<u>Add a new Dean with invalid information</u>	18	16	1	1	25.649 s

US_04_TC01_UI Admin should be able to add Dean


FAILED	DURATION - 2 m 16.020 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 90 Pass - 80 Fail - 5 Skip - 5	
/ 12:18:34.348 PM // 12:20:50.368 PM /					

Add a new Dean with valid information



FAILED	DURATION - 32.691 s		Steps Total - 18 Pass - 16 Fail - 1 Skip - 1	
/ 12:18:34.354 PM // 12:19:07.045 PM /				
US_04_TC01_UI Admin should be able to add Dean				
@US04 @US_04_TC01 @ui_test				

#	Step / Hook Details	Status	Duration
1	Given admin goes to "https://managementonschools.com/"	PASSED	7.855 s
2	When admin clicks on login link	PASSED	0.594 s
3	And admin enters username "Project09Admin" and password "12345678"	PASSED	0.731 s
4	And admin clicks on login button	PASSED	0.408 s
5	Given admin clicks on menu button	PASSED	2.446 s
6	And admin clicks dean management link	PASSED	0.528 s
7	And admin enters dean name "John" to add dean section	PASSED	1.437 s
8	And admin enters dean surname "Doe" to add dean section	PASSED	0.415 s
9	And admin enters dean birthplace "Toronto" to add dean section	PASSED	0.392 s
10	And admin selects dean gender "1" from add dean section	PASSED	0.472 s
11	And admin enters dean dateofbirth "01/01/2001" to add dean section	PASSED	0.400 s
12	And admin enters dean phonenumber "123-123-4358" to add dean section	PASSED	0.476 s
13	And admin enters dean SSN "321-12-4358" to add dean section	PASSED	0.453 s
14	And admin enters dean username "johndoe58" to add dean section	PASSED	0.410 s
15	And admin enters dean password "JDoe2001@" to add dean section	PASSED	0.408 s


#	Step / Hook Details	Status	Duration
16	And admin click submit button	PASSED	0.364 s
17	And admin validates dean saved alert message	FAILED	11.025 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d72f54dd07804988d97de18bea1ed6a2, findElement {using=xpath, value=//div[.='Dean Saved']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/bq/x0lhfbqd4zg...}, goog:chromeOptions: {debuggerAddress: localhost:49418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:49418/devtoo..., se.cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d72f54dd07804988d97de18bea1ed6a2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at stepdefinitions.US_04.US04_TC01_UI_StepDefs.admin_validates_dean_saved_alert_message(US04_TC01_UI_StepDefs.java:85) at ? admin validates dean saved alert message(file:///Users/hatadurdyev/IdeaProjects/team03project/.src/test/resources/features/US_04/US04_UI_Test.feature:25) * Not displayable characters are replaced by '?'. </p>		
18	And close the app	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.631 s
	screenshots		

#	Step / Hook Details	Status	Duration
			



Add a new Dean with invalid information

FAILED	DURATION - 25.755 s		<div>Steps</div> <div>Total - 18</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:19:07.091 PM // 12:19:32.846 PM /				
US_04_TC01_UI Admin should be able to add Dean				
@US04 @US_04_TC01 @ui_test				


#	Step / Hook Details	Status	Duration
1	Given admin goes to "https://managementonschools.com/"	PASSED	3.716 s
2	When admin clicks on login link	PASSED	0.601 s
3	And admin enters username "Project09Admin" and password "12345678"	PASSED	0.730 s
4	And admin clicks on login button	PASSED	0.388 s
5	Given admin clicks on menu button	PASSED	2.439 s
6	And admin clicks dean management link	PASSED	0.514 s
7	And admin enters dean name "" to add dean section	PASSED	1.403 s
8	And admin enters dean surname "Witcher" to add dean section	PASSED	0.464 s
9	And admin enters dean birthplace "Ottawa" to add dean section	PASSED	0.393 s
10	And admin selects dean gender "0" from add dean section	PASSED	0.428 s
11	And admin enters dean dateofbirth "02.02.2002" to add dean section	PASSED	0.399 s
12	And admin enters dean phonenumber "123-123-4343" to add dean section	PASSED	0.436 s
13	And admin enters dean SSN "321-12-4357" to add dean section	PASSED	0.446 s
14	And admin enters dean username "" to add dean section	PASSED	0.372 s
15	And admin enters dean password "ottawaW" to add dean section	PASSED	0.403 s
16	And admin click submit button	PASSED	0.332 s
17	And admin validates dean saved alert message	FAILED	11.065 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0e3a19d4160c528540eb83a827916d95, findElement {using=xpath, value=//div[.='Dean Saved']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/bq/x0lhfbqd4zg...}, goog:chromeOptions: {debuggerAddress: localhost:49446}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49446/devtoo..., se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0e3a19d4160c528540eb83a827916d95</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at stepdefinitions.US_04.US04_TC01_UI_StepDefs.admin_validates_dean_saved_alert_message(US04_TC01_UI_StepDefs.java:85) at ?.admin validates dean saved alert message(file:///Users/hatadurdyev/IdeaProjects/team03project/.src/test/resources/features/US_04/US04_UI_Test.feature:46) * Not displayable characters are replaced by '?'. </p>		
18	And close the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.537 s
	<p>screenshots</p> 		



Add a new Dean with invalid information

FAILED	DURATION - 26.114 s		<div>Steps</div> <div>Total - 18</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:19:32.879 PM // 12:19:58.993 PM /				
US_04_TC01_UI Admin should be able to add Dean				
@US04 @US_04_TC01 @ui_test				


#	Step / Hook Details	Status	Duration
1	Given admin goes to "https://managementonschools.com/"	PASSED	4.359 s
2	When admin clicks on login link	PASSED	0.581 s
3	And admin enters username "Project09Admin" and password "12345678"	PASSED	0.648 s
4	And admin clicks on login button	PASSED	0.374 s
5	Given admin clicks on menu button	PASSED	2.478 s
6	And admin clicks dean management link	PASSED	0.475 s
7	And admin enters dean name "Mage" to add dean section	PASSED	1.473 s
8	And admin enters dean surname "Witcher" to add dean section	PASSED	0.420 s
9	And admin enters dean birthplace "Montreal" to add dean section	PASSED	0.404 s
10	And admin selects dean gender "1" from add dean section	PASSED	0.411 s
11	And admin enters dean dateofbirth "01.01.01" to add dean section	PASSED	0.386 s
12	And admin enters dean phonenumber "" to add dean section	PASSED	0.382 s
13	And admin enters dean SSN "321-12-4333" to add dean section	PASSED	0.427 s
14	And admin enters dean username "magewitcher" to add dean section	PASSED	0.433 s
15	And admin enters dean password "magewitcher" to add dean section	PASSED	0.424 s
16	And admin click submit button	PASSED	0.340 s
17	And admin validates dean saved alert message	FAILED	11.020 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5302a04d167652ab28243872893cd3bf, findElement {using=xpath, value=//div[.='Dean Saved']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/bq/x0lhfbqd4zg...}, goog:chromeOptions: {debuggerAddress: localhost:49472}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:49472/devtoo..., se.cdpVersion: 114.0.5735.248, setWindowRect: true,		

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5302a04d167652ab28243872893cd3bf</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at stepdefinitions.US_04.US04_TC01_UI_StepDefs.admin_validates_dean_saved_alert_message(US04_TC01_UI_StepDefs.java:85) at ?.admin validates dean saved alert message(file:///Users/hatadurdyev/IdeaProjects/team03project/.src/test/resources/features/US_04/US04_UI_Test.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		
18	And close the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.518 s
	screenshots		
			



Add a new Dean with invalid information

FAILED	DURATION - 25.672 s		<div>Steps</div> <div>Total - 18</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div>
/ 12:19:59.028 PM // 12:20:24.700 PM /			
US_04_TC01_ UI Admin should be able to add Dean			
@US04 @US_04_TC01 @ui_test			

#	Step / Hook Details	Status	Duration
1	Given admin goes to "https://managementonschools.com/"	PASSED	3.817 s
2	When admin clicks on login link	PASSED	0.568 s
3	And admin enters username "Project09Admin" and password "12345678"	PASSED	0.638 s
4	And admin clicks on login button	PASSED	0.386 s
5	Given admin clicks on menu button	PASSED	2.410 s
6	And admin clicks dean management link	PASSED	0.501 s
7	And admin enters dean name "Ris e" to add dean section	PASSED	1.443 s
8	And admin enters dean surname "Kings" to add dean section	PASSED	0.404 s
9	And admin enters dean birthplace "ROK" to add dean section	PASSED	0.379 s
10	And admin selects dean gender "0" from add dean section	PASSED	0.409 s
11	And admin enters dean dateofbirth "01-01-2001" to add dean section	PASSED	0.376 s
12	And admin enters dean phonenumber "123-123-4343" to add dean section	PASSED	0.479 s
13	And admin enters dean SSN "321-12 4344" to add dean section	PASSED	0.458 s
14	And admin enters dean username "ris ekings" to add dean section	PASSED	0.425 s
15	And admin enters dean password "Ris eKings@1" to add dean section	PASSED	0.450 s
16	And admin click submit button	PASSED	0.346 s
17	And admin validates dean saved alert message	FAILED	11.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [101582a08a5fd7d6b1f2d5efbeddaf41, findElement {using=xpath, value=//div[.='Dean Saved']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/bq/x0lhfbqd4zg...}, goog:chromeOptions: {debuggerAddress: localhost:49498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49498/devtoo..., se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Session ID: 101582a08a5fd7d6b1f2d5efbeddaf41</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source)</p> <p>at stepdefinitions.US_04.US04_TC01_UI_StepDefs.admin_validates_dean_saved_alert_message(US04_TC01_UI_StepDefs.java:85)</p> <p>at ?.admin validates dean saved alert message(file:///Users/hatadurdyev/IdeaProjects/team03project/.src/test/resources/features/US_04/US04_UI_Test.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		
18	And close the app	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.534 s
	screenshots		
			

Add a new Dean with invalid information

FAILED		DURATION - 25.649 s			<div>Steps</div> <div>Total - 18</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:20:24.719 PM // 12:20:50.368 PM /						
US_04_TC01_ UI Admin should be able to add Dean						
@US04 @US_04_TC01 @ui_test						

#	Step / Hook Details	Status	Duration
1	Given admin goes to "https://managementonschools.com/"	PASSED	3.986 s
2	When admin clicks on login link	PASSED	0.610 s
3	And admin enters username "Project09Admin" and password "12345678"	PASSED	0.665 s
4	And admin clicks on login button	PASSED	0.428 s
5	Given admin clicks on menu button	PASSED	2.448 s
6	And admin clicks dean management link	PASSED	0.481 s
7	And admin enters dean name "" to add dean section	PASSED	1.385 s
8	And admin enters dean surname "" to add dean section	PASSED	0.427 s
9	And admin enters dean birthplace "" to add dean section	PASSED	0.392 s
10	And admin selects dean gender "0" from add dean section	PASSED	0.460 s
11	And admin enters dean dateofbirth "" to add dean section	PASSED	0.364 s
12	And admin enters dean phonenumber "" to add dean section	PASSED	0.381 s
13	And admin enters dean SSN "" to add dean section	PASSED	0.356 s
14	And admin enters dean username "" to add dean section	PASSED	0.355 s
15	And admin enters dean password "" to add dean section	PASSED	0.381 s
16	And admin click submit button	PASSED	0.339 s
17	And admin validates dean saved alert message	FAILED	11.027 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [251c5cc6fc7ba46775c281e7fc0be354, findElement {using=xpath, value="//div[.='Dean Saved']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/bq/x0lhfbqd4zg...), goog:chromeOptions: {debuggerAddress: localhost:49525}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49525/devtoo..., se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Session ID: 251c5cc6fc7ba46775c281e7fc0be354</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source)</p> <p>at stepdefinitions.US_04.US04_TC01_UI_StepDefs.admin_validates_dean_saved_alert_message(US04_TC01_UI_StepDefs.java:85)</p> <p>at ?.admin validates dean saved alert message(file:///Users/hatadurdyev/IdeaProjects/team03project/.src/test/resources/features/US_04/US04_UI_Test.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		
18	And close the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.531 s
	screenshots		
	