

# Cucumber Report

Jul 13, 2023, 4:50:42 PM

Start : Jul 13, 4:50:33.347 PM

End : Jul 13, 4:50:41.903 PM

Duration : 8.556 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>US_02 Admin should be able to see the Guest User List</u>	8.556 s	1	0	1	0	10	0	1	9

#	Feature Name	Scenario Name
1	<u>US_02 Admin should be able to see the Guest User List</u>	<u>Check the Guest List</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@US_02_TC01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>US_02 Admin should be able to see the Guest User List</u>	1	0	1	0	8.556 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US_02 Admin should be able to see the Guest User List	Check the Guest List	10	0	1	9	8.553 s

## US\_02 Admin should be able to see the Guest User List

<b>FAILED</b>	DURATION - 8.556 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	
/ 4:50:33.347 PM // 4:50:41.903 PM /					

### Check the Guest List

<b>FAILED</b>	DURATION - 8.553 s		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	
/ 4:50:33.350 PM // 4:50:41.903 PM /				
US_02 Admin should be able to see the Guest User List				
@US_02_TC01				

#	Step / Hook Details	Status	Duration
1	<p>Given admin goes to "https://managementonschools.com/"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.US_02_StepDefs.US_02_StepDefs_UI  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p>	FAILED	4.857 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)</p> <p>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)</p> <p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)</p> <p>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 46 more Caused by: org.openqa.selenium.InvalidSelectorException: Compound class names not permitted For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: driver.version: unknown</p> <p>at org.openqa.selenium.By\$ByClassName.&lt;init&gt;(By.java:308)</p>		



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.By.className(By.java:99) at org.openqa.selenium.support.AbstractFindByBuilder.buildByFromShortFindBy(AbstractFindByBuilder.java:42) at org.openqa.selenium.support.FindBy\$FindByBuilder.buildIt(FindBy.java:83) at org.openqa.selenium.support.pagefactory.Annotations.buildBy(Annotations.java:82) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:58) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:46) at org.openqa.selenium.support.pagefactory.DefaultElementLocatorFactory.createLocator(DefaultElementLocatorFactory.java:32) at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:55) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:109) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:101) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:88) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:76) at pages.GuestUserPage.<init>(GuestUserPage.java:10) at stepdefinitions.US_02_StepDefs.US_02_StepDefs_UI.<init>(US_02_StepDefs_UI.java:17) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When admin clicks on login link	SKIPPED	0.001 s
3	And admin enters username "Project09Admin"	SKIPPED	0.000 s
4	And admin enters password "12345678"	SKIPPED	0.000 s
5	And admin clicks on login button	SKIPPED	0.000 s
6	Given admin clicks on menu button	SKIPPED	0.001 s
7	And admin clicks guest user link	SKIPPED	0.000 s
8	And admin validates guest user list text on the page	SKIPPED	0.000 s
9	And admin deletes information on the guest user list	SKIPPED	0.001 s
10	And close the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.780 s
	screenshots		