

# Cucumber Report

14 Jul 2023, 19:12:21

**Start : Jul 14, 7:11:20.870 pm**

**End : Jul 14, 7:12:20.613 pm**

**Duration : 59.743 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 2**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 9**

**FAILED - 1**


**SKIPPED - 15**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Admin should be able to see updated deans Information(API)</u>	5.717 s	1	1	0	0	2	2	0	0
<u>Admin should be able to update Deans Information</u>	3.829 s	1	1	0	0	2	2	0	0
<u>admin_goes_to_dean_management_page_to_edit_dean_informati-on</u>	50.150 s	2	1	1	0	21	5	1	15

#	Feature Name	Scenario Name
1	<u>admin_goes_to_dean_management_page_to_edit_dean_information</u>	<u>TC02_admin_should_update_deans</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Api	1	1	0	0	1	1	0	0
@e2e	4	3	1	0	3	2	1	0
@us05_DB	1	1	0	0	1	1	0	0
@dean_mng_login	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Admin should be able to see updated deans Information(API)</u>	1	1	0	0	5.717 s
2	<u>Admin should be able to update Deans Information</u>	1	1	0	0	3.829 s
3	<u>admin_goes_to_dean_management_page_to_edit_dean_information</u>	2	1	1	0	50.150 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Admin should be able to see updated deans Information(API)</u>	<u>US05_Get_updatedDean_by_username</u>	2	2	0	0	5.711 s
2	<u>Admin should be able to update Deans Information</u>	<u>: US05_GetTheUpdatedDean</u>	2	2	0	0	3.828 s
3	<u>admin_goes_to_dean_management_page_to_edit_dean_information</u>	<u>admin_goes_to_login_page</u>	5	5	0	0	23.829 s
4		<u>TC02_admin_should_update_deans</u>	16	0	1	15	26.308 s

### Admin should be able to see updated deans Information(API)



<b>PASSED</b>	<b>DURATION - 5.717 s</b>	Scenarios		Steps	
/ 7:11:20.870 pm // 7:11:26.587 pm /		Total - 1		Total - 2	
		Pass - 1		Pass - 2	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### US05\_Get\_updatedDean\_by\_username



<div>PASSED</div>	<div>DURATION - 5.711 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:11:20.876 pm // 7:11:26.587 pm /</div>				
<div>Admin should be able to see updated deans Information(API)</div>				
<div>@Api @e2e</div>				

#	Step / Hook Details	Status	Duration
1	Given send get request by "Jeremy001" to get the dean	PASSED	1.510 s
2	Then body should contains username "Jeremy001" , name "Jeremy", surname "Doe", birth_place "London", birth_day "1998-09-13", phone_number "198-182-3914", ssn "182-32-4621",gender "FEMALE"	PASSED	0.861 s

### Admin should be able to update Deans Information

<b>PASSED</b>	<b>DURATION - 3.829 s</b>	Scenarios		Steps	
/ 7:11:26.615 pm // 7:11:30.444 pm /		Total - 1		Total - 2	
		Pass - 1		Pass - 2	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### : US05\_GetTheUpdatedDean



<div>PASSED</div> <div>DURATION - 3.828 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:11:26.616 pm // 7:11:30.444 pm /</div>			
<div>Admin should be able to update Deans Information</div>			
<div>@us05_DB @e2e</div>			

#	Step / Hook Details	Status	Duration
1	Given get the updated dean via "Jeremy001"	PASSED	2.983 s
2	Then body will contains birth_day "1998-09-13" , birth_place "London" , gender "1" , name "Jeremy" , phone_number "198-182-3914" , ssn "182-32-4621" , surname "Doe" , username "Jeremy001"	PASSED	0.001 s

### admin\_goes\_to\_dean\_management\_page\_to\_edit\_dean\_information

<div>FAILED</div>	<div>DURATION - 50.150 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div></div></div><div>2</div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 15</div>	<div><div><div></div><div></div><div></div></div><div>21</div></div>
<div>/ 7:11:30.463 pm // 7:12:20.613 pm /</div>					

### admin\_goes\_to\_login\_page



<div>PASSED</div> <div>DURATION - 23.829 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 7:11:30.463 pm // 7:11:54.292 pm /</div>			
<div>admin_goes_to_dean_management_page_to_edit_dea- n_information</div>			
<div>@dean_mng_login @e2e</div>			

#	Step / Hook Details	Status	Duration
1	Given admin navigates to url "https://managementonschools.com/"	PASSED	20.468 s
2	When admin clicks to login icon	PASSED	0.155 s



#	Step / Hook Details	Status	Duration
3	And admin enters username "Project09Admin"	PASSED	0.317 s
4	And admin enters password "12345678"	PASSED	0.161 s
5	And admin click to login button	PASSED	2.076 s

## TC02\_admin\_should\_update\_deans

FAILED	DURATION - 26.308 s		<b>Steps</b> Total - 16 Pass - 0 Fail - 1 Skip - 15	
/ 7:11:54.305 pm // 7:12:20.613 pm /				
admin_goes_to_dean_management_page_to_edit_dean_information				
@dean_mng_login @e2e				

#	Step / Hook Details	Status	Duration
1	Given admin clicks menu button  io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.US05_StepDefs.US05_UI_StepDefs. US05_UIStepDefs at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)	FAILED	0.030 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.198) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.3.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e1a41094eb5ea045c5951bd64bce8aee, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.198, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/mt/ yd9nw7415k3...}, goog:chromeOptions: {debuggerAddress: localhost:62064}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62064/devtoo..., se:cdpVersion: 114.0.5735.198, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e1a41094eb5ea045c5951bd64bce8aee </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:955) at utilities.Driver.getDriver(Driver.java:53) at pages.DeanMngPage.<init>(DeanMngPage.java:12) at stepdefinitions.US05_StepDefs.US05_UI_StepDefs.US05_UIStepDefs.<init>(US05_UIStepDefs.java:18) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When admin clicks dean management option	SKIPPED	0.001 s
3	And admin clicks on edit button	SKIPPED	0.000 s
4	And admin enters dean name "Jeremy"	SKIPPED	0.001 s
5	And admin enters dean surname "Doe"	SKIPPED	0.000 s
6	And admin enters dean birthplace "London"	SKIPPED	0.001 s
7	And admin selects dean gender	SKIPPED	0.001 s
8	And admin enters dean dateofbirth "13/09/1998"	SKIPPED	0.000 s
9	And admin enters dean phonenumber "198-182-3914"	SKIPPED	0.000 s
10	And admin enters dean SSN "182-32-4621"	SKIPPED	0.000 s
11	And admin enters dean username "Jeremy001"	SKIPPED	0.001 s
12	And admin enters dean password "12345678"	SKIPPED	0.000 s
13	And admin clicks submit button in edit page	SKIPPED	0.001 s
14	Then assert "Dean Successfully Updated" message displayed	SKIPPED	0.000 s
15	And admin clicks on cross sign	SKIPPED	0.001 s
16	And close the website	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.198) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.3.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e1a41094eb5ea045c5951bd64bce8aee, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration
	<p>browserVersion: 114.0.5735.198, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/mt/ yd9nw7415k3...}, goog:chromeOptions: {debuggerAddress: localhost:62064}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62064/devtoo..., se:cdpVersion: 114.0.5735.198, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e1a41094eb5ea045c5951bd64bce8aee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:955) at utilities.Driver.getDriver(Driver.java:53) at hooks.Hooks.tearDown(Hooks.java:32)</p>		