


| Feature | | Scenario | | | | Step | | | |
|--|--------------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| US_04_TC01_UI Admin should be able to add Dean | 2 m 10.602 s | 5 | 1 | 4 | 0 | 90 | 82 | 4 | 4 |

| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | US_04_TC01_UI Admin should be able to add Dean | Add a new Dean with invalid information |
| 2 | | Add a new Dean with invalid information |
| 3 | | Add a new Dean with invalid information |
| 4 | | Add a new Dean with invalid information |


| TAG | Scenario | | | | Feature | | | |
|-------------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @US04 | 5 | 1 | 4 | 0 | 1 | 0 | 1 | 0 |
| @US_04_TC01 | 5 | 1 | 4 | 0 | 1 | 0 | 1 | 0 |
| @ui_test | 5 | 1 | 4 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5



| # | Feature Name | T | P | F | S | Duration | |
|---|--|---|---|---|---|--------------|--|
| 1 | US_04_TC01_UI Admin should be able to add Dean | 5 | 1 | 4 | 0 | 2 m 10.602 s | |


SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|----|---|---|----------|
| 1 | US_04_TC01_UI Admin should be able to add Dean | Add a new Dean with valid information | 18 | 18 | 0 | 0 | 26.906 s |
| 2 | | Add a new Dean with invalid information | 18 | 16 | 1 | 1 | 25.953 s |
| 3 | | Add a new Dean with invalid information | 18 | 16 | 1 | 1 | 26.091 s |
| 4 | | Add a new Dean with invalid information | 18 | 16 | 1 | 1 | 26.039 s |
| 5 | | Add a new Dean with invalid information | 18 | 16 | 1 | 1 | 25.503 s |

DETAILED SECTION -- 7 --


US_04_TC01_UI Admin should be able to add Dean





| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | Given admin goes to "https://managementonschools.com/" | PASSED | 9.526 s |
| 2 | When admin clicks on login link | PASSED | 0.755 s |
| 3 | And admin enters username "Project09Admin" and password "12345678" | PASSED | 0.799 s |
| 4 | And admin clicks on login button | PASSED | 0.382 s |
| 5 | Given admin clicks on menu button | PASSED | 2.413 s |
| 6 | And admin clicks dean management link | PASSED | 0.567 s |
| 7 | And admin enters dean name "John" to add dean section | PASSED | 1.450 s |
| 8 | And admin enters dean surname "Doe" to add dean section | PASSED | 0.401 s |
| 9 | And admin enters dean birthplace "Toronto" to add dean section | PASSED | 0.403 s |
| 10 | And admin selects dean gender "1" from add dean section | PASSED | 0.426 s |
| 11 | And admin enters dean dateofbirth "01/01/2001" to add dean section | PASSED | 0.388 s |
| 12 | And admin enters dean phonenumber "123-123-4358" to add dean section | PASSED | 0.446 s |
| 13 | And admin enters dean SSN "321-12-4358" to add dean section | PASSED | 0.409 s |
| 14 | And admin enters dean username "johndoe58" to add dean section | PASSED | 0.395 s |
| 15 | And admin enters dean password "JDoe2001@" to add dean section | PASSED | 0.400 s |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 16 | And admin click submit button | PASSED | 0.354 s |
| 17 | And admin validates dean saved alert message | PASSED | 1.364 s |
| 18 | And close the app | PASSED | 3.531 s |



| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | Given admin goes to "https://managementonschools.com/" | PASSED | 4.476 s |
| 2 | When admin clicks on login link | PASSED | 0.563 s |
| 3 | And admin enters username "Project09Admin" and password "12345678" | PASSED | 0.715 s |
| 4 | And admin clicks on login button | PASSED | 0.403 s |
| 5 | Given admin clicks on menu button | PASSED | 2.451 s |
| 6 | And admin clicks dean management link | PASSED | 0.477 s |
| 7 | And admin enters dean name "" to add dean section | PASSED | 1.394 s |
| 8 | And admin enters dean surname "Witcher" to add dean section | PASSED | 0.458 s |
| 9 | And admin enters dean birthplace "Ottawa" to add dean section | PASSED | 0.393 s |
| 10 | And admin selects dean gender "0" from add dean section | PASSED | 0.410 s |
| 11 | And admin enters dean dateofbirth "02.02.2002" to add dean section | PASSED | 0.386 s |
| 12 | And admin enters dean phonenumber "123-123-4343" to add dean section | PASSED | 0.436 s |
| 13 | And admin enters dean SSN "321-12-4357" to add dean section | PASSED | 0.400 s |
| 14 | And admin enters dean username "" to add dean section | PASSED | 0.345 s |
| 15 | And admin enters dean password "ottawaW" to add dean section | PASSED | 0.392 s |
| 16 | And admin click submit button | PASSED | 0.332 s |
| 17 | And admin validates dean saved alert message | FAILED | 11.034 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/ | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| # | webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [241c980a49d0c1530615ce80f1841390, findElement {using=xpath, value=//div[='Dean Saved']}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: (chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: /var/folders/bq/kOllhfbqd42g), goog:chromeOptions: {debuggerAddress: localhost.63120}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost.63120/devtoo, se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0}, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, setwork at java.base/java.lang.reflect.Constructor.HandleAccessor.newInstance(OrientConstructor)adalae(PirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.ElementLocation.FindElement(ElementLocation.java:59) at org.openqa.selenium.remote.Eleme | Status | Duration |
| | US_04/US04_UI_Test.feature:46) * Not displayable characters are replaced by '?'. | | |
| 18 | And close the app | SKIPPED | 0.002 s |
| | AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.407 s |
| | screenshots | | |
| | State Class Name (State Class | | |

DETAILED SECTION -- 10 --



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | Given admin goes to "https://managementonschools.com/" | PASSED | 4.470 s |
| 2 | When admin clicks on login link | PASSED | 0.536 s |
| 3 | And admin enters username "Project09Admin" and password "12345678" | PASSED | 0.767 s |
| 4 | And admin clicks on login button | PASSED | 0.390 s |
| 5 | Given admin clicks on menu button | PASSED | 2.424 s |
| 6 | And admin clicks dean management link | PASSED | 0.466 s |
| 7 | And admin enters dean name "Mage" to add dean section | PASSED | 1.448 s |
| 8 | And admin enters dean surname "Witcher" to add dean section | PASSED | 0.387 s |
| 9 | And admin enters dean birthplace "Montreal" to add dean section | PASSED | 0.416 s |
| 10 | And admin selects dean gender "1" from add dean section | PASSED | 0.416 s |
| 11 | And admin enters dean dateofbirth "01.01.01" to add dean section | PASSED | 0.369 s |
| 12 | And admin enters dean phonenumber "" to add dean section | PASSED | 0.380 s |
| 13 | And admin enters dean SSN "321-12-4333" to add dean section | PASSED | 0.443 s |
| 14 | And admin enters dean username "magewitcher" to add dean section | PASSED | 0.401 s |
| 15 | And admin enters dean password "magewitcher" to add dean section | PASSED | 0.400 s |
| 16 | And admin click submit button | PASSED | 0.344 s |
| 17 | And admin validates dean saved alert message | FAILED | 11.033 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c66c312cc6e54da1f94074406ebcf75b, findElement {using=xpath, value=//div[.='Dean Saved']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: /var/folders/bq/x0lhfbqd4zg}, goog:chromeOptions: {debuggerAddress: localhost:63246}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63246/devtoo, se:cdpVersion: 114.0.5735.248, setWindowRect: true, | | |

DETAILED SECTION -- 11 --


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength | | |
| 18 | And close the app | SKIPPED | 0.000 s |
| | AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) screenshots Lunderscore | PASSED | 0.473 s |


FAILED DURATION - 26.039 s


/ 12:57:47.268 AM // 12:58:13.307 AM /

US_04_TC01_UI Admin should be able to add Dean

@US04 @US_04_TC01 @ui_test







| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | Given admin goes to "https://managementonschools.com/" | PASSED | 4.490 s |
| 2 | When admin clicks on login link | PASSED | 0.515 s |
| 3 | And admin enters username "Project09Admin" and password "12345678" | PASSED | 0.718 s |
| 4 | And admin clicks on login button | PASSED | 0.402 s |
| 5 | Given admin clicks on menu button | PASSED | 2.417 s |
| 6 | And admin clicks dean management link | PASSED | 0.494 s |
| 7 | And admin enters dean name "Ris e" to add dean section | PASSED | 1.450 s |
| 8 | And admin enters dean surname "Kings" to add dean section | PASSED | 0.397 s |
| 9 | And admin enters dean birthplace "ROK" to add dean section | PASSED | 0.401 s |
| 10 | And admin selects dean gender "0" from add dean section | PASSED | 0.423 s |
| 11 | And admin enters dean dateofbirth "01-01-2001" to add dean section | PASSED | 0.373 s |
| 12 | And admin enters dean phonenumber "123-123-4343" to add dean section | PASSED | 0.468 s |
| 13 | And admin enters dean SSN "321-12 4344" to add dean section | PASSED | 0.399 s |
| 14 | And admin enters dean username "ris ekings" to add dean section | PASSED | 0.396 s |
| 15 | And admin enters dean password "Ris eKings@1" to add dean section | PASSED | 0.440 s |
| 16 | And admin click submit button | PASSED | 0.346 s |
| 17 | And admin validates dean saved alert message | FAILED | 11.045 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3157486624dc39f0f7f528371c0f00ff, findElement {using=xpath, value=//div[.='Dean Saved']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: /var/folders/bq/x0lhfbqd4zg}, goog:chromeOptions: {debuggerAddress: localhost:63374}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63374/devtoo, se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |

DETAILED SECTION -- 13 --


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | webauthn:virtualAuthenticators: true} Session ID: 3157486624dc39f0f7f528371c0f00ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$Element(RemoteWebDriver.java:591) at org.openqa.selenium.remote.ElementLocation.findElement(Element(Element(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(CleantigElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at stepdefinitions.US_04.US04_TC01_UI_StepDefs.admin_validates_dean_saved_alert_message(US04_TC01_UI_StepDefs.java:85) at ?.admin validates dean saved alert message(file://USers/hatadurdyyev/IdeaProjects/team03project/./src/test/resources/features/ US_04/US04_UI_Test.feature:46) * Not displayable characters are replaced by '?'. | | |
| 18 | And close the app | SKIPPED | 0.000 s |
| | AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) screenshots Very Control of Co | PASSED | 0.417 s |

FAILED DURATION - 25.503 s


/ 12:58:13.324 AM // 12:58:38.827 AM /

US_04_TC01_UI Admin should be able to add Dean

@US04 @US_04_TC01 @ui_test



Steps
Total - 18
Pass - 16
Fall - 1
Skip - 1



| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | Given admin goes to "https://managementonschools.com/" | PASSED | 4.355 s |
| 2 | When admin clicks on login link | PASSED | 0.490 s |
| 3 | And admin enters username "Project09Admin" and password "12345678" | PASSED | 0.702 s |
| 4 | And admin clicks on login button | PASSED | 0.370 s |
| 5 | Given admin clicks on menu button | PASSED | 2.417 s |
| 6 | And admin clicks dean management link | PASSED | 0.475 s |
| 7 | And admin enters dean name "" to add dean section | PASSED | 1.379 s |
| 8 | And admin enters dean surname "" to add dean section | PASSED | 0.427 s |
| 9 | And admin enters dean birthplace "" to add dean section | PASSED | 0.369 s |
| 10 | And admin selects dean gender "0" from add dean section | PASSED | 0.419 s |
| 11 | And admin enters dean dateofbirth "" to add dean section | PASSED | 0.348 s |
| 12 | And admin enters dean phonenumber "" to add dean section | PASSED | 0.357 s |
| 13 | And admin enters dean SSN "" to add dean section | PASSED | 0.360 s |
| 14 | And admin enters dean username "" to add dean section | PASSED | 0.374 s |
| 15 | And admin enters dean password "" to add dean section | PASSED | 0.355 s |
| 16 | And admin click submit button | PASSED | 0.333 s |
| 17 | And admin validates dean saved alert message | FAILED | 11.008 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[.='Dean Saved']"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d5982769703e66da233f57a5989b36c, findElement {using=xpath, value=//div[.='Dean Saved']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: /var/folders/bq/x0lhfbqd4zg}, goog:chromeOptions: {debuggerAddress: localhost:63500}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63500/devtoo, se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |

DETAILED SECTION -- 15 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| # | webauthn:virtualAuthenticators: true} Session ID: 8d5982769703e66da233f57a5989b36c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:330) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at org.openqa.selenium.support.pagefactory.openqa.lenentementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at stepdefinitions.US_04.US04_TC01_UI_StepDefs.admin_validates_dean_saved_alert_message(US04_TC01_UI_StepDefs.java:85) | Status | Duration |
| | at ?.admin validates dean saved alert message(file:///Users/hatadurdyyev/IdeaProjects/team03project/./src/test/resources/features/ | | |
| | US_04/US04_UI_Test.feature:46) * Not displayable characters are replaced by '?'. | | |
| 18 | And close the app | SKIPPED | 0.001 s |
| 10 | | | |
| | AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.449 s |
| | screenshots | - | |
| | All hardwares with the first f | | |