



MICROCHIP

B-FD-02OH-S18018435

Project: sds_pick Version: 5.6.2_ST-4.5 Event: sdshp92100100s2 Process: PICKLIST-B SSPage: Body

Direct Sales Order

ORDER DATA

Barcode Req'd:

Substitute Item: NO

Warehouse: FB1
 Sales Order: 50953644
 Order Terms: M90
 Financial Co: 105
 Intermediate Co:
 Exchange Rate: 1.000000
 Program ID: RB0002
 MD Distributor

Ship Complete: No
 Customer PO: 975782
 Carriage Paid: Yes
 Carrier: TNE
 LC Number:
 LC LSD:
 Proforma Inv #: 0
 Del Terms: CIP Grugliasco,IT

Ship To Address:
 Fabio Beggio
 Bitron Electronics SpA
 Strada del Portone 95
 Strada del Portone 95
 Grugliasco
 To 10095
 Italy



CUSTOMER DATA

Customer No: B43838
 Type: Revenue
 JIT Code: E/7 L/O
 ASN Req'd: No
 Tier 1: No
 QS9000: No
 Cust Fin Group: 403--Europe/Web (R)

Billing Address: Inner Box: No
 Bitron Electronics SpA
 Strada del Portone 95,
 10095, Grugliasco
 Torino, Italy
 Italy

Shipping Cutoff: STANDARD
 Doc Sets
 Before Finalization: STANDARD
 After Finalization: AF EU27
 Mass Consol: EU27 HUB
 Ship Region:

ORDER LINE DATA

										Base				
Line	Del	MPC	Catalog Part Number	Order Qty	Alloc Qty	Back Qty	Unit Pr.	Qty Sub	Wvr	Holds	Program?	Secure?		
2	0	63915TE5XC01	ATSAM4C32CA-AUTR	100000	100000	100	0	4.670	1000	No	No	NO		
PKG:100TQFP Catalog Part Number:				Customer Part No:										

PKG:100TQFP Catalog Part Number:

Customer Part No:



ATSAM4C32CA-AUTR



15030553

1-12 / 8.270 / 15.0 / 53
 13 / 9.770 / 7.7 / 59

(P) CUST. P/N: 15030553



LOT DETAIL

#	Lot	Qty (PCS)	Run	Expiry Dt.	Retest Dt.	Mfg Date	PMDC	RTDC	Tran Price	Ass'y Plant	Test Plant
1	263200517K00MMT	1000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 2545493,2545494											
2	263200517K00MMT	3000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 2545493,2545494											
3	263200603000MMT	5000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K5											
4	263200603000MMT	5000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K5											
5	263200604000MMT	7000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K6											
6	263200604000MMT	2000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K6											
7	263200604K00MMT	1000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K6,254551M											
8	263200604K00MMT	8000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K6,254551M											
9	263200605000MMT	6000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K7											
10	263200605000MMT	3000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K7											

PICK LIST

2026-01-13T09:26:16



18018435



S18018435

ESD: 01-25-2026
 PDD: 01-26-2026

















Germany

Page: 1(5)

LOT DETAIL

#	Lot	Qty (PCS)	Run	Expiry Dt.	Retest Dt.	Mfg Date	PMDC	RTDC	Tran Price	Ass'y Plant	Test Plant
11	263200605H00MMT	2000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K7,25455HY											
12	263200605H00MMT	3000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K7,25455HY											
13	263200671000MMT	9000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551K											
14	263200671K00MMT	8000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 2545490,254551K,25455J3											
15	263200671K00MMT	1000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 2545490,254551K,25455J3											
16	263200672000MMT	2000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551M											
17	263200672000MMT	2000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551M											
18	263200672000MMT	5000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551M											
19	263200672K00MMT	3000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551M,25469S8											
20	263200672K00MMT	5000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551M,25469S8											
21	263200673000MMT	3000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551P											
22	263200673000MMT	6000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 254551P											
23	263200673I00MMT	7000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25454K7,254551P											
24	263200800000MMT	3000	b0113202622	10-29-2029	11-01-2027	11-03-2025	2545	2545	1.698	MMT	MPHL
Country of Origin: TH Probe: MPHL Wafer Start: U12I Test Type: 02 Wafer Size: 12 TS: No EEM: Yes TS Wvr: Trace Codes: 25455HY											

















































PICKING DATA

MPC	Location	Lot	Qty (PCS)	Notes
 63915TE5XC01	 YK32	 263200603000MMT	 5000	
 63915TE5XC01	 YK50	 263200517K00MMT	 1000	
 63915TE5XC01	 YL01	 263200604000MMT	 7000	
 63915TE5XC01	 YL05	 263200604000MMT	 2000	

B-FD-02OH-S18018435

Direct Sales Order

PICKING DATA

































MPC	Location	Lot	Qty (PCS)	Notes
 63915TE5XC01	 YL22	 263200673000MMT	 3000	✓
 63915TE5XC01	 YL24	 263200672000MMT	 2000	✓
 63915TE5XC01	 YL26	 263200673000MMT	 6000	✓
 63915TE5XC01	 YL29	 263200672K00MMT	 3000	✓
 63915TE5XC01	 YL36	 263200672K00MMT	 5000	✓
 63915TE5XC01	 YL42	 263200603000MMT	 5000	✓
 63915TE5XC01	 YL43	 263200671K00MMT	 8000	✓
 63915TE5XC01	 YM02	 263200517K00MMT	 3000	✓
 63915TE5XC01	 YM11	 263200672000MMT	 2000	✓
 63915TE5XC01	 YM30	 263200672000MMT	 5000	✓
 63915TE5XC01	 YM33	 263200671K00MMT	 1000	✓
 63915TE5XC01	 YN13	 263200605000MMT	 6000	✓

PICK LIST

ESD: 01-25-2026
PDD: 01-26-2026

Germany
Page: 3(5)

PICKING DATA

MPC	Location	Lot	Qty (PCS)	Notes
 63915TE5XC01	 YN14	 263200605000MMT	 3000	/
 63915TE5XC01	 MR55-1	 263200673I00MMT	 7000	/
 63915TE5XC01	 SS46-3	 263200604K00MMT	 1000	/
 63915TE5XC01	 SS46-5	 263200604K00MMT	 8000	/
 63915TE5XC01	 SS91-4	 263200605H00MMT	 2000	/
 63915TE5XC01	 SS91-5	 263200605H00MMT	 3000	/
 63915TE5XC01	 ST64-2	 263200800000MMT	 3000	/
 63915TE5XC01	 ST65-2	 263200671000MMT	 9000	/

Customer Instructions :
No Instructions

Delivery Instruction for ALL WH :
No Instructions

Delivery Instruction for FB1 WH :
No Instructions

Sales Order :
No Instructions

Sales Order Line :
No Instructions



B-FD-02OH-S18018435

Project: sds_pick Version: 5.6.2_ST-4.5 Event: sdshp92100100s2 Process: PICKLIST-B SSPage: Body

Direct Sales Order

BAR CODES

Carrier: TNT EXPRESS(Non Doc)



B-FD-02OH-S18018435



FABIO BEGGIO



BITRON ELECTRONICS SPA



STRADA DEL PORTONE 95



STRADA DEL PORTONE 95



GRUGLIASCO



TO 10095



ITALY



Pick List: _____ Pick Parts: _____ Pick Confirm: _____ Pack: _____ P/L & Inv: _____

This shipment contains no coniferous wood packaging materials.

These commodities, technology or software were exported in accordance with applicable export control regulations. Diversion contrary to export controls is prohibited.

PICK LIST



18018435



S18018435

**ESD: 01-25-2026
PDD: 01-26-2026**

Germany
Page: 5(5)