# **Syntax**

# Climb-up: ^

### Grouping: ()

## Multiplication: \*

```
ul>li*5
```

# Item numbering: \$

```
div+div>p>span+em^^bq
   <div></div>
   <div>
        <span></span><em></em>
   </div>
   <blook<br/>quote></blockquote>
(div>dl>(dt+dd)*3)+footer>p
   <div>
        <dl>
            <dt></dt>
            < dd > < /dd >
            <dt></dt>
            <dd></dd>
           <dt></dt>
            <dd></dd>
       </dl>
   </div>
   <footer>
        </footer>
```

```
ul>li.item$*5
                                           h$[title=item$]{Header $}*3
                                                                                       ul>li.item$$$*5
  <h1 title="item1">Header 1</h1>
                                                                                          <l
     class="item1">
                                              <h2 title="item2">Header 2</h2>
                                                                                             class="item001">
     class="item2">
                                              <h3 title="item3">Header 3</h3>
                                                                                             class="item002">
     class="item3">
                                                                                             class="item003">
     class="item4">
                                                                                             class="item004">
     class="item5">
                                                                                             class="item005">
  ul>li.item$@3*5
ul>li.item$@-*5
  class="item5">
                                                 class="item3">
     class="item4">
                                                 class="item4">
     class="item3">
                                                 class="item5">
     class="item2">
                                                 class="item6">
     class="item1">
                                                 class="item7">
  ID and CLASS attributes
                                            .title
                                                                                       form#search.wide
#header
  <div id="header"></div>
                                              <div class="title"></div>
                                                                                          <form id="search" class="wide"></form>
p.class1.class2.class3
  Custom attributes
                                                                                       [a='value1' b="value2"]
p[title="Hello world"]
                                           td[rowspan=2 colspan=3 title]
  <div a="value1" b="value2"></div>
Text: {}
a{Click me}
                                           p>{Click }+a{here}+{ to continue}
  <a href="">Click me</a>
                                              Click <a href="">here</a> to continue
Implicit tag names
.class
                                           em>.class
                                                                                       ul>.class
  <div class="class"></div>
                                              <em><span class="class"></span></em>
                                                                                          <l
                                                                                             class="class">
                                                                                          table>.row>.col
```

#### HTML

All unknown abbreviations will be transformed to tag, e.g.  $foo \rightarrow < foo > </foo >$ .

```
a:mail
    <!DOCTYPE html>
    <html lang="en">
    <head>
        <meta charset="UTF-8" />
        <title> Document </title>
    </head>
    <body>
    </body>
    </html>
bdo:l
    <bdo dir="ltr"> </bdo>
link:css
    <link rel="stylesheet" href="[style].css" />
link:touch
    <link rel="apple-touch-icon" href="[favicon.png]"</pre>
   />
link:import, link:im
    <link rel="import" href="[component].html" />
meta:win
    <meta http-equiv="Content-Type"
    content="text/html; charset=windows-1251" />
script
    <script> </script>
img:srcset, img:s
    <imq srcset=" " src=" " alt=" " />
source, src
    <source />
source:media, src:m
    <source media="(| min-width: )" srcset=" " />
source:media:sizes, src:mz
    <source media="( min-width: )" sizes=" " srcset="</pre>
    " />
```

```
acronym, acr
    <acronym title=" "> </acronym>
basefont
    <base>font />
frame
    <frame />
bdo
    <bdo dir=" "> </bdo>
col
    <col />
link:print
    <link rel="stylesheet" href="(print).css"</pre>
    media="print" />
link:rss
    <link rel="alternate" type="application/rss+xml"</pre>
    title="RSS" href="[rss.xml]" />
meta
    <meta />
meta:vp
    <meta name="viewport" content="width=</pre>
    device-width, user-scalable= no, initial-scale=
    1.0, maximum-scale=1.0, minimum-scale=1.0"
    />
script:src
    <script src=" "> </script>
ima:sizes, ima:z
    <img sizes=" " srcset=" " src=" " alt=" " />
source:src, src:sc
    <source src=" " type=" " />
source:type, src:t
    <source srcset=" " type="( image/ )" />
source:sizes:type, src:zt
    <source sizes=" " srcset=" " type="( image/ )" />
```

<a href="mailto: "> </a>

```
a:link
    <a href="http://"> </a>
    <abbr title=" "> </abbr>
base
    <base href=" " />
br
    <br />
hr
    <hr />
bdo:r
    <bdo dir="rtl"> </bdo>
link
    <link rel="stylesheet" href=" " />
link:favicon
    <link rel="shortcut icon" type="image/x-icon"</pre>
    href="( favicon.ico )" />
link:atom
    <link rel="alternate" type="application/atom+xml"</pre>
    title="Atom" href="[atom.xml]" />
meta:utf
    <meta http-equiv="Content-Type"
    content="text/html;charset=UTF-8" />
meta:compat
    <meta http-equiv="X-UA-Compatible" content="[IE=7]</pre>
style
    <style> </style>
    <imq src=" " alt=" " />
    <picture> </picture>
source:srcset, src:s
    <source srcset=" " />
source:sizes, src:z
    <source sizes=" " srcset=" " />
source:media:type, src:mt
    <source media="( min-width: )" srcset=" " type="</pre>
     image/ |" />
    <iframe src=" " frameborder="0"> </iframe>
embed
    <embed src=" " type=" " />
```

object <object data=" " type=" "> </object>	param <param "="" name="" value=""/>	map <map "="" name="">"</map>		
area <area "="" alt="" coords="" href="" shape=""/>	area:d <area alt="\" href="\" shape="default"/>	area:c <area <br="" alt=" " coords=" " href=" " shape="circle"/> />		
area:r <area alt="  " coords="  " href="  " shape="rect"/>	area:p <area alt="  " coords="  " href="  " shape="poly"/>	form <form "="" action="">"</form>		
form:get <form "="" action="" method="get"> </form>	<pre>form:post   <form "="" action="" method="post"></form></pre>	label <pre> <label "="" for="">   </label></pre>		
<pre>input</pre>	inp <input id="\" name="\" type="\(\text\)"/>	<pre>input:hidden, input:h  Alias of input[type=hidden name]</pre>		
input:text, input:t	input:search	input:email		
Alias of inp	Alias of inp[type=search]	Alias of inp[type=email]		
<pre><input "="" "id="" name="" type="text"/></pre>	<input id="\" name="\" type="search"/>	<input id=" " name="  " type="email"/>		
	input:url	input:password, input:p		
	Alias of inp[type=url]	Alias of inp[type=password]		
	<input id="\" name="\" type="url"/>	<input id=" " name=" " type="password"/>		
input:datetime	input:date	input:datetime-local		
Alias of inp[type=datetime]	Alias of inp[type=date]	Alias of inp[type=datetime-local]		
<pre><input id="  " name="  " type="datetime"/></pre>	<input id="  " name="  " type="date"/>	<pre><input id=" " month"="" name=" " type="datetime-local"/></pre>	Alias of inp[type=week] <input id=" " name=" " type="week"/>	Alias of inp[type=time] <input id=" " name=" " type="time"/>
input:tel	input:number	input:color		
Alias of inp[type=tel] <input id=" " name=" " type="tel"/>	Alias of inp[type=number] <input id=" " name=" " type="number"/>	Alias of inp[type=color] <input id=" " name=" " type="color"/>		
input:checkbox, input:c	input:radio, input:r	input:range		
Alias of inp[type=checkbox]	Alias of inp[type=radio]	Alias of inp[type=range]		
<pre><input id=" " name=" " type="checkbox"/></pre>	<input id=" " name=" " type="radio"/>	<input id=" " name=" " type="range"/>		
<pre>input:file, input:f    Alias of inp[type=file]</pre>	<pre>input:submit, input:s      <input type="submit" value="\"/></pre>	input:image, input:i <input alt=" " src=" " type="image"/>		
<pre><input id=" " name=" " type="file"/></pre>	input:button, input:b <input type="button" value=" "/>	isindex <isindex/>		
input:reset	select	select:disabled, select:d		
Alias of input:button[type=reset]	<select "="" id="" name=""> </select>	Alias of select[disabled.]		
<input type="reset" value="  "/>		<pre><select "="" disabled="disabled" id="" name=""> </select></pre>		

menu:toolbar, menu:t

Alias of menu[type=toolbar]>
<menu type="toolbar"> </menu>

button:submit, button:s, btn:s
 Alias of button[type=submit]
 <button type="submit"> | </button>
fieldset:disabled, fieldset:d, fset:d, fst:d
 Alias of fieldset[disabled.]
 <fieldset disabled="disabled"> | </fieldset>
figc

Alias of figcaption
<figcaption> </figcaption>
emb

Alias of embed

<embed src="\" type="\" />
colg

Alias of colgroup <colgroup>

Alias of optgroup
<optgroup> |</optgroup>

art
Alias of article
<article> |</article>
adr
Alias of address

video
 <video src="|">|</video>

button:reset, button:r, btn:r
 Alias of button[type=reset]
 <button type="reset"> </button>

Alias of blockquote
<blockquote> <blockquote>

Alias of picture <picture>

Alias of object
<object data="\" type="\">\"</object>

fst, fset
 Alias of fieldset
 <fieldset> </fieldset>

<fieldset>|</fieldset
tarea

Alias of textarea <textarea name=""" id=""" cols="30" rows="10">
</textarea>

hdr
Alias of header
<header> |/header>

dlg

Alias of dialog <dialog>

Alias of figure
<figure> | </figure>

Alias of iframe <iframe src="\|" frameborder="0">\|</iframe>

cap
 Alias of caption
 <caption> | </caption>

Alias of button <br/>
<button> <br/>
| </button>

btn

leg

Alias of legend
<legend>|</legend>
sect

Alias of section
<section> <section>

ftr
Alias of footer
<footer> </footer>
str

Alias of strong <strong> <strong>

<address> </address>

</body>

```
prog
                                                                                                                  tem
   Alias of progress
                                                             Alias of main
                                                                                                                      Alias of template
   <main> </main>
                                                                                                                      <template> </template>
datag
                                                         datal
   Alias of datagrid
                                                             Alias of datalist
                                                                                                                      Alias of keygen
                                                                                                                      <keygen />
   <datagrid> </datagrid>
                                                             <datalist> </datalist>
                                                                                                                  out
                                                                                                                      Alias of output
                                                                                                                      <output> </output>
det
                                                         cmd
                                                                                                                  doc
   Alias of details
                                                             Alias of command
                                                                                                                      Alias of html>
                                                             <command />
                                                                                                                      (head>meta[charset=${charset}]+title{${1:Docu}}
   <details> </details>
                                                                                                                      ment}})+body
                                                                                                                      <html>
                                                                                                                      <head>
                                                                                                                          <meta charset="UTF-8" />
                                                                                                                          <title> Document </title>
                                                                                                                      </head>
                                                                                                                      <body>
                                                                                                                      </body>
                                                                                                                      </html>
doc4
                                                         ri:dpr, ri:d
                                                                                                                  ri:viewport, ri:v
   Alias of html>(head>meta[http-equiv="Content-
                                                             Alias of ima:s
                                                                                                                      Alias of ima:z
                                                             <img srcset=" " src=" " alt=" " />
                                                                                                                      <img sizes=" " srcset=" " src=" " alt=" " />
   content="text/html;charset=${charset}"]+title
                                                         ri:art, ri:a
                                                                                                                  ri:type, ri:t
   {${1:Document}})+body
                                                             Alias of pic>src:m+img
                                                                                                                      Alias of pic>src:t+img
   <html>
   <head>
       <meta http-equiv="Content-Type"
                                                                <source media="( min-width: )" srcset=" " />
                                                                                                                          <source srcset=" " type=" image/ " />
   content="text/html;charset=UTF-8" />
                                                                <img src=" " alt=" " />
                                                                                                                          <img src=" " alt=" " />
       <title> Document </title>
                                                             </picture>
                                                                                                                      </picture>
   </head>
   <body>
```

<map name=" ">

<area shape=" " coords=" " href=" " alt=" " />

```
html:4t
                                                             html:4s
                                                                                                                          html:xt
   Alias of !!!4t+doc4[lang=${lang}]
                                                                 Alias of !!!4s+doc4[lang=${lang}]
                                                                                                                              Alias of
                                                                                                                              !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
   <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01</pre>
                                                                 <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"</pre>
                                                                                                                              xml:lang=${lang}]
   Transitional//EN"
                                                                 "http://www.w3.org/TR/html4/strict.dtd">
   "http://www.w3.org/TR/html4/loose.dtd">
                                                                 <html lang="en">
                                                                                                                               <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
   <html lang="en">
                                                                 <head>
                                                                                                                              Transitional//EN"
                                                                     <meta http-equiv="Content-Type"</pre>
   <head>
                                                                                                                               "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
       <meta http-equiv="Content-Type"
                                                                 content="text/html;charset=UTF-8" />
                                                                                                                              transitional.dtd">
   content="text/html;charset=UTF-8" />
                                                                     <title> Document </title>
                                                                                                                               <html xmlns="http://www.w3.org/1999/xhtml"</pre>
       <title> Document </title>
                                                                 </head>
                                                                                                                              xml:lang="en">
                                                                 <body>
    </head>
                                                                                                                               <head>
    <body>
                                                                                                                                   <meta http-equiv="Content-Type"</pre>
                                                                 </body>
                                                                                                                              content="text/html;charset=UTF-8" />
   </body>
                                                                 </html>
                                                                                                                                   <title> Document </title>
   </html>
                                                                                                                               </head>
                                                                                                                               <body>
                                                                                                                               </body>
                                                                                                                               </html>
html:xs
                                                             html:xxs
                                                                                                                          html:5
   Alias of
                                                                 Alias of
                                                                                                                              Alias of !!!+doc[lang=${lang}]
   !!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml
                                                                 !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtm
                                                                                                                               <!DOCTYPE html>
   xml:lang=${lang}]
                                                                 1 xml:lang=${lang}]
                                                                                                                               <html lang="en">
                                                                                                                               <head>
   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
                                                                 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"</pre>
                                                                                                                                   <meta charset="UTF-8" />
   Strict//EN"
                                                                 "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
                                                                                                                                   <title> Document </title>
   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                 <html xmlns="http://www.w3.org/1999/xhtml"</pre>
                                                                                                                               </head>
                                                                 xml:lang="en">
   strict.dtd">
                                                                                                                               <body>
   <html xmlns="http://www.w3.org/1999/xhtml"</pre>
                                                                 <head>
                                                                     <meta http-equiv="Content-Type"</pre>
   xml:lang="en">
                                                                                                                               </body>
                                                                 content="text/html;charset=UTF-8" />
   <head>
                                                                                                                               </html>
        <meta http-equiv="Content-Type"</pre>
                                                                     <title> Document </title>
   content="text/html;charset=UTF-8" />
                                                                 </head>
                                                                                                                          ol+
        <title> Document </title>
                                                                 <body>
                                                                                                                              Alias of ol>li
   </head>
    <body>
                                                                 </body>
                                                                                                                               <01>
                                                                 </html>
                                                                                                                                   </body>
                                                                                                                               </html>
                                                             ul+
                                                                                                                          dl+
                                                                 Alias of ul>li
                                                                                                                              Alias of dl>dt+dd
                                                                 <l
                                                                                                                               <dl>
                                                                                                                                   <dt> </dt>
                                                                     <dd> </dd>
                                                                                                                               </dl>
map+
   Alias of map>area
```

```
table+
                                                          colgroup+, colg+
                                                                                                                    tr+
   Alias of table>tr>td
                                                              Alias of colgroup>col
                                                                                                                        Alias of tr>td
                                                              <colaroup>
   <col />
       </colgroup>
           select+
                                                                                                                    optgroup+, optg+
   Alias of select>option
                                                                                                                        Alias of optgroup>option
                                                              <select name=" " id=" ">
                                                                                                                        <optgroup>
                                                                  <option value=" "> </option>
                                                                                                                            <option value=" "> </option>
                                                              </select>
                                                                                                                        </optgroup>
                                                          !!!
                                                                                                                     !!!4t
pic+
                                                              <!DOCTYPE html>
                                                                                                                        <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01</pre>
   Alias of picture>source:srcset+img
                                                                                                                        Transitional//EN"
   <picture>
                                                                                                                        "http://www.w3.org/TR/html4/loose.dtd">
       <source srcset=" " />
                                                          !!!4s
                                                                                                                     !!!xt
       <img src=" " alt=" " />
                                                              <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"</pre>
                                                                                                                        <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
   </picture>
                                                              "http://www.w3.org/TR/html4/strict.dtd">
                                                                                                                        Transitional//EN"
                                                                                                                        "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                                                                        transitional.dtd">
!!!xs
                                                          !!!xxs
                                                                                                                    C
                                                                                                                        <!-- ${child} -->
   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
                                                              <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"</pre>
   Strict//EN"
                                                              "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
                                                                                                                    cc:ie6
   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                                                                        <!--[if lte IE 6]>
   strict.dtd">
                                                                                                                            ${child}
                                                                                                                        <![endif]-->
cc:ie
                                                          cc:noie
   <!--[if IE]>
                                                              <!--[if !IE]><!-->
       ${child}
                                                                  ${child}
   <![endif]-->
                                                              <!--<![endif]-->
```

### **CSS**

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == ovh == oh.

If abbreviation wasn't found, it is transformed into property name:  $foo-bar \rightarrow foo-bar$ : |;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

#### **Visual Formatting**

•					
pos	position: relative;	pos:s	position:static;	pos:a	position:absolute;
		pos:r	position:relative;	pos:f	<pre>position:fixed;</pre>
t	top:  ;	t:a	top:auto;	r	right: ;
r:a	right:auto;	b	bottom:  ;	b:a	bottom:auto;
1	left: ;	l:a	left:auto;	z	z-index:┇;
z:a	z-index:auto;	fl	float: left;	fl:n	float:none;
				fl:l	float:left;
fl:r	float:right;	cl	clear: both;	cl:n	clear:none;

12/12/2016			Cheat Sheet		
cl:l	clear:left;	cl:r	clear:right;	cl:b	clear:both;
d	<pre>display: block;</pre>	d:n	display:none;	d:b	display:block;
		d:f	display:flex;	d:if	<pre>display:inline-flex;</pre>
d:i	display:inline;	d:ib	display:inline-block;	d:li	<pre>display:list-item;</pre>
d:ri	display:run-in;	d:cp	display:compact;	d:tb	display:table;
d:itb	display:inline-table;	d:tbcp	display:table-caption;	d:tbcl	display:table-column;
d:tbclg	<pre>display:table-column-group;</pre>	d:tbhg	display:table-header-group;	d:tbfg	display:table-footer-group;
d:tbr	display:table-row;	d:tbrg	display:table-row-group;	d:tbc	<pre>display:table-cell;</pre>
d:rb	display:ruby;	d:rbb	display:ruby-base;	d:rbbg	display:ruby-base-group;
d:rbt	display:ruby-text;	d:rbtg	<pre>display:ruby-text-group;</pre>	V	visibility: hidden;
v:v	visibility:visible;	v:h	visibility:hidden;	v:c	visibility:collapse;
ov	<pre>overflow: hidden ;</pre>	ov:v	overflow:visible;	ov:h	overflow:hidden;
		ov:s	overflow:scroll;	ov:a	overflow:auto;
ovx	<pre>overflow-x: hidden ;</pre>	ovx:v	overflow-x:visible;	ovx:h	overflow-x:hidden;
		ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;
ovy	overflow-y: hidden;	ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;
		ovy:s	overflow-y:scroll;	ovy:a	overflow-y:auto;
ovs	<pre>overflow-style: scrollbar;</pre>	ovs:a	overflow-style:auto;	ovs:s	overflow-style:scrollbar;
		ovs:p	overflow-style:panner;	ovs:m	overflow-style:move;
ovs:mq	overflow-style:marquee;	zoo, zm	zoom:1;	ср	clip: ;
cp:a	clip:auto;	cp:r	clip:rect( top  right  bottom	rsz	resize: ;
			<pre>[left]);</pre>	rsz:n	resize:none;
rsz:b	resize:both;	rsz:h	resize:horizontal;	rsz:v	resize:vertical;
cur	<pre>cursor:\${pointer};</pre>	cur:a	cursor:auto;	cur:d	cursor:default;
cur:c	cursor:crosshair;	cur:ha	cursor:hand;	cur:he	cursor:help;
cur:m	cursor:move;	cur:p	cursor:pointer;	cur:t	cursor:text;
Margin & Padd	· ·				
m	margin:∥;	m:a	margin:auto;	mt	margin-top:┃;
mt:a	margin-top:auto;	mr	margin-right:┃;	mr:a	margin-right:auto;
mb	margin-bottom: ;	mb:a	margin-bottom:auto;	ml	margin-left:┃;
ml:a	margin-left:auto;	р	padding: █;	pt	padding-top:┃;
pr	padding-right: ;	pb	padding-bottom:┃;	pl	padding-left: ;
<b>Box Sizing</b>					
bxz	<pre>box-sizing: border-box;</pre>	bxz:cb	<pre>box-sizing:content-box;</pre>	bxz:bb	<pre>box-sizing:border-box;</pre>

12/12/2016			Cheat Sheet		
bxsh	box-shadow: inset hoff voff blur color;	bxsh:r	box-shadow: inset hoff voff blur spread rgb(0, 0, 0);	bxsh:ra	box-shadow: inset h v blur spread rgba(0, 0, 0, .5);
bxsh:n	box-shadow:none;	W	width: ;	w:a	width:auto;
h	height: ;	h:a	height:auto;	maw	max-width: ;
maw:n	<pre>max-width:none;</pre>	mah	<pre>max-height: ;</pre>	mah:n	max-height:none;
miw	min-width: ;	mih	min-height: ;		
Font	_				_
f	font: ;	f+	<pre>font:( 1em) (Arial, sans-serif);</pre>	fw	font-weight: ;
				fw:n	font-weight:normal;
fw:b	font-weight:bold;	fw:br	font-weight:bolder;	fw:lr	font-weight:lighter;
fs	<pre>font-style:\${italic};</pre>	fs:n	<pre>font-style:normal;</pre>	fs:i	font-style:italic;
fs:o	<pre>font-style:oblique;</pre>	fv	font-variant: ;	fv:n	<pre>font-variant:normal;</pre>
fv:sc	<pre>font-variant:small-caps;</pre>	fz	<pre>font-size:  ;</pre>	fza	font-size-adjust: ;
fza:n	font-size-adjust:none;	ff	font-family:∥;	ff:s	<pre>font-family:serif;</pre>
ff:ss	<pre>font-family:sans-serif;</pre>	ff:c	<pre>font-family:cursive;</pre>	ff:f	<pre>font-family:fantasy;</pre>
ff:m	<pre>font-family:monospace;</pre>	ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;	ff:t	<pre>font-family: "Times New Roman", Times, Baskerville, Georgia, serif;</pre>
ff:v	font-family: Verdana, Geneva, sans-	fef	<pre>font-effect:   ;</pre>	fef:n	<pre>font-effect:none;</pre>
	serif;	fef:eg	font-effect:engrave;	fef:eb	<pre>font-effect:emboss;</pre>
fef:o	<pre>font-effect:outline;</pre>	fem	<pre>font-emphasize: ;</pre>	femp	font-emphasize-position: ;
femp:b	font-emphasize-position:before;	femp:a	<pre>font-emphasize-position:after;</pre>	fems	font-emphasize-style: ;
fems:n	font-emphasize-style:none;	fems:ac	<pre>font-emphasize-style:accent;</pre>	fems:dt	font-emphasize-style:dot;
fems:c	<pre>font-emphasize-style:circle;</pre>	fems:ds	font-emphasize-style:disc;	fsm	font-smooth: ;
fsm:a	font-smooth:auto;	fsm:n	<pre>font-smooth:never;</pre>	fsm:aw	font-smooth:always;
fst	font-stretch:∥;	fst:n	<pre>font-stretch:normal;</pre>	fst:uc	font-stretch:ultra-condensed;
fst:ec	font-stretch:extra-condensed;	fst:c	font-stretch:condensed;	fst:sc	font-stretch:semi-condensed;
fst:se	font-stretch:semi-expanded;	fst:e	font-stretch:expanded;	fst:ee	font-stretch:extra-expanded;
fst:ue	font-stretch:ultra-expanded;				
Text					
va	vertical-align: top;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: <pre>left</pre> ;	ta:l	text-align:left;

text-align:center;

ta:c

12/12/2016			Cheat Sheet		
ta:r	text-align:right;	ta:j	text-align:justify;	ta-lst	text-align-last: ;
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: none;	td:n	text-decoration:none;
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:l	text-decoration:line-through;	te	text-emphasis: ;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: ;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: ;	ti:-	text-indent:-9999px;	tj	text-justify: ;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	text-justify:tibetan;	to	text-outline: ;	to+	text-outline: 0 0 #000;
to:n	text-outline:none;	tr	text-replace:[;	tr:n	text-replace:none;
tt	text-transform: uppercase;	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	text-transform:uppercase;	tt:l	text-transform:lowercase;
tw	text-wrap: ;	tw:n	text-wrap:normal;	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	text-shadow: hoff voff blur #000;
tsh:r	text-shadow: h v blur rgb(0, 0);	tsh:ra	text-shadow: h v blur rgba(0, 0, 0, 0, .(5);	tsh+	text-shadow: 0 0 0 #000;
11.		11-		tsh:n	text-shadow:none;
lh	line-height: ;	lts	letter-spacing: ;	lts-n	<pre>letter-spacing:normal;</pre>
whs .	white-space: ;	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:nw	white-space:nowrap;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse: ;	whsc:n	white-space-collapse:normal;	whsc:k	white-space-collapse:keep-all;
whsc:l	white-space-collapse:loose;	whsc:bs	white-space-collapse:break-strict;	whsc:ba	white-space-collapse:break-all;
wob	word-break: ;	wob:n	word-break:normal;	wob:k	word-break:keep-all;
wob:ba	word-break:break-all;	WOS	word-spacing: ;	WOW	word-wrap: ;
wow:nm	word-wrap:normal;	wow:n	word-wrap:none;	wow:u	word-wrap:unrestricted;
wow:s	word-wrap:suppress;	wow:b	word-wrap:break-word;		
<b>Background</b> bg	background:#000;	bg+	<pre>background: #fff url(1) 0 0 no-repeat;</pre>	bg:n bgc	<pre>background:none; background-color:#_ffff;</pre>

12/12/2016			Cheat Sheet		
bgc:t	background-color:transparent;	bgi	<pre>background-image:url( );</pre>	bgi:n	background-image:none;
bgr	background-repeat: ;	bgr:n	background-repeat:no-repeat;	bgr:x	background-repeat:repeat-x;
bgr:y	background-repeat:repeat-y;	bgr:sp	background-repeat:space;	bgr:rd	background-repeat:round;
bga	background-attachment: ;	bga:f	background-attachment:fixed;	bga:s	background-attachment:scroll;
bgp	background-position: $\bigcirc$ $\bigcirc$ $\bigcirc$ ;	bgpx	background-position-x: ;	bgpy	background-position-y::;
		bgbk	background-break: ;	bgbk:bb	background-break:bounding-box;
bgbk:eb	background-break:each-box;	bgbk:c	background-break:continuous;	bgcp	<pre>background-clip: padding-box;</pre>
bgcp:bb	background-clip:border-box;	bgcp:pb	background-clip:padding-box;	bgcp:cb	background-clip:content-box;
bgcp:nc	background-clip:no-clip;	bgo	background-origin: ;	bgo:pb	background-origin:padding-box;
bgo:bb	background-origin:border-box;	bgo:cb	background-origin:content-box;	bgsz	background-size:∥;
bgsz:a	background-size:auto;	bgsz:ct	background-size:contain;	bgsz:cv	background-size:cover;
Color					
С	color:#(000);	c:r	color:rgb(0), 0, 0);	c:ra	color:rgba(0), 0, 0, 5);
ор	opacity: ;				
Generated conten					
cnt	content:' ';	cnt:n, ct:n	content:normal;	cnt:oq, ct:oq	content:open-quote;
cnt:noq, ct:noq	content:no-open-quote;	cnt:cq, ct:cq	content:close-quote;	cnt:ncq, ct:ncq	content:no-close-quote;
cnt:a, ct:a	<pre>content:attr( );</pre>	cnt:c, ct:c	<pre>content:counter( );</pre>	cnt:cs, ct:cs	content:counters( );
ct	content: ;	q	quotes: ;	q:n	quotes:none;
q:ru	quotes:'\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:'\201C' '\201D' '\2018' '\2019';	coi	counter-increment: ;
	,		(2010)	cor	counter-reset:  ;
Outline	are I	-1		-1-	
ol	outline: ;	ol:n	outline:none;	olo	outline-offset: ;
olw	outline-width:  ;	olw:tn	outline-width:thin;	olw:m	outline-width:medium;
olw:tc	outline-width:thick;	ols	outline-style:  ;	ols:n	outline-style:none;
ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:#[000];
olc:i	outline-color:invert;				
Tables					
tbl	table-layout: ;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
cps	caption-side: ;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
ec	empty-cells: ;	ec:s	empty-cells:show;	ec:h	empty-cells:hide;

Border

12/12/2016			Cheat Sheet		
bd	border: ;	bd+	border: 1px solid #000;	bd:n	border:none;
				bdbk	border-break: close;
bdbk:c	border-break:close;	bdcl	border-collapse: ;	bdcl:c	border-collapse:collapse;
bdcl:s	border-collapse:separate;	bdc	border-color:#000;	bdc:t	border-color:transparent;
				bdi	border-image:url(  );
bdi:n	border-image:none;	bdti	<pre>border-top-image:url( );</pre>	bdti:n	border-top-image:none;
bdri	<pre>border-right-image:url( );</pre>	bdri:n	border-right-image:none;	bdbi	<pre>border-bottom-image:url( );</pre>
bdbi:n	border-bottom-image:none;	bdli	<pre>border-left-image:url( );</pre>	bdli:n	border-left-image:none;
bdci	<pre>border-corner-image:url( );</pre>	bdci:n	border-corner-image:none;	bdci:c	border-corner-image:continue;
bdtli	<pre>border-top-left-image:url( );</pre>	bdtli:n	border-top-left-image:none;	bdtli:c	border-top-left-image:continue;
bdtri	<pre>border-top-right-image:url( );</pre>	bdtri:n	border-top-right-image:none;	bdtri:c	border-top-right-image:continue;
bdbri	<pre>border-bottom-right-image:url( );</pre>	bdbri:n	border-bottom-right-image:none;	bdbri:c	border-bottom-right-image:continue;
bdbli	<pre>border-bottom-left-image:url( );</pre>	bdbli:n	border-bottom-left-image:none;	bdbli:c	border-bottom-left-image:continue;
bdf	border-fit: repeat;	bdf:c	border-fit:clip;	bdf:r	border-fit:repeat;
		bdf:sc	border-fit:scale;	bdf:st	border-fit:stretch;
bdf:ow	border-fit:overwrite;	bdf:of	border-fit:overflow;	bdf:sp	border-fit:space;
bdlen	border-length: ;	bdlen:a	border-length:auto;	bdsp	border-spacing:∥;
bds	border-style: ;	bds:n	border-style:none;	bds:h	border-style:hidden;
bds:dt	border-style:dotted;	bds:ds	border-style:dashed;	bds:s	border-style:solid;
bds:db	border-style:double;	bds:dtds	border-style:dot-dash;	bds:dtdtds	border-style:dot-dot-dash;
bds:w	border-style:wave;	bds:g	border-style:groove;	bds:r	border-style:ridge;
bds:i	border-style:inset;	bds:o	border-style:outset;	bdw	border-width:∥;
bdt, bt	border-top:∥;	bdt+	border-top: 1px solid #000;	bdt:n	border-top:none;
				bdtw	border-top-width: ;
bdts	border-top-style: ;	bdts:n	border-top-style:none;	bdtc	border-top-color:#000;
bdtc:t	border-top-color:transparent;	bdr, br	border-right: ;	bdr+	border-right: 1px solid #000;
bdr:n	border-right:none;	bdrw	border-right-width:  ;	bdrst	border-right-style: ;
bdrst:n	border-right-style:none;	bdrc	border-right-color:#000;	bdrc:t	border-right-color:transparent;
				bdb, bb	border-bottom: ☐;
bdb+	border-bottom: 1px solid #000;	bdb:n	border-bottom:none;	bdbw	border-bottom-width:∥;
		bdbs	border-bottom-style: ;	bdbs:n	border-bottom-style:none;
bdbc	border-bottom-color:#000;	bdbc:t	border-bottom-color:transparent;	bdl, bl	border-left: ;
		bdl+	border-left: 1px solid #000;	bdl:n	border-left:none;

12/12/2016			Cheat Sheet		
bdlw	border-left-width: ;	bdls	border-left-style: ;	bdls:n	border-left-style:none;
bdlc	<pre>border-left-color:# 000;</pre>	bdlc:t	border-left-color:transparent;	bdrs	border-radius: ;
		bdtrrs	border-top-right-radius: ;	bdtlrs	<pre>border-top-left-radius: ;</pre>
bdbrrs	border-bottom-right-radius: ;	bdblrs	border-bottom-left-radius: █;		
Lists					
lis	list-style: ;	lis:n	list-style:none;	lisp	list-style-position: ;
lisp:i	list-style-position:inside;	lisp:o	list-style-position:outside;	list	list-style-type: ;
list:n	list-style-type:none;	list:d	list-style-type:disc;	list:c	list-style-type:circle;
list:s	list-style-type:square;	list:dc	list-style-type:decimal;	list:dclz	<pre>list-style-type:decimal-leading- zero;</pre>
list:lr	list-style-type:lower-roman;	list:ur	list-style-type:upper-roman;	lisi	list-style-image: ;
lisi:n	list-style-image:none;				
Print					
pgbb	page-break-before: ;	pgbb:au	page-break-before:auto;	pgbb:al	<pre>page-break-before:always;</pre>
pgbb:l	page-break-before:left;	pgbb:r	page-break-before:right;	pgbi	<pre>page-break-inside: ;</pre>
pgbi:au	page-break-inside:auto;	pgbi:av	page-break-inside:avoid;	pgba	page-break-after: ;
pgba:au	page-break-after:auto;	pgba:al	page-break-after:always;	pgba:l	page-break-after:left;
pgba:r	page-break-after:right;	orp	orphans: ;	wid	widows:  ;
Others					
!	!important	@f	<pre>@font-face {    font-family:  ;    src:url( ); }</pre>	@f+	<pre>@font-face {     font-family: 'FontName';     src: url('FileName leot');     src: url('FileName leot? #iefix') format('embedded-     opentype'),         url('FileName leot') format('woff'),         url('FileName leot') format('truetype'),         url('FileName leot')     format('truetype'),         url('FileName leot');     fontName leot') format('svg');     font-style: normal leot';     font-weight: normal leot'; }</pre>

@i, @import

@import url(|);

12/12/2016			Cheat Sheet		
@kf	@-webkit-keyframes [identifier] {	@m, @media	@media screen {	ас	align-content: ;
	from {   }   to   {   }		}	ac:c	align-content:center;
	}			ac:fe	align-content:flex-end;
	<pre>@-o-keyframes (identifier) {     from {   }   }</pre>	ac:fs	align-content:flex-start;	ac:s	align-content:stretch;
	to {   }	ac:sa	align-content:space-around;	ac:sb	align-content:space-between;
	} @-moz-keyframes [identifier] {	ai	align-items: ;	ai:b	align-items:baseline;
	from {   }	ai:c	align-items:center;	ai:fe	align-items:flex-end;
	(to) {   }	ai:fs	align-items:flex-start;	ai:s	align-items:stretch;
	<pre>@keyframes identifier {     from {   }   }       to {     } }</pre>	anim	animation: ;	anim-	<pre>animation: name</pre>
animdel	animation-delay: time;	animdir	animation-direction: normal;	animdir:a	animation-direction:alternate;
				animdir:ar	<pre>animation-direction:alternate- reverse;</pre>
animdir:n	<pre>animation-direction:normal;</pre>	animdir:r	animation-direction:reverse;	animdur	animation-duration: 0s;
animfm	animation-fill-mode: both;	animfm:b	animation-fill-mode:backwards;	animfm:bt, animfm	n:bh animation-fill-mode:both;
		animfm:f	animation-fill-mode:forwards;	animic	<pre>animation-iteration-count: 1;</pre>
animic:i	animation-iteration-count:infinite;	animn	animation-name: none;	animps	<pre>animation-play-state: running;</pre>
animps:p	animation-play-state:paused;	animps:r	animation-play-state:running;	animtf	animation-timing-function: linear;
animtf:cb	animation-timing-function:cubic-	animtf:e	animation-timing-function:ease;	animtf:ei	animation-timing-function:ease-in;
	bezier( $0.1$ ), $0.7$ ), $1.0$ , $0.1$ );	animtf:eio	<pre>animation-timing-function:ease-in- out;</pre>	animtf:eo	animation-timing-function:ease-out;
				animtf:l	animation-timing-function:linear;
ар	<pre>appearance:\${none};</pre>	as	align-self: ;	as:a	align-self:auto;
as:b	align-self:baseline;	as:c	align-self:center;	as:fe	align-self:flex-end;
as:fs	align-self:flex-start;	as:s	align-self:stretch;	bfv	backface-visibility: ;
bfv:h	backface-visibility:hidden;	bfv:v	backface-visibility:visible;	bg:ie	<pre>filter:progid:DXImageTransform.Micro soft.AlphaImageLoader(src='\[ \times \] .png',sizingMethod='\[ \text{crop}' \];</pre>
CM	/* <b> </b> \${child} */	colm	columns: ;	colmc	column-count: ;
colmf	column-fill: ;	colmg	column-gap: ;	colmr	column-rule: ;
colmrc	column-rule-color: ;	colmrs	column-rule-style: ;	colmrw	column-rule-width: ;
colms	column-span: ;	colmw	column-width: ;	d:ib+	<pre>display: inline-block; *display: inline; *zoom: 1;</pre>
fx	flex: ;	fxb	flex-basis: ;	fxd	<pre>flex-direction: ;</pre>

15/17

12/12/2016			Cheat Sheet		
fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxd:r	flex-direction:row;
fxd:rr	flex-direction:row-reverse;	fxf	<pre>flex-flow:  ;</pre>	fxg	flex-grow: ;
fxsh	flex-shrink: ;	fxw	flex-wrap:  ;	fxw:n	flex-wrap:nowrap;
fxw:w	flex-wrap;wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	<pre>justify-content:  ;</pre>
jc:c	justify-content:center;	jc:fe	<pre>justify-content:flex-end;</pre>	jc:fs	justify-content:flex-start;
jc:sa	justify-content:space-around;	jc:sb	justify-content:space-between;	mar	max-resolution: res;
mir	min-resolution: res;	op+	<pre>opacity:  ; filter: alpha(opacity= );</pre>	op:ie	<pre>filter:progid:DXImageTransform.Micro soft.Alpha(Opacity=100);</pre>
op:ms	-ms-	ord	order: ;	ori	orientation: ;
	<pre>filter:'progid:DXImageTransform.Micr osoft.Alpha(Opacity=100)';</pre>	ori:l	orientation:landscape;	ori:p	orientation:portrait;
		tov	<pre>text-overflow:\${ellipsis};</pre>	tov:c	text-overflow:clip;
tov:e	text-overflow:ellipsis;	trf	transform:  ;	trf:r	<pre>transform: rotate( angle );</pre>
trf:rx	<pre>transform: rotateX((angle));</pre>	trf:ry	<pre>transform: rotateY( angle );</pre>	trf:rz	<pre>transform: rotateZ((angle));</pre>
trf:sc	transform: $scale(x, y)$ ;	trf:sc3	transform: $scale3d(x, y, z);$	trf:scx	transform: $scaleX(x)$ ;
trf:scy	<pre>transform: scaleY(y);</pre>	trf:scz	transform: scaleZ(z);	trf:skx	<pre>transform: skewX((angle));</pre>
trf:sky	<pre>transform: skewY((angle));</pre>	trf:t	transform: translate(x, y);	trf:t3	transform: translate3d( tx), (ty), (tz);
trf:tx	transform: translateX( $x$ );	trf:ty	<pre>transform: translateY(y);</pre>	trf:tz	transform: translateZ(z);
trfo	transform-origin: ;	trfs	<pre>transform-style: preserve-3d;</pre>	trs	transition: prop time;
trsde	transition-delay: time;	trsdu	transition-duration: time;	trsp	transition-property: prop;
trstf	transition-timing-function: tfunc;	us	<pre>user-select:\${none};</pre>	wfsm	<pre>-webkit-font- smoothing:\${antialiased};</pre>
wfsm:a	-webkit-font-smoothing:antialiased;	wfsm:n	-webkit-font-smoothing:none;	wfsm:s, wfsm:sa	<pre>-webkit-font-smoothing:subpixel- antialiased;</pre>
wm	writing-mode: <a href="mailto:lr-tb">lr-tb</a> ;	wm:btl	writing-mode:bt-lr;	wm:btr	writing-mode:bt-rl;
		wm:lrb	writing-mode:lr-bt;	wm:lrt	writing-mode:lr-tb;
wm:rlb	writing-mode:rl-bt;	wm:rlt	writing-mode:rl-tb;	wm:tbl	writing-mode:tb-lr;
wm:tbr	writing-mode:tb-rl;				
XSL					
<pre>tmatch, tm</pre>		<pre>tname, tn      <xsl:template "="" name="">"</xsl:template></pre>		<pre>call      <xsl:call-template name=" "></xsl:call-template></pre>	
ap <xsl:apply-te< td=""><td>mplates select=""" mode="""/&gt;</td><td>api <xsl:apply-im< td=""><td>ports /&gt;</td><td>imp <xsl:import h<="" td=""><td>ref="<mark>"</mark> " /&gt;</td></xsl:import></td></xsl:apply-im<></td></xsl:apply-te<>	mplates select=""" mode="""/>	api <xsl:apply-im< td=""><td>ports /&gt;</td><td>imp <xsl:import h<="" td=""><td>ref="<mark>"</mark> " /&gt;</td></xsl:import></td></xsl:apply-im<>	ports />	imp <xsl:import h<="" td=""><td>ref="<mark>"</mark> " /&gt;</td></xsl:import>	ref=" <mark>"</mark> " />
inc		ch <xsl:choose> </xsl:choose>		<pre>xsl:when, wh      <xsl:when "="" test=""> </xsl:when></pre>	

Cheat Sheet

```
12/12/2016
ot
    <xsl:otherwise> </xsl:otherwise>
pare
    <xsl:param name=" " select=" " />
    <xsl:with-param name=" " select=" " />
    <xsl:attribute name=" "> </xsl:attribute>
    <xsl:copy-of select=" " />
tex
    <xsl:text> </xsl:text>
fall
    <xsl:fallback> </xsl:fallback>
pres
    <xsl:preserve-space elements=" " />
sort
    <xsl:sort select=" " order=" " />
```

```
if
   <xsl:if test=" "> </xsl:if>
   <xsl:variable name=" "> </xsl:variable>
key
   <xsl:key name=" " match=" " use=" " />
attrs
   <xsl:attribute-set name=" "> </xsl:attribute-set>
val
    <xsl:value-of select=" " />
com
   <xsl:comment> </xsl:comment>
   <xsl:number value=" " />
strip
   <xsl:strip-space elements=" " />
choose+
   Alias of xsl:choose>xsl:when+xsl:otherwise
   <xsl:choose>
        <xsl:when test=" "> </xsl:when>
       <xsl:otherwise> </xsl:otherwise>
   </xsl:choose>
```

```
par
    <xsl:param name=" "> </xsl:param>
   <xsl:variable name=" " select=" " />
elem
    <xsl:element name=" "> </xsl:element>
    <xsl:copy select=" " />
each, for
    <xsl:for-each select=" "> </xsl:for-each>
    <xsl:message terminate="no"> </xsl:message>
    <namespace-alias stylesheet-prefix=" " result-
   prefix=" " />
    <xsl:processing-instruction name=" ">
    </xsl:processing-instruction>
xsl
   Alias of !!!+xsl:stylesheet[version=1.0
   xmlns:xsl=http://www.w3.org/1999/XSL/Transfor
   m]>{
   1}
    <?xml version="1.0" encoding="UTF-8"?>
    <xsl:stylesheet version="1.0"</pre>
   xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
    </xsl:stylesheet>
```

<?xml version="1.0" encoding="UTF-8"?>

!!!