## Professional Diploma in Commercial Web Design

Lesson 5

PHP

By Raymond Tsang in Fevaworks t-raymond.tsang@fevaworks.com

## Overview

- Quotations
- Require
- Include
- Function
- Cookie
- Session

# Single quotation and double quotation

- ' ' for exact value
- "" for dynamic value
- See quotation.php

## Require

- includes and evaluates a specific file
- Work only once in a loop
- Using as a template
- When the require file cannot be found, it display an error and stop the script
- See require.php and require.inc



## Require .inc security

- Since if you type filename.inc can download the file, people can download your id/password. So for security reason, you should only use filename.inc.php
- require2.php
- require.inc.php

## Require menu

- www.sony.com.hk
- hk.yahoo.com
- sicav.chinaamc.com

- Create home.php aboutus.php contactus.php
- + header.inc.php footer.inc.php



#### Include

- identical in every way with require() except how they handle failure. include() produces a Warning but not stop the php while require() results in a Fatal Error and stop the php
- Include() can be used in a loop for repeating the function
- See include.php, a.inc, b.inc, c.inc
- Template folder

## Include\_once and require\_once

- \_once only call another file one time. If it has been called before, the main php does not recall the same file again
- require\_once is better since it checks if the file is present;
  otherwise, php halted. Also better for security.

### Break

• Function is coming.....

#### **Function**

- A procedure defined by user for his own uses
- Pos for using functions. Reuse, easy debug
- Copy from others and ignore the coding
- See function1.php
- See function2.php
- See function3.php

## Function example

- https://gist.github.com/eagleon/1702129
- function2b.php

#### Check Function

- To test if a function exist, use function\_exists(function\_name);
- See function\_exists.php

## Object Oriented

- Since we do not only want functions to be reused, we also want variables to be reused. So we use object.
- Will be in details in next lesson/ powerpoint.

#### Cookie

- Built-in PHP environment variables are in the form of arrays, eg. \$\_COOKIE
- Most database functions transport their info via arrays
- Passing entire sets of html form arguments from one page to another

#### Set Cookie

- setcookie("name", "value", exp);
- cookie1.php
- cookie2.php

#### Remove Cookie

- setcookie("name", "", time()-10);
- cookieReset1.php

#### Remove all Cookies

- setcookie();
- cookieReset2.php

#### Session

- A random number generated by the server to check user concurrent connection
- Similar to cookie, but the information stored on server
- sessionstart.php, session2.php, session3.php

## Create snippet

- For those you use it repeatedly, you may want to save it as a snippet to load the code by one click.
- Highlight the codes, right click, "Create New Snippet", name it, OK
- Windows -> Snippet -> double click to load

## Assignment

www.zaturday.com/homework/login.html

## QUESTIONS