



DEPLOYMENT GUIDE

Hosting Manual

Put the NUSUK CONSULT platform live on your own domain with cPanel — step by step, with pictures.

 www.hausaly.com/nusuk

 Truehost cPanel

 Node.js 22



cPanel hosting
with "Setup Node.js
App"



Node.js 22.13+
in the version list



Domain pointed
DNS → your hosting




Project ZIP
downloaded from GitHub

About 20–30 minutes · No coding · No terminal

The big picture

What happens when someone opens your site — and where everything lives.



Where the files live

/home/<cpanel-user>/

- nusuk/ **APP ROOT · code**
 - app.cjs **startup file**
 - package.json
 - server/ **backend**
 - public/ **website files**
- nusuk-data/ **DATABASE · never delete**
- public_html/ **main site · .htaccess fix**

Why it is built this way

- ✓ **No installs.** Nothing to download or compile on the server.
- ✓ **Data is safe.** The database sits *outside* the code folder, so updates never erase it.
- ✓ **Sub-path ready.** Runs at `/nusuk` next to your existing website.
- ✓ **Secure login.** Admin passwords are hashed; sessions are HTTPS-only.

Golden rule. `app.cjs`, `server/` and `public/` must sit **directly** inside `nusuk/` — not inside another folder.

✓ Correct

```

nusuk/
├ app.cjs
├ server/
└ public/
  
```

✗ Wrong (one folder too deep)

```


nusuk/
└ Nusuk-claude-.../
  ├── app.cjs
  └ server/
  
```

Get the code onto the server

1

Download the project from GitHub

Choose the branch, then Code → Download ZIP.



You receive `Nusuk-<branch>.zip` on your computer.

2

Upload and extract in cPanel File Manager

a

Create the folder

In your home folder make `nusuk`

b

Upload the ZIP

Open `nusuk` → **Upload**

c

Extract

Right-click ZIP → **Extract**


d

Move up

Select All → **Move to** `/nusuk`



Turn on **Settings → Show Hidden Files** before moving, so no file is missed. Then delete the empty extracted folder and the ZIP.



✓ What the folder should look like when finished.

STEP 3

Create the Node.js app

cPanel → Setup Node.js App → Create Application

cPanel · Setup Node.js App · Create Application

Node.js version

22.23.3 ▼

1

Application mode

Production ▼

Application root

nusuk

2

Application URL

hausaly.com ▼

nusuk

3

Startup file

app.cjs

4

Environment variables

+ ADD VARIABLE

Name	Value
BASE_PATH	/nusuk
HTTPS	1
ADMIN_EMAIL	you@example.com
ADMIN_PASSWORD	 (strong, 10+ chars)
DATA_DIR	/home/<cpanel-user>/nusuk-data

CANCEL

CREATE 5

- 1 Pick **22.x** — the app needs Node 22.13 or newer.
- 2 The folder from Step 2: `nusuk` .
- 3 **Type** `nusuk` **in the** `Application URL` **path box.** If empty, the site shows a black 404.
- 4 Startup file is exactly `app.cjs` .
- 5 Click **Create** , then **Restart** .

🔑 **First start only.** `ADMIN_EMAIL` and `ADMIN_PASSWORD` create the first admin the first time the app runs. Change the password later in **Dashboard → Users**.

🛡️ **Never share screenshots** of this screen — it shows your password.

Fix the .htaccess file

Truehost adds a WordPress rule that hijacks every web address that is not a real file — including the app's own API. Remove it.

✗ Without the fix

hausaly.com/nusuk/ → **page loads** (static file)
 hausaly.com/nusuk/api/health → **404 black page**
 Login button → **"Request failed"**

✓ With the fix

hausaly.com/nusuk/ → **page loads**
 hausaly.com/nusuk/api/health → **{"ok":true}**
 Login button → **works**

1 Find the right file



Show hidden files

File Manager → Settings



Open the right .htaccess

The one containing
 PassengerAppRoot



Copy it first

Name it `.htaccess.bak`

2 Delete only this block

```
# DO NOT REMOVE. CLOUDLINUX PASSENGER CONFIGURATION BEGIN
PassengerAppRoot "/home/<cpanel-user>/nusuk"
PassengerBaseURI "/nusuk" ... PassengerStartupFile app.cjs
# ... HTTPS redirect, security rules ...

# BEGIN WordPress
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
# END WordPress

# ... rest of the file ...
```

■ Keep ■ Delete these 8 lines

3 Save and restart

Click **Save Changes**, then **Setup Node.js App → Restart**.



If Truehost ever regenerates this file and the 404 returns, repeat these steps.


Check that it works

1 Health check




Must show exactly this.

2 The website



Keep the trailing `/`.

3 Admin login



Use your `ADMIN_EMAIL`.

✓ First things to do after logging in



1 • Change your password

Dashboard → Users → Edit. Use 10+ characters.



2 • Set the FX rate

Settings → Platform FX rate. Naira per 1 Riyal. Shows in the top bar.



3 • Add links

Settings → brochures & YouTube. Buttons stay off until filled.



4 • Add staff

Users → Add. Role **staff** can't see Users or Settings.



5 • Privacy Policy

Replace the placeholder text before launch.



6 • Send a test

Submit the Interest Form → see it in Service Requests.

☀ What the dashboard gives you

Overview

Service Requests

Bookings

Hotel Inventory

eSIM Inventory


Users

Settings

Requests and bookings: search · status workflow · internal notes · CSV export.

Updating the live site

Use this every time you receive new files.



✗ Delete from nusuk/

- folders `public` · `server` · `test`
- files `app.cjs` · `package.json` · `README.md` · `Dockerfile`
- the old extracted folder and old ZIP

✓ Never delete

- `nusuk-data/` — **your database**
- `tmp/` — used by cPanel
- the Passenger lines in `.htaccess`

? Do I need to restart?

What changed	Restart app?	Hard-refresh?
Only files in <code>public/</code> (design, text, images)	No	Yes
Anything in <code>server/</code> or <code>app.cjs</code>	Yes	Yes
Environment variables	Yes	No

⬇ Backups & recovery



Back up

Download `nusuk-data/nusuk.db` weekly and before every update. It holds all requests, bookings, users and settings.



Restore

Upload the saved `nusuk.db` into `nusuk-data/` and restart the app.



Lost admin password

Rename `nusuk.db` to `nusuk.db.old`, set new admin variables, restart. A fresh admin is created.

Something not working?

Start at the top and follow the arrows.

Open `hausaly.com/nusuk/api/health`

Shows `{"ok":true}`

Can't log in or forms fail?



Hard-refresh **Ctrl+Shift+R**

Use **https://** (not http)

Check `ADMIN_EMAIL` spelling

Anything else

What do you see?

Black 404 page

- ① Path box `nusuk` filled?
 - ② Files not one folder too deep?
 - ③ WordPress block removed from `.htaccess` ?
- then **Restart**

500 / 503 / "Incomplete response"

The app crashed. Open `nusuk/stderr.log` and `nusuk/boot.log` in File Manager and read the last lines.

No `boot.log` at all

cPanel isn't running the app. Startup file must be `app.cjs`, root `nusuk`, app status **Started**.



Quick symptom table

Symptom	Fix
Logged out immediately after login	<code>HTTPS=1</code> is set but you opened <code>http://</code> — use <code>https://</code>
Old design still showing	Browser cache — Ctrl+Shift+R
Top bar has no exchange rate	Set it in Dashboard → Settings (hidden until entered)
Brochure / video buttons greyed out	Add the links in Dashboard → Settings
404 returns after some days	Host rewrote <code>.htaccess</code> — repeat Step 4
Node version list stops below 22	Ask Truehost to enable Node 22, or use a VPS



Other places to look: cPanel → **Metrics → Errors** shows recent server errors. Delete `boot.log` and `stderr.log` once everything works.

Quick reference & security

QUICK REFERENCE CARD

Website	<code>https://www.hausaly.com/nusuk/</code>
Admin login	<code>https://www.hausaly.com/nusuk/#/login</code>
Health check	<code>https://www.hausaly.com/nusuk/api/health</code>
App folder	<code>/home/<cpanel-user>/nusuk</code>
Startup file	<code>app.cjs</code>
Database	<code>/home/<cpanel-user>/nusuk-data/nusuk.db</code>
Restart	<code>cPanel → Setup Node.js App → Restart</code>

Environment variables

Name	Example	Purpose
<code>BASE_PATH</code>	<code>/nusuk</code>	Serve under a sub-path (empty = domain root)
<code>HTTPS</code>	<code>1</code>	Secure cookies; use when the site is on https
<code>ADMIN_EMAIL</code>	<code>you@example.com</code>	First administrator (first start only)
<code>ADMIN_PASSWORD</code>	<code>.....</code>	First password (first start only)
<code>DATA_DIR</code>	<code>/home/.../nusuk-data</code>	Where the database is kept
<code>NOTIFY_WEBHOOK_URL</code>	(optional)	Posts a message for each new request or booking

Security checklist

☐ Admin password changed after first login

☐ Screenshots never show environment values

☐ `DATA_DIR` is outside `public_html`
☐ Site is on https and `HTTPS=1` is set

☐ Staff use the **staff** role, not admin

☐ Database backups stored away from the server


NUSUK CONSULT
Beyond Compliance