

● INSIDOR

Catch the play before it's a coin.

How the product works, what every screen looks like, how the pages connect, the algorithm that finds viral posts before crypto traders do, how the database is built, and how each feature gets made.

PRODUCT & SYSTEM WALKTHROUGH · 27 JULY 2026
TEN SECTIONS · SCREEN MOCKUPS, FLOW DIAGRAMS, ALGORITHM, SCHEMA, BUILD MAP

Contents

01	Live Feed — the posts lane	The front door. What is going viral right now, before anyone has minted it.
02	Live Feed — the coins lane	Trending coins, plus the story column no competitor can render.
03	The Story page	The judge screen. Is this real, am I early — and the discussion layer.
04	The Coin page	Chart, swap, safety, and the origin band proving where the coin came from.
05	Creating coins	Turning a story into the first coin, and the auto-namer.
06	Search and You	The anti-duplicate check, the honest record, and what you own.
07	How the pages connect	Navigation, the core loop, and one story from post to trade.
08	The algorithm	How we find viral posts, what the metric measures, and where AI is actually used.
09	The database	The schema, and the rules the database enforces so code cannot get them wrong.
10	How each feature gets built	Repository shape, build sequence, what is out of scope, and what is still undecided.

THE ONE RULE TO CARRY THROUGH EVERY SCREEN

The primary button is never a copywriting choice. It is a function of how many **confirmed** coins a story has: none means **Create**, one means **Buy**, several means **Compare**. When the system is not certain a coin belongs to a story, the candidates are still shown — labelled unverified — and the Buy button is switched off. A wrong Buy button on a memecoin terminal is a user losing money, so that state is made unrepresentable rather than merely discouraged.

01. Live Feed — the posts lane

A ranked board of the forty posts going viral right now, ordered by how fast each is accelerating against its own author's baseline — not by how many views it has. One job: *what is blowing up, and how much head start is left.*

This is deliberately the pre-coin surface. Most rows have no ticker and nothing to buy — not a gap in the data but the product's whole claim, since a row with a liquid coin attached means you were late. Inside Live feed a switch splits POSTS, STORIES and COINS, which share one row height, one header and one stability model, so the three read as views of a single instrument.

Below sits a 44px control strip: platform chips (rendered from `select distinct platform`, so X and TikTok and nothing else — three hardcoded chips reading zero forever would be a lie), age window, sort chips, thresholds, and one loud red SHOW RISKY. That toggle is the only control that relaxes a hard eligibility gate, which is why it is red, in the open rather than a drawer, and never persisted. On the right the strip reports on itself — LAST TICK 4s — because a board that reranks silently looks identical to one that has died.

INSIDOR

Live feed

Search

You

Search stories, coins, @handles

%K

SOL \$184.22 +2.41%

Connect

POSTS

STORIES

COINS

LIVE

ALLXTIKTOK

15M1H4H24H

HEATRATEACCELNEWREACH

MEME ≥ 0.350 ≥ 0.30

SHOW RISKY

COLLAPSE BY STORY

SINCE OPENΔ10M

LAST TICK 4S 40 POSTS

#	POST	HEAT	REACH	RATE	ACCEL	20M	ORG	MEME	AGE	
1	X Nordkyst Ferge @nordkyst_ferge · 412K He blew the horn one last time and the whole harbou... → STORY +4 POSTS	94	2.4M	12.4K/m 48 rt/m	3.2×		88	84	4h +34m early	Buy \$FERRY +0.5% fee
2	t harbour clips @harbourclips · 88K the entire harbour answering the last horn — I was no... 2ND WAVE FROM VIDEO → STORY	81	890K	6.9K/m 31 rt/m	2.1×		74	84	2h +34m early	Buy \$FERRY +0.5% fee
3	t plant mum @plantmum · 1.2M stitching this because my monstera did the exact sa... → STORY FROM VIDEO	76	850K	8.2K/m 44 rt/m	1.9×		81	71	47m +12m early	Buy \$PLANT +0.5% fee
4	X Nordic Notes @nordic_notes · 240K Norway will literally pay you to move to Finnmark. €25,... → STORY	72	1.1M	5.1K/m 22 rt/m	1.6×		69	66	1h 12m +21m early	Create coin prefilled
5	t cup names @cupnames · 63K DERIVED Barista asks your name once and you are l... NEW NO MEDIA 1 TICK	63*	610K	9.4K/m 27 rt/m	—		77	58	9m no lead — unclustered	Create coin prefilled
6	X Ben Jacobs @JacobsBen · 1.6M Atletico confirm the Kang deal in principle. Medical s... \$KANG · UNVERIFIED → STORY	52	45.1K	1.2K/m 6 rt/m	0.7×		92	38	3h 20m CT -7m late	Create coin prefilled

40 of 63 eligible · 12 hidden by gate

meme_score 7 · 0 3 · author cap 2 · coinability 4

Six of forty rows. The left edge carries a 3px lifecycle rail — cyan peaking, lime heating, dim cooling. Rows 1 and 2 are one story on two platforms; with COLLAPSE BY STORY off they render individually but share *one* resolved action, because twelve rows of a story is not twelve independent Buy buttons.

Why REACH is grey and HEAT is white

REACH is the one number here we refuse to render in primary ink. Cumulative views are an *eligibility gate*, not the score — a post clears a floor to be on the board at all, and after that its total says almost nothing about whether you still have a head start. Every competing surface trains users to read the biggest number in a row as the ranking. Render 2.4M in white beside a HEAT of 94 and the eye lands on the reach, re-sorting the board in the trader's head. Muting it costs nothing and kills the likeliest misread of this screen. HEAT takes the white number and the cyan bar because HEAT *is* the sort key made legible.

Why ACCEL shows an em-dash

ACCEL turns about forty seconds before the rank does, which is what a trader actually watches. It is a ratio of two exponentially-weighted view-rate accumulators, so it needs two snapshots to exist. On a post seen exactly once the honest value is not computable, and the obvious placeholder, 1.0×, is the worst available lie: it reads as steady state, sits in the amber band, and is indistinguishable from a real measurement of a post that is genuinely flat. So one snapshot renders a dim —, a blank sparkline and an asterisked HEAT. Same rule under an ingest gap: the accumulator freezes rather than decays, and the window is marked unmeasurable instead of scored as a win.



22px of inline SVG over the last eight view-rate deltas – so the shape of bought reach, one vertical step then nothing, reads in a second without a popover.

There is not a single like button on this screen

Nothing inside the POST cell is an engagement control. No like, no repost, no reply, no follow — and this is not an omission we plan to fill. Insidor is not a client for X or TikTok and must never look like one: the moment a row offers a repost affordance the board becomes a feed, the mental model becomes consumption, and every honesty label reads as decoration around content rather than a fact about an instrument. Name, handle and timestamp link out to the real post; that is where you engage. **Create coin** and **Buy** are Insidor actions on an Insidor object, so they sit outside the post cell behind a 1px divider separating what the internet made from what we are offering you.

The action is a pure function of one number: how many coins on this post's story are matched *confirmed* and clear the hard safety gates. Zero gives Create coin, one gives Buy \$TICKER, two or more gives See the N coins. That count is market-data independent — a coin confirmed four minutes ago with a null mcap is still one, still Buy. Demanding a non-null mcap first would flip that mint back to Create and drive a duplicate launch in the exact window this product exists to serve.

STORY STATE	CHIP SLOT	ACTION
Harbor Last Horn · one confirmed mint \$FERRY · \$799.6K mcap · \$84.2K liq · 1,204 hld · 31m · confirmed	→ STORY +4 POSTS	Buy \$FERRY +0.5% fee
Paid to Move to Norway · no coin exists the normal case — ticker, name and media prefilled from the suggestion	→ STORY	Create coin prefilled
Atletico Confirm Kang · matcher abstained candidate scored below the confirm threshold — no Buy is rendered at all	\$KANG · UNVERIFIED	Create coin prefilled
Grandmaster vs Pigeon · confirmed but unsafe \$PIGEON · \$753.5K mcap · mint authority still active	RISK · MINT AUTHORITY	See the coin show risky to trade
Barista Name Lock-In · classified no_create ranks and displays normally — discussable, not mintable	NOT MINTABLE Ⓞ NAMED PERSON	Not mintable real-person subject

One primary control per row. Study the third: when the matcher abstains the candidate is still shown — muted, dashed, labelled UNVERIFIED — but Buy is *unrenderable*, not disabled. Abstain never means hide, and never means Buy. Confidence stays categorical for the same reason: "73% match" beside an actionable button reads as good enough.

The rail

Above 1280px a 460px rail runs beside the board and logs what it just did. It exists because *values update live but positions do not*: ranks commit every 20 seconds behind hysteresis, so movement a user would otherwise miss has to be narrated somewhere. It is also where failures get published rather than buried.

BOARD EVENTS	SINCE OPEN 14:22
14:26:04	ENTERED #7 · @pLantmum
14:25:41	CT PICKUP · 3 accts · \$FERRY story
14:25:12	2ND WAVE · #12 · @harbourclips
14:24:58	MATCH RETRACTED · \$KANG · now unverified
14:24:30	LEFT · cooling · @boardstate
14:23:55	NORMS REBASED · p95 61 → 88 · ticks suppressed
14:23:02	SNAPSHOT GAP · 4m · 3 rows frozen
14:22:10	CT BEAT US · -7m · @JacobsBen

The rail at true width, shown separately here; in the app it sits right of the board. Four of these eight lines are the product admitting something. Roughly a third of real detections are late, and the number that proves the lead-time claim has to be able to render its own failure.

02. Live Feed — the coins lane

The same board, switched to the tradeable side: what is moving right now, and — in the slot every competitor fills with a decorative sparkline — where it came from. One job: turn a story into the specific mint you can buy, without ever showing a number we do not have.

The posts lane answers *what is blowing up*; the coins lane answers *what can I do about it*. Same instrument — same 54px rows, hairlines, rank column, 20-second commit. The one real difference is the STORY column, and that column is the entire company. DexScreener, Photon, Axiom and Pump.fun render the same eleven market columns off the same three vendors; none can tell you this mint is the ferry captain's last horn, that we saw the post 34 minutes before crypto Twitter did, and that the trace is auditable at a URL. So it sits in slot three, right after the ticker, and it is the last column the responsive rules may drop.

The board is never one list. Four bands — **Fresh** (on the bonding curve), **Graduating**, **Live** (migrated, has a pool), **From a Story** (one row per narrative) — each with its own column template and sort key. A three-minute \$8K curve token and a \$40M AMM token are not comparable quantities, and a table showing both draws four structural dashes per row across a whole band: a table admitting it was built for the wrong data.

INSIDOR

Live feed

Search

You

LIVE

7fXq...4kR2 · 3.14 SOL

POSTS

STORIES

COINS

LAST TICK 4s

PRICES 6s

24 COINS

SHOW RISKY

Fresh 38 6 hidden

Graduating 11

Live 24

From a Story 7 4 unverified

/feed?lane=coins&band=live

matcher abstaining on 34% of candidates

#	COIN	STORY	PRICE	5M	1H	24H	VOL 24H	LIQ	MCAP	HLD	AGE	RISK	ACTION
PRE-RANK · NO TRADES YET · UNRANKED												and 38 more minted in the last 90s	
	\$HARBOR MINTED 8s AGO	matching...	..	..	..	..	..	..	..	..	8s	scan.. 0/9	Buy \$HARBOR +0.5% fee
	\$TOLL MINTED 51s AGO	no story	..	..	..	..	..	..	..	..	51s	scan.. 0/9	Buy \$TOLL +0.5% fee
1	\$FERRY NEW Last Horn	Harbor Last Horn +34m early 1 of 3 coins	\$0.0007996	+12.4%	+48.2%	—	\$412.8K ^{31m}	\$84.2K	\$799.6K	1,204	31m	T10 78 4/9	Buy \$FERRY +0.5% fee
2	\$PLANT Stitch Reply	Plant TikTok Stitch +11m early heating	\$0.0005628	+6.2%	+48.9%	—	\$268.4K ^{2h}	\$61.4K	\$562.8K	806	2h 14m	T10 41 4/9	Buy \$PLANT +0.5% fee
3	\$PIGEON Board State	Grandmaster vs Pigeon -8m vs CT cooling	\$0.0007535	-4.1%	-12.6%	+41.7%	\$2.11M	\$128.7K	\$753.5K	3,318	1d 04h	? 4/9	Buy \$PIGEON +0.5% fee
4	\$MOTH Porch Light	no story	\$0.0124000	+2.8%	+9.4%	+26.1%	\$8.06M	\$684.2K	\$12.4M	14,207	3d 06h	T10 22 4/9	Buy \$MOTH +0.5% fee
5	\$KANG Kang Confirm	Atletico Confirm Kang UNVERIFIED	\$0.0000473	+2.4%	—	—	\$38.4K ^{22m}	\$11.6K	\$47.3K	91	22m	H 91 4/9	See the coin
6	\$QUEUE Post Office	no story	\$0.0002873	-1.9%	+4.2%	—	\$74.9K ^{5h}	\$27.9K	\$287.3K	412	5h 41m	T10 62 4/9	Buy \$QUEUE +0.5% fee

24 of 31 shown · 7 hidden by gate

rank commits every 20s · values live · positions frozen on hover

The Live band, 14 columns. The two **pre-rank** rows are 8 and 51 seconds old: every market cell is , the rank is a dot, and they sit *above* row 1 in a dashed zone — a mint with no trades is not rank one, and not rank forty either. \$FERRY is rank 1 at \$799.6K while \$MOTH sits at rank 4 with a \$12.4M cap. \$FERRY's 24H is a dim carrying `title="coin is 31m old"`, never `0.0%`. \$KANG at rank 5 matters most: the matcher abstained, so the thumbnail drops to 60% behind a dashed amber ring, the title goes muted, the lead chip disappears, and the primary is an outline *See the coin*.

How a 31-minute-old token ranks against a three-day-old one

Four mechanisms, none a hand-tuned weight. **Band partition:** a curve token lives in Fresh and cannot enter the same ordered list as a migrated one. **Market cap and liquidity are never terms** — display columns and hard gates only, which is why \$MOTH's fifteen-fold size advantage buys it nothing. **Acceleration is self-normalised:** five-minute volume against the coin's own last hour, so a coin is only compared to itself and being big earns zero. And in Fresh an **age penalty** (1.87× at twenty minutes, 7.94× at three hours) turns the band over completely in about forty minutes. One more is the thesis in the

formula: a story-linked coin is multiplied by 0.35 the moment crypto Twitter picks the story up — when our edge is gone the coin falls off the board *while it is still climbing*.

Note what story attachment does *not* do: it never multiplies rank in the coin-subject bands, only filters and breaks ties. If it multiplied, the incentive would be to game the matcher — the precision-critical component in the system — so keeping story off the multiplier keeps the attack surface off the correctness-critical path.

The three pending renders, and why they are three

Collapsing them is how a terminal lies. One formatter, applied to every numeric cell in the product.

RENDER	MEANS	ON THIS BOARD
—	We cannot obtain this. Permanently unmodelled.	dev% · sniper% · bundle%
—	The window has not elapsed. Carries a title attribute naming the age.	24H on \$FERRY, 31m old
· ·	Expected imminently, waiting. Data is coming, it just is not here.	\$HARBOR, 8s old, no trades
0.0%	Never rendered. A zero pill reads as flat, which is a different assertion from undefined, and is the most misleading render available on a coins board. \$0 claims worthlessness; — — claims ignorance.	

The lookup returns `null` for absent numerics rather than coercing to zero. The consequence that keeps it honest: a missing mint timestamp renders as unknown age and suppresses Buy, instead of returning zero and painting a token of unknown vintage as brand new on a terminal that sells earliness.

The RISK chip: why there are no green ticks

Every competitor’s safety panel opens with two permanent green ticks — *mint authority revoked*, *freeze authority revoked*. The pump.fun program revokes both at creation, so every token passes. A check the whole population passes carries zero bits, and worse, it teaches the user that green means safe in a panel where green means nothing; after a week of two ticks on every rug they stop reading it. Neither is rendered as a signal; both appear once in the popover footer as a dim non-signal line saying why.

What replaces them: worst discriminating signal on the left, fixed obtainability denominator on the right — `T10 78 · 4/9`. Nine signals would discriminate (dev holding, sniper, bundle and insider percentages, creator history, top-10 concentration, single-holder maximum, holder count, sell-side liveness); we can compute four today, and five need first-slot transaction analysis we are not building yet. The denominator is always visible because **a missing chip reads as "fine"**, and a lime tick is unreachable until creator history has a verdict for that wallet — which is why \$PIGEON reads `? 4/9`.

T10 784/9

\$FERRY

scanned 41s ago

CHECKED · 4

Top-10 concentration78%

Single-holder max (top-1)11%

Holder count1,204

Sell-side livenesssells present

NOT AVAILABLE AT LAUNCH · 5

Dev holding %needs first-slot analysis

Sniper %needs first-slot analysis

Bundle %needs first-slot analysis

Insider %needs first-slot analysis

Creator historyaccumulating · day 9 of 14

Mint authority revoked · Freeze authority revoked.

The pump.fun program revokes both at creation, so every token on this board passes. Not shown as a signal.

Top-10 excludes the bonding-curve PDA. Without that exclusion every pre-graduation token reads 80–95% concentrated and the column is uniformly red.

NOT SHIPPED — THE GENERIC DEX CHIP ROW

Trending

New pairs

Gainers

Top mcap

four sorts of one list · no column template per band · "Gainers" ranks a 3m curve token against a \$40M AMM pool · "Top mcap" is a leaderboard for whoever is already late

SHIPPED — FOUR STRUCTURAL BANDS

Fresh

Graduating

Live

From a Story

each band a different question, a different column set, a different sort key, and its own URL

Left: the popover names all nine signals, including the five we cannot compute — naming them as unavailable is the point, because omitting them would let four-of-four read as a clean bill of health. Right: the chip row we removed, and what replaced it.

Hard gates hide a row unless *Show risky* is on: live mint or freeze authority, Live liquidity under \$3,000, the honeypot proxy, unknown mint time, and top-10 concentration above 85% on Fresh or 60% on Live. Band-dependent on purpose — a flat 60% gate empties Fresh on day one, because a three-minute-old token has nine buyers and is legitimately concentrated. The

hidden count is always stated, since a gate that silently shrinks the board is indistinguishable from a broken query. And authority fields are tri-state: absent is *unknown*, not *revoked*, or one vendor timeout passes every row.

Finally, the action column. The primary is a cyan *Buy*, but it is navigation: it opens the coin page with the tradebox focused, where the quote is fresh and the fee is disclosed before confirm. The dim `+0.5% fee` line is read from config and is the cheapest number that can ever appear — the Jupiter integrator fee has a fifty-basis-point floor, and implying zero is a lie we would walk back at confirm. On an UNSURE row no Buy control renders at all, at any width, in any state. Abstain never means hide, and it never means Buy either.

03. The Story page — the judge screen

`/story/[id]` is where a user settles two questions — "is this real?" and "am I early or late?" — and then takes exactly one action. Everything else in the product is a way of getting someone to this page.

It is a routed page, not a modal, and that is a product decision rather than a routing preference. The whole pitch is a lead-time claim, and a claim nobody can open, link and check is marketing. A URL a stranger can paste into Discord and verify against two public timestamps is the only version of this that survives a sceptic.

Two columns. Left is evidence, read top to bottom as one document. Right is the persistent rail, which on this route opens on a fourth mode — **Discussion** — beside the tape modes it carries everywhere else. The rail does not disappear here: a trader sits on this page longer than any other, and no terminal hides the tape on its analysis view.

← Live feed

HarborLastHorn

☆ Follow

copied ✓

LIVE

LEAD TIME

+34m

before the first crypto account mentioned it

YOUR CLOCK

promoted 4h00m ago · 1 coin since · you are not early

The head start we recorded is not the head start you have now.

STATE

● Peaking

posts/5min 14 → 22

REACH

3.3M

12.4K/min

COINS

1 confirmed

\$FERRY · 31m old

SOURCE POST

2 AUTHORS · 2 PLATFORMS

FROM VIDEO

@nordkyst_ferge

41.2K followers

X

10:41

Kaptein Solheim blew the horn one last time after 41 years on the Bodø route. Then every boat in the harbour answered him. I have never heard anything like it. Sound on.

2.4M views · open post ↗

VIRALITY

Δ = LAST 30 MIN

3.3M

VIEWS

+310K/30m

5.4K

REPOSTS

+880/30m

115K

LIKES

+9.1K/30m

8.2K

REPLIES

+610/30m

14

AUTHORS

+4/30m

X

M

PLATFORMS

—

4h

AGE

since 10:41

THE COIN

1 CONFIRMED

MATCHED · IMAGE + NAME · MINTED 3H29M AFTER THE POST

\$FERRY

Last Horn

4kQ9...u7Bx

\$799.6K

\$84.2K

1,204

31m

Buy \$FERRY

MCAP

LIQ

HOLDERS

AGE

Insidor takes 50 bps on trades routed from here — the floor, not an estimate.

MOMENTUM

5-MIN BUCKETS · 4H WINDOW

PROMOTED

FIRST CT POST

FIRST MINT

Peaking

⌱ 1.40 · v 0.52/min · g +0.020 · 22 posts/5m · 2 platforms · meme 0.84 · accel 3.2×

LEAD-TIME PROOF

T_CRYPTO = FIRST OF EITHER

FIRST POST

10:41

WE SAW IT

10:52

FIRST CRYPTO POST

11:26

FIRST MINT

14:10

We saw this story 34 minutes before the first crypto account mentioned it, and 3 hours 18 minutes before anyone minted a coin from it.

original post ↗

first crypto post ↗

measured against 41,208 mints streamed + 300 crypto accounts polled every 2 min · t_crypto = first of either · mint stream green 04:00-14:41 · ct poller green 04:00-14:41

Tape

Mints

Watch

Discussion · 41

Earliest

Newest

WRITTEN WHEN SMALLEST

Oxhavn

HOLDS 2.1M \$FERRY

3h20m ago

Watched this on the harbour cam. The captain isn't the meme — every other boat answering him is. That's the clip that travels.

posted when 340K views · no coin yet · 40m old · early

quiet_flag

NO POSITION

2h35m ago

Norwegian regional press ran it before CT touched it. Second leg when the evening bulletins pick it up.

posted when 1.1M views · no coin yet · 1h25m old · early

lofoten_rk

SOLD

58m ago

He did 41 years on one route. That number is the whole thing — put it in the ticker or don't bother.

posted when 2.6M views · no coin yet · 3h02m old

FIRST COIN APPEARED HERE · 14:10

mintwatch

POSITION UNKNOWN

22m ago

\$FERRY is the only mint using the real horn audio. Two copies already up with the same name.

posted when 3.1M views · \$FERRY 9m old · 3h38m old

Add your take...

will post as: 3.3M views · \$FERRY \$799.6K · 4...

Post

The full page in its most common state: one confirmed coin, a positive lead time, a live pipeline. Notice that **LEAD TIME** and **YOUR CLOCK** are different cells in different colours. +34m is a historical fact about the detector, frozen at promote; promoted 4h00m ago · 1 coin since · you are not early is the live question the person on the page actually has.

They never share a component, and the sticky action bar never renders +34m - a frozen number beside a Buy button reads as a promise about the trade.

The evidence column is arranged so a sceptic runs out of objections in order. The source post carries the real permalink from `pLatForm_post_id`; if that id is missing, no link renders and a footnote says so. We never synthesise one — a dead link on the proof surface costs more than a missing one. The virality grid puts a 30-minute delta on every cell, so a large number that stopped growing is visibly distinct from a smaller one still climbing.

The momentum chart puts posts-per-5-minute bars behind the views area on purpose: views can keep climbing while the rate of new posts collapses, and that divergence is the acceleration signal the promote trigger uses. The series is a written rollup table, not a view over raw snapshots — posts are sampled on a geometric grid, so naive summing makes totals drop whenever fewer posts happened to snapshot, and COOLING would fire on a sampling artefact. The lifecycle word gets one coloured bar and a mono readout, not a paragraph: the page keeps exactly two sentences of English — the lead-time claim and the outcome verdict — because both are falsifiable assertions and should read as such.

The stamp: earliness, made visible and permanent for people

Every comment carries a line frozen at insert: `posted when 340K views · no coin yet · 40m old · early`. Lead time makes the product's earliness checkable; the stamp does the same job for a person. Someone who called the ferry story at 340K views, before any coin existed, has a permanent public receipt — and someone who arrived at 3.1M views has one too, in exactly the same slot, unflattering and uneditable.

Two constraints make it real. Every snap column, including `snap_early`, is written once and guarded by a BEFORE UPDATE trigger — computing "early" at render against live views would let the badge drift monotonically in the author's favour as the story grows. And **Earliest** sorts `snap_views` ASC, not `created_at` ASC: earliest means written when the story was smallest, which is the thing worth ranking. Votes are farmable; a frozen snapshot of the world at write time is not.

The position badge is the other half. It is read once server-side at write time and stored as a raw amount with decimals and mint, so it renders `holds 2.1M $FERRY, no position` or `sold` beside the handle. No other crypto comment section can render this, because no other one owns both the story and the trade: Twitter knows the take and not the wallet, a DEX knows the wallet and not the take. It answers the question that matters when you read a bullish comment — is this person talking their book — before you read the sentence. The denomination is the token, never SOL: native SOL is unrelated to the coin, and SOL-denominating a position needs a price quote we do not fetch. A failed chain read renders `position unknown`, dashed, never `no position` — which would be a fabricated credential in the author's favour.

The coin section: one panel shell, four states

The panel occupies the same shell in every state, above the fold, primary always bottom-right at 40px and 168px minimum width. Only the label moves. A count chip carries the state's signature so a zero never reads as an error. One pure, unit-tested resolver produces the label from `verdict`, `mint_time` and `ticker`; `unsure.length` is in its return value and nowhere in its branch condition.

STATE 1 · ONE CONFIRMED

1 CONFIRMED

MATCHED · IMAGE + NAME

\$FERRY

Last Horn

4kQ9...u7Bx

\$799.6K

\$84.2K

31m

MCAP

LIQ

AGE

Stories never buy. The button navigates to /coin/4kQ9...u7Bx, where the trade lives.

Buy \$FERRY

STATE 2 · TWO OR MORE CONFIRMED

3 CONFIRMED

SORTED BY MINT TIME — EARLIEST FIRST

#	COIN	MCAP	LIQ	AGE	Δ FROM POST
1	\$FERRY FIRST BIGGEST	\$799.6K	\$84.2K	31m	+3h29m
2	\$HORN	\$310.4K	\$22.1K	24m	+3h36m
3	\$LASTHORN	\$96.2K	\$8.4K	11m	+3h49m

FIRST = made from this story before any other. BIGGEST = most money in it.

No per-row Buy chips. Rows navigate, nothing more.

See the 3 coins

STATE 3 · UNSURE — THE ABSTAIN STATE

0 CONFIRMED · 2 UNVERIFIED

ATLETICO CONFIRM KANG · @JACOBSEBEN · 45.1K VIEWS

No confirmed coin for this story.

\$KANG from post

\$ATLKANG suggested

Create coin

UNVERIFIED CANDIDATES · 2

These mints share a ticker or a name with this story. We could not confirm they are related.

?

\$KANG

Kang Token

ticker matches · name does not · image not checked · minted 3d after the post

\$128.4K

MCAP

3d

AGE

View anyway

?

\$ATLETI

Atleti Fan Coin

name partially matches · ticker does not · image not checked · minted 11d before the post

\$41.9K

MCAP

11d

AGE

View anyway

Buy does not exist in this region at any size. No percentage is rendered anywhere.

STATE 4 · NO COIN

NO COIN

PAID TO MOVE TO NORWAY · @NORDIC_NOTES · 1.1M VIEWS

No coin exists for this story.

\$NORWAY from post

\$PAIDMOVE suggested

Create coin

Creating costs about 0.021 SOL in rent and fees, quoted live. The fee split is not final.

Every stamp in the discussion reads no coin yet, every badge no coin to hold. A cyan divider will mark where the first coin appears, once it does.

Four states, one shell. The count chip changes colour and wording; the primary changes label and nothing else. The dashed \$ATLKANG suggested chip in state 3 is the only place in the entire product where an LLM-suggested ticker may appear, and it appears as a Create prefill — never as a coin.

State 3 is the one that protects users from losing money, and it is the hardest to get right. The instinct is to dim it, grey it out, or show a confidence percentage and let the user decide. All three are wrong. Grey reads as broken, and a broken-looking page gets ignored rather than read. A percentage is worse: a user shown "73%" beside a Buy button does their own thresholding, and the abstain band stops functioning — which is why the numeric score is stored and never sent to the client, not in a tooltip, not in a data attribute, not in the API response.

So the state is built in two regions. Region one is full brightness, cyan-tinted exactly like the no-coin state, with a live, enabled **Create coin**. The page's centre of gravity stays a bright cyan button, and that is what stops abstaining from looking like a failure. Region two sits below a dashed rule: amber left bar, a placeholder glyph instead of the token's own logo — a logo borrows credibility we declined to grant — mcap and age one contrast step down, and a channel readout in categorical words, where channels that did not run read not checked, never failed. One action, **View anyway**, routing to /coin/<mint>?unverified=<story_id>, because the warning belongs to the (story, mint) pair and never to the mint alone. Landing a copycat in the abstain band is the expected path for anyone farming this product, not an exploit; every choice in region two assumes an adversary is reading it.

The address gate

The composer blocks every base58 run of 32–44 characters — including this story's own confirmed mint. There is nothing a user can say with a contract address that they cannot say with \$FERRY, which is already auto-linked. Allowing the "correct" address through would mean the gate has to decide which mints are legitimate, and the abstain band exists precisely because that decision is sometimes unavailable.

COMPOSER · ADDRESS BLOCKED BEFORE POSTING

ape this one before it runs 8pQr4mNvK2xW9tLz3aJdY6bC1sHgF7eR5uT

BLOCKED

Contract addresses can't be posted. Say \$FERRY — it links to the coin. This address is not one of this story's mints.

will post as: 3.3M views · \$FERRY \$799.6K · 4h old

Post

SAME GATE, THIS STORY'S OWN CONFIRMED MINT

the real one is \$FERRY not the copies

The base58 run was replaced inline with the ticker chip and the comment posts normally. No modal, no rejection.

will post as: 3.3M views · \$FERRY \$799.6K · 4h old

Post

Left: an unrelated mint, blocked with the reason stated and the Post button inert. Right: the same gate applied to the story's own mint — silently rewritten to the ticker chip and posted, because the user's intent was legitimate and the address was just the wrong way to express it. The client check is a courtesy; the server runs the same function and is the enforcement, shipping in the same release as the composer. Realtime never uses postgres_changes on comment — that stream ignores the read-path status filter and would broadcast every gated row to every client, delivering a spammer's address faster than an unmoderated feed.

O4. The Coin page — chart, swap, trade

One coin, told honestly, and the only surface in Insidor where money moves. Chart, stats and swap box are table stakes. The job only this page can do is prove this coin exists because of a story we caught first, say by how many minutes, and refuse to sell you anything on a claim we do not stand behind.

Above the fold, Axiom, Photon and DexScreener are the same page: candles, market cap, holders, a swap box, all of it fast. Copying that is table stakes and no reason for anyone to switch. The one row nobody else can render is the **origin band** — the post that started it, the clock time we promoted the story, the clock time crypto arrived, and the difference. It sits directly under the identity header, above the stats and the chart, drawn in the terminal's own ranked-row grammar rather than as a hero card. A hero card reads as a boast; a row with column headers and right-aligned mono reads as a measurement.

The band prints clock times, not relative ages: `13:59` and `14:33` are checkable against the permalinks, "34 minutes ago" is not. `SPOTTED` is our *promote* time, not the post's birth — the ferry post had been up for hours before it accelerated, and the claim is earliness versus crypto, never versus the internet. The big `+34m` is Insidor's frozen record. The small `your lead now +18m` beneath it is a different number — where the *reader* stands right now, counting down, flipping amber to `crypto caught up 7m ago` and red past thirty minutes. They never share a component, because conflating the detector's history with the reader's live standing is the most flattering lie this product could tell.



\$FERRY

NEW

LIVE

Last Horn · pump.fun · SPL

4mZq...8xPq

X

TG

WWW

\$0.0007996

+218.4%

SINCE MINT · 31M

ORIGINSTORYSPOTTEDCRYPTOLEADMATCH

@NORDKYST_FERGE · X · 4H AGO · 2.4M VIEWS

Harbor horn goes viral in Bergen

"han blåste én siste gang og hele havna svarte..."

13:59

WE PROMOTED

14:33

FIRST MINT

+34m

EARLY VS CRYPTO

your lead now +18m

MATCHED · IMAGE + NAME

2 MORE COINS FROM THIS STORY

	\$HORN Bergen Horn	EARLIEST	\$41.2K	\$9.8K liq	44m
	\$LASTHORN last horn		\$18.6K	\$4.1K liq	12m

YOU ARE VIEWING THE DEEPEST BOOK · CONFIRMED MATCHES ONLY

5M	1H	24H	MKT CAP	LIQUIDITY	VOL 31M	HOLDERS	AGE
+12.4%	+48.2%	—	\$799.6K	\$84.2K	\$412.8K	1,204	31m



Trades	Holders	Info	10S POLL · YOUR FILLS CYAN		
TIME	SIDE	PRICE	SOL	FERRY	WALLET
15:04:12	BUY	\$0.0007990	0.42	93,780	9Hs2...kQ1v
15:03:58	SELL	\$0.0007970	1.10	246,220	Bn4x...7Tqa
15:03:41	BUY	\$0.0007940	0.25	56,171	7Ldd...3Zme you
15:03:20	BUY	\$0.0007910	2.00	451,074	6k9p...Ru2c
15:02:57	BUY	\$0.0007880	0.60	135,838	Qw8m...Ld4s
15:02:31	SELL	\$0.0007840	0.35	79,643	3Vte...Nn6h

YOUR POSITION7LDD...3ZME

\$185.03

+\$39.43 (+27.1%)

Qty231,402

Avg paid\$0.0006292

Now\$0.0007996

Crypto traders got here 4 minutes before you bought.

BuySell

0.50

SOL ⇌ USD

0.1

0.5

1

2

MAX

YOU RECEIVE

110,420.55 FERRY

\$89.20 · 1 FERRY = \$0.00080783

Min received109,316 FERRY

Price impact0.42%

RoutedfLOW

Network + priority~0.0009 SOL

Insidor + Jupiter fee ⓘ0.60% · \$0.54

SLIPPAGE

Auto (RTSE)

PRIORITY

Fast

QUOTE

refresh 0:12

Buy \$FERRY

If this goes to zero you lose \$89.20. That happens most of the time.

SAFETYHELIUS + RUGCHECK · 22S AGO

- ✓

Sell route found

reverse quote returned for 1% of the position
- ✓

No transfer fee, no transfer hook

token program: SPL, not Token-2022
- Mint & freeze authority — revoked by pump.fun on every coin (not a signal)
- Top 10 holders 31.4%

of circulating · curve PDA, pool vault, burn excluded
- Dev %, sniper %, bundle % — not available at launch

Notice what is *not* here. No numeric match score anywhere — the stamp is categorical prose, because "73% match" beside a spend button makes the user do their own thresholding, which is what the abstain band exists to prevent. The 24H cell reads

—

 with a tooltip

coin is 31m old

, never

0.0%: \$0

 claims worthlessness,

—

 claims ignorance. Volume is labelled

VOL SINCE MINT

 with the elapsed window as a superscript rather than passed off as 24h. And the position card prints a **negative** user lead at full weight on the hero coin — our lead (+34m, the detector) and your lead (-4m, this wallet) are different numbers, and we will not quietly show you the flattering one.

The fee line, and why it is boring on purpose

All five recap rows render at one uniform 12px mono weight and all five come from the order response — nothing is a literal in the client. The fee row gets no badge, no box, no colour, no acknowledgement checkbox: a highlighted disclosure is something users learn to dismiss, whereas a row sitting in the same column as the number they care about is something they read. The ⓘ opens the split, and the split states the constraint plainly rather than pretending 0.50% was a price we chose.

FEE BREAKDOWN · 0.50 SOL BUY

Insidor fee 0.50%	\$0.45
Jupiter platform 0.10%	\$0.09
Total 0.60%	\$0.54

Jupiter keeps 20% of the Insidor fee.

0.50% is the minimum Jupiter permits on integrator fees — it is not a number we chose.

Ambient exposure. Same size and colour as its four siblings; the ⓘ is 10px.

CONFIRM · BUY \$FERRY

You pay	0.50 SOL · \$89.20
You receive (min)	109,316 FERRY
Price impact	0.42%
Network + priority	~0.0009 SOL
Insidor + Jupiter fee	0.60% · \$0.54
Insidor 0.50% / Jupiter 0.10%	\$0.45 / \$0.09

Quote refresh is suspended while this dialog is open. Nothing re-prices under your finger.

Sign & buy

Pre-signature exposure. Full uncollapsed row plus the split, every time, before any signature.

Two things to hold onto. The floor is real: **the cheapest possible cost to a user is 0.50% per trade**, because Jupiter enforces a 50 bps minimum on integrator fees, with our platform share on top. We cannot undercut it, so we disclose it. And the number moves — Jupiter's platform fee is published at 50 bps and measured live at 10; if they flip it back our disclosed total doubles to 1.00% overnight. Live value versus a stable "up to 1.0%" is open question #6, a trust decision rather than an engineering one. Either way the displayed fee is frozen from the order that produced the signed transaction and re-asserted server-side against that `requestId` in `/api/execute`. The client never computes it.

The pending state, which is the common case

Arriving before the market does means the modal coin page here has no pair, no OHLCV and no liquidity depth. If that renders as an error or as zeroes, the product contradicts itself on its own best screen. So the chart card says `Pool not indexed yet` with a live counter, price-derived stats render `· ·` rather than `$0`, Holders and Age stay live because they come from Helius RPC and `coin_mints` and need no pair — **and the trade panel still quotes**, routed on the bonding curve.

\$FERRY · CHART

Pool not indexed yet

MINT 0:34 AGO

DEXSCREENER HAS NOT CREATED A PAIR

PRICE	LIQUIDITY	HOLDERS	AGE
· ·	· ·	17	0:34

Nothing on this card reads `$0` or `0.0%`. A flat pill is a claim about the market; a dash is a claim about us.

\$FERRY · TRADE PANEL, NO PAIR

Buy

Sell

0.50

SOL ⇌ USD

YOU RECEIVE

1,884,220.10 FERRY

No chart yet — routed on the bonding curve

Min received	1,846,535 FERRY
Price impact	1.10%
Route	pump.fun curve
Network + priority	~0.0009 SOL
Insidor + Jupiter fee ⓘ	0.60% · \$0.54

· Checks pending — this coin is 34 seconds old.

Buy \$FERRY

If this goes to zero you lose \$89.20. That happens most of the time.

We do not block on unknown. Blocking every buy whose safety checks have not returned yet would delete the product, because the buys worth making are all 40 seconds old. Unknown discloses; only four things block, and only in the buy direction.

Safety signals that actually discriminate

Every competitor's safety panel gives every pump.fun token a wall of green ticks, because mint and freeze authority are revoked by construction on all of them. A tick every token earns teaches users that green means safe, inverting the check. So those two collapse into one dim non-signal line and green is reserved for checks a token can fail. Four things block a buy: active mint authority, active freeze authority, a Token-2022 transfer fee or hook, and **no sell route** — a reverse order call for ~1% of the intended out. Buy route present with sell route absent is the honeypot signature and is worth more than the other

three combined. Selling is never blocked in any state, because stranding a holder just relocates the unfairness; a transfer-fee token discloses in amber and the fee is subtracted from `You receive` as a sixth recap row.

BLOCKED · BUY ONLY

×

No sell route

reverse quote returned no route, 3 attempts

✓

No transfer fee or hook

Mint & freeze — revoked by pump.fun (not a signal)

No sell route — we could not find a way to sell this.

Buy \$SCAM

Find a safer coin →

TOKEN-2022 TRANSFER FEE

✓

Sell route found

!

Transfer fee 2.00%

charged by the token on every transfer, both directions

·

Top 10 holders — (bonding curve holds most of supply)

Insidor + Jupiter fee

0.60% · \$0.54

Token transfer fee

2.00% · \$1.78

Buy \$SPIN

UNVERIFIED MATCH · \$KANG

POSSIBLE ORIGIN · UNVERIFIED

Atletico confirm Kang

@JacobsBen · X · 45.1K views

WE COULD NOT CONFIRM THIS

We are not confident \$KANG came from this story. Matched on ticker only. [Why? →](#)

The verified coin from this story is \$ATM →

Create the coin for this story

Buy is absent. Not greyed, not gated — not rendered.

The third card is the most important state in the deck. On an unverified match the panel still quotes and Sell still works, but **Buy does not exist**. A greyed button is an offer withheld; an absent button is a claim we never made. A coin with *no* story keeps a normal lime Buy — an unmatched coin carries no claim from us, whereas an unsure one carries a claim we decline to monetise.

The buy flow, state by state

Quotes debounce at 250ms into `POST /api/order`, with the referral account and fee injected server-side from env and never accepted from the client. TTL is 20s, refreshed every 15s while visible, and **suspended entirely while the confirm dialog is open**. A refresh moving `outAmount` more than 1.0% against the user flashes amber and holds. `requestId` is single-use, and the `trades` row is written at ORDERING with `request_id` unique — the database, not the UI, enforces single submission across tabs.

01	NO WALLET	Page is fully readable and still quoting . Position card is absent, button reads <code>Connect wallet to buy</code> . Amount and settings survive the Privy round trip.
02	INSUFFICIENT BALANCE	Not disabled. Cyan <code>Add 0.34 SOL</code> , opening the funding sheet with the shortfall prefilled. A disabled button here is a dead end; a shortfall is a next step.
03	BACK FROM FUNDING	If price drifted more than 5%: "When you left, \$89.20 bought 110,420 FERRY. It now buys 46,110 (−58%)." at equal weight, with <code>Buy anyway</code> / <code>Change amount</code> . Intents older than 30 minutes, or for another mint, are discarded.
04	QUOTING	Holds in QUOTING until the mint account answers with decimals. A receive figure wrong by a power of ten is worse than a spinner.
05	QUOTE EXPIRY	20s TTL, refresh at 15s. Adverse move >1.0% flashes amber and waits for an explicit tap.
06	SIGNING	Confirm dialog repeats the uncollapsed fee split. Declining reads <code>You cancelled. Nothing was sent.</code> in --muted, never red — declining is a normal outcome, not an error.
07	SUBMITTED	<code>/api/execute</code> re-asserts the frozen fee against the requestId and captures SOL/USD server-side into <code>sol_usd_at_trade</code> . Every PnL number on this page derives from that column, never from the browser's SOL price global.
08	LANDING	<code>GET /api/txstatus?sig=</code> polls at 1s for 15s then 3s. A fill is confirmed by signature status, never inferred from a balance change . Past 15s: <code>Still confirming (0:47)</code> , polling to 90s.
09	FILLED	<code>Filled — 110,420 \$FERRY</code> , sub-line <code>0.50 SOL · avg \$0.00080783</code> , signature copyable, position card flashing in behind.
10	FAILED, SIG EXISTS	"Price moved more than your 1% limit. Nothing was spent except the network fee." — with the signature and a Solscan link, plus <code>Retry at 3%</code> pre-computed. Expired blockhash reads <code>did not land in time</code> and retry bumps priority one tier.
11	FAILED, NO SIG	"We lost contact before confirming. Check your balance before retrying." + <code>Check status</code> . Never auto-retry . That is how a user gets filled twice.

Slippage defaults to Auto (Jupiter's RTSE) for anything under thirty minutes old. A fixed 1% on a live bonding curve reverts constantly, and every revert is a trust event even though nothing was lost but the network fee.

The funding cliff, stated honestly

For a user arriving from a TikTok link with no SOL, the path to holding \$FERRY is not one flow but two: card → SOL through the onramp, then SOL → FERRY through the swap. That is roughly **2.5% on the onramp leg plus 0.60% on the swap**, and it takes long enough that the price on the second leg is not the price they saw on the first. This is the single largest drop-off in the product and we should not pretend otherwise. Direct-to-mint fiat funding is cut from v1 because it is unverified that the onramp can deliver an arbitrary SPL mint, and shipping on that assumption makes the normie path fiction. We ship honest arithmetic instead: both legs and both fees stated end to end before the user starts, the shortfall prefilled, and the drift on return shown at equal weight behind an explicit `Buy anyway` .

05. Creating coins

What the product does when a story has no coin yet — the other half of the same sentence as buying. Its job: turn a detected story into a live pump.fun coin in two steps and one signature, with the source post locked at the top so a coin can never be made out of nothing.

Creating is never a destination; there is no "new coin" button in the nav. The affordance appears only where the confirmed coin count is zero, and every entry point reads one server row — `select can_create, buy_count, unsure_count from story_cta_v`. No client-side coinability logic exists anywhere.

Step 1 • Name it

The walkthrough uses **"Paid to Move to Norway"** — @nordic_notes on X, 1.1M views, heating, no coin. A 472px sheet, the same width as every other sheet in the product, because this must not read like fintech onboarding to someone who arrived from a ranked table.

Create a coin

1

STORY · CANNOT BE CHANGED

x

@nordic_notes

Norway is literally paying people to move north — free kindergarten, student debt written off, a cheque every month. I applied in nine minutes.

SPOTTED

CRYPTO TW

STORY

26m ago

not yet

accelerating

2

NAME AND TICKER

FROM THE POST

Edit image

COIN NAME

Paid To Move

TICKER

\$PAIDTOMOVE

named from the phrase repeated in 29 of 41 posts

3

ALTERNATIVES

\$PAIDMOVE

shortened, stopword dropped

\$NORWAY

said in 34 posts

\$FJORDPILLED

from the replies

Try another

2 LEFT

✓ \$PAIDTOMOVE is free on Solana — you'd be first to deploy it.

SUPPLY

1,000,000,000 · FIXED

YOUR SUPPLY

0

FREEZE

NONE

TRANSFER FEE

0

LIQUIDITY

SELF-SEEDED

4

FEE SPLIT · WRITTEN ONCE, AT CREATION

You (signer)

90%

Insidor

10%

@nordic_notes

— not written

Written into the coin when it is created. It cannot be changed later, and it cannot be added later.

Not created or endorsed by @nordic_notes.

Anyone can make a coin from this story, including someone else, right now.

5

BUY SOME YOURSELF (OPTIONAL)

None

0.1

0.5

1 SOL

Executes at the same price, in the same transaction. There is nobody to go in front of — the coin does not exist yet.

COST TO LAUNCH ⓘ

~0.02 SOL ≈ \$4.02

Review \$PAIDTOMOVE

1

The locked story

Not editable, not collapsible, first thing on the sheet. The three cells down its right edge answer the only question a creator has — *is the window still open*. CRYPTO TW flips to a red 6m ago pill the moment crypto Twitter arrives, at identical size and weight. No closed +31m early badge appears here: on this path no coin exists, so lead time is an interval still running.

2

Name, ticker, image

Ticker sanitised to [A-Z0-9] per keystroke. The image is the post's own media, cropped and re-hosted — never generated. Editing it expands *inline*, replacing this block, because opening a second modal destroys the first.

3

Alternatives, by kind

Three chips chosen for diversity of kind, not next-best score: a compression, an entity, one lifted from a different post. Each carries its provenance, so picking one is an informed choice rather than a shuffle.

4

Fee split and disclaimers

Both disclaimers sit *above* the optional first buy, so the load-bearing disclosure is above the fold and the optional field is what scrolls.

5

The dev buy

Defaults to None, which is why YOUR SUPPLY 0 is the second row of the fixed-facts block — a first launch leaves the creator holding exactly zero, and if no screen says so they will tap Trade on the success page, see nothing, and conclude they were robbed.

COST TO LAUNCH — ITEMISED

MINT + METADATA RENT

~0.0155 SOL

PRIORITY FEE

0.0005 SOL

FEE-SHARE CONFIG

0.0040 SOL

TOTAL

~0.0200 SOL ≈ \$4.02

Insidor's cut 0.0000 SOL now — 10% of your fee stream (0.1% of each trade).

Nothing here signs anything. The cost popover ends with our own cut — a breakdown that omits it reads as a claim that we charge nothing. The sheet opens with a name already in it, so the fastest correct path is Review.

How the auto-namer works

A memecoin's name is not authored, it is *retrieved*. WIF keeps the misspelling because the misspelling is the meme. So this is retrieval over the whole cluster — every post, its OCR'd on-screen text, the sampled replies — and it is ours to do because we hold the cluster and pump.fun holds one form.

A deterministic harvester runs at promote time: no model, four milliseconds. Six weighted sources — cashtag 1.00, on-screen text 0.85 (on TikTok the caption is the meme more often than the audio), repeated n-grams 0.80, entities 0.75, the classifier's own suggestion last at 0.35 and never primary without corroboration. Scoring rewards a span frequent *inside* this story and rare across the last 24 hours of everything, penalises length outside four to nine characters, and penalises symbols already carrying deep liquidity.

One Haiku call fires on form open and does two things: rank the harvested spans, title-case them. It does not invent. A server gate checks that the span literally appears in the post text, OCR or replies, that the symbol is that span or a whole-word subset of it, plus length and a blocklist. Any failure discards the *entire* model output and the deterministic ranking stands. The gate also runs on a ticker prefilled from a search row — clicking is not evidence.

Normalisation drops stopwords first: PAIDTOMOVE survives from "paid to move to Norway". Still too long and we drop the least distinctive whole word, then fall back to initials. We never truncate mid-word — \$PAIDTOMOV signals low effort to every trader who sees it.

The form never waits on the model: it opens in under 100ms on the deterministic candidate with the trust line shimmering, and the model result swaps in only if neither field has been touched. If the user typed anything, the model's answer quietly becomes alternative slot one.

UNDER 100MSMODEL STILL IN FLIGHT

\$PAIDTOMOVE

Deterministic #1 is already in the field. Only the provenance line is waiting.

NAMER UNAVAILABLEOR SLOWER THAN 2.5S

\$PAIDTOMOVE

Suggestions are off right now — pick a name yourself.

The harvested list stays. Nothing is disabled, nothing is retried in front of the user.

NAMABLE = FALSENO PHRASE REPEATS

\$

We couldn't find a name in this story — no phrase repeats across the posts. Pick one yourself.

WORDS FROM THE POSTS

NORWAYMOVEKRONERTROMSOCHIQUE

OVER 13 CHARACTERSNEVER SILENT

\$PAIDTOMOVETONORWAY

Ticker is 13 characters max. We'd have to cut it to \$PAIDTOMOVETO. Use that

We show the cut and let the user accept it. We never perform it silently.

The state that matters commercially is the third: a story nobody can name is precisely the story the harvester exists to fix, so namable = false never blocks creation — it only removes the shortcut.

The anti-duplicate check

Search's reason to exist, run inside the create flow. It fires on open, on every debounced keystroke past two characters, and again before signing — forty seconds elapse in between, and that is the window in which somebody else mints. The pre-sign re-check reads the live mint stream *first*, not our index and not Jupiter: the coins it catches are under ninety seconds old, and both fallbacks are blind to that window.

D-CONFIRMED

The matcher confirmed a coin for *this* story.

Buy \$NORWAY

The form does not open at all. The entry point itself reads Buy.

D-STRONG

Exact symbol, minted within 10 min of the earliest post, ≥\$1k liquidity, image or name agreement.

⚠️ \$NORWAY was minted 8 minutes ago, from what looks like this story.

\$NORWAY

Norway Pays You

\$18.2K liq 402 holders 8m old

See \$NORWAY ↗

You'd be the second \$NORWAY. The first has \$18.2K in it.

Review \$NORWAY

D-WEAK

Exact symbol, but old, illiquid, or plainly a different subject.

\$MOVE already exists — a \$1.8B token from 2024, unrelated to this story. Yours would be a different coin with the same ticker.

One line. No card, no secondary button, primary unchanged.

D-IMAGE

Perceptual hash within 6 of a recent mint, symbol differs.

This image is already a coin — \$FJORD, made 12m ago, \$4.1K in it.

\$4.1K liq 77 holders 12m old

See \$FJORD ↗

Primary still unchanged — same image with a different ticker is a fork, not a duplicate.

MID-FORM ARRIVAL

A coin lands and the matcher confirms it while the sheet is open.

\$NORWAY was made 40 seconds ago.

Secondary: Make a different one · Show me the story

If *two* land, the primary becomes See the 2 coins — never a Buy aimed at whichever row sorted first.

Buy \$NORWAY

The load-bearing detail: D-STRONG does **not** flip the primary to Buy. It only fires on coins our matcher declined to confirm, so flipping here ships a second, looser, undocumented matcher and hands it the Buy button the real one withheld. It also pays an attacker: mint \$NORWAY with the post's image inside the window, seed \$1k, and we point every would-be creator at your coin.

The fee split, stated honestly

Insidor takes 10% of the creator fee stream, or 0.1% of each trade. That is settled and printed in the popover. The open question: does 40% go to the person whose post it came from, at an address derived from their handle, whether or not they have heard of Insidor?

If it ships, this sheet is where a user learns they are assigning 40% of their coin's earnings to a stranger who has never heard of Insidor, and cannot undo it. That belongs above the fold, not in a tooltip. It is also the most defensible thing about the product, and it is irreversible per coin — so "no, for now" is a permanent answer for every coin launched before we decide.

IF THE POSTER SHARE SHIPS

FEE SPLIT · WRITTEN ONCE, AT CREATION

You (signer)	50%
@nordic_notes the poster	40%
Insidor	10%

@nordic_notes has not agreed to this and does not know Insidor exists. Their share accrues to an address derived from their handle; they claim it by proving they own the account. If they never do, it sits unclaimed.

Written into the coin at creation. It cannot be changed and it cannot be added later.

IF IT DOES NOT

FEE SPLIT · WRITTEN ONCE, AT CREATION

You (signer)	90%
Insidor	10%
@nordic_notes the poster	— not written

A sharing config is still created on every launch, at about 0.0040 SOL, so the account layout never has to change later.

This coin will never pay the poster. That is permanent for this mint, whatever we decide next month.

Same geometry, same position, three rows either way. The undecided version does not hide the poster row — it renders —, claiming ignorance rather than zero. Until the decision lands the sheet ships the right-hand layout: we do not print "you keep 50% forever" while that is undecided.

Step 2 · Confirm, and success

Same sheet, body replaced. This is the only screen in the flow that signs, and everything on it exists to make the irreversible parts legible before the wallet opens. Backdrop-click and Esc are dead from the press until the transaction resolves.

← Review

\$PAIDTOMOVE

Paid To Move

PERMANENT

The ticker and name cannot be edited after this.

The image cannot be replaced.

The fee split is written once.

The coin exists on Solana forever. Insidor can hide it. We cannot delete it.

STORY	Paid to Move to Norway ↗
SPOTTED	27m ago
CRYPTO TWITTER	not yet
STORY STATE	ACCELERATING
SIGNED BY	7Ldx...9pQk
FIRST BUY	0.5 SOL
YOUR \$PAIDTOMOVE	about 17,600,000
TOTAL COST	~0.52 SOL ≈ \$104.52
BALANCE AFTER	0.7145 SOL

✓ Still free, checked 2s ago

Most coins go to zero. If this one does, you lose the 0.5 SOL you're putting in and earn no fees.

ONE SIGNATURE

Create \$PAIDTOMOVE

WHILE IT SIGNS — FOUR ROWS, NOT A SPINNER

Image uploaded	✓
Signed in your wallet	✓
Landing on Solana...	◇
Assigning the fee split	.

Success is declared on row three. Row four failing gives a retryable amber band and the line “Until it lands, 100% of fees go to you” — never a failure screen for a coin that exists.

Every numeric is —, never \$0: the coin is thirty seconds old and there is nothing to report. Done returns to the *story*, so the creator sees their coin in the story's coin list — the proof it attached. On landing, one transaction writes the launch, the ticker row as CONFIRMED at score 1.0 (bypassing the matcher: we minted it, so we have ground truth), the index row, and two follow rows — the coin and the story.

✓

\$PAIDTOMOVE is live

×

Paid To Move · made from “Paid to Move to Norway” · 27 minutes after we spotted it

CONTRACT ADDRESS

Copy CA

7Qk2Fn9pXvJ4mR3sLd8HcYtZaGb1WuVnEo6XrTfDpump

Solscan ↗

pump.fun ↗

DexScreener ↗

chart appears once there's a pair

MARKET CAP —

LIQUIDITY —

HOLDERS —

AGE just now

\$PAIDTOMOVE

made from a post we saw 27 minutes before crypto did

Share card · opens an X compose window. It never auto-posts.

Done

Trade \$PAIDTOMOVE

06. Search and You

Two screens that answer the only two questions a user brings back after their first session: *does a coin already exist for this thing I just saw*, and *what happened to the things I was waiting on*. Search is the anti-duplicate surface. /you is the return surface.

Everything upstream of here is push — the feed decides what you look at. Search is the one place the user drives. One box takes a contract address, a `$TICKER`, an `@handle`, or plain English, and it never asks the user to pick a mode: a small mono chip inside the field on the right lights up `CONTRACT`, `TICKER`, `POSTER` or stays dark for free text. That chip is the entire mode UI. When a query is genuinely ambiguous — a bare word like `ferry` is both a plausible ticker and a plausible search term — we run both and section both, rather than guessing and being wrong silently.

Results are **sectioned, not interleaved**, because three object types have three column grammars and a terminal user scans columns, not rows. Stories get views, velocity, age and Lead. Coins get price, mcap, liquidity and a match stamp. Posts get a platform badge and the raw text. Interleaving them would force one lowest-common-denominator column set and destroy the scan. Above the sections sits one lifted *winner* row with a cyan left edge and a stated reason — and it is suppressed whenever the top two candidates score within 8% of each other, so we never assert confidence the ranker doesn't have.

INSIDOR

FeedSearchYou

Q harbour horn ferry

TEXT%K

All 41No coin yet 34Just made 12Trending now 28Finished 214

41 results · 88ms · updated 4s ago semantic recall partial

Harbor Last Horn

exact title match · 1 confirmed coin · +34m early

Buy \$FERRY

STORIES3 of 6

	STORY	VIEWS	AGE	LEAD	ACTION
1	Harbor Last Horn retiring ferry captain blew the <code>horn</code> one last time and the whole <code>harbour</code> answered — every boat replied	3.3M 12.4K/min	4h	+34m early	Buy \$FERRY
2	Ferry Deckhand Salute deckhands line the rail as the <code>ferry</code> clears the mole — filmed from the upper deck	214K 1.1K/min	9h	live	Create coin
3	Paid to Move to Norway the town pays you to move there — matched on meaning, not words	1.1M 6.9K/min	2h	live	Create coin

COINS3 of 3 · sorted by relevance

	TOKEN	5M	PRICE	24H	MCAP	LIQ	AGE	MATCH	STORY	ACTION
1	\$FERRY Last Horn		\$0.0007996	+142%	\$799.6K	\$84.2K	31m	CONFIRMED	Harbor Last Horn ↗	Buy
2	\$HORN Harbour Horn		\$0.0000182	-61%	\$18.2K	\$2.1K	12m	NO STORY	—	View
3	\$FERRY Ferry (2nd mint)		\$0.0000049	—	\$4.9K	\$0	2h	UNVERIFIED	liquidity gone	View anyway

POSTS3 of 10 · the evidence, not the object

	POST	AUTHOR	VIEWS	AGE	OPEN
X	Captain Dahl blew the <code>horn</code> one last time on the 14:20 crossing. Then every boat in the <code>harbour</code> answered him. I have not stopped crying.	@nordkyst_ferge 48.2K followers	2.4M	4h	↗ post↗ story
T	the whole <code>harbour</code> replying to one <code>ferry</code> 🗣️ sound on. 40 years on the same route.	@harbourclips 210K followers	890K	3h	↗ post↗ story
X	Norway keeps doing this. A town on the same <code>ferry</code> line will literally pay you to move there.	@nordic_notes 96.4K followers	1.1M	2h	↗ post↗ story

Show 7 more posts ↓ · no Create button on a post row — creation is always anchored to a story

One query, three object types, three grammars. Notice the coin section carries a sparkline and the post section carries the raw text — the same search surfaces *the post* and *the chart* side by side, which is the whole differentiator against a screener that only knows tokens and a social app that only knows posts. Row three of Coins is the important one: a second `$FERRY` with zero liquidity still renders as a coin that exists, stamped `UNVERIFIED`, with Buy withheld and only *View anyway* offered. A zero-liquidity mint

is not an absent mint, and treating the two as the same value is how a screen ends up telling a user "you'd be first" about the hottest ticker on the board.

The honest record

The **Finished** chip is the credibility surface, and it is deliberately uncomfortable. It opens on **All** — as a route constant, not a remembered preference — and it states its denominator in the first band before it shows a single row. The reason the default is All and never Hits is structural: any filter that defaults to wins turns a record into a marketing page, and the moment a user notices the default is doing that, every number on the screen becomes suspect, including the true ones. A product whose entire claim is "we saw it before crypto did" cannot afford a scoreboard that quietly hides the times it didn't. So misses sit in the same table, in the same row height, in the same type weight, and are never coloured red — red is a market colour here, reserved for loss and risk, and colouring a miss red would code an honest outcome as a failure state. A miss renders in **-- muted** : present, legible, unremarkable.

All 41No coin yet 34Just made 12Trending now 28Finished 214

STORIES CLOSED	GOT A COIN	NEVER DID	EARLY · OF THE 152	LATE · OF THE 152	WE ABSTAINED
214	71% 152	29% 62	61% med +23m	34% med -7m	22% 47

Every story promoted since **12 Jun** is in this table — hits and misses, one row each. Filter is **All** by default. 5% of coined stories are neither early nor late: we and crypto saw them inside the same minute.

	STORY	WE SAW IT	CRYPTO SAW IT	LEAD ↑	PEAK MCAP	COIN	OUTCOME	PROOF
1	 Harbor Last Horn @nordkyst_ferge · X · 3.3M views	14:22:06	14:56:31	+34m	\$1.24M	\$FERRY	COINED	post ↗ pair ↗
2	 Grandmaster vs Pigeon @boardstate · X · 1.1M views	09:41:12	09:59:44	+18m	\$981.4K	\$PIGEON	COINED	post ↗ pair ↗
3	 Paid to Move to Norway @nordic_notes · X · 1.1M views	07:18:40	never	—	—	none	NO COIN	post ↗
4	 Airport Piano Duet Crypto traders got here 11 minutes before us.	16:02:44	15:51:37	-11m	\$210.3K	\$PIANO	COINED	post ↗ pair ↗
5	 Plant TikTok Stitch @plantmum · TikTok · 850K views	21:03:55	21:15:20	+12m	\$562.8K	\$PLANT	COINED	post ↗ pair ↗
6	 Atletico Confirm Kang Crypto traders got here 6 minutes before us. WE ABSTAINED	12:30:18	12:24:11	-6m	\$73.5K	\$KANG ?	COINED	post ↗ pair ↗
7	 Barista Name Lock-In @cupnames · TikTok · 610K views · proposed \$CUPS, never minted	18:44:02	never	—	—	none	NO COIN	post ↗

Showing 7 of 214 · sorted by **Lead ↑** · Proof links leave for X and DexScreener — they are somebody else's record of the same two timestamps

Rows 3 and 7 are misses and row 6 is a case where we declined to name the coin at all. All three are the same height and the same weight as row 1 — no red, no strikethrough, no collapse. Lead is sortable ascending in one click, which is the fastest way for a sceptic to put our worst results on top; a record you cannot sort against yourself is a brochure. Proof is two external permalinks because the two timestamps that matter belong to X and to DexScreener, and a claim of earliness is worth nothing if the only witness is us.

/you — the return surface

The star has no wallet and no account behind it. It writes against a device id and gets claimed on first login, because the moment a user cares most about a story is the moment before they have any reason to trust us with a signature. **/you** stacks by urgency, and empty sections are unrendered rather than shown empty: *Just minted* (confirmed in the last 24h, unopened, pinned with a lime edge) · *Waiting — no coin yet* · *With coins* · *Coins you watch* · *Gone quiet*, collapsed with a one-tap **Clear all 7** . That last section exists because watchlist rot — twelve dead rows you scroll past every visit — is the actual mechanism by which watchlists get abandoned, and the fix is to make clearing them a single deliberate action rather than twelve.

A follow never silently converts. When a watched story mints, the row stays a *story* follow, because a story can mint again; adopting the coin requires an explicit **+ Watch \$FERRY too** , which writes a second row. The alternative — quietly repointing the follow at the token — means a user who starred a narrative wakes up watching a chart they never chose.

INSIDOR

FeedSearchYou

LIVE7xKp...9dQ2

You

13 following · 1 new · 2 positions

JUST MINTED1

notifications on

★

Harbor Last Horn is now \$FERRY

Minted 31m ago · \$799.6K · liq \$84.2K · 1,204 holders

you're 34m early

fee 0.50% · impact 2.3% · ≈1.42M \$FERRY

we posted 14:22:06 · crypto 14:56:31

Buy \$FERRY

WAITING — NO COIN YET2

alert me if crypto finds it

★

Paid to Move to Norway

@nordic_notes · X · 1.1M views · heating · no ticker proposed

watching 2h
6.9K views/min

Create coin

★

Barista Name Lock-In

@cupnames · TikTok · 610K views · peaking · proposes \$CUPS

CASHTAG

watching 41m
4.1K views/min

Create coin

WITH COINS1

★

Plant TikTok Stitch

@plantmum · TikTok · 850K views · \$PLANT \$562.8K

CONFIRMED

+12m early
we were first

Buy \$PLANT

COINS YOU WATCH2

1 position

★

\$FERRY · Last Horn

1,420,000 tokens · entry at \$412.0K moap · Harbor Last Horn ↗

HOLDINGBOUGHT 34m EARLY

MCAP
\$799.6K

VALUE
\$1,135

P/L
+94.1%

Manage

★

\$PIGEON · Grandmaster vs Pigeon

story cooling · 4h old ·

CONFIRMED

MCAP
\$753.5K

LIO
\$61.0K

24H
-12.4%

View

↳ Gone quiet7

— no post in 48h, no coin. Kept so the record stays honest.

Clear all7

Urgency descends down the page and nothing is padded: sections with zero rows are not rendered at all, so a user with one starred story sees one section, not five empty headers. The position row is the only place a P/L number appears outside the coin page, and it carries `BOUGHT 34m EARLY` next to the ticker — the lead time is a property of the position, not of the marketing, and it is computed from the same `promoted_at` clock the record uses.

Why the notification is the hook, not the list

The watchlist alone does not bring anyone back. A user who has to remember to open an app to check whether something happened will stop opening the app, and the list will be right there, stale, confirming that the visit was wasted. The retention mechanism is the inverse: **we open the app for them, at the one moment there is something to do**. The mint notification fires on `confirmed_coin_count: 0 → ≥1` and only on a confirmed match — an unsure match never pushes, because "your story just minted" on a 0.6-confidence guess is exactly the harm the abstain band exists to prevent. Line one is the story then the ticker — *"Harbor Last Horn is now \$FERRY"* — in that order, because the user followed a story and has to recognise it before they can parse a symbol they have never seen. Line two carries the honest lead, and when the lead is negative it occupies the same slot at the same size: *crypto traders got here 6m before us*. Above the primary button, always, at the weight of the lead line: the fee, the price impact, and the tokens received. A push-driven buy is the highest-pressure buy in the product and it is the last place an undisclosed fee is acceptable.

Miss the toast and the next open leads with a while-you-were-away band, every number recomputed at render rather than replayed from the payload — *"\$4.1K now (was \$18.4K)"* — so a notification held through quiet hours can never sell yesterday's price as today's. That band is also the only place we ever ask for push permission: after we have already been useful once, never on first load.

Nothing starred yet

Tap ★ on any story and we'll tell you the moment somebody mints it. No wallet needed — it saves to this device.

Last week, 61% of watched stories got a coin within 3 hours. 34% never did.

LIVE RIGHT NOW — STAR ONE TO START

☆

Harbor Last Horn

@nordkyst_ferge · X · the whole harbour answered him

3.3M
12.4K/min

4h

+34m early

☆ Watch

☆

Plant TikTok Stitch

@plantmum · TikTok · heating · \$PLANT confirmed

850K
3.4K/min

6h

+12m early

☆ Watch

☆

Paid to Move to Norway

@nordic_notes · X · heating · no coin yet

1.1M
6.9K/min

2h

live


☆ Watch


Starring is anonymous until you connect a wallet · saved to this device

07. How the pages connect

Six sections of this deck each show one screen. This one shows the wiring: which surfaces exist, every path between them, and the single loop the whole product is built to make fast. No new pixels here — only the graph they sit in.


Insidor has three tabs and three pushed routes. That is the entire surface area. **Live feed**, **Search** and **You** are tabs, always reachable, always in the same place. **Story**, **Coin** and **Create** are pushed routes with their own URLs — they are not tabs, because the lead-time claim is unfalsifiable unless a stranger can open the link and check it, and because a modal cannot be sent to a colleague. Everything else people expect to be a page — the coin lanes, the bands, the filters, the ₰K palette, the evidence popover, the swap confirm — is either URL state on `/feed` or an overlay that closes back to the page underneath.






The core loop. The two cyan segments are the only places conviction actually climbs; everything before is triage and everything after is bookkeeping. If the climb from SCAN to ACT takes longer than about ninety seconds, the head start the product sells has already been spent on reading.

The loop is drawn as a line, not a ring, because it is not symmetrical: most laps end at 02. A user scans forty rows and judges none of them, and that has to be a cheap, non-guilty exit — which is why every row is 54px of readable facts rather than a card that demands a decision. The rows that survive triage go to a page whose entire job is to answer two questions and then present exactly one control.



unverified, and given exactly one action. Greying them out would read as broken; hiding them would be dishonest; putting a Buy on them would sell a claim we declined to make.

Three guards in that filter are load-bearing rather than defensive. `mint_time` null means we cannot state the coin's age, and age is a headline number on a board that sells earliness. `ticker` is denormalised onto the match row because the table it originally comes from is truncated and rewritten every enrichment cycle — a page load racing that cycle would otherwise render `Buy $undefined`. And confirmation is an identity assertion, not a safety one, which is why the `n = 1` branch has a second gate: a rugged coin stays confirmed forever, and without the tradeability check it would render a Buy button forever too.



The journey. The cyan wall is where Insidor's board lit up; the amber wall is where DexScreener, Axiom and Photon become useful at all. The 34 minutes between them is the entire product, and it is the number the whole system exists to measure honestly — including when it comes out negative.

In plain language: at **09:00** a Norwegian ferry captain retires and somebody films the horn. It is a normal post on a normal account, and no part of crypto is watching. At **09:04** our ingest catches it and writes one snapshot — 41,000 views. That number is useless on its own; a single point has no velocity and we deliberately do nothing with it. At **09:09** the second snapshot lands at 118,000 and the trigger fires on the *rate*, not the size. Nine minutes is our floor and it is a floor for a reason: measure faster and you are reacting to noise, measure slower and you have given the head start away.

At **09:12** a second account, on a different platform, posts its own clip of the same horn. That is the birth quorum — two authors, two platforms — and it is the check that separates a story from one account having a good day. At **09:13**, sixty seconds later, `promoted_at` is written once and never moved again, `/story/8814` starts existing at a URL, and the row appears in the stories lane with no coin against it. That single write is the origin of every earliness claim the product will ever make about this story.

At **09:31** somebody reading our board mints `$FERRY` — eighteen minutes after the story appeared, and while the only people who know it is a story are the ones looking at Insidor. At **09:47** crypto Twitter finally arrives, `t_crypto` fires, and the measurement closes at **+34 minutes**. From that moment the coin is on every screener and the edge is gone. Sixteen of those minutes were still spendable after the coin existed — that gap, between our wall and theirs, is the only thing being sold here, and the reason every screen in this deck is rendered at 10:02, thirty-one minutes into the coin's life and still inside the window.


08. The algorithm — how we find viral posts

There is no feed of everything. The detector is a budget-allocation problem wearing a statistics costume: we can afford to look at roughly one post in a thousand, and the product is the discipline of choosing which thousandth.

1. The constraint

X publishes on the order of half a billion posts a day. Nobody reads them all and no vendor sells them all. Our reseller bills about \$0.00015 per post returned, so a defensible \$75/day sensor budget buys roughly 500,000 reads — one per thousand posts published. Worse than it sounds, because a read is not a measurement: to know something is *growing* you must read it twice, which puts the ceiling on distinct measurable posts nearer one in five thousand.


So the first design decision is not a model, it is a filter that costs nothing. Six arithmetic rules over the arriving payload — roster, media, length, named entity, minus bait regex, minus an image seen in the last 30 days — drop ~70% before a single paid call.



The top strip is a day of X drawn to scale; the cyan hairline is the whole budget. The expensive part is not the top of the funnel but the middle, where 30,000 posts each need a second look before any of them can be ranked.

2. Why the obvious approach fails


The obvious detector is a saved search — `min_faves:100`, polled, alert on what returns. One line of code, and what most competitors run. It cannot work for us for an arithmetic reason: a post does not cross 100 likes until it has been travelling twenty to sixty minutes, by which point the coin is frequently already minted. A threshold search does not find viral posts early. It finds posts that *have already gone viral* and sells you the receipt.



Same post, two detectors. Ours decides at minute 9 and shows at minute 12. A 100-like search cannot resolve the post before minute 20 and often not before minute 60 — the wrong side of the mint. The product lives in that gap.

3. What we do instead — three lanes

Rather than raising the engagement bar to cut volume, we drop it to the floor and cut volume with the free arrival prior instead. A `min_faves:15` net over a rolling six-minute window, re-run every three minutes, is account-agnostic. That matters because no roster covers the case we most need: a brand-new account, or a dev wallet's first post. The net removes ~99% of raw volume while keeping essentially everything that could matter. Beside it sit a curated push stream on ~500 known amplifiers — the only path that delivers in seconds — and TikTok topic surfaces, because TikTok has no firehose and must be polled by subject.



Lane B is the one people underrate: cheapest of the three, and the only one that can see an account we have never heard of — precisely the account that posts the clip a coin gets minted from.

4. The measurement — a geometric snapshot grid

Once admitted, a post is re-read on a fixed, widening schedule: **4, 9, 14, 21, 30, 42, 58 and 78 minutes**, each gap about 1.5× the last. Early on everything moves and observations are worth a lot; an hour in the trajectory is set and dense sampling is money burnt.

This is also where the earliest-possible alert comes from, and it is worth being blunt: **one observation is a level, not a rate**. A post at 900 views at minute 4 might be decelerating from 800 views/min or accelerating from 40 — you cannot tell, at any price, with any model. The first honest rate exists at $\tau=9$, and no infrastructure spend moves that floor. It is physics, not engineering. Everything the roadmap can improve sits *after* minute 9.



Nothing before the cyan tick is a signal, however big the number looks. Designing the alert around this prevents the classic failure: firing on one large reading that turns out to be the tail of something which peaked before we arrived.

5. The signal — rate relative to the author, then acceleration

Raw numbers are nearly meaningless. 10,000 views in ten minutes is a thunderclap for a 512-follower ferry-spotting account and a quiet Tuesday for one with 2M followers. So every rate is scored against that author's own recent baseline. A thin-history account gets a wide band borrowed from its follower bucket, which stops us mistaking *ignorance* for *signal*. Then we take the second derivative: two posts can sit at identical levels while one is compounding and the other has turned over, and acceleration is the only thing that separates heating from already peaked.



Left: why a small account can outrank a huge one. Right: why the board ranks on acceleration rather than size — the amber curve is the "found it after it was over" failure, and level alone cannot detect it.

6. Is any of this machine learning?


Mostly no, and we should say so plainly rather than let anyone assume a trained model exists in here that does not. Detection and ranking are classical statistics: rates, baselines, quantiles. Judgement calls that need language understanding go to Claude. Similarity uses an off-the-shelf embedding model exactly as sold. Exactly one model is fit by us — a logistic regression that turns a matching score into a calibrated probability. No training runs, no GPUs, no labelled corpus beyond a few hundred hand-checked pairs.

JOB	WHAT ACTUALLY RUNS	KIND	FITTED BY US?
Admit / drop on arrival	Six additive hand-set weights over payload features	ARITHMETIC	no
Is it growing (the gate)	Gamma-Poisson lower bound on reshare arrival rate	STATISTICS	no
Ranking / burst	Continuous-time EWMA ratio, fast band over slow band	STATISTICS	no
Author-relative outlier	Negative-binomial GLM, per-author intercept shrunk to bucket prior	STATISTICS	refit weekly
Is this a story · what is it called · is it coinable	One structured-output call to Claude Haiku; Sonnet for the top ~50/day	JUDGEMENT	no
Do two posts describe the same moment	Off-the-shelf embeddings, cosine against a story centroid	OFF-THE-SHELF	no
Match confidence for story ⇔ coin	Logistic regression over five channel scores → calibrated probability	THE ONE MODEL	yes

The honest inventory. The only thng we train is the calibrator, so that "confidence: high" means a measured hit rate rather than a vibe – which is what lets the natcher abstain instead of guessing.

7. Proving we were early

A lead-time number is trivially faked by measuring it backwards. Alert first, then go looking for the coin, and we choose which coin counts and when the clock started – lookahead bias, and it turns the headline number into a lie. So both reference clocks run *ahead* of the pipeline, independently of it: a websocket records every Solana mint as it happens, a poll over ~300 crypto-Twitter accounts records every ticker mention, and both indexes are written before any alert fires. promoted_at is stamped once and never overwritten; lead time is the distance to the first entry either clock already holds.



Both tapes are recording continuously whether or not we ever alert. That is what makes the lead-time figure an observation rather than a claim – and it is why we can publish the misses alongside it.


One consequence the team should internalise. A post first seen when it is already large is permanently marked ineligible for the earliness statistic. It can still appear on the board under an "Already Hot" label, but it never counts toward lead time. Any other choice quietly inflates the one number the product is sold on.

09. How the database is set up

One Postgres, one `public` schema, 46 tables. Its single job is to make a wrong state *unrepresentable* — not merely discouraged by careful coding — because every defect the last build shipped passed code review.

The schema divides cleanly into four families. The **pipeline's tables** hold what we observed: a story, the posts clustered into it, the counter readings taken from those posts over time. The **market's tables** hold what Solana actually did: every mint the stream saw, its price and liquidity series, its safety signals, and the matcher's verdict linking a mint to a story. The **clock and record tables** hold the product's one falsifiable claim — how early we were, and whether it worked out. The **user's tables** hold what a person did: followed, held, commented, traded, launched.

Naming was decided once so nobody has to remember a list: tables are singular, enums are singular, columns are `snake_case`, and every foreign key to a story is `story_id`. The route is `/story/[id]` and the copy on every screen says story, so the schema says story too — `narrative` is vocabulary from a codebase being deleted, and a lint rule bans the identifier in both apps.



Notice what is *not* connected. `story_ticker` holds candidate tickers; it has no market columns at all and only a dashed, nullable link to `coin`. `coin_match` is the only table the Buy button reads. In the old schema those were one row in one table — which is exactly how an LLM-invented ticker got resolved against a live market. Notice also that `story_clock` has four inbound edges and no outbound write path: every input to a lead-time claim is a foreign key or a NOT NULL watermark, and the claim itself is a generated column.

The core tables

Twenty-four of the 46 tables carry the product. The other twenty-two are supporting — embeddings, notification preferences, moderation reports, the seven `ops_*` observability tables, the search log. Row estimates below assume 1,000 daily active users on the web side and a full-firehose pipeline on the other; note that the pipeline's volume is essentially independent of DAU, because we ingest every mint on Solana whether anyone is looking or not.

TABLE	WHAT IT HOLDS	WRITES / DAY	ROWS RETAINED	WRITTEN BY
PIPELINE — WHAT WE OBSERVED				
story	One clustered story. The spine of every surface.	400	36K	PIPELINE
post	One ingested X or TikTok post, with its author and counters.	60K	5.4M	PIPELINE
post_snapshot	One counter reading per post per tick. The only source of accel.	240K	21M	PIPELINE
post_heat	Current heat and burst per post, 1:1.	60K	5.4M	PIPELINE
story_momentum	Five-minute view buckets per story, with member_count.	29K	2.6M	PIPELINE
story_ticker	Candidate tickers and create-path prefills, each with provenance.	1.2K	110K	PIPELINE
MARKET — WHAT SOLANA DID				
coin	Every mint the PumpPortal stream sees. Clock A lives here.	40K	3.6M	PIPELINE
coin_snapshot	Price, liquidity, mcap and trade counts per tracked coin.	2.2M	66M	PIPELINE
coin_mcap_series	Five-minute mcap for 24h. The only source of peak_mcap.	430K	13M	PIPELINE
coin_safety	Authorities, sell route, concentration. 1:1 with checked coins.	6K	540K	PIPELINE
coin_match	One row per (story, mint). The only input to the primary button.	2.5K	225K	PIPELINE
board_state	The live board. 200 rows per lane, rewritten every 20 seconds.	3.5M	800	PIPELINE
board_tick	Rank history for Δ10m. Partitioned by day, 48h retention.	346K	700K	PIPELINE
THE CLOCKS AND THE RECORD				
ct_mention	Clock B — the first crypto-Twitter sighting, with a permalink.	3K	270K	PIPELINE
story_clock	Both clock readings and both sensor watermarks. 1:0..1 with story.	400	36K	PIPELINE
story_outcome	hit / dud / no_coin / late / unmeasurable. Misses visible by default.	400	36K	PIPELINE
sensor_heartbeat	One row per sensor. How far each has actually scanned.	43K	5	PIPELINE
sensor_gap	One row per detected outage. Makes a lead time unmeasurable.	4	400	PIPELINE
USER — WHAT A PERSON DID				
app_user	Privy DID → internal uuid → wallet address. Both frozen.	30	4K	WEB
follow	A story XOR a coin; a user XOR a device. Four partial uniques.	900	80K	WEB
holding	Cost basis and frozen earliness, per (user, wallet, mint).	120	11K	WEB
comment	Body plus the honesty stamp — ten frozen snap_* columns.	700	63K	WEB
trade	quote → sign → submit → confirm, keyed on a unique request_id.	250	22K	WEB
launch	A pump.fun create_v2 attempt and its encrypted mint keypair.	25	2.2K	WEB

Only two writers exist, and no table has both. The pipeline holds the service-role key and owns everything above the last group; the web app owns everything in it and writes only through route handlers. The split is not a convention — it is column-level grants plus RLS, so a browser session cannot write `coin_match` even if a route handler is wrong. `board_state` is the only row-count inversion on the page: 3.5M writes a day against a table that never holds more than 800 rows, because ranking is a committed artefact, not a query.

The constraints that matter

This is the part worth understanding, because it is where the product's rules actually live. Each of the four below corresponds to a specific defect the previous build shipped. In every case the fix is not a better code review — it is a column definition or a CHECK that makes the bad row something Postgres refuses to store.

A TICKER WITH NO PROVENANCE CANNOT BE INSERTED AT ALL.

```
source ticker_source NOT NULL -- no DEFAULT
CHECK (source <> 'llm' OR resolved_mint IS NULL)
CHECK (source <> 'llm' OR source_span IS NOT NULL)
```

PREVENTS An INSERT that forgets to say where a ticker came from fails. There is no value the column can hold meaning “we don’t know.” And a ticker the model invented can never point at a real mint — which is the exact defect that produced a Buy button on an unrelated coin.

PROMOTED_AT IS SET ONCE AND NEVER MOVES.

```
CREATE TRIGGER story_freeze_promoted_at
BEFORE UPDATE ON public.story
FOR EACH ROW EXECUTE FUNCTION
insidor.freeze_columns('promoted_at');
```

PREVENTS Lead time is the product’s whole claim. A column anyone can quietly overwrite is a claim anyone can quietly edit. The same trigger freezes `coin.minted_at` , `story_clock.t_mint` and `t_ct` , so a later sighting can never move an earlier one.

A MATCH CANNOT BE CONFIRMED WITHOUT THE EVIDENCE THAT JUSTIFIES IT.

```
CHECK (verdict <> 'confirmed' OR (
  score ≥ 0.80
  AND ticker_source <> 'llm'
  AND mint_time IS NOT NULL
  AND relation <> 'mentioned'
  AND (s_mint_in_post ≥ 0.90 OR strong ≥ 2)))
```

PREVENTS A confident-looking verdict backed by one weak signal. Below the bar the row is still stored — as `unsure` , which is what renders the abstain state with the Buy button suppressed. Abstaining is a first-class outcome, not a missing row.

MISSING DATA CANNOT BE STORED — OR RENDERED — AS ZERO.

```
CHECK ((minted_at IS NULL) = (minted_at_source = 'unknown'))
CHECK (price_usd IS NULL OR price_usd > 0) -- $0 ≠ absent
CHECK ((value IS NULL) = (state = 'unknown'))
CHECK (burst IS NULL OR ticks_qualified ≥ 2)
```

PREVENTS A coin of unknown age reading “0m old” and looking brand new. Every counter is nullable, an unknown authority is the literal `'unknown'` and fails the gate closed, and `?? 0` is a lint error all the way out to the React component, which renders an em dash and a reason.

Four constraints, four shipped defects. Note the shape they share: none of them asks a developer to remember anything. Rule 03 is written out in full rather than calling a function, because a CHECK depending on a user-defined function is a dump/restore ordering hazard, and this is the one constraint that must never fail to restore.

Migrations

The old build had 24 loose `schema-*.sql` files applied by 12 ad-hoc scripts, with no ordering and no record of what had actually been run against which database. Nobody could answer “what is live?” without reading the tables. That is now fourteen ordered files and one ledger.

Every file from `0001` on opens with `insidor.migration_begin()` and closes with `migration_end()` , inside one transaction. `migration_begin` takes a transaction-scoped advisory lock, so two deploys racing serialise instead of interleaving DDL; refuses to apply `0007` if `0008` is already recorded; and refuses to re-apply a file whose bytes changed after it was applied. Every statement inside is idempotent, so `migrate.mjs verify` can re-run the entire set and assert it is a no-op — if it isn’t, the DDL is wrong and CI fails there rather than during a production deploy.

supabase/migrations/14 files · 2,753 lines · 46 tables · 21 enums

NOT APPLIED TO ANY DATABASE

VER	FILE	CONTENTS	LINES	STATE
0000	migration_framework	schema_migrations, migration_begin/end, add_constraint, create_enum	134	bootstrap
0001	extensions_and_types	pgcrypto · pg_trgm · vector · btree_gin; 21 enums; freeze_columns	121	pending
0002	story_and_post	story, post, post_snapshot, post_heat, story_momentum, embeddings	414	pending
0003	coin	coin, coin_snapshot, coin_mcap_series, coin_safety, creator_stat	272	pending
0004	matching	story_ticker, coin_match, match_label, confirmable(), recount trigger	304	pending
0005	clocks_and_outcome	ct_mention, sensor_heartbeat, sensor_gap, story_clock, story_outcome	244	pending
0006	board	board_state, board_tick (partitioned by day, 48h), board_gate_count	112	pending
0007	user_and_social	app_user, follow, holding, comment, notification, push_subscription	348	pending
0008	trading_and_launch	trade, launch, namer_run, fee_share	189	pending
0009	search	text_array_to_string(), search_doc tsvectors, GIN, trgm, HNSW	96	pending
0010	ops	ops_stage_run, ops_stage_expected, ops_sli_sample, ops_spend	115	pending
0011	rls	RLS on all 46 tables, policies, column-level grants	212	pending
0012	views	coin_tradeable(), story_cta_v, record_summary_mv	98	pending
0013	realtime	replica identity, comment and coin_match broadcast triggers	94	pending

Honest status: these fourteen files have never been executed against a live Postgres. Nothing on this page has been validated by an actual apply.

Version numbers are ordinals, not timestamps, so two PRs both adding 0014 collide in git — which is the correct place for that argument to happen. scripts/migrate.mjs is the only path to any database, local or production; the Supabase CLI must never apply these files, because it records the literal @@CHECKSUM_NNNN@@ placeholder as the checksum and would permanently brick the drift guard against our own tool.

Three things follow from that “not applied” flag, and the team should hear them plainly. First, every generated column here is a bet: Postgres checks generation expressions for immutability at DDL time, so a single STABLE function in one of them fails the migration on first apply, loudly and immediately — 0009 's typed wrapper around array_to_string exists precisely because of that. Second, CHECK constraints get no such check, so the immutable-safe style used throughout is backed by a dump→restore round trip in CI rather than by discipline. Third, the authoring rules in ARCHITECTURE.md §4.4 require a @phase , @lock , @ticket and @summary header on every file, and the files as committed do not yet carry them — so check-migrations.mjs will fail on the first run and fourteen headers need writing before the first apply. That is the correct order of events: the gate fails before the database does.


10. How each feature gets built

Every screen in the previous nine sections has to come out of a folder that someone can find at 3am. This section is the map of those folders, the order they get built in, and the three questions only the founder can answer before the order holds.

The repository is one npm workspace containing two things that deploy separately and never import each other. `apps/web` is the site: Next.js, the only thing Vercel builds. `apps/pipeline` is the machine that never sleeps: ingestion, scoring, clustering, the coin matcher, the two earliness clocks, the board commit that reranks every twenty seconds. They share a database and a package of type definitions, and nothing else. That separation is not tidiness — it is what stops a slow scraper from taking the website down with it, and what stops a website deploy from silently restarting the clocks that our central claim is measured against.

Inside `apps/web` the code is divided by *feature*, not by kind of file. There is no `components/` drawer where four hundred files go to be forgotten. There are eleven feature folders, each of which owns one part of the product completely, and each of which exposes exactly two public doors: `index.ts` for anything safe to send to a browser, and `server.ts` for anything that touches the database. Everything else in the folder is private. A file in `feed/` cannot reach inside `trading/` and grab a helper; it can only knock on one of the two doors. This is checked by a lint rule reading a single JSON file, so adding a new connection between two features is a one-line diff a reviewer can argue with, rather than an import someone slipped in on a Friday.

The repository, as two deployables



Read it top-down. Nothing above a line may be imported by anything below it, and nothing crosses the red boundary in the middle. The practical payoff is the one everybody wants on a bad morning: a broken heat number is in `feed/model/`, a wrong fee is in `trading/model/fee.ts`, a stale price is one adapter file. There is no fourth possibility, because there is nowhere else those things are allowed to live.

Inside one feature folder

Every feature folder has the same four rooms, and the rules differ per room on purpose. `model/` is pure arithmetic — no React, no network, no clock. It cannot ask what time it is; the current time is handed to it as a number. That sounds pedantic until you notice it is the only part of the product that can be tested cheaply and exhaustively: give it the same inputs and it gives the same answer forever, so the rules that decide which coin a story matched, what the fee is, and whether a Buy button appears at all can each be pinned down by a test that runs in milliseconds and never flakes. CI refuses to merge a file in `model/` that has no sibling test.

apps/web/src/features/feed/EXPANDED · THE SAME FOUR SEGMENTS IN ALL ELEVEN

README.md ≤15 LINES · WHAT BREAKS HERE, WHICH TABLES, WHICH VENDORS

index.ts PUBLIC · CLIENT-SAFE

server.ts PUBLIC · SERVER-ONLY

types.ts POSTROWVM · COINROWVM · LANESTATE

model/ PUREFLAT · TEST PER FILE · CI-ENFORCED

eligibility.ts age ≤240m, meme ≥.35, author cap
presented-heat.ts 0-100 against the hourly p95
ordering.ts 2 ticks in / 3 out, 90s dwell, max move 5
chip-precedence.ts · gate-breakdown.ts · columns.ts · lane.ts
No React. No await. No Date.now() — now arrives as an argument.

server/FLAT · ONLY PLACE A SERVICE KEY MAY EXIST

FeedScreen.tsx the page's only import
posts-board.query.ts · coins-board.query.ts · story-band.query.ts

hooks/FLAT · MAY NOT NAME A SERVER MODULE

use-board-rows · use-board-channel · use-freeze-on-hover · use-lane-state

ui/ONE LEVEL · TAKES VIEW-MODELS, NEVER AN ID

ControlStrip · LaneSwitch · BandStrip · Rail · NewRowsPill
posts/{PostsBoard, PostRow, HeatCell, Sparkline20m, ActionCell}
coins/{CoinsBoard, CoinRow, StoryCell, RiskChip}
states/{BoardSkeleton, EmptyQuiet, EmptyBroken, BoardError}

__tests__/ONE PER MODEL FILE · MANDATORY

eligibility · presented-heat · ordering · chip-precedence · ...

WHY PURE LOGIC IS PULLED OUT

A rule sitting inside a React component can only be checked by building a browser, loading a page and looking at it. The same rule as a function is checked by calling it. Every judgement that costs a user money — is this match trustworthy, what is the fee, is this row eligible, does Buy or Create appear — is a function, so it can be proven rather than eyeballed.

WHY THE SEGMENTS ARE FLAT

Folders inside folders are where files hide. Flat means the answer to "which file is this bug in" is visible in one screen of the tree. `ui/` gets exactly one level, because the two lanes genuinely are two component families.

WHY UI / NEVER FETCHES

Components receive finished view-models, never an id to go look up. A component that can fetch is a component that can fetch on a board of forty rows.

Feature folders	11
Public exports per folder	2
Max lines in a route file	40
Model files without a test	0
Import edges across the app boundary	0

The right-hand column is the argument, the left is the shape. Note the two doors at the top and the four rooms below them: that is the entire convention, repeated eleven times, so learning one folder teaches you all of them.

The build sequence

The seven surfaces do not get built in the order a user meets them. They get built in the order the data allows, and the order is forced by three facts. The mint address has to exist before anything can be bought, matched or searched — today the code resolves one and throws it away, which is why the very first migration is a single column. The coinability tier has to be populated and evaluated before any public board ships, because the "no coin yet" list is a browsable, one-tap-mintable index and it is the most exposed surface in the product. And both earliness clocks have to be running, with gap detection, before a single lead-time number renders anywhere — a lead time computed from one live sensor is not a measurement, it is a guess with a decimal point.

Search sits last for a reason worth naming out loud, because it is the one people push back on: search cannot ship before the coin index. Until there is an index of every mint on the chain — including the thousands that never touched a story — searching a ticker returns the coins we happen to know about, and confidently answers "no coin exists for this" when three do. That is not a thin feature, it is a wrong answer on the exact question the box is there to settle, and it is the answer someone acts on by minting a duplicate.

#	SURFACE	FEATURE FOLDERS	CANNOT START UNTIL	ROUGHLY WHAT IT INVOLVES	GATE
1	Wallet, onboarding, ops F7	wallet · ops	nothing – graph root	Privy pinned to Solana, the 50-minute token refresh feeding realtime, the connect sheet and funding cliff, stage instrumentation and the watchdog, /ops, the honesty band, and <code>primaryAction()</code> replacing the market-cap guess behind every Buy button.	FIRST
2	Coin identity & safety shared root of F2/F4/F6	coins	1	The coins table keyed on mint, backfilled. Real mint time as <code>min(pairCreatedAt)</code> , failing closed on null. Helius as safety authority with three-valued absent/null/present logic. The confidence stamp and the pending contract.	BLOCKING
3	Live feed – posts lane F1	feed · stories	2 + coinability	Heat migration and backfill, the coinability classifier, an offline control against a naive baseline, the pipeline scorer, <code>commit_board()</code> every 20s, then the eleven-column board, media, control strip, realtime.	COINABILITY
4	Story page F3	stories · discussion	2, 3	Route and evidence read-only, momentum rollups, the lead-time proof with both gap tables in the same PR, the coin section and its four states, comments with snap columns written at insert, moderation, outcomes.	TWO CLOCKS
5	Coin page – trade F4	trading	1, 2, 4	Jupiter Swap V2 order/execute/txstatus with server-side referral injection, the trade panel and fee row, the buy machine with every failure state shipped in the first cut, the four buy-side blocks, positions, sell sheet, add-money.	MONEY MOVES
6	Live feed – coins lane & Trending F2	feed · trending	2, 3, 4	Coin snapshots, the Fresh band ranked on its own first, risk chip with the curve-PDA exclusion, Graduating and Live from the trade stream, then <code>coin_matches</code> and the STORY column – the step that stops this being a DexScreener clone. Trending deliberately last.	24H FLOOR
7	Creating coins F5	launch	2, 4, 5	Server-side gating on tier before any create UI exists, the deterministic name harvester, the image pipeline, the Haiku namer behind a flag, anti-dupe read-only, then the real <code>create_v2</code> launch with its full failure taxonomy and the share card.	TIER ≤ 1 BLOCKED
8	Search & watchlist F6	search · watchlist	2, 4, 6 + coin index	Full-text and trigram search, CA and \$TICKER modes with the family table, the ₿K palette as a strict projection, ★ and Following, in-app notification then push. The coin index lands with it: every mint on chain, not only ours.	COIN INDEX

Steps 1 and 2 ship no new screens at all and are still the two that matter most – everything above them computes buttons from numbers that do not exist yet. Each row's "gate" is a thing that must be true before that surface is allowed on a public URL, not a nice-to-have.

What is not in v1

Written down so nobody builds it by accident, and so the absence reads as a decision rather than an oversight.

cut from v1

FOUR NAMED CUTS · EACH FOR A STATED REASON

~~TRENCHES~~

No separate high-risk lane. The Fresh band plus the SHOW RISKY toggle already covers the intent, and a second surface with a different risk posture doubles the number of places a bad coin can be presented as normal.

ABSORBED BY THE FRESH BAND

~~RANKING & REV SHARE~~

No creator leaderboard, no referral tiers, no user-facing revenue split beyond a coin's own fee stream. A ranking creates the incentive to farm whatever it ranks, and the two farmable things here are launches and comment volume – the exact two we are trying to keep clean.

BUILD THE SCORE, SHOW THE SCORE, DON'T PAY FOR IT

~~SOCIAL PROFILES~~

No user pages, bios or follower graphs, and no avatars beyond the deterministic wallet swatch. A wallet, a handle and a position badge is the entire identity model. Reputation is carried by the stamp, which is ungameable precisely because it is not a profile.

THE STAMP IS THE REPUTATION

~~FLEX CARDS~~

No PnL screenshots, no "I was 41 minutes early" shareables beyond the single launch card, which exists as a growth loop and renders a negative lead time at the same weight as a positive one. A product that publishes its misses cannot ship a share format that only exists for wins.

ONE CARD, HONEST IN BOTH DIRECTIONS

Also deferred, for narrower reasons: the Δ MINT column until a trade stream writes first-trade price immutably; peak market cap until a coin time series exists; comment votes until the stamp has run eight weeks; wallet-behavioural risk signals, which render as – and count against the risk chip's denominator so a clean chip can never be manufactured by missing data.

Three decisions the founder still owns

Engineering has an answer for everything else. These three are product judgement, and two of them have a clock on them.

open · blocking		NOT OPEN QUESTIONS — OPEN DECISIONS
01	DOES THE STORIES LANE STAY INSIDE LIVE FEED? Merged is cleaner and the chip rail already absorbs Narratives, Tokens and New Pairs either way. A separate tab guarantees browsing survives even if the filter strip turns out weak. Everything is written merged and flagged where it matters; the story page is unaffected either way — only the back chip's label changes.	COST OF DECIDING LATE low — a routing change and one label. The one real consequence is where No coin yet lives, which is search's most valuable chip. NEEDED BY step 3, the posts lane.
02	DOES THE POSTER'S 40% SHIP? Forty percent of a coin's fee stream to the person whose post it came from, at an address derived from their handle, whether or not they have ever heard of Insidor. It is the most defensible thing about the product and the largest legal surface. Engineering is already settled: a sharing config is created on every launch, at roughly 0.004 SOL each, purely to keep the option alive — but the shares themselves cannot be written until you decide.	COST OF DECIDING LATE irreversible, per coin — a mint launched without a share configuration can never have one added. Every coin created before the decision is permanently split-less. THE ASYMMETRY Deciding no later costs nothing. Deciding yes later is impossible for everything already minted.
03	WHAT IS THE COINABILITY RULE FOR SOMEONE WHO WAS PRIVATE UNTIL TUESDAY? The tier system permits public figures and stage names and forbids identifiable private individuals. The modal Insidor story is a person who had no public presence at all four days ago and now has two million views — a retiring ferry captain, a barista, someone's grandmother. This needs a written rule from you, not a model judgement, because it is the tier that will actually bite and the one where being wrong is unrecoverable.	COST OF DECIDING LATE blocks every public board — nothing ships on a public URL before coinability is populated and evaluated. The rule lives in the scoring prompt, not a keyword blocklist, so it can be changed the day you write it — but it cannot be absent. NEEDED BY step 3. It is the earliest hard blocker on the list.

Decision 1 is a preference. Decisions 2 and 3 are deadlines wearing the costume of a question — one gets more expensive with every coin minted, the other stands between the build sequence and its first public URL.