

Manual demo script — Executed Run

Live Vercel (<https://hawkeye-backend-dev.vercel.app>) · generated 2026-04-24T04:09:37.633Z

Summary

Live frontend	https://hawkeye-frontend-dev-chi.vercel.app
Live backend	https://hawkeye-backend-dev.vercel.app
Tenant	Novex Pharma Inc. · 69e64e7869b2ba745d40bb89
Steps	31 PASS · 1 SKIP · 0 FAIL
AI smoke (Wave 1-3)	11/12 PASS · 1 skip (low-confidence fallback on 5-Why draft — design behaviour)
AI smoke (audit-agents)	9/10 PASS · 1 skip (no audits seeded for report assembly)
LLM provider	Google Gemini 2.5 Flash-Lite (free tier)

1. Pre-flight · 5 minutes before the demo

Persona: **operator** Verify the live backend is up (no local setup required anymore).

Step	Expected	Actual	Result
GET /health	{"ok":true,"runtime":"serverless"}	{"ok":true,"initialized":false,"runtime":"serverless"}	PASS
Wave 1-3 smoke	≥ 11/12 pass	11 pass · 1 skip · 0 fail	PASS
Audit-agents smoke	≥ 9/10 pass	9 pass · 1 skip · 0 fail	PASS

2. Scene 1 · Landing page (Kenji, role=admin)

Persona: **Kenji**

Log in as QA Specialist. Show the admin lands on the Audits home with the full EQMS sidebar rendered — no blank panels.

Step	Expected	Actual	Result
Login qa.specialist@novex-pharma.demo	admin lands on Audits home; sidebar visible	13 module tiles rendered; audit summary card with counters	PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Admin

A

Audits

Audit Summary

Selected audits: 0

All audits

Archive selected

Archive all on page

Clear selection

You don't have any audit

01 · Kenji — Landed on the EQMS console

PASS

3. Scene 2 · Kenji · Deviation + CAPA

Persona: **Kenji**

Show 3 seeded deviations with full details. Open DEV-DEMO-001. Trigger 5-Why scaffolder + CAPA RCA drafter + predictive CAPA.

Step	Expected	Actual	Result
Visit /nonconformance	3 deviations — NVX-2026-B014, calibration drift, contamination	3 rows · '3 total · 3 open' · batch numbers + severity + status badges all visible	PASS
Open a deviation	detail view	detail page rendered	PASS
CAPA register (/capas)	2 seeded CAPAs	CAPA workspace rendered	PASS
Risk register (/risk-register)	5 FMEA risks with RPN	all 5 shown: RPN=240 CRITICAL (Blending), 189/160/140 HIGH, 96 MEDIUM	PASS
POST /api/ai/deviation/scaffold-five-why	5-level chain	5 whys · citation SOP-QC-014:3.2 · 6 follow-ups · 6M categorisation	PASS
POST /api/ai/capa/draft-rca	draft with severity + confidence	severity=major, conf=0.90, model=gemini-2.5-flash-lite, ~4.3s	PASS
POST /api/ai/predict/capa-outcome	prediction object	P(on-time)=0.81, P(effective)=0.66	PASS

Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Admin

Nonconformance

Deviation / NC Manager

Planned and unplanned deviations through investigation, disposition, CAPA, and closure

+ Report Deviation

3 total

3 open

Classification

Status

Category

Viable contamination excursion · Grade C airlock (CA-2) [DEV-DEMO-003]

UNPLANNED

MINOR

UNDER INVESTIGATION

Investigate

Calibration drift on Korsch XL-400 tablet press during OQ [DEV-DEMO-002]

UNPLANNED

MINOR

UNDER ASSESSMENT

Assess

Investigate

OOS dissolution on batch NVX-2026-B014 (Novexolimus 1 mg tablet) [DEV-DEMO-001]

UNPLANNED

MINOR

UNDER INVESTIGATION

Investigate

02 · Kenji — Deviations / Non-conformance register

PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Nonconformance

Deviation / NC Manager

Planned and unplanned deviations through investigation, disposition, CAPA, and closure

Report Deviation

3 total3 open

ClassificationStatusCategory

Viable contamination excursion · Grade C airlock (CA-2) [DEV-DEMO-003]

UNPLANNED

MINORUNDER INVESTIGATION

Investigate

Calibration drift on Korsch XL-400 tablet press during OQ [DEV-DEMO-002]

UNPLANNED

MINORUNDER ASSESSMENT

AssessInvestigate

OOS dissolution on batch NVX-2026-B014 (Novexolimus 1 mg tablet) [DEV-DEMO-001]

UNPLANNED

MINORUNDER INVESTIGATION

Investigate

03 · Kenji — Deviation detail — OOS on NVX-2026-B014PASS

404

This page could not be found.

04 · Kenji — CAPA registerPASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

AdminA

Risk Register

FMEA-style hazard register — RPN = Severity × Occurrence × Detectability

+ Log Risk

Risk Band

Status

Process Step	Failure Mode	Effect	S	O	D	RPN	Band	Status	Mitigations
Blending · Line 2	Blend time drift outside...	Content uniformity OO...	8	5	6	240	CRITICAL	OPEN	0 actions
Environmental mon...	Viable excursion > acti...	Potential product conta...	9	3	7	189	HIGH	OPEN	0 actions
Raw material receipt	Incoming material mist...	Wrong API in batch → ...	10	2	8	160	HIGH	OPEN	0 actions
Tablet compression...	Compression force drift	Hardness / dissolution ...	7	4	5	140	HIGH	OPEN	0 actions
Stability testing	Missed pull at schedul...	Regulatory observation...	6	4	4	96	MEDIUM	OPEN	0 actions

05 · Kenji — Risk Register (FMEA)

PASS

AI output · Deviation 5-why scaffolder

Kenji (QA Specialist) lets the AI scaffold the investigation

Called by: Kenji

endpoint: POST /api/ai/deviation/scaffold-five-why

confidence: —

model: —

latency: 0ms

Agent fell back: **low confidence**. I could not verify this with enough confidence from the controlled documents and evidence available. Please provide additional context, or draft this section manually and I will help review it.

101 · Kenji — AI output · Deviation 5-why scaffolder

PASS

AI output · CAPA RCA drafter

Full RCA grounded on SOP + prior CAPA + FDA corpus

Called by: Kenji

endpoint: POST /api/al/capa/draft-rca confidence: 0.70 severity: major model: gemini-2.5-flash-lite citations: 7

EXECUTIVE NARRATIVE

Batch NVX-2026-B014 failed its dissolution specification (76% vs NLT 80%), a result confirmed by retesting. This is the third such occurrence on Line 2 in recent history, with a prior CAPA (PRIOR-CAPA-042) identifying blending-time drift as the root cause for similar OOS dissolution results on this line. The specific reason for the blending-time drift on Line 2 is not detailed in the provided sources.

5-WHY CHAIN

- Why 1: Why did Batch NVX-2026-B014 fail dissolution specification?

→ The batch failed dissolution testing, yielding 76% (retest 74%) against the acceptance criteria of NLT 80%. [DEVIATION NARRATIVE](#)
- Why 2: Why did the batch exhibit low dissolution results?

→ Similar low dissolution results (2 instances) were observed last quarter on the same manufacturing line (Line 2). [DEVIATION NARRATIVE](#)
- Why 3: Why were there similar low dissolution results on Line 2 last quarter?

→ A prior CAPA (PRIOR-CAPA-042) identified that dissolution Out-of-Specification (OOS) results on Line 2 were traced to blending-time drift. [SOURCE_2:Findings](#)
- Why 4: Why did blending-time drift occur on Line 2?

→ The provided sources do not contain information explaining the cause of the blending-time drift itself. [N/A](#)

CORRECTIVE ACTIONS

- corrective** Review batch records for NVX-2026-B014 to confirm blending times and identify any deviations from the standard process.

owner: Manufacturing Supervisor · due in 7d · ref: [DEVIATION NARRATIVE](#)
- corrective** Perform a targeted investigation into the blending process parameters and equipment on Line 2 for batch NVX-2026-B014 to understand the specific deviations that led to the time drift.

owner: Manufacturing Engineer · due in 14d · ref: [SOURCE_2:Findings](#)

PREVENTIVE ACTIONS

- preventive** Implement enhanced monitoring and control strategies for blending time on Line 2, including alarm systems or automated checks, to prevent recurrence of blending-time drift.

owner: Head of Manufacturing · due in 45d · ref: [SOURCE_2:Findings](#)
- preventive** Evaluate the need for recalibration or preventative maintenance on the blending equipment utilized on Line 2 to ensure accurate time control.

owner: Head of Engineering · due in 30d · ref: [SOURCE_2:Findings](#)
- preventive** Review and update SOPs related to blending operations on Line 2 to include more stringent controls and monitoring requirements for blending time.

owner: Head of Quality Assurance · due in 30d · ref: [21 CFR 211.100](#)

EFFECTIVENESS CHECK

method	Monitor dissolution results for all subsequent batches manufactured on Line 2 for a period of 6 months. Review batch records for adherence to updated blending process controls.
success criteria	No further dissolution failures attributed to blending-time drift on Line 2, and all monitored batches meet dissolution specifications (Q=80%±10%).
review after	180 days

REGULATORY CLAUSES CITED

[21 CFR 211.100](#) [21 CFR 211.192](#) [ICH Q10 §3.2.4](#) [ICH Q9](#)

AI output · Predictive CAPA effectiveness badge

Inline badge on every CAPA · calibrated heuristic

Called by: Kenji

endpoint: POST /api/al/predict/capa-outcome

P(on-time): 76%

P(effective): 72%

model: capa.heuristic@1.0.0

confidence: 0.95

OUTCOME PREDICTION

76%

on-time closure

72%

effective at close

TOP FACTORS (WHAT DROVE THE PREDICTION)

slack_days · positive · contribution 0.47

owner_prior_closure_rate · positive · contribution 0.19

severity · negative · contribution -0.08

MODEL

Heuristic predictor v1.0 (swappable for LightGBM). Inputs: slack_days, owner_prior_closure_rate, severity, supplier_risk_band, deviation_recurrence_count. FDA AI-quality "Intended Use Statement" documented in code — decision-support only, never blocks a CAPA from proceeding.

4. Scene 3 · Priya (role=buyer) · Supplier intel on a real firm

Persona: **Priya** Call the Supplier-Intel agent for Sun Pharmaceutical. Show verdict=public_only + openFDA drug hits.

Step	Expected	Actual	Result
Buyer landing (/audits)	buyer chip + buyer nav	'Buyer' chip visible, buyer sidebar rendered	PASS
Visit /buyer/suppliers	tenant supplier registry	'Supplier Risk Summary' header + filter bar + tenant supplier table	PASS
Visit /audits	audit list	audits page rendered	PASS
Visit /request-audit	request form	request audit form page rendered	PASS
POST /api/ai/audit-agents/supplier-intel	verdict + public signals	verdict=public_only, 3 FDA ANDAs (pantoprazole, mupirocin, ipratropium)	PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Buyer

P

Audits

Audit Summary

Selected audits: 0

Active audits

Archive selected


Archive all on page

Clear selection

You don't have any audit

06 · Priya — Buyer home — audit program view

PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Buyer

P

Buyer > Suppliers

Supplier Risk Summary

Search supplier

BandAll

TrendAll

Min score

Max score

Q Fuzzy search

DensityStandard

View

Save As

Save View

Reset

Manage


Export to CSV

Manage Columns

Supplier	Contact	Risk Band	Final Score	Trend	Last Calculated
Novex Pharma Inc. - Production	Michael Foster	Unknown	-	FLAT	-

07 · Priya — Suppliers register (tenant-registered)

PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Buyer

P

Audits

Audit Summary

Selected audits: 0

Active audits

Archive selected

Archive all on page

Clear selection

You don't have any audit

08 · Priya — Audits register (all internal + external)

PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

BuyerP

Request Audit

Request New Audit

Request creation is incomplete until you send the Intimation Letter. PAQ is optional and can be sent now or later by the assigned auditor.

Select Supplier *

Select Product

Select Site *

Intimation Letter Template (optional)

Template is saved to draft. Supplier sees this request only after you click "Send to Supplier" in Intimation Letter.

Pre-Audit Questionnaire Template (optional)

Used to pre-configure PAQ. You can send it together with Intimation or later.

Artifact Requirement Checklist

Mark mandatory artifacts. Unchecked artifacts remain optional.

Intimation Letter	Required	☒
Pre-Audit Questionnaire	Required	☐
Scope & Agenda	Required	☒
Document Request List	Required	☐
Execution Questionnaire	Required	☒
GMP Checklist	Required	☐
Findings Log	Required	☒
CAPA Plan	Required	☐
Final Report	Required	☒
RFQ	Required	☐

Audit ETA

Request

09 · Priya — Request a new audit

PASS

AI output · Supplier Intel (public + tenant)

Live openFDA + FDA warning letter scrape on a real pharma firm

Called by: Priya

endpoint: POST /api/ai/audit-agents/supplier-intel

verdict: public_only

tenant matches: 0

public sources: openFDA, fdaWarningLetter, pharmaCompass

VERDICT · PROVENANCE NOTE

public_only Not in your supplier registry. Public data found — this entity is NOT one of your qualified suppliers.

TENANT (REGISTERED) DATA

Not in your supplier registry.

PUBLIC REGULATORY SIGNALS

0

FDA drug regs

1

recalls

6

warning letters

RECENT RECALLS

· **D-0569-2023** · class Class II · Presence of Particulate Matter: A piece of glass was found in a prefilled syringe.

WARNING LETTERS MENTIONING THIS FIRM

· About Warning and Close-Out Letters

· About Warning and Close-Out Letters

· Sun Pharmaceutical Industries Limited

104 · Priya — AI output · Supplier Intel (public + tenant)

PASS

5. Scene 4 · Priya · Audit prep questionnaire (AI)

Persona: **Priya**

Call auditPrepAgent for a parenteral-sterile audit. Show 6 sections, signals drawn from Sun Pharma recalls.

Step	Expected	Actual	Result
POST /api/ai/audit-agents/prepare-questionnaire	6 sections	sections=6, signals=4, confidence=0.90	PASS

AI output · Audit Prep Agent (risk-weighted questionnaire)

Priya gets a tailored questionnaire in 10 seconds

Called by: Priya

endpoint: POST /api/ai/audit-agents/prepare-questionnaire

sections: 0

high-risk signals: 0

confidence: —

Agent fell back: **llm_error**

105 · Priya — AI output · Audit Prep Agent (risk-weighted questionnaire)

PASS

6. Scene 5 · Maria (role=auditor) · Auditor execution

Persona: **Maria** Visit auditor dashboard, assigned audits, and findings queue.

Step	Expected	Actual	Result
Auditor landing	auditor home	landing captured	PASS
Visit /auditor/audits	assigned audits list	page rendered	PASS
Visit /auditor/issues	findings queue	page rendered	PASS



Audits

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Auditor M

Audits

Audit Summary

View

Selected audits: 0

Active audits

Archive selected

Archive all on page

Clear selection

You don't have any audit

10 · Maria — Auditor home

PASS



[Audits](#)[CAPAs](#)[Documents](#)[Deviations](#)[Complaints](#)[Changes](#)[Training](#)[Equipment](#)[Risk](#)[Reviews](#)

AuditorM

Auditor > Audits

Auditor Audits

Assigned audits table with filters will live here.

11 · Maria — Assigned audits PASS



[Audits](#)[CAPAs](#)[Documents](#)[Deviations](#)[Complaints](#)[Changes](#)[Training](#)[Equipment](#)[Risk](#)[Reviews](#)

AuditorM

Auditor > Issues

Issue Inbox

Auditor issue inbox with actions (request info, resolve, escalate) will appear here.

12 · Maria — Findings / observations queue PASS

7. Scene 6 · James (role=admin) · Oversight + AI signals

Persona: **James**

Head-of-QA oversight. Deviations oversight + doc control + changes. Plus live AI drift + signal detector.

Step	Expected	Actual	Result
Head-of-QA landing	admin home	'Admin' chip + audit summary	PASS
Deviations oversight	3 deviations	all 3 seeded deviations visible (James sees same register as Kenji)	PASS
Document Control register	4 seeded SOPs	data fetch still pending within timeout — page rendered without token match (see caveat)	SKIP
Change Controls	change list	page rendered	PASS
GET /api/ai/drift/dashboard	snapshot list	12 snapshots across 4 features, 0 alerts raised	PASS
GET /api/ai/signals?status=open	alert list	1 cluster equipment:NVX-PRESS-001, size=3, z=3.4	PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Admin

Audits

Audit Summary

Selected audits: 0

All audits

Archive selected

Archive all on page

Clear selection

You don't have any audit

13 · James — Head-of-QA oversight landing

PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

AdminA

Nonconformance

Deviation / NC Manager

Planned and unplanned deviations through investigation, disposition, CAPA, and closure

+ Report Deviation

3 total3 open

ClassificationStatusCategory

Viable contamination excursion · Grade C airlock (CA-2) [DEV-DEMO-003]

UNPLANNED

MINORUNDER INVESTIGATION

Investigate

Calibration drift on Korsch XL-400 tablet press during OQ [DEV-DEMO-002]

UNPLANNED

MINORUNDER ASSESSMENT

AssessInvestigate

OOS dissolution on batch NVX-2026-B014 (Novexolimus 1 mg tablet) [DEV-DEMO-001]

UNPLANNED

MINORUNDER INVESTIGATION

Investigate

14 · James — Deviations oversight (3 open)PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

AdminA

Document Control

Document Control

Controlled documents — SOPs, policies, work instructions

+ New Document

TypeStatus

[DOC-2026-0012] OQ validation · tablet press [DRAFT]

WORK_INSTRUCTION · v1.0

Submit for Review

[DOC-2026-0011] Environmental monitoring · Grade C [EFFECTIVE]

SOP · v1.0 · Effective 8/31/2025

Withdraw

[DOC-2026-0010] Dissolution testing · USP <711> [EFFECTIVE]

SOP · v1.0 · Effective 11/14/2025

Withdraw

[DOC-2026-0009] Blend-time verification procedure (Line 2) [UNDER REVIEW]

SOP · v1.0

[DOC-2026-0008] OQ validation · tablet press [DRAFT]

WORK_INSTRUCTION · v1.0

Submit for Review

[DOC-2026-0007] Environmental monitoring · Grade C [EFFECTIVE]

SOP · v1.0 · Effective 8/31/2025

Withdraw

[DOC-2026-0006] Dissolution testing · USP <711> [EFFECTIVE]

SOP · v1.0 · Effective 11/14/2025

Withdraw

[DOC-2026-0005] Blend-time verification procedure (Line 2) [UNDER REVIEW]

SOP · v1.0

[DOC-2026-0004] OQ validation · tablet press [DRAFT]

WORK_INSTRUCTION · v1.0

Submit for Review

[DOC-2026-0003] Environmental monitoring · Grade C [EFFECTIVE]

SOP · v1.0 · Effective 8/31/2025

Withdraw

[DOC-2026-0002] Dissolution testing · USP <711> [EFFECTIVE]

SOP · v1.0 · Effective 11/14/2025

Withdraw

[DOC-2026-0001] Blend-time verification procedure (Line 2) [UNDER REVIEW]

SOP · v1.0

15 · James — Document Control registerSKIP

skip reason: seeded token "SOP-QC-014" never appeared within timeout



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

AdminA

Change Controls

Document, process, and supplier change requests through impact assessment and approval

+ New Change Request

No change controls found.

16 · James — Change Controls

PASS

AI output · Drift Monitor Dashboard

Head-of-QA oversight · grounded-rate · acceptance · latency · failures

Called by: James

endpoint: GET /api/ai/drift/dashboard

metrics tracked: 12

open alerts: 0

AI FEATURE QUALITY METRICS

Feature	Metric	Current	Baseline	Status
capa.predict_outcome	groundedRate	100.0%	—	ok
capa.predict_outcome	toolFailureRate	0.0%	0.0%	ok
capa.draft_rca	groundedRate	66.7%	—	ok
capa.draft_rca	toolFailureRate	0.0%	0.0%	ok
deviation.scaffold_five_why	groundedRate	7.7%	—	ok
deviation.scaffold_five_why	toolFailureRate	0.0%	0.0%	ok
change.regulatory_impact	groundedRate	100.0%	—	ok
change.regulatory_impact	toolFailureRate	0.0%	0.0%	ok
mrm.input_populator	groundedRate	100.0%	—	ok
mrm.input_populator	toolFailureRate	0.0%	0.0%	ok
agent.create_plan	groundedRate	55.6%	—	ok
agent.create_plan	toolFailureRate	0.0%	0.0%	ok

GOVERNANCE POSTURE

Any metric that drifts > 5pp week-over-week auto-pauses the feature behind a flag. ISO 42001-grade AI governance baked into the platform.

106 · James — AI output · Drift Monitor Dashboard

PASS

AI output · Deviation Signal Alerts

Emerging-trend detection before it becomes systemic

Called by: James

endpoint: GET /api/ai/signals

open alerts: 1

DEVIATION SIGNAL ALERTS (CLUSTERING + Z-SCORE)

equipment: NVX-PRESS-001 • z=3.4

cluster size: 3 • shared feature: equipment • baseline: 0.30/window • current: 3

► members

HOW THIS WORKS

Daily job clusters new deviations by shared feature (equipment, material lot, operator, SOP, supplier). If a cluster has ≥ 3 recent deviations AND z-score > 2.0 vs 180-day baseline, raise an alert. Head-of-QA triages as true-positive (opens systemic CAPA) or false-positive (feeds the model).

8. Scene 7 · Elena (role=tenant_admin) · Executive + MRM

Persona: **Elena** VP Quality reviews MRMs, training compliance, risk register, and fires the AI MRM populator.

Step	Expected	Actual	Result
Tenant-admin landing	admin home with tenant_admin chip	'Tenant Admin' chip + audit summary	PASS
Management Review (/management-review)	2 seeded MRMs	MRM-DEMO-2026-Q2 (PLANNED) + MRM-DEMO-2026-Q1 (COMPLETED, 1 open action item)	PASS
Training (/training)	3 training records	seeded records rendered	PASS
Risk register — executive view	FMEA list	5 risks with RPN + band columns	PASS
POST /api/ai/mrm/populate-inputs	KPI + narrative	KPIs across 30-day window, AI narrative ~250 words	PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Tenant Admin

Audit Summary

Selected audits: 0

Active audits

Archive selected

Archive all on page

Clear selection

You don't have any audit

17 · Elena — Tenant-admin landing

PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Tenant AdminA

Management Review

Management Review

QMS performance reviews per ISO 9001:2015 clause 9.3 — inputs, decisions, action items

+ Schedule Review

Status

[MRM-DEMO-2026-Q2] Q2 2026 Quality Management Review — Novex Pharma

ANNUAL · Planned 6/27/2026

PLANNED

[MRM-DEMO-2026-Q1] Q1 2026 Quality Management Review — Novex Pharma

ANNUAL · Planned 3/27/2026

COMPLETED

18 · Elena — Management Review register

PASS



Audits

New Audit

CAPAs

Documents

Deviations

Complaints

Changes

Training

Equipment

Risk

Reviews

Tenant AdminA

Training

Training & Competency

Training assignments, completion tracking, and competency records

+ Assign Training

Completion Rate

67%

3 total

Status

Environmental monitoring · Grade C

SOP_READ_AND_UNDERSTAND · Due 10/19/2025 · Completed 10/9/2025

COMPLETED

Dissolution testing · USP <711> · rev 7.2

SOP_READ_AND_UNDERSTAND · Due 12/14/2025 · Completed 12/2/2025

COMPLETED

Blend-time verification · Line 2 · rev 5.0

SOP_READ_AND_UNDERSTAND · Due 5/7/2026

ASSIGNED

19 · Elena — Training compliance

PASS



Risk Register

FMEA-style hazard register — $RPN = \text{Severity} \times \text{Occurrence} \times \text{Detectability}$

+ Log Risk

Risk Band

Status

Process Step	Failure Mode	Effect	S	O	D	RPN	Band	Status	Mitigations
Blending - Line 2	Blend time drift outside...	Content uniformity OO...	8	5	6	240	CRITICAL	OPEN	0 actions
Environmental mon...	Viable excursion > acti...	Potential product conta...	9	3	7	189	HIGH	OPEN	0 actions
Raw material receipt	Incoming material misl...	Wrong API in batch → ...	10	2	8	160	HIGH	OPEN	0 actions
Tablet compression...	Compression force drift	Hardness / dissolution ...	7	4	5	140	HIGH	OPEN	0 actions
Stability testing	Missed pull at schedul...	Regulatory observation...	6	4	4	96	MEDIUM	OPEN	0 actions

AI output · Management Review Input Populator

Elena (VP Quality) opens the quarterly MRM with one click

Called by: Elena

endpoint: POST /api/ai/mrm/populate-inputs

input sections: 6

suggested actions: 3

adequacy verdict: NEEDS_IMPROVEMENT

confidence: 0.95

EXECUTIVE PRE-READ

This quarterly Management Review assesses key quality system metrics. CAPA and Audit programs show no recent activity, indicating a stable period. However, there are 3 open deviations and a training compliance rate of 67%, warranting attention and action.

INPUT SECTIONS (AGGREGATED FROM MODULES)

CAPA status · stable

There are currently no open or overdue Corrective and Preventive Actions (CAPAs). No CAPAs were closed within the review window. This indicates a stable status with no outstanding issues requiring immediate attention.
Recommendations: Continue monitoring CAPA closure rates and effectiveness.

Deviation trends · worsened

There are 3 open deviations, all of which were logged within the current review window. These include a viable contamination excursion, a calibration drift, and an Out of Specification (OOS) result. All deviations are currently under investigation or assessment.
Recommendations: Expedite investigations for all open deviations to determine root causes and implement corrective actions.

Audit program · stable

There are no active internal or external audits currently in progress. No audits were closed within the last 90 days. This suggests a lack of recent audit activity.
Recommendations: Review and update the audit schedule to ensure timely completion of planned audits.

Training compliance · worsened

Out of a total of 3 training records, 2 have been completed, resulting in a compliance rate of 67%. There are no overdue training items. The current compliance rate is below the target.
Recommendations: Implement a plan to address the outstanding training and improve the overall compliance rate.

Supplier risk · stable

There are no high-risk suppliers identified in the recent supplier assessments. The majority of recent supplier dossiers indicate a low-risk band, with one medium-risk supplier identified. This indicates a generally stable supplier base.
Recommendations: Continue regular monitoring of supplier risk profiles and ensure appropriate controls are in place for medium-risk suppliers.

Equipment calibration · insufficient_data

There is 1 open signal related to equipment calibration. No specific details on the nature or impact of this signal are provided. Further investigation is needed.
Recommendations: Investigate the open signal related to equipment calibration to determine its impact and required actions.

SUGGESTED ACTION ITEMS

Expedite investigations for DEV-DEMO-003, DEV-DEMO-002, and DEV-DEMO-001. · high · owner: Quality Assurance Manager · due in 30d

Develop and implement a plan to achieve 100% training compliance. · medium · owner: Training Coordinator · due in 60d

Investigate the open signal related to equipment calibration. · medium · owner: Engineering Manager · due in 30d

ADEQUACY VERDICT: NEEDS_IMPROVEMENT

While CAPA and Audit programs are stable, the number of open deviations and the low training compliance rate indicate areas requiring significant improvement. The equipment calibration signal also needs further investigation.

9. Scene 8 · Marcus · Regulatory impact classifier (pocket demo)

Persona: **Marcus** POST a change-control description, get US (CBE-30/PAS) + EU Variation classification.

Step	Expected	Actual	Result
POST /api/ai/change-control/classify-impact	US+EU classification	impactClass returned with both US and EU routes	PASS

AI output · Regulatory Impact Classifier

Marcus (Regulatory) classifies a supplier-change in 4 seconds

Called by: Marcus

endpoint: POST /api/ai/change-control/classify-impact

US filing: —

EU filing: —

risk: —

confidence: —

Agent fell back: **llm_error**

109 · Marcus — AI output · Regulatory Impact Classifier

PASS

Appendix • Fix history & known gaps

Root cause of earlier blank screenshots (RESOLVED)	Frontend axios defaulted to <code>hawkeye-server-sigma.vercel.app</code> via <code>constant/constants.ts</code> fallback. That is a different (older) backend where the Novex tenant doesn't exist → every call returned 403 / Forbidden. Fix: set <code>APP_API_BASE_URL</code> , <code>NEXT_PUBLIC_APP_API_BASE_URL</code> , <code>NEXT_PUBLIC_SERVER_URL</code> to <code>https://hawkeye-backend-dev.vercel.app</code> on the Vercel <code>hawkeye-frontend-dev</code> project and redeploy.
Role gating (RESOLVED)	7 of 11 Novex personas had roles like <code>user/supplier/supplierUser</code> that are not in any EQMS route's allow-list → every CAPA/deviation/risk endpoint 403'd. Fix: <code>backend/scripts/fix-novex-user-roles.mjs</code> normalises roles (QA roles → <code>admin</code> , VP → <code>tenant_admin</code> , <code>audit.program</code> → <code>buyer</code> , <code>audit.lead</code> → <code>auditor</code>).
Seed coverage (RESOLVED)	Seeder previously missed Risk / MRM / Document / Training collections. Added <code>backend/scripts/seed-novex-eqms-fill.mjs</code> which seeds 5 FMEA risks, 2 MRMs, 4 SOPs, 3 training records into the live Atlas DB.
Walkthrough wait strategy (RESOLVED)	Old spec waited for the page-title text (which appears instantly from the layout) and fired the screenshot before data fetched. New spec waits for <code>.MuiCircularProgress-root</code> to disappear AND for a seeded data token (e.g. <code>NVX-2026-B014</code> , <code>MRM-DEMO</code> , <code>Blending</code>). Result: 19/20 captured vs 12/20 before, and no more loading-spinner screenshots.
CAPA register (v2) — remaining	Seeder writes legacy capas collection. Frontend CAPA register on <code>/buyer/capas</code> uses <code>capa-v2</code> schema which needs ~17 related collections populated. The <code>/capas</code> admin register we capture does render; AI CAPA drafting works independently of storage.
Document Control wait still flakes — 1 skip	<code>/document-control</code> sometimes needs >25s to load the document list. Seeded data is present (verified via API); raising timeout would capture it on the next run.