

Colophon

© 2020-2025 Raspberry Pi Ltd (formerly Raspberry Pi (Trading) Ltd.)

This documentation is licensed under a Creative Commons [Attribution-NoDerivatives 4.0 International](#) (CC BY-ND).

Throughout the text "the SDK" refers to our [Raspberry Pi Pico SDK](#). More details about the SDK can be found throughout this book. Source code included in the documentation is Copyright © 2020-2024 Raspberry Pi Ltd (formerly Raspberry Pi (Trading) Ltd.) and licensed under the [3-Clause BSD](#) license.

build-date: 2025-02-20

build-version: 3184e62-clean

Legal disclaimer notice

TECHNICAL AND RELIABILITY DATA FOR RASPBERRY PI PRODUCTS (INCLUDING DATASHEETS) AS MODIFIED FROM TIME TO TIME ("RESOURCES") ARE PROVIDED BY RASPBERRY PI LTD ("RPL") "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN NO EVENT SHALL RPL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THE RESOURCES, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

RPL reserves the right to make any enhancements, improvements, corrections or any other modifications to the RESOURCES or any products described in them at any time and without further notice.

The RESOURCES are intended for skilled users with suitable levels of design knowledge. Users are solely responsible for their selection and use of the RESOURCES and any application of the products described in them. User agrees to indemnify and hold RPL harmless against all liabilities, costs, damages or other losses arising out of their use of the RESOURCES.

RPL grants users permission to use the RESOURCES solely in conjunction with the Raspberry Pi products. All other use of the RESOURCES is prohibited. No licence is granted to any other RPL or other third party intellectual property right.

HIGH RISK ACTIVITIES. Raspberry Pi products are not designed, manufactured or intended for use in hazardous environments requiring fail safe performance, such as in the operation of nuclear facilities, aircraft navigation or communication systems, air traffic control, weapons systems or safety-critical applications (including life support systems and other medical devices), in which the failure of the products could lead directly to death, personal injury or severe physical or environmental damage ("High Risk Activities"). RPL specifically disclaims any express or implied warranty of fitness for High Risk Activities and accepts no liability for use or inclusions of Raspberry Pi products in High Risk Activities.

Raspberry Pi products are provided subject to RPL's [Standard Terms](#). RPL's provision of the RESOURCES does not expand or otherwise modify RPL's [Standard Terms](#) including but not limited to the disclaimers and warranties expressed in them.

Table of contents

Colophon	1
Legal disclaimer notice	1
1. About the SDK	9
1.1. Introduction	9
1.2. Anatomy of a SDK Application	9
2. SDK architecture	12
2.1. The Build System	12
2.2. Every Library is an INTERFACE Library	13
2.3. SDK Library Structure	14
2.3.1. Higher-level Libraries	14
2.3.2. Runtime Support Libraries	14
2.3.3. Hardware Support Libraries	15
2.3.4. Hardware Structs Library	16
2.3.5. Hardware Registers Library	17
2.3.6. TinyUSB Port	18
2.3.7. FreeRTOS Ports	18
2.3.8. Wi-Fi on Pico W	19
2.3.9. Bluetooth on Pico W	20
2.4. Directory Structure	21
2.4.1. Locations of Files	21
2.5. Conventions for Library Functions	23
2.5.1. Function Naming Conventions	23
2.5.2. Return Codes and Error Handling	24
2.5.3. Use of Inline Functions	24
2.5.4. Builder Pattern for Hardware Configuration APIs	25
2.6. Customisation and Configuration Using Preprocessor variables	26
2.6.1. Preprocessor Variables via Board Configuration File	26
2.6.2. Preprocessor Variables Per Binary or Library via CMake	26
2.7. SDK Runtime	27
2.7.1. Standard Input/Output (stdio) Support	27
2.7.2. Printf Support	28
2.7.3. Runtime Initialization and Linking	28
2.7.4. C-Library Integration	28
2.7.5. Floating-point Support	28
2.7.6. Hardware Divider	29
2.8. Multi-core support	30
2.9. Using C++	31
2.10. Supporting both RP2040 and RP2350	31
2.11. Next Steps	32
3. Using programmable I/O (PIO)	33
3.1. What is Programmable I/O (PIO)?	33
3.1.1. Background	33
3.1.2. I/O Using dedicated hardware on your PC	33
3.1.3. I/O Using dedicated hardware on your Raspberry Pi or microcontroller	33
3.1.4. I/O Using software control of GPIOs (" <i>bit-banging</i> ")	34
3.1.5. Programmable I/O Hardware using FPGAs and CPLDs	35
3.1.6. Programmable I/O Hardware using PIO	35
3.2. Getting started with PIO	36
3.2.1. A First PIO Application	36
3.2.2. A Real Example: WS2812 LEDs	40
3.2.3. PIO and DMA (A Logic Analyser)	48
3.2.4. Further examples	53
3.3. Using PIOASM, the PIO Assembler	53
3.3.1. Usage	54
3.3.2. Directives	54

3.3.3. Values	56
3.3.4. Expressions	57
3.3.5. Comments	57
3.3.6. Labels	57
3.3.7. Instructions	57
3.3.8. Pseudoinstructions	58
3.3.9. Output pass through	58
3.3.10. Language generators	59
3.4. PIO Instruction Set Reference	64
3.4.1. Encoding (version 0, RP2040)	65
3.4.2. Encoding (version 1, RP2350)	65
3.4.3. Summary	65
3.4.4. JMP	66
3.4.5. WAIT	67
3.4.6. IN	68
3.4.7. OUT	69
3.4.8. PUSH	70
3.4.9. PULL	71
3.4.10. MOV (to RX)	72
3.4.11. MOV (from RX)	73
3.4.12. MOV	73
3.4.13. IRQ	75
3.4.14. SET	76
4. Library documentation	78
4.1. Hardware APIs	79
4.1.1. hardware_adc	80
4.1.2. hardware_base	85
4.1.3. hardware_claim	87
4.1.4. hardware_clocks	89
4.1.5. hardware_divider	106
4.1.6. hardware_dcp RP2350	115
4.1.7. hardware_dma	115
4.1.8. hardware_exception	137
4.1.9. hardware_flash	141
4.1.10. hardware_gpio	144
4.1.11. hardware_hazard3 RP2350	175
4.1.12. hardware_i2c	175
4.1.13. hardware_interp	185
4.1.14. hardware_irq	194
4.1.15. hardware_pio	209
4.1.16. hardware_pll	252
4.1.17. hardware_powman RP2350	253
4.1.18. hardware_pwm	260
4.1.19. hardware_resets	273
4.1.20. hardware_riscv RP2350	279
4.1.21. hardware_riscv_platform_timer RP2350	279
4.1.22. hardware_rtc RP2040	281
4.1.23. hardware_rcp RP2350	284
4.1.24. hardware_spi	284
4.1.25. hardware_sha256 RP2350	292
4.1.26. hardware_sync	296
4.1.27. hardware_ticks	304
4.1.28. hardware_timer	306
4.1.29. hardware_uart	320
4.1.30. hardware_vreg	330
4.1.31. hardware_watchdog	331
4.1.32. hardware_xip_cache	334
4.1.33. hardware_xosc	337
4.2. High Level APIs	338
4.2.1. pico_aon_timer	339

4.2.2. pico_async_context	343
4.2.3. pico_bootsel_via_double_reset	355
4.2.4. pico_flash	355
4.2.5. pico_i2c_slave	357
4.2.6. pico_multicore	359
4.2.7. pico_rand	371
4.2.8. pico_sha256 RP2350	373
4.2.9. pico_stdlib	378
4.2.10. pico_sync	379
4.2.11. pico_time	393
4.2.12. pico_unique_id	415
4.2.13. pico_util	416
4.3. Third-party Libraries	425
4.3.1. tinyusb_device	425
4.3.2. tinyusb_host	425
4.4. Networking Libraries	426
4.4.1. pico_btstack	426
4.4.2. pico_lwip	428
4.4.3. pico_cyw43_driver	430
4.4.4. pico_cyw43_arch	432
4.5. Runtime Infrastructure	473
4.5.1. boot_stage2	474
4.5.2. pico_atomic	474
4.5.3. pico_base	475
4.5.4. pico_binary_info	476
4.5.5. pico_bootrom	477
4.5.6. pico_bit_ops	492
4.5.7. pico_cxx_options	493
4.5.8. pico_clib_interface	493
4.5.9. pico_crt0	493
4.5.10. pico_divider	493
4.5.11. pico_double	501
4.5.12. pico_float	503
4.5.13. pico_int64_ops	505
4.5.14. pico_malloc	505
4.5.15. pico_mem_ops	505
4.5.16. pico_platform	505
4.5.17. pico_printf	514
4.5.18. pico_runtime	514
4.5.19. pico_runtime_init	515
4.5.20. pico_stdio	516
4.5.21. pico_standard_binary_info	525
4.5.22. pico_standard_link	526
4.6. External API Headers	526
4.6.1. boot_picobin_headers	527
4.6.2. boot_picoboot_headers	527
4.6.3. boot_uf2_headers	527
4.6.4. pico_usb_reset_interface_headers	527
5. SDK configuration	528
5.1. Full List of SDK Configuration Defines	529
6. CMake build configuration	543
6.1. Full List of SDK Configuration Variables	543
6.2. Platform and Board Configuration	545
6.3. Compiler and Toolchain Configuration	546
6.3.1. Variables	546
6.4. Binary Type configuration	547
7. CMake build functions	549
7.1. Control of picotool post-processing (not available on RP2040)	549
8. Board configuration	550
8.1. The Configuration files	550

8.2. Building applications with a custom board configuration	552
8.3. Available configuration parameters	552
9. Embedded Binary Information	553
9.1. Basic information	553
9.2. Pins	553
9.3. Full Information	554
9.4. Including Binary Information	554
9.5. Setting Common Information from CMake	556
Appendix A: App Notes	558
Attaching a 7 segment LED via GPIO	558
Wiring information	558
List of Files	558
Bill of Materials	560
DHT-11, DHT-22, and AM2302 Sensors	561
Wiring information	561
List of Files	562
Bill of Materials	564
Attaching a 16x2 LCD via TTL	564
Wiring information	565
List of Files	565
Bill of Materials	568
Attaching a microphone using the ADC	569
Wiring information	569
List of Files	570
Bill of Materials	571
Attaching a BME280 temperature/humidity/pressure sensor via SPI	572
Wiring information	572
List of Files	572
Bill of Materials	577
Attaching a MPU9250 accelerometer/gyroscope via SPI	577
Wiring information	577
List of Files	578
Bill of Materials	581
Attaching a MPU6050 accelerometer/gyroscope via I2C	581
Wiring information	581
List of Files	582
Bill of Materials	584
Attaching a 16x2 LCD via I2C	584
Wiring information	585
List of Files	585
Bill of Materials	588
Attaching a BMP280 temp/pressure sensor via I2C	589
Wiring information	589
List of Files	589
Bill of Materials	594
Attaching a LIS3DH Nano Accelerometer via i2c	594
Wiring information	595
List of Files	595
Bill of Materials	598
Attaching a MCP9808 digital temperature sensor via I2C	598
Wiring information	598
List of Files	599
Bill of Materials	602
Attaching a MMA8451 3-axis digital accelerometer via I2C	602
Wiring information	602
List of Files	603
Bill of Materials	605
Attaching an MPL3115A2 altimeter via I2C	606
Wiring information	606
List of Files	607

Bill of Materials	611
Attaching an OLED display via I2C	611
Wiring information	612
List of Files	613
Bill of Materials	623
Attaching a PA1010D Mini GPS module via I2C	623
Wiring information	623
List of Files	624
Bill of Materials	627
Attaching a PCF8523 Real Time Clock via I2C	627
Wiring information	627
List of Files	628
Bill of Materials	631
Interfacing 1-Wire devices to the Pico	631
Wiring information	632
Bill of materials	632
List of files	633
Communicating as master and slave via SPI	640
Wiring information	640
Outputs	640
List of Files	642
Bill of Materials	646
Appendix B: Building the SDK API documentation	647
Appendix C: SDK release history	649
Release 1.0.0 (20 January 2021)	649
Release 1.0.1 (01 February 2021)	649
Boot Stage 2	649
Release 1.1.0 (05 March 2021)	649
Backwards incompatibility	650
Release 1.1.1 (01 April 2021)	650
Release 1.1.2 (07 April 2021)	650
Release 1.2.0 (03 June 2021)	650
New/improved Board headers	650
Updated TinyUSB to 0.10.1	650
Added CMSIS core headers	651
API improvements	651
General code improvements	653
SVD	653
pioasm	653
RTOS interoperability	653
CMake build changes	653
Boot Stage 2	653
Release 1.3.0 (02 November 2021)	653
Updated TinyUSB to 0.12.0	653
New Board Support	654
Updated SVD, <code>hardware_regs</code> , <code>hardware_structs</code>	654
Behavioural Changes	655
Other Notable Improvements	655
CMake build	657
pioasm	657
<code>elf2uf2</code>	657
Release 1.3.1 (18 May 2022)	657
New Board Support	657
Notable Library Changes/Improvements	658
Build	659
pioasm	659
<code>elf2uf2</code>	659
Release 1.4.0 (30 June 2022)	659
New Board Support	659
Wireless Support	659

Notable Library Changes/Improvements	660
Build	662
Release 1.5.0 (11 February 2023)	662
New Board Support	662
Library Changes/Improvements	662
New Libraries	665
Build	666
Bluetooth Support for Pico W (BETA)	666
Release 1.5.1 (14 June 2023)	667
Board Support	667
Library Changes/Improvements	667
New Libraries	668
Miscellaneous	669
Build	669
Bluetooth Support for Pico W	669
Release 2.0.0 (08 August 2024)	670
Notices	670
Major New Features	670
Security and Code Signing	671
Board Support	671
New Libraries	672
Library Changes / Improvements	675
pico_bt_stack	681
FreeRTOS integration	685
Backwards Incompatibilities	686
Build	686
Building Documentation	687
Fixed Issues	687
Release 2.1.0 (25 November 2024)	687
Board Support	687
Notable Library Changes/Improvements	688
New Libraries	692
Miscellaneous	692
pioasm	692
Build	692
Bazel Build	693
Release 2.1.1 (18 February 2025)	693
200 MHz Clock Support for RP2040	694
Notable Library Changes/Improvements	695
Documentation Release History	699
20 February 2025	699
05 December 2024	699
25 November 2024	699
15 October 2024	699
02 May 2024	699
02 February 2024	699
14 June 2023	699
03 March 2023	700
01 December 2022	700
30 June 2022	700
17 June 2022	700
04 November 2021	700
03 November 2021	700
30 Sepe 2021	700
23 June 2021	700
07 June 2021	700
13 April 2021	701
07 April 2021	701
05 March 2021	701
23 February 2021	701

01 February 2021 701

26 January 2021..... 701

21 January 2021..... 701