

Derivatives of Non-Natural Logarithmic Functions

by Sophia



WHAT'S COVERED

In this lesson, you will find derivatives involving logarithmic functions that deal with bases other than *e*. Since there were reasons to use exponential functions with bases other than *e*, it makes sense to discuss the corresponding logarithmic functions. Specifically, this lesson will cover:

- 1. The Derivatives of $y = \log_a x$ and $y = \log_a u$, Where u is a Function of x
- 2. Derivatives of Functions Involving $\log_a x$ and $\log_a u$, Where u is a Function of x

1. The Derivative of $y = \log_{a} x$ and $y = \log_{a} u$, Where u is a Function of x

Consider the function $y = \log_a x$, where a is any positive number except 1.

If we apply the change of base formula, we have $\log_a x = \frac{\ln x}{\ln a} = \left(\frac{1}{\ln a}\right) \cdot \ln x$.

Then,
$$D[\log_a x] = D\left[\left(\frac{1}{\ln a}\right) \cdot \ln x\right] = \left(\frac{1}{\ln a}\right) \cdot \frac{1}{x} = \frac{1}{x \cdot \ln a}$$
.

So, we can say the derivative of a logarithm function with base a can be expressed with the following formula:

FORMULA

Derivative of a Logarithm Function, Base a

$$D[\log_a x] = \frac{1}{x \cdot \ln a}$$

When x is replaced with u (a function of x), the chain rule is used.

Derivative of a Composite Logarithm Function, Base a

$$D[\log_a u] = \frac{1}{u \cdot \ln a} \cdot u' = \frac{u'}{u \cdot \ln a}$$



Notice that this derivative formula is the same as the one for $\ln x$, but there is also a factor of $\ln a$ in the denominator.

2. Derivatives of Functions Involving $\log_a x$ and $\log_a u$, Where u is a Function of x

Since the derivatives of $\log_a x$ and $\ln x$ are similar, we'll look at various functions.

 \Leftrightarrow EXAMPLE Consider the function $f(x) = \log_2(x^3 + 5x)$. Find its derivative.

$$f(x) = \log_2(x^3 + 5x)$$
 Start with the original function.

$$f'(x) = \frac{1}{(x^3 + 5x)\ln 2} \cdot (3x^2 + 5)$$
 $D[\log_a u] = \frac{1}{u \cdot \ln a} \cdot u'$

$$f'(x) = \frac{3x^2 + 5}{(x^3 + 5x)\ln 2}$$
 Write as a single fraction.

Thus,
$$f'(x) = \frac{3x^2 + 5}{(x^3 + 5x)\ln 2}$$
.



Consider the function $f(x) = x^2 \log_3(2x + 1)$.

Find its derivative.

$$f'(x) = 2x \log_3(2x+1) + \frac{2x^2}{(2x+1)\ln 3}$$

WATCH

The following video illustrates the use of properties of logarithms to find the derivative of $f(x) = \log\left(\frac{x \cdot \sin x}{3x^2 + 1}\right)$.

SUMMARY

In this lesson, you learned to find the derivatives of $y = \log_a x$ and $y = \log_a u$, where u is a function of x, and derivatives of functions involving $\log_a x$ and $\log_a u$, where u is a function of x. Remember that the derivative of the "base a" logarithmic function is very similar to that of the natural logarithmic function with a factor of $\ln a$ in the denominator. With this function added to your toolbox, you now have the ability to find derivatives of any combination of polynomial, trigonometric, exponential, and logarithmic functions.

乙

FORMULAS TO KNOW

Derivative of a Composite Logarithm Function, Base a

$$D[\log_a u] = \frac{1}{u \cdot \ln a} \cdot u' = \frac{u'}{u \cdot \ln a}$$

Derivative of a Logarithm Function, Base a

$$D[\log_a x] = \frac{1}{x \cdot \ln a}$$