



Self Quiz Unit 7: Attempt review
of a two-pass assembler:
the assembler initialize the symbol table with all the predefined symbols.
the assembler translate the program, using the symbol table for symbols resolution.
ring the first pass → the assembler construct a symbol table., during the second pass → the assembler ing the symbol table for symbols resolution.

In the Hack machine language, the ability to use a command like @label before the label was actually declared in the program is thanks to the

Select one:

a. fact that the order of HDL statements is insignificant.

b. two-pass assembly process.

c. subsequent VM translation process.

d. multi-purpose use of the A register.

The correct answer is: two-pass assembly process.

• e. fact that the program counter feeds directly from the A register.

Question 5	
Correct	
Mark 2.00 out of 2.00	
During the second pass of the assembly process, if a symbol is not found in the Answer:	ne symbol table, then it clearly represents a new
variable	
✓	
The correct answer is: variable	

Jump to...

Question 6
Correct
Mark 1.00 out of 1.00
During the first pass of the assembly process you should use a counter. This counter should be incremented by 1 whenever a C-command, an A-command or an L-command is encountered.
Select one:
○ True
False ✓
The correct answer is 'False'.
■ Learning Journal Unit 7

Chapter 6: Assembler (Nisan and Schocken) - Direct Download ▶