

v1.0.53-20220609

服务部署

receipt

云效地址:

发布环境:

变更内容:

supply

云效地址:

发布环境:

变更内容:

report/report-task

镜像地址:

发布环境:

变更内容:

hex-web

发布环境:

镜像(saas&htj):

registry.hexcloud.cn/front-end/hex-saas-boh/v1.0.53-20220609:a3dca9f6

变更内容:

Grpc-proxy

镜像

数据库执行

环境

DB: saas_boh_receipt

执行语句

环境

DB: saas_boh_report

执行语句

环境

DB: saas_boh_report

执行语句

服务部署

receipt

云效地址：

<https://flow.aliyun.com/pipelines/1649250/current>

发布环境：

saas & htj

变更内容：

- 1、发货单汇总报表新增“商品分类”查询条件和返回列
- 2、【CSM-果呀呀】加工业务-一个采购单生成了两个一样的收货单

supply

云效地址：

<https://flow.aliyun.com/pipelines/1649246/current>

发布环境：

saas & htj

变更内容：

- 1、门店订货明细页面新增门店实时库存字段
- 2、报废单报表明细增加返回“报废日期”

report/report-task

镜像地址：

hex-container-registry.cn-shanghai.cr.aliyuncs.com/saas-boh/report_v1.0.53-
20220609:408177d9

发布环境：

saas & htj

变更内容:

- 1、修复集成接口
- 2、修复物料使用量汇总固化

hex-web

发布环境:

saas&htj

镜像(saas&htj):

registry.hexcloud.cn/front-end/hex-saas-boh/v1.0.53-20220609:a3dca9f6

变更内容:

<https://www.tapd.cn/52230633/releases/view/1152230633001001250#tab=tab-story>

Grpc-proxy

镜像

重启

数据库执行

环境

saas

DB: saas_boh_receipt

执行语句



SQL | 复制代码

```
1 delete from receipt_receive where id=4631499850500780033;
```

环境

saas

DB: saas_boh_report

执行语句



SQL | 复制代码

```
1 drop index ix_sales_explained_report_daily_build_batch_sales_date;
2
3 create index ix_sales_explained_report_daily_build_batch_sales_date
4 on sales_explained_report_daily_build_batch (sales_date);
```

环境

HTJ

DB: saas_boh_report

执行语句



SQL | 复制代码

```
1 drop index ix_sales_explained_report_daily_build_batch_sales_date;
2
3 create index ix_sales_explained_report_daily_build_batch_sales_date
4 on sales_explained_report_daily_build_batch (sales_date);
```