



NFLIT360 Build 8.3.1 - Issue Management Logic

Complete Issue Lifecycle, Escalation, and Resolution Framework

Issue Management Overview





Issue Severity Levels

SEVERITY DEFINITIONS	
 LOW	
Definition:	Minor issue, workaround available
Impact:	Does not block tasks
Examples:	Cosmetic damage, slow response, minor glitch
SLA:	Resolve within game window (no hard deadline)
Visibility:	GDA → Supervisor → NFL Lead (feed only)
 MEDIUM	
Definition:	Significant issue, impacts efficiency
Impact:	Slows progress but doesn't fully block
Examples:	Intermittent connectivity, degraded performance
SLA:	Resolve before M4 (T-1h)
Visibility:	GDA → Supervisor → NFL Lead (push notification)
 HIGH	
Definition:	Blocking issue, requires immediate attention
Impact:	Tasks cannot proceed
Examples:	Equipment failure, system down, access denied

SLA: Resolve within 60 minutes of creation

Visibility: All levels + IT Exec at T-2h



CRITICAL

Definition: Game at risk, immediate executive attention


Impact: System completely down, cannot recover without


Examples: Multiple system failure, venue-wide outage

SLA: Immediate escalation, resolve before kickoff

Visibility: IMMEDIATE all-level notification

Issue State Machine





Issue Creation Flow


GDA Creates Issue

REPORT ISSUE								
J. Martinez IVRS - Visitor Booth Ford Field								
AFFECTED TASK (Auto-linked)								
Task: Tablet power-on and connectivity test System: IVRS Position: Visitor Booth Status: IN PROGRESS								
ISSUE CATEGORY								
<table border="0"><tr><td>☐ Equipment Failure</td><td>☒ Hardware Malfunction</td></tr><tr><td>☐ Software/Connectivity</td><td>☐ Missing Equipment</td></tr><tr><td>☐ Personnel/Access</td><td>☐ Venue/Facility</td></tr><tr><td>☐ Weather/Environmental</td><td>☐ Other</td></tr></table>	☐ Equipment Failure	☒ Hardware Malfunction	☐ Software/Connectivity	☐ Missing Equipment	☐ Personnel/Access	☐ Venue/Facility	☐ Weather/Environmental	☐ Other
☐ Equipment Failure	☒ Hardware Malfunction							
☐ Software/Connectivity	☐ Missing Equipment							
☐ Personnel/Access	☐ Venue/Facility							
☐ Weather/Environmental	☐ Other							
SEVERITY (Your Assessment)								
<table border="0"><tr><td>☐  LOW - I can work around this</td></tr><tr><td>☐  MEDIUM - Slowing me down</td></tr><tr><td>☒  HIGH - I am blocked, cannot proceed</td></tr><tr><td>☐  CRITICAL - Game may be at risk</td></tr></table>	☐  LOW - I can work around this	☐  MEDIUM - Slowing me down	☒  HIGH - I am blocked, cannot proceed	☐  CRITICAL - Game may be at risk				
☐  LOW - I can work around this								
☐  MEDIUM - Slowing me down								
☒  HIGH - I am blocked, cannot proceed								
☐  CRITICAL - Game may be at risk								
DESCRIPTION								


Tablet #3 (SN: IVRS-2024-0442) will not power on. Tried: power cycle, different cable, different outlet. No response from device. Screen completely dark. This is blocking my connectivity test tasks.
TROUBLESHOOTING ATTEMPTED ☒ Power cycled device ☒ Tried different power cable ☒ Tried different power outlet ☐ Tried different device (N/A - no spare) ☐ Contacted vendor support
EVIDENCE  Photo of device  Voice note  Attach file
NOTIFY ☒ Supervisor (M. Thompson) - Immediate ☒ NFL Lead (S. Johnson) - Immediate ☐ Request Vendor Support [Cancel]  SUBMIT ISSUE

Issue Visibility by Time


ISSUE VISIBILITY TIMELINE




● LOW ISSUES




● MEDIUM ISSUES



● HIGH ISSUES



● CRITICAL ISSUES



Triage Process

Supervisor/NFL Lead Triage Screen

ISSUE TRIAGE
ISS-441 IVRS Booth 3 Created 2 min ago
REPORTED BY: J. Martinez REPORTED SEVERITY:  HIGH
ISSUE DETAILS
Category: Hardware Malfunction Affected: IVRS - Tablet #3 (SN: IVRS-2024-0442) Location: Visitor Booth Description: Tablet will not power on. Tried power cycle, different cable, different outlet. No response. Evidence: [ View Photo] Troubleshooting: Power cycle ✓, Cable swap ✓, Outlet ✓
IMPACT ASSESSMENT
Blocked Tasks: 4 (25% of IVRS workload) Affected GDA: J. Martinez (can assist other booths)

Game Readiness Impact: -6% if unresolved
Dependency Impact: None (IVRS is Level 0)

TRIAGE DECISION

CONFIRM SEVERITY:

○  LOW ○  MEDIUM ●  HIGH ○  CRITICAL

ASSIGN TO:

[J. Martinez + On-site Support ▼]

RESOLUTION PATH:

- Deploy backup equipment from venue stock
- Request vendor emergency support
- Reassign GDA to different position
- Skip affected tasks (requires override)

TARGET RESOLUTION TIME:

[45 minutes ▼]

NOTES:

Backup tablet available in equipment room. Dispatching venue support to retrieve and deploy.

[Mark Duplicate] [Defer to Post-Game] [Save Triage]

Escalation Rules

ESCALATION RULES
AUTO-ESCALATION TRIGGERS TO SUPERVISOR (from GDA): - Any issue created → Immediate notification - GDA requests help → Immediate notification TO NFL LEAD (from Supervisor): - HIGH/CRITICAL issue created → Immediate notification - Issue unresolved > 15 minutes → Auto-escalate - Supervisor requests support → Immediate notification TO IT EXECUTIVE (from NFL Lead): - CRITICAL issue created → Immediate notification - HIGH issue at T-2h or later → Visibility notification - HIGH issue unresolved > 30 min after T-2h → Auto-escalate - Game readiness < 90% at T-3h → Auto-escalate - Game readiness < 100% at T-30m → Emergency escalation - NFL Lead requests executive support → Immediate
MANUAL ESCALATION TRIGGERS GDA can escalate when: - No supervisor response in 10 minutes - Issue is getting worse - Needs resources not available locally Supervisor can escalate when:

- Cannot resolve with local resources
- Multiple systems affected
- Vendor support required

NFL Lead can escalate when:

- Game readiness at risk
- Override authority needed
- Cross-venue coordination required
- Executive decision needed

Escalation Screen

ESCALATE ISSUE

ISS-441 | IVRS Booth 3 | Age: 45 min | Current:  HIGH

CURRENT STATUS

Assigned: J. Martinez + On-site Support

Status: IN PROGRESS

Last Update: 10 min ago - "Backup retrieved, deploying"

Resolution Path: Deploy backup equipment

ESCALATION REASON

- Resolution taking longer than expected
- Issue more complex than initially assessed
- Additional resources needed

○ Override authority required ○ Other (specify)
ESCALATION DETAILS Backup tablet also showing power issues. May be a power supply problem at this location. Need electrician or alternate location for equipment.
ESCALATE TO ☒ IT Executive (immediate visibility) ☒ Venue Operations (facility support) ☐ Vendor Support (equipment issue)
UPGRADE SEVERITY? ○ Keep  HIGH • Upgrade to  CRITICAL
[Cancel] [Escalate Issue]

Resolution Flow

Resolving an Issue

RESOLVE ISSUE

ISS-441 | IVRS Booth 3 | Age: 1h 52m

RESOLUTION TYPE

- Fixed - Issue fully resolved
- Workaround - Temporary solution in place
- Deferred - Will address post-game
- Cannot Fix - Requires override to skip

ROOT CAUSE

- Equipment Failure (age/wear)
- Equipment Failure (manufacturing defect)
- Facility Issue (power supply)
- User Error
- Software Bug
- Configuration Error
- External Factor (weather, interference)
- Unknown

RESOLUTION DETAILS

Power outlet at Booth 3 location was faulty. Venue electrician confirmed and repaired. Original tablet now powering on normally. Tested connectivity - all working.

RECOMMENDATIONS

- ☒ Add to venue maintenance checklist
- ☐ Equipment replacement recommended
- ☐ Process change recommended
- ☐ Training recommended

EVIDENCE OF RESOLUTION

[ Photo of working system] ✓ Uploaded

BLOCKED TASKS NOW UNBLOCKED:

- ✓ Tablet power-on and connectivity test
- ✓ Replay system integration test
- ✓ Final booth certification
- ✓ Evidence capture for booth

[Cancel] [Mark Resolved]

Issue Dashboard Views

NFL Lead Issue Dashboard

NFL LEAD - ISSUE DASHBOARD

CHI @ DET | Ford Field |  02:30:00 to kickoff

ISSUE SUMMARY

Total	Open	In Prg	Resolved	Closed
6	1	2	2	1

ACTIVE ISSUES

ID	System	Severity	Age	Status	Owner
ISS-441	IVRS	 HIGH	1h 45m	In Prog	J.Mart.
	Booth 3			75% done	
ISS-443	C2P	 HIGH	20m	In Prog	K.Brown
	Home			50% done	
ISS-445	WiFi	 MED	5m	Open	Unassign
				Triaging	

RECENTLY RESOLVED

ISS-442	SVS	 MED	Resolved	35m to fix
ISS-444	FTR	 LOW	Resolved	15m to fix

METRICS

Avg Resolution Time: 32 min
Issues Blocking Readiness: 2 (ISS-441, ISS-443)
Readiness Impact: -8% if unresolved

[\[Create Issue\]](#)
[\[View All\]](#)
[\[Filter by System\]](#)
[\[Export\]](#)

Issue Activity Log

ISSUE ACTIVITY LOG	
ISS-441 IVRS Booth 3	
10:15 AM	CREATED by J. Martinez Severity: 🟡 HIGH "Tablet #3 will not power on" [📷 Photo attached]
10:17 AM	TRIAGED by M. Thompson (Supervisor) Severity confirmed: 🟡 HIGH Assigned: J. Martinez + On-site Support Resolution path: Deploy backup equipment
10:25 AM	UPDATE by On-site Support "Backup tablet retrieved from equipment room"
10:40 AM	UPDATE by J. Martinez "Backup tablet also not powering on at this location. Suspect power issue."
10:45 AM	ESCALATED by M. Thompson Reason: "Power supply issue at booth location" Escalated to: Venue Operations
11:15 AM	UPDATE by Venue Ops "Electrician dispatched, ETA 20 min"
11:40 AM	UPDATE by Venue Ops "Outlet repaired. Power restored."
11:52 AM	RESOLVED by J. Martinez

	"Original tablet now working. All tests passed."
	Root Cause: Facility Issue (power supply)
	[ Resolution photo attached]
12:00 PM	CLOSED by S. Johnson (NFL Lead)
	Resolution verified. Tasks unblocked.
TOTAL TIME: 1h 45m Resolution Time: 1h 35m	

Post-Game Issue Report

POST-GAME ISSUE SUMMARY	
CHI @ DET Ford Field Final: CHI 24 - DET 17	
ISSUE STATISTICS	
Total Issues Created:	6
Resolved Before Kickoff:	6 (100%)
In-Game Issues:	0
Average Resolution Time:	32 minutes
Escalations to Exec:	0
ISSUES BY SEVERITY	
 CRITICAL:	0
 HIGH:	2 (avg 1h 20m to resolve)

MEDIUM: 3	(avg 25m to resolve)
LOW: 1	(avg 10m to resolve)
ISSUES BY ROOT CAUSE	
Equipment Failure:	2 (33%)
Facility Issue:	2 (33%)
Configuration Error:	1 (17%)
Software Bug:	1 (17%)
RECOMMENDATIONS FOR VENUE	
1. Pre-game power outlet check at all booth locations 2. Equipment refresh: IVRS tablets (aging fleet) 3. Add backup equipment to on-site inventory	
[Export Report] [Submit to GMS]	

Issue Management Rules Summary

Rule	Description	Enforced By
Auto-Link to Task	Issue automatically linked to current task	System
Evidence Required	Photo/description required for creation	System
Triage Required	All issues must be triaged before resolution	Workflow
Time-Based Visibility	HIGH issues visible to Exec at T-2h	System

Escalation SLAs	Auto-escalate if SLA exceeded	System
Resolution Evidence	Photo/confirmation required to close	Workflow
Activity Logging	All actions logged with timestamp	System
Post-Game Reporting	Issues included in GMS report	Workflow

Document Version: 8.3.1

Issue Management Logic