

Sentrais Build Blueprint

Backend Schema + Figma Frame Specifications

1. Architecture Principle

The platform should be built around a **shared operational data model**, not isolated screen-specific datasets.

That means each screen is a view into the same underlying entities:

- Ecosystems
- Events
- Organizations
- Users
- Roles
- Assets
- Systems
- Risks
- Tasks
- Incidents
- Playbooks
- Decisions
- Evidence
- Alerts
- Metrics
- Simulations

This creates three benefits:

- one source of truth
 - reusable APIs across products
 - clean expansion from MVP to multi-tenant enterprise deployment
-

2. Core Backend Architecture

Recommended Stack Pattern

Frontend

- React / Next.js
- TypeScript
- TanStack Query
- Zustand or Redux Toolkit for local state
- Component library driven by Figma tokens

Backend

- Node.js with NestJS or TypeScript Express
- GraphQL or REST with typed contracts
- Event-driven services for real-time updates
- WebSocket layer for live operations

Data

- PostgreSQL for transactional core
- Redis for caching and ephemeral state
- S3-compatible object store for files and artifacts
- Optional Elastic/OpenSearch for full-text evidence and logs
- Optional TimescaleDB extension for high-volume telemetry

Infra

- Multi-environment: dev / staging / prod
 - Tenant isolation at application and data layer
 - Audit logging everywhere
 - RBAC plus attribute-based access for ecosystem scoping
-

3. Canonical Data Model

3.1 Primary Entities

Below is the core entity model.

A. tenants

Represents organization-level tenancy.

Fields

- id: uuid
 - name: varchar(255)
 - slug: varchar(100), unique
 - status: enum(active, inactive, pending)
 - created_at: timestampz
 - updated_at: timestampz
-

B. ecosystems

Represents an operating environment such as Super Bowl, host city, league program, or SEAR event.

Fields

- id: uuid
 - tenant_id: uuid FK tenants.id
 - name: varchar(255)
 - type: enum(league, city, federal, venue, entertainment, innovation)
 - description: text
 - region: varchar(100)
 - start_date: date
 - end_date: date
 - status: enum(planning, readiness, live, closed, archived)
 - readiness_score: numeric(5,2)
 - created_at: timestampz
 - updated_at: timestampz
-

C. events

Represents an event within an ecosystem.

Fields

- id: uuid

- ecosystem_id: uuid FK ecosystems.id
 - name: varchar(255)
 - event_type: enum(game, concert, sear, exercise, simulation, activation)
 - venue_id: uuid nullable
 - scheduled_start: timestampz
 - scheduled_end: timestampz
 - operational_phase: enum(prepare, active, post, after_action)
 - status: enum(draft, scheduled, in_progress, completed, cancelled)
 - created_at: timestampz
 - updated_at: timestampz
-

D. organizations

Agencies, partners, vendors, clubs, departments.

Fields

- id: uuid
 - tenant_id: uuid FK tenants.id
 - name: varchar(255)
 - organization_type: enum(agency, vendor, league, club, city, foundation, operator, partner)
 - domain: varchar(255)
 - created_at: timestampz
 - updated_at: timestampz
-

E. users

Fields

- id: uuid
- tenant_id: uuid FK tenants.id
- organization_id: uuid nullable FK organizations.id
- first_name: varchar(100)
- last_name: varchar(100)
- email: varchar(255), unique
- phone: varchar(50)
- status: enum(active, invited, suspended)
- last_login_at: timestampz nullable
- created_at: timestampz

- updated_at: timestamptz
-

F. roles

Fields

- id: uuid
 - tenant_id: uuid FK tenants.id
 - name: varchar(100)
 - description: text
 - role_type: enum(executive, operator, analyst, admin, partner, researcher, field)
 - created_at: timestamptz
 - updated_at: timestamptz
-

G. user_role_assignments

Allows multiple roles by ecosystem or event.

Fields

- id: uuid
 - user_id: uuid FK users.id
 - role_id: uuid FK roles.id
 - ecosystem_id: uuid nullable FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - scope_type: enum(global, ecosystem, event)
 - created_at: timestamptz
-

H. assets

Operational assets such as venues, command centers, systems, devices, transport hubs.

Fields

- id: uuid
- ecosystem_id: uuid FK ecosystems.id
- name: varchar(255)

- asset_type: enum(venue, system, communications, transportation, power, credentialing, staffing, medical, perimeter, digital)
 - asset_status: enum(normal, degraded, offline, unknown)
 - owner_org_id: uuid nullable FK organizations.id
 - latitude: numeric(10,7) nullable
 - longitude: numeric(10,7) nullable
 - metadata: jsonb
 - created_at: timestamptz
 - updated_at: timestamptz
-

I. dependencies

Maps interdependencies between assets, systems, and stakeholders.

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - source_asset_id: uuid FK assets.id
 - target_asset_id: uuid FK assets.id
 - dependency_type: enum(data, operational, authority, communications, logistics, safety)
 - criticality: enum(low, medium, high, critical)
 - status: enum(healthy, at_risk, broken)
 - notes: text
 - created_at: timestamptz
 - updated_at: timestamptz
-

J. risks

Fields

- id: uuid
- ecosystem_id: uuid FK ecosystems.id
- event_id: uuid nullable FK events.id
- title: varchar(255)
- description: text
- category: enum(infrastructure, staffing, cyber, weather, logistics, authority, comms, crowd, compliance)
- severity: enum(low, medium, high, critical)
- likelihood: enum(low, medium, high)

- impact_score: integer
 - mitigation_status: enum(open, in_progress, mitigated, accepted)
 - owner_user_id: uuid nullable FK users.id
 - created_at: timestampz
 - updated_at: timestampz
-

K. incidents

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - incident_code: varchar(50), unique
 - title: varchar(255)
 - description: text
 - severity: enum(low, medium, high, critical)
 - status: enum(open, triaged, active, resolved, closed)
 - source: enum(manual, integration, sensor, simulation, ai_detected)
 - detected_at: timestampz
 - resolved_at: timestampz nullable
 - owner_user_id: uuid nullable FK users.id
 - created_at: timestampz
 - updated_at: timestampz
-

L. playbooks

Fields

- id: uuid
- tenant_id: uuid FK tenants.id
- name: varchar(255)
- playbook_type: enum(readiness, incident_response, live_ops, compliance, simulation, recovery)
- description: text
- version: varchar(50)
- status: enum(draft, active, archived)
- created_by: uuid FK users.id
- created_at: timestampz
- updated_at: timestampz

M. playbook_steps

Fields

- id: uuid
 - playbook_id: uuid FK playbooks.id
 - step_order: integer
 - title: varchar(255)
 - instructions: text
 - required_role_type: varchar(100)
 - expected_duration_minutes: integer
 - dependency_step_id: uuid nullable
 - auto_trigger_rule: jsonb nullable
 - created_at: timestampz
 - updated_at: timestampz
-

N. playbook_runs

Each active execution of a playbook.

Fields

- id: uuid
 - playbook_id: uuid FK playbooks.id
 - ecosystem_id: uuid FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - incident_id: uuid nullable FK incidents.id
 - status: enum(not_started, in_progress, blocked, completed, cancelled)
 - started_at: timestampz nullable
 - completed_at: timestampz nullable
 - initiated_by: uuid FK users.id
 - created_at: timestampz
 - updated_at: timestampz
-

O. tasks

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - incident_id: uuid nullable FK incidents.id
 - playbook_run_id: uuid nullable FK playbook_runs.id
 - title: varchar(255)
 - description: text
 - task_type: enum(manual, automated, approval, escalation, verification)
 - status: enum(pending, in_progress, blocked, completed, cancelled)
 - priority: enum(low, medium, high, urgent)
 - assigned_user_id: uuid nullable FK users.id
 - assigned_org_id: uuid nullable FK organizations.id
 - due_at: timestampz nullable
 - completed_at: timestampz nullable
 - depends_on_task_id: uuid nullable FK tasks.id
 - created_at: timestampz
 - updated_at: timestampz
-

P. decisions

Tracks approvals, escalations, and authority actions.

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - incident_id: uuid nullable FK incidents.id
 - title: varchar(255)
 - decision_type: enum(approval, escalation, exception, assignment, closure)
 - status: enum(pending, approved, rejected, overridden)
 - requested_by_user_id: uuid FK users.id
 - decided_by_user_id: uuid nullable FK users.id
 - rationale: text
 - requested_at: timestampz
 - decided_at: timestampz nullable
 - created_at: timestampz
 - updated_at: timestampz
-

Q. evidence_records

Core evidence ledger object.

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - incident_id: uuid nullable FK incidents.id
 - task_id: uuid nullable FK tasks.id
 - decision_id: uuid nullable FK decisions.id
 - actor_user_id: uuid nullable FK users.id
 - record_type: enum(action, comment, status_change, upload, integration_event, ai_observation)
 - summary: varchar(255)
 - details: text
 - source_system: varchar(100)
 - occurred_at: timestamptz
 - immutable_hash: varchar(255)
 - metadata: jsonb
 - created_at: timestamptz
-

R. alerts

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - incident_id: uuid nullable FK incidents.id
 - title: varchar(255)
 - message: text
 - severity: enum(info, warning, critical)
 - alert_type: enum(risk, incident, dependency, sla, task, integration, ai)
 - status: enum(new, acknowledged, resolved, dismissed)
 - created_at: timestamptz
 - resolved_at: timestamptz nullable
 - metadata: jsonb
-

S. metrics_snapshots

Stores calculated KPIs for dashboard rendering and historical analysis.

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - event_id: uuid nullable FK events.id
 - snapshot_type: enum(readiness, operations, incident, executive)
 - metric_payload: jsonb
 - captured_at: timestamptz
-

T. simulations

Fields

- id: uuid
 - ecosystem_id: uuid FK ecosystems.id
 - name: varchar(255)
 - scenario_type: enum(weather, cyber, crowd, logistics, infrastructure, multi-factor)
 - status: enum(draft, ready, running, completed, archived)
 - inputs: jsonb
 - outputs: jsonb
 - created_by: uuid FK users.id
 - created_at: timestamptz
 - updated_at: timestamptz
-

4. Screen-to-Data Mapping

This is the key alignment layer.

Screen 1: Executive Command Dashboard

Primary Data Sources

- ecosystems
- events

- risks
- incidents
- tasks
- metrics_snapshots
- alerts
- decisions

Key Queries

- current readiness score
- active incident count
- critical risk count
- task completion percentage
- pending executive approvals
- top system alerts

Backend Output Contract

```
{
  "ecosystem": {
    "id": "uuid",
    "name": "Super Bowl 60",
    "status": "live",
    "readiness_score": 91.4
  },
  "kpis": {
    "active_incidents": 3,
    "critical_risks": 5,
    "task_completion_pct": 87,
    "pending_decisions": 2
  },
  "risk_heatmap": [],
  "timeline": [],
  "alerts": [],
  "decisions": []
}
```

Screen 2: Operations Control Center

Primary Data Sources

- playbook_runs
- tasks

- incidents
- alerts
- dependencies
- evidence_records

Key Queries

- active playbooks by event
 - live tasks grouped by status
 - dependencies at risk
 - incident feed ordered by detected_at
 - alerts unresolved
-

Screen 3: Incident Management View

Primary Data Sources

- incidents
- tasks
- decisions
- evidence_records
- alerts
- organizations
- users

Key Queries

- incident header details
 - associated tasks
 - evidence timeline
 - escalation actions
 - related organizations and owners
-

Screen 4: Readiness Dashboard

Primary Data Sources

- ecosystems
- risks

- assets
- metrics_snapshots
- tasks

Key Queries

- readiness score by category
 - open gaps by asset type
 - mitigation progress
 - risk trend over time
-

Screen 5: Blueprint View

Primary Data Sources

- assets
- dependencies
- organizations
- risks

Key Queries

- graph nodes and edges
 - node health
 - filters by organization, category, criticality
 - dependency breakpoints
-

Screen 6: Playbook Runtime View

Primary Data Sources

- playbook_runs
- playbook_steps
- tasks
- evidence_records
- users

Key Queries

- current step
 - step completion state
 - blockers
 - user assignments
 - timeline progression
-

Screen 7: Evidence Ledger

Primary Data Sources

- evidence_records
- users
- incidents
- tasks
- decisions

Key Queries

- ledger feed with filters
 - action type counts
 - timeline search
 - source system filters
-

Screen 8: Lab / Simulation Environment

Primary Data Sources

- simulations
- evidence_records
- metrics_snapshots
- playbooks

Key Queries

- scenario configuration
- simulation run status
- outputs
- learning insights and export logs

5. API Design

Recommended API Domains

- `/auth`
- `/tenants`
- `/ecosystems`
- `/events`
- `/organizations`
- `/users`
- `/roles`
- `/assets`
- `/dependencies`
- `/risks`
- `/incidents`
- `/playbooks`
- `/tasks`
- `/decisions`
- `/evidence`
- `/alerts`
- `/metrics`
- `/simulations`

Example Endpoints

Executive Dashboard

`GET /ecosystems/:id/executive-dashboard?eventId=:eventId`

Readiness Dashboard

`GET /ecosystems/:id/readiness`

Operations Center

GET /ecosystems/:id/operations-center?eventId=:eventId

Incident Detail

GET /incidents/:id

Incident Evidence Feed

GET /incidents/:id/evidence

Blueprint Graph

GET /ecosystems/:id/blueprint-graph

Playbook Runtime

GET /playbook-runs/:id

Evidence Ledger

GET
/ecosystems/:id/evidence?eventId=:eventId&type=action&from=...&to=...

Simulation Run

POST /simulations/:id/run

6. Real-Time Event Model

For Sentrais, real-time matters. Use a publish/subscribe event model.

Event Types

- incident.created
- incident.updated
- task.created
- task.updated
- task.completed

- `alert.created`
- `alert.acknowledged`
- `decision.requested`
- `decision.resolved`
- `playbook_run.started`
- `playbook_step.completed`
- `evidence_record.created`
- `dependency.status_changed`
- `simulation.completed`

WebSocket Channels

- `ecosystem:{ecosystemId}`
 - `event:{eventId}`
 - `incident:{incidentId}`
 - `playbook_run:{playbookRunId}`
-

7. Figma-Ready Frame Specs

All specs below assume a **desktop-first responsive system** at **1440px width**.

7.1 Global App Shell

Base Frame

- Frame size: **1440 x 1024**
- Layout grid: 12 columns
- Margin: 80px
- Gutter: 24px
- Columns stretch
- Background: #F8FAFC or #FFFFFF

App Shell Regions

- TopBar: **height 72px**
- SideNav: **width 248px**

- Main Content: variable
- Right Context Rail: **width 320px**
- Main content area gap to right rail: **24px**

Content Width Calculation

- Full width: 1440
 - Minus left nav 248
 - Minus right rail 320
 - Minus left and right internal gaps 48
 - Effective center workspace: ~824px
-

7.2 TopBar Spec

Frame

- Width: 1192px when excluding sidenav
- Height: 72px
- Padding: 20px top/bottom, 24px left/right
- Bottom border: 1px #E5E7EB

Components

- Ecosystem selector: 220 x 40
 - Event selector: 220 x 40
 - Global status pill: 96 x 32
 - Notification icon button: 40 x 40
 - User avatar menu: 40 x 40
-

7.3 SideNav Spec

Frame

- Width: 248px
- Height: 1024px
- Padding: 24px
- Background: #FFFFFF
- Right border: 1px #E5E7EB

Structure

- Logo block: 200 x 48
 - Section gap: 24px
 - Nav item height: 44px
 - Nav item radius: 10px
 - Icon size: 18 x 18
 - Label text: 14px medium
 - Active item fill: #EEF4FF
 - Active indicator bar: 4px x 24px
-

7.4 Right Context Rail Spec

Frame

- Width: 320px
- Height: 952px below topbar
- Padding: 20px
- Left border: 1px #E5E7EB
- Internal vertical gap: 16px

Widgets

- Alert card: 280 x auto, min 96
 - Dependency warning card: 280 x auto
 - Escalation card: 280 x auto
 - Section title row: 280 x 24
-

8. Screen-Level Frame Specs

Screen A: Executive Command Dashboard

Main Canvas

- Frame: **824 x 952**
- Padding: 24px

- Vertical gap: 24px

Header Block

- Title: 824 x 44
- Subheader row: 824 x 24

KPI Row

- 4 cards across
- Card width: **188px**
- Card height: **120px**
- Gap between cards: **16px**
- Radius: 16px
- Padding: 16px

Risk Heatmap Panel

- Width: 528px
- Height: 300px
- Radius: 16px
- Padding: 20px

Timeline Panel

- Width: 280px
- Height: 300px
- Radius: 16px
- Padding: 20px

Bottom Row

- Top Risks Table Panel: 528 x 280
- Decisions Panel: 280 x 280

Typography

- Page title: 32px semibold
 - KPI value: 40px bold
 - KPI label: 14px medium
 - Table text: 14px regular
-

Screen B: Operations Control Center

Main Layout

Three-column operational canvas inside main content.

- Left panel: 220px
- Center board: 380px
- Right operational detail panel: 200px
- Gaps: 12px each
- Total content width: 824px

Header

- Height: 56px

Active Playbook Card

- 220 x 120
- Radius: 14px
- Padding: 16px

Task Board Column

- Width: 180px each if 2-column arrangement
- Card height: 88 to 132 based on content
- Card gap: 12px

Incident Feed Item

- Width: 380px
 - Height: 76px min
 - Radius: 12px
 - Padding: 14px
-

Screen C: Incident Management View

Header Bar

- Width: 824px
- Height: 88px

- Split into:
 - Left detail stack: 560px
 - Right action area: 240px
 - Gap: 24px

Main Body

- Left timeline: 504px
- Right decision panel: 296px
- Gap: 24px

Timeline Event Card

- Width: 504px
- Height: 84px min
- Padding: 16px
- Radius: 14px

Decision Panel Card

- Width: 296px
 - Height: 140px
 - Padding: 16px
 - Radius: 14px
-

Screen D: Readiness Dashboard

Hero Score Card

- Width: 824px
- Height: 180px
- Radius: 20px
- Padding: 24px

Readiness Category Grid

- 4 tiles
- Tile width: 194px
- Tile height: 136px
- Gap: 16px

Gap Table

- Width: 824px
- Height: 320px
- Radius: 16px
- Padding: 20px

Trend Chart Panel

- Width: 824px
 - Height: 240px
-

Screen E: Blueprint View

Graph Frame

- Width: 824px
- Height: 760px
- Radius: 16px
- Background: #FFFFFF

Left Floating Filter Panel

- Width: 240px
- Height: auto
- Position: absolute within graph frame
- Top: 24px
- Left: 24px

Right Node Detail Drawer

- Width: 300px
- Height: 712px
- Position: absolute
- Top: 24px
- Right: 24px

Graph Node Specs

- Standard node: 120 x 56
- Critical node: 132 x 64
- Node radius: 12px
- Internal padding: 12px
- Connector line: 2px stroke

Screen F: Playbook Runtime View

Header

- Width: 824px
- Height: 72px

Step Progress Strip

- Width: 824px
- Height: 88px
- Step chip width: 120px
- Gap: 12px

Main Area

- Left step details: 500px
- Right status panel: 300px
- Gap: 24px

Step Detail Card

- Width: 500px
- Height: auto, min 220px
- Radius: 16px
- Padding: 20px

Blocker / Status Card

- Width: 300px
 - Height: 140px
 - Radius: 16px
 - Padding: 16px
-

Screen G: Evidence Ledger

Header

- Width: 824px

- Height: 64px

Filter Bar

- Width: 824px
- Height: 56px
- Input control height: 40px
- Gap: 12px

Data Table

- Width: 824px
- Height: 720px
- Header row: 48px
- Table row: 56px
- Horizontal padding per cell: 16px
- Border color: #E5E7EB

Suggested Columns

- Time: 120px
 - Type: 120px
 - Summary: 240px
 - Actor: 140px
 - Source: 120px
 - Status/Link: 84px
-

Screen H: Lab / Simulation Environment

Top Controls

- Width: 824px
- Height: 72px

Scenario Builder Panel

- Width: 300px
- Height: 640px

Simulation Canvas

- Width: 500px

- Height: 640px

Output Metrics Footer

- Width: 824px
 - Height: 180px
 - 3 metric cards at 264px width with 16px gaps
-

9. Core Component Pixel Specs

KPI Card

- Width: 188px
 - Height: 120px
 - Radius: 16px
 - Padding: 16px
 - Internal gap: 8px
 - Label: 14px medium
 - Value: 40px bold
 - Delta row: 16px high
-

Task Card

- Width: 100% of parent
 - Height: 96px default
 - Radius: 14px
 - Padding: 14px
 - Title: 15px medium
 - Metadata row: 12px regular
 - Status pill: 72 x 24
-

Alert Card

- Width: 280px

- Height: 96px default
 - Radius: 14px
 - Left severity bar: 4px width
 - Padding: 14px
-

Risk Badge

- Height: 24px
 - Horizontal padding: 10px
 - Radius: 999px
 - Font: 12px medium
-

Modal

- Width: 640px
 - Height: auto
 - Max height: 760px
 - Radius: 20px
 - Padding: 24px
 - Shadow: subtle elevation level 3
-

10. Design Token Recommendations for Figma

Spacing Tokens

- space-4 = 4
- space-8 = 8
- space-12 = 12
- space-16 = 16
- space-24 = 24
- space-32 = 32
- space-48 = 48

Radius Tokens

- radius-8 = 8
- radius-12 = 12
- radius-14 = 14
- radius-16 = 16
- radius-20 = 20
- radius-pill = 999

Typography Tokens

- heading-xl = 32/40 semibold
- heading-lg = 24/32 semibold
- title-md = 16/24 medium
- body-md = 14/20 regular
- body-sm = 12/18 regular
- metric-xl = 40/44 bold

Color Tokens

- bg-default = #F8FAFC
 - surface-primary = #FFFFFF
 - border-subtle = #E5E7EB
 - text-primary = #0F172A
 - text-secondary = #475569
 - state-success = #1FB874
 - state-warning = #F5A623
 - state-critical = #E63946
 - accent-primary = #001866
 - accent-secondary = #1FB6A6
-

11. Permission Model Aligned to UI

Each screen should render by policy, not just by route.

Example Access Rules

Executive Dashboard

Visible to:

- executive
- admin
- program_lead

Operations Center

Visible to:

- operator
- admin
- program_lead

Incident Management

Visible to:

- operator
- executive
- incident_commander
- admin

Evidence Ledger

Visible to:

- analyst
- executive
- auditor
- admin

Simulation Lab

Visible to:

- researcher
- innovation_lead
- admin

12. MVP Build Order

To reduce complexity, build in this order:

Phase 1

- auth and tenant model
- ecosystems and events
- users, roles, assignments
- executive dashboard
- readiness dashboard

Phase 2

- risks, tasks, incidents
- operations center
- incident management
- evidence ledger

Phase 3

- playbooks, playbook runs, decision engine
 - blueprint graph
 - simulation lab
 - real-time event bus
-

13. What Your Team Should Build Next

For Product

Create:

- object dictionary
- user stories by role
- screen acceptance criteria
- status model definitions

For Design

Build:

- Figma foundations page
- app shell
- core components
- 8 priority screens
- prototype for incident and readiness flows

For Engineering

Stand up:

- PostgreSQL schema
 - NestJS service modules
 - RBAC middleware
 - dashboard aggregation services
 - websocket event channels
-

14. Immediate Working Artifact List

The most practical next artifact set is:

A. Database ERD

Tables, relationships, and index logic

B. API Contract Pack

Request and response schemas for each screen

C. Figma Frame Manifest

Exact page/frame naming convention and hierarchy

D. Role-Based Screen Matrix

Who sees what, what actions they can take, and which backend objects drive it

15. Recommended Figma Page Structure

Page 01. Foundations

- Colors
- Type
- Spacing
- Grid
- Elevation
- Icons

Page 02. Components

- Buttons
- Inputs
- Cards
- Pills
- Tables
- Drawers
- Modals
- Timeline items

Page 03. App Shell

- TopBar
- SideNav
- RightRail
- Empty states
- Loading states
- Error states

Page 04. Executive Screens

- Executive Dashboard
- Readiness Dashboard

Page 05. Operations Screens

- Operations Center
- Incident Management
- Playbook Runtime

Page 06. Intelligence Screens

- Blueprint View
- Evidence Ledger
- Analytics

Page 07. Labs

- Simulation Environment
- Scenario Builder
- Results View

Page 08. Prototype Flows

- Readiness to mitigation
- Incident to closure
- Playbook execution
- Simulation to report