



Analysis of Fast-Food Nutritional Content with SQL and Python Visualization



About the Dataset

Welcome to the Fast-Food Nutrition Dataset, which provides a comprehensive breakdown of the nutritional content of various fast-food products from popular fast-food chains.

Fast food is known for its convenience and affordability, but it is also infamous for its high-calorie, high-fat, and high-sugar content. This dataset aims to shed light on the nutritional value of these fast-food products, helping consumers make more informed decisions about their food choices.

With information on calories, fat, carbohydrates, protein, and other key nutrients, this dataset provides a valuable resource for nutritionists, researchers, and health-conscious individuals. By analyzing this dataset, we can gain a better understanding of the nutritional impact of fast-food consumption and work towards creating healthier food options in the fast-food industry.

Data Source: <https://www.kaggle.com/datasets/ulrikthygpedersen/fastfood-nutrition>

Daily Requirements of Nutrition (Information)

- **Calories:** 2000-2500 kcal/day for men, and 1600-2000 kcal/day for women.
 - **Protein:** 0.8-1.0 g/kg of body weight/day.
 - **Carbohydrates:** 45-65% of total daily calories, or at least 130 g/day.
 - **Fat:** 20-35% of total daily calories, or at least 20-35 g/day.
 - **Fiber:** 25-38 g/day for men, and 21-25 g/day for women.
 - **Vitamins:** the RDI varies depending on the vitamin, ranging from a few micrograms to several milligrams or more per day.
 - **Minerals:** the RDI also varies depending on the mineral, ranging from a few milligrams to several grams per day.
 - **Vitamin A:** RDI is 900 micrograms (mcg) per day for men and 700 mcg per day for women.
 - **Vitamin C:** RDI is 90 milligrams (mg) per day for men and 75 mg per day for women.
 - **Cholesterol:** less than 300 milligrams per day for most adults, and less than 200 milligrams per day for individuals with heart disease or high blood cholesterol levels.
 - **Sodium:** less than 2,300 milligrams per day for most adults, and less than 1,500 milligrams per day for individuals with high blood pressure, kidney disease, or other health conditions.
 - **Sugar:** The American Heart Association recommends limiting added sugar intake to no more than 6 teaspoons (25 grams) per day for women and 9 teaspoons (38 grams) per day for men.
 - **Calcium:** the recommended daily intake varies depending on age and sex, but generally ranges from 1,000 to 1,300 milligrams per day for adults.
-
-

A Brief Overview of each Variable and its General Effects on Health:

Calories: Calories are a measure of the energy content of food. Consuming too many calories can lead to weight gain and an increased risk of chronic diseases such as type 2 diabetes, heart disease, and certain cancers. However, it's important to note that the total number of calories consumed is just one factor in overall health, and the quality of those calories is also important.

Calories from fat: Like total calories, consuming too many calories from fat can lead to weight gain and an increased risk of chronic diseases. However, some types of fat (such as monounsaturated and polyunsaturated fats) are considered healthy when consumed in moderation, while others (such as trans fats) should be avoided.

Total fat: Consuming too much total fat can also lead to weight gain and an increased risk of chronic diseases. However, as mentioned above, some types of fat are considered healthy when consumed in moderation.

Saturated fat: Saturated fat is generally considered less healthy than unsaturated fat, as it can increase LDL (bad) cholesterol levels and increase the risk of heart disease. However, recent research has questioned the link between saturated fat and heart disease.

Trans fat: Trans fats are considered the unhealthiest type of fat, as they not only increase LDL cholesterol levels but also decrease HDL (good) cholesterol levels. Trans fats are often found in processed foods and should be avoided.

Cholesterol: Dietary cholesterol can increase blood cholesterol levels, which can increase the risk of heart disease. However, the impact of dietary cholesterol on heart health is not as clear-cut as it once was thought to be.

Sodium: Consuming too much sodium can increase blood pressure and increase the risk of heart disease and stroke. The recommended daily intake of sodium is no more than 2,300 milligrams (mg), or even less if you have certain health conditions.

Carbohydrates: Carbohydrates provide the body with energy but consuming too many refined carbohydrates (such as sugar and white flour) can lead to weight gain and an increased risk of chronic diseases.

Fiber: Fiber is important for digestive health and can help lower cholesterol levels and improve blood sugar control. Most people don't consume enough fiber in their diet.

Sugar: Consuming too much sugar can lead to weight gain and an increased risk of chronic diseases such as type 2 diabetes and heart disease.

Protein: Protein is important for building and repairing tissues in the body. Consuming too much protein can lead to weight gain, while not consuming enough can lead to muscle loss.

Vitamin A: Vitamin A is important for vision, immune function, and skin health.

Vitamin C: Vitamin C is important for immune function, skin health, and wound healing.

Calcium: Calcium is important for bone health and muscle function.


Salad: Salads are generally considered a healthy food choice, as they are often low in calories and high in fiber and other nutrients. However, the nutritional content of a salad varies widely depending on the ingredients and dressings used.

Data Source: <https://www.kaggle.com/datasets/ulrikthgepedersen/fastfood-nutrition>

=====

Section I: Data Overview

[1]: Top 10 rows of the Dataset for the Analysis




100 %

Results Messages

	ID	Restaurant	Menu	Calories	CaloriesFat	TotalFat	Saturated_Fat	TransFat	Cholesterol	Sodium	Carbohydrates	Fiber	Sugar	Protein	VitaminD	VitaminC	Calcium	Salad
1	1	Mcdonalds	Artisan Grilled Chicken Sandwich	380	60	7	2	00:00:00.0000000	95	1110	44	03:00:00.0000000	11	37	4	20	20	0
2	2	Mcdonalds	Single Bacon Smokehouse Burger	840	410	45	17	01:50:00.0000000	130	1580	62	02:00:00.0000000	18	46	6	20	20	0
3	3	Mcdonalds	Double Bacon Smokehouse Burger	1130	600	67	27	03:00:00.0000000	220	1920	63	03:00:00.0000000	18	70	10	20	50	0
4	4	Mcdonalds	Grilled Bacon Smokehouse Chicken Sandwich	750	280	31	10	00:50:00.0000000	155	1940	62	02:00:00.0000000	18	55	6	25	20	0
5	5	Mcdonalds	Crispy Bacon Smokehouse Chicken Sandwich	920	410	45	12	00:50:00.0000000	120	1980	81	04:00:00.0000000	18	46	6	20	20	0
6	6	Mcdonalds	Big Mac	540	250	28	10	01:00:00.0000000	80	950	46	03:00:00.0000000	9	25	10	2	15	0
7	7	Mcdonalds	Cheeseburger	300	100	12	5	00:50:00.0000000	40	680	33	02:00:00.0000000	7	15	10	2	10	0
8	8	Mcdonalds	Classic Chicken Sandwich	510	210	24	4	00:00:00.0000000	65	1040	49	03:00:00.0000000	6	25	0	4	2	0
9	9	Mcdonalds	Double Cheeseburger	430	190	21	11	01:00:00.0000000	85	1040	35	02:00:00.0000000	7	25	20	4	15	0
10	10	Mcdonalds	Double Quarter Pounder® with Cheese	770	400	45	21	02:50:00.0000000	175	1290	42	03:00:00.0000000	10	51	20	6	20	0

[2]: How many rows are in the dataset?

```
SELECT COUNT(*) [Count of Number of Rows]
FROM fastfood;
```



100 %

Results Messages

	Count of Number of Rows
1	515

[2b]: How many distinct Restaurants and Menu items are in the dataset

```
SELECT DISTINCT(Restaurant) FROM fastfood;
SELECT distinct Count(Menu) AS [Number of Menu Items]
FROM fastfood;
```



100 %

Results Messages


	Restaurant
1	Arbys
2	Burger King
3	Chick Fil-A
4	Dairy Queen
5	Mcdonalds
6	Sonic
7	Subway
8	Taco Bell

	Number of Menu Items
1	515

[2c]: What is the change in total calories across different types of menu items (e.g. burgers, sandwiches, salads):

```
SELECT [Menu Type], SUM(Calories) AS [Total Calories]
FROM (
  SELECT
    Menu,
    CASE
      WHEN Menu LIKE '%burger%' THEN 'Burger'
      WHEN Menu LIKE '%sandwich%' THEN 'Sandwich'
      WHEN Menu LIKE '%salad%' THEN 'Salad'
      ELSE 'Other'
    END AS [Menu Type],
    Calories
  FROM fastfood
) AS MenuTypeCalories
GROUP BY [Menu Type];
```

	Menu Type	Total Calories
1	Burger	34150
2	Other	172300
3	Salad	22210
4	Sandwich	44760



[2d]: What are the menu items that meet different nutritional criteria (e.g., low-fat, low-sugar):


```
SELECT
  SUM(CASE WHEN TotalFat <= 10 THEN 1 ELSE 0 END) AS LowFat,
  SUM(CASE WHEN Sugar <= 5 THEN 1 ELSE 0 END) AS LowSugar,
  SUM(CASE WHEN Protein >= 20 THEN 1 ELSE 0 END) AS HighProtein
FROM fastfood;
```

	LowFat	LowSugar	HighProtein
1	82	227	330

[2e]: What is the breakdown of calories for specific menu items, such as “Big Mac” in terms of Calories, Total Fat, Protein etc.?

```
WITH calories_breakdown AS (
  SELECT
    'Calories' AS nutrient, Calories AS value
  FROM fastfood
  WHERE Menu = 'Big Mac'
  UNION ALL
  SELECT
    'Total Fat' AS nutrient, TotalFat AS value
  FROM fastfood
  WHERE Menu = 'Big Mac'
  UNION ALL
  SELECT
    'Protein' AS nutrient, Protein AS value
  FROM fastfood
  WHERE Menu = 'Big Mac'
  UNION ALL
  SELECT
    'Carbohydrates' AS nutrient, Carbohydrates AS value
  FROM fastfood
  WHERE Menu = 'Big Mac'
  UNION ALL
  SELECT
    'Sodium' AS nutrient, Sodium AS value
  FROM fastfood
  WHERE Menu = 'Big Mac'
)
SELECT
  nutrient,
  SUM(value) OVER (ORDER BY nutrient) AS [Running Total]
FROM calories_breakdown;
```


	nutrient	Running Total
1	Calories	540
2	Carbohydrates	586
3	Protein	611
4	Sodium	1561
5	Total Fat	1589



[3]: How many Menu items are produced in each Restaurant

```
SELECT Restaurant, COUNT(*) as [Number of Menu items],
  RANK() OVER (ORDER BY Count(Menu) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```

100 %			
Results Messages			
	Restaurant	No. of Menu items	Rank
1	Taco Bell	115	1
2	Subway	96	2
3	Burger King	70	3
4	Mcdonalds	57	4
5	Arbys	55	5
6	Sonic	53	6
7	Dairy Queen	42	7
8	Chick Fil-A	27	8



[4]: What Nutritional values do you get when you eat the following:

- 20-piece Buttermilk Crispy Chicken Tenders
- 40-piece Chicken McNuggets
- Hamburger

```
SELECT Restaurant,Menu,
        Calories, TotalFat, Saturated_Fat, Cholesterol,
        Sodium, Carbohydrates, Sugar, Protein,
        Vitami0, VitaminC, Calcium
FROM fastfood
WHERE Menu = '20 piece Buttermilk Crispy Chicken Tenders'
```

```
SELECT Restaurant,Menu,
        Calories, TotalFat, Saturated_Fat, Cholesterol,
        Sodium, Carbohydrates, Sugar, Protein,
        Vitami0, VitaminC, Calcium
FROM fastfood
WHERE Menu ='40 piece Chicken McNuggets';
```

```
SELECT Restaurant,Menu,
        Calories, TotalFat, Saturated_Fat, Cholesterol,
        Sodium, Carbohydrates, Sugar, Protein,
        Vitami0, VitaminC, Calcium
FROM fastfood
WHERE Menu ='Hamburger';
```

100 %													
Results Messages													
	Restaurant	Menu	Calories	TotalFat	Saturated_Fat	Cholesterol	Sodium	Carbohydrates	Sugar	Protein	Vitami0	VitaminC	Calcium
1	Mcdonalds	20 piece Buttermilk Crispy Chicken Tenders	2430	141	24	475	6080	103	3	186	0	2	8
	Restaurant	Menu	Calories	TotalFat	Saturated_Fat	Cholesterol	Sodium	Carbohydrates	Sugar	Protein	Vitami0	VitaminC	Calcium
1	Mcdonalds	40 piece Chicken McNuggets	1770	107	18	295	3370	105	1	98	0	15	6
	Restaurant	Menu	Calories	TotalFat	Saturated_Fat	Cholesterol	Sodium	Carbohydrates	Sugar	Protein	Vitami0	VitaminC	Calcium
1	Mcdonalds	Hamburger	250	8	3	30	480	31	6	13	2	2	4
2	Burger King	Hamburger	260	10	4	35	490	28	6	13	0	0	0

[4b]: What are the percentage recommended daily intake for each menu item:

Calories: 2000-2500 kcal/day for men and 1600-2000 kcal/day for women

sugar: no more than 6 teaspoons (25 grams) per day for women and 9 teaspoons (38 grams) per day for men

Calcium: ranges from 1,000 to 1,300 milligrams per day for adults

Vitamin A: RDI is 900 micrograms (mcg) per day for men and 700 mcg per day for women.

Vitamin C: RDI is 90 milligrams (mg) per day for men and 75 mg per day for women.

Sodium: less than 2,300 milligrams per day for most adults and less than 1,500 milligrams per day for individuals with high blood pressure, kidney disease,

Data Source: <https://www.kaggle.com/datasets/ulrikthygpedersen/fastfood-nutrition>

```
SELECT Menu,
(Sodium/2300)*100 AS [% Sodium Daily Recom],
(Calories/2500)*100 AS [% Calories Daily Recom],
(Sugar/25)*100 AS [% Sugar Daily Recom],
(Calcium/1300)*100 AS [% Calcium Daily Recom],
(VitaminA/900)*100 AS [% VitaminA Daily Recom],
(VitaminC/90)*100 AS [% VitaminC Daily Recom]
FROM fastfood;
```

Menu	% Sodium Daily Recom	% Calories Daily Recom	% Sugar Daily Recom	% Calcium Daily Recom	% VitaminA Daily Recom	% VitaminC Daily Recom
1 Artisan Grilled Chicken Sandwich	48.2608695652174	15.2	44	1.53846153846154	0.444444444444444	22.2222222222222
2 Single Bacon Smokehouse Burger	68.695652173913	33.6	72	1.53846153846154	0.666666666666667	22.2222222222222
3 Double Bacon Smokehouse Burger	83.4782608695652	45.2	72	3.84615384615385	1.11111111111111	22.2222222222222
4 Grilled Bacon Smokehouse Chicken Sandwich	84.3478260869565	30	72	1.53846153846154	0.666666666666667	27.7777777777778
5 Crispy Bacon Smokehouse Chicken Sandwich	86.0869565217391	36.8	72	1.53846153846154	0.666666666666667	22.2222222222222
6 Big Mac	41.304347826087	21.6	36	1.15384615384615	1.11111111111111	2.22222222222222
7 Cheeseburger	29.5652173913043	12	28	0.769230769230769	1.11111111111111	2.22222222222222
8 Classic Chicken Sandwich	45.2173913043478	20.4	24	0.153846153846154	0	4.44444444444444
9 Double Cheeseburger	45.2173913043478	17.2	28	1.15384615384615	2.22222222222222	4.44444444444444
10 Double Quarter Pounder® with Cheese	56.0869565217391	30.8	40	1.53846153846154	2.22222222222222	6.66666666666667
11 Filet-O-Fish®	27.8260869565217	15.2	20	1.15384615384615	0.222222222222222	0
12 Garlic White Cheddar Burger	34.3478260869565	24.8	44	2.69230769230769	1.11111111111111	11.1111111111111
13 Grilled Garlic White Cheddar Chicken Sandwich	50	21.2	44	2.69230769230769	1.11111111111111	22.2222222222222
14 Crispy Garlic White Cheddar Chicken Sandwich	51.7391304347826	28	44	2.69230769230769	1.11111111111111	16.6666666666667
15 Hamburger	20.8695652173913	10	24	0.307692307692308	0.222222222222222	2.22222222222222
16 Lobster Roll	27.3913043478261	11.6	12	1.15384615384615	0.444444444444444	6.66666666666667
17 Maple Bacon Dijon 1/4 lb Burger	54.7826086956522	25.6	40	1.15384615384615	0.666666666666667	16.6666666666667
18 Grilled Maple Bacon Dijon Chicken Sandwich	82.1739130434783	23.2	56	2.30769230769231	0.444444444444444	33.3333333333333
19 Crispy Maple Bacon Dijon Chicken Sandwich	77.3913043478261	29.6	56	22.3076923076923	0.444444444444444	22.2222222222222
20 McChicken	26.0869565217391	14	20	0.307692307692308	0.222222222222222	2.22222222222222
21 McDouble	36.5217391304348	15.2	28	0.769230769230769	1.11111111111111	2.22222222222222
22 McRib	37.8260869565217	19.2	48	0.461538461538462	0.222222222222222	2.22222222222222
23 Pico Guacamole 1/4 lb Burger	40	23.2	28	1.15384615384615	0.888888888888889	16.6666666666667

[4c]: What are the top 15 menu items that provide Maximum Sodium, list their corresponding Cholesterol, Calories Fat, Calories, Total Fat and Saturated Fat (Rank by Sodium).


```
SELECT Top 15
Menu,
    MAX(Cholesterol) AS [Max Cholesterol],
    MAX(CaloriesFat) AS [Max CaloriesFat],
    MAX(Calories) AS [Max Calories],
    MAX(TotalFat) AS [Max TotalFat],
    MAX(Saturated_Fat) AS [Max Saturated Fat],
    MAX(Sodium) AS [Max Sodium],
RANK() OVER (ORDER BY MAX(Sodium) DESC) AS Rank
FROM fastfood
GROUP BY Menu
ORDER BY Rank;
```

	Menu	Max Cholesterol	Max CaloriesFat	Max Calories	Max TotalFat	Max Saturated Fat	Max Sodium	Rank
1	20 piece Buttermilk Crispy Chicken Tenders	475	1270	2430	141	24	6080	1
2	Buffalo Dunked Ultimate Chicken Sandwich	125	550	1000	61	12	4520	2
3	10 piece Sweet N' Spicy Honey BBQ Glazed Tenders	265	600	1600	66	10	4450	3
4	12 piece Buttermilk Crispy Chicken Tenders	295	790	1510	88	15	3770	4
5	30 piece Chicken Nuggets	285	414	970	46	2.5	3660	5
6	Footlong Comed Beef Reuben	170	260	940	30	9	3540	6
7	6 Piece Chicken Strip Basket w/ Country Gravy	120	590	1260	66	11	3500	7
8	40 piece Chicken McNuggets	295	960	1770	107	18	3370	8
9	Half Pound French Dip & Swiss	150	330	750	36	17	3350	9
10	10 piece Buttermilk Crispy Chicken Tenders	240	630	1210	70	12	3230	10
11	Footlong Carved Turkey & Bacon w/ Cheese	140	460	1140	52	14	3200	11
12	Footlong Spicy Italian	100	440	960	48	18	3040	12
13	Turkey, Bacon & Guacamole Wrap	75	380	810	42	13	2970	13
14	Footlong Turkey Italiano Melt (with Provolone)	100	420	980	48	18	2960	14
15	Triple Decker Sandwich	155	459	1030	51	17	2940	15

[4c]: What are the top 15 restaurant that produce max Sodium, Cholesterol, Calories Fat, Calories, Total Fat and Saturated Fat in their Menu Items (Rank by Sodium).

```
SELECT Top 15
Restaurant,
    MAX(Cholesterol) AS [Max Cholesterol],
    MAX(CaloriesFat) AS [Max CaloriesFat],
    MAX(Calories) AS [Max Calories],
    MAX(TotalFat) AS [Max TotalFat],
    MAX(Saturated_Fat) AS [Max Saturated Fat],
    MAX(Sodium) AS [Max Sodium],
RANK() OVER (ORDER BY MAX(Sodium) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```

100 %								
Results Messages Execution plan								
	Restaurant	Max Cholesterol	Max CaloriesFat	Max Calories	Max TotalFat	Max Saturated Fat	Max Sodium	Rank
1	Mcdonalds	475	1270	2430	141	27	6080	1
2	Sonic	260	900	1350	100	36	4520	2
3	Chick Fil-A	285	423	970	47	16	3660	3
4	Subway	190	620	1160	62	22	3540	4
5	Dairy Queen	180	670	1260	75	43	3500	5
6	Arbys	155	495	1030	59	17	3350	6
7	Burger King	805	1134	1550	126	47	2310	7
8	Taco Bell	85	380	880	42	14	2260	8



[5]: What are the top 15 menu items that provide minimum Sodium, list their corresponding Cholesterol, Calories Fat, Calories, Total Fat and Saturated Fat (Rank by Sodium).


```
SELECT Top 15
Menu,
    MIN(Cholesterol) AS [Min Cholesterol],
    MIN(CaloriesFat) AS [Min CaloriesFat],
    MIN(Calories) AS [Min Calories],
    MIN(TotalFat) AS [Min TotalFat],
    MIN(Saturated_Fat) AS [Min Saturated Fat],
    MIN(Sodium) AS [Min Sodium],
RANK() OVER (ORDER BY MIN(Sodium) ASC) AS Rank
FROM fastfood
GROUP BY Menu
ORDER BY Rank;
```

100 %								
Results Messages Execution plan								
	Menu	Min Cholesterol	Min CaloriesFat	Min Calories	Min TotalFat	Min Saturated Fat	Min Sodium	Rank
1	Side Salad	0	0	20	0	0	15	1
2	Premium Asian Salad w/o Chicken	0	70	140	7	0.5	20	2
3	Veggie Delite Salad	0	10	50	1	0	65	3
4	Chopped Side Salad	15	45	70	5	2.5	100	4
5	Kids Mini Sub Veggie Delite	0	15	150	2	0	190	5
6	4 Piece Grilled Chicken Nuggets	35	18	70	2	1	220	6
7	Oven Roasted Chicken Salad	50	25	140	3	0.5	280	7
8	Fresco Crunchy Taco	20	70	140	8	2	290	8
9	Crunchy Taco	25	90	170	10	4	290	8
10	4 piece Chicken Nuggets	25	54	130	6	1.5	310	10
11	6" Veggie Delite	0	20	230	3	1	310	10
12	1 Piece Chick-n-Strips	25	54	120	6	3	320	12
13	Crunchy Taco Supreme®	35	110	200	12	5	320	12
14	6 Piece Grilled Chicken Nuggets	50	27	110	3	1	330	14
15	4 Piece Chicken McNuggets	30	100	180	11	2	340	15

[5b]: What are the top 15 restaurant that produce min Sodium, Cholesterol, Calories Fat, Calories, Total Fat and Saturated Fat in their Menu Items (Rank by Sodium).

```
SELECT Top 15
Restaurant,
    MIN(CaloriesFat) AS [Min CaloriesFat],
    MIN(Cholesterol) AS [Min Cholesterol],
    MIN(Calories) AS [Min Calories],
    MIN(TotalFat) AS [Min TotalFat],
    MIN(Saturated_Fat) AS [Min Saturated Fat],
    MIN(Sodium) AS [Min Sodium],
RANK() OVER (ORDER BY MIN(Sodium) ASC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```

100 %								
Results Messages Execution plan								
	Restaurant	Min CaloriesFat	Min Cholesterol	Min Calories	Min TotalFat	Min Saturated Fat	Min Sodium	Rank
1	Dairy Queen	0	0	20	0	0	15	1
2	Mcdonalds	50	0	140	5	0.5	20	2
3	Subway	10	0	50	1	0	65	3
4	Arbys	45	15	70	5	1.5	100	4
5	Chick Fil-A	18	25	70	2	0	220	5
6	Taco Bell	35	0	140	4	1	290	6
7	Burger King	90	5	190	10	2	310	7
8	Sonic	100	0	100	11	2.5	470	8



[6]: What are the top 15 menu items that provide maximum Protein, list their corresponding Vitamin A, Vitamin C and Calcium (Rank by Proteins).

SELECT Top 15

Menu,

```

MAX(VitaminA) AS [Max Vitamin A],
MAX(VitaminC) AS [Max Vitamin C],
MAX(Calcium) AS [Max Calcium],
MAX(Protein) AS [Max Protein],
RANK() OVER (ORDER BY MAX(Protein) DESC) AS Rank

```

FROM fastfood

GROUP BY Menu

ORDER BY Rank;

100 %						
Results Messages Execution plan						
	Menu	Max VitaminA	Max VitaminC	Max Calcium	Max Protein	Rank
1	20 piece Buttermilk Crispy Chicken Tenders	0	2	8	186	1
2	American Brewhouse King	0	0	0	134	2
3	12 piece Buttermilk Crispy Chicken Tenders	0	2	6	115	3
4	30 piece Chicken Nuggets	0	20	10	103	4
5	40 piece Chicken McNuggets	0	15	6	98	5
6	10 piece Sweet N' Spicy Honey BBQ Glazed Tenders	8	40	10	97	6
7	10 piece Buttermilk Crispy Chicken Tenders	0	0	4	94	7
8	Footlong Comed Beef Reuben	20	70	40	78	8
9	Footlong Big Philly Cheesesteak	30	40	100	76	9
10	Footlong Chicken & Bacon Ranch Melt	30	50	100	70	10
11	Double Bacon Smokehouse Burger	10	20	50	70	10
12	Super Sonic Bacon Double Cheeseburger (w/mayo)	15	6	40	67	12
13	Footlong Carved Turkey & Bacon w/ Cheese	20	40	80	66	13
14	Footlong Chicken Pizziola Melt	30	60	90	64	14
15	Super Sonic Double Cheeseburger W/ Ketchup	20	10	40	63	15


[6b]: What are the top 15 restaurant that produce max Protein, Vitamin A, Vitamin C and Calcium in their Menu Items (Rank by Proteins).

```

SELECT Top 20
Restaurant,
    MAX(VitaminA) AS [Max VitaminA],
    MAX(VitaminC) AS [Max VitaminC],
    MAX(Calcium) AS [Max Calcium],
    MAX(Protein) AS [Max Protein],
    RANK() OVER (ORDER BY MAX(Protein) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;

```

100 %						
Results Messages Execution plan						
	Restaurant	Max VitaminA	Max VitaminC	Max Calcium	Max Protein	Rank
1	Mcdonalds	180	70	290	186	1
2	Burger King	0	0	0	134	2
3	Chick Fil-A	60	50	35	103	3
4	Subway	60	400	100	78	4
5	Sonic	20	25	40	67	5
6	Arbys	60	20	45	62	6
7	Dairy Queen	50	30	100	49	7
8	Taco Bell	20	10	45	37	8



[6b]: What is the average Sodium Content, which menu items exceeds the average contents

```
Select FLOOR(AVG(Sodium)) As [Avg Sodium Content]
from fastfood;
```

```
SELECT Top 15
    Menu,
    FLOOR(AVG(Sodium)) AS [Menu exceeds avg Sodium Content]
FROM fastfood
WHERE Sodium > (Select AVG(Sodium)from fastfood)
GROUP BY Menu;
```

100 %

Results Messages Execution plan

	Avg Sodium Content
1	1246


	Menu	Menu exceeds avg Sodium Content
1	Ocho Fries Bellgrande	1420
2	1/2 lb. FlameThrower® GrillBurger	1610
3	1/2 lb. GrillBurger with Cheese	1280
4	1/2 lb.* Cheesy Potato Burrito	1360
5	1/2 lb.* Combo Burrito	1320
6	1/4 lb. Bacon Cheese GrillBurger	1250
7	10 piece Buttermilk Crispy Chicken Tenders	3230
8	10 piece Sweet N' Spicy Honey BBQ Glazed Tenders	4450
9	12 piece Buttermilk Crispy Chicken Tenders	3770
10	12 piece Chicken Nuggets	1460
11	20 piece Buttermilk Crispy Chicken Tenders	6080
12	20 Piece Chicken McNuggets	1680
13	20 Piece Chicken Nuggets	1530
14	3 Piece Super Crunch Chicken Strip Dinner	2160
15	30 piece Chicken Nuggets	3660

Section II: Individual Nutrients Comparison by Restaurants

[7]: Comparison of Total Calories used by Restaurants

```
SELECT Restaurant, SUM(Calories) AS [Total Calories],  
RANK() OVER (ORDER BY SUM(Calories) DESC) AS Rank  
FROM fastfood  
GROUP BY Restaurant  
ORDER BY Rank;
```


	Restaurant	Total Calories	Rank
1	Taco Bell	51020	1
2	Subway	48290	2
3	Burger King	42600	3
4	McdoOlds	36500	4
5	Sonic	33480	5
6	Arbys	29300	6
7	Dairy Queen	21850	7
8	Chick Fil-A	10380	8



[7b]: Comparison of Total Cholesterol used by Restaurants

```
SELECT Restaurant, SUM(Cholesterol) AS [Total Cholesterol],  
RANK() OVER (ORDER BY SUM(Cholesterol) DESC) AS Rank  
FROM fastfood  
GROUP BY Restaurant  
ORDER BY Rank;
```


	Restaurant	Total Cholesterol	Rank
1	Burger King	7060	1
2	McdoOlds	6255	2
3	Subway	5885	3
4	Sonic	4610	4
5	Taco Bell	4490	5
6	Arbys	3875	6
7	Dairy Queen	3005	7
8	Chick Fil-A	2135	8



[7c]: Comparison of Total Sodium used by Restaurants

```
SELECT Restaurant, SUM(Sodium) AS [Total Sodium],
RANK() OVER (ORDER BY SUM(Sodium) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```


	Restaurant	Total Sodium	Rank
1	Subway	122205	1
2	Taco Bell	116600	2
3	Burger King	85650	3
4	Arbys	83340	4
5	Mcdo0lds	81960	5
6	Sonic	71590	6
7	Dairy Queen	49635	7
8	Chick Fil-A	31090	8



[7d]: Comparison of Total Sugar used by Restaurants

```
SELECT Restaurant, SUM(Sugar) AS [Total Sugar],
RANK() OVER (ORDER BY SUM(Sugar) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```


	Restaurant	Total Sugar	Rank
1	Subway	969	1
2	Mcdo0lds	631	2
3	Burger King	573	3
4	Taco Bell	426	4
5	Arbys	416	5
6	Sonic	346	6
7	Dairy Queen	267	7
8	Chick Fil-A	112	8



[7e]: Comparison of Total Protein used by Restaurants

```
SELECT Restaurant, SUM(Protein) AS [Total Protein],
RANK() OVER (ORDER BY SUM(Protein) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```


100 %			
Results Messages Execution plan			
	Restaurant	Total Protein	Rank
1	Subway	2910	1
2	McdoOlds	2297	2
3	Burger King	2071	3
4	Taco Bell	2003	4
5	Arbys	1609	5
6	Sonic	1547	6
7	Dairy Queen	1043	7
8	Chick Fil-A	856	8



[7d]: Comparison of Total Carbohydrates used by Restaurants

```
SELECT Restaurant, SUM(Carbohydrates) AS [Total Carbohydrates],
RANK() OVER (ORDER BY SUM(Carbohydrates) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```


100 %			
Results Messages Execution plan			
	Restaurant	Total Carbohydrates	Rank
1	Taco Bell	5363	1
2	Subway	5253	2
3	McdoOlds	2781	3
4	Burger King	2752	4
5	Sonic	2502	5
6	Arbys	2468	6
7	Dairy Queen	1625	7
8	Chick Fil-A	773	8



[7f]: Comparison of Total TotalFat used by Restaurants

```
SELECT Restaurant, SUM(TotalFat) AS [Total TotalFat],
RANK() OVER (ORDER BY SUM(TotalFat) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```

Restaurant	Total TotalFat	Rank
Burger King	2577	1
Taco Bell	2403	2
Sonic	1995	3
McdoOlds	1813	4
Subway	1774	5
Arbys	1484	6
Dairy Queen	1212	7
Chick Fil-A	436	8





Section III: Additional Multivariate SQL Analysis/Queries

[8]: How many Menu items produce in each Restaurant


```
SELECT Restaurant, COUNT(*) as [Number of items],
RANK() OVER (ORDER BY Count(Menu) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant
ORDER BY Rank;
```

Restaurant	Number of items	Rank
Taco Bell	115	1
Subway	96	2
Burger King	70	3
McdoOlds	57	4
Arbys	55	5
Sonic	53	6
Dairy Queen	42	7
Chick Fil-A	27	8






[8b]: A Chart showing of all the Restaurants and their corresponding menu items



[8c]: A Treemap showing of all the Restaurants and their corresponding menu items



[9]: What is the percentage menu items that meet different nutritional criteria (e.g., low-fat, low-sugar):

```
SELECT
    SUM(CASE WHEN TotalFat <= 10 THEN 1 ELSE 0 END) AS LowFat,
    SUM(CASE WHEN Sugar <= 5 THEN 1 ELSE 0 END) AS LowSugar,
    SUM(CASE WHEN Protein >= 20 THEN 1 ELSE 0 END) AS HighProtein
FROM fastfood;
```

100 %			
Results Messages			
	LowFat	LowSugar	HighProtein
1	82	227	330

[10]: What is the distribution of different types of menu items by calorie range:

```
SELECT
    CASE
        WHEN Calories < 400 THEN 'Low'
        WHEN Calories BETWEEN 400 AND 600 THEN 'Medium'
        ELSE 'High'
    END AS [CalorieRange],
    MenuType,
    COUNT(*) AS Total
FROM (
    SELECT
        Menu,
        CASE
            WHEN Menu LIKE '%burger%' THEN 'Burger'
            WHEN Menu LIKE '%sandwich%' THEN 'Sandwich'
            WHEN Menu LIKE '%salad%' THEN 'Salad'
            ELSE 'Other'
        END AS MenuType,
```

```

Calories
FROM fastfood
) AS MenuTypeCalories
GROUP BY Calories, MenuType;

```

	CalorieRange	Menu Type	Total
1	Low	Burger	1
2	Low	Burger	1
3	Low	Burger	1
4	Low	Burger	2
5	Low	Burger	1
6	Low	Burger	1
7	Low	Burger	1
8	Low	Burger	1
9	Low	Burger	1
10	Low	Burger	1
11	Medium	Burger	2
12	Medium	Burger	2
13	Medium	Burger	1
14	Medium	Burger	5
15	Medium	Burger	1
16	Medium	Burger	1
17	Medium	Burger	2
18	Medium	Burger	1
19	Medium	Burger	1
20	Medium	Burger	2
21	Medium	Burger	1
22	High	Burger	1
23	High	Burger	2

[11]: What is the distribution of calories and total fat content for each menu item:

```



SELECT
  Menu, Calories, TotalFat,
  CASE
    WHEN Calories < 400 AND TotalFat < 20 THEN 'Low-Low'
    WHEN Calories < 400 AND TotalFat BETWEEN 20 AND 40 THEN 'Low-Medium'
    WHEN Calories < 400 AND TotalFat > 40 THEN 'Low-High'
    WHEN Calories BETWEEN 400 AND 600 AND TotalFat < 20 THEN 'Medium-Low'
    WHEN Calories BETWEEN 400 AND 600 AND TotalFat BETWEEN 20 AND 40 THEN 'Medium-Medium'
    WHEN Calories BETWEEN 400 AND 600 AND TotalFat > 40 THEN 'Medium-High'
    WHEN Calories > 600 AND TotalFat < 20 THEN 'High-Low'
    WHEN Calories > 600 AND TotalFat BETWEEN 20 AND 40 THEN 'High-Medium'
    ELSE 'High-High'
  END AS CalFatRange
FROM fastfood;

```

100 %				
Results Messages				
	Menu	Calories	TotalFat	CalFatRange
1	Artisan Grilled Chicken Sandwich	380	7	Low-Low
2	Single Bacon Smokehouse Burger	840	45	High-High
3	Double Bacon Smokehouse Burger	1130	67	High-High
4	Grilled Bacon Smokehouse Chicken Sandwich	750	31	High-Medium
5	Crispy Bacon Smokehouse Chicken Sandwich	920	45	High-High
6	Big Mac	540	28	Medium-Medium
7	Cheeseburger	300	12	Low-Low
8	Classic Chicken Sandwich	510	24	Medium-Medium
9	Double Cheeseburger	430	21	Medium-Medium
10	Double Quarter Pounder® with Cheese	770	45	High-High
11	Filet-O-Fish®	380	18	Low-Low
12	Garlic White Cheddar Burger	620	34	High-Medium
13	Grilled Garlic White Cheddar Chicken Sandwich	530	20	Medium-Medium
14	Crispy Garlic White Cheddar Chicken Sandwich	700	34	High-Medium
15	Hamburger	250	8	Low-Low
16	Lobster Roll	290	5	Low-Low
17	Maple Bacon Dijon 1/4 lb Burger	640	36	High-Medium
18	Grilled Maple Bacon Dijon Chicken Sandwich	580	21	Medium-Medium
19	Crispy Maple Bacon Dijon Chicken Sandwich	740	35	High-Medium
20	McChicken	350	15	Low-Low
21	McDouble	380	18	Low-Low
22	McRib	480	22	Medium-Medium
23	Pico Guacamole 1/4 lb Burger	580	33	Medium-Medium

=====

[12]:What is the correlation between all the nutritional contents



[13]: What the sum and the max nutrients for the top 15 fatty foods for each menu item at each restaurant:

```
SELECT Top 15
Restaurant, Menu,
    SUM(CaloriesFat) AS [Total Calories Fat],
    SUM(TotalFat) AS [Total Fat],
    SUM(Saturated_Fat) AS [Total Saturated Fat],
    MAX(TotalFat) AS [MAX Fat],
    MAX(Saturated_Fat) AS [MAX Saturated Fat],
    MAX(CaloriesFat) AS [MAX Calories Fat],
RANK() OVER (ORDER BY MAX(CaloriesFat) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant, Menu
ORDER BY Rank;
```

	Restaurant	Menu	Total Calories Fat	Total Fat	Total Saturated Fat	MAX Fat	MAX Saturated Fat	MAX Calories Fat	Rank
1	McdoOlds	20 piece Buttermilk Crispy Chicken Tenders	1270	141	24	141	24	1270	1
2	Burger King	American Brewhouse King	1134	126	47	126	47	1134	2
3	McdoOlds	40 piece Chicken McNuggets	960	107	18	107	18	960	3
4	Sonic	Garlic Pamesan Dunked Ultimate Chicken Sandwich	900	100	17	100	17	900	4
5	Sonic	Super Sonic Bacon Double Cheeseburger (w/mayo)	830	92	36	92	36	830	5
6	McdoOlds	12 piece Buttermilk Crispy Chicken Tenders	790	88	15	88	15	790	6
7	Sonic	Super Sonic Double Cheeseburger W/ Mayo	780	87	34	87	34	780	7
8	Burger King	Rodeo King	738	82	31	82	31	738	8
9	Burger King	Famhouse King	720	80	28	80	28	720	9
10	Sonic	Super Sonic Double Cheeseburger W/ Mustard	680	76	32	76	32	680	10
11	Sonic	Super Sonic Jalapeno Double Cheeseburger	680	76	32	76	32	680	10
12	Sonic	Super Sonic Double Cheeseburger W/ Ketchup	680	76	32	76	32	680	10
13	Burger King	BBQ Bacon King	675	75	29	75	29	675	13
14	Dairy Queen	Large Cheese Curds	670	75	43	75	43	670	14
15	Burger King	Steakhouse King	666	74	24	74	24	666	15

[14]. What are the distribution of total fat content across different types of menu items:

```
SELECT
CASE
    WHEN Menu LIKE '%burger%' THEN 'Burger'
    WHEN Menu LIKE '%sandwich%' THEN 'Sandwich'
    WHEN Menu LIKE '%salad%' THEN 'Salad'
    ELSE 'Other'
END AS MenuType,
TotalFat
FROM fastfood;
```

100 %		
Results Messages		
	MenuType	TotalFat
1	Sandwich	7
2	Burger	45
3	Burger	67
4	Sandwich	31
5	Sandwich	45
6	Other	28
7	Burger	12
8	Sandwich	24
9	Burger	21
10	Other	45
11	Other	18
12	Burger	34
13	Sandwich	20
14	Sandwich	34
15	Burger	8
16	Other	5
17	Burger	36
18	Sandwich	21
19	Sandwich	35
20	Other	15
21	Other	18
22	Other	22
23	Burger	33

=====

[15]: What are the average nutrients for the top 20 menu item at each restaurant:

```

SELECT Top 20
Restaurant, Menu,
    AVG(Calories) AS [Avg Calories],
    AVG(TotalFat) AS [AvgTotal Fat],
    AVG(Cholesterol) AS [AvgCholesterol],
    AVG(Saturated_Fat) AS [avg Saturated Fat],
    AVG(CaloriesFat) AS [Avg Calories Fat],
    AVG(Protein) AS [Avg Protein],
    AVG(Sodium) AS [Avg Sodium],
    RANK() OVER (ORDER BY AVG(Sodium) DESC) AS Rank
FROM fastfood
GROUP BY Restaurant, Menu
ORDER BY Rank;

```

100 %


Results Messages

	Restaurant	Menu	Avg Calories	AvgTotal Fat	AvgCholesterol	avg Saturated Fat	Avg Calories Fat	Avg Protein	Avg Sodium	Rank
1	Mcdonalds	20 piece Buttermilk Crispy Chicken Tenders	2430	141	475	24	1270	186	6080	1
2	Sonic	Buffalo Dunked Ultimate Chicken Sandwich	1000	61	125	12	550	23	4520	2
3	Mcdonalds	10 piece Sweet N' Spicy Honey BBQ Glazed Tenders	1600	66	265	10	600	97	4450	3
4	Mcdonalds	12 piece Buttermilk Crispy Chicken Tenders	1510	88	295	15	790	115	3770	4
5	Chick Fil-A	30 piece Chicken Nuggets	970	46	285	2.5	414	103	3660	5
6	Subway	Footlong Comed Beef Reuben	940	30	170	9	260	78	3540	6
7	Dairy Queen	6 Piece Chicken Strip Basket w/ Country Gravy	1260	66	120	11	590	49	3500	7
8	Mcdonalds	40 piece Chicken McNuggets	1770	107	295	18	960	98	3370	8
9	Arbys	Half Pound French Dip & Swiss	750	36	150	17	330	55	3350	9
10	Mcdonalds	10 piece Buttermilk Crispy Chicken Tenders	1210	70	240	12	630	94	3230	10
11	Subway	Footlong Carved Turkey & Bacon w/ Cheese	1140	52	140	14	460	66	3200	11
12	Subway	Footlong Spicy Italian	960	48	100	18	440	40	3040	12
13	Subway	Turkey, Bacon & Guacamole Wrap	810	42	75	13	380	43	2970	13
14	Subway	Footlong Turkey Italiano Melt (with Provolone)	980	48	100	18	420	48	2960	14
15	Arbys	Triple Decker Sandwich	1030	51	155	17	459	62	2940	15
16	Subway	Footlong Big Hot Pastrami	1160	62	170	22	620	58	2940	15
17	Subway	Footlong Italian Hero	1100	58	150	20	520	52	2940	15
18	Dairy Queen	4 Piece Chicken Strip Basket w/ Country Gravy	1030	53	80	9	480	35	2780	18
19	Mcdonalds	6 piece Sweet N' Spicy Honey BBQ Glazed Tenders	960	40	160	6	360	58	2670	19
20	Subway	Footlong Big Philly Cheesesteak	1000	34	170	18	300	76	2620	20


=====

[16]: What is the nature of the distribution of all the nutritional content across all Restaurants


[16a]: Histogram Showing the Distribution of the Nutritional Variables



[16b]: Violin Plots Showing the Distribution of the Nutritional Variables



[16c]:Boxplot Showing the Distribution of the Nutritional Variables



Section V: Other Fancy SQL Queries to TRY

[17]. Pivot table showing the breakdown of menu categories by type of fat for all menu items:

```
SELECT
  CASE
    WHEN Salad = 1 THEN 'Salad'
    ELSE 'Non-salad'
  END AS Category,
  SUM(CASE WHEN Saturated_Fat > 0 THEN 1 ELSE 0 END) AS SaturatedFat,
  SUM(CASE WHEN TransFat > 0 THEN 1 ELSE 0 END) AS TransFat,
  SUM(CASE WHEN TotalFat - Saturated_Fat - TransFat > 0 THEN 1 ELSE 0 END) AS OtherFat
FROM fastfood
GROUP BY Category
```

=====

[18]Pivot table showing the difference in nutrient values between two specific menu items:

```
SELECT Menu, Calories, TotalFat, Saturated_Fat, TransFat,
       Cholesterol, Sodium, Carbohydrates, Fiber, Sugar, Protein
FROM fastfood
WHERE Menu IN ('Menu Item 1', 'Menu Item 2')
```

=====

[19]Pivot table showing the breakdown of calories by type of fat and menu category for each restaurant:

```
SELECT Restaurant, Menu, SUM(Calories) AS Calories,
       Saturated_Fat, TransFat, TotalFat,
       CASE
         WHEN Salad = 1 THEN 'Salad'
         ELSE 'Non-salad'
       END AS Salad
FROM fastfood
GROUP BY Restaurant, Menu, Salad
ORDER BY Restaurant, Salad, Calories DESC
```

=====

[20]:A pivot table showing the distribution of nutrient values for each restaurant:

```
SELECT Restaurant,
       MAX(Calories) AS AvgCalories,
       MAX(TotalFat) AS AvgTotalFat,
       MAX(Saturated_Fat) AS AvgSatFat,
       MAX(Cholesterol) AS AvgCholesterol,
       MAX(Sodium) AS AvgSodium,
       MAX(Carbohydrates) AS AvgCarbs,
       MAX(Fiber) AS AvgFiber,
       MAX(Sugar) AS AvgSugar,
       MAX(Protein) AS AvgProtein
FROM fastfood
GROUP BY Restaurant
```

=====

[21]: A pivot table showing the connections between menu items based on their nutrient values:

```
WITH similarities AS (
  SELECT f1.Menu as menu1, f2.Menu as menu2,
         ABS(f1.Calories - f2.Calories) + ABS(f1.TotalFat - f2.TotalFat) + ABS(f1.Cholesterol -
f2.Cholesterol) as similarity_score
  FROM fastfood f1
  JOIN fastfood f2 ON f1.Menu != f2.Menu
  WHERE f1.Restaurant = '<selected restaurant>' AND f2.Restaurant = '<selected restaurant>'
)
SELECT menu1, menu2, similarity_score
FROM similarities
WHERE similarity_score > 0
ORDER BY similarity_score DESC;
```

=====

=====

[22]: Pivot table showing the hierarchy of menu categories for a specific restaurant:

```
WITH RECURSIVE menu_hierarchy (id, menu, parent_id, level) AS (  
    SELECT ID, Menu, NULL, 0  
    FROM fastfood  
    WHERE Restaurant = '<selected restaurant>' AND Parent IS NULL  
    UNION ALL  
    SELECT f.ID, f.Menu, f.Parent, mh.level + 1  
    FROM fastfood f  
    JOIN menu_hierarchy mh ON f.Parent = mh.id  
)  
SELECT id, menu, parent_id, level  
FROM menu_hierarchy;
```

=====

[23]: Pivot table the flow of nutrients from different food groups to the final menu items:

```
SELECT Menu,  
SUM(Calories) as total_calories,  
SUM(Protein) as total_protein,  
SUM(Fat) as total_fat  
FROM (  
    SELECT Menu, Calories, Protein, TotalFat + Saturated_Fat + TransFat as Fat  
    FROM fastfood  
) as nutrients  
GROUP BY Menu;
```

=====

[24]:Pivot table showing the nutrient values for a specific menu item compared to the average values across all menu items:

```
SELECT 'Selected Item' as item name,  
    Calories, CaloriesFat, TotalFat, Saturated_Fat, TransFat, Cholesterol, Sodium, Carbohydrates,  
    Fiber, Sugar, Protein, VitaminA, VitaminC, Calcium  
FROM fastfood  
WHERE Menu = '<selected menu item>'  
UNION  
SELECT 'Average' as item name,  
    MAX(Calories),  
    MAX(CaloriesFat),  
    AVG(TotalFat),  
    AVG(Saturated_Fat),  
    AVG(TransFat),  
    AVG(Cholesterol),  
    AVG(Sodium),  
    AVG(Carbohydrates),  
    AVG(Fiber),  
    AVG(Sugar),  
    AVG(Protein),  
    AVG(VitaminA),  
    AVG(VitaminC),  
    AVG(Calcium)  
FROM fastfood;
```

=====

To access the full Python notebook with detailed comments for each chart and table in the analysis, click on the link here: [Hayford GitHub Data Science Certification Projects](#)

=====