

AI-DND

PLAYER_INTENT_SYSTEM.md

Player Intent Recognition System

Version 0.1

1. DESIGN PHILOSOPHY

The player may attempt anything.

The player is never restricted by:

- buttons;
- dialogue trees;
- predefined actions.

The game interprets intentions.

The world determines outcomes.

2. CORE RULE

The player describes:

"What I want to do."

The game determines:

"What actually happens."

3. INPUT PIPELINE

Player Text ↓ Language Analysis ↓ Intent Detection ↓ Context Analysis ↓ Rule Validation ↓ Action Construction ↓ Dice Resolution ↓ World Consequences ↓ AI Narration

4. PLAYER INPUT

Examples:

"I attack him."

"I attack his left arm."

"I draw my sword."

"I pretend to surrender."

"I search the room."

"I threaten him."

"I run."

"I hide."

"I pray."

5. PRIMARY INTENT TYPES

Major categories:

- Combat
- Dialogue
- Social
- Exploration
- Survival
- Magic
- Criminal
- Crafting
- Travel

6. COMBAT INTENTS

Examples:

- attack

- defend
 - block
 - dodge
 - retreat
 - surrender
 - disarm
 - grapple
 - feint
-

7. SOCIAL INTENTS

Examples:

- persuade
 - intimidate
 - deceive
 - negotiate
 - flirt
 - threaten
 - apologize
-

8. EXPLORATION INTENTS

Examples:

- search
 - observe
 - investigate
 - track
 - examine
 - listen
-

9. SURVIVAL INTENTS

Examples:

- rest
- eat
- hunt
- cook
- camp

- heal
-

10. MAGIC INTENTS

Examples:

- cast
 - channel
 - identify
 - dispel
 - enchant
-

11. CRIMINAL INTENTS

Examples:

- steal
 - lockpick
 - hide
 - sabotage
 - smuggle
-

12. COMPOUND ACTIONS

Players may perform multiple actions.

Example:

"I throw sand in his face and run."

Parsed:

Action 1: Throw sand.

Action 2: Escape.

13. IMPLICIT INTENTS

Example:

Player:

"I slowly put my hand near my sword."

Detected:

- preparation;
 - intimidation;
 - possible attack.
-

14. EMOTIONAL INTENTS

Example:

"I beg him not to kill me."

Detected:

- fear;
 - persuasion;
 - surrender.
-

15. BODY TARGETING

Example:

"I attack his right leg."

Detected:

Action: Attack.

Target: Right leg.

Validation required.

16. EQUIPMENT VALIDATION

Example:

"I attack with my sword."

Check:

Does player possess sword?

If not:

Action fails naturally.

17. SKILL VALIDATION

Example:

"I perform a feint."

Check:

Has player learned feints?

If not:

Attempt degrades naturally.

18. PHYSICAL VALIDATION

Example:

"I jump five meters."

Check:

Is it physically possible?

If not:

Attempt partially fails.

19. KNOWLEDGE VALIDATION

Example:

"I cast fireball."

Check:

Does player know fire magic?

If not:

No spell occurs.

20. CONTEXT ANALYSIS

Example:

Input:

"I attack."

Questions:

- with what?
 - whom?
 - from where?
 - under what conditions?
-

21. ENVIRONMENT ANALYSIS

Example:

Player:

"I hide."

Check:

- darkness?

- objects?
 - weather?
 - visibility?
-

22. SOCIAL ANALYSIS

Example:

"I threaten him."

Check:

- reputation;
 - strength;
 - fear;
 - personality.
-

23. RISK ANALYSIS

The system estimates:

- danger;
 - probability;
 - consequences.
-

24. HIDDEN PLAYER KNOWLEDGE

Example:

Player:

"I search for magical traps."

Check:

Does player know magic?

25. IMPOSSIBLE ACTIONS

The system never says:

"Action unavailable."

Instead:

The world explains failure.

26. EXAMPLE

Player:

"I strike his eyes."

Validation:

- no training;
- impossible precision.

Result:

Attack redirects naturally.

27. DICE GENERATION

The system determines:

- required checks;
- modifiers;
- difficulty.

The engine rolls dice.

28. ACTION DECOMPOSITION

Example:

"I grab the chair, throw it at him and run."

Action 1: Grab.

Action 2: Throw.

Action 3: Escape.

29. LONG ACTIONS

Examples:

- surgery;
- crafting;
- rituals;
- investigations.

These become multi-stage processes.

30. NPC INTERPRETATION

NPCs react to:

- action;
 - intention;
 - emotion;
 - reputation.
-

31. MISUNDERSTANDING

NPCs may misunderstand.

Example:

Player attempts joke.

NPC perceives insult.

32. PLAYER MISTAKES

Players may fail due to:

- fear;
 - injuries;
 - intoxication;
 - fatigue.
-

33. THOUGHT SYSTEM INTEGRATION

Character thoughts suggest:

- possible actions;
- risks;
- opportunities.

Thoughts never limit actions.

34. AI-DM INTEGRATION

AI-DM receives:

- parsed intent;
 - validation results;
 - dice outcomes.
-

35. AI NPC INTEGRATION

NPC receives:

- player action;
 - emotional tone;
 - consequences.
-

36. LEARNING SYSTEM

The parser learns:

- player habits;
 - preferred styles;
 - favorite strategies.
-

37. ACCESSIBILITY

Optional assistance:

- action suggestions;
 - thought hints;
 - examples.
-

38. IMMERSION

The player never sees:

- parser;
 - probabilities;
 - internal rules.
-

39. CORE QUESTION

The parser asks:

"What is the player trying to achieve?"

Not:

"What command did the player enter?"

40. CORE RULE

The player may attempt anything.

The world decides what happens next.