

git_comments:**git_commits:**

1. **summary:** [SPARK-32691][3.0] Bump commons-crypto to v1.1.0
message: [SPARK-32691][3.0] Bump commons-crypto to v1.1.0 The package commons-crypto-1.0.0 doesn't support aarch64 platform, change to use v1.1.0. ### What changes were proposed in this pull request? Update the package commons-crypto to v1.1.0 to support aarch64 platform - <https://issues.apache.org/jira/browse/CRYPTO-139> NOTE: This backport comes from #30275 ### Why are the changes needed? The package commons-crypto-1.0.0 available in the Maven repository doesn't support aarch64 platform. It costs long time in CryptoRandomFactory.getCryptoRandom(properties).nextBytes(iv) when NettyBlockRpcSever receive block data from client, if the time more than the default value 120s, IOException raised and client will retry replicate the block data to other executors. But in fact the replication is complete, it makes the replication number incorrect. This makes DistributedSuite tests pass. ### Does this PR introduce _any_ user-facing change? No. ### How was this patch tested? Pass the CIs. Closes #31078 from huangtianhua/origin/branch-3.0. Authored-by: huangtianhua <huangtianhua223@gmail.com> Signed-off-by: Dongjoon Hyun <dhyun@apple.com>

github_issues:**github_issues_comments:****github_pulls:**

1. **title:** [SPARK-32691][BUILD] Update commons-crypto to v1.1.0
body: ### What changes were proposed in this pull request? Update the package commons-crypto to v1.1.0 to support aarch64 platform - <https://issues.apache.org/jira/browse/CRYPTO-139> ### Why are the changes needed? The package commons-crypto-1.0.0 available in the Maven repository doesn't support aarch64 platform. It costs long time in CryptoRandomFactory.getCryptoRandom(properties).nextBytes(iv) when NettyBlockRpcSever receive block data from client, if the time more than the default value 120s, IOException raised and client will retry replicate the block data to other executors. But in fact the replication is complete, it makes the replication number incorrect. This makes DistributedSuite tests pass. ### Does this PR introduce any user-facing change? No ### How was this patch tested? Pass the CIs.

github_pulls_comments:

1. Thank you for your contribution, @huangtianhua . Could you recover the original PR description style please? Please see a PR like <https://github.com/apache/spark/pull/30274> as an example
2. Why change the PR description style from `` ### Why are the changes needed? `` to `` **What changes were proposed in this pull request?** `` ? Please just copy the original PR description template and fill the sections.
3. ok to test
4. Kubernetes integration test starting URL: <https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder-K8s/35370/>
5. Kubernetes integration test status failure URL: <https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder-K8s/35370/>
6. **[Test build #130761 has finished](<https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder/130761/testReport>)** for PR 30275 at commit [`f85835b`](<https://github.com/apache/spark/commit/f85835bee05c301ddf336dced2eeadf1fa236c20>). * This patch passes all tests. * This patch merges cleanly. * This patch adds no public classes.
7. @dongjoon-hyun, thanks and I will add more logic details in the PR description. Please add a new and independent test case which is applicable for master and branch-3.0 for SPARK-32691. --- I think the caching tests in DistributedSuite.scala is enough.
8. Thank you for updating the PR description, @huangtianhua . For the following, do you mean `the caching tests` fail in `branch-3.0` currently? For the unit test, we need a unit test which fails without this patch. > I think the caching tests in DistributedSuite.scala is enough.
9. @huangtianhua . I'll merge this to `master` branch for Apache Spark 3.1.0 for <https://issues.apache.org/jira/browse/CRYPTO-139>. If you need a backport to `branch-3.0` for Apache Spark 3.0.x, please make a backporting PR with the test case.

github_pulls_reviews:**jira_issues:**

1. **summary:** Add support for AARCH64
description: AARCH 64 architecture support is missing in the exiting common-crypto code. Now we did some modification in the code level and add the support for AARCH64. Now the common-crypto project can be used in aarch64 platform and also compatible with openssl 1.1.x.

jira_issues_comments:

1. Issue is fixed by PR [<https://github.com/apache/commons-crypto/pull/93>] [<https://github.com/apache/commons-crypto/pull/92>] test report is pasted here as there is problem in attaching report .. Apache Maven 3.0.5 (Red Hat 3.0.5-17) Maven home: /usr/share/maven Java version: 1.8.0_191, vendor: Oracle Corporation Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre Default locale: en_IN, platform encoding: UTF-8 OS name: "linux", version: "4.14.0-49.2.el7a.aarch64", arch: "aarch64", family: "unix" [INFO] Error stacktraces are turned on. [DEBUG] Reading global settings from /usr/share/maven/conf/settings.xml [DEBUG] Reading user settings from /root/.m2/settings.xml [DEBUG] Using local repository at /root/.m2/repository [DEBUG] Using manager EnhancedLocalRepositoryManager with priority 10 for /root/.m2/repository [INFO] Scanning for projects... [DEBUG] Extension realms for project org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT: (none) [DEBUG] Looking up lifecycle mappings for packaging jar from ClassRealm[plexus.core, parent: null] [WARNING] [WARNING] Some problems were encountered while building the effective model for org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT [WARNING] 'reporting.plugins.plugin.version' for org.codehaus.mojo:clirr-maven-plugin is missing. @ line 655, column 15 [WARNING] [WARNING] It is highly recommended to fix these problems because they threaten the stability of your build. [WARNING] [WARNING] For this reason, future Maven versions might no longer support building such malformed projects. [WARNING] [DEBUG] === REACTOR BUILD PLAN ===== [DEBUG] Project: org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT [DEBUG] Tasks: [clean, install] [DEBUG] Style: Regular [DEBUG] ===== [INFO] [INFO] ----- [INFO] Building Apache Commons Crypto 1.1.0-SNAPSHOT [INFO] ----- [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, test-compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test, verify, install, deploy] [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean] [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy] [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test, verify, install, deploy] [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean] [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy] [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test, verify, install, deploy] [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean] [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy] [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, process-resources, compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test, verify, install, deploy] [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean] [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]


```
maven-plugin:1.4:create (default) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration>
<buildNumberPropertiesFileLocation default-value="${basedir}/buildNumber.properties"/> <buildNumberProperty default-
value="buildNumber">${maven.buildNumber.buildNumberPropertyName}</buildNumberProperty> <doCheck default-value="false">false</doCheck>
<doUpdate default-value="false">false</doUpdate> <format>${maven.buildNumber.format}</format> <getRevisionOnlyOnce default-
value="false">${maven.buildNumber.getRevisionOnlyOnce}</getRevisionOnlyOnce> <locale>${maven.buildNumber.locale}</locale> <password>${password}</password>
<project default-value="${project}"> <reactorProjects default-value="${reactorProjects}"> <revisionOnScmFailure>?????
</revisionOnScmFailure> <scmBranchPropertyName default-value="scmBranch">${maven.buildNumber.scmBranchPropertyName}</scmBranchPropertyName>
<scmBranchPropertyName> <scmConnectionUrl default-value="${project.scm.connection}"> <scmDeveloperConnectionUrl default-
value="${project.scm.developerConnection}"> <scmDirectory default-value="${basedir}">${maven.buildNumber.scmDirectory}</scmDirectory> <scmTag
default-value="${project.scm.tag}"> <session default-value="${session}"> <settings default-value="${settings}"> <shortRevisionLength default-
value="0">${maven.buildNumber.shortRevisionLength}</shortRevisionLength> <skip default-value="false">${maven.buildNumber.skip}</skip>
<timestampFormat>${maven.buildNumber.timestampFormat}</timestampFormat> <timestampPropertyName default-
value="timestamp">${maven.buildNumber.timestampPropertyName}</timestampPropertyName> <useLastCommittedRevision default-
value="false">true</useLastCommittedRevision> <username>${username}</username> </configuration> [DEBUG] -----
[DEBUG] Goal: org.apache.maven.plugins:maven-resources-plugin:2.7:resources (default-resources) [DEBUG] Style: Regular [DEBUG]
Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration> <buildFilters default-value="${project.build.filters}"> <encoding default-
value="${project.build.sourceEncoding}">${encoding}</encoding> <escapeString>${maven.resources.escapeString}</escapeString> <escapeWindowsPaths
default-value="true">${maven.resources.escapeWindowsPaths}</escapeWindowsPaths> <includeEmptyDirs default-
value="false">${maven.resources.includeEmptyDirs}</includeEmptyDirs> <outputDirectory default-value="${project.build.outputDirectory}"> <overwrite
default-value="false">${maven.resources.overwrite}</overwrite> <project default-value="${project}"> <resources default-value="${project.resources}">
<session default-value="${session}"> <supportMultiLineFiltering default-value="false">${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering>
<useBuildFilters default-value="true"> <useDefaultDelimiters default-value="true"> </configuration> [DEBUG] -----
[DEBUG] Goal: org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile (default-compile) [DEBUG] Style:
Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration> <basedir default-value="${basedir}"> <buildDirectory default-
value="${project.build.directory}"> <compilePath default-value="${project.compileClasspathElements}"> <compileSourceRoots default-
value="${project.compileSourceRoots}"> <compilerId default-value="javac">${maven.compiler.compilerId}</compilerId> <compilerReuseStrategy default-
value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy> <compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
<debug default-value="true">${maven.compiler.debug}</debug> <debuglevel>${maven.compiler.debuglevel}</debuglevel> <encoding
default-value="${project.build.sourceEncoding}">iso-8859-1</encoding> <excludes> <exclude>**/package-info.java</exclude> </excludes>
<executable>${maven.compiler.executable}</executable> <failOnError default-value="true">${maven.compiler.failOnError}</failOnError> <failOnWarning
default-value="false">${maven.compiler.failOnWarning}</failOnWarning> <forceJavacCompilerUse default-
value="false">${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse> <fork default-value="false">false</fork> <generatedSourcesDirectory
default-value="${project.build.directory}/generated-sources/annotations"> <maxmem>${maven.compiler.maxmem}</maxmem>
<meminitial>${maven.compiler.meminitial}</meminitial> <mojoExecution default-value="${mojoExecution}"> <optimize default-
value="false">${maven.compiler.optimize}</optimize> <outputDirectory default-value="${project.build.outputDirectory}"> <parameters default-
value="false">${maven.compiler.parameters}</parameters> <project default-value="${project}"> <projectArtifact default-value="${project.artifact}">
<release>${maven.compiler.release}</release> <session default-value="${session}"> <showDeprecation default-
value="false">${maven.compiler.showDeprecation}</showDeprecation> <showWarnings default-value="false">${maven.compiler.showWarnings}</showWarnings>
<skipMain>${maven.main.skip}</skipMain> <skipMultiThreadWarning default-value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
<source default-value="1.5">1.8</source> <staleMillis default-value="0">${lastModGranularityMs}</staleMillis> <target default-
value="1.5">1.8</target> <useIncrementalCompilation default-value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
<verbose default-value="false">${maven.compiler.verbose}</verbose> </configuration> [DEBUG] -----
[DEBUG] Goal: org.apache.maven.plugins:maven-antrun-plugin:1.8:run (make) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0"
encoding="UTF-8"?> <configuration> <exportAntProperties default-value="false"> <failOnError default-value="true"> <localRepository>${localRepository}</localRepository>
</localRepository> <pluginArtifacts>${plugin.artifacts}</pluginArtifacts> <project default-value="${project}"> <skip default-
value="false">${maven.antrun.skip}</skip> <sourceRoot>${sourceRoot}</sourceRoot> <target name="make"> <taskdef
resource="net/sf/antcontrib/antcontrib.properties" classpathref="maven.plugin.classpath"> <exec failonerror="true" dir="/home/kd/commons-crypto"
executable="make"> <env value="1.1.0-SNAPSHOT" key="VERSION"> <env value="Apache Commons Crypto" key="PROJECT_NAME"> <arg
value="all"> </exec> </target> <testSourceRoot>${testSourceRoot}</testSourceRoot> <versionsPropertyName default-
value="maven.project.dependencies.versions"> </configuration> [DEBUG] -----
[DEBUG] Goal:
org.apache.maven.plugins:maven-bundle-plugin:3.4.0:manifest (bundle-manifest) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-
8"?> <configuration> <archive> <forced>true</forced> </archive> <buildDirectory default-value="${project.build.directory}">
<dependencyReducedPomLocation default-value="${basedir}/dependency-reduced-pom.xml"> <dumpClasspath>${dumpClasspath}</dumpClasspath>
<dumpInstructions>${dumpInstructions}</dumpInstructions> <excludeDependencies>true</excludeDependencies> <finalName default-
value="${project.build.finalName}"> <instructions> <_nouses>true</_nouses>
<_removeheaders>JAVA_1_3_HOME,JAVA_1_4_HOME,JAVA_1_5_HOME,JAVA_1_6_HOME,JAVA_1_7_HOME,JAVA_1_8_HOME,JAVA_1_9_HOME</_ren
<Bundle-SymbolicName>org.apache.commons.crypto</Bundle-SymbolicName> <Export-Package>org.apache.commons.*;version=1.1.0-SNAPSHOT;-
noimport:=true</Export-Package> <Private-Package></Private-Package> <Import-Package>*</Import-Package> <DynamicImport-Package></DynamicImport-
Package> <Bundle-DocURL>http://commons.apache.org/proper/commons-crypto/</Bundle-DocURL> </instructions> <localRepository default-
value="${localRepository}"> <m_mavenSession default-value="${session}"> <manifestLocation default-value="${project.build.outputDirectory}/META-
INF">/home/kd/commons-crypto/target/osgi</manifestLocation> <niceManifest default-value="false">${niceManifest}</niceManifest> <outputDirectory
default-value="${project.build.outputDirectory}"> <project default-value="${project}"> <rebuildBundle>${rebuildBundle}</rebuildBundle>
<remoteArtifactRepositories default-value="${project.remoteArtifactRepositories}"> <scrLocation default-value="${project.build.outputDirectory}"> <session
default-value="${session}"> <supportIncrementalBuild>${supportIncrementalBuild}</supportIncrementalBuild> <unpackBundle>${unpackBundle}</unpackBundle>
</unpackBundle> </configuration> [DEBUG] -----
[DEBUG] Goal: org.codehaus.mojo:animal-sniffer-
maven-plugin:1.16:check (checkAPICompatibility) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration> <ignoreDependencies default-value="true"> <localRepository default-value="${localRepository}"> <outputDirectory default-
value="${project.build.outputDirectory}"> <project default-value="${project}"> <signature> <groupId>org.codehaus.mojo.signature</groupId>
<artifactId>java${javaTarget.majorVersion}${javaTarget.minorVersion}</artifactId> <version>1.0</version>${animal.sniffer.signature}</signature> <skip
default-value="false">${animal.sniffer.skip}</skip> </configuration> [DEBUG] -----
[DEBUG] Goal:
org.apache.maven.plugins:maven-resources-plugin:2.7:testResources (default-testResources) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml
version="1.0" encoding="UTF-8"?> <configuration> <buildFilters default-value="${project.build.filters}"> <encoding default-
value="${project.build.sourceEncoding}">${encoding}</encoding> <escapeString>${maven.resources.escapeString}</escapeString> <escapeWindowsPaths
default-value="true">${maven.resources.escapeWindowsPaths}</escapeWindowsPaths> <includeEmptyDirs default-
value="false">${maven.resources.includeEmptyDirs}</includeEmptyDirs> <outputDirectory default-value="${project.build.testOutputDirectory}"> <overwrite
default-value="false">${maven.resources.overwrite}</overwrite> <project default-value="${project}"> <resources default-value="${project.testResources}">
<session default-value="${session}"> <skip>${maven.test.skip}</skip> <supportMultiLineFiltering default-
value="false">${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering> <useBuildFilters default-value="true"> <useDefaultDelimiters
default-value="true"> </configuration> [DEBUG] -----
[DEBUG] Goal: org.apache.maven.plugins:maven-
compiler-plugin:3.7.0:testCompile (default-testCompile) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration> <basedir default-value="${basedir}"> <buildDirectory default-value="${project.build.directory}"> <compilePath default-
value="${project.compileClasspathElements}"> <compileSourceRoots default-value="${project.testCompileSourceRoots}"> <compilerId default-
value="javac">${maven.compiler.compilerId}</compilerId> <compilerReuseStrategy default-
value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy> <compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
<debug default-value="true">${maven.compiler.debug}</debug> <debuglevel>${maven.compiler.debuglevel}</debuglevel> <encoding
default-value="${project.build.sourceEncoding}">iso-8859-1</encoding> <executable>${maven.compiler.executable}</executable> <failOnError default-
value="true">${maven.compiler.failOnError}</failOnError> <failOnWarning default-value="false">${maven.compiler.failOnWarning}</failOnWarning>
<forceJavacCompilerUse default-value="false">${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse> <fork default-value="false">false</fork>
```

```
<generatedTestSourcesDirectory default-value="${project.build.directory}/generated-test-sources/test-annotations"/> <maxmem>${maven.compiler.maxmem}
</maxmem> <meminitial>${maven.compiler.meminitial}</meminitial> <mojoExecution default-value="${mojoExecution}"/> <optimize default-
value="false">${maven.compiler.optimize}</optimize> <outputDirectory default-value="${project.build.testOutputDirectory}"/> <parameters default-
value="false">${maven.compiler.parameters}</parameters> <project default-value="${project}"/> <release>${maven.compiler.release}</release> <session
default-value="${session}"/> <showDeprecation default-value="false">${maven.compiler.showDeprecation}</showDeprecation> <showWarnings default-
value="false">${maven.compiler.showWarnings}</showWarnings> <skip>${maven.test.skip}</skip> <skipMultiThreadWarning default-
value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning> <source default-value="1.5">1.8</source> <staleMillis default-
value="0">${lastModGranularityMs}</staleMillis> <target default-value="1.5">1.8</target> <testExcludes> <testExclude>*/Benchmark*</testExclude>
</testExcludes> <testPath default-value="${project.testClasspathElements}"/> <testRelease>${maven.compiler.testRelease}</testRelease>
<testSource>${maven.compiler.testSource}</testSource> <testTarget>${maven.compiler.testTarget}</testTarget> <useIncrementalCompilation default-
value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation> <verbose default-value="false">${maven.compiler.verbose}
</verbose> </configuration> [DEBUG] ----- [DEBUG] Goal: org.jacoco:jacoco-maven-
plugin:0.7.7.201606060606:prepare-agent (prepare-agent) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration> <address>${jacoco.address}</address> <append>${jacoco.append}</append> <classDumpDir>${jacoco.classDumpDir}</classDumpDir>
<destFile default-value="${project.build.directory}/jacoco.exec">${jacoco.destFile}</destFile> <dumpOnExit>${jacoco.dumpOnExit}</dumpOnExit>
<exclClassLoaders>${jacoco.exclClassLoaders}</exclClassLoaders> <excludes> <exclude>*/examples/*</exclude> </excludes>
<inclBootstrapClasses>${jacoco.inclBootstrapClasses}</inclBootstrapClasses> <inclNoLocationClasses>${jacoco.inclNoLocationClasses}</inclNoLocationClasses>
<inclNoLocationClasses> <jmx>${jacoco.jmx}</jmx> <output>${jacoco.output}</output> <pluginArtifactMap>${plugin.artifactMap}</pluginArtifactMap>
<port>${jacoco.port}</port> <project>${project}</project> <propertyName>${jacoco.propertyName}</propertyName> <sessionId>${jacoco.sessionId}
</sessionId> <skip default-value="false">${jacoco.skip}</skip> </configuration> [DEBUG] -----
[DEBUG] Goal: org.apache.maven.plugins:maven-surefire-plugin:2.20.1:test (default-test) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml
version="1.0" encoding="UTF-8"?> <configuration> <additionalClasspathElements>${maven.test.additionalClasspath}</additionalClasspathElements>
<argLine>${argLine}</argLine> <basedir default-value="${basedir}"/> <childDelegation default-value="false">${childDelegation}</childDelegation>
<classesDirectory default-value="${project.build.outputDirectory}"/> <classpathDependencyExcludes>${maven.test.dependency.excludes}
</classpathDependencyExcludes> <debugForkedProcess>${maven.surefire.debug}</debugForkedProcess> <dependenciesToScan>${dependenciesToScan}
</dependenciesToScan> <disableXmlReport default-value="false">${disableXmlReport}</disableXmlReport> <enableAssertions default-
value="true">${enableAssertions}</enableAssertions> <excludedGroups>${excludedGroups}</excludedGroups> <excludesFile>${surefire.excludesFile}
</excludesFile> <failIfNoSpecifiedTests>${surefire.failIfNoSpecifiedTests}</failIfNoSpecifiedTests> <failIfNoTests>${failIfNoTests}</failIfNoTests>
<forkCount default-value="1">${forkCount}</forkCount> <forkMode default-value="once">${forkMode}</forkMode> <forkedProcessExitTimeoutInSeconds
default-value="30">${surefire.exitTimeout}</forkedProcessExitTimeoutInSeconds> <forkedProcessTimeoutInSeconds>${surefire.timeout}
</forkedProcessTimeoutInSeconds> <groups>${groups}</groups> <includesFile>${surefire.includesFile}</includesFile> <junitArtifactName default-
value="junit:junit">${junitArtifactName}</junitArtifactName> <jvm>${jvm}</jvm> <localRepository default-value="${localRepository}"/>
<objectFactory>${objectFactory}</objectFactory> <parallel>${parallel}</parallel> <parallelMavenExecution default-value="${session.parallel}"/>
<parallelOptimized default-value="true">${parallelOptimized}</parallelOptimized> <parallelTestsTimeoutForcedInSeconds>${surefire.parallel.forcedTimeout}
</parallelTestsTimeoutForcedInSeconds> <parallelTestsTimeoutInSeconds>${surefire.parallel.timeout}</parallelTestsTimeoutInSeconds> <perCoreThreadCount
default-value="true">${perCoreThreadCount}</perCoreThreadCount> <pluginArtifactMap>${plugin.artifactMap}</pluginArtifactMap> <pluginDescriptor
default-value="${plugin}"/> <printSummary default-value="true">${surefire.printSummary}</printSummary> <projectArtifactMap>${project.artifactMap}
</projectArtifactMap> <projectBuildDirectory default-value="${project.build.directory}"/> <redirectTestOutputToFile default-
value="false">${maven.test.redirectTestOutputToFile}</redirectTestOutputToFile> <remoteRepositories default-value="${project.pluginArtifactRepositories}"/>
<reportFormat default-value="brief">${surefire.reportFormat}</reportFormat> <reportNameSuffix default-value="">${surefire.reportNameSuffix}
</reportNameSuffix> <reportsDirectory default-value="${project.build.directory}/surefire-reports"/> <rerunFailingTestsCount default-
value="0">${surefire.rerunFailingTestsCount}</rerunFailingTestsCount> <reuseForks default-value="true">${reuseForks}</reuseForks> <runOrder default-
value="filesystem">${surefire.runOrder}</runOrder> <shutdown default-value="testset">${surefire.shutdown}</shutdown> <skip default-
value="false">${maven.test.skip}</skip> <skipAfterFailureCount default-value="0">${surefire.skipAfterFailureCount}</skipAfterFailureCount>
<skipExec>${maven.test.skip.exec}</skipExec> <skipTests default-value="false">${skipTests}</skipTests> <suiteXmlFiles>${surefire.suiteXmlFiles}
</suiteXmlFiles> <tempDir default-value="surefire">${tempDir}</tempDir> <test>${test}</test> <testClassesDirectory default-
value="${project.build.testOutputDirectory}"/> <testFailureIgnore default-value="false">${maven.test.failure.ignore}</testFailureIgnore> <testNGArtifactName
default-value="org.testng:testng">${testNGArtifactName}</testNGArtifactName> <testSourceDirectory default-value="${project.build.testSourceDirectory}"/>
<threadCount>${threadCount}</threadCount> <threadCountClasses default-value="0">${threadCountClasses}</threadCountClasses> <threadCountMethods
default-value="0">${threadCountMethods}</threadCountMethods> <threadCountSuites default-value="0">${threadCountSuites}</threadCountSuites>
<trimStackTrace default-value="true">${trimStackTrace}</trimStackTrace> <useFile default-value="true">${surefire.useFile}</useFile> <useManifestOnlyJar
default-value="true">${surefire.useManifestOnlyJar}</useManifestOnlyJar> <useSystemClassLoader default-value="true">${surefire.useSystemClassLoader}
</useSystemClassLoader> <useUnlimitedThreads default-value="false">${useUnlimitedThreads}</useUnlimitedThreads> <workingDirectory>${basedir}
</workingDirectory> <project default-value="${project}"/> <session default-value="${session}"/> </configuration> [DEBUG] -----
[DEBUG] Goal: org.apache.maven.plugins:maven-jar-plugin:3.0.0:jar (default-jar) [DEBUG] Style: Regular [DEBUG] Configuration:
<?xml version="1.0" encoding="UTF-8"?> <configuration> <archive> <manifestEntries> <Main-Class>org.apache.commons.crypto.Crypto</Main-Class>
<Specification-Title>Apache Commons Crypto</Specification-Title> <Specification-Version>1.1.0-SNAPSHOT</Specification-Version> <Specification-
Vendor>The Apache Software Foundation</Specification-Vendor> <Implementation-Title>Apache Commons Crypto</Implementation-Title> <Implementation-
Version>1.1.0-SNAPSHOT</Implementation-Version> <Implementation-Vendor>The Apache Software Foundation</Implementation-Vendor> <Implementation-
Vendor-Id>org.apache</Implementation-Vendor-Id> <Implementation-Build>${scmBranch}@${buildNumber}; 2019-04-12 11:03:37+0530</Implementation-
Build> <X-Compile-Source-JDK>1.8</X-Compile-Source-JDK> <X-Compile-Target-JDK>1.8</X-Compile-Target-JDK> </manifestEntries>
<manifestFile>home/kd/commons-crypto/target/osgi/MANIFEST.MF</manifestFile> <manifest>
<addDefaultSpecificationEntries>true</addDefaultSpecificationEntries> <addDefaultImplementationEntries>true</addDefaultImplementationEntries>
</manifest> </archive> <classesDirectory default-value="${project.build.outputDirectory}"/> <finalName default-value="${project.build.finalName}"/>
<forceCreation default-value="false">${maven.jar.forceCreation}</forceCreation> <outputDirectory default-value="${project.build.directory}"/> <project
default-value="${project}"/> <session default-value="${session}"/> <skipIfEmpty default-value="false">${skipIfEmpty}</skipIfEmpty> <useDefaultManifestFile default-
value="false">${jar.useDefaultManifestFile}</useDefaultManifestFile> </configuration> [DEBUG] -----
[DEBUG] Goal: org.apache.maven.plugins:maven-site-plugin:3.7:attach-descriptor (attach-descriptor) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml
version="1.0" encoding="UTF-8"?> <configuration> <basedir>${basedir}</basedir> <localRepository default-value="${localRepository}"/> <locales default-
value="en">${locales}</locales> <pomPackagingOnly default-value="true"/> <project default-value="${project}"/> <reactorProjects default-
value="${reactorProjects}"/> <relativizeDecorationLinks default-value="true">${relativizeDecorationLinks}</relativizeDecorationLinks> <repositories default-
value="${project.remoteArtifactRepositories}"/> <siteDirectory default-value="${basedir}/src/site"> <skip default-value="false">${maven.site.skip}</skip>
</configuration> [DEBUG] --- init fork of org.apache.commons:commons-crypto:1.1.0-SNAPSHOT for org.codehaus.mojo:clirr-maven-plugin:2.8:check (default)
--- [DEBUG] Dependencies (collect): [test] [DEBUG] Dependencies (resolve): [compile, test] [DEBUG] -----
-- [DEBUG] Goal: org.apache.maven.plugins:maven-enforcer-plugin:1.4.1:enforce (enforce-maven-3) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml
version="1.0" encoding="UTF-8"?> <configuration> <fail default-value="true">true</fail> <failFast default-value="false">${enforcer.failFast}</failFast>
<ignoreCache default-value="false">${enforcer.ignoreCache}</ignoreCache> <mojoExecution default-value="${mojoExecution}"/> <project default-
value="${project}"/> <rules> <requireMavenVersion> <version>3.0.0</version> </requireMavenVersion> </rules> <session default-value="${session}"/> <skip
default-value="false">${enforcer.skip}</skip> </configuration> [DEBUG] ----- [DEBUG] Goal:
org.codehaus.mojo:build-helper-maven-plugin:3.0.0:parse-version (parse-version) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0"
encoding="UTF-8"?> <configuration> <formatBuildNumber default-value="%02d"/> <formatIncremental default-value="%02d"/> <formatMajor default-
value="%02d"/> <formatMinor default-value="%02d"/> <formattedPropertyPrefix default-value="formattedVersion"/> <project default-value="${project}"/>
<propertyPrefix default-value="parsedVersion">javaTarget</propertyPrefix> <versionString default-value="${project.version}">1.8</versionString>
</configuration> [DEBUG] ----- [DEBUG] Goal: org.apache.maven.plugins:maven-resources-
plugin:2.7:resources (create-version-file) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration>
<buildFilters default-value="${project.build.filters}"/> <encoding default-value="${project.build.sourceEncoding}">${encoding}</encoding>
<escapeString>${maven.resources.escapeString}</escapeString> <escapeWindowsPaths default-value="true">${maven.resources.escapeWindowsPaths}
</escapeWindowsPaths> <includeEmptyDirs default-value="false">${maven.resources.includeEmptyDirs}</includeEmptyDirs> <outputDirectory default-
```

value="\${project.build.outputDirectory}"/> <overwrite default-value="false">\${maven.resources.overwrite}</overwrite> <project default-value="\${project}"/>
<resources default-value="\${project.resources}"/> <session default-value="\${session}"/> <supportMultiLineFiltering default-
value="false">\${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering> <useBuildFilters default-value="true"/> <useDefaultDelimiters
default-value="true"/> </configuration> [DEBUG] ----- [DEBUG] Goal: org.apache.maven.plugins:maven-
antrun-plugin:1.8:run (javadoc.resources) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration>
<exportAntProperties default-value="false"/> <failOnError default-value="true"/> <localRepository>\${localRepository}</localRepository>
<pluginArtifacts>\${plugin.artifacts}</pluginArtifacts> <project default-value="\${project}"/> <skip default-value="false">\${maven.antrun.skip}</skip>
<sourceRoot>\${sourceRoot}</sourceRoot> <target> <copy todir="/home/kd/commons-crypto/target/apidocs/META-INF"> <fileset dir="/home/kd/commons-
crypto"> <include name="LICENSE.txt"/> <include name="NOTICE.txt"/> </fileset> </copy> </target> <testSourceRoot>\${testSourceRoot}</testSourceRoot>
<versionsPropertyName default-value="maven.project.dependencies.versions"/> </configuration> [DEBUG] -----
----- [DEBUG] Goal: org.apache.maven.plugins:maven-remote-resources-plugin:1.5:process (process-resource-bundles) [DEBUG] Style: Regular [DEBUG]
Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration> <appendedResourcesDirectory default-value="\${basedir}/src/main/appended-
resources"/> <attachToMain default-value="true">\${attachToMain}</attachToMain> <attachToTest default-value="true">\${attachToTest}</attachToTest>
<attached default-value="true"/> <basedir default-value="\${basedir}"/> <encoding default-value="\${project.build.sourceEncoding}">\${encoding}</encoding>
<excludeArtifactIds default-value="">\${excludeArtifactIds}</excludeArtifactIds> <excludeGroupIds default-value="">\${excludeGroupIds}</excludeGroupIds>
<excludeScope default-value="">\${excludeScope}</excludeScope> <excludeTransitive default-value="false">\${excludeTransitive}</excludeTransitive>
<includeArtifactIds default-value="">\${includeArtifactIds}</includeArtifactIds> <includeGroupIds default-value="">\${includeGroupIds}</includeGroupIds>
<includeProjectProperties default-value="false"/> <includeScope default-value="runtime">\${includeScope}</includeScope> <localRepository default-
value="\${localRepository}"/> <outputDirectory default-value="\${project.build.directory}/maven-shared-archive-resources"/> <remoteArtifactRepositories
default-value="\${project.remoteArtifactRepositories}"/> <resourceBundles> <resourceBundle>org.apache:apache-jar-resource-bundle:1.4</resourceBundle>
</resourceBundles> <resources default-value="\${project.resources}"/> <runOnlyAtExecutionRoot default-value="false"/> <skip default-
value="false">true</skip> <useDefaultFilterDelimiters default-value="true"/> <mavenSession default-value="\${session}"/> <project default-
value="\${project}"/> </configuration> [DEBUG] ----- [DEBUG] Goal: org.codehaus.mojo:buildnumber-
maven-plugin:1.4:create (default) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration>
<buildNumberPropertiesFileLocation default-value="\${basedir}/buildNumber.properties"/> <buildNumberPropertyName default-
value="buildNumber">\${maven.buildNumber.buildNumberPropertyName}</buildNumberPropertyName> <doCheck default-value="false">false</doCheck>
<doUpdate default-value="false">false</doUpdate> <format>\${maven.buildNumber.format}</format> <getRevisionOnlyOnce default-
value="false">\${maven.buildNumber.getRevisionOnlyOnce}</getRevisionOnlyOnce> <locale>\${maven.buildNumber.locale}</locale> <password>\${password}</password>
<project default-value="\${project}"/> <reactorProjects default-value="\${reactorProjects}"/> <revisionOnScmFailure>?????</revisionOnScmFailure>
<scmBranchPropertyFailure> <scmBranchPropertyName default-value="scmBranch">\${maven.buildNumber.scmBranchPropertyName}</scmBranchPropertyName>
</scmBranchPropertyFailure> <scmConnectionUrl default-value="\${project.scm.connection}"/> <scmDeveloperConnectionUrl default-
value="\${project.scm.developerConnection}"/> <scmDirectory default-value="\${basedir}">\${maven.buildNumber.scmDirectory}</scmDirectory> <scmTag
default-value="\${project.scm.tag}"/> <session default-value="\${session}"/> <settings default-value="\${settings}"/> <shortRevisionLength default-
value="0">\${maven.buildNumber.shortRevisionLength}</shortRevisionLength> <skip default-value="false">\${maven.buildNumber.skip}</skip>
<timestampFormat>\${maven.buildNumber.timestampFormat}</timestampFormat> <timestampPropertyName default-
value="timestamp">\${maven.buildNumber.timestampPropertyName}</timestampPropertyName> <useLastCommittedRevision default-
value="false">true</useLastCommittedRevision> <username>\${username}</username> </configuration> [DEBUG] -----
----- [DEBUG] Goal: org.apache.maven.plugins:maven-resources-plugin:2.7:resources (default-resources) [DEBUG] Style: Regular [DEBUG]
Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration> <buildFilters default-value="\${project.build.filters}"/> <encoding default-
value="\${project.build.sourceEncoding}">\${encoding}</encoding> <escapeString>\${maven.resources.escapeString}</escapeString> <escapeWindowsPaths
default-value="true">\${maven.resources.escapeWindowsPaths}</escapeWindowsPaths> <includeEmptyDirs default-
value="false">\${maven.resources.includeEmptyDirs}</includeEmptyDirs> <outputDirectory default-value="\${project.build.outputDirectory}"/> <overwrite
default-value="false">\${maven.resources.overwrite}</overwrite> <project default-value="\${project}"/> <resources default-value="\${project.resources}"/>
<session default-value="\${session}"/> <supportMultiLineFiltering default-value="false">\${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering>
<useBuildFilters default-value="true"/> <useDefaultDelimiters default-value="true"/> </configuration> [DEBUG] -----
----- [DEBUG] Goal: org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile (default-compile) [DEBUG] Style:
Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration> <basedir default-value="\${basedir}"/> <buildDirectory default-
value="\${project.build.directory}"/> <compilePath default-value="\${project.compileClasspathElements}"/> <compileSourceRoots default-
value="\${project.compileSourceRoots}"/> <compilerId default-value="javac">\${maven.compiler.compilerId}</compilerId> <compilerReuseStrategy default-
value="\${reuseCreated}">\${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy> <compilerVersion>\${maven.compiler.compilerVersion}</compilerVersion>
<debug default-value="true">\${maven.compiler.debug}</debug> <debuglevel>\${maven.compiler.debuglevel}</debuglevel> <encoding
default-value="\${project.build.sourceEncoding}">iso-8859-1</encoding> <excludes> <exclude>**/package-info.java</exclude> </excludes>
<executable>\${maven.compiler.executable}</executable> <failOnError default-value="true">\${maven.compiler.failOnError}</failOnError> <failOnWarning
default-value="false">\${maven.compiler.failOnWarning}</failOnWarning> <forceJavacCompilerUse default-
value="false">\${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse> <fork default-value="false">false</fork> <generatedSourcesDirectory
default-value="\${project.build.directory}/generated-sources/annotations"/> <maxmem>\${maven.compiler.maxmem}</maxmem>
<meminitial>\${maven.compiler.meminitial}</meminitial> <mojoExecution default-value="\${mojoExecution}"/> <optimize default-
value="false">\${maven.compiler.optimize}</optimize> <outputDirectory default-value="\${project.build.outputDirectory}"/> <parameters default-
value="false">\${maven.compiler.parameters}</parameters> <project default-value="\${project}"/> <projectArtifact default-value="\${project.artifact}"/>
<release>\${maven.compiler.release}</release> <session default-value="\${session}"/> <showDeprecation default-
value="false">\${maven.compiler.showDeprecation}</showDeprecation> <showWarnings default-value="false">\${maven.compiler.showWarnings}</showWarnings>
<skipMain> <skipMain>\${maven.main.skip}</skipMain> <skipMultiThreadWarning default-value="false">\${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
<source default-value="1.5">1.8</source> <staleMillis default-value="0">\${lastModGranularityMs}</staleMillis> <target default-
value="1.5">1.8</target> <useIncrementalCompilation default-value="true">\${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
<verbose default-value="false">\${maven.compiler.verbose}</verbose> </configuration> [DEBUG] --- exit fork of org.apache.commons:commons-crypto:1.1.0-
SNAPSHOT for org.codehaus.mojo:clirr-maven-plugin:2.8:check (default) --- [DEBUG] -----
----- [DEBUG] Goal: org.codehaus.mojo:clirr-maven-plugin:2.8:check (default) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration> <classesDirectory default-value="\${project.build.outputDirectory}"/> <comparisonVersion default-value="
(\${project.version})">\${comparisonVersion}</comparisonVersion> <failOnError default-value="true">\${failOnError}</failOnError> <failOnInfo default-
value="false">\${failOnInfo}</failOnInfo> <failOnWarning default-value="false">\${failOnWarning}</failOnWarning>
<ignoredDifferencesFile>/home/kd/commons-crypto/clirr-excludes.xml</ignoredDifferencesFile> <localRepository default-value="\${localRepository}"/>
<logResults default-value="false">\${logResults}</logResults> <minSeverity default-value="warning">info</minSeverity> <project>\${project}</project> <skip
default-value="false">\${clirr.skip}</skip> <skipArtifactTypeTest default-value="false">\${clirr.skipArtifactTypeTest}</skipArtifactTypeTest>
<textOutputFile>\${textOutputFile}</textOutputFile> <xmlOutputFile>\${xmlOutputFile}</xmlOutputFile> </configuration> [DEBUG] -----
----- [DEBUG] Goal: org.jacoco:jacoco-maven-plugin:0.7.7.201606060606:check (check) [DEBUG] Style: Regular [DEBUG]
Configuration: <?xml version="1.0" encoding="UTF-8"?> <configuration> <dataFile default-value="\${project.build.directory}/jacoco.exec"/> <excludes>
<exclude>**/examples/*</exclude> </excludes> <haltOnFailure default-value="true">false</haltOnFailure> <project>\${project}</project> <rules> <rule>
<element>BUNDLE</element> <limits> <limit> <counter>CLASS</counter> <value>COVEREDRATIO</value> <minimum>1.00</minimum> </limit>
<limit> <counter>INSTRUCTION</counter> <value>COVEREDRATIO</value> <minimum>0.90</minimum> </limit> <limit> <counter>METHOD</counter>
<value>COVEREDRATIO</value> <minimum>0.95</minimum> </limit> <limit> <counter>BRANCH</counter> <value>COVEREDRATIO</value>
<minimum>0.85</minimum> </limit> <limit> <counter>LINE</counter> <value>COVEREDRATIO</value> <minimum>0.90</minimum> </limit> <limit>
<counter>COMPLEXITY</counter> <value>COVEREDRATIO</value> <minimum>0.85</minimum> </limit> </rules> </rule> </rules> <skip default-
value="false">\${jacoco.skip}</skip> </configuration> [DEBUG] ----- [DEBUG] Goal:
org.apache.maven.plugins:maven-install-plugin:2.5.2:install (default-install) [DEBUG] Style: Regular [DEBUG] Configuration: <?xml version="1.0"
encoding="UTF-8"?> <configuration> <artifact default-value="\${project.artifact}"/> <attachedArtifacts default-value="\${project.attachedArtifacts}"/>
<createChecksum default-value="false">\${createChecksum}</createChecksum> <installAtEnd default-value="false">\${installAtEnd}</installAtEnd>
<localRepository>\${localRepository}</localRepository> <packaging default-value="\${project.packaging}"/> <pomFile default-value="\${project.file}"/>
<project default-value="\${project}"/> <reactorProjects default-value="\${reactorProjects}"/> <skip default-value="false">\${maven.install.skip}</skip>

```
<updateReleaseInfo default-value="false">${updateReleaseInfo}</updateReleaseInfo> </configuration> [DEBUG]
===== [DEBUG] org.apache.commons:commons-crypto:jar:1.1.0-
SNAPSHOT [DEBUG] junit:junit:jar:4.12:test [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:test [DEBUG] net.java.dev.jna:jna:jar:4.4.0:compile [INFO] [INFO]
--- maven-clean-plugin:3.0.0:clean (default-clean) @ commons-crypto --- [DEBUG] Created new class realm maven.api [DEBUG] Importing foreign packages
into class realm maven.api [DEBUG] Imported: org.apache.maven.cli < plexus.core [DEBUG] Imported: org.codehaus.plexus.lifecycle < plexus.core [DEBUG]
Imported: org.apache.maven.lifecycle < plexus.core [DEBUG] Imported: org.apache.maven.repository < plexus.core [DEBUG] Imported:
org.codehaus.plexus.personality < plexus.core [DEBUG] Imported: org.apache.maven.usability < plexus.core [DEBUG] Imported:
org.codehaus.plexus.configuration < plexus.core [DEBUG] Imported: org.sonatype.aether.version < plexus.core [DEBUG] Imported: org.sonatype.aether.* <
plexus.core [DEBUG] Imported: org.sonatype.aether.artifact < plexus.core [DEBUG] Imported: org.apache.maven.* < plexus.core [DEBUG] Imported:
org.apache.maven.project < plexus.core [DEBUG] Imported: org.sonatype.aether.repository < plexus.core [DEBUG] Imported: org.sonatype.aether.impl <
plexus.core [DEBUG] Imported: org.apache.maven.exception < plexus.core [DEBUG] Imported: org.apache.maven.plugin < plexus.core [DEBUG] Imported:
org.sonatype.aether.collection < plexus.core [DEBUG] Imported: org.codehaus.plexus.* < plexus.core [DEBUG] Imported: org.codehaus.plexus.logging <
plexus.core [DEBUG] Imported: org.apache.maven.profiles < plexus.core [DEBUG] Imported: org.sonatype.aether.metadata < plexus.core [DEBUG] Imported:
org.sonatype.aether.spi < plexus.core [DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlPullParserException < plexus.core [DEBUG] Imported:
org.apache.maven.wagon.* < plexus.core [DEBUG] Imported: org.sonatype.aether.graph < plexus.core [DEBUG] Imported: org.apache.maven.rtinfo < plexus.core
[DEBUG] Imported: org.sonatype.aether.installation < plexus.core [DEBUG] Imported: org.apache.maven.monitor < plexus.core [DEBUG] Imported:
org.sonatype.aether.transfer < plexus.core [DEBUG] Imported: org.codehaus.plexus.context < plexus.core [DEBUG] Imported:
org.apache.maven.wagon.observers < plexus.core [DEBUG] Imported: org.apache.maven.wagon.resource < plexus.core [DEBUG] Imported:
org.sonatype.aether.deployment < plexus.core [DEBUG] Imported: org.apache.maven.model < plexus.core [DEBUG] Imported:
org.codehaus.plexus.util.xml.Xpp3Dom < plexus.core [DEBUG] Imported: org.apache.maven.artifact < plexus.core [DEBUG] Imported:
org.apache.maven.toolchain < plexus.core [DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlSerializer < plexus.core [DEBUG] Imported:
org.apache.maven.settings < plexus.core [DEBUG] Imported: org.apache.maven.wagon.authorization < plexus.core [DEBUG] Imported:
org.apache.maven.wagon.events < plexus.core [DEBUG] Imported: org.apache.maven.wagon.authentication < plexus.core [DEBUG] Imported:
org.apache.maven.reporting < plexus.core [DEBUG] Imported: org.apache.maven.wagon.repository < plexus.core [DEBUG] Imported:
org.apache.maven.configuration < plexus.core [DEBUG] Imported: org.codehaus.plexus.classworlds < plexus.core [DEBUG] Imported: org.codehaus.classworlds
< plexus.core [DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlPullParser < plexus.core [DEBUG] Imported: org.apache.maven.classrealm < plexus.core
[DEBUG] Imported: org.sonatype.aether.resolution < plexus.core [DEBUG] Imported: org.apache.maven.execution < plexus.core [DEBUG] Imported:
org.apache.maven.wagon.proxy < plexus.core [DEBUG] Imported: org.codehaus.plexus.container < plexus.core [DEBUG] Imported:
org.codehaus.plexus.component < plexus.core [DEBUG] Populating class realm maven.api [DEBUG] org.apache.maven.plugins:maven-clean-plugin:jar:3.0.0:
[DEBUG] org.apache.maven:maven-plugin-api:jar:3.0:compile [DEBUG] org.apache.maven:maven-model:jar:3.0:compile [DEBUG] org.codehaus.plexus:plexus-
utils:jar:2.0.4:compile [DEBUG] org.apache.maven:maven-artifact:jar:3.0:compile [DEBUG] org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile [DEBUG]
org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile (version managed from 1.5.4) [DEBUG] org.codehaus.plexus:plexus-
classworlds:jar:2.2.3:compile [DEBUG] org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile [DEBUG] org.sonatype.sisu:sisu-guice:jar:3.0:compile
[DEBUG] org.apache.maven:shared:maven-shared-utils:jar:3.0.0:compile [DEBUG] commons-io:commons-io:jar:2.4:compile [DEBUG]
com.google.code.findbugs:jsr305:jar:2.0.1:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-clean-plugin:3.0.0 [DEBUG]
Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-clean-plugin:3.0.0 [DEBUG] Imported: < maven.api [DEBUG] Populating
class realm plugin>org.apache.maven.plugins:maven-clean-plugin:3.0.0 [DEBUG] Included: org.apache.maven.plugins:maven-clean-plugin:jar:3.0.0 [DEBUG]
Included: org.codehaus.plexus:plexus-utils:jar:2.0.4 [DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5 [DEBUG] Included:
org.sonatype.sisu:sisu-inject-bean:jar:1.4.2 [DEBUG] Included: org.sonatype.sisu:sisu-guice:jar:3.0:compile [DEBUG] Included: org.apache.maven:shared:maven-
shared-utils:jar:3.0.0 [DEBUG] Included: commons-io:commons-io:jar:2.4 [DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1 [DEBUG] Excluded:
org.apache.maven:maven-plugin-api:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-
artifact:jar:3.0 [DEBUG] Excluded: org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2 [DEBUG] Excluded: org.codehaus.plexus:plexus-classworlds:jar:2.2.3 [DEBUG]
Configuring mojo org.apache.maven.plugins:maven-clean-plugin:3.0.0:clean from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-clean-
plugin:3.0.0, parent: sun.misc.Launcher$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:3.0.0:clean'
with basic configurator --> [DEBUG] (f) directory = /home/kd/commons-crypto/target [DEBUG] (f) excludeDefaultDirectories = false [DEBUG] (f) failOnError =
true [DEBUG] (f) followSymLinks = false [DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (f) reportDirectory =
/home/kd/commons-crypto/target/classes [DEBUG] (f) retryOnError = true [DEBUG] (f) skip = false [DEBUG] (f) testOutputDirectory = /home/kd/commons-
crypto/target/test-classes [DEBUG] -- end configuration -- [INFO] Deleting /home/kd/commons-crypto/target [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.utils.UtilsTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.utils.EnumTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.stream.PositionedCryptoInputStreamTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.stream.CtrNoPaddingCipherStreamTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.stream.CtrCryptoStreamTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.stream.CbcPkcs5PaddingCipherStreamTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.stream.CbcNoPaddingCipherStreamTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.random.OsCryptoRandomTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.random.OpenSslCryptoRandomTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.random.JavaCryptoRandomTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.random.CryptoRandomFactoryTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.NativeCodeLoaderTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.PositionedCryptoInputStreamJnaTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.OpenSslNativeJnaTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.OpenSslJnaCryptoRandomTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.OpenSslJnaCipherTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.CtrNoPaddingCipherJnaStreamTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.CtrCryptoJnaStreamTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.CbcPkcs5PaddingCipherJnaStreamTest.xml [INFO] Deleting
file /home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.jna.CbcNoPaddingCipherJnaStreamTest.xml [INFO] Deleting
file /home/kd/commons-crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.CryptoTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.cipher.OpenSslCipherTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.cipher.JceCipherTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.cipher.GcmCipherTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/Test_Report_AARCH64/TEST-org.apache.commons.crypto.cipher.CryptoCipherFactoryTest.xml [INFO] Deleting directory /home/kd/commons-
crypto/target/Test_Report_AARCH64 [INFO] Deleting file /home/kd/commons-crypto/target/commons-crypto-1.1.0-SNAPSHOT.jar [INFO] Deleting file
/home/kd/commons-crypto/target/maven-archiver/pom.properties [INFO] Deleting directory /home/kd/commons-crypto/target/maven-archiver [INFO] Deleting
file /home/kd/commons-crypto/target/surefire-reports/TEST-org.apache.commons.crypto.NativeCodeLoaderTest.xml [INFO] Deleting file /home/kd/commons-
crypto/target/surefire-reports/org.apache.commons.crypto.NativeCodeLoaderTest.txt [INFO] Deleting file /home/kd/commons-crypto/target/surefire-reports/TEST-
org.apache.commons.crypto.utils.EnumTest.xml [INFO] Deleting file /home/kd/commons-crypto/target/surefire-
reports/org.apache.commons.crypto.utils.EnumTest.txt [INFO] Deleting file /home/kd/commons-crypto/target/surefire-reports/TEST-
org.apache.commons.crypto.utils.UtilsTest.xml [INFO] Deleting file /home/kd/commons-crypto/target/surefire-
reports/org.apache.commons.crypto.utils.UtilsTest.txt [INFO] Deleting file /home/kd/commons-crypto/target/surefire-reports/TEST-
org.apache.commons.crypto.CryptoTest.xml [INFO] Deleting file /home/kd/commons-crypto/target/surefire-reports/org.apache.commons.crypto.CryptoTest.txt
[INFO] Deleting file /home/kd/commons-crypto/target/surefire-reports/TEST-org.apache.commons.crypto.stream.CbcNoPaddingCipherStreamTest.xml [INFO]
Deleting file /home/kd/commons-crypto/target/surefire-reports/org.apache.commons.crypto.stream.CbcNoPaddingCipherStreamTest.txt [INFO] Deleting file
/home/kd/commons-crypto/target/surefire-reports/TEST-org.apache.commons.crypto.stream.CtrNoPaddingCipherStreamTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/surefire-reports/org.apache.commons.crypto.stream.CtrNoPaddingCipherStreamTest.txt [INFO] Deleting file
/home/kd/commons-crypto/target/surefire-reports/TEST-org.apache.commons.crypto.stream.CbcPkcs5PaddingCipherStreamTest.xml [INFO] Deleting file
/home/kd/commons-crypto/target/surefire-reports/org.apache.commons.crypto.stream.CbcPkcs5PaddingCipherStreamTest.txt [INFO] Deleting file
```

[illegible]

[illegible]

crypto/target/classes/org/apache/commons/crypto/stream [INFO] Deleting file /home/kd/commons-crypto/target/classes/org/apache/commons/crypto/component.properties [INFO] Deleting directory /home/kd/commons-crypto/target/classes/org/apache/commons/crypto [INFO] Deleting directory /home/kd/commons-crypto/target/classes/org/apache/commons [INFO] Deleting directory /home/kd/commons-crypto/target/classes/org/apache [INFO] Deleting directory /home/kd/commons-crypto/target/classes [INFO] Deleting directory /home/kd/commons-crypto/target [DEBUG] Skipping non-existing directory /home/kd/commons-crypto/target/classes [DEBUG] Skipping non-existing directory /home/kd/commons-crypto/target/test-classes [DEBUG] Skipping non-existing directory /home/kd/commons-crypto/target/classes [INFO] [INFO] --- maven-enforcer-plugin:1.4.1:enforce (enforce-maven-3) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-enforcer-plugin:jar:1.4.1: [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.11:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] org.apache.maven:maven-core:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1:compile [DEBUG] org.slf4j:slf4j-jdk14:jar:1.5.6:runtime [DEBUG] org.slf4j:slf4j-api:jar:1.5.6:runtime [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.2.1:compile [DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.1:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.2.1:compile [DEBUG] commons-cli:commons-cli:jar:1.2:compile [DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile [DEBUG] org.apache.maven:maven-monitor:jar:2.2.1:compile [DEBUG] classworlds:classworlds:jar:1.1:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.22:compile [DEBUG] commons-lang:commons-lang:jar:2.3:compile [DEBUG] org.apache.maven.enforcer:enforcer-api:jar:1.4.1:compile [DEBUG] org.apache.maven.enforcer:enforcer-rules:jar:1.4.1:compile [DEBUG] org.apache.maven.shared:maven-common-artifact-filters:jar:1.4:compile [DEBUG] org.beanshell:bsh:jar:2.0b4:compile [DEBUG] org.apache.maven.shared:maven-dependency-tree:jar:2.2:compile [DEBUG] org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile [DEBUG] org.eclipse.aether:aether-util:jar:0.9.0.M2:compile [DEBUG] org.codehaus.plexus:plexus-i18n:jar:1.0-beta-6:compile [DEBUG] org.apache.maven.plugin-testing:maven-plugin-testing-harness:jar:1.3:compile [DEBUG] org.codehaus.plexus:plexus-archiver:jar:2.2:compile [DEBUG] org.codehaus.plexus:plexus-io:jar:2.0.4:compile [DEBUG] junit:junit:jar:4.11:compile (version managed from 3.8.2) [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-enforcer-plugin:1.4.1 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-enforcer-plugin:1.4.1 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-enforcer-plugin:1.4.1 [DEBUG] Included: org.apache.maven.plugins:maven-enforcer-plugin:jar:1.4.1 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.11 [DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6 [DEBUG] Included: org.slf4j:slf4j-api:jar:1.5.6 [DEBUG] Included: org.slf4j:jcl-over-slf4j:jar:1.5.6 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.2.1 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.1 [DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.1 [DEBUG] Included: commons-cli:commons-cli:jar:1.2 [DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.22 [DEBUG] Included: commons-lang:commons-lang:jar:2.3 [DEBUG] Included: org.apache.maven.enforcer:enforcer-api:jar:1.4.1 [DEBUG] Included: org.apache.maven.enforcer:enforcer-rules:jar:1.4.1 [DEBUG] Included: org.apache.maven.shared:maven-common-artifact-filters:jar:1.4 [DEBUG] Included: org.beanshell:bsh:jar:2.0b4 [DEBUG] Included: org.apache.maven.shared:maven-dependency-tree:jar:2.2 [DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5 [DEBUG] Included: org.eclipse.aether:aether-util:jar:0.9.0.M2 [DEBUG] Included: org.codehaus.plexus:plexus-i18n:jar:1.0-beta-6 [DEBUG] Included: org.apache.maven.plugin-testing:maven-plugin-testing-harness:jar:1.3 [DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:2.2 [DEBUG] Included: org.codehaus.plexus:plexus-io:jar:2.0.4 [DEBUG] Included: junit:junit:jar:4.11 [DEBUG] Included: org.hamcrest:hamcrest-core:jar:1.3 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-error-diagnostics:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-descriptor:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-monitor:jar:2.2.1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-enforcer-plugin:1.4.1:enforce from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-enforcer-plugin:1.4.1, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-enforcer-plugin:1.4.1:enforce' with basic configurator --> [DEBUG] (s) fail = true [DEBUG] (s) failFast = false [DEBUG] (f) ignoreCache = false [DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-enforcer-plugin:1.4.1:enforce {execution: enforce-maven-3} [DEBUG] (s) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) version = 3.0.0 [DEBUG] (s) rules = [org.apache.maven.plugins.enforcer.RequireMavenVersion@2b5f4d54] [DEBUG] (s) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (s) skip = false [DEBUG] -- end configuration -- [DEBUG] Executing rule: org.apache.maven.plugins.enforcer.RequireMavenVersion [DEBUG] Rule org.apache.maven.plugins.enforcer.RequireMavenVersion is cacheable. [DEBUG] Detected Maven Version: 3.0.5 [DEBUG] Detected Maven Version: 3.0.5 is allowed in the range 3.0.0. [INFO] [INFO] --- build-helper-maven-plugin:3.0.0:parse-version (parse-version) @ commons-crypto --- [DEBUG] org.codehaus.mojo:build-helper-maven-plugin:jar:3.0.0: [DEBUG] org.apache.maven:maven-core:jar:3.0:compile [DEBUG] org.apache.maven:maven-model:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings-builder:jar:3.0:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:3.0:compile [DEBUG] org.apache.maven:maven-artifact:jar:3.0:compile [DEBUG] org.apache.maven:maven-model-builder:jar:3.0:compile [DEBUG] org.apache.maven:maven-aether-provider:jar:3.0:runtime [DEBUG] org.sonatype.aether:aether-impl:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-spi:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-util:jar:1.7:compile [DEBUG] org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile [DEBUG] org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile [DEBUG] org.sonatype.sisu:sisu-guice:jar:noaop:2.1.7:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.14:compile [DEBUG] org.codehaus.plexus:plexus-classworlds:jar:2.2.3:compile [DEBUG] org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-plugin-api:jar:3.0:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.24:compile [DEBUG] org.beanshell:bsh:jar:2.0b4:compile [DEBUG] org.apache.maven.shared:file-management:jar:3.0.0:compile [DEBUG] org.apache.maven.shared:maven-shared-io:jar:3.0.0:compile [DEBUG] org.apache.maven:shared:file-management:jar:3.0.0:compile [DEBUG] org.apache.maven:shared:file-management:jar:3.0.0:compile [DEBUG] commons-io:commons-io:jar:2.4:compile [DEBUG] com.google.code.findbugs:jsr305:jar:2.0.1:compile [DEBUG] Created new class realm plugin>org.codehaus.mojo:build-helper-maven-plugin:3.0.0 [DEBUG] Importing foreign packages into class realm plugin>org.codehaus.mojo:build-helper-maven-plugin:3.0.0 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.codehaus.mojo:build-helper-maven-plugin:3.0.0 [DEBUG] Included: org.codehaus.mojo:build-helper-maven-plugin:jar:3.0.0 [DEBUG] Included: org.sonatype.aether:aether-util:jar:1.7 [DEBUG] Included: org.sonatype.sisu:sisu-inject-bean:jar:1.4.2 [DEBUG] Included: org.sonatype.sisu:sisu-guice:jar:noaop:2.1.7 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.14 [DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.24 [DEBUG] Included: org.beanshell:bsh:jar:2.0b4 [DEBUG] Included: org.apache.maven.shared:file-management:jar:3.0.0 [DEBUG] Included: org.apache.maven.shared:maven-shared-io:jar:3.0.0 [DEBUG] Included: org.apache.maven.shared:file-management:jar:3.0.0 [DEBUG] Included: commons-io:commons-io:jar:2.4 [DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings-builder:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model-builder:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-aether-provider:jar:3.0 [DEBUG] Excluded: org.sonatype.aether:aether-impl:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-spi:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-api:jar:1.7 [DEBUG] Excluded: org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2 [DEBUG] Excluded: org.codehaus.plexus:plexus-classworlds:jar:2.2.3 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:3.0 [DEBUG] Excluded: org.apache.maven:shared:file-management:jar:3.0 [DEBUG] Excluded: org.apache.maven.wagon:wagon-provider-api:jar:2.10 [DEBUG] Configuring mojo org.codehaus.mojo:build-helper-maven-plugin:3.0.0:parse-version from plugin realm ClassRealm[plugin>org.codehaus.mojo:build-helper-maven-plugin:3.0.0, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo

'org.codehaus.mojo:build-helper-maven-plugin:3.0.0:parse-version' with basic configurator --> [DEBUG] (s) formatBuildNumber = %02d [DEBUG] (s) formatIncremental = %02d [DEBUG] (s) formatMajor = %02d [DEBUG] (s) formatMinor = %02d [DEBUG] (s) formattedPropertyPrefix = formattedVersion [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) propertyPrefix = javaTarget [DEBUG] (f) versionString = 1.8 [DEBUG] -- end configuration -- [DEBUG] Parsed Version [DEBUG] major: 1 [DEBUG] minor: 8 [DEBUG] incremental: 0 [DEBUG] buildnumber: 0 [DEBUG] qualifier: null [DEBUG] define property javaTarget.majorVersion = "1" [DEBUG] define property javaTarget.minorVersion = "8" [DEBUG] define property javaTarget.incrementalVersion = "0" [DEBUG] define property javaTarget.buildNumber = "0" [DEBUG] define property javaTarget.nextMajorVersion = "2" [DEBUG] define property javaTarget.nextMinorVersion = "9" [DEBUG] define property javaTarget.nextIncrementalVersion = "1" [DEBUG] define property javaTarget.nextBuildNumber = "1" [DEBUG] define property formattedVersion.majorVersion = "01" [DEBUG] define property formattedVersion.minorVersion = "08" [DEBUG] define property formattedVersion.incrementalVersion = "00" [DEBUG] define property formattedVersion.nextMinorVersion = "09" [DEBUG] define property formattedVersion.nextIncrementalVersion = "01" [DEBUG] define property formattedVersion.nextBuildNumber = "01" [DEBUG] define property javaTarget.qualifier = "" [DEBUG] define property javaTarget.osgiVersion = "1.8.0" [INFO] [INFO] --- maven-resources-plugin:2.7:resources (create-version-file) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-resources-plugin:jar:2.7: [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven:project-jar:2.2.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:3.8.1:compile [DEBUG] org.apache.maven:maven-core:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1:compile [DEBUG] org.slf4j:slf4j-jdk14:jar:1.5.6:runtime [DEBUG] org.slf4j:slf4j-api:jar:1.5.6:runtime [DEBUG] org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.2.1:compile [DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.1:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.2.1:compile [DEBUG] commons-cli:commons-cli:jar:1.2:compile [DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile [DEBUG] classworlds:classworlds:jar:1.1:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-monitor:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.15:compile [DEBUG] org.apache.maven.shared:maven-filtering:jar:1.2:compile [DEBUG] org.apache.maven.shared:maven-shared-utils:jar:0.3:compile [DEBUG] com.google.code.findbugs:jsr305:jar:2.0.1:compile [DEBUG] org.sonatype.plexus:plexus-build-api:jar:0.0.4:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.19:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-resources-plugin:2.7 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-resources-plugin:2.7 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-resources-plugin:2.7 [DEBUG] Included: org.apache.maven.plugins:maven-resources-plugin:jar:2.7 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: junit:junit:jar:3.8.1 [DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6 [DEBUG] Included: org.slf4j:slf4j-api:jar:1.5.6 [DEBUG] Included: org.slf4j:jcl-over-slf4j:jar:1.5.6 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.2.1 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.1 [DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.1 [DEBUG] Included: commons-cli:commons-cli:jar:1.2 [DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.15 [DEBUG] Included: org.apache.maven.shared:maven-filtering:jar:1.2 [DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:0.3 [DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1 [DEBUG] Included: org.sonatype.plexus:plexus-build-api:jar:0.0.4 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.19 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-error-diagnostics:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-descriptor:jar:2.2.1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-monitor:jar:2.2.1 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.7:resources from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-resources-plugin:2.7, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.7:resources' with basic configurator --> [DEBUG] (f) buildFilters = [] [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) escapeWindowsPaths = true [DEBUG] (s) includeEmptyDirs = false [DEBUG] (s) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (s) overwrite = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) resources = [Resource \{targetPath: null, filtering: true, FileSet {directory: /home/kd/commons-crypto/src/main/resources, PatternSet {includes: {}, excludes: {}}}}] [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) supportMultiLineFiltering = false [DEBUG] (f) useBuildFilters = true [DEBUG] (s) useDefaultDelimiters = true [DEBUG] -- end configuration -- [DEBUG] properties used \ {file.encoding=pkg=sun.io, formattedVersion.incrementalVersion=00, commons.japicmp.version=0.11.0, java.home=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre, commons.cobertura.version=2.7, commons.compiler.fork=false, commons.release.2.binary.suffix=-bin, commons.jdepend.version=2.0, env.LS_COLORS=rs=0:di=38;5;27;ln=38;5;51;mh=44;38;5;15;pi=40;38;5;11;so=38;5;13;do=38;5;5;bd=48;5;232;38;5;11;cd=48;5;232;38;5;3;or=48;5;232;38;5;9:n env.SSH_TTY=/dev/pts/1, classworlds.conf=/usr/share/maven/bin/m2.conf, java.endorsed.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/endorsed, env.LOGNAME=root, commons.build-plugin.version=1.7, commons.wagon-ssh.version=3.0.0, sun.os.patch.level=unknown, java.vendor.url=http://java.oracle.com/, maven-antrun-plugin.version=1.8, javaTarget.nextMajorVersion=2, javaTarget.buildNumber=0, java.version=1.8.0_191, slf4j-api.version=1.7.10, javaTarget.nextMinorVersion=9, commons.compiler.version=3.7.0, commons.osgi.import=*, arguments=, commons.changes.onlyCurrentVersion=true, commons-build-plugin.version=1.6, java.vendor.url.bug=http://bugreport.sun.com/bugreport/, env.SSH_CLIENT=192.168.2.96 50090 22, commons.jacoco.lineRatio=0.90, commons.site-plugin.version=3.7, user.name=root, env.LANG=en_IN, env.CVS_RSH=ssh, sun.io.unicode.encoding=UnicodeLittle, sun.jnu.encoding=UTF-8, java.runtime.name=OpenJDK Runtime Environment, commons.release.2.name=commons-crypto-\${commons.release.2.version}, env.SSH_CONNECTION=192.168.2.96 50090 192.168.3.169 22, commons.deployment.protocol=scp, java.specification.name=Java Platform API Specification, commons.clirr.version=2.8, user.timezone=, env.LESSOPEN=||usr/bin/lesspipe.sh %s, path.separator=, implementation.build=\${scmBranch}@r\${buildNumber}; 2019-04-12 11:03:37+0530, commons.scmPubCheckoutDirectory=/root/commons-sites/commons-crypto, file.encoding=UTF-8, env.HOME=/root, sun.java.command=org.codehaus.plexus.classworlds.launcher.Launcher clean install -X, commons.jacoco.version=0.7.7.201606060606, commons.surefire-report.version=2.20.1, env.HOSTNAME=localhost.localdomain, java.io.tmpdir=/tmp, user.language=en, env.HISTCONTROL=ignoredups, line.separator=, sonar.host.url=https://analysis.apache.org/, formattedVersion.nextMajorVersion=02, env.HISTSIZE=1000, commons.release.3.binary.suffix=-bin, commons.release.name=commons-crypto-1.0.0, formattedVersion.nextMinorVersion=09, java.vm.info=mixed mode, commons.animal-sniffer.version=1.16, commons-logging.version=1.1.3, java.vm.specification.name=Java Virtual Machine Specification, commons.animal-sniffer.signature.version=1.0, javaTarget.osgiVersion=1.8.0, project.reporting.outputEncoding=iso-8859-1, commons.changes.maxEntries=100, surefire.version=2.19.1, env.M2_HOME=/usr/share/maven, sourceReleaseAssemblyDescriptor=source-release, commons.jira.pid=12320024, commons.jacoco.methodRatio=0.95, commons.surefire.version=2.20.1, commons.release.version=1.0.0, commons.javadoc.java.link=http://download.oracle.com/javase/7/docs/api/, javaTarget.majorVersion=1, javaTarget.minorVersion=8, java.awt.printerjob=sun.print.PSPrinterJob, commons.release.3.name=commons-crypto-\${commons.release.3.version}, commons.osgi.dynamicImport=, distMgmtSnapshotsName=Apache Development Snapshot Repository, distMgmtSnapshotsUrl=https://repository.apache.org/content/repositories/snapshots, commons.surefire-report.aggregate=false, commons.release.2.desc=, commons.manifestfile=/home/kd/commons-crypto/target/osgi/MANIFEST.MF, commons.build-helper.version=3.0.0, commons.rc.version=RC1, os.name=Linux, java.specification.vendor=Oracle Corporation, env.TERM=xterm-256color, java.vm.name=OpenJDK 64-Bit Server VM, commons.compiler.compilerVersion=, commons.osgi.excludeDependencies=true, java.library.path=/usr/java/packages/lib/aarch64/lib:/usr/lib, env.PATH=/root:/usr/local/openssl/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/root/bin, commons.compiler.javac=, commons.site.path=commons-crypto, commons.jacoco.classRatio=1.00, commons.changes.version=2.12.1, commons.osgi.symbolicName=org.apache.commons.crypto, java.class.version=52.0, env.SHLVL=2, commons.binary.suffix=-bin, commons.jacoco.instructionRatio=0.90, formattedVersion.nextIncrementalVersion=01, javaTarget.nextIncrementalVersion=1, commons.coveralls.timestampFormat=EpochMillis, formattedVersion.buildNumber=00, formattedVersion.majorVersion=01, sun.boot.library.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/aarch64, project.build.sourceEncoding=iso-8859-1, commons.project-info.version=2.9, formattedVersion.minorVersion=08, sun.management.compiler=HotSpot 64-Bit Tiered Compilers,

java.awt.graphicsenv=sun.awt.X11GraphicsEnvironment, commons.findbugs.version=3.0.5, env.USER=root, commons.release.desc=(Requires Java 1.8 or later), junit.version=4.12, commons.jira.id=CRYPTO, commons.javadoc.version=3.0.0, commons.module.name=org.apache.commons.crypto, commons.felix.version=3.4.0, target.name=all, gpg.useagent=true, java.vm.specification.version=1.8, commons.scmPubUrl=https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto, maven.build.timestamp.format=yyyy-MM-dd HH:mm:ssZ, commons.failSafe.version=2.20.1, commons.osgi.private=, awt.toolkit=sun.awt.X11.XToolkit, sun.cpu.isalist=, javaTarget.nextBuildNumber=1, java.ext.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/ext:/usr/java/packages/lib/ext, commons.componentid=crypto, os.version=4.14.0-49.2.2.el7a.aarch64, commons.japicmp.breakBuildOnBinaryIncompatibleModifications=true, user.home=/root, javaTarget.qualifier=, java.vm.vendor=Oracle Corporation, commons.jacoco.branchRatio=0.85, maven.buildNumber.timestampFormat={0,date,yyyy-MM-dd HH:mm:ssZ}, env.JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk, env.XDG_SESSION_ID=889, commons.coveralls.version=4.3.0, commons.release.3.desc=, user.dir=/home/kd/commons-crypto, env.MAIL=/var/spool/mail/root, env.PWD=/home/kd/commons-crypto, commons.surefire.java=, sun.cpu.endian=little, commons.encoding=iso-8859-1, minSeverity=info, commons.site.cache=/root/commons-sites, java.vm.version=25.191-b12, java.class.path=/usr/share/maven/boot/plexus-classworlds.jar, commons.changes.runOnlyAtExecutionRoot=false, os.arch=aarch64, maven.build.version=Apache Maven 3.0.5 (Red Hat 3.0.5-17), commons.jacoco.haltOnFailure=false, sun.java.launcher=SUN_STANDARD, formattedVersion.nextBuildNumber=01, java.vm.specification.vendor=Oracle Corporation, commons.jacoco.complexityRatio=0.85, javaTarget.incrementalVersion=0, file.separator=/, java.runtime.version=1.8.0_191-b12, sun.boot.class.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/resources.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/rt.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/sunrsasn.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jsse.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jce.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/charsets.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jfr.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/classes, organization.logo=https://www.apache.org/images/asf_logo_wide.gif, commons.jxr.version=2.5, env.XDG_RUNTIME_DIR=/run/user/0, commons.scmPubServer=commons.site, maven.version=3.0.5, jna.version=4.4.0, commons.docEncoding=iso-8859-1, user.country=IN, commons.javadoc.javaee.link=http://docs.oracle.com/javase/6/api/, env.SHELL=/bin/bash, maven.home=/usr/share/maven, maven.compiler.target=1.8, commons.scm-publish.version=1.1, commons.rat.version=0.12, java.vendor=Oracle Corporation, animal-sniffer.signature=java\${javaTarget.majorVersion}\${javaTarget.minorVersion}, maven.compiler.source=1.8, java.specification.version=1.8, commons.osgi.export=org.apache.commons.*;version=1.1.0-SNAPSHOT;noimport=true, sun.arch.data.model=64 [INFO] Using 'iso-8859-1' encoding to copy filtered resources. [DEBUG] resource with targetPath null directory /home/kd/commons-crypto/src/main/resources excludes [] includes [] [DEBUG] ignoreDelta true [INFO] Copying 1 resource [DEBUG] file component.properties has a filtered file extension [DEBUG] filtering /home/kd/commons-crypto/src/main/resources/org/apache/commons/crypto/component.properties to /home/kd/commons-crypto/target/classes/org/apache/commons/crypto/component.properties [DEBUG] no use filter components [INFO] [INFO] --- maven-antrun-plugin:1.8:run (javadoc.resources) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-antrun-plugin:jar:1.8: [DEBUG] ant-contrib:ant-contrib:jar:1.0b3:runtime [DEBUG] org.apache.ant:ant-nodeps:jar:1.8.1:runtime [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.11:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:3.8.1:compile [DEBUG] classworlds:classworlds:jar:1.1-alpha-2:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.20:compile [DEBUG] org.apache.ant:ant:jar:1.9.4:compile [DEBUG] org.apache.ant:ant-launcher:jar:1.9.4:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-antrun-plugin:1.8 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-antrun-plugin:1.8 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-antrun-plugin:1.8 [DEBUG] Included: org.apache.maven.plugins:maven-antrun-plugin:jar:1.8 [DEBUG] Included: ant-contrib:ant-contrib:jar:1.0b3 [DEBUG] Included: org.apache.ant:ant-nodeps:jar:1.8.1 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.11 [DEBUG] Included: junit:junit:jar:3.8.1 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.20 [DEBUG] Included: org.apache.ant:ant:jar:1.9.4 [DEBUG] Included: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1-alpha-2 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-antrun-plugin:1.8:run from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-antrun-plugin:1.8, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-antrun-plugin:1.8:run' with basic configurator --> [DEBUG] (f) exportAntProperties = false [DEBUG] (f) failOnError = true [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) pluginArtifacts = [org.apache.maven.plugins:maven-antrun-plugin:maven-plugin:1.8, ant-contrib:ant-contrib:jar:1.0b3:runtime, org.apache.ant:ant-nodeps:jar:1.8.1:runtime, backport-util-concurrent:backport-util-concurrent:jar:3.1:compile, org.codehaus.plexus:plexus-interpolation:jar:1.11:compile, junit:junit:jar:3.8.1:compile, org.codehaus.plexus:plexus-utils:jar:3.0.20:compile, org.apache.ant:ant:jar:1.9.4:compile, org.apache.ant:ant-launcher:jar:1.9.4:compile] [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) skip = false [DEBUG] (f) target = <target><copy todir="/home/kd/commons-crypto/target/apidocs/META-INF"><fileset dir="/home/kd/commons-crypto"><include name="LICENSE.txt"/> <include name="NOTICE.txt"/> </fileset> </copy> </target> [DEBUG] (f) versionsPropertyName = maven.project.dependencies.versions [DEBUG] -- end configuration -- Project base dir set to: /home/kd/commons-crypto Adding reference: maven.dependency.classpath Adding reference: maven.compile.classpath Adding reference: maven.runtime.classpath Adding reference: maven.test.classpath Adding reference: maven.plugin.classpath Adding reference: maven.project Adding reference: maven.project.helper Adding reference: maven.local.repository [DEBUG] Initialize Maven Ant Tasks parsing buildfile jar:file:/root/.m2/repository/org/apache/maven/plugins/maven-antrun-plugin/1.8/maven-antrun-plugin-1.8.jar!/org/apache/maven/ant/tasks/antlib.xml with URI = jar:file:/root/.m2/repository/org/apache/maven/plugins/maven-antrun-plugin/1.8/maven-antrun-plugin-1.8.jar!/org/apache/maven/ant/tasks/antlib.xml from a zip file parsing buildfile jar:file:/root/.m2/repository/org/apache/ant/ant/1.9.4/ant-1.9.4.jar!/org/apache/tools/ant/antlib.xml with URI = jar:file:/root/.m2/repository/org/apache/ant/ant/1.9.4/ant-1.9.4.jar!/org/apache/tools/ant/antlib.xml from a zip file Class org.apache.maven.ant.tasks.AttachArtifactTask loaded from parent loader (parentFirst) +Datatype attachartifact org.apache.maven.ant.tasks.AttachArtifactTask Class org.apache.maven.ant.tasks.DependencyFilesetsTask loaded from parent loader (parentFirst) +Datatype dependencyfilesets org.apache.maven.ant.tasks.DependencyFilesetsTask Setting project property: commons.compiler.compilerVersion -> Setting project property: commons-build-plugin.version -> 1.6 Setting project property: commons.release.2.name -> commons-crypto-\${commons.release.2.version} Setting project property: slf4j-api.version -> 1.7.10 Setting project property: commons.release.desc -> (Requires Java 1.8 or later) Setting project property: formattedVersion.nextMinorVersion -> 09 Setting project property: javaTarget.nextBuildNumber -> 1 Setting project property: commons.binary.suffix -> -bin Setting project property: commons.manifestfile -> /home/kd/commons-crypto/target/osgi/MANIFEST.MF Setting project property: maven.build.timestamp.format -> yyyy-MM-dd HH:mm:ssZ Setting project property: commons.project-info.version -> 2.9 Setting project property: formattedVersion.nextIncrementalVersion -> 01 Setting project property: project.build.sourceEncoding -> iso-8859-1 Setting project property: commons.changes.onlyCurrentVersion -> true Setting project property: sourceReleaseAssemblyDescriptor -> source-release Setting project property: commons.release.3.name -> commons-crypto-\${commons.release.3.version} Setting project property: commons.componentid -> crypto Setting project property: commons.site.path -> commons-crypto Setting project property: maven.buildNumber.timestampFormat -> {0,date,yyyy-MM-dd HH:mm:ssZ} Setting project property: commons.osgi.private -> Setting project property: commons.javadoc.javaee.link -> http://docs.oracle.com/javase/6/api/ Setting project property: jna.version -> 4.4.0 Setting project property: commons.osgi.export -> org.apache.commons.*;version=1.1.0-SNAPSHOT;noimport=true Setting project property: commons.release.2.binary.suffix -> -bin Setting project property: javaTarget.nextMinorVersion -> 9 Setting project property: formattedVersion.buildNumber -> 00 Setting project property: commons.compiler.javac -> Setting project property: commons.encoding -> iso-8859-1 Setting project property: organization.logo -> https://www.apache.org/images/asf_logo_wide.gif Setting project property: commons.scmPubUrl -> https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto Setting project property: sonar.host.url -> https://analysis.apache.org/ Setting project property: commons.rc.version -> RC1 Setting project property: commons.cobertura.version -> 2.7 Setting project property: commons.build-helper.version -> 3.0.0 Setting project property: commons.release.name -> commons-crypto-1.0.0 Setting project property: commons.jacoco.haltOnFailure -> false Setting project property: minSeverity -> info Setting project property: commons.jacoco.methodRatio -> 0.95 Setting project property: commons.animal-sniffer.version -> 1.16 Setting project property: commons.findbugs.version -> 3.0.5 Setting project property: maven.compiler.target -> 1.8 Setting project property: project.reporting.outputEncoding -> iso-8859-1 Setting project property: commons.scmPubServer -> commons.site Setting project property: animal-sniffer.signature -> java\${javaTarget.majorVersion}\${javaTarget.minorVersion} Setting project property: javaTarget.osgiVersion -> 1.8.0 Setting project property: gpg.useagent -> true Setting project property: commons.jacoco.complexityRatio -> 0.85 Setting project

property: commons.javadoc.version -> 3.0.0 Setting project property: commons.surefire.version -> 2.20.1 Setting project property: commons.changes.version -> 2.12.1 Setting project property: commons.fail-safe.version -> 2.20.1 Setting project property: surefire.version -> 2.19.1 Setting project property: commons.coveralls.timestampFormat -> EpochMillis Setting project property: commons.release.version -> 1.0.0 Setting project property: commons.japicmp.breakBuildOnBinaryIncompatibleModifications -> true Setting project property: commons.osgi.excludeDependencies -> true Setting project property: commons.jxr.version -> 2.5 Setting project property: commons.surefire-report.version -> 2.20.1 Setting project property: commons.rat.version -> 0.12 Setting project property: commons.site.cache -> /root/commons-sites Setting project property: target.name -> all Setting project property: javaTarget.majorVersion -> 1 Setting project property: commons.docEncoding -> iso-8859-1 Setting project property: commons.jacoco.branchRatio -> 0.85 Setting project property: commons.japicmp.version -> 0.11.0 Setting project property: commons.javadoc.java.link -> http://download.oracle.com/javase/7/docs/api/ Setting project property: commons.deployment.protocol -> scp Setting project property: commons.changes.runOnlyAtExecutionRoot -> false Setting project property: distMgmtSnapshotsName -> Apache Development Snapshot Repository Setting project property: commons.animal-sniffer.signature.version -> 1.0 Setting project property: commons.scm-publish.version -> 1.1 Setting project property: commons.jacoco.instructionRatio -> 0.90 Setting project property: commons.compiler.version -> 3.7.0 Setting project property: commons.jacoco.lineRatio -> 0.90 Setting project property: commons.changes.maxEntries -> 100 Setting project property: commons.release.2.desc -> Setting project property: commons.jira.pid -> 12320024 Setting project property: commons.module.name -> org.apache.commons.crypto Setting project property: javaTarget.incrementalVersion -> 0 Setting project property: arguments -> Setting project property: formattedVersion.majorVersion -> 01 Setting project property: commons.coveralls.version -> 4.3.0 Setting project property: commons.surefire-report.aggregate -> false Setting project property: javaTarget.buildNumber -> 0 Setting project property: commons.release.3.binary.suffix -> -bin Setting project property: commons.wagon-ssh.version -> 3.0.0 Setting project property: commons.build-plugin.version -> 1.7 Setting project property: distMgmtSnapshotsUrl -> https://repository.apache.org/content/repositories/snapshots Setting project property: javaTarget.qualifier -> Setting project property: commons-logging.version -> 1.1.3 Setting project property: maven.compiler.source -> 1.8 Setting project property: formattedVersion.nextMajorVersion -> 02 Setting project property: commons.jacoco.classRatio -> 1.00 Setting project property: javaTarget.nextIncrementalVersion -> 1 Setting project property: commons.osgi.dynamicImport -> Setting project property: maven-antrun-plugin.version -> 1.8 Setting project property: javaTarget.minorVersion -> 8 Setting project property: commons.compiler.fork -> false Setting project property: commons.jdepend.version -> 2.0 Setting project property: commons.release.3.desc -> Setting project property: implementation.build -> \${scmBranch}@r\${buildNumber}; 2019-04-12 11:03:37+0530 Setting project property: commons.felix.version -> 3.4.0 Setting project property: commons.osgi.symbolicName -> org.apache.commons.crypto Setting project property: commons.site-plugin.version -> 3.7 Setting project property: commons.surefire.java -> Setting project property: formattedVersion.incrementalVersion -> 00 Setting project property: formattedVersion.nextBuildNumber -> 01 Setting project property: commons.jacoco.version -> 0.7.7.201606060606 Setting project property: commons.osgi.import -> * Setting project property: formattedVersion.minorVersion -> 08 Setting project property: commons.jira.id -> CRYPTO Setting project property: junit.version -> 4.12 Setting project property: commons.clirr.version -> 2.8 Setting project property: commons.scmPubCheckoutDirectory -> /root/commons-sites/commons-crypto Setting project property: javaTarget.nextMajorVersion -> 2 Setting project property: ant.file -> /home/kd/commons-crypto/pom.xml [DEBUG] Setting properties with prefix: Setting project property: project.groupId -> org.apache.commons Setting project property: project.artifactId -> commons-crypto Setting project property: project.name -> Apache Commons Crypto Setting project property: project.description -> Apache Commons Crypto is a cryptographic library optimized with AES-NI (Advanced Encryption Standard New Instructions). It provides Java API for both cipher level and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort. Please note that Crypto doesn't implement the cryptographic algorithm such as AES directly. It wraps to Openssl or JCE which implement the algorithms. Features ----- 1. Cipher API for low level cryptographic operations. 2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption. 3. Both optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors). 4. JNI-based implementation to achieve comparable performance to the native C/C++ version based on OpenSSL. 5. Portable across various operating systems (currently only Linux/MacOSX/Windows); Apache Commons Crypto loads the library according to your machine environment (it checks system properties, `os.name` and `os.arch`). 6. Simple usage. Add the commons-crypto-(version).jar file to your classpath. Export restrictions ----- This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <<http://www.wassenaar.org/>> for more information. The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this Apache Software Foundation distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code. The following provides more details on the included cryptographic software: * Commons Crypto use [Java Cryptography Extension](<http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html>) provided by Java * Commons Crypto link to and use [OpenSSL](<https://www.openssl.org/>) ciphers Setting project property: project.version -> 1.1.0-SNAPSHOT Setting project property: project.packaging -> jar Setting project property: project.build.directory -> /home/kd/commons-crypto/target Setting project property: project.build.outputDirectory -> /home/kd/commons-crypto/target/classes Setting project property: project.build.testOutputDirectory -> /home/kd/commons-crypto/target/test-classes Setting project property: project.build.sourceDirectory -> /home/kd/commons-crypto/src/main/java Setting project property: project.build.testSourceDirectory -> /home/kd/commons-crypto/src/test/java Setting project property: localRepository -> id: local url: file:///root/.m2/repository/ layout: none Setting project property: settings.localRepository -> /root/.m2/repository Setting project property: junit:junit:jar -> /root/.m2/repository/junit/junit4.12/junit-4.12.jar Setting project property: org.hamcrest:hamcrest-core:jar -> /root/.m2/repository/org/hamcrest/hamcrest-core-1.3/hamcrest-core-1.3.jar Setting project property: net.java.dev.jna:jna:jar -> /root/.m2/repository/net/java/dev/jna/jna-4.4.0/jna-4.4.0.jar Setting project property: maven.project.dependencies.versions -> 4.12:1.3:4.4.0: Setting project property: maven.dependency.junit:junit:jar.path -> /root/.m2/repository/junit/junit4.12/junit-4.12.jar Setting project property: maven.dependency.org.hamcrest:hamcrest-core:jar.path -> /root/.m2/repository/org/hamcrest/hamcrest-core-1.3/hamcrest-core-1.3.jar Setting project property: maven.dependency.net.java.dev.jna:jna:jar.path -> /root/.m2/repository/net/java/dev/jna/jna-4.4.0/jna-4.4.0.jar [INFO] Executing tasks Build sequence for target(s) `main` is [main] Complete build sequence is [main,] main: fileset: Setup scanner in dir /home/kd/commons-crypto with patternSet{ includes: [LICENSE.txt, NOTICE.txt] excludes: [] } [copy] LICENSE.txt added as LICENSE.txt doesn't exist. [copy] NOTICE.txt added as NOTICE.txt doesn't exist. [copy] No sources found. [copy] Copying 2 files to /home/kd/commons-crypto/target/apidocs/META-INF [copy] Copying /home/kd/commons-crypto/LICENSE.txt to /home/kd/commons-crypto/target/apidocs/META-INF/LICENSE.txt [copy] Copying /home/kd/commons-crypto/NOTICE.txt to /home/kd/commons-crypto/target/apidocs/META-INF/NOTICE.txt [INFO] Executed tasks [INFO] [INFO] --- maven-remote-resources-plugin:1.5:process (process-resource-bundles) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-remote-resources-plugin:jar:1.5: [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-core:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1:compile [DEBUG] org.slf4j:slf4j-jdk14:jar:1.5.6:runtime [DEBUG] org.slf4j:slf4j-api:jar:1.5.6:runtime [DEBUG] org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.2.1:compile [DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.1:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:3.8.1:compile [DEBUG] org.apache.maven:maven-metadata:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.2.1:compile [DEBUG] commons-cli:commons-cli:jar:1.2:compile [DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] classworlds:classworlds:jar:1.1:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-monitor:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven.shared:maven-artifact-resolver:jar:1.0:compile [DEBUG] org.apache.maven.shared:maven-common-artifact-filters:jar:1.4:compile [DEBUG] org.apache.maven.shared:maven-filtering:jar:1.1:compile [DEBUG] org.sonatype.plexus:plexus-build-api:jar:0.0.4:compile [DEBUG] org.codehaus.plexus:plexus-resources:jar:1.0-alpha-7:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.12:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:1.5.15:compile [DEBUG] org.apache.velocity:velocity:jar:1.7:compile [DEBUG] commons-collections:commons-collections:jar:3.2.1:compile [DEBUG] commons-lang:commons-lang:jar:2.4:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-remote-resources-plugin:1.5 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-remote-resources-plugin:1.5 [DEBUG] Imported: <maven.api> [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-remote-resources-plugin:1.5 [DEBUG] Included: org.apache.maven.plugins:maven-remote-resources-plugin:jar:1.5 [DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6 [DEBUG] Included: org.slf4j:slf4j-api:jar:1.5.6 [DEBUG] Included: org.slf4j:jcl-over-slf4j:jar:1.5.6 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.2.1 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.1 [DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.1 [DEBUG] Included: junit:junit:jar:3.8.1 [DEBUG] Included: commons-cli:commons-cli:jar:1.2 [DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included:

```
org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.apache.maven.shared:maven-artifact-resolver:jar:1.0 [DEBUG] Included:
org.apache.maven.shared:maven-common-artifact-filters:jar:1.4 [DEBUG] Included: org.apache.maven.shared:maven-filtering:jar:1.1 [DEBUG] Included:
org.sonatype.plexus:plexus-build-api:jar:0.0.4 [DEBUG] Included: org.codehaus.plexus:plexus-resources:jar:1.0-alpha-7 [DEBUG] Included:
org.codehaus.plexus:plexus-interpolation:jar:1.12 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:1.5.15 [DEBUG] Included:
org.apache.velocity:velocity:jar:1.7 [DEBUG] Included: commons-collections:commons-collections:jar:3.2.1 [DEBUG] Included: commons-lang:commons-
lang:jar:2.4 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:2.2.1 [DEBUG] Excluded:
org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded:
org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG]
Excluded: org.apache.maven:maven-error-diagnostics:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-descriptor:jar:2.2.1 [DEBUG] Excluded:
org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1 [DEBUG] Excluded: org.apache.maven:maven-
model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-monitor:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG]
Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded:
org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-remote-resources-plugin:1.5:process from plugin realm
ClassRealm[plugin>org.apache.maven.plugins:maven-remote-resources-plugin:1.5, parent: sun.misc.Launcher$AppClassLoader@70dea4e] [DEBUG]
Configuring mojo 'org.apache.maven.plugins:maven-remote-resources-plugin:1.5:process' with basic configurator --> [DEBUG] (f) appendedResourcesDirectory
= /home/kd/commons-crypto/src/main/appended-resources [DEBUG] (f) attachToMain = true [DEBUG] (f) attachToTest = true [DEBUG] (f) attached = true
[DEBUG] (f) basedir = /home/kd/commons-crypto [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) excludeTransitive = false [DEBUG] (f)
includeProjectProperties = false [DEBUG] (f) includeScope = runtime [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none
[DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/maven-shared-archive-resources [DEBUG] (f) remoteArtifactRepositories = [ id:
apache.snapshots url: https://repository.apache.org/snapshots layout: default snapshots: [enabled => true, update => daily] releases: [enabled => false, update =>
daily] , id: central url: https://repo.maven.apache.org/maven2 layout: default snapshots: [enabled => false, update => daily] releases: [enabled => true, update =>
daily] ] [DEBUG] (f) resourceBundles = [org.apache:apache-jar-resource-bundle:1.4] [DEBUG] (f) resources = [Resource {targetPath: null, filtering: true, FileSet
{directory: /home/kd/commons-crypto/src/main/resources, PatternSet [includes: {}, excludes: {}]}]}] [DEBUG] (f) runOnlyAtExecutionRoot = false [DEBUG] (f)
skip = true [DEBUG] (f) useDefaultFilterDelimiters = true [DEBUG] (f) mavenSession = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f)
project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] -- end configuration --
[INFO] [INFO] --- buildnumber-maven-plugin:1.4:create (default) @ commons-crypto --- [DEBUG] org.codehaus.mojo:buildnumber-maven-plugin:jar:1.4:
[DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-
model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-
concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-
interpolation:jar:1.11:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-
9-stable-1:compile [DEBUG] junit:junit:jar:4.12:test (scope managed from compile) (version managed from 3.8.1) [DEBUG] org.hamcrest:hamcrest-
core:jar:1.3:test [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-core:jar:2.2.1:compile [DEBUG]
org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1:compile [DEBUG] org.slf4j:slf4j-jdk14:jar:1.5.6:runtime [DEBUG] org.slf4j:slf4j-
api:jar:1.5.6:runtime [DEBUG] org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.2.1:compile [DEBUG]
org.apache.maven.doxia:doxia-sink-api:jar:1.1:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile [DEBUG] org.apache.maven:maven-
repository-metadata:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.2.1:compile [DEBUG] commons-cli:commons-
cli:jar:1.2:compile [DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-
4:compile [DEBUG] org.apache.maven:maven-monitor:jar:2.2.1:compile [DEBUG] classworlds:classworlds:jar:1.1:compile [DEBUG] org.apache.maven:maven-
plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven.scm:maven-scm-api:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-manager-
plexus:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-bazaar:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-
svnexe:jar:1.9.4:compile [DEBUG] commons-lang:commons-lang:jar:2.6:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-gitexe:jar:1.9.4:compile
[DEBUG] commons-io:commons-io:jar:2.2:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-git-commons:jar:1.9.4:compile [DEBUG]
org.apache.maven.scm:maven-scm-provider-svn-commons:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-cvsexec:jar:1.9.4:compile
[DEBUG] org.apache.maven.scm:maven-scm-provider-cvs-commons:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-
starteam:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-clearcase:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-
provider-perforce:jar:1.9.4:compile [DEBUG] org.apache.maven.scm:maven-scm-provider-hg:jar:1.9.4:compile [DEBUG] com.google.code.maven-scm-provider-
svnjava:maven-scm-provider-svnjava:jar:2.1.1:compile [DEBUG] net.java.dev.jna:jna:jar:3.5.2:compile [DEBUG] org.tmatesoft.svnkit:svnkit:jar:1.8.5:compile
[DEBUG] com.jcraft:jsch.agentproxy.svnkit-trilead-ssh2:jar:0.0.7:compile [DEBUG] com.jcraft:jsch.agentproxy.core:jar:0.0.7:compile [DEBUG]
org.tmatesoft.sqljet:sqljet:jar:1.1.10:compile [DEBUG] org.antlr:antlr-runtime:jar:3.4:compile [DEBUG] net.java.dev.jna:platform:jar:3.5.2:compile [DEBUG]
com.jcraft:jsch.agentproxy.connector-factory:jar:0.0.7:compile [DEBUG] com.jcraft:jsch.agentproxy.usocket-jna:jar:0.0.7:compile [DEBUG]
com.jcraft:jsch.agentproxy.usocket-nc:jar:0.0.7:compile [DEBUG] com.jcraft:jsch.agentproxy.sshagent:jar:0.0.7:compile [DEBUG]
com.jcraft:jsch.agentproxy.pageant:jar:0.0.7:compile [DEBUG] de.regnis.q.sequence:sequence-library:jar:1.0.2:compile [DEBUG] com.trilead:trilead-
ssh2:jar:1.0.0-build217:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.21:compile [DEBUG] org.sonatype.plexus:plexus-sec-
dispatcher:jar:1.4:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] Created new class realm
plugin>org.codehaus.mojo:buildnumber-maven-plugin:1.4 [DEBUG] Importing foreign packages into class realm plugin>org.codehaus.mojo:buildnumber-maven-
plugin:1.4 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.codehaus.mojo:buildnumber-maven-plugin:1.4 [DEBUG] Included:
org.codehaus.mojo:buildnumber-maven-plugin:jar:1.4 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included:
org.codehaus.plexus:plexus-interpolation:jar:1.11 [DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6 [DEBUG] Included: org.slf4j:slf4j-api:jar:1.5.6 [DEBUG]
Included: org.slf4j:jcl-over-slf4j:jar:1.5.6 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.2.1 [DEBUG] Included:
org.apache.maven.doxia:doxia-sink-api:jar:1.1 [DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.1 [DEBUG] Included: commons-
cli:commons-cli:jar:1.2 [DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4 [DEBUG] Included: org.apache.maven.scm:maven-scm-
api:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-manager-plexus:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-provider-
bazaar:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-provider-svnexe:jar:1.9.4 [DEBUG] Included: commons-lang:commons-lang:jar:2.6
[DEBUG] Included: org.apache.maven.scm:maven-scm-provider-gitexe:jar:1.9.4 [DEBUG] Included: commons-io:commons-io:jar:2.2 [DEBUG] Included:
org.apache.maven.scm:maven-scm-provider-git-commons:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-provider-svn-commons:jar:1.9.4
[DEBUG] Included: org.apache.maven.scm:maven-scm-provider-cvsexec:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-provider-cvs-
commons:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-provider-starteam:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-
provider-clearcase:jar:1.9.4 [DEBUG] Included: org.apache.maven.scm:maven-scm-provider-perforce:jar:1.9.4 [DEBUG] Included:
org.apache.maven.scm:maven-scm-provider-hg:jar:1.9.4 [DEBUG] Included: com.google.code.maven-scm-provider-svnjava:maven-scm-provider-
svnjava:jar:2.1.1 [DEBUG] Included: net.java.dev.jna:jna:jar:3.5.2 [DEBUG] Included: org.tmatesoft.svnkit:svnkit:jar:1.8.5 [DEBUG] Included:
com.jcraft:jsch.agentproxy.svnkit-trilead-ssh2:jar:0.0.7 [DEBUG] Included: com.jcraft:jsch.agentproxy.core:jar:0.0.7 [DEBUG] Included:
org.tmatesoft.sqljet:sqljet:jar:1.1.10 [DEBUG] Included: org.antlr:antlr-runtime:jar:3.4 [DEBUG] Included: net.java.dev.jna:platform:jar:3.5.2 [DEBUG] Included:
com.jcraft:jsch.agentproxy.connector-factory:jar:0.0.7 [DEBUG] Included: com.jcraft:jsch.agentproxy.usocket-jna:jar:0.0.7 [DEBUG] Included:
com.jcraft:jsch.agentproxy.usocket-nc:jar:0.0.7 [DEBUG] Included: com.jcraft:jsch.agentproxy.sshagent:jar:0.0.7 [DEBUG] Included:
com.jcraft:jsch.agentproxy.pageant:jar:0.0.7 [DEBUG] Included: de.regnis.q.sequence:sequence-library:jar:1.0.2 [DEBUG] Included: com.trilead:trilead-
ssh2:jar:1.0.0-build217 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.21 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.4
[DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded:
org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-
manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1
[DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: junit:junit:jar:4.12 [DEBUG] Excluded:
org.hamcrest:hamcrest-core:jar:1.3 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:2.2.1
[DEBUG] Excluded: org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-repository-
metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-error-diagnostics:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-
descriptor:jar:2.2.1 [DEBUG] Excluded: org.apache.maven
```

(f) getRevisionOnlyOnce = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) reactorProjects = [MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml] [DEBUG] (s) revisionOnScmFailure = ????? [DEBUG] (f) scmBranchPropertyName = scmBranch [DEBUG] (f) scmConnectionUrl = scm:git:http://git-wip-us.apache.org/repos/asf/commons-crypto.git [DEBUG] (f) scmDeveloperConnectionUrl = scm:git:https://git-wip-us.apache.org/repos/asf/commons-crypto.git [DEBUG] (s) scmDirectory = /home/kd/commons-crypto [DEBUG] (f) scmTag = HEAD [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) settings = org.apache.maven.execution.SettingsAdapter@7923f5b3 [DEBUG] (s) shortRevisionLength = 0 [DEBUG] (f) skip = false [DEBUG] (f) timestampFormat = \{0,date,yyyy-MM-dd HH:mm:ssZ} [DEBUG] (f) timestampPropertyName = timestamp [DEBUG] (f) useLastCommittedRevision = true [DEBUG] -- end configuration -- [DEBUG] Checking for local modifications: skipped. [DEBUG] Updating project files from SCM: skipped. [INFO] Executing: /bin/sh -c cd /home/kd/commons-crypto && 'git' 'rev-parse' '--verify' 'HEAD' [INFO] Working directory: /home/kd/commons-crypto [DEBUG] consume line 3d9601cdbc3708b76275a4a41049c8d362cddaa3 [INFO] Storing buildNumber: 3d9601cdbc3708b76275a4a41049c8d362cddaa3 at timestamp: 2019-04-12 11:03:41+0530 [INFO] Storing buildScmBranch: master [INFO] [INFO] --- maven-resources-plugin:2.7:resources (default-resources) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.7:resources from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-resources-plugin:2.7, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.7:resources' with basic configurator -> [DEBUG] (f) buildFilters = [] [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) escapeWindowsPaths = true [DEBUG] (s) includeEmptyDirs = false [DEBUG] (s) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (s) overwrite = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) resources = [Resource {targetPath: null, filtering: true, fileSet {directory: /home/kd/commons-crypto/src/main/resources, PatternSet {includes: {}, excludes: {}}}}] [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) supportMultiLineFiltering = false [DEBUG] (f) useBuildFilters = true [DEBUG] (s) useDefaultDelimiters = true [DEBUG] -- end configuration -- [DEBUG] properties used \{file.encoding.pkg=sun.io, formattedVersion.incrementalVersion=00, commons.japicmp.version=0.11.0, java.home=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre, commons.cobertura.version=2.7, commons.compiler.fork=false, commons.release.2.binary.suffix=-bin, buildNumber=3d9601cdbc3708b76275a4a41049c8d362cddaa3, commons.jdepend.version=2.0, env.LS_COLORS=rs=0:di=38;5;27:ln=38;5;51:mh=44;38;5;15:pi=40;38;5;11:so=38;5;13:do=38;5;5;bd=48;5;232;38;5;11:cd=48;5;232;38;5;3:or=48;5;232;38;5;9:n env.SSH_TTY=/dev/pts/1, classworlds.conf=/usr/share/maven/bin/m2.conf, java.endorsed.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/endorsed, env.LOGNAME=root, commons.build-plugin.version=1.7, commons.wagon-ssh.version=3.0.0, sun.os.patch.level=unknown, java.vendor.url=http://java.oracle.com/, maven-antrun-plugin.version=1.8, javaTarget.nextMajorVersion=2, javaTarget.buildNumber=0, timestamp=2019-04-12 11:03:41+0530, java.version=1.8.0_191, slf4j-api.version=1.7.10, javaTarget.nextMinorVersion=9, commons.compiler.version=3.7.0, commons.osgi.import=*, arguments=, commons.changes.onlyCurrentVersion=true, commons-build-plugin.version=1.6, java.vendor.url.bug=http://bugreport.sun.com/bugreport/, env.SSH_CLIENT=192.168.2.96 50090 22, commons.jacoco.lineRatio=0.90, commons.site-plugin.version=3.7, user.name=root, env.LANG=en_IN, env.CVS_RSH=ssh, sun.io.unicode.encoding=UnicodeLittle, sun.jnu.encoding=UTF-8, java.runtime.name=OpenJDK Runtime Environment, commons.release.2.name=commons-crypto-\${commons.release.2.version}, env.SSH_CONNECTION=192.168.2.96 50090 192.168.3.169 22, commons.deployment.protocol=scp, java.specification.name=Java Platform API Specification, commons.clirr.version=2.8, user.timezone=, env.LESSOPEN=/usr/bin/lesspipe.sh %s, path.separator=, implementation.build=\${scmBranch}@r\${buildNumber}; 2019-04-12 11:03:37+0530, commons.scmPubCheckoutDirectory=/root/commons-sites/commons-crypto, file.encoding=UTF-8, env.HOME=/root, sun.java.command=org.codehaus.plexus.classworlds.launcher.Launcher clean install -X, commons.jacoco.version=0.7.7.201606060606, commons.surefire-report.version=2.20.1, env.HOSTNAME=localhost.localdomain, java.io.tmpdir=/tmp, user.language=en, env.HISTCONTROL=ignoredups, line.separator=, sonar.host.url=https://analysis.apache.org/, formattedVersion.nextMajorVersion=02, env.HISTSIZE=1000, commons.release.3.binary.suffix=-bin, commons.release.name=commons-crypto-1.0.0, formattedVersion.nextMinorVersion=09, java.vm.info=mixed mode, commons.animal-sniffer.version=1.16, commons.logging.version=1.1.3, java.vm.specification.name=Java Virtual Machine Specification, commons.animal-sniffer.signature.version=1.0, javaTarget.osgiVersion=1.8.0, project.reporting.outputEncoding=iso-8859-1, commons.changes.maxEntries=100, surefire.version=2.19.1, scmBranch=master, env.M2_HOME=/usr/share/maven, sourceReleaseAssemblyDescriptor=source-release, commons.jira.pid=12320024, commons.jacoco.methodRatio=0.95, commons.surefire.version=2.20.1, commons.release.version=1.0.0, commons.javadoc.java.link=http://download.oracle.com/javase/7/docs/api/, javaTarget.majorVersion=1, javaTarget.minorVersion=8, java.awt.printerjob=sun.print.PSPrinterJob, commons.release.3.name=commons-crypto-\${commons.release.3.version}, commons.osgi.dynamicImport=, distMgmtSnapshotsName=Apache Development Snapshot Repository, distMgmtSnapshotsUrl=https://repository.apache.org/content/repositories/snapshots, commons.surefire-report.aggregate=false, commons.release.2.desc=, commons.manifestfile=/home/kd/commons-crypto/target/osgi/MANIFEST.MF, commons.build-helper.version=3.0.0, commons.rc.version=RC1, os.name=Linux, java.specification.vendor=Oracle Corporation, env.TERM=xterm-256color, java.vm.name=OpenJDK 64-Bit Server VM, commons.compiler.compilerVersion=, commons.osgi.excludeDependencies=true, java.library.path=/usr/java/packages/lib/aarch64/lib:/usr/lib, env.PATH=/root/.cargo/bin:/usr/local/openssl/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/root/bin, commons.compiler.javac=, commons.site.path=commons-crypto, commons.jacoco.classRatio=1.00, commons.changes.version=2.12.1, commons.osgi.symbolicName=org.apache.commons.crypto, java.class.version=52.0, env.SHLVL=2, commons.binary.suffix=-bin, commons.jacoco.instructionRatio=0.90, formattedVersion.nextIncrementalVersion=01, javaTarget.nextIncrementalVersion=1, commons.coveralls.timestampFormat=EpochMillis, formattedVersion.buildNumber=00, formattedVersion.majorVersion=01, sun.boot.library.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/aarch64, project.build.sourceEncoding=iso-8859-1, commons.project-info.version=2.9, formattedVersion.minorVersion=08, sun.management.compiler=HotSpot 64-Bit Tiered Compilers, java.awt.graphicsenv=sun.awt.X11GraphicsEnvironment, commons.findbugs.version=3.0.5, env.USER=root, commons.release.desc=(Requires Java 1.8 or later), junit.version=4.12, commons.jira.id=CRYPTO, commons.javadoc.version=3.0.0, commons.module.name=org.apache.commons.crypto, commons.felix.version=3.4.0, target.name=all, gpg.useagent=true, java.vm.specification.version=1.8, commons.scmPubUrl=https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto, maven.build.timestamp.format=yyyy-MM-dd HH:mm:ssZ, commons.failSafe.version=2.20.1, commons.osgi.private=, awt.toolkit=sun.awt.X11.XToolkit, sun.cpu.isalist=, javaTarget.nextBuildNumber=1, java.ext.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/ext:/usr/java/packages/lib/ext, commons.componentid=crypto, os.version=4.14.0-49.2.2.el7a.aarch64, commons.japicmp.breakBuildOnBinaryIncompatibleModifications=true, user.home=/root, javaTarget.qualifier=, java.vm.vendor=Oracle Corporation, commons.jacoco.branchRatio=0.85, maven.buildNumber.timestampFormat=\{0,date,yyyy-MM-dd HH:mm:ssZ}, env.JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk, env.XDG_SESSION_ID=889, commons.coveralls.version=4.3.0, commons.release.3.desc=, user.dir=/home/kd/commons-crypto, env.MAIL=/var/spool/mail/root, env.PWD=/home/kd/commons-crypto, commons.surefire.java=, sun.cpu.endian=little, commons.encoding=iso-8859-1, minSeverity=info, commons.site.cache=/root/commons-sites, java.vm.version=25.191-b12, java.class.path=/usr/share/maven/boot/plexus-classworlds.jar, commons.changes.runOnlyAtExecutionRoot=false, os.arch=aarch64, maven.build.version=Apache Maven 3.0.5 (Red Hat 3.0.5-17), commons.jacoco.haltOnFailure=false, sun.java.launcher=SUN_STANDARD, formattedVersion.nextBuildNumber=01, java.vm.specification.vendor=Oracle Corporation, commons.jacoco.complexityRatio=0.85, javaTarget.incrementalVersion=0, file.separator=/, java.runtime.version=1.8.0_191-b12, sun.boot.class.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/resources.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/rt.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/sunrsasign.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jsse.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jce.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/charsets.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jfr.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/classes, organization.logo=https://www.apache.org/images/asf_logo_wide.gif, commons.jxr.version=2.5, env.XDG_RUNTIME_DIR=/run/user/0, commons.scmPubServer=commons.site, maven.version=3.0.5, jna.version=4.4.0, commons.docEncoding=iso-8859-1, user.country=IN, commons.javadoc.javaee.link=http://docs.oracle.com/javaee/6/api/, env.SHELL=/bin/bash, maven.home=/usr/share/maven, maven.compiler.target=1.8, commons.scm.publish.version=1.1, commons.rat.version=0.12, java.vendor=Oracle Corporation, animal-sniffer.signature=java\${javaTarget.majorVersion}\${javaTarget.minorVersion}, maven.compiler.source=1.8, java.specification.version=1.8, commons.osgi.export=org.apache.commons.*;version=1.1.0-SNAPSHOT;noimport=true, sun.arch.data.model=64} [INFO] Using 'iso-8859-1' encoding to copy filtered resources. [DEBUG] resource with targetPath null directory /home/kd/commons-crypto/src/main/resources excludes [] includes [] [DEBUG] ignoreDelta true [INFO] Copying 1 resource [DEBUG] file component.properties has a filtered file extension [DEBUG] filtering /home/kd/commons-crypto/src/main/resources/org/apache/commons/crypto/component.properties to /home/kd/commons-crypto/target/classes/org/apache/commons/crypto/component.properties [DEBUG] no use filter components [INFO] [INFO] --- maven-compiler-plugin:3.7.0:compile (default-compile) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-compiler-plugin:jar:3.7.0: [DEBUG] org.apache.maven:maven-plugin-api:jar:3.0:compile [DEBUG] org.apache.maven:maven-model:jar:3.0:compile [DEBUG] org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile [DEBUG] org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile [DEBUG] org.sonatype.sisu:sisu-guice:jar:noaop:2.1.7:compile [DEBUG] org.apache.maven:maven-artifact:jar:3.0:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:2.0.4:compile [DEBUG] org.apache.maven:maven-

core:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings-builder:jar:3.0:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:3.0:compile [DEBUG] org.apache.maven:maven-model-builder:jar:3.0:compile [DEBUG] org.apache.maven:maven-aether-provider:jar:3.0:runtime [DEBUG] org.sonatype.aether:aether-impl:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-spi:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-api:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-util:jar:1.7:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.14:compile [DEBUG] org.codehaus.plexus:plexus-classworlds:jar:2.2.3:compile [DEBUG] org.codehaus.plexus:plexus-component-annotations:jar:1.6:compile (version managed from 1.5.5) [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven.shared:maven-shared-utils:jar:3.1.0:compile [DEBUG] commons-io:commons-io:jar:2.5:compile [DEBUG] org.apache.maven.shared:maven-shared-incremental:jar:1.1:compile [DEBUG] org.codehaus.plexus:plexus-java:jar:0.9.2:compile [DEBUG] org.ow2.asm:asm:jar:6.0_BETA:compile [DEBUG] com.thoughtworks.qdox:qdox:jar:2.0-M7:compile [DEBUG] org.codehaus.plexus:plexus-compiler-api:jar:2.8.2:compile [DEBUG] org.codehaus.plexus:plexus-compiler-manager:jar:2.8.2:compile [DEBUG] org.codehaus.plexus:plexus-compiler-javac:jar:2.8.2:runtime [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.7.0 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.7.0 [DEBUG] Imported: <maven.api [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.7.0 [DEBUG] Included: org.apache.maven.plugins:maven-compiler-plugin:jar:3.7.0 [DEBUG] Included: org.sonatype.sisu:sisu-inject-bean:jar:1.4.2 [DEBUG] Included: org.sonatype.sisu:sisu-guice:jar:3.0:runtime [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:2.0.4 [DEBUG] Included: org.sonatype.aether:aether-util:jar:1.7 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.14 [DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.6 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:3.1.0 [DEBUG] Included: commons-io:commons-io:jar:2.5 [DEBUG] Included: org.apache.maven.shared:maven-shared-incremental:jar:1.1 [DEBUG] Included: org.codehaus.plexus:plexus-java:jar:0.9.2 [DEBUG] Included: org.ow2.asm:asm:jar:6.0_BETA [DEBUG] Included: com.thoughtworks.qdox:qdox:jar:2.0-M7 [DEBUG] Included: org.codehaus.plexus:plexus-compiler-api:jar:2.8.2 [DEBUG] Included: org.codehaus.plexus:plexus-compiler-manager:jar:2.8.2 [DEBUG] Included: org.codehaus.plexus:plexus-compiler-javac:jar:2.8.2 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model:jar:3.0 [DEBUG] Excluded: org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-core:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings-builder:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model-builder:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-aether-provider:jar:3.0 [DEBUG] Excluded: org.sonatype.aether:aether-impl:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-spi:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-api:jar:1.7 [DEBUG] Excluded: org.codehaus.plexus:plexus-classworlds:jar:2.2.3 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-compiler-plugin:3.7.0, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile' with basic configurator --> [DEBUG] (f) basedir = /home/kd/commons-crypto [DEBUG] (f) buildDirectory = /home/kd/commons-crypto/target [DEBUG] (f) compilePath = [/home/kd/commons-crypto/target/classes, /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar] [DEBUG] (f) compileSourceRoots = [/home/kd/commons-crypto/src/main/java] [DEBUG] (f) compilerId = javac [DEBUG] (f) debug = true [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) excludes = [**/package-info.java] [DEBUG] (f) failOnError = true [DEBUG] (f) failOnWarning = false [DEBUG] (f) forceJavaCompilerUse = false [DEBUG] (f) fork = false [DEBUG] (f) generatedSourcesDirectory = /home/kd/commons-crypto/target/generated-sources/annotations [DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile {execution: default-compile} [DEBUG] (f) optimize = false [DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (f) parameters = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) projectArtifact = org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) showDeprecation = false [DEBUG] (f) showWarnings = false [DEBUG] (f) skipMultiThreadWarning = false [DEBUG] (f) source = 1.8 [DEBUG] (f) staleMillis = 0 [DEBUG] (f) target = 1.8 [DEBUG] (f) useIncrementalCompilation = true [DEBUG] (f) verbose = false [DEBUG] -- end configuration -- [DEBUG] Using compiler 'javac'. [DEBUG] Adding /home/kd/commons-crypto/target/generated-sources/annotations to compile source roots: /home/kd/commons-crypto/src/main/java [DEBUG] New compile source roots: /home/kd/commons-crypto/src/main/java /home/kd/commons-crypto/target/generated-sources/annotations [DEBUG] CompilerReuseStrategy: reuseCreated [DEBUG] useIncrementalCompilation enabled [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/CryptoCipher.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/OpenSslCommonMode.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/random/OpenSslCryptoRandomNative.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/input/StreamInput.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/jna/OpenSsl11XNativeJna.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/CtrCryptoInputStream.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/Crypto.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/CryptoCipherFactory.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/IceCipher.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/PositionedCryptoInputStream.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/input/Input.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/output/StreamOutput.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/OpenSsl.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/CtrCryptoOutputStream.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/CryptoInputStream.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/random/CryptoRandomFactory.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/random/JavaCryptoRandom.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/Utils/ReflectionUtils.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/NativeCodeLoader.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/OpenSslEvpCtrlValues.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/OSInfo.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/jna/OpenSslJnaCryptoRandom.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/random/CryptoRandom.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/output/ChannelOutput.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/jna/OpenSslJna.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/input/ChannelInput.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/jna/OpenSslJnaCipher.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/output/Output.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/jna/OpenSsl10XNativeJna.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/OpenSslNative.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/Utils.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/OpenSslInfoNative.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/OpenSslGaloisCounterMode.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/random/OsCryptoRandom.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/OpenSslCipher.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/jna/OpenSslNativeJna.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/stream/CryptoOutputStream.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/Utils/IOUtils.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/cipher/OpenSslFeedbackCipher.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/main/java/org/apache/commons/crypto/random/OpenSslCryptoRandom.java [INFO] Changes detected - recompiling the module! [DEBUG] Classpath: [DEBUG] /home/kd/commons-crypto/target/classes [DEBUG] /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar [DEBUG] Source roots: [DEBUG] /home/kd/commons-crypto/src/main/java [DEBUG] /home/kd/commons-crypto/target/generated-sources/annotations [DEBUG] Command line options: [DEBUG] -d /home/kd/commons-crypto/target/classes -classpath /home/kd/commons-crypto/target/classes:/root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar: -sourcepath /home/kd/commons-crypto/src/main/java:/home/kd/commons-crypto/target/generated-sources/annotations: -s /home/kd/commons-crypto/target/generated-sources/annotations -g -nowarn -target 1.8 -source 1.8 -encoding iso-8859-1 [DEBUG] incrementalBuildHelper#beforeRebuildExecution

[INFO] Compiling 40 source files to /home/kd/commons-crypto/target/classes [DEBUG] incrementalBuildHelper#afterRebuildExecution [INFO] [INFO] --- maven-antrun-plugin:1.8:run (make) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-antrun-plugin:1.8:run from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-antrun-plugin:1.8, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-antrun-plugin:1.8:run' with basic configurator --> [DEBUG] (f) exportAntProperties = false [DEBUG] (f) failOnError = true [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) pluginArtifacts = [org.apache.maven.plugins:maven-antrun-plugin:maven-plugin:1.8.1; ant-contrib:jar:1.0b3:runtime, org.apache.ant:ant-nodeps:jar:1.8.1:runtime, backport-util-concurrent:backport-util-concurrent:jar:3.1:compile, org.codehaus.plexus:plexus-interpolation:jar:1.11:compile, junit:junit:jar:3.8.1:compile, org.codehaus.plexus:plexus-utils:jar:3.0.20:compile, org.apache.ant:ant:jar:1.9.4:compile, org.apache.ant:ant-launcher:jar:1.9.4:compile] [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) skip = false [DEBUG] (f) target = <target name="make"><taskdef resource="net/sf/antcontrib/antcontrib.properties" classpathref="maven.plugin.classpath"><exec failonerror="true" dir="/home/kd/commons-crypto" executable="make"><env value="1.1.0-SNAPSHOT" key="VERSION"/><env value="Apache Commons Crypto" key="PROJECT_NAME"/><arg value="all"/></exec></target> [DEBUG] (f) versionsPropertyName = maven.project.dependencies.versions [DEBUG] -- end configuration -- Project base dir set to: /home/kd/commons-crypto Adding reference: maven.dependency.classpath Adding reference: maven.compile.classpath Adding reference: maven.runtime.classpath Adding reference: maven.test.classpath Adding reference: maven.plugin.classpath Adding reference: maven.project Adding reference: maven.project.helper Adding reference: maven.local.repository [DEBUG] Initialize Maven Ant Tasks parsing buildfile jar:file:/root/.m2/repository/org/apache/maven/plugins/maven-antrun-plugin/1.8/maven-antrun-plugin-1.8.jar!/org/apache/maven/ant/tasks/antlib.xml with URI = jar:file:/root/.m2/repository/org/apache/maven/plugins/maven-antrun-plugin/1.8/maven-antrun-plugin-1.8.jar!/org/apache/maven/ant/tasks/antlib.xml from a zip file parsing buildfile jar:file:/root/.m2/repository/org/apache/ant/ant/1.9.4/ant-1.9.4.jar!/org/apache/tools/ant/antlib.xml with URI = jar:file:/root/.m2/repository/org/apache/ant/ant/1.9.4/ant-1.9.4.jar!/org/apache/tools/ant/antlib.xml from a zip file Class org.apache.maven.ant.tasks.AttachArtifactTask loaded from parent loader (parentFirst) +Datatype attachartifact org.apache.maven.ant.tasks.AttachArtifactTask Class org.apache.maven.ant.tasks.DependencyFilesetsTask loaded from parent loader (parentFirst) +Datatype dependencyfilesets org.apache.maven.ant.tasks.DependencyFilesetsTask Setting project property: commons.compiler.compilerVersion -> Setting project property: commons-build-plugin.version -> 1.6 Setting project property: commons.release.2.name -> commons-crypto-\${commons.release.2.version} Setting project property: slf4j-api.version -> 1.7.10 Setting project property: commons.release.desc -> (Requires Java 1.8 or later) Setting project property: formattedVersion.nextMinorVersion -> 09 Setting project property: javaTarget.nextBuildNumber -> 1 Setting project property: commons.binary.suffix -> -bin Setting project property: commons.manifestfile -> /home/kd/commons-crypto/target/osgi/MANIFEST.MF Setting project property: maven.build.timestamp.format -> yyyy-MM-dd HH:mm:ssZ Setting project property: commons.project-info.version -> 2.9 Setting project property: formattedVersion.nextIncrementalVersion -> 01 Setting project property: project.build.sourceEncoding -> iso-8859-1 Setting project property: commons.changes.onlyCurrentVersion -> true Setting project property: sourceReleaseAssemblyDescriptor -> source-release Setting project property: commons.release.3.name -> commons-crypto-\${commons.release.3.version} Setting project property: commons.componentid -> crypto Setting project property: commons.site.path -> commons-crypto Setting project property: maven.buildNumber.timestampFormat -> {0,date,yyyy-MM-dd HH:mm:ssZ} Setting project property: commons.osgi.private -> Setting project property: commons.javadoc.javaee.link -> http://docs.oracle.com/javaee/6/api/ Setting project property: jna.version -> 4.4.0 Setting project property: commons.osgi.export -> org.apache.commons.*;version=1.1.0-SNAPSHOT;-noimport:=true Setting project property: commons.release.2.binary.suffix -> -bin Setting project property: javaTarget.nextMinorVersion -> 9 Setting project property: formattedVersion.buildNumber -> 00 Setting project property: commons.compiler.javac -> Setting project property: commons.encoding -> iso-8859-1 Setting project property: organization.logo -> https://www.apache.org/images/asf_logo_wide.gif Setting project property: buildNumber -> 3d9601cdbf3708b76275a4a41049c8d362cddaa3 Setting project property: commons.scmPubUrl -> https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto Setting project property: sonar.host.url -> https://analysis.apache.org/ Setting project property: commons.rc.version -> RC1 Setting project property: commons.cobertura.version -> 2.7 Setting project property: commons.build-helper.version -> 3.0.0 Setting project property: commons.release.name -> commons-crypto-1.0.0 Setting project property: commons.jacoco.haltOnFailure -> false Setting project property: minSeverity -> info Setting project property: commons.jacoco.methodRatio -> 0.95 Setting project property: commons.animal-sniffer.version -> 1.16 Setting project property: commons.findbugs.version -> 3.0.5 Setting project property: maven.compiler.target -> 1.8 Setting project property: project.reporting.outputEncoding -> iso-8859-1 Setting project property: commons.scmPubServer -> commons.site Setting project property: animal-sniffer.signature -> java\${javaTarget.majorVersion}\${javaTarget.minorVersion} Setting project property: javaTarget.osgiVersion -> 1.8.0 Setting project property: gpg.useagent -> true Setting project property: commons.jacoco.complexityRatio -> 0.85 Setting project property: commons.javadoc.version -> 3.0.0 Setting project property: commons.surefire.version -> 2.20.1 Setting project property: commons.changes.version -> 2.12.1 Setting project property: commons.failSafe.version -> 2.20.1 Setting project property: surefire.version -> 2.19.1 Setting project property: commons.coveralls.timestampFormat -> EpochMillis Setting project property: commons.release.version -> 1.0.0 Setting project property: commons.japicmp.breakBuildOnBinaryIncompatibleModifications -> true Setting project property: commons.osgi.excludeDependencies -> true Setting project property: commons.jxr.version -> 2.5 Setting project property: commons.surefire-report.version -> 2.20.1 Setting project property: commons.rat.version -> 0.12 Setting project property: commons.site.cache -> /root/commons-sites Setting project property: target.name -> all Setting project property: javaTarget.majorVersion -> 1 Setting project property: commons.docEncoding -> iso-8859-1 Setting project property: commons.jacoco.branchRatio -> 0.85 Setting project property: commons.japicmp.version -> 0.11.0 Setting project property: commons.javadoc.java.link -> http://download.oracle.com/javase/7/docs/api/ Setting project property: commons.deployment.protocol -> scp Setting project property: commons.changes.runOnlyAtExecutionRoot -> false Setting project property: distMgmtSnapshotsName -> Apache Development Snapshot Repository Setting project property: commons.animal-sniffer.signature.version -> 1.0 Setting project property: commons.scm-publish.version -> 1.1 Setting project property: commons.jacoco.instructionRatio -> 0.90 Setting project property: commons.compiler.version -> 3.7.0 Setting project property: timestamp -> 2019-04-12 11:03:41+0530 Setting project property: commons.jacoco.lineRatio -> 0.90 Setting project property: commons.changes.maxEntries -> 100 Setting project property: commons.release.2.desc -> Setting project property: commons.jira.pid -> 12320024 Setting project property: commons.module.name -> org.apache.commons.crypto Setting project property: javaTarget.incrementalVersion -> 0 Setting project property: arguments -> Setting project property: formattedVersion.majorVersion -> 01 Setting project property: commons.coveralls.version -> 4.3.0 Setting project property: commons.surefire-report.aggregate -> false Setting project property: javaTarget.buildNumber -> 0 Setting project property: commons.release.3.binary.suffix -> -bin Setting project property: commons.wagon-ssh.version -> 3.0.0 Setting project property: commons.build-plugin.version -> 1.7 Setting project property: distMgmtSnapshotsUrl -> https://repository.apache.org/content/repositories/snapshots Setting project property: javaTarget.qualifier -> Setting project property: commons-logging.version -> 1.1.3 Setting project property: maven.compiler.source -> 1.8 Setting project property: formattedVersion.nextMajorVersion -> 02 Setting project property: commons.jacoco.classRatio -> 1.00 Setting project property: javaTarget.nextIncrementalVersion -> 1 Setting project property: commons.osgi.dynamicImport -> Setting project property: maven-antrun-plugin.version -> 1.8 Setting project property: javaTarget.minorVersion -> 8 Setting project property: commons.compiler.fork -> false Setting project property: commons.jdepend.version -> 2.0 Setting project property: commons.release.3.desc -> Setting project property: implementation.build -> \${scmBranch}@\${buildNumber}; 2019-04-12 11:03:37+0530 Setting project property: commons.felix.version -> 3.4.0 Setting project property: commons.osgi.symbolicName -> org.apache.commons.crypto Setting project property: commons.site-plugin.version -> 3.7 Setting project property: commons.surefire.java -> Setting project property: formattedVersion.incrementalVersion -> 00 Setting project property: formattedVersion.nextBuildNumber -> 01 Setting project property: commons.jacoco.version -> 0.7.7.201606060606 Setting project property: scmBranch -> master Setting project property: commons.osgi.import -> * Setting project property: formattedVersion.minorVersion -> 08 Setting project property: commons.jira.id -> CRYPTO Setting project property: junit.version -> 4.12 Setting project property: commons.clirr.version -> 2.8 Setting project property: commons.scmPubCheckoutDirectory -> /root/commons-sites/commons-crypto Setting project property: javaTarget.nextMajorVersion -> 2 Setting project property: ant.file -> /home/kd/commons-crypto/pom.xml [DEBUG] Setting properties with prefix: Setting project property: project.groupId -> org.apache.commons Setting project property: project.artifactId -> commons-crypto Setting project property: project.name -> Apache Commons Crypto Setting project property: project.description -> Apache Commons Crypto is a cryptographic library optimized with AES-NI (Advanced Encryption Standard New Instructions). It provides Java API for both cipher level and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort. Please note that Crypto doesn't implement the cryptographic algorithm such as AES directly. It wraps to Openssl or JCE which implement the algorithms. Features ----- 1. Cipher API for low level cryptographic operations. 2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption. 3. Both optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors). 4. JNI-based implementation to achieve comparable performance to the native C/C++ version based on OpenSSL. 5. Portable across various operating systems (currently only Linux/MacOSX/Windows); Apache Commons Crypto loads the library according to your machine environment (it checks system properties, 'os.name' and 'os.arch'). 6. Simple usage. Add the commons-crypto-(version).jar file to your classpath. Export restrictions ----- This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <http://www.wassenaar.org/> for more information. The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes

information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this Apache Software Foundation distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code. The following provides more details on the included cryptographic software: * Commons Crypto use [Java Cryptography Extension](http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html) provided by Java * Commons Crypto link to and use [OpenSSL](https://www.openssl.org/) ciphers Setting project property: project.version -> 1.1.0-SNAPSHOT Setting project property: project.packaging -> jar Setting project property: project.build.directory -> /home/kd/commons-crypto/target Setting project property: project.build.outputDirectory -> /home/kd/commons-crypto/target/classes Setting project property: project.build.testOutputDirectory -> /home/kd/commons-crypto/target/test-classes Setting project property: project.build.sourceDirectory -> /home/kd/commons-crypto/src/main/java Setting project property: project.build.testSourceDirectory -> /home/kd/commons-crypto/src/test/java Setting project property: localRepository -> id: local url: file:///root/.m2/repository/ layout: none Setting project property: settings.localRepository -> /root/.m2/repository Setting project property: junit:junit:jar -> /root/.m2/repository/junit/junit/4.12/junit-4.12.jar Setting project property: org.hamcrest:hamcrest-core:jar -> /root/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar Setting project property: net.java.dev.jna:jna:jar -> /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar Setting project property: maven.project.dependencies.versions -> 4.12.1.3:4.4.0: Setting project property: maven.dependency.junit:junit:jar.path -> /root/.m2/repository/junit/junit/4.12/junit-4.12.jar Setting project property: maven.dependency.org.hamcrest:hamcrest-core:jar.path -> /root/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar Setting project property: maven.dependency.net.java.dev.jna:jna:jar.path -> /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar [INFO] Executing tasks Build sequence for target(s) `make` is [make] Complete build sequence is [make,] make: Class net.sf.antcontrib.property.PropertyCopy loaded from parent loader (parentFirst) +Datatype propertycopy net.sf.antcontrib.property.PropertyCopy Class net.sf.antcontrib.platform.ShellScriptTask loaded from parent loader (parentFirst) +Datatype shellscrip net.sf.antcontrib.platform.ShellScriptTask Class net.sf.antcontrib.property.PathToFileSet loaded from parent loader (parentFirst) +Datatype pathtofiles et net.sf.antcontrib.property.PathToFileSet Class net.sf.antcontrib.logic.RunTargetTask loaded from parent loader (parentFirst) +Datatype runtarget net.sf.antcontrib.logic.RunTargetTask Class net.sf.antcontrib.antserver.client.ClientTask loaded from parent loader (parentFirst) +Datatype remoteant net.sf.antcontrib.antserver.client.ClientTask Class net.sf.antcontrib.property.RegexTask loaded from parent loader (parentFirst) +Datatype propertyregex net.sf.antcontrib.property.RegexTask Class net.sf.antcontrib.logic.Assert loaded from parent loader (parentFirst) +Datatype assert net.sf.antcontrib.logic.Assert Class net.sf.antcontrib.math.MathTask loaded from parent loader (parentFirst) +Datatype math net.sf.antcontrib.math.MathTask Class net.sf.antcontrib.logic.TryCatchTask loaded from parent loader (parentFirst) +Datatype trycatch net.sf.antcontrib.logic.TryCatchTask Class net.sf.antcontrib.antserver.server.ServerTask loaded from parent loader (parentFirst) +Datatype antserver net.sf.antcontrib.antserver.server.ServerTask Class net.sf.antcontrib.logic.AntCallBack loaded from parent loader (parentFirst) +Datatype antcallback net.sf.antcontrib.logic.AntCallBack Class net.sf.antcontrib.walls.CompileWithWalls loaded from parent loader (parentFirst) +Datatype compilewithwalls net.sf.antcontrib.walls.CompileWithWalls Class net.sf.antcontrib.logic.OutOfDate loaded from parent loader (parentFirst) +Datatype outofdate net.sf.antcontrib.logic.OutOfDate Class net.sf.antcontrib.platform.OsFamily loaded from parent loader (parentFirst) +Datatype osfamily net.sf.antcontrib.platform.OsFamily Class net.sf.antcontrib.perf.StopWatchTask loaded from parent loader (parentFirst) +Datatype stopwatch net.sf.antcontrib.perf.StopWatchTask Class net.sf.antcontrib.logic.Throw loaded from parent loader (parentFirst) +Datatype throw net.sf.antcontrib.logic.Throw Class net.sf.antcontrib.antclipse.ClassPathTask loaded from parent loader (parentFirst) +Datatype antclipse net.sf.antcontrib.antclipse.ClassPathTask Class net.sf.antcontrib.property.URLEncodeTask loaded from parent loader (parentFirst) +Datatype urlencode net.sf.antcontrib.property.URLEncodeTask Class net.sf.antcontrib.logic.TimestampSelector loaded from parent loader (parentFirst) +Datatype timestampselector net.sf.antcontrib.logic.TimestampSelector Class net.sf.antcontrib.logic.ForEach loaded from parent loader (parentFirst) +Datatype foreach net.sf.antcontrib.logic.ForEach Class net.sf.antcontrib.logic.IfTask loaded from parent loader (parentFirst) +Datatype if net.sf.antcontrib.logic.IfTask Class net.sf.antcontrib.property.PropertySelector loaded from parent loader (parentFirst) +Datatype propertyselector net.sf.antcontrib.property.PropertySelector Class net.sf.antcontrib.property.SortList loaded from parent loader (parentFirst) +Datatype sortlist net.sf.antcontrib.property.SortList Class net.sf.antcontrib.logic.AntFetch loaded from parent loader (parentFirst) +Datatype antfetch net.sf.antcontrib.logic.AntFetch Class net.sf.antcontrib.net.PostTask loaded from parent loader (parentFirst) +Datatype post net.sf.antcontrib.net.PostTask Class net.sf.antcontrib.process.ForgetTask loaded from parent loader (parentFirst) +Datatype forget net.sf.antcontrib.process.ForgetTask Class net.sf.antcontrib.process.Limit loaded from parent loader (parentFirst) +Datatype limit net.sf.antcontrib.process.Limit Class net.sf.antcontrib.logic.Switch loaded from parent loader (parentFirst) +Datatype switch net.sf.antcontrib.logic.Switch Class net.sf.antcontrib.logic.Relentless loaded from parent loader (parentFirst) +Datatype relentless net.sf.antcontrib.logic.Relentless Class net.sf.antcontrib.property.Variable loaded from parent loader (parentFirst) +Datatype var net.sf.antcontrib.property.Variable Class net.sf.antcontrib.inifile.IniFileTask loaded from parent loader (parentFirst) +Datatype inifile net.sf.antcontrib.inifile.IniFileTask Class net.sf.antcontrib.design.VerifyDesign loaded from parent loader (parentFirst) +Datatype verifydesign net.sf.antcontrib.design.VerifyDesign [exec] Current OS is Linux [exec] Setting environment variable: VERSION=1.1.0-SNAPSHOT [exec] Setting environment variable: PROJECT_NAME=Apache Commons Crypto [exec] Executing 'make' with arguments: [exec] 'all' [exec] [exec] The ' characters around the executable and arguments are [exec] not part of the command. Execute: Java13CommandLauncher: Executing 'make' with arguments: 'all' The ' characters around the executable and arguments are not part of the command. [exec] "/usr/lib/jvm/java-1.8.0-openjdk/bin/javah" -force -classpath target/classes -o target/jni-classes/org/apache/commons/crypto/random/OpenSslCryptoRandomNative.h org.apache.commons.crypto.random.OpenSslCryptoRandomNative [exec] gcc -I/usr/lib/jvm/java-1.8.0-openjdk/include -Ilib/inc_mac -O2 -fPIC -fvisibility=hidden -Ilib/include -Iusr/include -I"src/main/native/org/apache/commons/crypto/" -I"usr/lib/jvm/java-1.8.0-openjdk/include/linux" -I"target/jni-classes/org/apache/commons/crypto/cipher" -I"target/jni-classes/org/apache/commons/crypto/random" -c src/main/native/org/apache/commons/crypto/random/OpenSslCryptoRandomNative.c -o target/commons-crypto-1.1.0-SNAPSHOT-Default/OpenSslCryptoRandomNative.o [exec] In file included from src/main/native/org/apache/commons/crypto/random/OpenSslCryptoRandomNative.c:19:0: [exec] src/main/native/org/apache/commons/crypto/random/org_apache_commons_crypto_random.h:24:0: warning: "UNUSED" redefined [enabled by default] [exec] #define UNUSED(x) ((void)(x)) [exec] ^ [exec] In file included from /usr/lib/jvm/java-1.8.0-openjdk/include/jni.h:45:0, [exec] from src/main/native/org/apache/commons/crypto/org_apache_commons_crypto.h:71, [exec] from src/main/native/org/apache/commons/crypto/random/org_apache_commons_crypto_random.h:22, [exec] from src/main/native/org/apache/commons/crypto/random/OpenSslCryptoRandomNative.c:19: [exec] /usr/lib/jvm/java-1.8.0-openjdk/include/linux/jni_md.h:40:0: note: this is the location of the previous definition [exec] #define UNUSED(x) UNUSED_ ## x __attribute__((__unused__)) [exec] ^ [exec] "/usr/lib/jvm/java-1.8.0-openjdk/bin/javah" -force -classpath target/classes -o target/jni-classes/org/apache/commons/crypto/cipher/OpenSslNative.h org.apache.commons.crypto.cipher.OpenSslNative [exec] gcc -I/usr/lib/jvm/java-1.8.0-openjdk/include -Ilib/inc_mac -O2 -fPIC -fvisibility=hidden -Ilib/include -Iusr/include -I"src/main/native/org/apache/commons/crypto/" -I"usr/lib/jvm/java-1.8.0-openjdk/include/linux" -I"target/jni-classes/org/apache/commons/crypto/cipher" -I"target/jni-classes/org/apache/commons/crypto/random" -c src/main/native/org/apache/commons/crypto/cipher/OpenSslNative.c -o target/commons-crypto-1.1.0-SNAPSHOT-Default/OpenSslNative.o [exec] "/usr/lib/jvm/java-1.8.0-openjdk/bin/javah" -force -classpath target/classes -o target/jni-classes/org/apache/commons/crypto/OpenSslInfoNative.h org.apache.commons.crypto.OpenSslInfoNative [exec] gcc -Iusr/lib/jvm/java-1.8.0-openjdk/include -Ilib/inc_mac -O2 -fPIC -fvisibility=hidden -Ilib/include -Iusr/include -I"src/main/native/org/apache/commons/crypto/" -I"usr/lib/jvm/java-1.8.0-openjdk/include/linux" -I"target/jni-classes/org/apache/commons/crypto/cipher" -I"target/jni-classes/org/apache/commons/crypto/random" -DVERSION=""1.1.0-SNAPSHOT"" -DPROJECT_NAME=""Apache Commons Crypto"" -I"target/jni-classes/org/apache/commons/crypto" -c src/main/native/org/apache/commons/crypto/OpenSslInfoNative.c -o target/commons-crypto-1.1.0-SNAPSHOT-Default/OpenSslInfoNative.o [exec] g++ -Iusr/lib/jvm/java-1.8.0-openjdk/include -Ilib/inc_mac -O2 -fPIC -fvisibility=hidden -Ilib/include -Iusr/include -I"usr/lib/jvm/java-1.8.0-openjdk/include/linux" -I"target/jni-classes/org/apache/commons/crypto/cipher" -I"target/jni-classes/org/apache/commons/crypto/random" -o target/commons-crypto-1.1.0-SNAPSHOT-Default/libcommons-crypto.so target/commons-crypto-1.1.0-SNAPSHOT-Default/OpenSslCryptoRandomNative.o target/commons-crypto-1.1.0-SNAPSHOT-Default/OpenSslNative.o target/commons-crypto-1.1.0-SNAPSHOT-Default/OpenSslInfoNative.o -shared -static [exec] strip target/commons-crypto-1.1.0-SNAPSHOT-Default/libcommons-crypto.so [exec] cp target/commons-crypto-1.1.0-SNAPSHOT-Default/libcommons-crypto.so target/classes/org/apache/commons/crypto/native/Linux/aarch64/libcommons-crypto.so [exec] cp target/commons-crypto-1.1.0-SNAPSHOT-Default/libcommons-crypto.so target/classes/org/apache/commons/crypto/native/Linux/aarch64/libcommons-crypto.so [INFO] Executed tasks [INFO] [INFO] --- maven-bundle-plugin:3.4.0:manifest (bundle-manifest) @ commons-crypto --- [DEBUG] org.apache.felix:maven-bundle-plugin:jar:3.4.0: [DEBUG] org.osgi.org.osgi.core:jar:4.3.1:compile [DEBUG] biz.aQute.bnd:biz.aQute.bndlib:jar:3.4.0:compile [DEBUG] org.apache.felix:org.apache.felix.bundlerepository:jar:1.6.6:compile [DEBUG] org.easymock:easymock:jar:3.4.0:compile (version managed from 2.4) [DEBUG] org.objenesis:objenesis:jar:2.2.0:compile [DEBUG] org.apache.felix:org.apache.felix.util:jar:1.6.0:compile [DEBUG] org.osgi.org.osgi.compendium:jar:4.2.0:compile [DEBUG] org.apache.maven:maven-maven:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.0:compile [DEBUG] org.slf4j:slf4j-jdk14:jar:1.5.6:runtime [DEBUG] org.slf4j:slf4j-api:jar:1.5.6:runtime [DEBUG] org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime [DEBUG] org.apache.maven.reporting-api:jar:2.2.0:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.0:compile [DEBUG]

```
org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:4.12:compile (version managed from 3.8.1) [DEBUG]
org.hamcrest:hamcrest-core:jar:1.3:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-error-
diagnostics:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.0:compile
[DEBUG] org.apache.commons-cli:commons-cli:jar:1.2:compile [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.0:compile [DEBUG] org.apache.maven:maven-
plugin-descriptor:jar:2.2.0:compile [DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile [DEBUG] org.apache.maven:maven-artifact-
manager:jar:2.2.0:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-
monitor:jar:2.2.0:compile [DEBUG] classworlds:classworlds:jar:1.1:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG]
org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-archiver:jar:2.6:compile [DEBUG] org.apache.maven.shared:maven-
shared-utils:jar:0.7:compile [DEBUG] com.google.code.findbugs:jsr305:jar:2.0.1:compile [DEBUG] org.codehaus.plexus:plexus-archiver:jar:2.8.1:compile
[DEBUG] org.codehaus.plexus:plexus-io:jar:2.3.2:compile [DEBUG] org.apache.commons:commons-compress:jar:1.9:compile [DEBUG]
org.codehaus.plexus:plexus-interpolation:jar:1.21:compile [DEBUG] org.apache.maven.shared:maven-dependency-tree:jar:2.1:compile [DEBUG]
org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile [DEBUG] org.eclipse.aether:aether-util:jar:0.9.0.M2:compile [DEBUG]
org.codehaus.plexus:plexus-utils:jar:3.0.10:compile [DEBUG] org.sonatype.plexus:plexus-build-api:jar:0.0.7:compile [DEBUG] org.apache.maven.doxia:doxia-
sink-api:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-site-renderer:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-core:jar:1.0:compile
[DEBUG] org.codehaus.plexus:plexus-i18n:jar:1.0-beta-7:compile [DEBUG] org.codehaus.plexus:plexus-velocity:jar:1.1.7:compile [DEBUG]
org.apache.velocity:velocity:jar:1.5:compile [DEBUG] commons-lang:commons-lang:jar:2.1:compile [DEBUG] oro:oro:jar:2.0.8:compile [DEBUG]
org.apache.maven.doxia:doxia-decoration-model:jar:1.0:compile [DEBUG] commons-collections:commons-collections:jar:3.2:compile [DEBUG]
org.apache.maven.doxia:doxia-module-apt:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-module-fml:jar:1.0:compile [DEBUG]
org.apache.maven.doxia:doxia-module-xdoc:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-module-xhtml:jar:1.0:compile [DEBUG]
org.jdom:jdom:jar:1.1:compile [DEBUG] Created new class realm plugin>org.apache.felix:maven-bundle-plugin:3.4.0 [DEBUG] Importing foreign packages into
class realm plugin>org.apache.felix:maven-bundle-plugin:3.4.0 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm
plugin>org.apache.felix:maven-bundle-plugin:3.4.0 [DEBUG] Included: org.apache.felix:maven-bundle-plugin:jar:3.4.0 [DEBUG] Included:
org.osgi:org.osgi.core:jar:4.3.1 [DEBUG] Included: biz.aQute.bnd:biz.aQute.bndlib:jar:3.4.0 [DEBUG] Included:
org.apache.felix:org.apache.felix.bundlerepository:jar:1.6.6 [DEBUG] Included: org.easymock:easymock:jar:3.4 [DEBUG] Included:
org.objenesis:objenesis:jar:2.2 [DEBUG] Included: org.apache.felix:org.apache.felix.utils:jar:1.6.0 [DEBUG] Included: org.osgi:org.osgi.compendium:jar:4.2.0
[DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6 [DEBUG] Included: org.slf4j:slf4j-api:jar:1.5.6 [DEBUG] Included: org.slf4j:jcl-over-slf4j:jar:1.5.6 [DEBUG]
Included: org.apache.maven.reporting:maven-reporting-api:jar:2.2.0 [DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.1 [DEBUG] Included:
junit:junit:jar:4.12 [DEBUG] Included: org.hamcrest:hamcrest-core:jar:1.3 [DEBUG] Included: commons-cli:commons-cli:jar:1.2 [DEBUG] Included:
org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included:
org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.apache.maven:maven-
archiver:jar:2.6 [DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:0.7 [DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1
[DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:2.8.1 [DEBUG] Included: org.codehaus.plexus:plexus-io:jar:2.3.2 [DEBUG] Included:
org.apache.commons:commons-compress:jar:1.9 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.21 [DEBUG] Included:
org.apache.maven.shared:maven-dependency-tree:jar:2.1 [DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5 [DEBUG] Included:
org.eclipse.aether:aether-util:jar:0.9.0.M2 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.10 [DEBUG] Included: org.sonatype.plexus:plexus-build-
api:jar:0.0.7 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-site-renderer:jar:1.0
[DEBUG] Included: org.apache.maven.doxia:doxia-core:jar:1.0 [DEBUG] Included: org.codehaus.plexus:plexus-i18n:jar:1.0-beta-7 [DEBUG] Included:
org.codehaus.plexus:plexus-velocity:jar:1.1.7 [DEBUG] Included: org.apache.velocity:velocity:jar:1.5 [DEBUG] Included: commons-lang:commons-lang:jar:2.1
[DEBUG] Included: oro:oro:jar:2.0.8 [DEBUG] Included: org.apache.maven.doxia:doxia-decoration-model:jar:1.0 [DEBUG] Included: commons-
collections:commons-collections:jar:3.2 [DEBUG] Included: org.apache.maven.doxia:doxia-module-apt:jar:1.0 [DEBUG] Included:
org.apache.maven.doxia:doxia-module-fml:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-module-xdoc:jar:1.0 [DEBUG] Included:
org.apache.maven.doxia:doxia-module-xhtml:jar:1.0 [DEBUG] Included: org.jdom:jdom:jar:1.1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:2.2.0
[DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.0 [DEBUG]
Excluded: org.apache.maven:maven-profile:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.0 [DEBUG] Excluded:
org.apache.maven:maven-artifact:jar:2.2.0 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded:
org.apache.maven:maven-repository-metadata:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-error-diagnostics:jar:2.2.0 [DEBUG] Excluded:
org.apache.maven:maven-project:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-
plugin-api:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-plugin-descriptor:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-artifact-
manager:jar:2.2.0 [DEBUG] Excluded: org.apache.maven:maven-monitor:jar:2.2.0 [DEBUG] Excluded: classworlds:classworlds:jar:1.1 [DEBUG] Configuring
mojo org.apache.felix:maven-bundle-plugin:3.4.0:manifest from plugin realm ClassRealm[plugin>org.apache.felix:maven-bundle-plugin:3.4.0, parent:
sun.misc.Launcher$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.felix:maven-bundle-plugin:3.4.0:manifest' with basic configurator -->
[DEBUG] (s) forced = true [DEBUG] (f) archive = org.apache.maven.archiver.MavenArchiveConfiguration@33bd9ac3 [DEBUG] (f) buildDirectory =
/home/kd/commons-crypto/target [DEBUG] (f) dependencyReducedPomLocation = /home/kd/commons-crypto/dependency-reduced-pom.xml [DEBUG] (f)
excludeDependencies = true [DEBUG] (f) finalName = commons-crypto-1.1.0-SNAPSHOT [DEBUG] (f) instructions = \[Bundle-
DocURL=http://commons.apache.org/proper/commons-crypto/, Bundle-SymbolicName=org.apache.commons.crypto, DynamicImport-Package=null, Export-
Package=org.apache.commons.*;version=1.1.0-SNAPSHOT,;noimport=true, Import-Package=*, Private-Package=null, _nouses=true,
_removeheaders=JAVA_1_3_HOME,JAVA_1_4_HOME,JAVA_1_5_HOME,JAVA_1_6_HOME,JAVA_1_7_HOME,JAVA_1_8_HOME,JAVA_1_9_HOME}
[DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) m_mavenSession =
org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) manifestLocation = /home/kd/commons-crypto/target/osgi [DEBUG] (f) niceManifest = false
[DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-
SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) remoteArtifactRepositories = [ id: apache.snapshots url: https://repository.apache.org/snapshots
layout: default snapshots: [enabled => true, update => daily] releases: [enabled => false, update => daily] , id: central url: https://repo.maven.apache.org/maven2
layout: default snapshots: [enabled => false, update => daily] releases: [enabled => true, update => daily] ] [DEBUG] (f) scrLocation = /home/kd/commons-
crypto/target/classes [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] -- end configuration -- [DEBUG] building maven3
dependency graph for org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT [DEBUG] org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT
[DEBUG] junit:junit:jar:4.12:test [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:test [DEBUG] net.java.dev.jna:jna:jar:4.4.0:compile [DEBUG] BND Instructions:
#-----#Fri Apr 12 11:03:48 IST 2019 project.name=Apache Commons Crypto
commons.japicmp.version=0.11.0 env.SSH_CLIENT=192.168.2.96 50090 22 pom.inceptionYear=2016 pom.version=1.1.0-SNAPSHOT env.TERM=xterm-
256color user.dir=/home/kd/commons-crypto javaTarget.osgiVersion=1.8.0 sonar.host.url=https://analysis.apache.org/ java.vm.version=25.191-b12
pom.id=org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT project.build.parent=org.apache.commons:commons-parent:pom:43
commons.deployment.protocol=scp commons.jdepend.version=2.0 env.HISTSIZE=1000 project.build.description=Apache Commons Crypto is a cryptographic
library optimized with AES-NI (Advanced Encryption Standard New Instructions). It provides Java API for both cipher level and Java stream level.\nDevelopers
can use it to implement high performance AES encryption/decryption with the minimum\ncode and effort. Please note that Crypto doesn't implement the
cryptographic algorithm such as\nAES directly. It wraps to Openssl or JCE which implement the algorithms.\n\nFeatures\n-----\n\n1. Cipher API for low level
cryptographic operations.\n2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption.\n3. Both optimized with
high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors).\n4. JNI-based implementation to achieve
comparable performance to the native C/C++ version based on OpenSSL.\n5. Portable across various operating systems (currently only
Linux/MacOSX/Windows);\nApache Commons Crypto loads the library according to your machine environment (it checks system properties, `os.name` and
`os.arch`).\n6. Simple usage. Add the commons-crypto-(version).jar file to your classpath.\n\n\nExport restrictions\n-----\n\nThis distribution includes
cryptographic software.\n\nThe country in which you currently reside may have restrictions\n\non the import, possession, use, and/or re-export to another country,\n\nof
encryption software. BEFORE using any encryption software,\n\nplease check your country's laws, regulations and policies\n\nconcerning the import, possession, or
use, and re-export of\n\nencryption software, to see if this is permitted.\n\nSee <http://www.wassenaar.org/> for more information.\n\n\nThe U.S. Government
Department of Commerce, Bureau of Industry and Security (BIS),\n\nhas classified this software as Export Commodity Control Number (ECCN)
5D002.C.1,\n\nwhich includes information security software using or performing\ncryptographic functions with asymmetric algorithms.\n\nThe form and manner of
this Apache Software Foundation distribution makes\n\nit eligible for export under the License Exception\n\nENC Technology Software Unrestricted (TSU)
exception\n\n(see the BIS Export Administration Regulations, Section 740.13)\n\nfor both object code and source code.\n\n\nThe following provides more details on the
included cryptographic software:\n\n\n* Commons Crypto use [Java Cryptography Extension]
(http://docs.oracle.com/javase/8/docs/technotes/guides/security/crpto/CrptoSpec.html) provided by Java\n\n* Commons Crypto link to and use [OpenSSL]
```

(<https://www.openssl.org/>) ciphers Bundle-DocURL=<http://commons.apache.org/proper/commons-crypto/> Bundle-Description=Apache Commons Crypto is a cryptographic library optimized with AES-NI (Advanced EncryptionStandard New Instructions). It provides Java API for both cipher level and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort. Please note that Crypto doesn't implement the cryptographic algorithm such as AES directly. It wraps to OpenSSL or JCE which implement the algorithms. Features-----1. Cipher API for low level cryptographic operations. 2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption. 3. Both optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors). 4. JNI-based implementation to achieve comparable performance to the native C/C++ version based on OpenSSL. 5. Portable across various operating systems (currently only Linux/MacOSX/Windows); Apache Commons Crypto loads the library according to your machine environment (it checks system properties, `os.name` and `os.arch`). 6. Simple usage. Add the commons-crypto-(version).jar file to your classpath. Export restrictions-----This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <<http://www.wassenaar.org/>> for more information. The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this Apache Software Foundation distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code. The following provides more details on the included cryptographic software: * Commons Crypto use [Java Cryptography Extension] (<http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html>) provided by Java * Commons Crypto link to and use [OpenSSL] (<https://www.openssl.org/>) ciphers formattedVersion=nextIncrementalVersion=01 target.name=all sun.os.patch.level=unknown commons.failSafe.version=2.20.1 project.mailingList=[org.apache.maven.model.MailingList@d28a235, org.apache.maven.model.MailingList@43e30f15, org.apache.maven.model.MailingList@4fc2933e, org.apache.maven.model.MailingList@3c9c91e3, org.apache.maven.model.MailingList@746da54f] java.vm.specification.name=Java Virtual Machine Specification commons-build-plugin.version=1.6 gpg.useagent=true project.build.modelEncoding=UTF-8 commons.release.desc=(Requires Java 1.8 or later) os.name=Linux Export-Package=org.apache.commons.*;version=1.1.0-SNAPSHOT;-noimport\:=true maven-symbolicName=org.apache.commons.crypto formattedVersion=incrementalVersion=00 project.groupId=org.apache.commons.commons.jacoco.methodRatio=0.95 project.modelVersion=4.0.0 maven.version=3.0.5 commons.osgi.private=java.vendor.url.bug=<http://bugreport.sun.com/bugreport/> pom.developers=[org.apache.maven.model.Developer@2f2d8770, org.apache.maven.model.Developer@742dbac8, org.apache.maven.model.Developer@2ce62e27, org.apache.maven.model.Developer@3538a129, org.apache.maven.model.Developer@766db6f9, org.apache.maven.model.Developer@6f8fb906, org.apache.maven.model.Developer@728535c6, org.apache.maven.model.Developer@244f356, org.apache.maven.model.Developer@19855799, org.apache.maven.model.Developer@bd09a26, org.apache.maven.model.Developer@5020b59f, org.apache.maven.model.Developer@75db328e] -fixupmessages=Classes found in the wrong directory;is\:=warning arguments= os.arch=aarch64 user.name=root project.build.groupId=org.apache.commons Import-Package=* project.build.pomFile=/home/kd/commons-crypto/pom.xml pom.build=org.apache.maven.model.Build@4a8bf1dc DynamicImport-Package=sun.java.command=org.codehaus.plexus.classworlds.launcher.Launcher clean install -X env.USER=root env.SSH_CONNECTION=192.168.2.96 50090 192.168.3.169 22 env.XDG_SESSION_ID=889 env.LOGNAME=root project.reporting.outputEncoding=iso-8859-1 sourceReleaseAssemblyDescriptor=source-release implementation.build=\${scmBranch}@r\${buildNumber}; 2019-04-12 11:03:37+0530 user.country=IN env.SSH_TTY=/dev/pts/1 javaTarget.nextBuildNumber=1 project.build.build=org.apache.maven.model.Build@4a8bf1dc commons.osgi.excludeDependencies=true commons.changes.onlyCurrentVersion=true pom.name=Apache Commons Crypto project.artifactId=commons-crypto commons.osgi.dynamicImport=java.endorsed.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/endorsed junit.version=4.12 java.vm.specification.version=1.8 project.organization.url=<https://www.apache.org/> javaTarget.minorVersion=8 pom.profiles=[Profile \{id: win32, source: pom}, Profile \{id: win64, source: pom}, Profile \{id: mac32, source: pom}, Profile \{id: mac64, source: pom}, Profile \{id: linux32, source: pom}, Profile \{id: linux64, source: pom}, Profile \{id: linux-arm, source: pom}, Profile \{id: linux-armhf, source: pom}, Profile \{id: linux-aarch64, source: pom}, Profile \{id: jacoco, source: pom}, Profile \{id: benchmark, source: pom}] env.CVS_RSH=ssh env.SHLVL=2 java.vendor=Oracle Corporation pom.modelEncoding=UTF-8 commons.compiler.compilerVersion=file.separator=/ javaTarget.majorVersion=1 sun.java.launcher=SUN_STANDARD env.MAIL=/var/spool/mail/root commons.surefire-report.version=2.20.1 maven-antrun-plugin.version=1.8 formattedVersion=nextMinorVersion=09 java.library.path=/usr/java/packages/lib/aarch64/lib:/usr/lib commons.componentId=crypto env.HISTCONTROL=ignoredups classworlds.conf=/usr/share/maven/bin/m2.conf project.build.sourceEncoding=iso-8859-1 sun.arch.data.model=64 commons.jxr.version=2.5 project.build=org.apache.maven.model.Build@4a8bf1dc commons.jacoco.haltOnFailure=false commons.release.3.name=commons-crypto-\${commons.release.3.version} env.PATH=/root/.cargo/bin:/usr/local/openssl/bin:/usr/local/bin:/usr/sbin:/usr/bin:/root/bin commons.manifestFile=/home/kd/commons-crypto/target/osgi/MANIFEST.MF pom.modelVersion=4.0.0 path.separator=: commons.animal-sniffer.signature.version=1.0 pom.licenses=[org.apache.maven.model.License@61aa6300] formattedVersion.nextMajorVersion=02 sun.io.unicode.encoding=UnicodeLittle pom.description=Apache Commons Crypto is a cryptographic library optimized with AES-NI (Advanced EncryptionStandard New Instructions). It provides Java API for both cipher level and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort. Please note that Crypto doesn't implement the cryptographic algorithm such as AES directly. It wraps to OpenSSL or JCE which implement the algorithms. Features-----1. Cipher API for low level cryptographic operations. 2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption. 3. Both optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors). 4. JNI-based implementation to achieve comparable performance to the native C/C++ version based on OpenSSL. 5. Portable across various operating systems (currently only Linux/MacOSX/Windows); Apache Commons Crypto loads the library according to your machine environment (it checks system properties, `os.name` and `os.arch`). 6. Simple usage. Add the commons-crypto-(version).jar file to your classpath. Export restrictions-----This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <<http://www.wassenaar.org/>> for more information. The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this Apache Software Foundation distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code. The following provides more details on the included cryptographic software: * Commons Crypto use [Java Cryptography Extension] (<http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html>) provided by Java * Commons Crypto link to and use [OpenSSL] (<https://www.openssl.org/>) ciphers commons.site.path=commons-crypto user.language=en commons.scmPubUrl=<https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto> project.contributors=[org.apache.maven.model.Contributor@46d18a33, org.apache.maven.model.Contributor@495f3965, org.apache.maven.model.Contributor@1c06f19c, org.apache.maven.model.Contributor@3065efd0, org.apache.maven.model.Contributor@7aaf6bfd] maven.compiler.source=1.8 java.class.version=52.0 buildNumber=3d9601c dbf3708b76275a4a41049c8d362cdda3 timestamp=2019-04-12 11:03:41+0530 project.build.projectDirectory=/home/kd/commons-crypto project.build.modelVersion=4.0.0 project.version=1.1.0-SNAPSHOT file.encoding.pkg=sun.io sun.cpu.endian=little commons.module.name=org.apache.commons.crypto Bundle-SymbolicName=org.apache.commons.crypto maven.compiler.target=1.8 pom.artifactId=commons-crypto project.parent=org.apache.commons:commons-parent:pom:43 pom.projectDirectory=/home/kd/commons-crypto commons.rat.version=0.12 env.SHELL=/bin/bash project.build.version=1.1.0-SNAPSHOT project.dir=/home/kd/commons-crypto javaTarget.nextIncrementalVersion=1 project.build.profiles=[Profile \{id: win32, source: pom}, Profile \{id: win64, source: pom}, Profile \{id: mac32, source: pom}, Profile \{id: mac64, source: pom}, Profile \{id: linux32, source: pom}, Profile \{id: linux64, source: pom}, Profile \{id: linux-arm, source: pom}, Profile \{id: linux-armhf, source: pom}, Profile \{id: linux-aarch64, source: pom}, Profile \{id: jacoco, source: pom}, Profile \{id: benchmark, source: pom}] java.home=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre commons.binary.suffix=-bin project.ciManagement=org.apache.maven.model.CiManagement@448a6d00 commons.felix.version=3.4.0 commons.jacoco.complexityRatio=0.85 Include-Resource={org/apache/commons/crypto/component.properties} commons.release.2.name=commons-crypto-\${commons.release.2.version} maven.home=/usr/share/maven/project.organization.name=The Apache Software Foundation project.organization=org.apache.maven.model.Organization@3a66d97e pom.url=<http://commons.apache.org/proper/commons-crypto/> commons.release.3.desc=javaTarget.incrementalVersion=0 commons.changes.version=2.12.1 classifier= minSeverity=info commons.surefire-report.aggregate=false project.build.directory=/home/kd/commons-crypto/target commons.coveralls.version=4.3.0 Bundle-License=<http://www.apache.org/licenses/LICENSE-2.0.txt> project.packaging=jar commons.findbugs.version=3.0.5 commons.site-plugin.version=3.7 sun.management.compiler=HotSpot 64-Bit Tiered Compilers project.build.licenses=[org.apache.maven.model.License@61aa6300] project.build.developers=[org.apache.maven.model.Developer@2f2d8770, org.apache.maven.model.Developer@742dbac8, org.apache.maven.model.Developer@2ce62e27, org.apache.maven.model.Developer@3538a129, org.apache.maven.model.Developer@766db6f9, org.apache.maven.model.Developer@6f8fb906, org.apache.maven.model.Developer@728535c6,

org.apache.maven.model.Developer@244f356, org.apache.maven.model.Developer@19855799, org.apache.maven.model.Developer@bd09a26, org.apache.maven.model.Developer@5020b59f, org.apache.maven.model.Developer@75db328e] pom.contributors=[org.apache.maven.model.Contributor@46d18a33, org.apache.maven.model.Contributor@495f3965, org.apache.maven.model.Contributor@1c06f19c, org.apache.maven.model.Contributor@3065efd0, org.apache.maven.model.Contributor@7aaf6bfd] env.XDG_RUNTIME_DIR=/run/user/0 maven.build.timestamp.format=yyyy-MM-dd HH:mm:ssZ commons.jira.pid=12320024 commons.osgi.export=org.apache.commons.*;version=1.1.0-SNAPSHOT;-noimpost;-true java.vm.specification.vendor=Oracle Corporation commons.compiler.fork=false java.vm.name=OpenJDK 64-Bit Server VM commons.docEncoding=iso-8859-1 java.io.tmpdir=/tmp java.vendor.url=http://java.oracle.com/ commons.wagon.ssh.version=3.0.0 project.issueManagement=org.apache.maven.model.IssueManagement@848d9bc pom.scm=org.apache.maven.model.Scm@1add3e03 pom.mailingLists=[org.apache.maven.model.MailingList@d28a235, org.apache.maven.model.MailingList@43e30f15, org.apache.maven.model.MailingList@4fc2933e, org.apache.maven.model.MailingList@3c9c91e3, org.apache.maven.model.MailingList@746da54f] sun.boot.library.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/aarch64 - plugin=org.apache.felix.bundleplugin.BlueprintPlugin,aQuote.lib.spring.SpringXMLType,org.apache.felix.bundleplugin.JpaPlugin project.build.url=http://commons.apache.org/proper/commons-crypto/ pom.parent=org.apache.commons:commons-parent:pom:43 formattedVersion.nextBuildNumber=01 java.runtime.name=OpenJDK Runtime Environment commons.coveralls.timestampFormat=EpochMillis commons.release.2.desc= commons.javadoc.java.link=http://download.oracle.com/javase/7/docs/api/ project.build.contributors=[org.apache.maven.model.Contributor@46d18a33, org.apache.maven.model.Contributor@495f3965, org.apache.maven.model.Contributor@1c06f19c, org.apache.maven.model.Contributor@3065efd0, org.apache.maven.model.Contributor@7aaf6bfd] commons.rc.version=RC1 commons.jacoco.instructionRatio=0.90 sun.cpu.isalist= commons.build-helper.version=3.0.0 project.developers=[org.apache.maven.model.Developer@2f2d8770, org.apache.maven.model.Developer@742dbac8, org.apache.maven.model.Developer@2ce62e27, org.apache.maven.model.Developer@3538a129, org.apache.maven.model.Developer@766db6f9, org.apache.maven.model.Developer@6f8fb906, org.apache.maven.model.Developer@728535c6, org.apache.maven.model.Developer@244f356, org.apache.maven.model.Developer@19855799, org.apache.maven.model.Developer@bd09a26, org.apache.maven.model.Developer@5020b59f, org.apache.maven.model.Developer@75db328e] commons.cobertura.version=2.7 pom.ciManagement=org.apache.maven.model.CiManagement@448a6d00 user.home=/root env.JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk commons.osgi.symbolicName=org.apache.commons.crypto project.baseDir=/home/kd/commons-crypto commons.jacoco.classRatio=1.00 project.build.name=Apache Commons Crypto project.build.mailingLists=[org.apache.maven.model.MailingList@d28a235, org.apache.maven.model.MailingList@43e30f15, org.apache.maven.model.MailingList@4fc2933e, org.apache.maven.model.MailingList@3c9c91e3, org.apache.maven.model.MailingList@746da54f] pom.issueManagement=org.apache.maven.model.IssueManagement@848d9bc maven.buildNumber.timestampFormat={0,date,yyyy-MM-dd HH:mm:ssZ} java.specification.name=Java Platform API Specification pom.organization=org.apache.maven.model.Organization@3a66d97e commons.compiler.version=3.7.0 java.specification.vendor=Oracle Corporation commons.scm.publish.version=1.1 java.version=1.8.0_191 formattedVersion.buildNumber=00 project.build.outputDirectory=/home/kd/commons-crypto/target/classes formattedVersion.minorVersion=08 commons.javadoc.version=3.0.0 project.id=org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT commons.scmPubCheckoutDirectory=/root/commons-sites/commons-crypto project.build.scm=org.apache.maven.model.Scm@1add3e03 commons.release.version=1.0.0 project.profiles=[Profile {id: win32, source: pom}, Profile {id: win64, source: pom}, Profile {id: mac32, source: pom}, Profile {id: mac64, source: pom}, Profile {id: linux32, source: pom}, Profile {id: linux64, source: pom}, Profile {id: linux-arm, source: pom}, Profile {id: linux-armhf, source: pom}, Profile {id: linux-aarch64, source: pom}, Profile {id: jacoco, source: pom}, Profile {id: benchmark, source: pom}] slf4j-api.version=1.7.10 project.build.ciManagement=org.apache.maven.model.CiManagement@448a6d00 env.LESSOPEN=||/usr/bin/lesspipe.sh %s env.M2_HOME=/usr/share/maven commons.scmPubServer=commons.site project.description=Apache Commons Crypto is a cryptographic library optimized with AES-NI (Advanced EncryptionStandard New Instructions). It provides Java API for both cipher level and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort. Please note that Crypto doesn't implement the cryptographic algorithm such as AES directly. It wraps to Openssl or JCE which implement the algorithms.\n\nFeatures\n-----\n\n1. Cipher API for low level cryptographic operations.\n2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption.\n3. Both optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors).\n4. JNI-based implementation to achieve comparable performance to the native C/C++ version based on OpenSSL.\n5. Portable across various operating systems (currently only Linux/MacOSX/Windows);\nApache Commons Crypto loads the library according to your machine environment (it checks system properties, 'os.name' and 'os.arch').\n6. Simple usage. Add the commons-crypto-(version).jar file to your classpath.\n\n\nExport restrictions\n-----\n\nThis distribution includes cryptographic software.\n\nThe country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.\nSee <http://www.wassenaar.org/> for more information.\n\nThe U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms.\n\nThe form and manner of this Apache Software Foundation distribution makes not eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code.\n\nThe following provides more details on the included cryptographic software:\n\n* Commons Crypto use [Java Cryptography Extension] (http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html) provided by Java\n* Commons Crypto link to and use [OpenSSL] (https://www.openssl.org/) ciphers\npom.organization.url=https://www.apache.org/ formattedVersion.majorVersion=01 project.build.organization=org.apache.maven.model.Organization@3a66d97e pom.groupId=org.apache.commons commons.site.cache=/root/commons-sites pom.pomFile=/home/kd/commons-crypto/pom.xml jna.version=4.4.0 env.PWD=/home/kd/commons-crypto project.build.packaging=jar line.separator=\n java.specification.version=1.8 java.vm.info=mixed mode commons.osgi.import=* distMgmtSnapshotsUrl=https://repository.apache.org/content/repositories/snapshots sun.boot.class.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/resources.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/rt.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/sunrsasign.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jsse.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jce.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/charsets.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jfr.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/classes project.url=http://commons.apache.org/proper/commons-crypto/ commons.changes.runOnlyAtExecutionRoot=false commons.compiler.javac= surefire.version=2.19.1 commons.jira.id=CRYPTO -nouses=true env.HOME=/root commons.build-plugin.version=1.7 commons.clirr.version=2.8 Bundle-Name=Apache Commons Crypto commons.javadoc.javaee.link=http://docs.oracle.com/javaee/6/api/ project.licenses=[org.apache.maven.model.License@61aa6300] project.build.id=org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT java.awt.printerjob=sun.print.PSPrinterJob project.build.artifactId=commons-crypto project.pomFile=/home/kd/commons-crypto/pom.xml sun.jnu.encoding=UTF-8 project.modelEncoding=UTF-8 commons.project-info.version=2.9 Bundle-Version=1.1.0-SNAPSHOT java.runtime.version=1.8.0_191-b12 project.build.issueManagement=org.apache.maven.model.IssueManagement@848d9bc commons.japicmp.breakBuildOnBinaryIncompatibleModifications=true maven.build.version=Apache Maven 3.0.5 (Red Hat 3.0.5-17) javaTarget.buildNumber=0 project.build.inceptionYear=2016 user.timezone= - removeheaders=JAVA_1_3_HOME,JAVA_1_4_HOME,JAVA_1_5_HOME,JAVA_1_6_HOME,JAVA_1_7_HOME,JAVA_1_8_HOME,JAVA_1_9_HOME commons.release.3.binary.suffix=-bin java.ext.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/ext:/usr/java/packages/lib/ext commons.jacoco.version=0.7.7.201606060606 javaTarget.nextMinorVersion=9 project.scm=org.apache.maven.model.Scm@1add3e03 project.inceptionYear=2016 java.class.path=/usr/share/maven/boot/plexus-classworlds.jar.os.version=4.14.0-49.2.2.el7a.aarch64 commons.animal-sniffer.version=1.16 env.LS_COLORS=rs=0:di=38;5;27:ln=38;5;51:mh=44;38;5;15:pi=40;38;5;11:so=38;5;13:do=38;5;5:bd=48;5;232;38;5;11:cd=48;5;232;38;5;3:or=48;5 project.projectDirectory=/home/kd/commons-crypto pom.packaging=jar commons.release.2.binary.suffix=-bin organization.logo=https://www.apache.org/images/asf_logo_wide.gif javaTarget.nextMajorVersion=2 pom.organization.name=The Apache Software Foundation distMgmtSnapshotsName=Apache Development Snapshot Repository commons.surefire.version=2.20.1 commons.changes.maxEntries=100 commons.jacoco.branchRatio=0.85 javaTarget.qualifier= env.LANG=en_IN commons.logging.version=1.1.3 java.awt.graphicsenv=sun.awt.X11GraphicsEnvironment java.vm.vendor=Oracle Corporation animal-sniffer.signature=java\$ {javaTarget.majorVersion}\$ {javaTarget.minorVersion} scmBranch=master Bundle-Vendor=The Apache Software Foundation commons.encoding=iso-8859-1 commons.release.name=commons-crypto-1.0.0 commons.jacoco.lineRatio=0.90 env.HOSTNAME=localhost.localdomain file.encoding=UTF-8 sourcepath=/home/kd/commons-crypto/src/main/java,/home/kd/commons-crypto/target/generated-sources/annotations Private-Package=awt.toolkit=sun.awt.X11.XToolkit commons.surefire.java= #----- [DEBUG] BND Classpath: #----- -classpath: \ /home/kd/commons-crypto/target/classes #----- [DEBUG] BND Manifest: #----- Manifest-Version: 1.0 Bnd-LastModified: 1555047229597 Bundle-Description: Apache Commons Crypto is a cryptographic library optimized with AES-NI (Advanced EncryptionStandard New Instructions). It provides Java API for both cipher level and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort.

Please note that Crypto doesn't implement the cryptographic algorithm such as AES directly. It wraps to Openssl or JCE which implement the algorithms. Features-----1. Cipher API for low level cryptographic operations. 2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption. 3. Both optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors). 4. JNI-based implementation to achieve comparable performance to the native C/C++ version based on OpenSSL. 5. Portable across various operating systems (currently only Linux/MacOSX/Windows). Apache Commons Crypto loads the library according to your machine environment (it checks system properties, 'os.name' and 'os.arch'). 6. Simple usage. Add the commons-crypto-(version).jar file to your classpath. Export restrictions-----This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <<http://www.wassenaar.org/>> for more information. The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this Apache Software Foundation distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code. The following provides more details on the included cryptographic software: * Commons Crypto use [Java Cryptography Extension] (<http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html>) provided by Java * Commons Crypto link to and use [OpenSSL] (<https://www.openssl.org/>) ciphers Bundle-DocURL: <http://commons.apache.org/proper/commons-crypto/Bundle-License>: <http://www.apache.org/licenses/LICENSE-2.0.txt> Bundle-ManifestVersion: 2 Bundle-Name: Apache Commons Crypto Bundle-SymbolicName: org.apache.commons.crypto Bundle-Vendor: The Apache Software Foundation Bundle-Version: 1.1.0.SNAPSHOT Created-By: 1.8.0_191 (Oracle Corporation) Export-Package: org.apache.commons.crypto;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.cipher;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.jna;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.native.Linux.aarch64;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.random;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.stream;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.stream.input;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.stream.output;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.utils;version="1.1.0.SNAPSHOT" Import-Package: com.sun.jna, com.sun.jna.ptr, javax.crypto, javax.crypto.spec Include-Resource: {org/apache/commons/crypto/component.properties=src/main/resources/org/apache/commons/crypto/component.properties} Require-Capability: osgi.ee;filter="((&(osgi.ee=JavaSE)(version=1.8)))" Tool: Bnd-3.4.0.201707252008 #----- [DEBUG] Final Manifest: #----- Manifest-Version: 1.0 Bnd-LastModified: 1555047229597 Build-Jdk: 1.8.0_191 Built-By: root Bundle-Description: Apache Commons Crypto is a cryptographic library optimized with AES-NI (Advanced Encryption Standard New Instructions). It provides Java API for both cipher level and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort. Please note that Crypto doesn't implement the cryptographic algorithm such as AES directly. It wraps to Openssl or JCE which implement the algorithms. Features-----1. Cipher API for low level cryptographic operations. 2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption. 3. Both optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors). 4. JNI-based implementation to achieve comparable performance to the native C/C++ version based on OpenSSL. 5. Portable across various operating systems (currently only Linux/MacOSX/Windows). Apache Commons Crypto loads the library according to your machine environment (it checks system properties, 'os.name' and 'os.arch'). 6. Simple usage. Add the commons-crypto-(version).jar file to your classpath. Export restrictions-----This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <<http://www.wassenaar.org/>> for more information. The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this Apache Software Foundation distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code. The following provides more details on the included cryptographic software: * Commons Crypto use [Java Cryptography Extension] (<http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html>) provided by Java * Commons Crypto link to and use [OpenSSL] (<https://www.openssl.org/>) ciphers Bundle-DocURL: <http://commons.apache.org/proper/commons-crypto/Bundle-License>: <http://www.apache.org/licenses/LICENSE-2.0.txt> Bundle-ManifestVersion: 2 Bundle-Name: Apache Commons Crypto Bundle-SymbolicName: org.apache.commons.crypto Bundle-Vendor: The Apache Software Foundation Bundle-Version: 1.1.0.SNAPSHOT Created-By: Apache Maven Bundle Plugin Export-Package: org.apache.commons.crypto;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.cipher;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.jna;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.native.Linux.aarch64;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.random;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.stream;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.stream.input;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.stream.output;version="1.1.0.SNAPSHOT", org.apache.commons.crypto.utils;version="1.1.0.SNAPSHOT" Import-Package: com.sun.jna, com.sun.jna.ptr, javax.crypto, javax.crypto.spec Include-Resource: {org/apache/commons/crypto/component.properties=src/main/resources/org/apache/commons/crypto/component.properties} Require-Capability: osgi.ee;filter="((&(osgi.ee=JavaSE)(version=1.8)))" Tool: Bnd-3.4.0.201707252008 #----- [DEBUG] Write manifest to /home/kd/commons-crypto/target/osgi/MANIFEST.MF [INFO] [INFO] --- animal-sniffer-maven-plugin:1.16:check (check API compatibility) @ commons-crypto - -- [DEBUG] org.codehaus.mojo:animal-sniffer-maven-plugin:jar:1.16 [DEBUG] org.codehaus.mojo:animal-sniffer:jar:1.16:compile [DEBUG] org.ow2.asm:asm-all:jar:5.2:compile [DEBUG] org.codehaus.mojo:java-boot-classpath-detector:jar:1.16:compile [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-core:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1:compile [DEBUG] org.slf4j:slf4j-jdk14:jar:1.5.6:runtime [DEBUG] org.slf4j:slf4j-api:jar:1.5.6:runtime [DEBUG] org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.2.1:compile [DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.1:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:4.11:test (scope managed from compile) (version managed from 3.8.1) [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:test [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.2.1:compile [DEBUG] commons-cli:commons-cli:jar:1.2:compile [DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-monitor:jar:2.2.1:compile [DEBUG] classworlds:classworlds:jar:1.1:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-common-artifact-filters:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.11:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-toolchain:jar:2.2.1:compile [DEBUG] org.apache.maven.shared:maven-common-artifact-filters:jar:1.4:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:1.5.6:compile [DEBUG] Created new class realm plugin>org.codehaus.mojo:animal-sniffer-maven-plugin:1.16 [DEBUG] Importing foreign packages into class realm plugin>org.codehaus.mojo:animal-sniffer-maven-plugin:1.16 [DEBUG] Imported: <maven.api [DEBUG] Populating class realm plugin>org.codehaus.mojo:animal-sniffer-maven-plugin:1.16 [DEBUG] Included: org.codehaus.mojo:animal-sniffer-maven-plugin:jar:1.16 [DEBUG] Included: org.codehaus.mojo:animal-sniffer:jar:1.16 [DEBUG] Included: org.ow2.asm:asm-all:jar:5.2 [DEBUG] Included: org.codehaus.mojo:java-boot-classpath-detector:jar:1.16 [DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6 [DEBUG] Included: org.slf4j:slf4j-api:jar:1.5.6 [DEBUG] Included: org.slf4j:jcl-over-slf4j:jar:1.5.6 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.2.1 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.1 [DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.1 [DEBUG] Included: commons-cli:commons-cli:jar:1.2 [DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.11 [DEBUG] Included: org.apache.maven.shared:maven-common-artifact-filters:jar:1.4 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:1.5.6 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: junit:junit:jar:4.11 [DEBUG] Excluded: org.hamcrest:hamcrest-core:jar:1.3 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-error-diagnostics:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-descriptor:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-monitor:jar:2.2.1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-toolchain:jar:2.2.1 [DEBUG] Configuring mojo org.codehaus.mojo:animal-sniffer-maven-plugin:1.16:check from plugin realm ClassRealm[plugin>org.codehaus.mojo:animal-sniffer-maven-plugin:1.16, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo

'org.codehaus.mojo:animal-sniffer-maven-plugin:1.16:check' with basic configurator --> [DEBUG] (f) ignoreDependencies = true [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) groupId = org.codehaus.mojo.signature [DEBUG] (s) artifactId = java18 [DEBUG] (s) version = 1.0 [DEBUG] (f) signature = org.codehaus.mojo.signature:java18:1.0 [DEBUG] (f) skip = false [DEBUG] -- end configuration -- [INFO] Checking unresolved references to org.codehaus.mojo.signature:java18:1.0 [DEBUG] Building list of classes from dependencies [DEBUG] Adding classes in artifact net.java.dev.jna:jna:jar:4.4.0 to the ignores [INFO] [INFO] --- maven-resources-plugin:2.7:testResources (default-testResources) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.7:testResources from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-resources-plugin:2.7, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.7:testResources' with basic configurator --> [DEBUG] (f) buildFilters = [] [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) escapeWindowsPaths = true [DEBUG] (s) includeEmptyDirs = false [DEBUG] (s) outputDirectory = /home/kd/commons-crypto/target/test-classes [DEBUG] (s) overwrite = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) resources = [Resource {targetPath: null, filtering: false, FileSet {directory: /home/kd/commons-crypto/src/test/resources, PatternSet {includes: {}, excludes: {}}}, Resource {targetPath: META-INF, filtering: false, FileSet {directory: /home/kd/commons-crypto, PatternSet {includes: {NOTICE.txt, LICENSE.txt}, excludes: {}}}}] [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) supportMultiLineFiltering = false [DEBUG] (f) useBuildFilters = true [DEBUG] (s) useDefaultDelimiters = true [DEBUG] -- end configuration -- [DEBUG] properties used \{file.encoding.pkg=sun.io, formattedVersion.incrementalVersion=00, commons.japicmp.version=0.11.0, java.home=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre, commons.cobertura.version=2.7, commons.compiler.fork=false, commons.release.2.binary.suffix=-bin, buildNumber=3d9601cdbf3708b76275a4a41049c8d362cddaa3, commons.jdepend.version=2.0, env.LS_COLORS=rs=0:di=38;5;27:ln=38;5;51:mh=44;38;5;15:pi=40;38;5;11:so=38;5;13:do=38;5;5;bd=48;5;232;38;5;11:cd=48;5;232;38;5;3:or=48;5;232;38;5;9:n env.SSH_TTY=/dev/pts/1, classworlds.conf=/usr/share/maven/bin/m2.conf, java.endorsed.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/endorsed, env.LOGNAME=root, commons.build-plugin.version=1.7, commons.wagon-ssh.version=3.0.0, sun.os.patch.level=unknown, java.vendor.url=http://java.oracle.com/, maven-antrun-plugin.version=1.8, javaTarget.nextMajorVersion=2, javaTarget.buildNumber=0, timestamp=2019-04-12 11:03:41+0530, java.version=1.8.0_191, slf4j-api.version=1.7.10, javaTarget.nextMinorVersion=9, commons.compiler.version=3.7.0, commons.osgi.import=*, arguments=, commons.changes.onlyCurrentVersion=true, commons.build-plugin.version=1.6, java.vendor.url.bug=http://bugreport.sun.com/bugreport/, env.SSH_CLIENT=192.168.2.96 50090 22, commons.jacoco.lineRatio=0.90, commons.site-plugin.version=3.7, user.name=root, env.LANG=en_IN, env.CVS_RSH=ssh, sun.io.unicode.encoding=UnicodeLittle, sun.jnu.encoding=UTF-8, java.runtime.name=OpenJDK Runtime Environment, commons.release.2.name=commons-crypto-\${commons.release.2.version}, env.SSH_CONNECTION=192.168.2.96 50090 192.168.3.169 22, commons.deployment.protocol=scp, java.specification.name=Java Platform API Specification, commons.clirr.version=2.8, user.timezone=, env.LESSOPEN=/usr/bin/lesspipe.sh %s, path.separator=, implementation.build=\${scmBranch}@r\${buildNumber}; 2019-04-12 11:03:37+0530, commons.scmPubCheckoutDirectory=/root/commons-sites/commons-crypto, file.encoding=UTF-8, env.HOME=/root, sun.java.command=org.codehaus.plexus.classworlds.launcher.Launcher clean install -X, commons.jacoco.version=0.7.7.201606060606, commons.surefire-report.version=2.20.1, env.HOSTNAME=localhost.localdomain, java.io.tmpdir=/tmp, user.language=en, env.HISTCONTROL=ignoredups, line.separator=, sonar.host.url=https://analysis.apache.org/, formattedVersion.nextMajorVersion=02, env.HISTSIZE=1000, commons.release.3.binary.suffix=-bin, commons.release.name=commons-crypto-1.0.0, formattedVersion.nextMinorVersion=09, java.vm.info=mixed mode, commons.animal-sniffer.version=1.16, commons.logging.version=1.1.3, java.vm.specification.name=Java Virtual Machine Specification, commons.animal-sniffer.signature.version=1.0, javaTarget.osgiVersion=1.8.0, project.reporting.outputEncoding=iso-8859-1, commons.changes.maxEntries=100, surefire.version=2.19.1, scmBranch=master, env.M2_HOME=/usr/share/maven, sourceReleaseAssemblyDescriptor=source-release, commons.jira.pid=12320024, commons.jacoco.methodRatio=0.95, commons.surefire.version=2.20.1, commons.release.version=1.0.0, commons.javadoc.java.link=http://download.oracle.com/javase/7/docs/api/, javaTarget.majorVersion=1, javaTarget.minorVersion=8, java.awt.printerjob=sun.print.PSPrinterJob, commons.release.3.name=commons-crypto-\${commons.release.3.version}, commons.osgi.dynamicImport=, distMgmtSnapshotsName=Apache Development Snapshot Repository, distMgmtSnapshotsUrl=https://repository.apache.org/content/repositories/snapshots, commons.surefire-reports/aggregate=false, commons.release.2.desc=, commons.manifestfile=/home/kd/commons-crypto/target/osgi/MANIFEST.MF, commons.build-helper.version=3.0.0, commons.rc.version=RC1, os.name=Linux, java.specification.vendor=Oracle Corporation, env.TERM=xterm-256color, java.vm.name=OpenJDK 64-Bit Server VM, commons.compiler.compilerVersion=, commons.osgi.excludeDependencies=true, java.library.path=/usr/java/packages/lib/aarch64/lib:/usr/lib, env.PATH=/root/.cargo/bin:/usr/local/openssl/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/root/bin, commons.compiler.javac=, commons.site.path=commons-crypto, commons.jacoco.classRatio=1.00, commons.changes.version=2.12.1, commons.osgi.symbolicName=org.apache.commons.crypto, java.class.version=52.0, env.SHLVL=2, commons.binary.suffix=-bin, commons.jacoco.instructionRatio=0.90, formattedVersion.nextIncrementalVersion=01, javaTarget.nextIncrementalVersion=1, commons.coveralls.timestampFormat=EpochMillis, formattedVersion.buildNumber=00, formattedVersion.majorVersion=01, sun.boot.library.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/aarch64, project.build.sourceEncoding=iso-8859-1, commons.project-info.version=2.9, formattedVersion.minorVersion=08, sun.management.compiler=HotSpot 64-Bit Tiered Compilers, java.awt.graphicsenv=sun.awt.X11GraphicsEnvironment, commons.findbugs.version=3.0.5, env.USER=root, commons.release.desc=(Requires Java 1.8 or later), junit.version=4.12, commons.jira.id=CRYPTO, commons.javadoc.version=3.0.0, commons.module.name=org.apache.commons.crypto, commons.felix.version=3.4.0, target.name=all, gpg.usesig=true, java.vm.specification.version=1.8, commons.scmPubUrl=https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto, maven.build.timestamp.format=yyyy-MM-dd HH:mm:ssZ, commons.fail-safe.version=2.20.1, commons.osgi.private=, awt.toolkit=sun.awt.X11.XToolkit, sun.cpu.isalist=, javaTarget.nextBuildNumber=1, java.ext.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/ext:/usr/java/packages/lib/ext, commons.componentid=crypto, os.version=4.14.0-49.2.2.el7a.aarch64, commons.japicmp.breakBuildOnBinaryIncompatibleModifications=true, user.home=/root, javaTarget.qualifier=, java.vm.vendor=Oracle Corporation, commons.jacoco.branchRatio=0.85, maven.buildNumber.timestampFormat={0,date,yyyy-MM-dd HH:mm:ssZ}, env.JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk, env.XDG_SESSION_ID=889, commons.coveralls.version=4.3.0, commons.release.3.desc=, user.dir=/home/kd/commons-crypto, env.MAIL=/var/spool/mail/root, env.PWD=/home/kd/commons-crypto, commons.surefire.java=, sun.cpu.endian=little, commons.encoding=iso-8859-1, minSeverity=info, commons.site.cache=/root/commons-sites, java.vm.version=25.191-b12, java.class.path=/usr/share/maven/boot/plexus-classworlds.jar, commons.changes.runOnlyAtExecutionRoot=false, os.arch=aarch64, maven.build.version=Apache Maven 3.0.5 (Red Hat 3.0.5-17), commons.jacoco.haltOnFailure=false, sun.java.launcher=SUN_STANDARD, formattedVersion.nextBuildNumber=01, java.vm.specification.vendor=Oracle Corporation, commons.jacoco.complexityRatio=0.85, javaTarget.incrementalVersion=0, file.separator=/, java.runtime.version=1.8.0_191-b12, sun.boot.class.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/resources.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/rt.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/sunrsasign.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jsse.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jce.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/charsets.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jfr.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/classes, organization.logo=https://www.apache.org/images/asf_logo_wide.gif, commons.jxr.version=2.5, env.XDG_RUNTIME_DIR=/run/user/0, commons.scmPubServer=commons.site, maven.version=3.0.5, jna.version=4.4.0, commons.docEncoding=iso-8859-1, user.country=IN, commons.javadoc.javaee.link=http://docs.oracle.com/javaee/6/api/, env.SHELL=/bin/bash, maven.home=/usr/share/maven, maven.compiler.target=1.8, commons.scm-publish.version=1.1, commons.rat.version=0.12, java.vendor=Oracle Corporation, animal-sniffer.signature=java\${javaTarget.majorVersion}\${javaTarget.minorVersion}, maven.compiler.source=1.8, java.specification.version=1.8, commons.osgi.export=org.apache.commons.*;version=1.1.0-SNAPSHOT;noimport=true, sun.arch.data.model=64} [INFO] Using 'iso-8859-1' encoding to copy filtered resources. [DEBUG] resource with targetPath null directory /home/kd/commons-crypto/src/test/resources excludes [] includes [] [INFO] skip non existing resourceDirectory /home/kd/commons-crypto/src/test/resources [DEBUG] resource with targetPath META-INF directory /home/kd/commons-crypto excludes [] includes [NOTICE.txt, LICENSE.txt] [DEBUG] ignoreDelta true [INFO] Copying 2 resources to META-INF [DEBUG] file LICENSE.txt has a filtered file extension [DEBUG] copy /home/kd/commons-crypto/LICENSE.txt to /home/kd/commons-crypto/target/test-classes/META-INF/LICENSE.txt [DEBUG] file NOTICE.txt has a filtered file extension [DEBUG] copy /home/kd/commons-crypto/NOTICE.txt to /home/kd/commons-crypto/target/test-classes/META-INF/NOTICE.txt [DEBUG] no use filter components [INFO] [INFO] --- maven-compiler-plugin:3.7.0:testCompile (default-testCompile) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.7.0:testCompile from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-compiler-plugin:3.7.0, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.7.0:testCompile' with basic configurator --> [DEBUG] (f) basedir = /home/kd/commons-crypto [DEBUG] (f) buildDirectory = /home/kd/commons-crypto/target [DEBUG] (f) compilePath = [/home/kd/commons-crypto/target/classes, /root/.m2/repository/net/java/dev/jna/jna:4.4.0/jna-4.4.0.jar] [DEBUG] (f) compileSourceRoots = [/home/kd/commons-crypto/src/test/java] [DEBUG] (f) compilerId = javac [DEBUG] (f) debug = true [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) failOnError = true [DEBUG] (f) failOnWarning = false

[DEBUG] (f) forceJavaCompilerUse = false [DEBUG] (f) fork = false [DEBUG] (f) generatedTestSourcesDirectory = /home/kd/commons-crypto/target/generated-test-sources/test-annotations [DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.7.0:testCompile \ {execution: default-testCompile} [DEBUG] (f) optimize = false [DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/test-classes [DEBUG] (f) parameters = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) showDeprecation = false [DEBUG] (f) showWarnings = false [DEBUG] (f) skipMultiThreadWarning = false [DEBUG] (f) source = 1.8 [DEBUG] (f) staleMillis = 0 [DEBUG] (f) target = 1.8 [DEBUG] (f) testExcludes = [**/*Benchmark*] [DEBUG] (f) testPath = [/home/kd/commons-crypto/target/test-classes, /home/kd/commons-crypto/target/classes, /root/.m2/repository/junit/junit/4.12/junit-4.12.jar, /root/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar, /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar] [DEBUG] (f) useIncrementalCompilation = true [DEBUG] (f) verbose = false [DEBUG] -- end configuration -- [DEBUG] Using compiler 'javac'. [DEBUG] Adding /home/kd/commons-crypto/target/generated-test-sources/test-annotations to test-compile source roots: /home/kd/commons-crypto/src/test/java [DEBUG] New test-compile source roots: /home/kd/commons-crypto/src/test/java /home/kd/commons-crypto/target/generated-test-sources/test-annotations [DEBUG] CompilerReuseStrategy: reuseCreated [DEBUG] useIncrementalCompilation enabled [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/examples/package-info.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/cipher/TestData.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/cipher/JceCipherTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/examples/StreamExample.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/OsCryptoRandomTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/cipher/GcmCipherTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/cipher/OpenSslCipherTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/CbcPkcs5PaddingCipherJnaStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/stream/AbstractCipherStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/AbstractCipherJnaStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/examples/CipherByteBufferExample.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/CbcNoPaddingCipherJnaStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/AbstractRandomTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/cipher/CryptoCipherFactoryTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/examples/RandomExample.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/CryptoRandomFactoryTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/JavaCryptoRandomTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/CryptoTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/cipher/AbstractCipherTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/DummyRandom.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/OpenSslJnaCryptoRandomTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/stream/PositionedCryptoInputStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/stream/CtrCryptoStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/stream/CbcPkcs5PaddingCipherStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/utills/UtilsTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/examples/CipherByteArrayExample.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/OpenSslCryptoRandomTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/NativeCodeLoaderTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/OpenSslJnaCipherTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/utills/EnumTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/CtrNoPaddingCipherJnaStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/PositionedCryptoInputStreamJnaTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/AbstractRandom.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/random/FailingRandom.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/OpenSslNativeJnaTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/stream/CtrNoPaddingCipherStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/stream/CbcNoPaddingCipherStreamTest.java [DEBUG] Stale source detected: /home/kd/commons-crypto/src/test/java/org/apache/commons/crypto/jna/CtrCryptoJnaStreamTest.java [INFO] Changes detected - recompiling the module! [DEBUG] Classpath: [DEBUG] /home/kd/commons-crypto/target/test-classes [DEBUG] /home/kd/commons-crypto/target/classes [DEBUG] /root/.m2/repository/junit/junit/4.12/junit-4.12.jar [DEBUG] /root/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar [DEBUG] /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar [DEBUG] Source roots: [DEBUG] /home/kd/commons-crypto/src/test/java [DEBUG] /home/kd/commons-crypto/target/generated-test-sources/test-annotations [DEBUG] Command line options: [DEBUG] -d /home/kd/commons-crypto/target/test-classes -classpath /home/kd/commons-crypto/target/test-classes:/home/kd/commons-crypto/target/classes:/root/.m2/repository/junit/junit/4.12/junit-4.12.jar:/root/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar:/root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar -sourcepath /home/kd/commons-crypto/src/test/java:/home/kd/commons-crypto/target/generated-test-sources/test-annotations -s /home/kd/commons-crypto/target/generated-test-sources/test-annotations -g -nowarn -target 1.8 -source 1.8 -encoding iso-8859-1 [DEBUG] incrementalBuildHelper#beforeRebuildExecution [INFO] Compiling 38 source files to /home/kd/commons-crypto/target/test-classes [DEBUG] incrementalBuildHelper#afterRebuildExecution [INFO] [INFO] --- jacoco-maven-plugin:0.7.7.201606060606:prepare-agent (prepare-agent) @ commons-crypto --- [DEBUG] org.jacoco:jacoco-maven-plugin:jar:0.7.7.201606060606 [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.11:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:4.8.2:compile (version managed from 3.8.1) [DEBUG] classworlds:classworlds:jar:1.1-alpha-2:compile [DEBUG] org.codehaus.plexus:plexus-utills:jar:3.0.22:compile [DEBUG] org.apache.maven.shared:file-management:jar:1.2.1:compile [DEBUG] org.apache.maven.shared:maven-shared-io:jar:1.1:compile [DEBUG] org.apache.maven.wagon:wagon-provider-api:jar:1.0-alpha-6:compile [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.2.1:compile [DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.1:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile [DEBUG] org.apache.maven.reporting:maven-reporting-impl:jar:2.1:compile [DEBUG] org.apache.maven.doxia:doxia-core:jar:1.1.2:compile [DEBUG] xerces:xercesImpl:jar:2.8.1:compile [DEBUG] commons-lang:commons-lang:jar:2.4:compile [DEBUG] commons-httpclient:commons-httpclient:jar:3.1:compile [DEBUG] commons-codec:commons-codec:jar:1.2:compile [DEBUG] org.apache.maven.doxia:doxia-site-renderer:jar:1.1.2:compile [DEBUG] org.apache.maven.doxia:doxia-decoration-model:jar:1.1.2:compile [DEBUG] org.apache.maven.doxia:doxia-module-xhtml:jar:1.1.2:compile [DEBUG] org.apache.maven.doxia:doxia-module-fml:jar:1.1.2:compile [DEBUG] org.codehaus.plexus:plexus-i18n:jar:1.0-beta-7:compile [DEBUG] org.codehaus.plexus:plexus-velocity:jar:1.1.7:compile [DEBUG] org.apache.velocity:velocity:jar:1.5:compile [DEBUG] commons-collections:commons-collections:jar:3.2:compile [DEBUG] commons-validator:commons-validator:jar:1.2.0:compile [DEBUG] commons-beanutils:commons-beanutils:jar:1.7.0:compile [DEBUG] commons-digester:commons-digester:jar:1.6:compile [DEBUG] commons-logging:commons-logging:jar:1.0.4:compile [DEBUG] oro:oro:jar:2.0.8:compile [DEBUG] xml-apis:xml-apis:jar:1.0.b2:compile [DEBUG] org.jacoco:org.jacoco.agent:jar:runtime:0.7.7.201606060606:compile [DEBUG] org.jacoco:org.jacoco.core:jar:0.7.7.201606060606:compile [DEBUG] org.ow2.asm:asm-debug-all:jar:5.1:compile [DEBUG] org.jacoco:org.jacoco.report:jar:0.7.7.201606060606:compile [DEBUG] Created new class realm plugin>org.jacoco:jacoco-maven-plugin:0.7.7.201606060606 [DEBUG] Importing foreign packages into class realm plugin>org.jacoco:jacoco-maven-plugin:0.7.7.201606060606 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.jacoco:jacoco-maven-plugin:0.7.7.201606060606 [DEBUG] Included: org.jacoco:jacoco-maven-plugin:jar:0.7.7.201606060606 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.11 [DEBUG] Included: junit:junit:jar:4.8.2 [DEBUG] Included: org.codehaus.plexus:plexus-utills:jar:3.0.22 [DEBUG] Included: org.apache.maven.shared:file-management:jar:1.2.1 [DEBUG] Included: org.apache.maven.shared:maven-shared-io:jar:1.1 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.2.1 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.1 [DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.1 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-impl:jar:2.1 [DEBUG] Included: org.apache.maven.doxia:doxia-core:jar:1.1.2 [DEBUG] Included: xerces:xercesImpl:jar:2.8.1 [DEBUG] Included: commons-lang:commons-lang:jar:2.4 [DEBUG]

Included: commons-httpclient:commons-httpclient:jar:3.1 [DEBUG] Included: commons-codec:commons-codec:jar:1.2 [DEBUG] Included: org.apache.maven.doxia:doxia-site-renderer:jar:1.1.2 [DEBUG] Included: org.apache.maven.doxia:doxia-decoration-model:jar:1.1.2 [DEBUG] Included: org.apache.maven.doxia:doxia-module-xhtml:jar:1.1.2 [DEBUG] Included: org.apache.maven.doxia:doxia-module-fml:jar:1.1.2 [DEBUG] Included: org.codehaus.plexus:plexus-i18n:jar:1.0-beta-7 [DEBUG] Included: org.codehaus.plexus:plexus-velocity:jar:1.1.7 [DEBUG] Included: org.apache.velocity:velocity:jar:1.5 [DEBUG] Included: commons-collections:commons-collections:jar:3.2 [DEBUG] Included: commons-validator:commons-validator:jar:1.2.0 [DEBUG] Included: commons-beanutils:commons-beanutils:jar:1.7.0 [DEBUG] Included: commons-digester:commons-digester:jar:1.6 [DEBUG] Included: commons-logging:commons-logging:jar:1.0.4 [DEBUG] Included: oro:oro:jar:2.0.8 [DEBUG] Included: xml-apis:xml-apis:jar:1.0.b2 [DEBUG] Included: org.jacoco.org.jacoco.agent:jar:runtime:0.7.7.201606060606 [DEBUG] Included: org.jacoco.org.jacoco.core:jar:0.7.7.201606060606 [DEBUG] Included: org.ow2.asm:asm-debug-all:jar:5.1 [DEBUG] Included: org.jacoco.org.jacoco.report:jar:0.7.7.201606060606 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1-alpha-2 [DEBUG] Excluded: org.apache.maven.wagon:wagon-provider-api:jar:1.0-alpha-6 [DEBUG] Configuring mojo org.jacoco:jacoco-maven-plugin:0.7.7.201606060606:prepare-agent from plugin realm ClassRealm[plugin>org.jacoco:jacoco-maven-plugin:0.7.7.201606060606, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.jacoco:jacoco-maven-plugin:0.7.7.201606060606:prepare-agent' with basic configurator --> [DEBUG] (f) destFile = /home/kd/commons-crypto/target/jacoco.exec [DEBUG] (f) excludes = [**/examples/*] [DEBUG] (f) pluginArtifactMap = \{org.jacoco:jacoco-maven-plugin=org.jacoco:jacoco-maven-plugin:0.7.7.201606060606, backport-util-concurrent:backport-util-concurrent:backport-util-concurrent:backport-util-concurrent:jar:3.1:compile, org.codehaus.plexus:plexus-interpolation=org.codehaus.plexus:plexus-interpolation:jar:1.11:compile, junit:junit=junit:junit:jar:4.8.2:compile, org.codehaus.plexus:plexus-utils=org.codehaus.plexus:plexus-utils:jar:3.0.22:compile, org.apache.maven.shared:file-management=org.apache.maven.shared:file-management:jar:1.2.1:compile, org.apache.maven.shared:maven-shared-io=org.apache.maven.shared:maven-shared-io:jar:1.1:compile, org.apache.maven.reporting:maven-reporting-api=org.apache.maven.reporting:maven-reporting:jar:2.2.1:compile, org.apache.maven.doxia:doxia-sink-api=org.apache.maven.doxia:doxia-sink-api:jar:1.1:compile, org.apache.maven.doxia:doxia-logging-api=org.apache.maven.doxia:doxia-logging-api:jar:1.1:compile, org.apache.maven.reporting:maven-reporting-impl=org.apache.maven.reporting:maven-reporting-impl:jar:2.1:compile, org.apache.maven.doxia:doxia-core=org.apache.maven.doxia:doxia-core:jar:1.1.2:compile, xerces:xercesImpl=xerces:xercesImpl:jar:2.8.1:compile, commons-lang:commons-lang=commons-lang:jar:2.4:compile, commons-httpclient:commons-httpclient=commons-httpclient:commons-httpclient:jar:3.1:compile, commons-codec:commons-codec=commons-codec:commons-codec:jar:1.2:compile, org.apache.maven.doxia:doxia-site-renderer=org.apache.maven.doxia:doxia-site-renderer:jar:1.1.2:compile, org.apache.maven.doxia:doxia-decoration-model=org.apache.maven.doxia:doxia-decoration-model:jar:1.1.2:compile, org.apache.maven.doxia:doxia-module-xhtml=org.apache.maven.doxia:doxia-module-xhtml:jar:1.1.2:compile, org.apache.maven.doxia:doxia-module-fml=org.apache.maven.doxia:doxia-module-fml:jar:1.1.2:compile, org.codehaus.plexus:plexus-i18n=org.codehaus.plexus:plexus-i18n:jar:1.0-beta-7:compile, org.codehaus.plexus:plexus-velocity=org.codehaus.plexus:plexus-velocity:jar:1.1.7:compile, org.apache.velocity:velocity=org.apache.velocity:velocity:jar:1.5:compile, commons-collections:commons-collections=commons-collections:commons-collections:jar:3.2:compile, commons-validator:commons-validator=commons-validator:commons-validator:jar:1.2.0:compile, commons-beanutils:commons-beanutils=commons-beanutils:commons-beanutils:jar:1.7.0:compile, commons-digester:commons-digester=commons-digester:commons-digester:jar:1.6:compile, commons-logging:commons-logging=commons-logging:commons-logging:jar:1.0.4:compile, oro:oro=oro:oro:jar:2.0.8:compile, xml-apis:xml-apis=xml-apis:xml-apis:jar:1.0.b2:compile, org.jacoco.org.jacoco.agent=org.jacoco.org.jacoco.agent:jar:runtime:0.7.7.201606060606:compile, org.jacoco.org.jacoco.core=org.jacoco.org.jacoco.core:jar:0.7.7.201606060606:compile, org.ow2.asm:asm-debug-all=org.ow2.asm:asm-debug-all:jar:5.1:compile, org.jacoco.org.jacoco.report=org.jacoco.org.jacoco.report:jar:0.7.7.201606060606:compile} [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) skip = false [DEBUG] -- end configuration -- [INFO] argLine set to -javaagent:/root/.m2/repository/org/jacoco/org.jacoco.agent/0.7.7.201606060606/org.jacoco.agent-0.7.7.201606060606-runtime.jar=destfile=/home/kd/commons-crypto/target/jacoco.exec,excludes=**/examples/* [INFO] [INFO] --- maven-surefire-plugin:2.20.1:test (default-test) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-surefire-plugin:jar:2.20.1: [DEBUG] org.apache.maven.surefire:maven-surefire-common:jar:2.20.1:compile [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.3:compile [DEBUG] org.apache.maven.surefire:surefire-api:jar:2.20.1:compile [DEBUG] org.apache.maven.surefire:surefire-logger-api:jar:2.20.1:compile [DEBUG] org.apache.maven.surefire:surefire-booter:jar:2.20.1:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:1.5.15:compile [DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:4.12:compile (version managed from 3.8.1) [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.11:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-core:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-parameter-documenter:jar:2.2.1:compile [DEBUG] org.slf4j:slf4j-jdk14:jar:1.5.6:runtime [DEBUG] org.slf4j:slf4j-api:jar:1.5.6:runtime [DEBUG] org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:3.0:compile (version managed from 2.2.1) [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-monitor:jar:2.2.1:compile [DEBUG] classworlds:classworlds:jar:1.1:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-toolchain:jar:2.2.1:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.20.1 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.20.1 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.20.1 [DEBUG] Included: org.apache.maven.plugins:maven-surefire-plugin:jar:2.20.1 [DEBUG] Included: org.apache.maven.surefire:maven-surefire-common:jar:2.20.1 [DEBUG] Included: org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.3 [DEBUG] Included: org.apache.maven.surefire:surefire-api:jar:2.20.1 [DEBUG] Included: org.apache.maven.surefire:surefire-logger-api:jar:2.20.1 [DEBUG] Included: org.apache.maven.surefire:surefire-booter:jar:2.20.1 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:1.5.15 [DEBUG] Included: junit:junit:jar:4.12 [DEBUG] Included: org.hamcrest:hamcrest-core:jar:1.3 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.11 [DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6 [DEBUG] Included: org.slf4j:slf4j-api:jar:1.5.6 [DEBUG] Included: org.slf4j:jcl-over-slf4j:jar:1.5.6 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:3.0 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-descriptor:jar:2.2.1 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-core:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-parameter-documenter:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-error-diagnostics:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-monitor:jar:2.2.1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1 [DEBUG] Excluded: org.apache.maven:maven-toolchain:jar:2.2.1 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-surefire-plugin:2.20.1:test from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-surefire-plugin:2.20.1, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-surefire-plugin:2.20.1:test' with basic configurator --> [DEBUG] (s) additionalClasspathElements = [] [DEBUG] (s) argLine = -javaagent:/root/.m2/repository/org/jacoco/org.jacoco.agent/0.7.7.201606060606/org.jacoco.agent-0.7.7.201606060606-runtime.jar=destfile=/home/kd/commons-crypto/target/jacoco.exec,excludes=**/examples/* [DEBUG] (s) basedir = /home/kd/commons-crypto [DEBUG] (s) childDelegation = false [DEBUG] (s) classesDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (s) classpathDependencyExcludes = [] [DEBUG] (s) dependenciesToScan = [] [DEBUG] (s) disableXmlReport = false [DEBUG] (s) enableAssertions = true [DEBUG] (f) forkCount = 1 [DEBUG] (s) forkMode = once [DEBUG] (s) forkedProcessExitTimeoutInSeconds = 30 [DEBUG] (s) junitArtifactName = junit:junit [DEBUG] (s) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) parallelMavenExecution = false [DEBUG] (s) parallelOptimized = true [DEBUG] (s) perCoreThreadCount = true [DEBUG] (s) pluginArtifactMap = \{org.apache.maven.plugins:maven-surefire-plugin=org.apache.maven.plugins:maven-surefire-plugin:maven-plugin:2.20.1, org.apache.maven.surefire:maven-surefire-common=org.apache.maven.surefire:maven-surefire-common:jar:2.20.1:compile, org.apache.maven.plugin-tools:maven-plugin-annotations=org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.3:compile, org.apache.maven.surefire:surefire-api=org.apache.maven.surefire:surefire-api:jar:2.20.1:compile, org.apache.maven.surefire:surefire-logger-api=org.apache.maven.surefire:surefire-logger-

api:jar:2.20.1:compile, org.apache.maven.surefire:surefire-booter:org.apache.maven.surefire:surefire-booter:jar:2.20.1:compile, org.codehaus.plexus:plexus-
utils=org.codehaus.plexus:plexus-utils:jar:1.5.15:compile, junit:junit:junit:jar:4.12:compile, org.hamcrest:hamcrest-core=org.hamcrest:hamcrest-
core:jar:1.3:compile, backport-util-concurrent:backport-util-concurrent=backport-util-concurrent:backport-util-concurrent:jar:3.1:compile,
org.codehaus.plexus:plexus-interpolation=org.codehaus.plexus:plexus-interpolation:jar:1.11:compile, org.slf4j:slf4j-jdk14=org.slf4j:slf4j-jdk14:jar:1.5.6:runtime,
org.slf4j:slf4j-api=org.slf4j:slf4j-api:jar:1.5.6:runtime, org.slf4j:jcl-over-slf4j=org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime, org.apache.maven.reporting:maven-
reporting-api=org.apache.maven.reporting:maven-reporting-api:jar:3.0:compile, org.sonatype.plexus:plexus-sec-dispatcher=org.sonatype.plexus:plexus-sec-
dispatcher:jar:1.3:compile, org.sonatype.plexus:plexus-cipher=org.sonatype.plexus:plexus-cipher:jar:1.4:compile] [DEBUG] (f) pluginDescriptor = Component
Descriptor: role: 'org.apache.maven.plugin.Mojo', implementation: 'org.apache.maven.plugin.surefire.HelpMojo', role hint: 'org.apache.maven.plugins:maven-
surefire-plugin:2.20.1:help' role: 'org.apache.maven.plugin.Mojo', implementation: 'org.apache.maven.plugin.surefire.SurefirePlugin', role hint:
'org.apache.maven.plugins:maven-surefire-plugin:2.20.1:test' --- [DEBUG] (s) printSummary = true [DEBUG] (s) projectArtifactMap = \n
{junit:junit:junit:jar:4.12:test, org.hamcrest:hamcrest-core=org.hamcrest:hamcrest-core:jar:1.3:test,
net.java.dev.jna:jna=net.java.dev.jna:jna:jar:4.4.0:compile} [DEBUG] (s) projectBuildDirectory = /home/kd/commons-crypto/target [DEBUG] (s)
redirectTestOutputToFile = false [DEBUG] (s) remoteRepositories = [id: central url: https://repo.maven.apache.org/maven2 layout: default snapshots: [enabled =>
false, update => daily] releases: [enabled => true, update => never]] [DEBUG] (s) reportFormat = brief [DEBUG] (s) reportsDirectory = /home/kd/commons-
crypto/target/surefire-reports [DEBUG] (f) rerunFailingTestsCount = 0 [DEBUG] (f) reuseForks = true [DEBUG] (s) runOrder = filesystem [DEBUG] (f)
shutdown = testset [DEBUG] (s) skip = false [DEBUG] (f) skipAfterFailureCount = 0 [DEBUG] (s) skipTests = false [DEBUG] (s) suiteXmlFiles = [] [DEBUG]
(s) tempDir = surefire [DEBUG] (s) testClassesDirectory = /home/kd/commons-crypto/target/test-classes [DEBUG] (s) testFailureIgnore = false [DEBUG] (s)
testNGArtifactName = org.testng:testng [DEBUG] (s) testSourceDirectory = /home/kd/commons-crypto/src/test/java [DEBUG] (s) threadCountClasses = 0
[DEBUG] (s) threadCountMethods = 0 [DEBUG] (s) threadCountSuites = 0 [DEBUG] (s) trimStackTrace = true [DEBUG] (s) useFile = true [DEBUG] (s)
useManifestOnlyJar = true [DEBUG] (s) useSystemClassLoader = true [DEBUG] (s) useUnlimitedThreads = false [DEBUG] (s) workingDirectory =
/home/kd/commons-crypto [DEBUG] (s) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-
crypto/pom.xml [DEBUG] (s) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] -- end configuration -- [DEBUG] Surefire report
directory: /home/kd/commons-crypto/target/surefire-reports [DEBUG] Setting system property [user.dir]=[/home/kd/commons-crypto] [DEBUG] Setting system
property [localRepository]=[/root/.m2/repository] [DEBUG] Setting system property [basedir]=[/home/kd/commons-crypto] [DEBUG] dummy:dummy:jar:1.0
(selected for null) [DEBUG] org.apache.maven.surefire:surefire-booter:jar:2.20.1:compile (selected for compile) [DEBUG] org.apache.maven.surefire:surefire-
api:jar:2.20.1:compile (selected for compile) [DEBUG] org.apache.maven.surefire:surefire-logger-api:jar:2.20.1:compile (selected for compile) [DEBUG] Adding
to surefire booter test classpath: /root/.m2/repository/org/apache/maven/surefire/surefire-booter/2.20.1/surefire-booter-2.20.1.jar Scope: compile [DEBUG] Adding
to surefire booter test classpath: /root/.m2/repository/org/apache/maven/surefire/surefire-api/2.20.1/surefire-api-2.20.1.jar Scope: compile [DEBUG] Adding
to surefire booter test classpath: /root/.m2/repository/org/apache/maven/surefire/surefire-logger-api/2.20.1/surefire-logger-api-2.20.1.jar Scope: compile [DEBUG]
Using JVM: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/bin/java with Java version 1.8 [DEBUG] dummy:dummy:jar:1.0 (selected for null)
[DEBUG] org.apache.maven.surefire:surefire-junit4:jar:2.20.1:test (selected for test) [DEBUG] org.apache.maven.surefire:surefire-api:jar:2.20.1:test (selected for
test) [DEBUG] org.apache.maven.surefire:surefire-logger-api:jar:2.20.1:test (selected for test) [DEBUG] Adding to surefire test classpath:
/root/.m2/repository/org/apache/maven/surefire/surefire-junit4/2.20.1/surefire-junit4-2.20.1.jar Scope: test [DEBUG] Adding to surefire test classpath:
/root/.m2/repository/org/apache/maven/surefire/surefire-api/2.20.1/surefire-api-2.20.1.jar Scope: test [DEBUG] Adding to surefire test classpath:
/root/.m2/repository/org/apache/maven/surefire/surefire-logger-api/2.20.1/surefire-logger-api-2.20.1.jar Scope: test [DEBUG] test classpath: /home/kd/commons-
crypto/target/test-classes /home/kd/commons-crypto/target/classes /root/.m2/repository/junit/junit/4.12/junit-4.12.jar /root/.m2/repository/org/hamcrest/hamcrest-
core/1.3/hamcrest-core-1.3.jar /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar [DEBUG] provider classpath:
/root/.m2/repository/org/apache/maven/surefire/surefire-junit4/2.20.1/surefire-junit4-2.20.1.jar /root/.m2/repository/org/apache/maven/surefire/surefire-
api/2.20.1/surefire-api-2.20.1.jar /root/.m2/repository/org/apache/maven/surefire/surefire-logger-api/2.20.1/surefire-logger-api-2.20.1.jar [DEBUG] test(compact)
classpath: test-classes classes junit-4.12.jar hamcrest-core-1.3.jar jna-4.4.0.jar [DEBUG] provider(compact) classpath: surefire-junit4-2.20.1.jar surefire-api-
2.20.1.jar surefire-logger-api-2.20.1.jar [INFO] [INFO] ----- [INFO] T E S T S [INFO] -----
[DEBUG] Determined Maven Process ID 5503 [DEBUG] boot classpath: /root/.m2/repository/org/apache/maven/surefire/surefire-
booter/2.20.1/surefire-booter-2.20.1.jar /root/.m2/repository/org/apache/maven/surefire/surefire-api/2.20.1/surefire-api-2.20.1.jar
/root/.m2/repository/org/apache/maven/surefire/surefire-logger-api/2.20.1/surefire-logger-api-2.20.1.jar /home/kd/commons-crypto/target/test-classes
/home/kd/commons-crypto/target/classes /root/.m2/repository/junit/junit/4.12/junit-4.12.jar /root/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-
1.3.jar /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar /root/.m2/repository/org/apache/maven/surefire/surefire-junit4/2.20.1/surefire-junit4-2.20.1.jar
[DEBUG] boot(compact) classpath: surefire-booter-2.20.1.jar surefire-api-2.20.1.jar surefire-logger-api-2.20.1.jar test-classes classes junit-4.12.jar hamcrest-core-
1.3.jar jna-4.4.0.jar surefire-junit4-2.20.1.jar [DEBUG] Forking command line: /bin/sh -c cd /home/kd/commons-crypto && /usr/lib/jvm/java-1.8.0-openjdk-
1.8.0.191.b12-1.el7_6.aarch64/jre/bin/java '-javaagent:/root/.m2/repository/org/jacoco/org.jacoco.agent/0.7.7.201606060606/org.jacoco.agent-
0.7.7.201606060606-runtime.jar=destfile=/home/kd/commons-crypto/target/jacoco.exec,excludes=**/examples/*' -jar /home/kd/commons-
crypto/target/surefire/surefirebooter2190389056116764075.jar /home/kd/commons-crypto/target/surefire 2019-04-12T11-03-52_937-jvmRun1
surefire8522339226085050164tmp surefire_09019116543258839096tmp [INFO] Running org.apache.commons.crypto.random.OsCryptoRandomTest [INFO]
Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.422 s - in org.apache.commons.crypto.random.OsCryptoRandomTest [INFO] Running
org.apache.commons.crypto.random.CryptoRandomFactoryTest [INFO] Tests run: 10, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.085 s - in
org.apache.commons.crypto.random.CryptoRandomFactoryTest [INFO] Running org.apache.commons.crypto.random.JavaCryptoRandomTest [INFO] Tests run:
2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.519 s - in org.apache.commons.crypto.random.JavaCryptoRandomTest [INFO] Running
org.apache.commons.crypto.random.OpenSslCryptoRandomTest [INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.254 s - in
org.apache.commons.crypto.random.OpenSslCryptoRandomTest [INFO] Running org.apache.commons.crypto.cipher.JceCipherTest [INFO] Tests run: 6, Failures:
0, Errors: 0, Skipped: 0, Time elapsed: 0.341 s - in org.apache.commons.crypto.cipher.JceCipherTest [INFO] Running
org.apache.commons.crypto.cipher.GcmCipherTest [INFO] Tests run: 8, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.061 s - in
org.apache.commons.crypto.cipher.GcmCipherTest [INFO] Running org.apache.commons.crypto.cipher.OpenSslCipherTest [INFO] Tests run: 13, Failures: 0,
Errors: 0, Skipped: 0, Time elapsed: 0.037 s - in org.apache.commons.crypto.cipher.OpenSslCipherTest [INFO] Running
org.apache.commons.crypto.cipher.CryptoCipherFactoryTest [INFO] Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.006 s - in
org.apache.commons.crypto.cipher.CryptoCipherFactoryTest [INFO] Running org.apache.commons.crypto.jna.CbcPkcs5PaddingCipherJnaStreamTest [INFO]
Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.298 s - in org.apache.commons.crypto.jna.CbcPkcs5PaddingCipherJnaStreamTest [INFO] Running
org.apache.commons.crypto.jna.CbcNoPaddingCipherJnaStreamTest [INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.089 s - in
org.apache.commons.crypto.jna.CbcNoPaddingCipherJnaStreamTest [INFO] Running org.apache.commons.crypto.jna.OpenSslJnaCryptoRandomTest [INFO]
Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.888 s - in org.apache.commons.crypto.jna.OpenSslJnaCryptoRandomTest [INFO] Running
org.apache.commons.crypto.jna.OpenSslJnaCipherTest [INFO] Tests run: 13, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.044 s - in
org.apache.commons.crypto.jna.OpenSslJnaCipherTest [INFO] Running org.apache.commons.crypto.jna.CtrNoPaddingCipherJnaStreamTest [INFO] Tests run: 4,
Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.058 s - in org.apache.commons.crypto.jna.CtrNoPaddingCipherJnaStreamTest [INFO] Running
org.apache.commons.crypto.jna.PositionedCryptoInputStreamJnaTest [INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.077 s - in
org.apache.commons.crypto.jna.PositionedCryptoInputStreamJnaTest [INFO] Running org.apache.commons.crypto.jna.OpenSslNativeJnaTest ** INFO: JNA is
using: OpenSSL 1.1.0g 2 Nov 2017 [INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s - in
org.apache.commons.crypto.jna.OpenSslNativeJnaTest [INFO] Running org.apache.commons.crypto.jna.CtrCryptoJnaStreamTest [INFO] Tests run: 4, Failures: 0,
Errors: 0, Skipped: 0, Time elapsed: 0.065 s - in org.apache.commons.crypto.jna.CtrCryptoJnaStreamTest [INFO] Running
org.apache.commons.crypto.stream.CtrCryptoStreamTest [INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.081 s - in
org.apache.commons.crypto.stream.CtrCryptoStreamTest [INFO] Running org.apache.commons.crypto.stream.PositionedCryptoInputStreamTest [INFO] Tests
run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.031 s - in org.apache.commons.crypto.stream.PositionedCryptoInputStreamTest [INFO] Running
org.apache.commons.crypto.stream.CbcPkcs5PaddingCipherStreamTest [INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.098 s - in
org.apache.commons.crypto.stream.CbcPkcs5PaddingCipherStreamTest [INFO] Running org.apache.commons.crypto.stream.CtrNoPaddingCipherStreamTest [INFO]
Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.084 s - in org.apache.commons.crypto.stream.CtrNoPaddingCipherStreamTest [INFO]
Running org.apache.commons.crypto.stream.CbcNoPaddingCipherStreamTest [INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.053 s - in
org.apache.commons.crypto.stream.CbcNoPaddingCipherStreamTest [INFO] Running org.apache.commons.crypto.CryptoTest [INFO] Tests run: 2, Failures: 0,
Errors: 0, Skipped: 0, Time elapsed: 0.007 s - in org.apache.commons.crypto.CryptoTest [INFO] Running org.apache.commons.crypto.utils.UtilsTest [INFO] Tests
run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s - in org.apache.commons.crypto.utils.UtilsTest [INFO] Running
org.apache.commons.crypto.utils.EnumTest [INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s - in
org.apache.commons.crypto.utils.EnumTest [INFO] Running org.apache.commons.crypto.NativeCodeLoaderTest ** INFO: Native (JNI) code loaded successfully

[WARNING] Tests run: 5, Failures: 0, Errors: 0, Skipped: 2, Time elapsed: 0.082 s - in org.apache.commons.crypto.NativeCodeLoaderTest [INFO] [INFO] Results: [INFO] [WARNING] Tests run: 113, Failures: 0, Errors: 0, Skipped: 2 [INFO] [INFO] [INFO] --- maven-jar-plugin:3.0.0:jar (default-jar) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-jar-plugin:jar:3.0.0 [DEBUG] org.apache.maven:maven-plugin-api:jar:3.0:compile [DEBUG] org.apache.maven:maven-model:jar:3.0:compile [DEBUG] org.sonatype.sisu.sisu-inject-plexus:jar:1.4.2:compile [DEBUG] org.sonatype.sisu.sisu-inject-bean:jar:1.4.2:compile [DEBUG] org.sonatype.sisu.sisu-guice:jar:3.0:compile [DEBUG] org.apache.maven:maven-core:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings-builder:jar:3.0:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:3.0:compile [DEBUG] org.apache.maven:maven-model-builder:jar:3.0:compile [DEBUG] org.apache.maven:maven-aether-provider:jar:3.0:runtime [DEBUG] org.sonatype.aether:aether-impl:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-spi:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-api:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-util:jar:1.7:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.14:compile [DEBUG] org.codehaus.plexus:plexus-classworlds:jar:2.2.3:compile [DEBUG] org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile [DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-artifact:jar:3.0:compile [DEBUG] org.apache.maven:maven-archiver:jar:3.0.2:compile [DEBUG] org.apache.maven.shared:maven-shared-utils:jar:3.0.0:compile [DEBUG] commons-io:commons-io:jar:2.4:compile [DEBUG] com.google.code.findbugs:jsr305:jar:2.0.1:compile [DEBUG] org.codehaus.plexus:plexus-archiver:jar:3.1.1:compile [DEBUG] org.codehaus.plexus:plexus-io:jar:2.7.1:compile [DEBUG] org.iq80.snappy:snappy:jar:0.4:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.22:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-jar-plugin:3.0.0 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-jar-plugin:3.0.0 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-jar-plugin:3.0.0 [DEBUG] Included: org.apache.maven.plugins:maven-jar-plugin:jar:3.0.0 [DEBUG] Included: org.sonatype.sisu.sisu-inject-bean:jar:1.4.2 [DEBUG] Included: org.sonatype.sisu.sisu-guice:jar:3.0:compile [DEBUG] Included: org.sonatype.aether:aether-util:jar:1.7 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.14 [DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.apache.maven:maven-archiver:jar:3.0.2 [DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:3.0.0 [DEBUG] Included: commons-io:commons-io:jar:2.4 [DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1 [DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:3.1.1 [DEBUG] Included: org.codehaus.plexus:plexus-io:jar:2.7.1 [DEBUG] Included: org.apache.commons:commons-compress:jar:1.10 [DEBUG] Included: org.iq80.snappy:snappy:jar:0.4 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.22 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model:jar:3.0 [DEBUG] Excluded: org.sonatype.sisu.sisu-inject-plexus:jar:1.4.2 [DEBUG] Excluded: org.apache.maven:maven-core:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings-builder:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model-builder:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-aether-provider:jar:3.0 [DEBUG] Excluded: org.sonatype.aether:aether-impl:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-spi:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-api:jar:1.7 [DEBUG] Excluded: org.codehaus.plexus:plexus-classworlds:jar:2.2.3 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:3.0 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-jar-plugin:3.0.0:jar from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-jar-plugin:3.0.0, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-jar-plugin:3.0.0:jar' with basic configurator --> [DEBUG] (s) manifestEntries = {\Implementation-Build=master@r3d9601cdfb3708b76275a4a1049c8d362cddaa3; 2019-04-12 11:03:37+0530, Implementation-Title=Apache Commons Crypto, Implementation-Vendor=The Apache Software Foundation, Implementation-Vendor-Id=org.apache, Implementation-Version=1.1.0-SNAPSHOT, Main-Class=org.apache.commons.crypto.Crypto, Specification-Title=Apache Commons Crypto, Specification-Vendor=The Apache Software Foundation, Specification-Version=1.1.0-SNAPSHOT, X-Compile-Source-JDK=1.8, X-Compile-Target-JDK=1.8} [DEBUG] (s) manifestFile = /home/kd/commons-crypto/target/osi/MANIFEST.MF [DEBUG] (s) addDefaultSpecificationEntries = true [DEBUG] (s) addDefaultImplementationEntries = true [DEBUG] (s) manifest = org.apache.maven.archiver.ManifestConfiguration@5434de8 [DEBUG] (f) archive = org.apache.maven.archiver.MavenArchiveConfiguration@2c84d6c4 [DEBUG] (f) classesDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (f) finalName = commons-crypto-1.1.0-SNAPSHOT [DEBUG] (f) forceCreation = false [DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) skipIfEmpty = false [DEBUG] (f) useDefaultManifestFile = false [DEBUG] -- end configuration -- [DEBUG] isUp2date: false (Destination /home/kd/commons-crypto/target/commons-crypto-1.1.0-SNAPSHOT.jar not found.) [INFO] Building jar: /home/kd/commons-crypto/target/commons-crypto-1.1.0-SNAPSHOT.jar [DEBUG] adding directory META-INF/ [DEBUG] adding entry META-INF/MANIFEST.MF [DEBUG] adding directory org/ [DEBUG] adding directory org/apache/ [DEBUG] adding directory org/apache/commons/ [DEBUG] adding directory org/apache/commons/crypto/ [DEBUG] adding directory org/apache/commons/crypto/stream/ [DEBUG] adding directory org/apache/commons/crypto/stream/input/ [DEBUG] adding directory org/apache/commons/crypto/stream/output/ [DEBUG] adding directory org/apache/commons/crypto/random/ [DEBUG] adding directory org/apache/commons/crypto/cipher/ [DEBUG] adding directory org/apache/commons/crypto/jna/ [DEBUG] adding directory org/apache/commons/crypto/utls/ [DEBUG] adding directory org/apache/commons/crypto/native/ [DEBUG] adding directory org/apache/commons/crypto/native/Linux/ [DEBUG] adding directory org/apache/commons/crypto/native/Linux/aarch64/ [DEBUG] adding entry org/apache/commons/crypto/component.properties [DEBUG] adding entry org/apache/commons/crypto/stream/input/StreamInput.class [DEBUG] adding entry org/apache/commons/crypto/stream/input/Input.class [DEBUG] adding entry org/apache/commons/crypto/stream/input/ChannelInput.class [DEBUG] adding entry org/apache/commons/crypto/stream/CtrCryptoInputStream.class [DEBUG] adding entry org/apache/commons/crypto/stream/CryptoInputStream.class [DEBUG] adding entry org/apache/commons/crypto/stream/PositionedCryptoInputStream\$CipherState.class [DEBUG] adding entry org/apache/commons/crypto/stream/PositionedCryptoInputStream.class [DEBUG] adding entry org/apache/commons/crypto/stream/CtrCryptoOutputStream.class [DEBUG] adding entry org/apache/commons/crypto/stream/output/Output.class [DEBUG] adding entry org/apache/commons/crypto/stream/output/StreamOutput.class [DEBUG] adding entry org/apache/commons/crypto/stream/output/ChannelOutput.class [DEBUG] adding entry org/apache/commons/crypto/random/OpenSslCryptoRandomNative.class [DEBUG] adding entry org/apache/commons/crypto/random/CryptoRandomFactory\$RandomProvider.class [DEBUG] adding entry org/apache/commons/crypto/random/CryptoRandomFactory.class [DEBUG] adding entry org/apache/commons/crypto/random/CryptoRandom.class [DEBUG] adding entry org/apache/commons/crypto/random/JavaCryptoRandom.class [DEBUG] adding entry org/apache/commons/crypto/random/OsCryptoRandom.class [DEBUG] adding entry org/apache/commons/crypto/random/OpenSslCryptoRandom.class [DEBUG] adding entry org/apache/commons/crypto/cipher/CryptoCipher.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSslCommonMode.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSslFeedbackCipher.class [DEBUG] adding entry org/apache/commons/crypto/cipher/CryptoCipherFactory\$CipherProvider.class [DEBUG] adding entry org/apache/commons/crypto/cipher/CryptoCipherFactory.class [DEBUG] adding entry org/apache/commons/crypto/cipher/JceCipher.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSsl\$AlgorithmMode.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSsl\$Padding.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSsl\$Transform.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSsl.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSslEvpCtrlValues.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSslCipher.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSslGaloisCounterMode.class [DEBUG] adding entry org/apache/commons/crypto/cipher/OpenSslNative.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSsl11XNativeJna.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSslJna.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSslJnaCryptoRandom.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSslJnaCipher\$Transform.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSslJnaCipher\$AlgorithmMode.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSslJnaCipher\$Padding.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSslJnaCipher.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSsl10XNativeJna.class [DEBUG] adding entry org/apache/commons/crypto/jna/OpenSslNativeJna.class [DEBUG] adding entry org/apache/commons/crypto/Crypto\$ComponentPropertiesHolder.class [DEBUG] adding entry org/apache/commons/crypto/Crypto.class [DEBUG] adding entry org/apache/commons/crypto/TypeInfo.class [DEBUG] adding entry org/apache/commons/crypto/NativeCodeLoader.class [DEBUG] adding entry org/apache/commons/crypto/utls/ReflectionUtils\$NegativeCacheSentinel.class [DEBUG] adding entry org/apache/commons/crypto/utls/ReflectionUtils.class [DEBUG] adding entry org/apache/commons/crypto/utls/Utils\$DefaultPropertiesHolder.class [DEBUG] adding entry org/apache/commons/crypto/utls/Utils.class [DEBUG] adding entry org/apache/commons/crypto/utls/TypeInfo.class [DEBUG] adding entry org/apache/commons/crypto/utls/TypeInfoNative.class [DEBUG] adding entry org/apache/commons/crypto/native/Linux/aarch64/libcommons-crypto.so [DEBUG] adding directory META-INF/maven/ [DEBUG] adding directory META-INF/maven/org.apache.commons:commons-crypto/ [DEBUG] adding entry META-INF/maven/org.apache.commons:commons-crypto/pom.xml [DEBUG] adding entry META-INF/maven/org.apache.commons:commons-crypto/pom.properties [INFO] [INFO] --- maven-site-plugin:3.7:attach-descriptor (attach-descriptor) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-site-plugin:jar:3.7 [DEBUG] org.apache.maven.wagon:wagon-ssh:jar:3.0.0:runtime [DEBUG]

com.jcraft:jsch:jar:0.1.54:runtime [DEBUG] com.jcraft:jsch.agentproxy.connector-factory:jar:0.0.9:runtime [DEBUG]
com.jcraft:jsch.agentproxy.core:jar:0.0.9:runtime [DEBUG] com.jcraft:jsch.agentproxy.usocket-jna:jar:0.0.9:runtime [DEBUG]
net.java.dev.jna:jar:4.1.0:runtime [DEBUG] net.java.dev.jna:jna-platform:jar:4.1.0:runtime [DEBUG] com.jcraft:jsch.agentproxy.usocket-nc:jar:0.0.9:runtime
[DEBUG] com.jcraft:jsch.agentproxy.sshagent:jar:0.0.9:runtime [DEBUG] com.jcraft:jsch.agentproxy.pageant:jar:0.0.9:runtime [DEBUG]
com.jcraft:jsch.agentproxy.jsch:jar:0.0.9:runtime [DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-6:runtime [DEBUG]
org.codehaus.plexus:plexus-component-api:jar:1.0-alpha-16:runtime [DEBUG] org.apache.maven.wagon:wagon-ssh-common:jar:3.0.0:runtime [DEBUG]
org.apache.maven.reporting:maven-reporting-exec:jar:1.4:compile [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:3.0:compile [DEBUG]
org.apache.maven:maven-artifact:jar:3.0:compile [DEBUG] org.sonatype.aether:aether-util:jar:1.7:compile [DEBUG] org.eclipse.aether:aether-
util:jar:0.9.0.M2:compile [DEBUG] org.apache.maven.shared:maven-shared-utils:jar:3.1.0:compile [DEBUG] org.apache.maven:maven-core:jar:3.0:compile
[DEBUG] org.apache.maven:maven-repository-metadata:jar:3.0:compile [DEBUG] org.apache.maven:maven-model-builder:jar:3.0:compile [DEBUG]
org.apache.maven:maven-aether-provider:jar:3.0:runtime [DEBUG] org.sonatype.aether:aether-impl:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-
spi:jar:1.7:compile [DEBUG] org.sonatype.aether:aether-api:jar:1.7:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.14:compile [DEBUG]
org.codehaus.plexus:plexus-component-annotations:jar:1.6:compile (version managed from 1.5.5) [DEBUG] org.sonatype.plexus:plexus-sec-
dispatcher:jar:1.3:compile [DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile [DEBUG] org.apache.maven:maven-model:jar:3.0:compile [DEBUG]
org.apache.maven:maven-plugin-api:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings:jar:3.0:compile [DEBUG] org.apache.maven:maven-settings-
builder:jar:3.0:compile [DEBUG] org.apache.maven:maven-archiver:jar:3.1.1:compile [DEBUG] org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile [DEBUG]
org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile [DEBUG] org.sonatype.sisu:sisu-guice:jar:2.1.7:compile [DEBUG] org.codehaus.plexus:plexus-
archiver:jar:3.4:compile [DEBUG] org.codehaus.plexus:plexus-io:jar:2.7.1:compile [DEBUG] org.apache.commons:commons-compress:jar:1.11:compile
[DEBUG] org.iq80.snappy:snappy:jar:0.4:compile [DEBUG] org.tukaani:xz:jar:1.5:runtime [DEBUG] org.codehaus.plexus:plexus-i18n:jar:1.0-beta-10:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.24:compile [DEBUG] org.codehaus.plexus:plexus-classworlds:jar:2.5.2:compile [DEBUG]
org.apache.maven.doxia:doxia-sink-api:jar:1.8:compile [DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.8:compile [DEBUG]
org.apache.maven.doxia:doxia-module-xhtml:jar:1.8:compile [DEBUG] org.apache.maven.doxia:doxia-core:jar:1.8:compile [DEBUG]
org.apache.httpcomponents:HttpClient:jar:4.0.2:compile [DEBUG] commons-codec:commons-codec:jar:1.3:compile [DEBUG]
org.apache.httpcomponents:HttpClient:jar:4.0.1:compile [DEBUG] org.apache.maven.doxia:doxia-module-apt:jar:1.8:runtime [DEBUG]
org.apache.maven.doxia:doxia-module-xdoc:jar:1.8:compile [DEBUG] org.apache.maven.doxia:doxia-module-fml:jar:1.8:runtime [DEBUG]
org.apache.maven.doxia:doxia-module-markdown:jar:1.8:runtime [DEBUG] com.vladsch.flexmark:flexmark-all:jar:0.18.4:runtime [DEBUG]
com.vladsch.flexmark:flexmark:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-abbreviation:jar:0.18.4:runtime [DEBUG]
com.vladsch.flexmark:flexmark-ext-anchorlink:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-aside:jar:0.18.4:runtime [DEBUG]
com.vladsch.flexmark:flexmark-ext-autolink:jar:0.18.4:runtime [DEBUG] org.nibor.autolink:autolink:jar:0.6.0:runtime [DEBUG] com.vladsch.flexmark:flexmark-
ext-definition:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-emoji:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-escaped-
character:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-footnotes:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-gfm-
strikethrough:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-gfm-tables:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-gfm-
tasklist:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-jekyll-front-matter:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-
jekyll-tag:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-ins:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-xwiki-
macros:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-spec-example:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-test-
util:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-superscript:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-
tables:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-toc:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-
typographic:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-wikilink:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-ext-yaml-
front-matter:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-formatter:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-html-
parser:jar:0.18.4:runtime [DEBUG] org.jsoup:jsoup:jar:1.10.2:runtime [DEBUG] com.vladsch.flexmark:flexmark-jira-converter:jar:0.18.4:runtime [DEBUG]
com.vladsch.flexmark:flexmark-pdf-converter:jar:0.18.4:runtime [DEBUG] com.openhtmltopdf:openhtmltopdf-core:jar:0.0.1-RC9:runtime [DEBUG]
com.openhtmltopdf:openhtmltopdf-pdfbox:jar:0.0.1-RC9:runtime [DEBUG] org.apache.pdfbox:pdfbox:jar:2.0.4:runtime [DEBUG]
org.apache.pdfbox:fontbox:jar:2.0.4:runtime [DEBUG] com.openhtmltopdf:openhtmltopdf-rtl-support:jar:0.0.1-RC9:runtime [DEBUG]
com.ibm.icu:icu4j:jar:58.1:runtime [DEBUG] com.openhtmltopdf:openhtmltopdf-jsoup-dom-converter:jar:0.0.1-RC9:runtime [DEBUG]
com.vladsch.flexmark:flexmark-profile-pegdown:jar:0.18.4:runtime [DEBUG] com.vladsch.flexmark:flexmark-util:jar:0.18.4:runtime [DEBUG]
com.vladsch.flexmark:flexmark-youtrack-converter:jar:0.18.4:runtime [DEBUG] javax.servlet:servlet-api:jar:2.5:compile [DEBUG]
org.apache.maven.doxia:doxia-decoration-model:jar:1.8:compile [DEBUG] org.apache.maven.doxia:doxia-site-renderer:jar:1.8:compile [DEBUG]
org.apache.maven.doxia:doxia-skin-model:jar:1.8:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-30:compile [DEBUG]
junit:junit:jar:3.8.1:compile [DEBUG] org.codehaus.plexus:plexus-velocity:jar:1.2:compile [DEBUG] org.apache.velocity:velocity:jar:1.7:compile [DEBUG]
commons-lang:commons-lang:jar:2.4:compile [DEBUG] org.apache.velocity:velocity-tools:jar:2.0:compile [DEBUG] commons-beanutils:commons-
beanutils:jar:1.7.0:compile [DEBUG] commons-digester:commons-digester:jar:1.8:compile [DEBUG] commons-chain:commons-chain:jar:1.1:compile [DEBUG]
commons-logging:commons-logging:jar:1.1:compile [DEBUG] commons-validator:commons-validator:jar:1.3.1:compile [DEBUG] dom4j:dom4j:jar:1.1:compile
[DEBUG] oro:oro:jar:2.0.8:compile [DEBUG] ssltext:ssltext:jar:1.2-0:compile [DEBUG] org.apache.struts:struts-core:jar:1.3.8:compile [DEBUG]
antlr:antlr:jar:2.7.2:compile [DEBUG] org.apache.struts:struts-taglib:jar:1.3.8:compile [DEBUG] org.apache.struts:struts-tiles:jar:1.3.8:compile [DEBUG]
commons-collections:commons-collections:jar:3.2.1:compile [DEBUG] org.apache.maven.doxia:doxia-integration-tools:jar:1.8:compile [DEBUG]
org.apache.maven.wagon:wagon-provider-api:jar:1.0:compile [DEBUG] org.mortbay.jetty:jetty:jar:6.1.25:compile [DEBUG] org.mortbay.jetty:servlet-api:jar:2.5-
20081211:compile [DEBUG] org.mortbay.jetty:jetty-util:jar:6.1.25:compile [DEBUG] org.apache.commons:commons-lang3:jar:3.4:compile [DEBUG] commons-
io:commons-io:jar:2.5:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-site-plugin:3.7 [DEBUG] Importing foreign packages
into class realm plugin>org.apache.maven.plugins:maven-site-plugin:3.7 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm
plugin>org.apache.maven.plugins:maven-site-plugin:3.7 [DEBUG] Included: org.apache.maven.plugins:maven-site-plugin:jar:3.7 [DEBUG] Included:
org.apache.maven.wagon:wagon-ssh:jar:3.0.0 [DEBUG] Included: com.jcraft:jsch:jar:0.1.54 [DEBUG] Included: com.jcraft:jsch.agentproxy.connector-
factory:jar:0.0.9 [DEBUG] Included: com.jcraft:jsch.agentproxy.core:jar:0.0.9 [DEBUG] Included: com.jcraft:jsch.agentproxy.usocket-jna:jar:0.0.9 [DEBUG]
Included: net.java.dev.jna:jna:jar:4.1.0 [DEBUG] Included: net.java.dev.jna:jna-platform:jar:4.1.0 [DEBUG] Included: com.jcraft:jsch.agentproxy.usocket-
nc:jar:0.0.9 [DEBUG] Included: com.jcraft:jsch.agentproxy.sshagent:jar:0.0.9 [DEBUG] Included: com.jcraft:jsch.agentproxy.pageant:jar:0.0.9 [DEBUG]
Included: com.jcraft:jsch.agentproxy.jsch:jar:0.0.9 [DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-6 [DEBUG] Included:
org.apache.maven.wagon:wagon-ssh-common:jar:3.0.0 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-exec:jar:1.4 [DEBUG] Included:
org.apache.maven.reporting:maven-reporting-api:jar:3.0 [DEBUG] Included: org.sonatype.aether:aether-util:jar:1.7 [DEBUG] Included: org.eclipse.aether:aether-
util:jar:0.9.0.M2 [DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:3.1.0 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.14
[DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.6 [DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3 [DEBUG]
Included: org.sonatype.plexus:plexus-cipher:jar:1.4 [DEBUG] Included: org.apache.maven:maven-archiver:jar:3.1.1 [DEBUG] Included: org.sonatype.sisu:sisu-
inject-bean:jar:1.4.2 [DEBUG] Included: org.sonatype.sisu:sisu-guice:jar:2.1.7 [DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:3.4 [DEBUG]
Included: org.codehaus.plexus:plexus-io:jar:2.7.1 [DEBUG] Included: org.apache.commons:commons-compress:jar:1.11 [DEBUG] Included:
org.iq80.snappy:snappy:jar:0.4 [DEBUG] Included: org.tukaani:xz:jar:1.5 [DEBUG] Included: org.codehaus.plexus:plexus-i18n:jar:1.0-beta-10 [DEBUG]
Included: org.codehaus.plexus:plexus-utils:jar:3.0.24 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.8 [DEBUG] Included:
org.apache.maven.doxia:doxia-logging-api:jar:1.8 [DEBUG] Included: org.apache.maven.doxia:doxia-module-xhtml:jar:1.8 [DEBUG] Included:
org.apache.maven.doxia:doxia-core:jar:1.8 [DEBUG] Included: org.apache.httpcomponents:HttpClient:jar:4.0.2 [DEBUG] Included: commons-codec:commons-
codec:jar:1.3 [DEBUG] Included: org.apache.httpcomponents:HttpClient:jar:4.0.1 [DEBUG] Included: org.apache.maven.doxia:doxia-module-apt:jar:1.8 [DEBUG]
Included: org.apache.maven.doxia:doxia-module-xdoc:jar:1.8 [DEBUG] Included: org.apache.maven.doxia:doxia-module-fml:jar:1.8 [DEBUG] Included:
org.apache.maven.doxia:doxia-module-markdown:jar:1.8 [DEBUG] Included: com.vladsch.flexmark:flexmark-all:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-abbreviation:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-anchorlink:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-aside:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-autolink:jar:0.18.4 [DEBUG] Included: org.nibor.autolink:autolink:jar:0.6.0 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-definition:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-emoji:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-escaped-character:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-footnotes:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-gfm-strikethrough:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-gfm-tables:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-jekyll-front-matter:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-jekyll-tag:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-jekyll-tag:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-ins:jar:0.18.4 [DEBUG] Included:
com.vladsch.flexmark:flexmark-ext-xwiki-macros:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-spec-example:jar:0.18.4

[DEBUG] Included: com.vladsch.flexmark:flexmark-test-util:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-superscript:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-tables:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-toc:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-typographic:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-wikilink:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-ext-yaml-front-matter:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-formatter:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-html-parser:jar:0.18.4 [DEBUG] Included: org.jsoup:jsoup:jar:1.10.2 [DEBUG] Included: com.vladsch.flexmark:flexmark-jira-converter:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-pdf-converter:jar:0.18.4 [DEBUG] Included: com.openthtmltopdf:openthtmltopdf-core:jar:0.0.1-RC9 [DEBUG] Included: com.openthtmltopdf:openthtmltopdf-pdfbox:jar:0.0.1-RC9 [DEBUG] Included: org.apache.pdfbox:pdfbox:jar:2.0.4 [DEBUG] Included: org.apache.pdfbox:fontbox:jar:2.0.4 [DEBUG] Included: com.openthtmltopdf:openthtmltopdf-rtl-support:jar:0.0.1-RC9 [DEBUG] Included: com.ibm.icu:icu4j:jar:58.1 [DEBUG] Included: com.openthtmltopdf:openthtmltopdf-jsoup-dom-converter:jar:0.0.1-RC9 [DEBUG] Included: com.vladsch.flexmark:flexmark-profile-pegdown:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-util:jar:0.18.4 [DEBUG] Included: com.vladsch.flexmark:flexmark-youtrack-converter:jar:0.18.4 [DEBUG] Included: javax.servlet:servlet-api:jar:2.5 [DEBUG] Included: org.apache.maven.doxia:doxia-decoration-model:jar:1.8 [DEBUG] Included: org.apache.maven.doxia:doxia-site-renderer:jar:1.8 [DEBUG] Included: org.apache.maven.doxia:doxia-skin-model:jar:1.8 [DEBUG] Included: junit:junit:jar:3.8.1 [DEBUG] Included: org.codehaus.plexus:plexus-velocity:jar:1.2 [DEBUG] Included: org.apache.velocity:velocity:jar:1.7 [DEBUG] Included: commons-lang:commons-lang:jar:2.4 [DEBUG] Included: org.apache.velocity:velocity-tools:jar:2.0 [DEBUG] Included: commons-beanutils:commons-beanutils:jar:1.7.0 [DEBUG] Included: commons-digester:commons-digester:jar:1.8 [DEBUG] Included: commons-chain:commons-chain:jar:1.1 [DEBUG] Included: commons-logging:commons-logging:jar:1.1 [DEBUG] Included: commons-validator:commons-validator:jar:1.3.1 [DEBUG] Included: dom4j:dom4j:jar:1.1 [DEBUG] Included: oro:oro:jar:2.0.8 [DEBUG] Included: sslsex:sslsex:jar:1.2-0 [DEBUG] Included: org.apache.struts:struts-core:jar:1.3.8 [DEBUG] Included: antlr:antlr:jar:2.7.2 [DEBUG] Included: org.apache.struts:struts-taglib:jar:1.3.8 [DEBUG] Included: org.apache.struts:struts-tiles:jar:1.3.8 [DEBUG] Included: commons-collections:commons-collections:jar:3.2.1 [DEBUG] Included: org.apache.maven.doxia:doxia-integration-tools:jar:1.8 [DEBUG] Included: org.mortbay.jetty:jetty:jar:6.1.25 [DEBUG] Included: org.mortbay.jetty:servlet-api:jar:2.5-20081211 [DEBUG] Included: org.mortbay.jetty:jetty-util:jar:6.1.25 [DEBUG] Included: org.apache.commons:commons-lang3:jar:3.4 [DEBUG] Included: commons-io:commons-io:jar:2.5 [DEBUG] Excluded: org.codehaus.plexus:plexus-component-api:jar:1.0-alpha-16 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-core:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-model-builder:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-aether-provider:jar:3.0 [DEBUG] Excluded: org.sonatype.aether:aether-impl:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-spi:jar:1.7 [DEBUG] Excluded: org.sonatype.aether:aether-api:jar:1.7 [DEBUG] Excluded: org.apache.maven:maven-model:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:3.0 [DEBUG] Excluded: org.apache.maven:maven-settings-builder:jar:3.0 [DEBUG] Excluded: org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2 [DEBUG] Excluded: org.codehaus.plexus:plexus-classworlds:jar:2.5.2 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-30 [DEBUG] Excluded: org.apache.maven.wagon:wagon-provider-api:jar:1.0 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-site-plugin:3.7:attach-descriptor from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-site-plugin:3.7, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-site-plugin:3.7:attach-descriptor' with basic configurator --> [DEBUG] (f) basedir = /home/kd/commons-crypto [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) locales = en [DEBUG] (f) pomPackagingOnly = true [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) reactorProjects = [MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml] [DEBUG] (f) relativizeDecorationLinks = true [DEBUG] (f) repositories = [id: apache.snapshots url: https://repository.apache.org/snapshots layout: default snapshots: [enabled => true, update => daily] releases: [enabled => false, update => daily] , id: central url: https://repo.maven.apache.org/maven2 layout: default snapshots: [enabled => false, update => daily] releases: [enabled => true, update => daily]] [DEBUG] (f) siteDirectory = /home/kd/commons-crypto/src/site [DEBUG] (f) skip = false [DEBUG] -- end configuration -- [INFO] Skipping because packaging 'jar' is not pom. [INFO] [INFO] >>> clirr-maven-plugin:2.8:check (default) @ commons-crypto >>> [DEBUG] org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT [DEBUG] junit:junit:jar:4.12:test [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:test [DEBUG] net.java.dev.jna:jna:jar:4.4.0:compile [INFO] [INFO] --- maven-enforcer-plugin:1.4.1:enforce (enforce-maven-3) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-enforcer-plugin:1.4.1:enforce from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-enforcer-plugin:1.4.1, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-enforcer-plugin:1.4.1:enforce' with basic configurator --> [DEBUG] (s) fail = true [DEBUG] (s) failFast = false [DEBUG] (f) ignoreCache = false [DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-enforcer-plugin:1.4.1:enforce {execution: enforce-maven-3} [DEBUG] (s) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) version = 3.0.0 [DEBUG] (s) rules = [org.apache.maven.plugins.enforcer.RequireMavenVersion@7820a19d] [DEBUG] (s) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (s) skip = false [DEBUG] -- end configuration -- [DEBUG] Executing rule: org.apache.maven.plugins.enforcer.RequireMavenVersion [DEBUG] Rule org.apache.maven.plugins.enforcer.RequireMavenVersion is cacheable. [DEBUG] Key org.apache.maven.plugins.enforcer.RequireMavenVersion 48517559 was found in the cache [DEBUG] The cached results are still valid. Skipping the rule: org.apache.maven.plugins.enforcer.RequireMavenVersion [INFO] --- build-helper-maven-plugin:3.0.0:parse-version (parse-version) @ commons-crypto --- [DEBUG] Configuring mojo org.codehaus.mojo:build-helper-maven-plugin:3.0.0:parse-version from plugin realm ClassRealm[plugin>org.codehaus.mojo:build-helper-maven-plugin:3.0.0, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.codehaus.mojo:build-helper-maven-plugin:3.0.0:parse-version' with basic configurator --> [DEBUG] (s) formatBuildNumber = %02d [DEBUG] (s) formatIncremental = %02d [DEBUG] (s) formatMajor = %02d [DEBUG] (s) formatMinor = %02d [DEBUG] (s) formattedPropertyPrefix = formattedVersion [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) propertyPrefix = javaTarget [DEBUG] (f) versionString = 1.8 [DEBUG] -- end configuration -- [DEBUG] Parsed Version [DEBUG] major: 1 [DEBUG] minor: 8 [DEBUG] incremental: 0 [DEBUG] buildnumber: 0 [DEBUG] qualifier: null [DEBUG] define property javaTarget.majorVersion = "1" [DEBUG] define property javaTarget.minorVersion = "8" [DEBUG] define property javaTarget.incrementalVersion = "0" [DEBUG] define property javaTarget.buildNumber = "0" [DEBUG] define property javaTarget.nextMajorVersion = "2" [DEBUG] define property javaTarget.nextMinorVersion = "9" [DEBUG] define property javaTarget.nextIncrementalVersion = "1" [DEBUG] define property javaTarget.nextBuildNumber = "1" [DEBUG] define property formattedVersion.majorVersion = "01" [DEBUG] define property formattedVersion.minorVersion = "08" [DEBUG] define property formattedVersion.incrementalVersion = "00" [DEBUG] define property formattedVersion.buildNumber = "00" [DEBUG] define property formattedVersion.nextMajorVersion = "02" [DEBUG] define property formattedVersion.nextMinorVersion = "09" [DEBUG] define property formattedVersion.nextIncrementalVersion = "01" [DEBUG] define property formattedVersion.nextBuildNumber = "01" [DEBUG] define property javaTarget.qualifier = "" [DEBUG] define property javaTarget.osgiVersion = "1.8.0" [INFO] [INFO] --- maven-resources-plugin:2.7:resources (create-version-file) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.7:resources from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-resources-plugin:2.7, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.7:resources' with basic configurator --> [DEBUG] (f) buildFilters = [] [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) escapeWindowsPaths = true [DEBUG] (s) includeEmptyDirs = false [DEBUG] (s) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (s) overwrite = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) resources = [Resource \{targetPath: null, filtering: true, FileSet {directory: /home/kd/commons-crypto/src/main/resources, PatternSet {includes: {}, excludes: {}}}}] [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) supportMultiLineFiltering = false [DEBUG] (f) useBuildFilters = true [DEBUG] (s) useDefaultDelimiters = true [DEBUG] -- end configuration -- [DEBUG] properties used \ {file.encoding=pkg=sun.io, formattedVersion.incrementalVersion=00, commons.japicmp.version=0.11.0, java.home=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre, commons.cobertura.version=2.7, commons.compiler.fork=false, commons.release.2.binary.suffix=-bin, buildNumber=3d9601cdbf3708b76275a4a41049c8d362cddaa3, commons.jdepend.version=2.0, env.LS_COLORS=rs=0:di=38;5;27:ln=38;5;51:mh=44;38;5;15:so=38;5;11:so=38;5;13:do=38;5;5:bd=48;5;232;38;5;11:cd=48;5;232;38;5;3:or=48;5;232;38;5;9:r env.SSH_TTY=/dev/pts/1, classworlds.conf=/usr/share/maven/bin/m2.conf, java.endorsed.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/endorsed, env.LOGNAME=root, commons.build-plugin.version=1.7, commons.wagon-ssh.version=3.0.0, sun.os.patch.level=unknown, java.vendor.url=http://java.oracle.com/, maven-antrun-plugin.version=1.8, javaTarget.nextMajorVersion=2, javaTarget.buildNumber=0, timestamp=2019-04-12 11:03:41+0530, java.version=1.8.0_191, slf4j-api.version=1.7.10, javaTarget.nextMinorVersion=9, commons.compiler.version=3.7.0, commons.osgi.import=*, arguments=, commons.changes.onlyCurrentVersion=true, commons-build-plugin.version=1.6, java.vendor.url.bug=http://bugreport.sun.com/bugreport/, env.SSH_CLIENT=192.168.2.96 50090 22, commons.jacoco.lineRatio=0.90, commons.site-plugin.version=3.7, user.name=root, env.LANG=en_IN, env.CVS_RSH=ssh, sun.io.unicode.encoding=UnicodeLittle, sun.jnu.encoding=UTF-8, java.runtime.name=OpenJDK Runtime Environment, commons.release.2.name=commons-crypto-\${commons.release.2.version}, env.SSH_CONNECTION=192.168.2.96 50090 192.168.3.169 22, commons.deployment.protocol=scp, java.specification.name=Java Platform API Specification, commons.clirr.version=2.8, user.timezone=, env.LESSOPEN=||/usr/bin/lesspipe.sh %s, path.separator=., implementation.build=\${scmBranch}@\${buildNumber}; 2019-04-12 11:03:37+0530, commons.scmPubCheckoutDirectory=/root/commons-sites/commons-crypto, file.encoding=UTF-8, env.HOME=/root,

sun.java.command=org.codehaus.plexus.classworlds.launcher.Launcher clean install -X, commons.jacoco.version=0.7.7.201606060606, commons.surefire-report.version=2.20.1, env.HOSTNAME=localhost.localdomain, java.io.tmpdir=/tmp, user.language=en, env.HISTCONTROL=ignoredups, line.separator= , sonar.host.url=https://analysis.apache.org/, formattedVersion.nextMajorVersion=02, env.HISTSIZE=1000, commons.release.3.binary.suffix=-bin, commons.release.name=commons-crypto-1.0.0, formattedVersion.nextMinorVersion=09, java.vm.info=mixed mode, commons.animal-sniffer.version=1.16, commons-logging.version=1.1.3, java.vm.specification.name=Java Virtual Machine Specification, commons.animal-sniffer.signature.version=1.0, javaTarget.osgiVersion=1.8.0, project.reporting.outputEncoding=iso-8859-1, commons.changes.maxEntries=100, surefire.version=2.19.1, scmBranch=master, env.M2_HOME=/usr/share/maven, sourceReleaseAssemblyDescriptor=source-release, commons.jira.pid=12320024, commons.jacoco.methodRatio=0.95, commons.surefire.version=2.20.1, commons.release.version=1.0.0, commons.javadoc.java.link=http://download.oracle.com/javase/7/docs/api/, javaTarget.majorVersion=1, javaTarget.minorVersion=8, java.awt.printerjob=sun.print.PSPrinterJob, commons.release.3.name=commons-crypto-\${commons.release.3.version}, commons.osgi.dynamicImport=, distMgmtSnapshotsName=Apache Development Snapshot Repository, distMgmtSnapshotsUrl=https://repository.apache.org/content/repositories/snapshots, commons.surefire-report.aggregate=false, commons.release.2.desc=, commons.manifestfile=/home/kd/commons-crypto/target/osgi/MANIFEST.MF, commons.build-helper.version=3.0.0, commons.rc.version=RC1, os.name=Linux, java.specification.vendor=Oracle Corporation, env.TERM=xterm-256color, java.vm.name=OpenJDK 64-Bit Server VM, commons.compiler.compilerVersion=, env.PATH=/root/.cargo/bin:/usr/local/openssl/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/root/bin, commons.compiler.javac=, commons.site.path=commons-crypto, commons.jacoco.classRatio=1.00, commons.changes.version=2.12.1, commons.osgi.symbolicName=org.apache.commons.crypto, java.class.version=52.0, env.SHLVL=2, commons.binary.suffix=-bin, commons.jacoco.instructionRatio=0.90, formattedVersion.nextIncrementalVersion=01, javaTarget.nextIncrementalVersion=1, commons.coveralls.timestampFormat=EpochMillis, formattedVersion.buildNumber=00, formattedVersion.majorVersion=01, sun.boot.library.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/aarch64, project.build.sourceEncoding=iso-8859-1, commons.project-info.version=2.9, formattedVersion.minorVersion=08, sun.management.compiler=HotSpot 64-Bit Tiered Compilers, java.awt.graphicsenv=sun.awt.X11GraphicsEnvironment, commons.findbugs.version=3.0.5, env.USER=root, commons.release.desc=(Requires Java 1.8 or later), junit.version=4.12, commons.jira.id=CRYPTO, commons.javadoc.version=3.0.0, commons.module.name=org.apache.commons.crypto, commons.felix.version=3.4.0, target.name=all, gpg.useagent=true, java.vm.specification.version=1.8, commons.scmPubUrl=https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto, maven.build.timestamp.format=yyyy-MM-dd HH:mm:ssZ, commons.failSafe.version=2.20.1, commons.osgi.private=, awt.toolkit=sun.awt.X11.XToolkit, sun.cpu.isalist=, javaTarget.nextBuildNumber=1, java.ext.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/ext:/usr/java/packages/lib/ext, commons.componentid=crypto, os.version=4.14.0-49.2.2.el7a.aarch64, commons.japicmp.breakBuildOnBinaryIncompatibleModifications=true, user.home=/root, javaTarget.qualifier=, java.vm.vendor=Oracle Corporation, commons.jacoco.branchRatio=0.85, maven.buildNumber.timestampFormat=\{0,date,yyyy-MM-dd HH:mm:ssZ}, env.JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk, env.XDG_SESSION_ID=889, commons.coveralls.version=4.3.0, commons.release.3.desc=, user.dir=/home/kd/commons-crypto, env.MAIL=/var/spool/mail/root, env.PWD=/home/kd/commons-crypto, commons.surefire.java=, sun.cpu.endian=little, commons.encoding=iso-8859-1, minSeverity=info, commons.site.cache=/root/commons-sites, java.vm.version=25.191-b12, java.class.path=/usr/share/maven/boot/plexus-classworlds.jar, commons.changes.runOnlyAtExecutionRoot=false, os.arch=aarch64, maven.build.version=Apache Maven 3.0.5 (Red Hat 3.0.5-17), commons.jacoco.haltOnFailure=false, sun.java.launcher=SUN_STANDARD, formattedVersion.nextBuildNumber=01, java.vm.specification.vendor=Oracle Corporation, commons.jacoco.complexityRatio=0.85, javaTarget.incrementalVersion=0, file.separator=/, java.runtime.version=1.8.0_191-b12, sun.boot.class.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/resources.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/rt.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/sunrsasign.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jsse.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jce.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/charsets.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jfr.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/classes, organization.logo=https://www.apache.org/images/asf_logo_wide.gif, commons.jxr.version=2.5, env.XDG_RUNTIME_DIR=/run/user/0, commons.scmPubServer=commons.site, maven.version=3.0.5, jna.version=4.4.0, commons.docEncoding=iso-8859-1, user.country=IN, commons.javadoc.javaee.link=http://docs.oracle.com/javaee/6/api/, env.SHELL=/bin/bash, maven.home=/usr/share/maven, maven.compiler.target=1.8, commons.scm.publish.version=1.1, commons.rat.version=0.12, java.vendor=Oracle Corporation, animal-sniffer.signature=java\${javaTarget.majorVersion}\${javaTarget.minorVersion}, maven.compiler.source=1.8, java.specification.version=1.8, commons.osgi.export=org.apache.commons.*;version=1.1.0-SNAPSHOT;-noimport=true, argLine=-javaagent:/root/.m2/repository/org/jacoco/org.jacoco.agent/0.7.7.201606060606/org.jacoco.agent-0.7.7.201606060606-runtime.jar=destfile=/home/kd/commons-crypto/target/jacoco.exec,excludes=**/examples/*, sun.arch.data.model=64} [INFO] Using 'iso-8859-1' encoding to copy filtered resources. [DEBUG] resource with targetPath null directory /home/kd/commons-crypto/src/main/resources excludes [] includes [] [DEBUG] ignoreDelta true [INFO] Copying 1 resource [DEBUG] file component.properties has a filtered file extension [DEBUG] filtering /home/kd/commons-crypto/src/main/resources/org/apache/commons/crypto/component.properties to /home/kd/commons-crypto/target/classes/org/apache/commons/crypto/component.properties [DEBUG] no use filter components [INFO] [INFO] --- maven-antrun-plugin:1.8:run (javadoc.resources) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-antrun-plugin:1.8:run from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-antrun-plugin:1.8, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-antrun-plugin:1.8:run' with basic configurator --> [DEBUG] (f) exportAntProperties = false [DEBUG] (f) failOnError = true [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) pluginArtifacts = [org.apache.maven.plugins:maven-antrun-plugin:maven-plugin:1.8; ant-contrib:ant-contrib:jar:1.0b3:runtime, org.apache.ant:ant-nodeps:jar:1.8.1:runtime, backport-util-concurrent:backport-util-concurrent:jar:3.1:compile, org.codehaus.plexus:plexus-interpolation:jar:1.11:compile, junit:junit:jar:3.8.1:compile, org.codehaus.plexus:plexus-utils:jar:3.0.20:compile, org.apache.ant:ant:jar:1.9.4:compile, org.apache.ant:ant-launcher:jar:1.9.4:compile] [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) skip = false [DEBUG] (f) target = <target><copy todir="/home/kd/commons-crypto/target/apidocs/META-INF"><fileset dir="/home/kd/commons-crypto"><include name="LICENSE.txt"/> <include name="NOTICE.txt"/> </fileset> </copy> </target> [DEBUG] (f) versionsPropertyName = maven.project.dependencies.versions [DEBUG] -- end configuration -- Project base dir set to: /home/kd/commons-crypto Adding reference: maven.dependency.classpath Adding reference: maven.compile.classpath Adding reference: maven.runtime.classpath Adding reference: maven.test.classpath Adding reference: maven.plugin.classpath Adding reference: maven.project Adding reference: maven.project.helper Adding reference: maven.local.repository [DEBUG] Initialize Maven Ant Tasks parsing buildfile jar:file:/root/.m2/repository/org/apache/maven/plugins/maven-antrun-plugin/1.8/maven-antrun-plugin-1.8.jar!/org/apache/maven/ant/tasks/antlib.xml with URI = jar:file:/root/.m2/repository/org/apache/maven/plugins/maven-antrun-plugin/1.8/maven-antrun-plugin-1.8.jar!/org/apache/maven/ant/tasks/antlib.xml from a zip file parsing buildfile jar:file:/root/.m2/repository/org/apache/ant/ant/1.9.4/ant-1.9.4.jar!/org/apache/tools/ant/antlib.xml with URI = jar:file:/root/.m2/repository/org/apache/ant/ant/1.9.4/ant-1.9.4.jar!/org/apache/tools/ant/antlib.xml from a zip file Class org.apache.maven.ant.tasks.AttachArtifactTask loaded from parent loader (parentFirst) +Datatype attachartifact org.apache.maven.ant.tasks.AttachArtifactTask Class org.apache.maven.ant.tasks.DependencyFilesetsTask loaded from parent loader (parentFirst) +Datatype dependencyfilesets org.apache.maven.ant.tasks.DependencyFilesetsTask Setting project property: commons.compiler.compilerVersion -> Setting project property: commons-build-plugin.version -> 1.6 Setting project property: commons.release.2.name -> commons-crypto-\${commons.release.2.version} Setting project property: slf4j-api.version -> 1.7.10 Setting project property: commons.release.desc -> (Requires Java 1.8 or later) Setting project property: formattedVersion.nextMinorVersion -> 09 Setting project property: javaTarget.nextBuildNumber -> 1 Setting project property: commons.binary.suffix -> -bin Setting project property: commons.manifestfile -> /home/kd/commons-crypto/target/osgi/MANIFEST.MF Setting project property: maven.build.timestamp.format -> yyyy-MM-dd HH:mm:ssZ Setting project property: commons.project-info.version -> 2.9 Setting project property: formattedVersion.nextIncrementalVersion -> 01 Setting project property: project.build.sourceEncoding -> iso-8859-1 Setting project property: commons.changes.onlyCurrentVersion -> true Setting project property: sourceReleaseAssemblyDescriptor -> source-release Setting project property: commons.release.3.name -> commons-crypto-\${commons.release.3.version} Setting project property: commons.componentid -> crypto Setting project property: commons.site.path -> commons-crypto Setting project property: maven.buildNumber.timestampFormat -> \{0,date,yyyy-MM-dd HH:mm:ssZ} Setting project property: commons.osgi.private -> Setting project property: commons.javadoc.javaee.link -> http://docs.oracle.com/javaee/6/api/ Setting project property: jna.version -> 4.4.0 Setting project property: commons.osgi.export -> org.apache.commons.*;version=1.1.0-SNAPSHOT;-noimport=true Setting project property: commons.release.2.binary.suffix -> -bin Setting project property: javaTarget.nextMinorVersion -> 9 Setting project property: formattedVersion.buildNumber -> 00 Setting project property: commons.compiler.javac -> Setting project property: commons.encoding -> iso-8859-1 Setting project property: organization.logo -> https://www.apache.org/images/asf_logo_wide.gif Setting project property: buildNumber -> 3d9601cdbf3708b76275a4a41049c8d362cddaa3 Setting project property: commons.scmPubUrl -> https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto Setting project property: sonar.host.url -> https://analysis.apache.org/ Setting project property: commons.rc.version -> RC1 Setting project property: commons.cobertura.version -> 2.7 Setting project property: argLine -> -javaagent:/root/.m2/repository/org/jacoco/org.jacoco.agent/0.7.7.201606060606/org.jacoco.agent-0.7.7.201606060606-

runtime.jar=destfile=/home/kd/commons-crypto/target/jacoco.exec,excludes=**/examples/* Setting project property: commons.build-helper.version -> 3.0.0
Setting project property: commons.release.name -> commons-crypto-1.0.0 Setting project property: commons.jacoco.haltOnFailure -> false Setting project
property: minSeverity -> info Setting project property: commons.jacoco.methodRatio -> 0.95 Setting project property: commons.animal-sniffer.version -> 1.16
Setting project property: commons.findbugs.version -> 3.0.5 Setting project property: maven.compiler.target -> 1.8 Setting project property:
project.reporting.outputEncoding -> iso-8859-1 Setting project property: commons.scmPubServer -> commons.site Setting project property: animal-
sniffer.signature -> java\${javaTarget.majorVersion}\${javaTarget.minorVersion} Setting project property: javaTarget.osgiVersion -> 1.8.0 Setting project property:
gpg.useagent -> true Setting project property: commons.jacoco.complexityRatio -> 0.85 Setting project property: commons.javadoc.version -> 3.0.0 Setting
project property: commons.surefire.version -> 2.20.1 Setting project property: commons.changes.version -> 2.12.1 Setting project property:
commons.failSafe.version -> 2.20.1 Setting project property: surefire.version -> 2.19.1 Setting project property: commons.coveralls.timestampFormat ->
EpochMillis Setting project property: commons.release.version -> 1.0.0 Setting project property:
commons.japicmp.breakBuildOnBinaryIncompatibleModifications -> true Setting project property: commons.osgi.excludeDependencies -> true Setting project
property: commons.jxr.version -> 2.5 Setting project property: commons.surefire-report.version -> 2.20.1 Setting project property: commons.rat.version -> 0.12
Setting project property: commons.site.cache -> /root/commons-sites Setting project property: target.name -> all Setting project property: javaTarget.majorVersion
-> 1 Setting project property: commons.docEncoding -> iso-8859-1 Setting project property: commons.jacoco.branchRatio -> 0.85 Setting project property:
commons.japicmp.version -> 0.11.0 Setting project property: commons.javadoc.java.link -> http://download.oracle.com/javase/7/docs/api/ Setting project
property: commons.deployment.protocol -> scp Setting project property: commons.changes.runOnlyAtExecutionRoot -> false Setting project property:
distMgmtSnapshotsName -> Apache Development Snapshot Repository Setting project property: commons.animal-sniffer.signature.version -> 1.0 Setting project
property: commons.scm-publish.version -> 1.1 Setting project property: commons.jacoco.instructionRatio -> 0.90 Setting project property:
commons.compiler.version -> 3.7.0 Setting project property: timestamp -> 2019-04-12 11:03:41+0530 Setting project property: commons.jacoco.lineRatio -> 0.90
Setting project property: commons.changes.maxEntries -> 100 Setting project property: commons.release.2.desc -> Setting project property: commons.jira.pid ->
12320024 Setting project property: commons.module.name -> org.apache.commons.crypto Setting project property: javaTarget.incrementalVersion -> 0 Setting
project property: arguments -> Setting project property: formattedVersion.majorVersion -> 01 Setting project property: commons.coveralls.version -> 4.3.0 Setting
project property: commons.surefire-report.aggregate -> false Setting project property: javaTarget.buildNumber -> 0 Setting project property:
commons.release.3.binary.suffix -> -bin Setting project property: commons.wagon-ssh.version -> 3.0.0 Setting project property: commons.build-plugin.version ->
1.7 Setting project property: distMgmtSnapshotsUrl -> https://repository.apache.org/content/repositories/snapshots Setting project property: javaTarget.qualifier ->
Setting project property: commons-logging.version -> 1.1.3 Setting project property: maven.compiler.source -> 1.8 Setting project property:
formattedVersion.nextMajorVersion -> 02 Setting project property: commons.jacoco.classRatio -> 1.00 Setting project property:
javaTarget.nextIncrementalVersion -> 1 Setting project property: commons.osgi.dynamicImport -> Setting project property: maven-antrun-plugin.version -> 1.8
Setting project property: javaTarget.minorVersion -> 8 Setting project property: commons.compiler.fork -> false Setting project property:
commons.jdepend.version -> 2.0 Setting project property: commons.release.3.desc -> Setting project property: implementation.build ->
\${scmBranch}@\${buildNumber}; 2019-04-12 11:03:37+0530 Setting project property: commons.felix.version -> 3.4.0 Setting project property:
commons.osgi.symbolicName -> org.apache.commons.crypto Setting project property: commons.site-plugin.version -> 3.7 Setting project property:
commons.surefire.java -> Setting project property: formattedVersion.incrementalVersion -> 00 Setting project property: formattedVersion.nextBuildNumber -> 01
Setting project property: commons.jacoco.version -> 0.7.7.201606060606 Setting project property: scmBranch -> master Setting project property:
commons.osgi.import -> * Setting project property: formattedVersion.minorVersion -> 08 Setting project property: commons.jira.id -> CRYPTO Setting project
property: junit.version -> 4.12 Setting project property: commons.clirr.version -> 2.8 Setting project property: commons.scmPubCheckoutDirectory ->
/root/commons-sites/commons-crypto Setting project property: javaTarget.nextMajorVersion -> 2 Setting project property: ant.file -> /home/kd/commons-
crypto/pom.xml [DEBUG] Setting properties with prefix: Setting project property: project.groupId -> org.apache.commons Setting project property:
project.artifactId -> commons-crypto Setting project property: project.name -> Apache Commons Crypto Setting project property: project.description -> Apache
Commons Crypto is a cryptographic library optimized with AES-NI (Advanced Encryption Standard New Instructions). It provides Java API for both cipher level
and Java stream level. Developers can use it to implement high performance AES encryption/decryption with the minimum code and effort. Please note that Crypto
doesn't implement the cryptographic algorithm such as AES directly. It wraps to Openssl or JCE which implement the algorithms. Features ----- 1. Cipher API
for low level cryptographic operations. 2. Java stream API (CryptoInputStream/CryptoOutputStream) for high level stream encryption/decryption. 3. Both
optimized with high performance AES encryption/decryption. (1400 MB/s - 1700 MB/s throughput in modern Xeon processors). 4. JNI-based implementation to
achieve comparable performance to the native C/C++ version based on OpenSSL. 5. Portable across various operating systems (currently only
Linux/MacOSX/Windows); Apache Commons Crypto loads the library according to your machine environment (it checks system properties, `os.name` and
`os.arch`). 6. Simple usage. Add the commons-crypto-(version).jar file to your classpath. Export restrictions ----- This distribution includes
cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of
encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use,
and re-export of encryption software, to see if this is permitted. See <http://www.wassenaar.org/> for more information. The U.S. Government Department of
Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes
information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this Apache Software Foundation
distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration
Regulations, Section 740.13) for both object code and source code. The following provides more details on the included cryptographic software: * Commons
Crypto use [Java Cryptography Extension](http://docs.oracle.com/javase/8/docs/technotes/guides/security/crypto/CryptoSpec.html) provided by Java * Commons
Crypto link to and use [OpenSSL](https://www.openssl.org/) ciphers Setting project property: project.version -> 1.1.0-SNAPSHOT Setting project property:
project.packaging -> jar Setting project property: project.build.directory -> /home/kd/commons-crypto/target Setting project property:
project.build.outputDirectory -> /home/kd/commons-crypto/target/classes Setting project property: project.build.testOutputDirectory -> /home/kd/commons-
crypto/target/test-classes Setting project property: project.build.sourceDirectory -> /home/kd/commons-crypto/src/main/java Setting project property:
project.build.testSourceDirectory -> /home/kd/commons-crypto/src/test/java Setting project property: localRepository -> id: local url: file:///root/.m2/repository/
layout: none Setting project property: settings.localRepository -> /root/.m2/repository Setting project property: junit:junit:jar ->
/root/.m2/repository/junit/junit4.12/junit-4.12.jar Setting project property: org.hamcrest:hamcrest-core:jar -> /root/.m2/repository/org/hamcrest/hamcrest-
core/1.3/hamcrest-core-1.3.jar Setting project property: net.java.dev.jna:jna:jar -> /root/.m2/repository/net/java/dev/jna/jna-4.4.0/jna-4.4.0.jar Setting project
property: maven.project.dependencies.versions -> 4.12:1.3:4.4.0: Setting project property: maven.dependency.junit:junit:jar:path ->
/root/.m2/repository/junit/junit4.12/junit-4.12.jar Setting project property: maven.dependency.org.hamcrest:hamcrest-core:jar:path ->
/root/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar Setting project property: maven.dependency.net.java.dev.jna:java.dev.jna:jar:path ->
/root/.m2/repository/net/java/dev/jna/jna-4.4.0/jna-4.4.0.jar [INFO] Executing tasks Build sequence for target(s) `main` is [main] Complete build sequence is [main,
] main: fileset: Setup scanner in dir /home/kd/commons-crypto with patternSet{ includes: [LICENSE.txt, NOTICE.txt] excludes: [] } [copy] LICENSE.txt omitted
as /home/kd/commons-crypto/target/apidocs/META-INF/LICENSE.txt is up to date. [copy] NOTICE.txt omitted as /home/kd/commons-
crypto/target/apidocs/META-INF/NOTICE.txt is up to date. [copy] No sources found. [INFO] Executed tasks [INFO] [INFO] --- maven-remote-resources-
plugin:1.5:process (process-resource-bundles) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-remote-resources-
plugin:1.5:process from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-remote-resources-plugin:1.5, parent:
sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-remote-resources-plugin:1.5:process' with basic
configurator -> [DEBUG] (f) appendedResourcesDirectory = /home/kd/commons-crypto/src/main/appended-resources [DEBUG] (f) attachToMain = true
[DEBUG] (f) attachToTest = true [DEBUG] (f) attached = true [DEBUG] (f) basedir = /home/kd/commons-crypto [DEBUG] (f) encoding = iso-8859-1 [DEBUG]
(f) excludeTransitive = false [DEBUG] (f) includeProjectProperties = false [DEBUG] (f) includeScope = runtime [DEBUG] (f) localRepository = id: local url:
file:///root/.m2/repository/ layout: none [DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/maven-shared-archive-resources [DEBUG] (f)
remoteArtifactRepositories = [id: apache.snapshots url: https://repository.apache.org/snapshots layout: default snapshots: [enabled => true, update => daily]
releases: [enabled => false, update => daily] , id: central url: https://repo.maven.apache.org/maven2 layout: default snapshots: [enabled => false, update => daily]
releases: [enabled => true, update => daily]] [DEBUG] (f) resourceBundles = [org.apache:apache-jar-resource-bundle:1.4] [DEBUG] (f) resources = [Resource \
{targetPath: null, filtering: true, FileSet {directory: /home/kd/commons-crypto/src/main/resources, PatternSet [includes: {}, excludes: {}]}]} [DEBUG] (f)
runOnlyAtExecutionRoot = false [DEBUG] (f) skip = true [DEBUG] (f) useDefaultFilterDelimiters = true [DEBUG] (f) mavenSession =
org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @
/home/kd/commons-crypto/pom.xml [DEBUG] -- end configuration -- [INFO] [INFO] --- buildnumber-maven-plugin:1.4:create (default) @ commons-crypto ---
[DEBUG] Configuring mojo org.codehaus.mojo:buildnumber-maven-plugin:1.4:create from plugin realm ClassRealm[plugin>org.codehaus.mojo:buildnumber-
maven-plugin:1.4, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.codehaus.mojo:buildnumber-maven-plugin:1.4:create'
with basic configurator -> [DEBUG] (s) buildNumberPropertiesFileLocation = /home/kd/commons-crypto/buildNumber.properties [DEBUG] (f)
buildNumberPropertyName = buildNumber [DEBUG] (s) doCheck = false [DEBUG] (s) doUpdate = false [DEBUG] (f) getRevisionOnlyOnce = false [DEBUG]

(f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) reactorProjects = [MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml] [DEBUG] (s) revisionOnScmFailure = ????? [DEBUG] (f) scmBranchPropertyName = scmBranch [DEBUG] (f) scmConnectionUrl = scm:git:http://git-wip-us.apache.org/repos/asf/commons-crypto.git [DEBUG] (f) scmDeveloperConnectionUrl = scm:git:https://git-wip-us.apache.org/repos/asf/commons-crypto.git [DEBUG] (s) scmDirectory = /home/kd/commons-crypto [DEBUG] (f) scmTag = HEAD [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) settings = org.apache.maven.execution.SettingsAdapter@7923f5b3 [DEBUG] (s) shortRevisionLength = 0 [DEBUG] (f) skip = false [DEBUG] (f) timestampFormat = \ {0,date,yyyy-MM-dd HH:mm:ssZ} [DEBUG] (f) timestampPropertyName = timestamp [DEBUG] (f) useLastCommittedRevision = true [DEBUG] -- end configuration -- [DEBUG] Checking for local modifications: skipped. [DEBUG] Updating project files from SCM: skipped. [INFO] Executing: /bin/sh -c cd /home/kd/commons-crypto/ && 'git' rev-parse '--verify' 'HEAD' [INFO] Working directory: /home/kd/commons-crypto [DEBUG] consume line 3d9601cdbf3708b762754a41049c8d362cddaa3 [INFO] Storing buildNumber: 3d9601cdbf3708b762754a41049c8d362cddaa3 at timestamp: 2019-04-12 11:03:59+0530 [INFO] Storing buildScmBranch: master [INFO] [INFO] --- maven-resources-plugin:2.7:resources (default-resources) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.7:resources from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-resources-plugin:2.7, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.7:resources' with basic configurator --> [DEBUG] (f) buildFilters = [] [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) escapeWindowsPaths = true [DEBUG] (s) includeEmptyDirs = false [DEBUG] (s) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (s) overwrite = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) resources = [Resource \{targetPath: null, filtering: true, FileSet {directory: /home/kd/commons-crypto/src/main/resources, PatternSet {includes: {}, excludes: {}}}] [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) supportMultiLineFiltering = false [DEBUG] (f) useBuildFilters = true [DEBUG] (s) useDefaultDelimiters = true [DEBUG] -- end configuration -- [DEBUG] properties used \ {file.encoding.pkg=sun.io, formattedVersion.incrementalVersion=00, commons.japicmp.version=0.11.0, java.home=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre, commons.cobertura.version=2.7, commons.compiler.fork=false, commons.release.2.binary.suffix=-bin, buildNumber=3d9601cdbf3708b762754a41049c8d362cddaa3, commons.jdepend.version=2.0, env.LS_COLORS=rs=0:di=38;5;27:ln=38;5;51:mh=44;38;5;15:pi=40;38;5;11:so=38;5;13:do=38;5;5:bd=48;5;232;38;5;11:cd=48;5;232;38;5;3:or=48;5;232;38;5;9:n env.SSH_TTY=/dev/pts/1, classworlds.conf=/usr/share/maven/bin/m2.conf, java.endorsed.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/endorsed, env.LOGNAME=root, commons.build-plugin.version=1.7, commons.wagon-ssh.version=3.0.0, sun.os.patch.level=unknown, java.vendor.url=http://java.oracle.com/, maven-antrun-plugin.version=1.8, javaTarget.nextMajorVersion=2, javaTarget.buildNumber=0, timestamp=2019-04-12 11:03:59+0530, java.version=1.8.0_191, slf4j-api.version=1.7.10, javaTarget.nextMinorVersion=9, commons.compiler.version=3.7.0, commons.osgi.import=*, arguments=, commons.changes.onlyCurrentVersion=true, commons-build-plugin.version=1.6, java.vendor.url.bug=http://bugreport.sun.com/bugreport/, env.SSH_CLIENT=192.168.2.96 50090 22, commons.jacoco.lineRatio=0.90, commons.site-plugin.version=3.7, user.name=root, env.LANG=en_IN, env.CVS_RSH=ssh, sun.io.unicode.encoding=UnicodeLittle, sun.jnu.encoding=UTF-8, java.runtime.name=OpenJDK Runtime Environment, commons.release.2.name=commons-crypto-\${commons.release.2.version}, env.SSH_CONNECTION=192.168.2.96 50090 192.168.3.169 22, commons.deployment.protocol=scp, java.specification.name=Java Platform API Specification, commons.clirr.version=2.8, user.timezone=, env.LESSOPEN=||/usr/bin/lesspipe.sh %s, path.separator=;, implementation.build=\${scmBranch}@r\${buildNumber}; 2019-04-12 11:03:37+0530, commons.scmPubCheckoutDirectory=/root/commons-sites/commons-crypto, file.encoding=UTF-8, env.HOME=/root, sun.java.command=org.codehaus.plexus.classworlds.launcher.Launcher clean install -X, commons.jacoco.version=0.7.7.201606060606, commons.surefire-report.version=2.20.1, env.HOSTNAME=localhost.localdomain, java.io.tmpdir=/tmp, user.language=en, env.HISTCONTROL=ignoredups, line.separator=, sonar.host.url=https://analysis.apache.org/, formattedVersion.nextMajorVersion=02, env.HISTSIZE=1000, commons.release.3.binary.suffix=-bin, commons.release.name=commons-crypto-1.0.0, formattedVersion.nextMinorVersion=09, java.vm.info=mixed mode, commons.animal-sniffer.version=1.16, commons-logging.version=1.1.3, java.vm.specification.name=Java Virtual Machine Specification, commons.animal-sniffer.signature.version=1.0, javaTarget.osgiVersion=1.8.0, project.reporting.outputEncoding=iso-8859-1, commons.changes.maxEntries=100, surefire.version=2.19.1, scmBranch=master, env.M2_HOME=/usr/share/maven, sourceReleaseAssemblyDescriptor=source-release, commons.jira.pid=12320024, commons.jacoco.methodRatio=0.95, commons.surefire.version=2.20.1, commons.release.version=1.0.0, commons.javadoc.java.link=http://download.oracle.com/javase/7/docs/api/, javaTarget.majorVersion=1, javaTarget.minorVersion=8, java.awt.printerjob=sun.print.PSPrinterJob, commons.release.3.name=commons-crypto-\${commons.release.3.version}, commons.osgi.dynamicImport=, distMgmtSnapshotsName=Apache Development Snapshot Repository, distMgmtSnapshotsUrl=https://repository.apache.org/content/repositories/snapshots, commons.surefire-report.aggregate=false, commons.release.2.desc=, commons.manifestfile=/home/kd/commons-crypto/target/osgi/MANIFEST.MF, commons.build-helper.version=3.0.0, commons.rc.version=RC1, os.name=Linux, java.specification.vendor=Oracle Corporation, env.TERM=xterm-256color, java.vm.name=OpenJDK 64-Bit Server VM, commons.compiler.compilerVersion=, commons.osgi.excludeDependencies=true, java.library.path=/usr/java/packages/lib/aarch64/lib:/usr/lib, env.PATH=/root/.cargo/bin:/usr/local/openssl/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/root/bin, commons.compiler.javac=, commons.site.path=commons-crypto, commons.jacoco.classRatio=1.00, commons.changes.version=2.12.1, commons.osgi.symbolicName=org.apache.commons.crypto, java.class.version=52.0, env.SHLVL=2, commons.binary.suffix=-bin, commons.jacoco.instructionRatio=0.90, formattedVersion.nextIncrementalVersion=01, javaTarget.nextIncrementalVersion=1, commons.coveralls.timestampFormat=EpochMillis, formattedVersion.buildNumber=00, formattedVersion.majorVersion=01, sun.boot.library.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/aarch64, project.build.sourceEncoding=iso-8859-1, commons.project-info.version=2.9, formattedVersion.minorVersion=08, sun.management.compiler=HotSpot 64-Bit Tiered Compilers, java.awt.graphicsenv=sun.awt.X11GraphicsEnvironment, commons.findbugs.version=3.0.5, env.USER=root, commons.release.desc=(Requires Java 1.8 or later), junit.version=4.12, commons.jira.id=CRYPTO, commons.javadoc.version=3.0.0, commons.module.name=org.apache.commons.crypto, commons.felix.version=3.4.0, target.name=all, gpg.useagent=true, java.vm.specification.version=1.8, commons.scmPubUrl=https://svn.apache.org/repos/infra/websites/production/commons/content/proper/commons-crypto, maven.build.timestamp.format=yyyy-MM-dd HH:mm:ssZ, commons.failSafe.version=2.20.1, commons.osgi.private=, awt.toolkit=sun.awt.X11.XToolkit, sun.cpu.isalist=, javaTarget.nextBuildNumber=1, java.ext.dirs=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/ext:/usr/java/packages/lib/ext, commons.componentid=crypto, os.version=4.14.0-49.2.2.el7a.aarch64, commons.japicmp.breakBuildOnBinaryIncompatibleModifications=true, user.home=/root, javaTarget.qualifier=, java.vm.vendor=Oracle Corporation, commons.jacoco.branchRatio=0.85, maven.buildNumber.timestampFormat=\{0,date,yyyy-MM-dd HH:mm:ssZ}, env.JAVA_HOME=/usr/lib/jvm/java-1.8.0-openjdk, env.XDG_SESSION_ID=889, commons.coveralls.version=4.3.0, commons.release.3.desc=, user.dir=/home/kd/commons-crypto, env.MAIL=/var/spool/mail/root, env.PWD=/home/kd/commons-crypto, commons.surefire.java=, sun.cpu.endian=little, commons.encoding=iso-8859-1, minSeverity=info, commons.site.cache=/root/commons-sites, java.vm.version=25.191-b12, java.class.path=/usr/share/maven/boot/plexus-classworlds.jar, commons.changes.runOnlyAtExecutionRoot=false, os.arch=aarch64, maven.build.version=Apache Maven 3.0.5 (Red Hat 3.0.5-17), commons.jacoco.haltOnFailure=false, sun.java.launcher=SUN_STANDARD, formattedVersion.nextBuildNumber=01, java.vm.specification.vendor=Oracle Corporation, commons.jacoco.complexityRatio=0.85, javaTarget.incrementalVersion=0, file.separator=/, java.runtime.version=1.8.0_191-b12, sun.boot.class.path=/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/resources.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/rt.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/sunrsasign.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jsse.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jce.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/charsets.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/lib/jfr.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.aarch64/jre/classes, organization.logo=https://www.apache.org/images/asf_logo_wide.gif, commons.jxr.version=2.5, env.XDG_RUNTIME_DIR=/run/user/0, commons.scmPubServer=commons.site, maven.version=3.0.5, jna.version=4.4.0, commons.docEncoding=iso-8859-1, user.country=IN, commons.javadoc.javaee.link=http://docs.oracle.com/javaee/6/api/, env.SHELL=/bin/bash, maven.home=/usr/share/maven, maven.compiler.target=1.8, commons.scm-publish.version=1.1, commons.rat.version=0.12, java.vendor=Oracle Corporation, animal-sniffer.signature=java\${javaTarget.majorVersion}\${javaTarget.minorVersion}, maven.compiler.source=1.8, java.specification.version=1.8, commons.osgi.export=org.apache.commons.*;version=1.1.0-SNAPSHOT;-noimport=true, argLine=-javaagent:/root/.m2/repository/org/jacoco/org.jacoco.agent/0.7.7.201606060606/org.jacoco.agent-0.7.7.201606060606-runtime.jar=destfile=/home/kd/commons-crypto/target/jacoco.exec,excludes=**/examples/*, sun.arch.data.model=64} [INFO] Using 'iso-8859-1' encoding to copy filtered resources. [DEBUG] resource with targetPath null directory /home/kd/commons-crypto/src/main/resources excludes \{ includes \} [DEBUG] ignoreDelta true [INFO] Copying 1 resource [DEBUG] file component.properties has a filtered file extension [DEBUG] filtering /home/kd/commons-crypto/src/main/resources/org/apache/commons/crypto/component.properties to /home/kd/commons-crypto/target/classes/org/apache/commons/crypto/component.properties [DEBUG] no use filter components [INFO] [INFO] --- maven-compiler-plugin:3.7.0:compile (default-compile) @ commons-crypto --- [DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-compiler-plugin:3.7.0, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile' with basic configurator --> [DEBUG] (f) basedir = /home/kd/commons-crypto

[DEBUG] (f) buildDirectory = /home/kd/commons-crypto/target [DEBUG] (f) compilePath = [/home/kd/commons-crypto/target/classes, /root/.m2/repository/net/java/dev/jna/jna/4.4.0/jna-4.4.0.jar] [DEBUG] (f) compileSourceRoots = [/home/kd/commons-crypto/src/main/java, /home/kd/commons-crypto/target/generated-sources/annotations] [DEBUG] (f) compilerId = javac [DEBUG] (f) debug = true [DEBUG] (f) encoding = iso-8859-1 [DEBUG] (f) excludes = [**/package-info.java] [DEBUG] (f) failOnError = true [DEBUG] (f) failOnWarning = false [DEBUG] (f) forceJavacCompilerUse = false [DEBUG] (f) fork = false [DEBUG] (f) generatedSourcesDirectory = /home/kd/commons-crypto/target/generated-sources/annotations [DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.7.0:compile {execution: default-compile} [DEBUG] (f) optimize = false [DEBUG] (f) outputDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (f) parameters = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) projectArtifact = org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT [DEBUG] (f) session = org.apache.maven.execution.MavenSession@18b0930f [DEBUG] (f) showDeprecation = false [DEBUG] (f) showWarnings = false [DEBUG] (f) skipMultiThreadWarning = false [DEBUG] (f) source = 1.8 [DEBUG] (f) staleMillis = 0 [DEBUG] (f) target = 1.8 [DEBUG] (f) useIncrementalCompilation = true [DEBUG] (f) verbose = false [DEBUG] -- end configuration -- [DEBUG] Using compiler 'javac'. [DEBUG] Adding /home/kd/commons-crypto/target/generated-sources/annotations to compile source roots: /home/kd/commons-crypto/src/main/java /home/kd/commons-crypto/target/generated-sources/annotations [DEBUG] New compile source roots: /home/kd/commons-crypto/src/main/java /home/kd/commons-crypto/target/generated-sources/annotations [DEBUG] CompilerReuseStrategy: reuseCreated [DEBUG] useIncrementalCompilation enabled [INFO] Nothing to compile - all classes are up to date [INFO] [INFO] <<< clirr-maven-plugin:2.8:check (default) @ commons-crypto <<< [INFO] [INFO] --- clirr-maven-plugin:2.8:check (default) @ commons-crypto --- [DEBUG] org.codehaus.mojo:clirr-maven-plugin:jar:2.8 [DEBUG] net.sf.clirr:clirr-core:jar:0.6:compile [DEBUG] org.apache.bcel:bcel:jar:6.0:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-model:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-plugin-api:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-project:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-settings:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-profile:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.0.6:compile [DEBUG] org.apache.maven:maven-plugin-registry:jar:2.0.6:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:4.12:test (scope managed from compile) (version managed from 3.8.1) [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:test [DEBUG] classworlds:classworlds:jar:1.1-alpha-2:compile [DEBUG] org.apache.maven.doxia:doxia-decoration-model:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-module-xhtml:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-core:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-site-renderer:jar:1.0:compile [DEBUG] org.codehaus.plexus:plexus-velocity:jar:1.1.7:compile [DEBUG] org.apache.velocity:velocity:jar:1.5:compile [DEBUG] commons-lang:commons-lang:jar:2.1:compile [DEBUG] oro:oro:jar:2.0.8:compile [DEBUG] commons-collections:commons-collections:jar:3.2:compile [DEBUG] org.apache.maven.doxia:doxia-module-apt:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-module-fml:jar:1.0:compile [DEBUG] org.apache.maven.doxia:doxia-module-xdoc:jar:1.0:compile [DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.0.6:compile [DEBUG] org.codehaus.plexus:plexus-i18n:jar:1.0-beta-6:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.7:compile [DEBUG] Created new class realm plugin>org.codehaus.mojo:clirr-maven-plugin:2.8 [DEBUG] Importing foreign packages into class realm plugin>org.codehaus.mojo:clirr-maven-plugin:2.8 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.codehaus.mojo:clirr-maven-plugin:2.8 [DEBUG] Included: org.codehaus.mojo:clirr-maven-plugin:jar:2.8 [DEBUG] Included: net.sf.clirr:clirr-core:jar:0.6 [DEBUG] Included: org.apache.bcel:bcel:jar:6.0 [DEBUG] Included: org.apache.maven.doxia:doxia-decoration-model:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-module-xhtml:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-core:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-site-renderer:jar:1.0 [DEBUG] Included: org.codehaus.plexus:plexus-velocity:jar:1.1.7 [DEBUG] Included: org.apache.velocity:velocity:jar:1.5 [DEBUG] Included: commons-lang:commons-lang:jar:2.1 [DEBUG] Included: oro:oro:jar:2.0.8 [DEBUG] Included: commons-collections:commons-collections:jar:3.2 [DEBUG] Included: org.apache.maven.doxia:doxia-module-apt:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-module-fml:jar:1.0 [DEBUG] Included: org.apache.maven.doxia:doxia-module-xdoc:jar:1.0 [DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.0.6 [DEBUG] Included: org.codehaus.plexus:plexus-i18n:jar:1.0-beta-6 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.7 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.0.6 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.0.6 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: junit:junit:jar:4.12 [DEBUG] Excluded: org.hamcrest:hamcrest-core:jar:1.3 [DEBUG] Excluded: classworlds:classworlds:jar:1.1-alpha-2 [DEBUG] Configuring mojo org.codehaus.mojo:clirr-maven-plugin:2.8:check from plugin realm ClassRealm[plugin>org.codehaus.mojo:clirr-maven-plugin:2.8, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.codehaus.mojo:clirr-maven-plugin:2.8:check' with basic configurator --> [DEBUG] (f) classesDirectory = /home/kd/commons-crypto/target/classes [DEBUG] (f) comparisonVersion = (1.1.0-SNAPSHOT) [DEBUG] (f) failOnError = true [DEBUG] (f) failOnInfo = false [DEBUG] (f) failOnWarning = false [DEBUG] (f) ignoredDifferencesFile = /home/kd/commons-crypto/clirr-excludes.xml [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) logResults = false [DEBUG] (f) minSeverity = info [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) skip = false [DEBUG] (f) skipArtifactTypeTest = false [DEBUG] -- end configuration -- [DEBUG] Searching for versions in range: (1.1.0-SNAPSHOT) [DEBUG] Determining update check for artifact org.apache.commons:commons-crypto (/root/.m2/repository/org/apache/commons/commons-crypto/maven-metadata-apache.snapshots.xml) from apache.snapshots (https://repository.apache.org/snapshots) [DEBUG] Searching for apache.snapshots.maven-metadata-apache.snapshots.xml.lastUpdated in resolution tracking file. [DEBUG] Reading resolution-state from: /root/.m2/repository/org/apache/commons/commons-crypto/resolver-status.properties [DEBUG] Determining update check for artifact org.apache.commons:commons-crypto (/root/.m2/repository/org/apache/commons/commons-crypto/maven-metadata-central.xml) from central (https://repo.maven.apache.org/maven2) [DEBUG] Searching for central.maven-metadata-central.xml.lastUpdated in resolution tracking file. [DEBUG] Reading resolution-state from: /root/.m2/repository/org/apache/commons/commons-crypto/resolver-status.properties [DEBUG] Searching for versions in range: (1.1.0-SNAPSHOT) [DEBUG] Determining update check for artifact org.apache.commons:commons-crypto (/root/.m2/repository/org/apache/commons/commons-crypto/maven-metadata-apache.snapshots.xml) from apache.snapshots (https://repository.apache.org/snapshots) [DEBUG] Searching for apache.snapshots.maven-metadata-apache.snapshots.xml.lastUpdated in resolution tracking file. [DEBUG] Reading resolution-state from: /root/.m2/repository/org/apache/commons/commons-crypto/resolver-status.properties [DEBUG] Determining update check for artifact org.apache.commons:commons-crypto (/root/.m2/repository/org/apache/commons/commons-crypto/maven-metadata-central.xml) from central (https://repo.maven.apache.org/maven2) [DEBUG] Searching for central.maven-metadata-central.xml.lastUpdated in resolution tracking file. [DEBUG] Reading resolution-state from: /root/.m2/repository/org/apache/commons/commons-crypto/resolver-status.properties [INFO] Comparing to version: 1.0.0 [DEBUG] org.apache.commons:commons-crypto:pom:1.0.0:compile (selected for compile) [DEBUG] junit:junit:jar:4.12:test (selected for test) [DEBUG] org.hamcrest:hamcrest-core:jar:1.3:test (selected for test) [DEBUG] net.java.dev.jna:jna:jar:4.2.2:compile (selected for compile) [INFO] Succeeded with 0 errors; 0 warnings; and 1 other changes. [INFO] [INFO] --- jacoco-maven-plugin:0.7.7.201606060606:check (check) @ commons-crypto --- [DEBUG] Configuring mojo org.jacoco:jacoco-maven-plugin:0.7.7.201606060606:check from plugin realm ClassRealm[plugin>org.jacoco:jacoco-maven-plugin:0.7.7.201606060606, parent: sun.misc.Launcher\$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.jacoco:jacoco-maven-plugin:0.7.7.201606060606:check' with basic configurator --> [DEBUG] (f) dataFile = /home/kd/commons-crypto/target/jacoco.exec [DEBUG] (f) excludes = [**/examples/*] [DEBUG] (f) haltOnFailure = false [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (s) element = BUNDLE [DEBUG] (s) counter = CLASS [DEBUG] (s) value = COVEREDRATIO [DEBUG] (s) minimum = 1.00 [DEBUG] (s) counter = INSTRUCTION [DEBUG] (s) value = COVEREDRATIO [DEBUG] (s) minimum = 0.90 [DEBUG] (s) counter = METHOD [DEBUG] (s) value = COVEREDRATIO [DEBUG] (s) minimum = 0.95 [DEBUG] (s) counter = BRANCH [DEBUG] (s) value = COVEREDRATIO [DEBUG] (s) minimum = 0.85 [DEBUG] (s) counter = LINE [DEBUG] (s) value = COVEREDRATIO [DEBUG] (s) minimum = 0.90 [DEBUG] (s) counter = COMPLEXITY [DEBUG] (s) value = COVEREDRATIO [DEBUG] (s) minimum = 0.85 [DEBUG] (s) limits = [org.jacoco.report.check.Limit@6aa27145, org.jacoco.report.check.Limit@78fb8a66, org.jacoco.report.check.Limit@5c47ef5f, org.jacoco.report.check.Limit@2f04c1f3, org.jacoco.report.check.Limit@56d5a50f, org.jacoco.report.check.Limit@72d9bd09] [DEBUG] (f) rules = [org.jacoco.maven.RuleConfiguration@1107891a] [DEBUG] (f) skip = false [DEBUG] -- end configuration -- [INFO] Loading execution data file /home/kd/commons-crypto/target/jacoco.exec [INFO] Analyzed bundle 'commons-crypto' with 49 classes [WARNING] Rule violated for bundle commons-crypto: classes covered ratio is 0.87, but expected minimum is 1.00 [WARNING] Rule violated for bundle commons-crypto: instructions covered ratio is 0.70, but expected minimum is 0.90 [WARNING] Rule violated for bundle commons-crypto: methods covered ratio is 0.74, but expected minimum is 0.95 [WARNING] Rule violated for bundle commons-crypto: branches covered ratio is 0.57, but expected minimum is 0.85 [WARNING] Rule violated for bundle commons-crypto: lines covered ratio is 0.71, but expected minimum is 0.90 [WARNING] Rule violated for bundle commons-crypto: complexity covered ratio is 0.55, but expected minimum is 0.85 [WARNING] Coverage checks have not been met. See log for details. [INFO] [INFO] --- maven-install-plugin:2.5.2:install (default-install) @ commons-crypto --- [DEBUG] org.apache.maven.plugins:maven-install-plugin:jar:2.5.2: [DEBUG] org.apache.maven:maven-plugin-api:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-project:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-settings:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-profile:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-plugin-

```

registry:jar:2.2.1:compile [DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.11:compile [DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile [DEBUG] junit:junit:jar:3.8.1:compile [DEBUG] classworlds:classworlds:jar:1.1-alpha-2:compile [DEBUG] org.apache.maven:maven-model:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-artifact-manager:jar:2.2.1:compile [DEBUG] org.apache.maven:maven-repository-metadata:jar:2.2.1:compile [DEBUG] backport-util-concurrent:backport-util-concurrent:jar:3.1:compile [DEBUG] org.apache.maven:maven-artifact:jar:2.2.1:compile [DEBUG] commons-codec:commons-codec:jar:1.6:compile [DEBUG] org.apache.maven.shared:maven-shared-utils:jar:0.4:compile [DEBUG] com.google.code.findbugs:jsr305:jar:2.0.1:compile [DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.15:compile [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-install-plugin:2.5.2 [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-install-plugin:2.5.2 [DEBUG] Imported: < maven.api [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-install-plugin:2.5.2 [DEBUG] Included: org.apache.maven.plugins:maven-install-plugin:jar:2.5.2 [DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.11 [DEBUG] Included: junit:junit:jar:3.8.1 [DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1 [DEBUG] Included: commons-codec:commons-codec:jar:1.6 [DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:0.4 [DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1 [DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.15 [DEBUG] Excluded: org.apache.maven:maven-plugin-api:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-project:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-settings:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-profile:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-plugin-registry:jar:2.2.1 [DEBUG] Excluded: org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1 [DEBUG] Excluded: classworlds:classworlds:jar:1.1-alpha-2 [DEBUG] Excluded: org.apache.maven:maven-model:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact-manager:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-repository-metadata:jar:2.2.1 [DEBUG] Excluded: org.apache.maven:maven-artifact:jar:2.2.1 [DEBUG] Configuring mojo org.apache.maven.plugins:maven-install-plugin:2.5.2:install from plugin realm ClassRealm[plugin>org.apache.maven.plugins:maven-install-plugin:2.5.2, parent: sun.misc.Launcher$AppClassLoader@70dea4e] [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-install-plugin:2.5.2:install' with basic configurator --> [DEBUG] (f) artifact = org.apache.commons:commons-crypto:jar:1.1.0-SNAPSHOT [DEBUG] (f) attachedArtifacts = [] [DEBUG] (f) createChecksum = false [DEBUG] (f) installAtEnd = false [DEBUG] (f) localRepository = id: local url: file:///root/.m2/repository/ layout: none [DEBUG] (f) packaging = jar [DEBUG] (f) pomFile = /home/kd/commons-crypto/pom.xml [DEBUG] (f) project = MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml [DEBUG] (f) reactorProjects = [MavenProject: org.apache.commons:commons-crypto:1.1.0-SNAPSHOT @ /home/kd/commons-crypto/pom.xml] [DEBUG] (s) skip = false [DEBUG] (f) updateReleaseInfo = false [DEBUG] -- end configuration -- [INFO] Installing /home/kd/commons-crypto/target/commons-crypto-1.1.0-SNAPSHOT.jar to /root/.m2/repository/org/apache/commons/commons-crypto/1.1.0-SNAPSHOT/commons-crypto-1.1.0-SNAPSHOT.jar [DEBUG] Writing resolution tracking file /root/.m2/repository/org/apache/commons/commons-crypto/1.1.0-SNAPSHOT/_maven.repositories [INFO] Installing /home/kd/commons-crypto/pom.xml to /root/.m2/repository/org/apache/commons/commons-crypto/1.1.0-SNAPSHOT/commons-crypto-1.1.0-SNAPSHOT.pom [DEBUG] Writing resolution tracking file /root/.m2/repository/org/apache/commons/commons-crypto/1.1.0-SNAPSHOT/_maven.repositories [DEBUG] Installing org.apache.commons:commons-crypto:1.1.0-SNAPSHOT/maven-metadata.xml to /root/.m2/repository/org/apache/commons/commons-crypto/1.1.0-SNAPSHOT/maven-metadata-local.xml [DEBUG] Installing org.apache.commons:commons-crypto/maven-metadata.xml to /root/.m2/repository/org/apache/commons/commons-crypto/maven-metadata-local.xml [INFO] ----- [INFO] BUILD SUCCESS [INFO] -----
----- [INFO] Total time: 26.981s [INFO] Finished at: Fri Apr 12 11:04:04 IST 2019 [INFO] Final Memory: 32M/511M [INFO] -----

```

2. Issue is fixed by PRs [<https://github.com/apache/commons-crypto/pull/93>] [<https://github.com/apache/commons-crypto/pull/92>] please close this issue ...
3. This issue is not fully fixed for aarch64 builds. PR's 93 and 92 merged in the needed OpenSSL support, but omitted the aarch64 build specialization in Makefile.common for builds to succeed. Created [<https://github.com/apache/commons-crypto/pull/95>] to fix the omission. Builds successfully for AArch64 on AWS a1 instances.
4. [~blakegw] closing but I don't really have enough permissions to assign this to you (since you need to be added as a contributor to the project).