Item 148

git_comments:

git_commits:

1. summary: [SPARK-26321][SQL] Port HIVE-15297: Hive should not split semicolon within quoted string literals message: [SPARK-26321][SQL] Port HIVE-15297: Hive should not split semicolon within quoted string literals ## What changes were proposed in this pull request? This pr port [HIVE-15297](https://issues.apache.org/jira/browse/HIVE-15297) to fix **spark-sql** should not split semicolon within quoted string literals. ## How was this patch tested? unit tests and manual tests: ![image](https://user-images.githubusercontent.com/5399861/60395592-5666ea00-9b68-11e9-99dc-0e8ea98de32b.png) Closes #25018 from wangyum/SPARK-26321. Authored-by: Yuming Wang <yumwang@ebay.com> Signed-off-by: Yuming Wang <wgyumg@gmail.com>

github_issues:

github_issues_comments:

github_pulls:

1. title: [SPARK-26321][SQL] Port HIVE-15297: Hive should not split semicolon within quoted string literals body: ## What changes were proposed in this pull request? This pr port [HIVE-15297](https://issues.apache.org/jira/browse/HIVE-15297) to fix **spark-sql** should not split semicolon within quoted string literals. ## How was this patch tested? unit tests and manual tests: ![image](https://userimages.githubusercontent.com/5399861/60395592-5666ea00-9b68-11e9-99dc-0e8ea98de32b.png)

github_pulls_comments:

- 1. **[Test build #107050 has finished](https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder/107050/testReport)** for PR 25018 at commit ['279636d'](https://github.com/apache/spark/commit/279636d51acf7485578acf330fffefa9b1c1d074). * This patch passes all tests. * This patch merges cleanly. * This patch adds no public classes.
- 2. Could you port the test cases from the original PR https://github.com/apache/spark/pull/23276
- 3. **[Test build #107932 has finished](https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder/107932/testReport)** for PR 25018 at commit ['3e7318d'](https://github.com/apache/spark/commit/3e7318dfbd28c73efd9520a9e37c8fed63c5a786). * This patch passes all tests. * This patch merges cleanly. * This patch adds the following public classes _(experimental)_: * `class SparkSQLCLIDriverSuite extends SparkFunSuite ` * ` class SQLMatcher extends ArgumentMatcher[String]
- 4. @wangyum, if this is simply porting the fix, let's go ahead. can you resolve conflicts?
- 5. @HyukjinKwon Done
- **[Test build #110920 has finished](https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder/110920/testReport)** for PR 25018 at commit [`314a43e`](https://github.com/apache/spark/commit/314a43e98baafd923a9074f5eb0e939a13eb8eea). * This patch passes all tests. * This patch merges cleanly. * This patch adds no public classes.
- 7. retest this please
- 8. Thank you @HyukjinKwon I added another test case.
- **[Test build #111931 has finished](https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder/111931/testReport)** for PR 25018 at commit ['f941a43'](https://github.com/apache/spark/commit/f941a436e13d8e6df6223d60c9d618799a026c03). * This patch passes all tests. * This patch merges cleanly. * This patch adds no public classes.
- 10. retest this please
- 11. **[Test build #111940 has finished](https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder/111940/testReport)** for PR 25018 at commit ['f941a43'](https://github.com/apache/spark/commit/f941a436e13d8e6df6223d60c9d618799a026c03). * This patch passes all tests. * This patch merges cleanly. * This patch adds no public classes.
- 12. **[Test build #111990 has finished](https://amplab.cs.berkeley.edu/jenkins/job/SparkPullRequestBuilder/111990/testReport)** for PR 25018 at commit ['48364a7'](https://github.com/apache/spark/commit/48364a7c5cb6b4398a57cd3abcfe624adffa056a). * This patch passes all tests. * This patch merges cleanly. * This patch adds no public classes.
- 13. Merged to master.

github_pulls_reviews:

jira_issues:

1. **summary:** Hive should not split semicolon within quoted string literals

description: String literals in query cannot have reserved symbols. The same set of query works fine in mysql and postgresql. {code} hive> CREATE TABLE ts(s varchar(550)); OK Time taken: 0.075 seconds hive> INSERT INTO ts VALUES ('Mozilla/5.0 (iPhone; CPU iPhone OS 5_0'); MismatchedTokenException(14!=326) at org.antlr.runtime.BaseRecognizer.recoverFromMismatchedToken(BaseRecognizer.java:617) at

org.antlr.runtime.BaseRecognizer.match(BaseRecognizer.java:115) at

 $org. apache. hadoop. hive.ql. parse. Hive Parser_From Clause Parser. value Row Constructor (Hive Parser_From Clause Parser. java: 7271) \ at the part of the parser of the parser of the parser. The part of the parser of the parser. The parser of the par$

org.apache.hadoop.hive.ql.parse.HiveParser_FromClauseParser.valuesTableConstructor(HiveParser_FromClauseParser.java:7370) at

org.apache.hadoop.hive.ql.parse.HiveParser_FromClauseParser.valuesClause(HiveParser_FromClauseParser.java:7510) at

org.apache.hadoop.hive.ql.parse.HiveParser.valuesClause(HiveParser.java:51854) at

org.apache.hadoop.hive.ql.parse.HiveParser.regularBody(HiveParser.java:45432) at

 $org. apache. hadoop. hive.ql. parse. Hive Parser. query Statement Expression Body (Hive Parser. java: 44578) \ at the partial part of the partial pa$

 $org. apache. hadoop. hive.ql. parse. Hive Parser. query Statement Expression (Hive Parser. java: 44448) \ at the particle of the particle of$

org.apache.hadoop.hive.ql.parse.HiveParser.execStatement(HiveParser.java:1694) at org.apache.hadoop.hive.ql.parse.HiveParser.statement(HiveParser.java:1176) at org.apache.hadoop.hive.ql.parse.ParseDriver.parse(ParseDriver.java:204) at org.apache.hadoop.hive.ql.parse.ParseDriver.parse(ParseDriver.java:166) at org.apache.hadoop.hive.ql.Driver.compile(Driver.java:402) at org.apache.hadoop.hive.ql.Driver.compile(Driver.java:326) at

 $org. apache. hadoop. hive. ql. Driver. compile Internal (Driver. java: 1169) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. Driver. run Internal (Driver. java: 1288) \ at org. apache. hadoop. hive. ql. driver. hadoop. hive. ql. driver.$

org.apache.hadoop.hive.ql.Driver.run(Driver.java:1095) at org.apache.hadoop.hive.ql.Driver.run(Driver.java:1083) at

org.apache.hadoop.hive.cli.CliDriver.processLocalCmd(CliDriver.java:232) at org.apache.hadoop.hive.cli.CliDriver.processCmd(CliDriver.java:183) at

org.apache.hadoop.hive.cli.CliDriver.processLine(CliDriver.java:399) at org.apache.hadoop.hive.cli.CliDriver.executeDriver(CliDriver.java:776) at org.apache.hadoop.hive.cli.CliDriver.iava:641) at org.apache.hadoop.hive.cli.CliDriver.java:641) at

 $sun.reflect. Native Method Accessor Impl. invoke 0 (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method Accessor Impl. invoke (Native Method) \ at \ sun.reflect. Native Method$ $sun.reflect. Delegating Method Accessor Impl. invoke (Delegating Method Accessor Impl. java: 43) \ at java. lang.reflect. Method. invoke (Method. java: 498) \ at java. lang.reflect. Method. lang.reflect. Method. lang.reflect. Method. lang.refle$ org, apache. hadoop.util. RunJar. java: 221) at org. apache. hadoop.util. RunJar. java: 136) FAILED: ParseException line 1:31 mismatched input '/' expecting) near 'Mozilla' in value row constructor hive> {code}

jira_issues_comments:

1. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12840728/HIVE-15297.01.patch {color:green}SUCCESS: {color} +1 due to 2 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 316 failed/errored test(s), 10735 tests executed *Failed tests:* $\{noformat\}\ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[add_part_exist]\ (batchId=6)$ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[allcolref_in_udf] (batchId=47) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[allcolref_in_udf] org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter2] (batchId=9) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter3] (batchId=19)

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter4] (batchId=46) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter5] (batchId=37)

```
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[alter\_index] \ (batch Id=20) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[alter\_rename\_partition] \ (batch Id=20) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[alter\_rename\_partition] \ (batch Id=20) \ org. apache. hadoop. hive. cli. Test Cli Driver. te
(batchId=20) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_table_serde] (batchId=7)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [analyze\_table\_null\_partition] \ (batch Id=73)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[analyze_tbl_part] (batchId=43)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate stats filter] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_groupby2] (batchId=42)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [annotate\_stats\_group by] \ (batch Id=44)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_9] (batchId=51)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_admin_almighty2] (batchId=47)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_cli_nonsql] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_show_grant] (batchId=15)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join\_reordering\_values] \ (batch Id=5)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[bucket mapjoin 11] \\ (batch Id=64) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[cbo\_gby\_empty] \\
(batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_annotate_stats_groupby] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_auto_join0] (batchId=14)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[cbo\_rp\_gby\_empty] \ (batch Id=73) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[cbo\_rp\_join0] \ (batch Id=73) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dri
(batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_simple_select] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_stats] (batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_subq_exists]
(batchId=55) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_union] (batchId=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_windowing] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_simple_select] (batchId=16) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_stats]
(batchId=13) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_subq_exists] (batchId=69)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_union] (batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_windowing]
(batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_cast] (batchId=80)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnstats_partlvl_dp] (batchId=46)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compile_processor] (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compustat_avro]
(batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[concat_op] (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[constprog_partitioner] (batchId=65)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[constprog_type] (batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer5]
(batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_escape] (batchId=24)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_func1] (batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_view]
(batchId=36) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_view_translate] (batchId=79)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cte_5] (batchId=30) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cte_mat_4] (batchId=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cte_mat_5] (batchId=2) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[database_drop]
(batchId=54) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[describe_table_json] (batchId=15)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[drop_table_with_index] (batchId=33)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver[escape\_comments] \ (batch Id=68) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver[escape\_crlf] \ (batch Id=68) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver[escape\_crlf] \ (batch Id=68) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cl
(batchId=71) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[filter_cond_pushdown] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[filter_in_or_dup] (batchId=31)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [fold\_eq\_with\_case\_when] \ (batch Id=73)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [index\_creation] \ (batch Id=79) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [infer\_bucket\_sort] \ (batch Id=79) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [infer\_bucket\_sort] \ (batch Id=79) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. test Cli Driver [infer\_bucket\_sort] \ (batch Id=79) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli D
(batchId=74) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_convert_join] (batchId=48)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_grouping_operators] (batchId=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_multi_insert] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input19] (batchId=78) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input2] (batchId=79)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [input 3] \ (batch Id = 74) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [input 44] \ (batch Id = 28) \ (batch Id = 10) \
org.apache.hadoop.hive.cli.TestCliDriver[input4] (batchId=73) org.apache.hadoop.hive.cli.TestCliDriver[input_lazyserde] (batchId=25)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_into4] (batchId=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_into_with_schema2] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_overwrite_directory] (batchId=24)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[interval_3] (batchId=58) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join45] (batchId=18)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_alt_syntax] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_1] (batchId=32)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_2] (batchId=53)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_3] (batchId=22)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_4] (batchId=74)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_unqual1] (batchId=40)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_unqual2] (batchId=15)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_unqual3] (batchId=42)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_unqual4] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_merging] (batchId=71) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[leadlag] (batchId=51)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[leadlag_queries] (batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_2]
(batchId=11) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_multiskew_1] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_oneskew_1] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_oneskew_2] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_ends_with_nulls] (batchId=69)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[order_within_subquery] (batchId=46)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_schema\_evolution] \ (batch Id=67) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_table\_with\_subschema] \ (batch Id=9) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 1] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_windowing 2] \ (batch Id = 40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Drive
(batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ptf_decimal] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ptf_general_queries] (batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[query_with_semi]
(batchId=76) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[reducesink_dedup] (batchId=21)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [rename\_column] \ (batch Id=20) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample2] \ (batch Id=20) \ org. apache. hadoop. hive. cli. Test Cli Driver. t
(batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample4] (batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample5]
(batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample6] (batchId=60) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample7]
(batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample9] (batchId=38) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[semicolon]
(batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[serde_opencsv] (batchId=67)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_tables] (batchId=66) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_tables]
(batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[specialChar] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_in_explain_rewrite] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_notin_having] (batchId=45)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [subquery\_unqual column refs] \ (batch Id=16) \\
org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [temp\_table\_windowing\_expressions] \ (batchId=57)
org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver[udf\_bin] \ (batchId=41) \ org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver[udf\_conv] \ (batchId=21) \ org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver[udf\_conv] \ (batchId=21) \ org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.test
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_hex] \ (batch Id=22) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_inline] \ (batch Id=52) \
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_sentences] (batchId=35) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_sort_array_by]
(batchId=57) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[varchar_cast] (batchId=53)
```

```
org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [vector\_decimal\_round\_2] \ (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector\_include\_no\_sel] \ (batchId=4)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_bucketmapjoin1] (batchId=23)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized math funcs] (batchId=18)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_adjust_rowcontainer_sz] (batchId=36)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [windowing\_column Pruning] \ (batch Id=72)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing\_decimal] \ (batchId=61)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_expressions] (batchId=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_gby2] (batchId=32)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_streaming] (batchId=60)
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[dboutput] (batchId=219)
org. a pache. hadoop. hive. cli. Test Encrypted HDFSC liDriver. test CliDriver [encryption\_insert\_values] \ (batch Id=154) \\
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_load_data_to_encrypted_tables] (batchId=154)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_unencrypted_nonhdfs_external_tables] (batchId=154)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[dynamic_partition_pruning_2] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llap_udf] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_ppd_basic] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr2] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_gby] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_gby_empty] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_join] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_limit] (batchId=152)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [cbo\_rp\_gby] \ (batch Id=148) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_join] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_limit] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_semijoin] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_subq_in] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_subq_not_in] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_udf_udaf] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_udf_udaf_stats_opt] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo\_rp\_views] \ (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_windowing_2] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_semijoin] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_simple_select] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_stats] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo\_subq\_exists] \ (batchId=150) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_subq_in] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_subq_not_in] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_udf_udaf] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_union] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_views] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_windowing] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[correlationoptimizer1] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cte_5] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cte_mat_4] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cte_mat_5] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[database] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[escape2] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[explainuser\_1] \ (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[hybridgrace_hashjoin_1] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mrr] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[non_native_window_udf] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ptf] (batchId=139)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [ptf\_streaming] \ (batch Id=146) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema\_evol\_orc\_acid\_part] \\ (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_part_update] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table_update] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_part] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_part_update] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_table] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_table_update] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_in] (batchId=148)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [subquery\_notin] \ (batch Id=149) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[temp_table] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_dynpart_hashjoin_2] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_vector_dynpart_hashjoin_2] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[udaf_collect_set_2] (batchId=149)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_decimal\_round\_2] \ (batch Id=140)
org. a pache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_include\_no\_sel] \ (batch Id=137) \ 
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_nullsafe_join] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_short_regress] (batchId=145)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_bucket map join 1] \ (batch Id=141)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_math\_funcs] \ (batch Id=140) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing_gby] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[constprog_partitioner] (batchId=159)
org. apache. hadoop. hive. cli. Test Mini Spark On Yarn Cli Driver. test Cli Driver [infer\_bucket\_sort\_map\_operators] \ (batch Id=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[infer_bucket_sort_merge] (batchId=159)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[infer_bucket_sort_reducers_power_two] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_2] (batchId=92)
org. apache. hadoop. hive. cli. Test Mini Tez Cli Driver. test Cli Driver [hybrid grace\_hashjoin\_1] \ (batch Id=91)
org. apache. hadoop. hive. cli. Test Minimr Cli Driver. test Cli Driver [infer\_bucket\_sort\_dyn\_part] \ (batch Id=82) \ (batc
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_map_operators] (batchId=82)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_merge] (batchtd=83)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_reducers_power_two] (batchId=82)
```

```
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [alter\_view\_failure 3] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[alter_view_failure8] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [analyze\_view] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive5] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization addjar] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_deletejar] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_role\_grant] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_uri\_altertab\_setloc] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_5] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_6] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_7] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_view\_disable\_cbo\_5] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_view\_disable\_cbo\_6] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_disable_cbo_7] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[compile_processor] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view5] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view6] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view7] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view8] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_view_failure5] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_func_nonexistent] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_function_failure] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_index_failure] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [drop\_partition\_failure] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_table_failure1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_table_failure2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_view_failure1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_view_failure2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[fs_default_name1] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [fs\_default\_name2] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[load_stored_as_dirs] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns2_acid] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns3] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns3_acid] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [orc\_type\_promotion 1] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion1_acid] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion2_acid] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [orc\_type\_promotion 3] \ (batch Id=84) \ (batch Id
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [orc\_type\_promotion 3\_acid] \ (batch Id=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [ptf\_negative\_AggrFuncs With NoGBYNoPartDef] \ (batch Id=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [ptf\_negative\_Ambiguous Window Defn] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[ptf_negative_HavingLeadWithNoGBYNoWindowing] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [ptf\_negative\_HavingLead With PTF] \ (batch Id=84) \\
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [ptf\_negative\_Invalid Value Boundary] \ (batch Id=84) \\
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. [test Cli Driver [ptf\_negative\_NoWindowDefn] \ (batch Id=84) \\
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [ptf\_negative\_Where With Rank Cond] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[recursive_view] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[serde_regex] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [subquery\_nested\_subquery] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[subquery_windowing_corr] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[truncate\_nonexistant\_column] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[windowing_ll_no_neg] (batchId=84)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join_reordering_values] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin11] (batchId=123)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_gby] (batchId=112)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_gby_empty] (batchId=113) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_semijoin] (batchId=131) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_semijoin]
(batchId=109) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_simple_select] (batchId=100)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_stats] (batchId=99) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_stats]
(batchId=106) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_subq_not_in] (batchId=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_udf_udaf] (batchId=94) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_union]
(batchId=126) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_alt_syntax] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_cond_pushdown_1] (batchId=108)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_cond_pushdown_2] (batchId=118)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_cond_pushdown_3] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_cond_pushdown_4] (batchId=128)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_cond_pushdown_unqual1] (batchId=112)
org. a pache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join\_cond\_push down\_unqual 2] \ (batch Id=100) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_cond_pushdown_unqual3] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_cond_pushdown_unqual4] (batchId=94)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_merging] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[list_bucket_dml_2] (batchId=98) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf]
(batchId=100) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_decimal] (batchId=94)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_general_queries] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_streaming] (batchId=115) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sample5]
(batchId=116) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[subquery_in] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[temp_table] (batchId=130)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_short_regress] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized_math_funcs] (batchId=102)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[windowing] (batchId=115)
org.apache.hadoop.hive.ql.TestLocationQueries.testAlterTablePartitionLocation_alter5 (batchId=205) org.apache.hadoop.hive.ql.TestMTQueries.testMTQueries.1
(batchId=203) org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[ambiguous_join_col] (batchId=224)
org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[insert_wrong_number_columns] (batchId=224)
org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[invalid_dot] (batchId=224)
org. apache. hadoop. hive. ql. parse. Test Parse Negative Driver. test Cli Driver [invalid\_function\_param2] \ (batch Id=224) \ (batch Id=224
```

```
org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[invalid_index] (batchId=224)
       org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[nonkey_groupby] (batchId=224)
       org. a pache. hadoop. hive. ql. parse. Test Parse Negative Driver. test Cli Driver [unknown\_column1] \ (batch Id=224) \\
       org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[unknown_column2] (batchId=224)
       org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[unknown_column3] (batchId=224)
       org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[unknown_column4] (batchId=224)
       org. a pache. hadoop. hive. ql. parse. Test Parse Negative Driver. test Cli Driver [unknown\_column5] \ (batch Id=224) \\
       org. a pache. hadoop. hive. ql. parse. Test Parse Negative Driver. test Cli Driver [unknown\_column6] \ (batch Id=224) \\
       org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[unknown_function2] (batchId=224)
       org.apache.hadoop.hive.ql.parse.TestParseNegativeDriver.testCliDriver[unknown_function3] (batchId=224) {noformat} Test results:
       https://builds.apache.org/job/PreCommit-HIVE-Build/2311/testReport Console output: https://builds.apache.org/job/PreCommit-HIVE-Build/2311/console Test
       logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-2311/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing
       org.apache.hive.ptest.execution.PrepPhase Executing org.apache.hive.ptest.execution.ExecutionPhase Executing org.apache.hive.ptest.execution.ReportingPhase
       Tests exited with: TestsFailedException: 316 tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12840728 - PreCommit-HIVE-
2. \ Here \ are \ the \ results \ of \ testing \ the \ latest \ attachment: \ https://issues.apache.org/jira/secure/attachment/12840932/HIVE-15297.02.patch \ \{color:green\}SUCCESS: \ apache.org/jira/secure/attachment/12840932/HIVE-15297.02.patch \ apache.org/jira/secure/attachment/12840932/HI
        {color} +1 due to 2 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 125 failed/errored test(s), 10749 tests executed *Failed tests:*
        {noformat} org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[allcolref_in_udf] (batchId=47) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter5]
       (batchId=37) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[analyze_table_null_partition] (batchId=73)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[analyze\_tbl\_part] \ (batchId=43)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_filter] (batchId=8)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_groupby2] (batchId=42)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_groupby] (batchId=44)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join_reordering_values] (batchId=5)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketmapjoin11] (batchId=64)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_annotate_stats_groupby] (batchId=76)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_cast] (batchId=80) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnstats_partlvl_dp]
       (batchId=46) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compustat_avro] (batchId=79)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_view] (batchId=36) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_view_translate]
       (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[database_drop] (batchId=54)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [escape\_comments] \ (batch Id=68) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [infer\_bucket\_sort] \ (batch Id=68) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [infer\_bucket\_sort] \ (batch Id=68) \ org. apache. hadoop. hive. cli. Test Cli Driver. test 
       (batchId=74) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_convert_join] (batchId=48)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_grouping_operators] (batchId=49)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_multi_insert] (batchId=76)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input19] (batchId=78) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_into4] (batchId=16)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_overwrite_directory] (batchId=24)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_2] (batchId=11)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_multiskew_1] (batchId=41)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_oneskew_1] (batchId=54)
       org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[list\_bucket\_query\_oneskew\_2] \ (batchId=3)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [orc\_ends\_with\_nulls] \ (batch Id=69) \\
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd\_windowing 1] \ (batch Id=40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd\_windowing 2] \ (batch Id=40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd\_windowing 2] \ (batch Id=40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dri
       (batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[query_with_semi] (batchId=76)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample2] (batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample4] (batchId=15)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample5] (batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample6] (batchId=60)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 7] \ (batch Id = 59) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 9] \ (batch Id = 38) \ (batch Id = 59) \ org. apache. hadoop. hive. cli. Test Cli Driver. 
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[serde_opencsv] (batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[specialChar]
       (batchId=21) org.apache.hadoop.hive.cli.TestCliDriver(testCliDriver[udf_bin] (batchId=41) org.apache.hadoop.hive.cli.TestCliDriver(testCliDriver(udf_conv)
       (batchId=21) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_hex] (batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_inline]
       (batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_sentences] (batchId=35)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udf\_sort\_array\_by] \ (batch Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[varchar\_cast] \ (batch Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dr
       (batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_char_4] (batchId=80)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_include_no_sel] (batchId=4)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_varchar_4] (batchId=27)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_math_funcs] (batchId=18)
       org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[dboutput] (batchId=219)
       org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_insert_values] (batchId=154)
       org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr2] (batchId=134)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[correlationoptimizer1] (batchId=147)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[database] (batchId=142)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[escape2] (batchId=151)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[hybridgrace_hashjoin_1] (batchId=141)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_part] (batchId=141)
       org.apache.hadoop.hive.cli. TestMiniLlapLocalCliDriver.testCliDriver[schema\_evol\_orc\_acid\_part\_update] \ (batchId=149) \ (ba
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table] (batchId=143)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table_update] (batchId=148)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_part] (batchId=149)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_part_update] (batchId=138)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_table] (batchId=152)
       org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_acidvec\_table\_update] \ (batch Id=137) \\
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_dynpart_hashjoin_2] (batchId=143)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_vector_dynpart_hashjoin_2] (batchId=141)
       org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_char_4] (batchId=152)
       org. apache. hadoop. hive. cli. Test Mini Llap Local Cli Driver. test Cli Driver [vector\_include\_no\_sel] \ (batch Id=137) \
       org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_varchar\_4] \ (batch Id=142) \ (batc
       org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_short\_regress] \ (batch Id=145) \\
       org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_math\_funcs] \ (batch Id=140)
       org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[infer_bucket_sort_map_operators] (batchId=158)
       org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[infer_bucket_sort_merge] (batchId=159)
       org. apache. hadoop. hive.cli. Test MiniSpark On Yarn Cli Driver. test Cli Driver [infer\_bucket\_sort\_reducers\_power\_two] \ (batch Id=157) \\
       org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_2] (batchId=92)
       org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[hybridgrace_hashjoin_1] (batchId=91)
       org. apache. hadoop. hive. cli. Test Minimr Cli Driver. test Cli Driver [infer\_bucket\_sort\_dyn\_part] \ (batch Id=82) \ (batc
       org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_map_operators] (batchId=82)
       org. apache. hadoop. hive. cli. Test Minimr Cli Driver. test Cli Driver [infer\_bucket\_sort\_merge] \ (batch Id=83) \ (batch I
       org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_reducers_power_two] (batchId=82)
       org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[alter_view_failure3] (batchId=84)
```

org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[alter_view_failure8] (batchId=84)

```
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[analyze_view] (batchId=84)
    org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_role\_grant] \ (batch Id=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view5] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view6] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view7] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view8] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_view_failure5] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_func_nonexistent] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_function_failure] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_index_failure] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_partition_failure] (batchId=84)
    org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [drop\_table\_failure 1] \ (batch Id=84) \\
    org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [drop\_table\_failure2] \ (batch Id=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_view_failure1] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_view_failure2] (batchId=84)
    org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [fs\_default\_name1] \ (batch Id=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[fs_default_name2] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[load_stored_as_dirs] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns2] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns2_acid] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns3] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns3_acid] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion1] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion1_acid] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion2] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion2_acid] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion3] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion3_acid] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[recursive_view] (batchId=84)
    org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [serde\_regex] \ (batch Id=84) \\
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[truncate\_nonexistant\_column] \ (batchId=84)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join_reordering_values] (batchId=96)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin11] (batchId=123)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[list_bucket_dml_2] (batchId=98)
    org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [sample 5] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [vector\_char\_4] \ (batch Id=116) \ org
    (batchId=131) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_varchar_4] (batchId=106)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_short_regress] (batchId=113)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized_math_funcs] (batchId=102)
    org.apache.hadoop.hive.ql.TestLocationQueries.testAlterTablePartitionLocation_alter5 (batchId=205) org.apache.hadoop.hive.ql.TestMTQueries.testMTQueries.1
    (batchId=203) {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/2333/testReport Console output:
    https://builds.apache.org/job/PreCommit-HIVE-Build/2333/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-2333/ Messages: {noformat}
    Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing
    org.apache.hive.ptest.execution.ExecutionPhase Execution org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 125 tests
    failed {noformat} This message is automatically generated. ATTACHMENT ID: 12840932 - PreCommit-HIVE-Build
3. need to update q files.
4. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12841384/HIVE-15297.03.patch {color:green}SUCCESS:
     {color} +1 due to 2 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 2110 failed/errored test(s), 10741 tests executed *Failed tests:*
     {noformat} TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=116)
    [timestamp_lazy.q,union29.q,runtime_skewjoin_mapjoin_spark.q,auto_join22.q,union8.q,groupby5_map.q,stats0.q,auto_join29.q,groupby6.q,merge1.q,mapjoin_dis
    org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_joins] (batchId=216)
    org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_predicate_pushdown] (batchId=216)
    org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_single_sourced_multi_insert] (batchId=216)
    org.apache.hadoop.hive.cli.TestCliDriver.org.apache.hadoop.hive.cli.TestCliDriver (batchId=50) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[acid_join]
    (batchId=14) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[acid_table_stats] (batchId=48)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [add\_part\_exist] \ (batch Id=6) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [add\_part\_exist] \ (batch Id=6) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dri
    (batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[add_partition_no_whitelist] (batchId=30)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[add_partition_with_whitelist] (batchId=77)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alias_casted_column] (batchId=24) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[allcolref_in_udf] (batchId=47) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter1] (batchId=77)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter 2] \ (batch Id=9) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter 3] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter 3] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. 
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter4] (batchId=46) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter5] (batchId=37)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_char1] (batchId=27) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_char2] (batchId=34)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_file_format] (batchId=52)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_numbuckets_partitioned_table2_h23] (batchId=13)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter\_numbuckets\_partitioned\_table\_h23] \ (batch Id=61)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_partition_change_col] (batchId=23)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_partition_clusterby_sortby] (batchId=36)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_partition_coltype] (batchId=24)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_partition_format_loc] (batchId=48)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter\_partition\_with\_white list] \ (batch Id=38) \\
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_rename_partition] (batchId=20)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriverlalter_rename_partition_authorization] (batchId=54)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_table_cascade] (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_table_serde2] (batchId=24) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_table_serde]
    (batchId=7) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[alter_table_update_status] (batchId=71)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter\_varchar1] \ (batch Id=74) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter\_varchar2] \ (batch Id=74) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [alter\_varchar2] \ (batch Id=74) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dri
    (batchId=20) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ambiguitycheck] (batchId=66)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ambiguous_col] (batchId=43)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [analyze\_table\_null\_partition] \ (batch Id=73)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [analyze\_tbl\_part] \ (batch Id=44) \\
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_filter] (batchId=8)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_groupby2] (batchId=43)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [annotate\_stats\_group by] \ (batch Id=44)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_join] (batchId=48)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [annotate\_stats\_join\_pkfk] \ (batch Id=13)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_limit] (batchId=10)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_part] (batchId=14)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_select] (batchId=56)
```

```
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_table] (batchId=19)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_union] (batchId=44)
org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[ansi\_sql\_arithmetic] \ (batch Id=17) \ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[archive\_multi] \ (batch Id=17) \ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[archive\_multi] \ (batch Id=17) \ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver.tes
(batchId=29) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_1] (batchId=14)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_1_sql_std] (batchId=40)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_4] (batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_4]
(batchId=57) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_5] (batchId=56)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_6] (batchId=41) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_9]
(batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_admin_almighty1] (batchId=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_admin_almighty2] (batchId=47)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_alter_table_exchange_partition] (batchId=40)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [authorization\_cli\_createtab] \ (batch Id=26)
org. a pache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [authorization\_cli\_createtab\_noauthzapi] \ (batch Id=7) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_cli_nonsql] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_cli_stdconfigauth] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_create_func1] (batchId=20)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_create_macro1] (batchId=37)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_create_table_owner_privs] (batchId=22)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_default_create_table_owner_privs] (batchId=43)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_delete] (batchId=74)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [authorization\_grant\_option\_role] \ (batch Id=22)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_grant_public_role] (batchId=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_grant_table_priv] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_insert] (batchId=47)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_load] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_owner_actions] (batchId=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_owner_actions_db] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_parts] (batchId=43)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_revoke_table_priv] (batchId=62)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_role_grant1] (batchId=2)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_role_grant2] (batchId=30)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_show_grant] (batchId=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_update] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_view_1] (batchId=17)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_view_2] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_view_3] (batchId=31)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_view_4] (batchId=7)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_view_disable_cbo_1] (batchId=64)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_view_disable_cbo_2] (batchId=22)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [authorization\_view\_disable\_cbo\_3] \ (batch Id=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[authorization_view_disable_cbo_4] (batchId=11)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[autoColumnStats_5] (batchId=37)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[autoColumnStats_7] (batchId=57)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[autoColumnStats_8] (batchId=13)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto Column Stats\_9] \\ (batch Id=33) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join0] \\ (batch Id=33) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. test Cli Driver. [auto\_join0] \\ (batch Id=33) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. test Cli Driver. [auto\_join0] \\ (batch Id=33) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. [auto\_join0] \\ (batch Id=33) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. test Cli Driver. [auto\_join0] \\ (batch Id=33) org. apache. hadoop. hive. cli. Test Cli Driver. test Cl
(batch Id=78) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=13) \ org. apache. hadoop. hive. cli. Test Cli Driver. te
(batchId=70) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join21] (batchId=73)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join23] (batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join25]
(batchId=65) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join26] (batchId=12)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 29] \\ (batch Id=49) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 32] \\ (batch Id=49) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 32] \\ (batch Id=49) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 32] \\ (batch Id=49) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 32] \\ (batch Id=49) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 32] \\ (batch Id=49) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_join 32] \\ (batch Id=49) \\ org. apache. hadoop. hive. cli. Test Cli Driver. 
(batchId=77) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join33] (batchId=11)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join_reordering_values] (batchId=5)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. [auto\_join\_stats2] \ (batch Id=78) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli 
(batchId=43) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_join_without_localtask] (batchId=1)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_10] (batchId=65)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_11] (batchId=77)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_12] (batchId=30)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_13] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_14] (batchId=11)
org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [auto\_sortmerge\_join\_1] \ (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_2] (batchId=43)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_3] (batchId=1)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_4] (batchId=56)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_sortmerge\_join\_5] \ (batch Id=79) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_7] (batchId=80)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[autogen_colalias] (batchId=25) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_add_column2]
(batchId=80) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_add_column3] (batchId=47)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_add_column] (batchId=23)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_change\_schema] \ (batch Id=52) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_comments] \ (batch Id=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_compression_enabled] (batchId=46)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_compression_enabled_native] (batchId=35)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_deserialize\_map\_null] \ (batch Id=33) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_evolved\_schemas] \ (batch Id=29) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_joins] \ (batch Id=29) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
(batchId=13) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_joins_native] (batchId=79)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_native] \ (batch Id=49) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_null able\_fields] \ (batch Id=49) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_null able\_fields] \ (batch Id=49) \ org. apache. hadoop. hive. cli. Test Cli Driver. t
(batchId=31) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_nullable_union] (batchId=50)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_partitioned] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_partitioned_native] (batchId=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro\_sanity\_test] \ (batchId=55)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_schema_evolution_native] (batchId=50)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avro_timestamp] (batchId=27)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avro\_type\_evolution] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ba\_table 1] \ (batch Id=16) \ org. apache. hadoop. hive. cli. Test Cli Driver. 
(batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ba_table2] (batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ba_table3]
(batchId=8) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ba_table_udfs] (batchId=22)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ba_table_union] (batchId=20)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[binary_output_format] (batchId=78)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [binary\_table\_bincolser de] \ (batch Id=31) \\
```

```
org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver[binary\_table\_colserde] \ (batchId=33) \ org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver[bucket1] \ (batchId=33) \ org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver[bucket1] \ (batchId=33) \ org.apache.hadoop.hive.cli. TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCl
(batch Id=38) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[bucket2] \ (batch Id=45) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[bucket3] \ (batch Id=45) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli D
(batchId=14) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucket_map_join_1] (batchId=60)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucket_map_join_2] (batchId=52)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucket_map_join_spark4] (batchId=1)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [bucket context\_1] \ (batch Id=30) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [bucket context\_2] \ (batch Id=30) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [bucket context\_2] \ (batch Id=30) \ org. apache. hadoop. hive. cli. Test Cli Driver. test C
(batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketcontext_3] (batchId=61)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[bucket context\_4] \ (batch Id=37) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[bucket context\_5] \ (batch Id=37) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
(batchId=21) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketcontext_6] (batchId=75)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketcontext_7] (batchId=35) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketcontext_8] (batchId=33) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver.testCliDriver[bucketcontext_8]
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketmapjoin11] (batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketmapjoin12]
(batchId=32) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketmapjoin13] (batchId=36)
org, apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [bucket mapjoin 8] (batchid=11) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [bucket mapjoin 9]
(batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketmapjoin_negative3] (batchId=26)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketsortoptimize_insert_1] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketsortoptimize_insert_3] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketsortoptimize_insert_4] (batchId=22)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[bucketsortoptimize_insert_5] (batchId=52)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [buckets or top timize\_insert\_8] \ (batch Id=4)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cast_to_int] (batchId=66) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_gby_empty]
(batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_annotate_stats_groupby] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_auto_join1] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_cross_product_check_2] (batchId=18)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cbo\_rp\_gby2\_map\_multi\_distinct] \ (batch Id=74) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cbo\_rp\_gby\_empty] \ (batch Id=73) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cbo\_rp\_insert] \ (batch Id=73) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli 
(batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_join0] (batchId=44)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_outer_join_ppr] (batchId=6)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_simple_select] (batchId=42) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_stats]
(batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_subq_exists] (batchId=55)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_udaf_percentile_approx_23] (batchId=32)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_udf_percentile2] (batchId=17)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[cbo\_rp\_udf\_percentile] \ (batch Id=38) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[cbo\_rp\_union]
(batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_rp_windowing] (batchId=35)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cbo\_simple\_select] \\ (batch Id=16) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cbo\_stats] \\
(batchId=13) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_subq_exists] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_union] (batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cbo_windowing]
(batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_1] (batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_2]
(batchId=11) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_cast] (batchId=80)
org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[char\_comparison] \\ (batch Id=46) org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[char\_join1] \\
(batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_nested_types] (batchId=59)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[char\_pad\_convert] \ (batch Id=6) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[char\_serde] \ (batch Id=6) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver.
(batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_udf1] (batchId=81) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char_union1]
(batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnStatsUpdateForStatsOptimizer_2] (batchId=27)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnarserde_create_shortcut] (batchId=60)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnstats_partlvl_dp] (batchId=46) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[combine1]
(batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[combine2] (batchId=6)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compustat_avro] (batchId=79)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compute_stats_binary] (batchId=40)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [compute\_stats\_boolean] \ (batch Id=74)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compute_stats_date] (batchId=40)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compute_stats_decimal] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compute_stats_double] (batchId=13)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compute_stats_empty_table] (batchId=47)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compute_stats_long] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[compute_stats_string] (batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[concat_op]
(batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[constantPropagateForSubQuery] (batchId=57)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[constantfolding] (batchId=67)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[convert_enum_to_string] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer10] (batchId=69)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer11] (batchId=19)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer12] (batchId=33)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer13] (batchId=10)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer14] (batchId=32)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer15] (batchId=24)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer5] (batchId=63)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer7] (batchId=19)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer8] (batchId=12)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[correlationoptimizer9] (batchId=5)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [create\_alter\_list\_bucketing\_table 1] \ (batch Id = 24) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_big_view] (batchId=70) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_func1]
(batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_like2] (batchId=77)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [create\_like\_tbl\_props] \ (batch Id=66) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_like_view] (batchId=2)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [create\_or\_replace\_view] \ (batch Id=35) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [create\_udaf] \ (batch Id=35) \ org. apache. hadoop. hive. cli. Test Cli Driver. test 
(batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_view] (batchId=36)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create_view_partitioned] (batchId=34)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [create\_view\_translate] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cross\_join] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cl
(batchId=26) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cross_join_merge] (batchId=6)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cross_product_check_1] (batchId=43)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cross_product_check_2] (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ctas]
(batchId=6) org.apache.hadoop.hive.cli.TestCliDriver[ctas_char] (batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ctas_colname]
(batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ctas_date] (batchId=1)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ctas_uses_database_location] (batchId=31)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ctas\_varchar] \ (batch Id=15) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cte\_1] \ (batch Id=77) \ (batch Id=15) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [cte\_1] \ (batch Id=17) \ (batch Id=17) \ (batch Id=17) \ (batch Id=18) \ (bat
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cte_3] (batchId=50) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cte_3] (batchId=31)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cte_4] (batchId=75) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[cte_6] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[custom_input_output_format] (batchId=23)
```

```
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [database\_drop] \ (batch Id=54) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [date\_1] \ (batch Id=72) \ (batch Id=54) \ org. apache. hadoop. hive. cli. Test Cli Driver. tes
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[date\_4] \ (batchId=43) \ org.apache.hadoop.hive.cli.TestCliDriver[date\_comparison]
(batchId=33) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[date_join1] (batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[date_serde]
(batchId=40) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[date_udf] (batchId=28) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[decimal_join]
(batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[decimal_precision] (batchId=47)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[decimal_udf] (batchId=8)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [describe\_comment\_indent] \ (batch Id=70) \\
org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [describe\_comment\_nonascii] \ (batchId=13)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[describe_pretty] (batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[describe_syntax]
(batchId=71) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[describe_xpath] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[diff_part_input_formats] (batchId=1)
org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [disallow\_incompatible\_type\_change\_off] \ (batch Id=60)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[driverhook] (batchId=55)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[drop_database_removes_partition_dirs] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[drop_index_removes_partition_dirs] (batchId=2)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [drop\_table\_removes\_partition\_dirs] \ (batch Id=77) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[drop_table_with_stats] (batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[druid_basic1]
(batchId=8) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[druid_basic2] (batchId=10)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [druid\_intervals] \ (batch Id=21) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [druid\_timeseries] \ (batch Id=21) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cl
(batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[druid_topn] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[dynamic_rdd_cache] (batchId=49)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [dynpart\_sort\_opt\_bucketing] \ (batch Id=77) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver. test Cli Driver [escape3] \ (batch Id=77) \ org. apache. hadoop. hive.cli. Test Cli Driver. test Cli
(batchId=6) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[escape_clusterby1] (batchId=68)
org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[escape\_comments] \ (batch Id=68) \ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[escape\_crlf] \ (batch Id=68) \ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[escape\_crlf] \ (batch Id=68) \ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Dr
(batchId=72) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[escape_distributeby1] (batchId=44)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[escape_orderby1] (batchId=80) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[escape_sortby1]
(batchId=41) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[exchange_partition3] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[exim_25_export_parentpath_has_inaccessible_children] (batchId=59)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[explain_ddl] (batchId=43) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[explain_dependency2]
(batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[explain_dependency] (batchId=38) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[explain_logical] (batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[explain_rearrange]
(batchId=11) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[expr_cached] (batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[extract]
(batchId=3) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[extrapolate_part_stats_full] (batchId=31)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[extrapolate_part_stats_partial] (batchId=43)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [filter\_join\_breaktask2] \ (batch Id=68) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[filter_join_breaktask] (batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[filter_numeric]
(batchId=72) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[floor_time] (batchId=69)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[fouter_join_ppr] (batchId=29) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby10]
(batchId=56) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby11] (batchId=65) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby1]
(batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby1_limit] (batchId=19)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby1_map] (batchId=64)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby1_map_nomap] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby1_map_skew] (batchId=57)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby1_noskew] (batchId=30) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby2_map]
(batchId=25) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby2_map_multi_distinct] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby2_noskew] (batchId=1)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby2_noskew_multi_distinct] (batchId=74)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby4] (batchId=55) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby4_noskew]
(batchId=55) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby5] (batchId=36)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby5_noskew] (batchId=77) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby6]
(batchId=49) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby6_map] (batchId=72)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby6_map_skew] (batchId=37)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby6_noskew] (batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby7]
(batchId=62) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby7_map] (batchId=4)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by 7\_map\_multi\_single\_reducer] \ (batch Id=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby7_map_skew] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby7_noskew] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby7_noskew_multi_single_reducer] (batchId=54) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby8] (batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby8_map]
(batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby8_map_skew] (batchId=44)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby8_noskew] (batchId=65) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby9]
(batchId=6) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_complex_types] (batchId=62)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_complex_types_multi_single_reducer] (batchId=80)
org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[groupby\_cube1] \ (batchId=4)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_distinct\_same key] \ (batch Id=51)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_grouping_id3] (batchId=24)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_grouping_sets2] (batchId=23)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby\_grouping\_sets3] \ (batchId=1)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_grouping\_sets 4] \ (batch Id=29)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_grouping\_sets5] \ (batch Id=44)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_grouping_sets6] (batchId=64)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_map_ppr] (batchId=7)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_map\_ppr\_multi\_distinct] \ (batch Id=45) \\
org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_multi\_insert\_common\_distinct] \ (batch Id=67) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by \_multi\_single\_reducer2] \ (batch Id=18) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_multi_single_reducer3] (batchId=42)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_multi_single_reducer] (batchId=55)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_position] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_pod] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. tes
(batchId=25) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_ppr] (batchId=27)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_ppr\_multi\_distinct] \ (batch Id=52) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [groupby\_rollup1] \ (batch Id=30) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [groupby\_sort\_10] \ (batch Id=30) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
(batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_sort_11] (batchId=55)
org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[groupby\_sort\_1\_23] \\ (batch Id=70) \\ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[groupby\_sort\_2] \\
(batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_sort_3] (batchId=73)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [groupby\_sort\_4] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [groupby\_sort\_5] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [groupby\_sort\_5] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [groupby\_sort\_5] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [groupby\_sort\_5] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver.
(batchId=41) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_sort_6] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_sort_8] (batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_sort_8]
(batchId=47) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[groupby_sort_9] (batchId=66)
```

```
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_sort\_skew\_1\_23] \ (batch Id=8)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [group by\_sort\_test\_1] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [having] \ (batch Id=7) \ org. apache. hadoop. hive. cli. Test Cli Driver. 
(batchId=39) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_auto] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_auto_empty] (batchId=53)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index auto file format] (batchId=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_auto_mult_tables] (batchId=77)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [index\_auto\_mult\_tables\_compact] \ (batch Id=32)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_auto_multiple] (batchId=31)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_auto_partitioned] (batchId=10)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_auto_self_join] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_auto_unused] (batchId=35)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [index\_auto\_update] \ (batch Id=66) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [index\_bitmap1] \ (batch Id=66) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
(batchId=38) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_bitmap2] (batchId=77)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_bitmap] (batchId=56)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_bitmap_auto_partitioned] (batchId=27)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_bitmap_compression] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_bitmap_rc] (batchId=47) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_compact]
(batchId=19) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_compact_1] (batchId=33)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_compact_2] (batchId=24) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_compact_3]
(batchId=68) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_compression] (batchId=9)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_in_db] (batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_serde]
(batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[index_skewtable] (batchId=73)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[index\_stale\_] (batch Id=5) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[index\_stale\_partitioned]
(batchId=16) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort] (batchId=74)
org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [infer\_bucket\_sort\_convert\_join] \ (batch Id=48) and the properties of the properties of
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [infer\_bucket\_sort\_grouping\_operators] \ (batch Id=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_list_bucket] (batchId=23)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_bucket_sort_multi_insert] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[infer_join_preds]
(batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[init_file] (batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[innerjoin]
(batchId=31) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input11\_limit] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[input12] \ (batchId=27) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriv
(batchId=68) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input14] (batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input16]
(batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input17] (batchId=33) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input18]
(batchId=16) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input19] (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input1_limit]
(batchId=11) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input39] (batchId=49) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input40]
(batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input42] (batchId=67)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input_lazyserde] (batchId=25) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input_part10]
(batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input_part2] (batchId=43) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input_part9]
(batchId=23) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[inputddl4] (batchId=33) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[inputddl5]
(batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[inputddl6] (batchId=47) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[inputddl7]
(batchId=42) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert1] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[insert2] \ (batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testC
(batchId=77) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_into1] (batchId=20)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_into4] (batchId=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_into_with_schema2] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_nonacid_from_acid] (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_overwrite_directory] (batchId=24)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[interval_1] (batchId=74) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[interval_2] (batchId=50)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[interval_3] (batchId=58) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[interval_alt] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[interval_arithmetic] (batchId=42)
org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[interval\_comparison] \ (batch Id=68) \ org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[join0]
(batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join10] (batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join11]
(batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join12] (batchId=37) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join13]
(batchId=3) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join14] (batchId=19) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join15]
(batchId=73) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join17] (batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join18]
(batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join18_multi_distinct] (batchId=25)
org, apache. hadoop, hive.cli. TestCliDriver.testCliDriver[join19] (batchId=28) org, apache. hadoop, hive.cli. TestCliDriver.testCliDriver[join20] (batchId=30)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join23] (batchId=39) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join23] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join25] \ (batchId=5) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join26] \ (batchId=17) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join27] \ (batchId=37) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join28] \ (batchId=37) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join28] \ (batchId=37) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliD
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join 29] \ (batch Id = 39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join 2] \ (batch Id = 79) \ (
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join30] (batchId=70) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join31] (batchId=80)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join33] (batchId=14) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join33] (batchId=14)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join34] (batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join35] (batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join36] (batchId=78) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join37] (batchId=53)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join 39] \ (batch Id = 48) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join 39] \ (batch Id = 71) \ 
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join40] (batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join41] (batchId=45)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join44] (batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join44] (batchId=10)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join45] (batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join4] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join6] (batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join6] (batchId=67)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join 7] \ (batch Id = 4) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join 8] \ (batch Id = 43) \ (ba
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join9] (batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_1to1] (batchId=48)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_array] (batchId=50) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_casesensitive]
(batchId=39) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_cond_pushdown_unqual5] (batchId=60)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join\_filters\_overlap] \ (batch Id=31) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join\_literals] \ (batch Id=31) \ org. apache. hadoop. hive. cli. Test Cli Driver. test 
(batchId=78) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_map_ppr] (batchId=68)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_merge_multi_expressions] (batchId=19)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_on_varchar] (batchId=41) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_rc] (batchId=9)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_reorder] (batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_thrift] (batchId=67)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_vc] (batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[join_view] (batchId=73)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [keyword\_1] \ (batch Id=39) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driv
(batchId=77) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[lateral_view_noalias] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[lateral_view_onview] (batchId=52)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [lateral\_view\_outer] \\ (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [lateral\_view\_ppd] \\
(batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[lb_fs_stats] (batchId=80) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[leadlag]
(batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[leadlag_queries] (batchId=63)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[leftsemijoin] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[limit_partition_metadataonly] (batchId=56)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[limit_pushdown2] (batchId=15)
```

```
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[limit_pushdown_negative] (batchId=36)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_11] (batchId=17)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_12] (batchId=45)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_13] (batchId=23)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list bucket dml 14] (batchId=17)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_1] (batchId=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_2] (batchId=11)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_3] (batchId=13)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_4] (batchId=14)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_5] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_6] (batchId=29)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_7] (batchId=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_8] (batchId=65)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_dml_9] (batchId=75)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_multiskew_1] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_multiskew_2] (batchId=63)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_multiskew_3] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_oneskew_1] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[list_bucket_query_oneskew_2] (batchId=3)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [list\_bucket\_query\_oneskew\_3] \ (batch Id=9) \ (batch Id=9)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[load\_binary\_data] \ (batch Id=45) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[load\_dyn\_part10] \ (batch Id=45) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli 
(batchId=19) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[load_dyn_part14] (batchId=80)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[load_dyn_part1] (batchld=75) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[load_dyn_part2]
(batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[load_dyn_part3] (batchId=11)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[load\_dyn\_part4] \ (batcht Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[load\_dyn\_part4] \ (batcht Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli D
(batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[load_dyn_part9] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[load_file_with_space_in_the_name] (batchId=78)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[load_fs_overwrite] (batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[louter_join_ppr]
(batchId=39) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mapjoin1] (batchId=5)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [mapjoin\_filter\_on\_outerjoin] \ (batch Id=55) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mapjoin_mapjoin] (batchId=45)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mapjoin_memcheck] (batchId=38)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mapjoin_subquery2] (batchId=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mapjoin_subquery] (batchId=45)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [mapjoin\_test\_outer] \ (batch Id=1) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [masking\_4] \ (batch Id=1) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driv
(batchId=24) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[masking_disablecbo_4] (batchId=6)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[merge1] (batchId=50) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[merge2] (batchId=2)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[merge3] (batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[merge4] (batchId=11)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[merge_dynamic_partition3] (batchId=63)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [merge\_dynamic\_partition 4] \ (batch Id=31) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [merge\_dynamic\_partition 5] \ (batch Id=30) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[merge_dynamic_partition] (batchId=38) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mergejoin]
(batchId=54) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mergejoins] (batchId=2)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mergejoins_mixed] (batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mi] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[multi_insert_gby2] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[multi_insert_gby3] (batchId=68) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[multi_insert_gby]
(batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[multi_insert_mixed] (batchId=22)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [multi\_insert\_move\_tasks\_share\_dependencies] \ (batch Id=50) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[newline] (batchId=2) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[newline] (batchId=1)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nomore_ambiguous_table_col] (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nonblock_op_deduplicate] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nonmr_fetch] (batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nonmr_fetch]
(batchId=74) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nullformatCTAS] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nullformat] (batchId=39) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nullformatdir] (batchId=5)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [orc\_dictionary\_threshold] \ (batch Id=20)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_diff_part_cols2] (batchId=23)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_empty_files] (batchId=20) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_empty_files]
(batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_empty_strings] (batchId=54)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[orc\_ends\_with\_nulls] \ (batch Id=69) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[orc\_ends\_with\_nulls] \ (batch Id=69) \ org. apache. hadoop. hive. cli. Test Cli Driver. te
(batchId=58) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_merge11] (batchId=36)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_merge1] (batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_merge5]
(batchId=50) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_merge6] (batchId=31)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_merge9] (batchId=24) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_merge_diff_fs]
(batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_merge_incompat1] (batchId=61)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [orc\_merge\_incompat2] \ (batch Id=75)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[orc\_ppd\_boolean] \ (batch Id=32) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[orc\_ppd\_char] \ (batch Id=32) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[orc\_ppd\_char] \ (batch Id=32) \ org. apache. hadoop. hive. cli. Test Cli Driver. t
(batchId=9) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_remove_cols] (batchId=6)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[orc_schema_evolution] (batchId=62)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [orc\_vectorization\_ppd] \ (batch Id=36)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [outer\_join\_ppr] \ (batch Id=18) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel] \ (batch Id=23) \ (batch Id=24) \ (batch Id=18) \ (batch Id
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[parallel\_join 0] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. [parallel\_join 1] \ (batch Id=67) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli D
(batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_analyze] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_array_of_multi_field_struct] (batchId=46)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_array\_of\_optional\_elements] \ (batch Id=65)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_array\_of\_required\_elements] \ (batch Id=57) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet\_array\_of\_single\_field\_struct] \ (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_array_of_structs] (batchId=16)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_array\_of\_unannotated\_groups] \ (batch Id=50) \ (ba
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_array_of_unannotated_primitives] (batchId=75)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_avro\_array\_of\_primitives] \ (batch Id=45)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_avro\_array\_of\_single\_field\_struct] \ (batch Id=65) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_join] (batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_map_null]
(batchId=75) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_map_of_arrays_of_ints] (batchId=9)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_map_of_maps] (batchId=59)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_mixed\_partition\_formats] \ (batch Id=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_nested_complex] (batchId=79)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_partitioned] (batchId=63)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_ppd\_char] \ (batch Id=9) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_ppd\_date] \ (batch Id=9) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
```

```
(batchId=15)\ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [parquet\_ppd\_decimal]\ (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_ppd_partition] (batchId=7)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet\_ppd\_timestamp] \ (batchId=50) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_ppd_varchar] (batchId=11)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_read_backward_compatible_files] (batchId=45)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_schema_evolution] (batchId=67)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_serde] \ (batch Id=61)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_table\_with\_subschema] \ (batch Id=9) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_thrift_array_of_primitives] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_thrift_array_of_single_field_struct] (batchId=74)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_type_promotion] (batchId=76)
org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver[parquet\_types\_non\_dictionary\_encoding\_vectorization] \ (batch Id=76) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [parquet\_types\_vectorization] \ (batch Id=13) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[parquet_write_correct_definition_levels] (batchId=37)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[part_inherit_tbl_props] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[part_inherit_tbl_props_with_star] (batchId=22)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_boolexpr] (batchId=28)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_coltype_literals] (batchId=12)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_date2] (batchId=16) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_date]
(batchId=13) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_timestamp2] (batchId=29)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_timestamp] (batchId=32)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_type_check] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_type_in_plan] (batchId=64)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_varchar1] (batchId=59)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [partition\_wise\_file format 10] \ (batch Id=29)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat11] (batchId=6)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat12] (batchId=75)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat13] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat14] (batchId=69)
org. a pache. hado op. hive. cli. Test Cli Driver. test Cli Driver [partition\_wise\_file format 15] \ (batch Id=27) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat16] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat17] (batchId=52)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat18] (batchId=65)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat2] (batchId=78)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [partition\_wise\_file format 8] \ (batch Id=61) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition_wise_fileformat9] (batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[pcr]
(batchId=54) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[plan_json] (batchId=60)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ppd_constant_where] (batchId=2)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ppd_gby_join]
(batch Id=33) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd_join2] \ (batch Id=38) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd_join3] \ (batch Id=38) \ org. apache. hadoop. hive. cli. Test Cli Driver. test C
(batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ppd_join] (batchId=33)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd\_multi\_insert] \\ (batch Id=68) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd\_outer\_join1] \\
(batchId=38) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ppd_outer_join2] (batchId=29)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ppd_outer_join3] (batchId=42) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ppd_outer_join4]
(batchId=60)\ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[ppd\_repeated\_alias]\ (batchId=9)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_transform] \ (batch Id=69) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [ppd\_vc] \ (batch Id=75) \ (batch Id=75) \ (batch Id=76) \ (batch Id=76)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd\_windowing1] \ (batch Id=40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ppd\_windowing2] \ (batch Id=40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dri
(batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ptf_decimal] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ptf_general_queries] (batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ptf_matchpath]
(batchId=14) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[ptf_rcfile] (batchId=32)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ptf\_register\_tblfn] \ (batch Id=71) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[ptf\_seqfile] \ (batch Id=71) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dr
(batchId=66) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[query_with_semi] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[quotedid_alter] (batchId=49) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[quotedid_basic]
(batchId=55) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[quotedid_skew] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[rand_partitionpruner1] (batchId=64)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[rand_partitionpruner2] (batchId=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[rand_partitionpruner3] (batchId=71) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[recursive_dir]
(batchId=45) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[reduce_deduplicate_extended2] (batchId=54) org.apache.hadoop.hive.cli.TestCliDriver[remove_exprs_stats] (batchId=78) org.apache.hadoop.hive.cli.TestCliDriver[remove_exprs_stats] (batchId=78) org.apache.hadoop.hive.cli.TestCliDriver[remove_exprs_stats]
(batchId=20)\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [rename\_partition\_location]\ (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[rename_table_location] (batchId=50) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[repl_1_drop]
(batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[repl_2_exim_basic] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[repl_3_exim_metadata] (batchId=52)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[router\_join\_ppr] \ (batchId=72)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [runtime\_skewjoin\_mapjoin\_spark] \ (batch Id=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample1] (batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample2] (batchId=5)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample3] (batchId=3) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample4] (batchId=15)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 5] (batch Id = 51) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. hive. cli. Test Cli Driver [sample 6] (batch Id = 60) org. apache. hadoop. ha
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample7] (batchId=60) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample8] (batchId=26)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 9] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [sample 1] (batch Id=38) org. apache. hadoop. hive. cli. Test Cli Driver. test Cl
(batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample_islocalmode_hook_use_metadata] (batchId=56)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[script_env_var1] (batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[script_env_var2]
(batchId=53) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[script_pipe] (batchId=67)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[select_dummy_source] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[select\_same\_col] \ (batchId=45) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[semicolon] \ (batchId=45) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[semicolon] \ (batchId=45) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDrive
(batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[serde_opencsv] (batchId=67)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[serde_user_properties] (batchId=70)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_columns] (batchId=38)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [show\_create\_table\_alter] \ (batch Id=27) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [show\_create\_table\_db\_table] \ (batch Id=59) \ (batch Id=59
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_create_table_delimited] (batchId=26)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_create_table_partitioned] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_create_table_serde] (batchId=49)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_create_table_view] (batchId=79)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[show\_partitions] \ (batch Id=71) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[show\_tables] \ (batch Id=71) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[show\_tables] \ (batch Id=71) \ org. apache. hadoop. hive. cli. Test Cli Driver. tes
(batchId=17) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_tblproperties] (batchId=75)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[show_views] (batchId=46) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin] (batchId=21)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin\_mapjoin 10] \ (batch Id=30) \\
```

```
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin11] (batchId=46)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin1] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin2] (batchId=24)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin3] (batchId=57)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin4] (batchId=63)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin5] (batchId=56)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin6] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin7] (batchId=51)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin8] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_mapjoin9] (batchId=17)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_union_remove_1] (batchId=77)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoin_union_remove_2] (batchId=26)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 10] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id=19) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 11] \ (batch Id
(batchId=65) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt12] (batchId=7)
org, apache. hadoop, hive. cli. Test Cli Driver. test Cli Driver [skewjoinopt13] (batch Id=14) org, apache. hadoop, hive. cli. Test Cli Driver. test Cli Driver [skewjoinopt14]
(batchId=65) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt16] (batchId=14)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 17] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ (batch Id=75) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 18] \ org. apache. hadoop. hadoop. hadoop. 
(batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt19] (batchId=19)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt1] (batchId=71) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt20]
(batchId=68) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt21] (batchId=21)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 2] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch Id=5) \ org. apache. hadoop. hive. cli. Test Cli Driver [skewjoin opt 3] \ (batch
(batchId=20) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt4] (batchId=23)
org, apache. hadoop, hive.cli. TestCliDriver.testCliDriver[skewjoinopt5] (batchId=22) org. apache. hadoop. hive.cli. TestCliDriver.testCliDriver[skewjoinopt6]
(batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[skewjoinopt7] (batchId=46)
org, apache. hadoop, hive.cli. TestCliDriver.testCliDriver[skewjoinopt8] (batchId=24) org. apache. hadoop. hive.cli. TestCliDriver.testCliDriver[skewjoinopt9]
(batchId=20) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin9] (batchId=36)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb\_mapjoin\_10] \ (batch Id=78) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb\_mapjoin\_11] \ (batch Id=78) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb\_mapjoin\_11] \ (batch Id=78) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver. test Cli Driver [smb\_mapjoin\_11] \ (batch Id=78) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Drive
(batchId=2) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin_12] (batchId=8)
org, apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb_mapjoin_13] (batch Id=29) org, apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb_mapjoin_16]
(batchId=38) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin_1] (batchId=45)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb\_mapjoin\_20] \ (batch Id=66) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb\_mapjoin\_21] \ (batch Id=66) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [smb\_mapjoin\_21] \ (batch Id=66) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dri
(batchId=37) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin_22] (batchId=13)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin_25] (batchId=7) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin_2]
(batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin_3] (batchId=20) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort]
(batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_1] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_2] (batchId=20)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_3] (batchId=42)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_4] (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_5] (batchId=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_6] (batchId=79)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_7] (batchId=24)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sort_merge_join_desc_8] (batchId=7) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[specialChar]
(batchId=21) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[special_character_in_tabnames_2] (batchId=48)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats18] (batchId=13)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats4] (batchId=72) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_aggregator_error_1]
(batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_empty_dyn_part] (batchId=29)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_empty_partition] (batchId=18)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_list_bucket] (batchId=62) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_noscan_1]
(batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_noscan_2] (batchId=33)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_partscan_1_23] (batchId=80)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[stats_publisher_error_1] (batchId=72) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[statsfs]
(batchId=42) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_exists] (batchId=37)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_exists_explain_rewrite] (batchId=42)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_exists_having] (batchId=3)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [subquery\_in\_explain\_rewrite] \ (batch Id=3) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_in_having] (batchId=52)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_multiinsert] (batchId=75)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_notexists] (batchId=80)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_notexists_having] (batchId=76)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_notin_having] (batchId=45)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[subquery_unqualcolumnrefs] (batchId=16)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[temp_table_display_colstats_tbllvl] (batchId=70)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [temp\_table\_gb1] \ (batch Id=30) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [temp\_table\_gb1] \ (batch Id=30) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli D
(batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[temp_table_names] (batchId=44)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [temp\_table\_options 1] \ (batch Id=2) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[temp_table_precedence] (batchId=75)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[temp_table_subquery1] (batchId=61)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[temp_table_windowing_expressions] (batchId=57)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [tez\_join\_hash] \ (batch Id=47) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [timestamp] \ (batch Id=47) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver.
(batchId=27) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[timestamp_comparison2] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[timestamp_formats] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[timestamp_ints_casts] (batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[timestamp_udf]
(batchId=70) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[transform2] (batchId=36)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[transform_acid] (batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[transform_ppr1]
(batchId=13) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[transform_ppr2] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[truncate_column] (batchId=74)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[truncate_column_buckets] (batchId=23)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [truncate\_column\_list\_bucket] \ (batch Id=76) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[truncate_column_merge] (batchId=55)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [truncate\_table] \ (batch Id=72) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [truncate\_table] \ (batch Id=72) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli D
(batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[type_widening] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udaf_percentile_approx_23] (batchId=31)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udaf\_sum\_list] \\ (batch Id=80) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udaf\_sum\_list] \\ (batch Id=80) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver.
(batchId=49) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_aes_encrypt] (batchId=77)
org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[udf\_array\_contains] \ (batchId=12) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[udf\_bin] \ (batchId=12) \ org. apache. hadoop. hive.cli. TestCliDriver. testCliDriver[udf\_bin] \ (batchId=12) \ org. apache. hadoop. hive.cli. TestCliDriver. test
(batchId=41) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_case] (batchId=31)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_classloader] (batchId=5)
```

 $org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf_class loader_dynamic_dependency_resolution] \ (batch Id=80)$

```
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_concat] \ (batch Id=78) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_concat\_ws] \ (batch Id=78) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver
(batchId=37) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_conv] (batchId=21)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udf\_date\_add] \ (batch Id=43) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udf\_date\_format] \ (batch Id=43) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udf\_date\_format] \ (batch Id=43) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver
(batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_date_sub] (batchId=1)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_format_number] (batchId=7)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_get_json_object] (batchId=29) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_hex]
(batchId=22) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[udf\_if] \ (batchId=12) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[udf\_inline] \ (batchId=12) \ org. apache. hadoop. hive. cli. TestCliDriver. testCl
(batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_java_method] (batchId=62)
org,apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_length] (batchId=31) org,apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_map_keys]
(batchId=61) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_map_values] (batchId=45)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf\_months\_between] \ (batchId=48) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf\_negative] \ (batchId=48) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriv
(batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_not] (batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_percentile]
(batchId=58) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_positive] (batchId=39) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_printf]
(batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_quarter] (batchId=40)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udf\_reverse] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udf\_reverse] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udf\_reverse] \ (batch Id=79) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cl
(batchId=72) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_round_3] (batchId=75)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_sentences] \ (batch Id=35) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_sentences] \ (batch Id=35) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_sentences] \ (batch Id=35) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver
(batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_sort_array] (batchId=58)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_sort\_array\_by] \ (batch Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_substr] \ (batch Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dr
(batchId=33) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_substring] (batchId=40)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_substring_index] (batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_to_boolean]
(batchId=42) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_to_byte] (batchId=32)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_to_double] (batchId=64) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_to_float]
(batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_to_long] (batchId=43)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_to\_short] \ (batch Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [udf\_to\_string] \ (batch Id=57) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driv
(batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_to_unix_timestamp] (batchId=50)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_translate] (batchId=49) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_translate]
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_unhex] (batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_version] (batchId=55)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udf_when] (batchId=7) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udtf_explode] (batchId=46)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udtf\_json\_tuple] \ (batch Id=71) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[udtf\_nof etch task] \ (batch Id=71) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cl
(batchId=68) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[udtf_parse_url_tuple] (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[unicode\_notation] \ (batchId=57) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union10] \ (batchId=57) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union10] \ (batchId=57) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.t
(batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union11] (batchId=61) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union12]
(batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union13] (batchId=49) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union14]
(batchId=7)\ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [union 15]\ (batchId=80)\ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [union 16]\ (batchId=80)\ org. apache. hadoop. hive. cli. TestCliDriver. testCliDri
(batchId=78) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [union17] \ (batchId=65) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [union18] \ (batchId=65) \ org. apache. hadoop. hive. cli. TestCliDriver. testCl
(batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union19] (batchId=54) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union20]
(batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union21] (batchId=2) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union22]
(batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union24] (batchId=54) org.apache.hadoop.hive.cli.TestCliDriver[union26]
(batchId=60) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union27] (batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union2]
(batchId=44) \ org. apache. hadoop. hive. cli. TestCli Driver. testCli Driver [union 31] \ (batchId=3) \ org. apache. hadoop. hive. cli. TestCli Driver. testCli Driver [union 32] \ (batchId=3) \ org. apache. hadoop. hive. cli. TestCli Driver. testCli D
(batchId=26) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union33] (batchId=23) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union34]
(batchId=11) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union36] (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union3]
(batchId=55) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union4] (batchId=67) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union5]
(batchId=20) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [union6] \ (batchId=28) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [union7] \ (batchId=28) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliD
(batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union8] (batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union9]
(batchId=37) \ org. apache. hadoop. hive. cli. TestCli Driver. testCli Driver [union] \ (batchId=4) \ org. apache. hadoop. hive. cli. TestCli Driver. testCli Driver [union\_date] \ (batchId=37) \ org. apache. hadoop. hive. cli. TestCli Driver. testCli D
(batchId=42) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_date_trim] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_null] (batchId=73) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_paren]
(batchId=43) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_ppr] (batchId=17)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_10] (batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_11]
(batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_12] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_13] (batchId=78) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_14]
(batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_15] (batchId=77)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_16] (batchId=66) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_17]
(batchId=62) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_18] (batchId=6)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_19] (batchId=18) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_1]
(batchId=29) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_20] (batchId=76)
org,apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_21] (batchId=56) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_22]
(batchId=70) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_23] (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_24] (batchId=14) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_25]
(batchId=79) org.apache.hadoop.hive.cli.TestCliDriver[union_remove_2] (batchId=37)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_3] (batchId=49) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_4]
(batchId=7) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_5] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_6] (batchId=40)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_6_subq] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_8] (batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_8]
(batchId=45) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_remove_9] (batchId=65)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union_script] (batchId=63)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [unionall\_unbalanced ppd] \\ (batch Id=2) org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [unique join] \\
(batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[unset_table_view_property] (batchId=46)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[update_after_multiple_inserts] (batchId=61)
org.apache.hadoop.hive.cli. Test Cli Driver.test Cli Driver[update\_after\_multiple\_inserts\_special\_characters] \ (batch Id=65) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [update\_all\_types] \\ (batch Id=16) \\ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [update\_orig\_table] \\
(batchId=55) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[varchar\_1] \ (batchId=40) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[varchar\_2] \ (batchId=50) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[varchar\_2] \ (batchId=50) \ org. apache. hadoop. hive. cli. TestCliDriver. testC
(batchId=59) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[varchar_cast] (batchId=54)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[varchar_comparison] (batchId=77) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[varchar_join1]
(batchId=4) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[varchar_nested_types] (batchId=74)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [varchar\_serde] \ (batch Id=2) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [varchar\_union1] \ (batch Id=2) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driv
(batchId=11) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_aggregate_9] (batchId=35)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_between_columns] (batchId=62)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_binary_join_groupby] (batchId=73)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_cast\_constant] \\ (batch Id=8) org. apache. hadoop. hive. cli. Test Cli Driver. test 
(batchId=62) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_char_mapjoin1] (batchId=30)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_char\_simple] \ (batch Id=42) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_coalesce] \ (batch Id=42) \ org. apache. hadoop. hive. cli. Test Cli Driver. test 
(batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_complex_join] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_count] (batchId=12) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_data_types]
(batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_date_1] (batchId=19)
```

```
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_decimal\_aggregate] \ (batch Id=16)
org. a pache. hado op. hive. cli. Test Cli Driver. test Cli Driver [vector\_decimal\_expressions] \ (batch Id=47) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_decimal\_mapjoin] \ (batch Id=51)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_decimal_math_funcs] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_decimal_round_2] (batchId=21)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_distinct_2] (batchId=46)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_empty\_where] \ (batch Id=21) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[vector\_groupby 4] \ (batch Id=14) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[vector\_groupby 6] \ (batch Id=14) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
(batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_groupby_3] (batchId=59)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_groupby_mapjoin] (batchId=68)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_grouping_sets] (batchId=75)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector\_include\_no\_sel] \ (batchId=4)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_interval_1] (batchId=14)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_interval_arithmetic] (batchId=4)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_left_outer_join2] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=71)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_mr_diff_schema_alias] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_null_projection] (batchId=8)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_outer_join0] (batchId=55)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_outer_join1] (batchId=40)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_outer_join2] (batchId=28)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_outer_join3] (batchId=30)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_outer_join4] (batchId=77)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_outer_join6] (batchId=37) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_reduce1]
(batchId=25) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_reduce2] (batchId=35)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_reduce3] \ (batch Id=25) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_string\_concat] \ (batch Id=25) \ org. apache. hadoop. hive. cli. Test Cli Driver. test
(batchId=29) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_struct_in] (batchId=41)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_tablesample_rows] (batchId=46)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_varchar_mapjoin1] (batchId=23)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_varchar\_simple] \ (batch Id=69)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_when\_case\_null] \ (batch Id=33) \\
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[vectorization\_10] \ (batch Id=23) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[vectorization\_11] \ (batch Id=23) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[vectorization\_11] \ (batch Id=23) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli 
(batchId=34) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_12] (batchId=9)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_13] (batchId=45) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_14]
(batchId=13) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_15] (batchId=58)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization\_16] \ (batchId=38) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization\_17] \ (batchId=38) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization\_17] \ (batchId=38) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriv
(batchId=78) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_1] (batchId=53)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_2] (batchId=19) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_3]
(batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_4] (batchId=19)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_5] (batchId=52) org.apache.hadoop.hive.cli.TestCliDriver[vectorization_6] (batchId=25) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_7] (batchId=39)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_8] (batchId=42) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_9]
(batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_div0] (batchId=62)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_limit] (batchId=33)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vectorized\_bucket mapjoin 1] \ (batch Id=23) \\
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_casts] (batchId=74)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_date_funcs] (batchId=69)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_mapjoin] (batchId=66)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_math_funcs] (batchId=18)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_parquet_types] (batchId=60)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_rcfile_columnar] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_shufflejoin] (batchId=65)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_string_funcs] (batchId=52)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_timestamp_funcs] (batchId=28)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized\_timestamp\_ints\_casts] \ (batchId=44)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[view] \ (batch Id=40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[view\_authorization\_sqlstd] \ (batch Id=40) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Dr
(batchId=45) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[view_inputs] (batchId=3)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_columnPruning] (batchId=72)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_distinct] (batchId=51)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_expressions] (batchId=50)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_rank] (batchId=48)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_streaming] (batchId=61)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_udaf2] (batchId=13)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_windowspec3] (batchId=34)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_windowspec4] (batchId=60)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_windowspec] (batchId=16)
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[dboutput] (batchId=219)
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[fileformat_base64] (batchId=219)
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[udf_row_sequence] (batchId=219)
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[url_hook] (batchId=219)
org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[case_with_row_sequence] (batchId=222)
org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[invalid_row_sequence] (batchId=222)
org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[serde_regex] (batchId=222)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_insert_partition_dynamic] (batchId=155)
org. a pache. hadoop. hive. cli. Test Encrypted HDFS Cli Driver. test Cli Driver [encryption\_insert\_partition\_static] \ (batch Id=153) \\
org. a pache. hadoop. hive. cli. Test Encrypted HDFS CliDriver. test CliDriver [encryption\_insert\_values] \ (batch Id=154) \\
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_join_unencrypted_tbl] (batchId=156)
org. a pache. hadoop. hive. cli. Test Encrypted HDFS Cli Driver. test Cli Driver [encryption\_join\_with\_different\_encryption\_keys] \ (batch Id=156)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_load_data_to_encrypted_tables] (batchId=154)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_move_tbl] (batchId=154)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_select_read_only_encrypted_tbl] (batchId=156)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_select_read_only_unencrypted_tbl] (batchId=156)
org. apache. hadoop. hive. cli. Test Encrypted HDFSC liDriver. test CliDriver [encryption\_unencrypted\_nonhdfs\_external\_tables] \\ (batch Id=154)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_binary_external_table_queries] (batchId=89)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_bulk] (batchId=90)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_custom_key2] (batchId=87)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_custom_key3] (batchId=86)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_handler_bulk] (batchId=90)
```

```
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase\_joins] \ (batchId=90)
org. apache. hadoop. hive. cli. Test HB ase Cli Driver. test Cli Driver [hbase\_ppd\_join] \ (batch Id=88) \\
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_ppd_key_range] (batchId=87)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_pushdown] (batchId=87)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_single_sourced_multi_insert] (batchId=89)
org.apache.hadoop.hive.cli.TestHBaseCliDriver.testCliDriver[hbase_timestamp_format] (batchId=89)
org.apache.hadoop.hive.cli.TestHBaseNegativeCliDriver.testCliDriver[cascade_dbdrop] (batchId=223)
org. apache. hadoop. hive. cli. Test HB as e Negative Cli Driver. test Cli Driver [generate hfiles\_require\_family\_path] \ (batch Id=223) \ (
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[acid_bucket_pruning] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[bucket5] (batchId=135) org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[cte_2]
(batchId=134) org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[cte_4] (batchId=136)
org.apache.hadoop.hive.cli.Test \underline{MiniLlapCliDriver.testCliDriver[dynamic\_partition\_pruning\_2]} \ (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[explainuser_2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[global_limit] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[insert_into1] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llap_udf] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llapdecider] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[load_fs2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_llap_counters1] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_llap_counters] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge10] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge1] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge_diff_fs] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_ppd_basic] (batchId=132)
org. apache. hadoop. hive. cli. Test MiniLlap Cli Driver. test Cli Driver [orc\_ppd\_schema\_evol\_3a] \ (batch Id=134) \ (batc
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_env_var1] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_env_var2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_pipe] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[temp_table_external] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform2] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr1] (batchId=132)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr2] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[unionDistinct_1] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[acid_globallimit] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[authorization_2] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_join0] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_join1] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_join21] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_join29] (batchId=147)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [auto\_smb\_mapjoin\_14] \ (batch Id=147) \ (ba
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_10] (batchId=149)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [auto\_sortmerge\_join\_11] \ (batch Id=152) 
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_12] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_13] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_14] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_16] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_1] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_2] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_3] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_4] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_5] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_6] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_7] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_8] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[auto_sortmerge_join_9] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucket2] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucket3] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucket_groupby] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucket_map_join_tez1] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketizedhiveinputformat] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketmapjoin1] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketmapjoin2] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketmapjoin6] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketmapjoin7] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketpruning1] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketsortoptimize_insert_2] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketsortoptimize_insert_6] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[bucketsortoptimize_insert_7] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_gby] (batchId=145)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [cbo\_gby\_empty] \ (batch Id=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_join] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_limit] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_gby] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_join] (batchId=147)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [cbo\_rp\_limit] \ (batch Id=146) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_semijoin] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_subq_in] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_subq_not_in] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_udf_udaf] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_udf_udaf_stats_opt] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_unionDistinct_2] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_views] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_rp_windowing_2] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_semijoin] (batchId=144)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [cbo\_simple\_select] \ (batch Id=139) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_stats] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo\_subq\_exists] \ (batchId=150) \\
```

org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_subq_in] (batchId=142)

```
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [cbo\_subq\_not\_in] \ (batch Id=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_udf_udaf] (batchId=137)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [cbo\_union] \ (batch Id=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo_views] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cbo windowing] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[column_access_stats] (batchId=147)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [column stats\_part\_coltype] \ (batch Id=149)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [correlation optimizer 1] \ (batch Id = 147) \ (batch Id = 147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[correlationoptimizer2] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[correlationoptimizer3] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[correlationoptimizer4] (batchId=138)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [correlation optimizer 6] \ (batch Id=146) \\
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [count] \ (batch Id=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cross_join] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cross_product_check_1] (batchId=145)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [cross\_product\_check\_2] \ (batch Id=152) \ (
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ctas] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cte_1] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[cte_3] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[current_date_timestamp] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[custom_input_output_format] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[database] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[drop_partition_with_stats] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[dynamic_partition_pruning] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[dynpart_sort_opt_vectorization] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[dynpart_sort_optimization2] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[dynpart_sort_optimization] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[dynpart_sort_optimization_acid] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[escape1] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[escape2] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[explainuser\_4] \ (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[filter\_join\_breaktask2] \ (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[filter_join_breaktask] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[groupby1] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[groupby2] (batchId=145)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [group by\_grouping\_id2] \ (batch Id=143) \\
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [group by\_resolution] \ (batch Id=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[having] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[hybridgrace_hashjoin_1] (batchId=141)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [hybrid grace\_hash] oin\_2] \ (batch Id=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[infer_bucket_sort_bucketed_table] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[input16_cc] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[insert1] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[insert_dir_distcp] (batchId=139)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [insert\_into\_with\_schema] \ (batch Id=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join0] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join1] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join32_lessSize] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join_filters] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join_nulls] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join_nullsafe] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[lateral_view] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[leftsemijoin] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[leftsemijoin_mr] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[limit\_pushdown3] \ (batchId=142) \ (batc
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[limit_pushdown] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[list_bucket_dml_10] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[load_dyn_part1] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[load_dyn_part2] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[load_dyn_part3] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[lvj_mapjoin] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mapjoin_decimal] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mapjoin_mapjoin] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[merge1] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[merge2] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mergejoin] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[metadataonly1] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mrr] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[multiMapJoin1] (batchId=145)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [multi Map Join 2] \ (batch Id=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[multi_insert] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[multi_insert_lateral_view] (batchId=146)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [nonmr\_fetch\_threshold] \ (batch Id=151) \\
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [offset\_limit\_ppd\_optimizer] \ (batch Id=149) \\
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [optimize\_null scan] \ (batch Id=151) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_analyze] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_create] (batchId=146)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_llap] \ (batch Id=145)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_merge 11] \ (batch Id=144) \ (batch Id
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_merge 5] \ (batch Id=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_merge6] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_merge7] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_merge9] (batchId=141)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_merge\_incompat1] \ (batch Id=149)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_merge\_incompat2] \ (batch Id=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_ppd_date] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_ppd_decimal] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_ppd_timestamp] (batchId=151)
```

```
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_ppd\_varchar] \ (batch Id=149)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_predicate\_pushdown] \ (batch Id=137) \\
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_split\_elimination] \ (batch Id=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[parallel] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[parquet_predicate_pushdown] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[parquet_types] (batchId=147)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [partition\_multilevels] \ (batch Id=140)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [ppd\_union\_view] \ (batch Id=141) \ (batch 
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ptf] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ptf_matchpath] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ptf_streaming] (batchId=146)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [reduce\_deduplicate\_extended] \ (batch Id=148) \ (batch Id=14
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [sample 10] \ (batch Id = 145) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[sample1] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_part] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_part_update] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table_update] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_part] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_part_update] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_table] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_table_update] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_nonvec_part] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_nonvec_part_all_complex] (batchId=137)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_nonvec\_part\_all\_primitive] \ (batch Id=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_nonvec_table] (batchId=138)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_vec\_part] \ (batch Id=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_vec_part_all_complex] (batchId=146)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_vec\_part\_all\_primitive] \\ (batch Id=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_vec_table] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_stats] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_nonvec_part] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_nonvec_part_all_complex] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_nonvec_part_all_primitive] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_nonvec_table] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vec_part] (batchId=147)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_text\_vec\_part\_all\_complex] \ (batch Id=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vec_part_all_primitive] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vec_table] (batchId=145)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_text\_vecrow\_part] \ (batch Id=151)
org. apache. hadoop. hive. cli. Test Mini Llap Local Cli Driver. test Cli Driver [schema\_evol\_text\_vecrow\_part\_all\_complex] \\ (batch Id=151)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_text\_vecrow\_part\_all\_primitive] \ (batch Id=148) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vecrow_table] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[selectDistinctStar] (batchId=150)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [select\_dummy\_source] \ (batch Id=140) \ (b
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[semijoin] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[skewjoin] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[skewjoinopt15] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_14] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_15] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_17] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_18] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_19] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_4] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_5] (batchId=152)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [special\_character\_in\_tabnames\_1] \ (batch Id=145) \ (batch I
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[stats_based_fetch_decision] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[stats_noscan_1] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_exists] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_in] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_notin] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_views] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[table_access_keys_stats] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_dml] (batchId=143)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [tez\_dynpart\_hashjoin\_1] \ (batch Id=151) 
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_dynpart_hashjoin_2] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_join_hash] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_join_result_complex] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_join_tests] (batchId=151)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [tez\_joins\_explain] \ (batch Id=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_multi_union] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_schema_evolution] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_smb_empty] (batchId=143)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [tez\_union\_multiinsert] \ (batch Id=143)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [tez\_vector\_dynpart\_hashjoin\_1] \ (batch Id=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_vector_dynpart_hashjoin_2] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[uber_reduce] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[udaf_collect_set_2] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union2] (batchId=146)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [union 3] \ (batch Id=148) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union4] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union5] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union6] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union7] (batchId=148)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [union 8] \ (batch Id=147) \ (batch Id=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union9] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[unionDistinct_2] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union_remove_26] (batchId=145)
```

```
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union\_top\_level] \ (batchId=148)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [update\_after\_multiple\_inserts] \ (batch Id=149) \ (batch Id
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [update\_all\_types] \ (batch Id=139) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[varchar_udf1] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector adaptor usage mode] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_aggregate_9] (batchId=144)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_auto\_smb\_mapjoin\_14] \ (batch Id=142) \ (batch Id=14
org. a pache. hadoop. hive. cli. Test Mini Llap Local Cli Driver. test Cli Driver [vector\_between\_columns] \ (batch Id=149) \ (batch Id=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_between_in] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_binary_join_groupby] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_cast_constant] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_char_2] (batchId=149)
org. a pache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_char\_mapjoin 1] \ (batch Id=142) \ 
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_char_simple] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_coalesce] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_complex_join] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_count] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_count_distinct] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_data_types] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_date_1] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_decimal\_aggregate] \ (batchId=139)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_decimal\_expressions] \ (batch Id=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_mapjoin] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_math_funcs] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_round_2] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_decimal\_udf] \ (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_distinct\_2] \ (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_groupby4] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_groupby6] (batchId=152)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_group by\_3] \ (batch Id=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_groupby_mapjoin] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_grouping\_sets] \ (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_include_no_sel] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_interval_1] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_interval_2] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_interval_arithmetic] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_join30] \ (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_join_filters] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_join_nulls] (batchId=140)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_left\_outer\_join2] \ (batch Id=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_leftsemi_mapjoin] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_mr_diff_schema_alias] (batchId=148)
org.apache.hadoop.hive.cli,TestMiniLlapLocalCliDriver.testCliDriver[vector_null_projection] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_nullsafe\_join] \ (batchId=152) \ 
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_number\_compare\_projection] \ (batch Id=138) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_outer\_join0] \ (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join1] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join2] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join3] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join4] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join5] (batchId=152)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_outer\_join6] \ (batch Id=144) \\ org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_partition\_diff\_num\_cols] \ (batch Id=147) \\
org. a pache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_partitioned\_date\_time] \ (batch Id=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce1] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce2] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce3] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_string_concat] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_struct_in] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_udf1] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_varchar_mapjoin1] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_varchar_simple] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_when_case_null] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_0] (batchId=151)
org.apache.hadoop.hive.cli. Test MiniLlap Local Cli Driver.test Cli Driver [vectorization\_10] \ (batch Id=141) \ (batch Id=
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_11] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_12] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_13] (batchId=146)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_14] \ (batch Id=139) \ (bat
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_15] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_16] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_17] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_1] (batchId=147)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_2] \ (batch Id=140) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_3] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_4] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_5] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_6] (batchId=141)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_7] \ (batch Id=144) \ (batch
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_8] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_9] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_short_regress] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_bucketmapjoin1] (batchId=141)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_casts] \ (batch Id=151) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized\_date\_funcs] \ (batchId=150) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_dynamic_partition_pruning] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_mapjoin] (batchId=149)
```

```
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_math\_funcs] \ (batch Id=140)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_nested\_mapjoin] \ (batch Id=139) \ (batch Id=139
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_parquet\_types] \ (batch Id=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_ptf] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver.vectorized rcfile columnar (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_shufflejoin] (batchId=149)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_string\_funcs] \ (batch Id=147) \\
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_timestamp\_funcs] \ (batch Id=142) \ (batch Id=14
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_timestamp_ints_casts] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing_windowspec2] (batchId=147)
org. apache. hadoop. hive. cli. Test Mini Spark On Yarn Cli Driver. test Cli Driver [auto\_sortmerge\_join\_16] \ (batch Id=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[bucket5] (batchId=159)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[bucketizedhiveinputformat] (batchId=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[bucketmapjoin6] (batchId=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[bucketmapjoin7] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[index\_bitmap3] \ (batchId=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[index_bitmap_auto] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[infer_bucket_sort_bucketed_table] (batchId=159)
org. apache. hadoop. hive.cli. Test Mini Spark On Yarn Cli Driver. test Cli Driver [infer\_bucket\_sort\_map\_operators] \ (batch Id=158) \\
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[infer_bucket_sort_merge] (batchId=159)
org. apache. hadoop. hive. cli. Test Mini Spark On Yarn Cli Driver. test Cli Driver [infer\_bucket\_sort\_num\_buckets] \ (batch Id=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[infer_bucket_sort_reducers_power_two] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[input16_cc] (batchId=159)
org. apache. hadoop. hive. cli. Test Mini Spark On Yarn Cli Driver. test Cli Driver [left semijoin\_mr] \ (batch Id=157) \ (
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[list_bucket_dml_10] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[load_fs2] (batchId=159)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[orc_merge1] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[orc_merge5] (batchId=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[orc_merge6] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[orc_merge7] (batchId=159)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[orc_merge9] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[orc_merge_diff_fs] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[orc_merge_incompat1] (batchId=158)
org. a pache. hadoop. hive. cli. Test MiniSpark On Yarn Cli Driver. test Cli Driver [orc\_merge\_incompat2] \ (batch Id=159) 
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[parallel_orderby] (batchId=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[scriptfile1] (batchId=159)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[temp_table_external] (batchId=158)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[truncate_column_buckets] (batchId=157)
org. apache. hadoop. hive. cli. Test Mini Spark On Yarn Cli Driver. test Cli Driver [uber\_reduce] \ (batch Id=157) \ (batch
org. apache. hadoop. hive. cli. Test Mini Spark On Yarn Cli Driver. test Cli Driver [vector\_outer\_join 0] \ (batch Id=158) 
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[vector\_outer\_join1] \ (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[vector_outer_join2] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[vector_outer_join3] (batchId=157)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[vector_outer_join4] (batchId=159)
org.apache.hadoop.hive.cli.TestMiniSparkOnYarnCliDriver.testCliDriver[vector_outer_join5] (batchId=159)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_4] (batchId=92)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_5] (batchId=91)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[hybridgrace_hashjoin_1] (batchId=91)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[hybridgrace_hashjoin_2] (batchId=91)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[orc_vectorization_ppd] (batchId=91)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[tez_union_with_udf] (batchId=92)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[unionDistinct_2] (batchId=91)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[update_orig_table] (batchId=91)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[vectorization_div0] (batchId=92)
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[vectorization_limit] (batchId=91)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[bucket_num_reducers2] (batchId=83)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[bucket_num_reducers] (batchId=83)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[index_bitmap3] (batchId=82)
org. apache. hadoop. hive. cli. Test Minimr Cli Driver. test Cli Driver [index\_bitmap\_auto] \ (batch Id=82)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_dyn_part] (batchId=82)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_map_operators] (batchId=82)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_merge] (batchId=83) org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_num_buckets] (batchId=82)
org. a pache. hadoop. hive. cli. Test Minimr Cli Driver. test Cli Driver [infer\_bucket\_sort\_reducers\_power\_two] \ (batch Id=82) \ (batch Id=
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[parallel_orderby] (batchId=82)
org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[scriptfile1] (batchId=83)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[add_partition_with_whitelist] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[alter_partition_change_col_dup_col] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [alter\_partition\_change\_col\_nonexist] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[alter_partition_coltype_2columns] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[alter_partition_coltype_invalidcolname] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [alter\_partition\_coltype\_invalid type] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [alter\_partition\_with\_white list] \ (batch Id=84) \\
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [alter\_view\_failure 8] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive1] (batchId=84) org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive2]
(batchId=84) org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_insert1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_insert2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_insert3] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [archive\_insert4] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_multi1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_multi2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_multi3] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_multi4] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [archive\_multi5] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_multi6] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_multi7] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_partspec1] (batchId=84)
```

```
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [archive\_part spec 2] \ (batch Id=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [archive\_part spec 3] \ (batch Id=84) \ (batch Id=
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [archive\_part spec 4] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[archive_partspec5] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_addpartition] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_alter_db_owner] (batchId=84)
org. apache. hadoop. hive.cli. Test Negative Cli Driver. test Cli Driver [authorization\_alter\_drop\_ptn] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization\_alter\_table\_exchange\_partition\_fail2] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization\_alter\_table\_exchange\_partition\_fail] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_create_role_no_admin] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_createview] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_ctas2] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_ctas] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_delete_nodeletepriv] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_desc\_table\_nosel] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_drop\_db\_cascade] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization\_drop\_db\_empty] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_droppartition] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_export_ptn] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_fail_3] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_fail_4] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_fail_5] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_fail_6] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_fail_7] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_fail_8] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_grant_group] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_grant_table_allpriv] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_grant_table_dup] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_grant_table_fail1] (batchId=84)
org. a pache. had oop. hive. cli. Test Negative CliDriver. test CliDriver [authorization\_grant\_table\_fail\_nogrant] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_import_ptn] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_insert\_noinspriv] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_insert_noselectpriv] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_insert overwrite\_nodel] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_insertpart_noinspriv] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization\_not\_owner\_alter\_tab\_rename] \ (batchId=84) \\
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_not\_owner\_alter\_tab\_serdeprop] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_not_owner_drop_tab2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_not_owner_drop_tab] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_not\_owner\_drop\_view] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_part] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_priv_current_role_neg] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_revoke_table_fail1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization\_revoke\_table\_fail2] \\ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization\_role\_case] \ (batchId=84) \\
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_role\_cycles1] \ (batch Id=84)
org. a pache. hadoop. hive.cli. Test Negative Cli Driver. test Cli Driver [authorization\_role\_cycles 2] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_role_grant2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_role_grant] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_role\_grant\_no such role] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_role\_grant\_other role] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_role_grant_otheruser] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_rolehierarchy_privs] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_sba_drop_table] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_select] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_select_view] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_set\_invalid conf] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_set\_nonexistent\_conf] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_set_role_neg1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_set_role_neg2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization\_show\_columns] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_show_parts_nosel] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_show_role_principals_no_admin] (batchId=84) org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_show_roles_no_admin] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_table_grant_nosuchrole] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_truncate] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_truncate_2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_update_noupdatepriv] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_view\_1] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_view\_2] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_3] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_4] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_6] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_7] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_view\_disable\_cbo\_1] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_disable_cbo_2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_disable_cbo_3] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_view\_disable\_cbo\_4] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[authorization_view_disable_cbo_6] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [authorization\_view\_disable\_cbo\_7] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[avro_non_nullable_union] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[bucket_mapjoin_mismatch1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[bucket\_mapjoin\_wrong\_table\_metadata\_1] \ (batchId=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[bucket_mapjoin_wrong_table_metadata_2] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [compute\_stats\_long] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view4] (batchId=84)
```

```
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [create\_or\_replace\_view5] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view6] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create\_or\_replace\_view7] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_or_replace_view8] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_view_failure10] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[create_view_failure1] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [create\_view\_failure 2] \ (batch Id=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [create\_view\_failure 4] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[database_create_already_exists] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[database_create_invalid_name] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[database_drop_not_empty] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [database\_drop\_not\_empty\_restrict] \ (batch Id=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [disallow\_incompatible\_type\_change\_on1] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_database_cascade] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [drop\_table\_failure2] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop_view_failure1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[dyn_part_max] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[dyn_part_max_per_node] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[dynamic_partitions_with_whitelist] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [fs\_default\_name1] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[fs_default_name2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[illegal_partition_type] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[insert_into_with_schema1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[insert_into_with_schema2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[insert_into_with_schema3] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[insert_into_with_schema4] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[insert\_into\_with\_schema] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[invalid_select_column] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[invalid_select_column_with_subquery] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [invalid\_select\_column\_with\_table name] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[invalidate_view1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[join45] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[load_stored_as_dirs] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[load_wrong_fileformat] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [load\_wrong\_file format\_rc\_seq] \ (batch Id=84) \ 
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[load_wrong_fileformat_txt_seq] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns2_acid] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_replace_columns3] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [orc\_replace\_columns 3\_acid] \ (batch Id=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [orc\_type\_promotion 1] \ (batch Id=84) \ (batch Id
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion1_acid] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion2_acid] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[orc_type_promotion3] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [orc\_type\_promotion 3\_acid] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[recursive_view] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[script_broken_pipe2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[script_broken_pipe3] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[selectDistinctStarNeg_1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[serde_regex2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[serde_regex3] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[serde_regex] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[set_hiveconf_internal_variable0] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [set\_hive conf\_internal\_variable 1] \ (batch Id=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[set_hiveconf_validation0] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[set_hiveconf_validation1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[set_hiveconf_validation2] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [sortmerge\_mapjoin\_mismatch\_1] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[special_character_in_tabnames_1] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[stats\_aggregator\_error\_1] \ (batchId=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[stats_aggregator_error_2] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [stats\_partial scan\_autogether] \ (batch Id=84) \\
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [stats\_parts can\_nor cfile] \ (batch Id=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [stats\_publisher\_error\_1] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[stats_publisher_error_2] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[truncate_bucketed_column] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[truncate_column_indexed_table] (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[truncate_column_list_bucketing] (batchId=84)
org. a pache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [truncate\_column\_seq file] \ (batch Id=84) \\
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[truncate\_nonexistant\_column] \ (batchId=84)
org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[truncate_partition_column2] (batchId=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [truncate\_partition\_column] \ (batch Id=84)
org. apache. hadoop. hive. cli. Test Negative Cli Driver. test Cli Driver [udf\_sort\_array\_by\_wrong 3] \ (batch Id=84) \ (bat
org. apache. hadoop. hive. cli. Test Negative Minimr Cli Driver. test Cli Driver [cluster\_task log\_retrieval] \ (batch Id=85) \\
org.apache.hadoop.hive.cli.TestNegativeMinimrCliDriver.testCliDriver[minimr_broken_pipe] (batchId=85)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[add_part_multiple] (batchId=122)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [annotate\_stats\_join] \ (batch Id=115)
org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver. [auto\_join 0] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. [auto\_join 14] \ (batch Id=130) \ org. apache. hadoop. hadoop. hadoop. hadoop. hadoop. h
(batchId=99)\ org. apache. hadoop. hive. cli. TestSparkCliDriver. testCliDriver[auto\_join1]\ (batchId=126)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join21] (batchId=128)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join23] (batchId=101)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join26] (batchId=99)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join_reordering_values] (batchId=96)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [auto\_join\_stats 2] \ (batch Id=130) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join_stats] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join_without_localtask] (batchId=93)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_smb_mapjoin_14] (batchId=118)
```

```
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [auto\_sortmerge\_join\_10] \ (batch Id=124) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_12] (batchId=107)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_13] (batchId=120)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_14] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_16] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_1] (batchId=112)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [auto\_sortmerge\_join\_3] \ (batch Id=93)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [auto\_sortmerge\_join\_4] \ (batch Id=119) \ (batch Id
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_5] (batchId=130)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_6] (batchId=99)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_7] (batchId=131)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_sortmerge_join_8] (batchId=125)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [auto\_sortmerge\_join\_9] \ (batch Id=121) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[avro_compression_enabled_native] (batchId=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[avro_joins] (batchId=99)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[avro_joins_native] (batchId=130)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [bucket 2] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [bucket 3] \ (batch Id = 114) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Drive
(batchId=100) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucket_map_join_1] (batchId=121)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucket_map_join_2] (batchId=117)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [bucket\_map\_join\_spark 4] \ (batch Id=93) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucket_map_join_tez1] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin10] (batchId=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin11] (batchId=123)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin12] (batchId=108)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin13] (batchId=109)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [bucket mapjoin 1] \ (batch Id=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin2] (batchId=94)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin7] (batchId=106)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin8] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketmapjoin9] (batchId=100)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [bucket mapjoin\_negative 3] \ (batch Id=105) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketsortoptimize_insert_2] (batchId=95)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketsortoptimize_insert_4] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketsortoptimize_insert_6] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketsortoptimize_insert_7] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[bucketsortoptimize_insert_8] (batchId=95)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_gby] (batchId=112)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_gby_empty] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_limit] (batchId=131) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_semijoin]
(batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. [cbo\_simple\_select] \ (batch Id=100) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_stats] (batchId=99) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_stats]
(batchId=106) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_subq_not_in] (batchId=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_udf_udaf] (batchId=94) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cbo_union]
(batchId=126) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[column_access_stats] (batchId=117)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[count] (batchId=104) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cross_join]
(batchId=105) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cross_product_check_1] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[cross_product_check_2] (batchId=131)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ctas] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[custom_input_output_format] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[date_join1] (batchId=93) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[date_udf]
(batchId=106) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[decimal_join] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[dynamic_rdd_cache] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[escape_clusterby1] (batchId=125)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[escape_distributeby1] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[escape_orderby1] (batchId=131)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[escape_sortby1] (batchId=112)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[filter_join_breaktask2] (batchId=126)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[filter_join_breaktask] (batchId=125)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 10] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 11] \ (batch Id=119) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver.
(batchId=124) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby1] (batchId=101)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby1_map] (batchId=123)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby1_map_nomap] (batchId=126)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby1_map_skew] (batchId=120)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby1_noskew] (batchId=107)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby2] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby2_map] (batchId=105)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby2_map_multi_distinct] (batchId=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby2_noskew] (batchId=93)
org. a pache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 2\_noskew\_multi\_distinct] \ (batch Id=128) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby4] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby4_noskew] (batchId=118)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby5] (batchId=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby5_noskew] (batchId=130)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 6\_map] \ (batch Id=128)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 6\_map\_skew] \ (batch Id=110)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby6_noskew] (batchId=93)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby7] (batchId=122)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby7_map] (batchId=95) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby7_map_multi_single_reducer] (batchId=95)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 7\_map\_skew] \ (batch Id=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby7_noskew] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby7_noskew_multi_single_reducer] (batchId=118)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 8] \\ (batch Id=125)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 8\_map] \ (batch Id=114)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by 8\_map\_skew] \ (batch Id=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby8_noskew] (batchId=124)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby9] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_complex_types] (batchId=122)
```

```
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_complex\_types\_multi\_single\_reducer] \ (batch Id=131) \ (bat
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_cube1] (batchId=94)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_grouping\_id2] \ (batch Id=108)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_map_ppr] (batchId=97)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_map\_ppr\_multi\_distinct] \ (batch Id=114) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_multi_insert_common_distinct] (batchId=125)
org. a pache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_multi\_single\_reducer2] \ (batch Id=101) \\
org. a pache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [group by\_multi\_single\_reducer 3] \ (batch Id=112) \
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_multi_single_reducer] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_position] (batchId=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_ppr] (batchId=106)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_ppr\_multi\_distinct] \ (batch Id=117) \\
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_resolution] \ (batch Id=110) \ (batch Id=1
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby_rollup1] (batchId=107)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_sort\_1\_23] \ (batch Id=127) \ (batch Id=12
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [group by\_sort\_skew\_1\_23] \ (batch Id=97)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[having] (batchId=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[index_auto_self_join] (batchId=118)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[innerjoin] (batchId=107) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[input12]
(batchId=126) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[input14] (batchId=126)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[input17] (batchId=108) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[input18]
(batchId=101) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[input1_limit] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[input_part2] (batchId=113) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[insert_into1]
(batchId=102) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join0] (batchId=118)
org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 11] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 11] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [join 10] \ (batch Id=101) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver. 
(batchId=115) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join12] (batchId=110)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join13] (batchId=94) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join14]
(batchId=102) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join15] (batchId=128)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join17] (batchId=123) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join18]
(batchId=130) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join18_multi_distinct] (batchId=105)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join19] (batchId=106) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join1]
(batchId=96) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join20] (batchId=107)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join21] (batchId=109) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join23]
(batchId=111) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join25] (batchId=96)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 26] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 27] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 27] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 27] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 27] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 27] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 27] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 28] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 28] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 28] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 28] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test 
(batchId=110) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join28] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join29] (batchId=112) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join2]
(batchId=130) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join30] (batchId=126)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join31] (batchId=131) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join32]
(batchId=101) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join32_lessSize] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join33] (batchId=100) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join34]
(batchId=123) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join35] (batchId=120)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join36] (batchId=130) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join37]
(batchId=118) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join39] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join3] (batchId=127) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join41]
(batchId=114) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join4] (batchId=120)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join 6] \ (batch Id=122) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli D
(batchId=125) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join7] (batchId=95)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join8] (batchId=113) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join9]
(batchId=113) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_1to1] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_casesensitive] (batchId=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_filters_overlap] (batchId=108)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_literals] (batchId=130)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_map_ppr] (batchId=125)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join\_merge\_multi\_expressions] \ (batchId=102)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_nullsafe] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [join\_rc] \ (batch Id=123) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Drive
(batchId=97) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_reorder] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_thrift] (batchId=124) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_vc]
(batchId=94) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_view] (batchId=128)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[leftsemijoin] (batchId=112)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[leftsemijoin_mr] (batchId=100)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[limit_partition_metadataonly] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[limit_pushdown] (batchId=122) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[list_bucket_dml_2] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part10] (batchId=102)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part14] (batchId=131)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part1] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part2] (batchId=117)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part3] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part4] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part8] (batchId=121)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[load_dyn_part9] (batchId=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[louter_join_ppr] (batchId=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[mapjoin1] (batchId=96)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [mapjoin\_decimal] \ (batch Id=122) \ (batch Id=1222)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[mapjoin_filter_on_outerjoin] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[mapjoin_mapjoin] (batchId=114)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [mapjoin\_memcheck] \ (batch Id=110) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[mapjoin_subquery2] (batchId=96)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [mapjoin\_subquery] \ (batch Id=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[mapjoin_test_outer] (batchId=93)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[merge2] (batchId=93) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[mergejoins]
(batchId=93) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[mergejoins_mixed] (batchId=123)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[multi_insert] (batchId=107)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [multi\_insert\_gby2] \ (batch Id=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[multi_insert_gby3] (batchId=125)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[multi_insert_gby] (batchId=100)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [multi\_insert\_lateral\_view] \ (batch Id=115) \ (batc
```

```
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[multi_insert_mixed] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[multi_join_union] (batchId=93)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[optimize_nullscan] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[outer_join_ppr] (batchId=102) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[parallel]
(batchId=104) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[parallel_join0] (batchId=124)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [parallel\_join 1] \\ (batch Id=95)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [parquet\_join] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [pcr] \ (batch Id=101) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Dr
(batchId=118) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_gby_join] (batchId=108)
org,apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_join2] (batchId=110) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_join3]
(batchId=101) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_join] (batchId=108)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_multi_insert] (batchId=125)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ppd\_outer\_join 1] \ (batch Id = 111) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_outer_join2] (batchId=107)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_outer_join3] (batchId=112)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ppd_outer_join4] (batchId=121)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ppd\_transform] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [ptf] \ (batch Id=126) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli D
(batchId=100) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_decimal] (batchId=94)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_general_queries] (batchId=96)
org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_matchpath] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_rcfile] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_rcfile] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_rcfile] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_rcfile] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_rcfile] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_rcfile] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [ptf\_rcfile] \ (batch Id=99) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test C
(batchId=108) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_register_tblfn] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_seqfile] (batchId=124)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[ptf_streaming] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[router_join_ppr] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sample10] (batchId=113) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sample1]
(batchId=98) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sample2] (batchId=96)
org, apache. hadoop, hive. cli. TestSparkCliDriver.testCliDriver[sample3] (batchId=94) org. apache. hadoop. hive. cli. TestSparkCliDriver.testCliDriver[sample4]
(batchId=100) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sample6] (batchId=121)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sample7] (batchId=121) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sample8]
(batchId=106) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[script_env_var1] (batchId=95)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [script\_env\_var2] \ (batch Id=118)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[script_pipe] (batchId=125) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[scriptfile1]
(batchId=128) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[semijoin] (batchId=103)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoin] (batchId=103)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoin_union_remove_1] (batchId=129)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [skewjoin\_union\_remove\_2] \ (batch Id=105) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt10] (batchId=102)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt11] (batchId=123)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt12] (batchId=97)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt13] (batchId=100)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [skewjoin opt 14] \ (batch Id=124)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt15] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt16] (batchId=99)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt17] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt18] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt19] (batchId=102)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt1] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt20] (batchId=125)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt2] (batchId=95)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt3] (batchId=103)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt4] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt5] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt6] (batchId=102)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt7] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt8] (batchId=105)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[skewjoinopt9] (batchId=103)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_10] (batchId=130)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_11] (batchId=93)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_12] (batchId=97)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_13] (batchId=107)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_14] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_15] (batchId=125)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_16] (batchId=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_17] (batchId=95)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_18] \ (batch Id=106) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_19] (batchId=94)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_1] (batchId=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_20] (batchId=124)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_21] (batchId=110)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_22] \ (batch Id=99)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_25] (batchId=97)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_2] (batchId=117)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_3] (batchId=103)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[smb_mapjoin_4] (batchId=103)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_5] \ (batch Id=131)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [smb\_mapjoin\_8] \ (batch Id=109) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. tes
(batchId=123) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[stats18] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[stats1] (batchId=99) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[stats_noscan_1]
(batchId=117) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[stats_noscan_2] (batchId=108)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[stats_partscan_1_23] (batchId=131)
org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [statsfs] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver [subquery\_exists] \ (batch Id=112) \ org. apache. hadoop. hive.cli. Test Spark Cli Driver. test Cli Driver. 
(batchId=110) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[subquery_in] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[subquery_multiinsert] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[table_access_keys_stats] (batchId=123)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[temp_table_gb1] (batchId=107)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [temp\_table\_join1] \ (batch Id=117) \ (batch Id=117)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[tez_join_tests] (batchId=128)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[tez_joins_explain] (batchId=109)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [timestamp\_udf] \ (batch Id=127) \\
```

```
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[transform2] (batchId=109)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [transform\_ppr1] \ (batch Id=99) \ (b
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [transform\_ppr2] \ (batch Id=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[udf_percentile] (batchId=120) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union10]
(batchId=98) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union11] (batchId=121)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union12] (batchId=95) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union13]
(batchId=115) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union14] (batchId=97)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 15] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 16] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 16] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 16] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 16] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 16] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 16] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 16] \ (batch Id=131) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli
(batchId=130) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union17] (batchId=123)
org, apache. hadoop. hive.cli. TestSparkCliDriver.testCliDriver[union18] (batchId=100) org. apache. hadoop. hive.cli. TestSparkCliDriver.testCliDriver[union19]
(batchId=118) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union20] (batchId=95)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union21] (batchId=93) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union22]
(batchId=99) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union24] (batchId=118)
org,apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union26] (batchId=121) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union27]
(batchId=95) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union2] (batchId=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union31] (batchId=94) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union32]
(batchId=105) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union33] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union34] (batchId=98) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union34]
(batchId=119) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union4] (batchId=124)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 5] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union 6] \ (batch Id = 102) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. 
(batchId=106) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union7] (batchId=120)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union9] (batchId=110) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union]
(batchId=94) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_date] (batchId=112)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_date_trim] (batchId=127)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_null] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver. test Cli Driver [union\_ppr] \ (batch Id=128) \ org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver.
(batchId=101) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_10] (batchId=103)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_11] (batchId=101)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_12] (batchId=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_13] (batchId=130)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_14] (batchId=98)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_15] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_16] (batchId=124)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_17] (batchId=122)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_18] (batchId=96)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_19] (batchId=101)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_1] (batchId=107)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_20] (batchId=129)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_21] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_22] (batchId=126)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_23] (batchId=124)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_24] (batchId=99)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_25] (batchId=130)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_2] (batchId=110)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_3] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_4] (batchId=97)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_5] (batchId=118)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_6] (batchId=112)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_6_subq] (batchId=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_7] (batchId=94)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_8] (batchId=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_remove_9] (batchId=124)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_script] (batchId=122)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union_top_level] (batchId=119)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[uniquejoin] (batchId=122)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[varchar_join1] (batchId=95)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_between_in] (batchId=117)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_cast_constant] (batchId=97)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_count_distinct] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_data_types] (batchId=126)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vector\_decimal\_aggregate] \ (batch Id=101) \\
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_distinct_2] (batchId=115)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_groupby_3] (batchId=120)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=127)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_string_concat] (batchId=107)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_0] (batchId=128)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_10] (batchId=104)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_11] (batchId=109)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_12] (batchId=97)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization 13] (batchId=114)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_14] (batchId=99)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_15] (batchId=120)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_16] (batchId=111)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_17] (batchId=130)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_1] (batchId=117)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_2] (batchId=102)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_3] (batchId=126)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_4] (batchId=102)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_5] (batchId=117)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_6] (batchId=105)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vectorization\_9] \ (batch Id=93)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_div0] (batchId=122)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorization_short_regress] (batchId=113)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized_mapjoin] (batchId=124)
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vectorized\_math\_funcs] \ (batch Id=102) \ (batch Id
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vectorized\_nested\_mapjoin] \ (batch Id=100) \ (batc
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized_ptf] (batchId=120)
org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized_rcfile_columnar] (batchId=108)
```

org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized_shufflejoin] (batchId=124)

```
org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vectorized\_time stamp\_funcs] \ (batch Id=106) \\
       org. apache. hadoop. hive. cli. TestSparkCliDriver. testCliDriver [windowing] \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries. testMTQueries 1 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 3 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 4 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 5 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 5 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 6 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 6 \ (batchId=203) \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 7 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 8 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 1 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 1 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 1 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 1 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 1 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 1 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 1 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoop. hadoop. hadoop. hive. ql. TestMTQueries 2 \ (batchId=115) \ org. apache. hadoo
       {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/2374/testReport Console output: https://builds.apache.org/job
       Build/2374/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-2374/ Messages: {noformat} Executing
       org. apache. hive. ptest. execution. Test Check Phase\ Executing\ org. apache. hive. ptest. execution. Prep Phase\ Execut
       Executing org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 2110 tests failed {noformat} This message is automatically
       generated. ATTACHMENT ID: 12841384 - PreCommit-HIVE-Build
5. [~ashutoshc]. The query string is set in Driver.java L532 {code} conf.setQueryString(queryStr); {code} Later, PreExecutePrinter prints out the query. The original
       code in master is to change all ";" to "\;" in comments. It seems that, we could not find a better way than the way proposed in the patch.
6. OK..+1
7. \ Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12843659/HIVE-15297.04.patch {color:green} SUCCESS: 1.0 (2011) SUCCESS: 1.0
       {color} +1 due to 2 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 414 failed/errored test(s), 10822 tests executed *Failed tests:
       {noformat} TestDerbyConnector - did not produce a TEST-*.xml file (likely timed out) (batchId=233) TestVectorizedColumnReaderBase - did not produce a
       TEST-*.xml file (likely timed out) (batchId=250) org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_joins] (batchId=217)
       org. apache. hadoop. hive. cli. Test Accumulo Cli Driver. test Cli Driver [accumulo\_predicate\_pushdown] \ (batch Id=217) \ 
       org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_single_sourced_multi_insert] (batchId=217)
       org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[ctas] (batchId=229)
       org. apache. hadoop. hive. cli. TestBlobstore CliDriver. testCliDriver [insert\_into\_dynamic\_partitions] \ (batchId=229)
       org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_into_table] (batchId=229)
       org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_overwrite_directory] (batchId=229)
       org.apache.hadoop.hive.cli. TestBlobstoreCliDriver.testCliDriver[insert\_overwrite\_dynamic\_partitions] \ (batchId=229)
       org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_overwrite_table] (batchId=229)
       org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[write_final_output_blobstore] (batchId=229)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_subquery] \ (batch Id=36) \ org. apache. hadoop. hive. cli. Test Cli Driver. te
       (batchId=48) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[analyze_tbl_part] (batchId=44)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[annotate_stats_join_pkfk] (batchId=13)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avrocountemptytbl] (batchId=74) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input19]
       (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_overwrite_directory] (batchId=25)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join 46] \ (batch Id=1) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [join\_emit\_interval] \ (batch Id=1) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver
       (batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[mapjoin46] (batchId=53)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[nested_column_pruning] (batchId=31) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample2]
       (batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample4] (batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample5]
       (batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample6] (batchId=61) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample7]
       (batchId=60) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample9] (batchId=39)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[serde_opencsv] (batchId=68) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[smb_mapjoin_46]
       (batchId=37) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[specialChar] (batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[uniquejoin]
       (batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[update_after_multiple_inserts] (batchId=62)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[update_after_multiple_inserts_special_characters] (batchId=66)
       org.apache.hadoop.hive.cli. Test Cli Driver [update\_all\_types] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=16) \ org.apache.hadoop.hive.cli. Test Cli Driver [update\_orig\_table] \ (batch Id=1
       (batchId=56) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[varchar\_1] \ (batchId=40) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[varchar\_2] \ (batchId=56) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver[varchar\_2] \ (batchId=56) \ org. apache. hadoop. hive. cli. TestCliDriver. testC
       (batchId=60) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[varchar_join1] (batchId=5)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [varchar\_nested\_types] \ (batch Id=74) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [varchar\_serde] \ (batch Id=74) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [varchar\_serde] \ (batch Id=74) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
       (batchId=2) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[varchar_union1] (batchId=11)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_aggregate_9] (batchId=36)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_binary\_join\_group by] \ (batch Id=74)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_cast_constant] (batchId=8) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_char_2]
       (batchId=63) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_char_mapjoin1] (batchId=30)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_char_simple] (batchId=42) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_coalesce]
       (batchId=10) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_complex_join] (batchId=40)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector\_count] \ (batchId=12) \ org.apache.hadoop.hive.cli.TestCliDriver[vector\_data\_types]
       (batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_date_1] (batchId=20)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_decimal_aggregate] (batchId=17)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_decimal_expressions] (batchId=48)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_decimal\_round\_2] \ (batch Id=22)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_distinct_2] (batchId=47)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_empty_where] (batchId=22)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[vector\_groupby 4] \ (batch Id=14) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver[vector\_groupby 6] \ (batch Id=14) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli
       (batchId=79) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_groupby_3] (batchId=59)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_group by\_mapjoin] \ (batch Id=68) \\
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_grouping_sets] (batchId=76)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vector_include_no_sel] (batchId=4)
       org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_interval\_1] \ (batch Id=14) \\
       org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [vector\_interval\_arithmetic] \ (batch Id=4) \\
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_3] (batchId=19) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_3]
       (batchId=69) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_4] (batchId=19)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_7] (batchId=52) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_7]
       (batchId=39) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_8] (batchId=43)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_9] (batchId=1) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_div0]
       (batchId=62) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorization_limit] (batchId=33)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_bucketmapjoin1] (batchId=23)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_date_funcs] (batchId=69)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_mapjoin] (batchId=66)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_math_funcs] (batchId=19)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_parquet_types] (batchId=60)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_rcfile_columnar] (batchId=34)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_shufflejoin] (batchId=66)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_timestamp_funcs] (batchId=28) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[view]
       (batchId=40) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[view_inputs] (batchId=3)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_columnPruning] (batchId=73)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_distinct] (batchId=51)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_expressions] (batchId=50)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_rank] (batchId=48)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_streaming] (batchId=61)
       org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [windowing\_udaf2] \ (batch Id=14)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_windowspec3] (batchId=34)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_windowspec4] (batchId=60)
       org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[windowing_windowspec] (batchId=16)
```

org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized_string_funcs] (batchId=117)

```
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[dboutput] (batchId=220)
org. apache. hadoop. hive. cli. Test Contrib Cli Driver. test Cli Driver [file format\_base 64] \ (batch Id=220) \\
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[udf_row_sequence] (batchId=220)
org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[url_hook] (batchId=220)
org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[case with row sequence] (batchId=223)
org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[invalid_row_sequence] (batchId=223)
org. apache. hadoop. hive. cli. Test Contrib Negative Cli Driver. test Cli Driver [serde\_regex] \ (batch Id=223) \ (batch I
org. apache. hadoop. hive. cli. Test Encrypted HDFS Cli Driver. test Cli Driver [encryption\_insert\_partition\_dynamic] \ (batch Id=156) \\
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_insert_partition_static] (batchId=154)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_insert_values] (batchId=155)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_join_unencrypted_tbl] (batchId=157)
org. apache. hadoop. hive. cli. Test Encrypted HDFS Cli Driver. test Cli Driver [encryption\_join\_with\_different\_encryption\_keys] \ (batch Id=157)
org. apache. hadoop. hive. cli. Test Encrypted HDFS Cli Driver. test Cli Driver [encryption\_load\_data\_to\_encrypted\_tables] \ (batch Id=155)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_move_tbl] (batchId=155)
org. apache. hadoop. hive.cli. Test Encrypted HDFSC liDriver. test CliDriver [encryption\_select\_read\_only\_encrypted\_tbl] \\ (batch Id=157)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_select_read_only_unencrypted_tbl] (batchId=157)
org. apache. hadoop. hive.cli. Test Encrypted HDFSC liDriver. test CliDriver [encryption\_unencrypted\_nonhdfs\_external\_tables] \\ (batch Id=155)
org.apache.hadoop.hive.cli.TestHBaseNegativeCliDriver.testCliDriver[cascade_dbdrop] (batchId=224)
org. apache. hadoop. hive. cli. Test HB as e Negative Cli Driver. test Cli Driver [generateh files\_require\_family\_path] \ (batch Id=224)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[acid_bucket_pruning] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[bucket5] (batchId=136) org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[cte_2]
(batchId=135) org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[cte_4] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[dynamic_partition_pruning_2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[explainuser_2] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[global_limit] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[insert_into1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llap_udf] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llapdecider] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[load_fs2] (batchId=136)
org. apache. hadoop. hive. cli. Test MiniLlap Cli Driver. test Cli Driver [orc\_llap\_counters 1] \ (batch Id=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_llap_counters] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge10] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge_diff_fs] (batchId=133)
org. apache. hadoop. hive. cli. Test Mini Llap Cli Driver. test Cli Driver [orc\_ppd\_basic] \ (batch Id=133) \\
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_ppd_schema_evol_3a] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_env_var1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_env_var2] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_pipe] (batchId=136)
org.apache.hadoop.hive.cli.Test MiniLlap Cli Driver.test Cli Driver[temp\_table\_external] \ (batch Id=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[unionDistinct_1] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[escape1] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[escape2] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join46] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join_emit_interval] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join_filters] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join_nulls] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[join_nullsafe] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[lateral_view] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[leftsemijoin] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[leftsemijoin_mr] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[limit\_pushdown3] \ (batchId=143) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[limit_pushdown] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[list_bucket_dml_10] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[load_dyn_part1] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[load_dyn_part2] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[load_dyn_part3] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[lvj_mapjoin] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mapjoin46] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mapjoin_decimal] (batchId=150)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [mapjoin\_emit\_interval] \ (batch Id=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mapjoin_mapjoin] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[merge1] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[merge2] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[mergejoin] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[metadataonly1] (batchId=150)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [mrr] \ (batch Id=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[multiMapJoin1] \ (batchId=146) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[multiMapJoin2] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[multi_insert] (batchId=144)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [multi\_insert\_lateral\_view] \\ (batch Id=147)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [nonmr\_fetch\_threshold] \ (batch Id=152) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[offset_limit_ppd_optimizer] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[optimize_nullscan] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_analyze] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_create] (batchId=147)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_llap] \ (batch Id=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_merge11] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_merge5] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_merge6] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_merge7] (batchId=153)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_merge 9] \ (batch Id=142) \ (batch Id=
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_merge\_incompat1] \ (batch Id=150) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc\_merge\_incompat2] \ (batchId=152)
```

org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_ppd_date] (batchId=146)

```
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_ppd\_decimal] \ (batch Id=139)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [orc\_ppd\_timestamp] \ (batch Id=152) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_ppd_varchar] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc_predicate_pushdown] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[orc split elimination] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[parallel] (batchId=142)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [parquet\_predicate\_pushdown] \ (batch Id=142) \\
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [parquet\_types] \ (batch Id=148) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[partition_multilevels] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ppd_union_view] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ptf] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[ptf_matchpath] (batchId=140)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [ptf\_streaming] \ (batch Id=148) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[reduce_deduplicate_extended] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[sample10] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[sample1] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_part] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_part_update] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acid_table_update] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_part] (batchId=150)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_acidvec\_part\_update] \ (batch Id=139) \ (bat
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_table] (batchld=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_acidvec_table_update] (batchId=138)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_nonvec\_part] \ (batch Id=151)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_nonvec\_part\_all\_complex] \ (batch Id=138) \
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_nonvec_part_all_primitive] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_nonvec_table] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_vec_part] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema\_evol\_orc\_vec\_part\_all\_complex] \ (batchId=147) \ 
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_orc\_vec\_part\_all\_primitive] \ (batch Id=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_orc_vec_table] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_stats] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_nonvec_part] (batchId=140)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_text\_nonvec\_part\_all\_complex] \\ (batch Id=150)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_text\_nonvec\_part\_all\_primitive] \ (batch Id=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_nonvec_table] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vec_part] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vec_part_all_complex] (batchId=144)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [schema\_evol\_text\_vec\_part\_all\_primitive] \ (batch Id=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vec_table] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vecrow_part] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vecrow_part_all_complex] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vecrow_part_all_primitive] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[schema_evol_text_vecrow_table] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[selectDistinctStar]\ (batchId=151)
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [select\_dummy\_source] \ (batch Id=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[semijoin] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[skewjoin] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[skewjoinopt15] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_14] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_15] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_17] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_18] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_19] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_4] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[smb_mapjoin_5] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[special_character_in_tabnames_1] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[stats_based_fetch_decision] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[stats_noscan_1] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_exists] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_in] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_notin] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[subquery_views] (batchId=140)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [table\_access\_keys\_stats] \ (batch Id=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_dml] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_dynpart_hashjoin_1] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_dynpart_hashjoin_2] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_join_hash] (batchId=147)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [tez\_join\_result\_complex] \ (batch Id=140) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_join_tests] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_joins_explain] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_multi_union] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_schema_evolution] (batchId=153)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [tez\_smb\_empty] \ (batch Id=144) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez\_union\_multiinsert] \ (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_vector_dynpart_hashjoin_1] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[tez_vector_dynpart_hashjoin_2] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[uber_reduce] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[udaf_collect_set_2] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union2] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union3] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union4] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union5] (batchId=141)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [union 6] \ (batch Id=143) \ (batch Id=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union7] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union8] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union9] (batchId=145)
```

```
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[unionDistinct_2] (batchId=140)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [union\_remove\_26] \ (batch Id=146)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [union\_top\_level] \ (batch Id=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[update_after_multiple_inserts] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[update_all_types] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[varchar_udf1] (batchId=141)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_adaptor\_usage\_mode] \ (batch Id=152) \ (batch Id=152
org. a pache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_aggregate\_9] \ (batch Id=145) \ (ba
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_auto_smb_mapjoin_14] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_between_columns] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_between_in] (batchId=148)
org. a pache. hadoop. hive. cli. Test Mini Llap Local Cli Driver. test Cli Driver [vector\_binary\_join\_group by] \ (batch Id=152) \\
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_cast\_constant] \ (batch Id=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_char_2] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_char_mapjoin1] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_char_simple] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_coalesce] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_complex_join] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_count] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_count_distinct] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_data_types] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_date\_1] \ (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_aggregate] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_expressions] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_mapjoin] (batchId=148)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_decimal\_math\_funcs] \ (batch Id=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_round_2] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_decimal_udf] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_distinct_2] (batchId=147)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_group by 4] \ (batch Id=140) \ (bat
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_groupby6] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_groupby_3] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_groupby_mapjoin] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_grouping_sets] (batchId=153)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_include\_no\_sel] \ (batch Id=138) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_interval\_1] \ (batchId=140) \ (ba
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_interval_2] (batchId=150)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_interval_arithmetic] (batchId=138)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_join30] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_join_filters] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_join\_nulls] \ (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_left_outer_join2] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_leftsemi_mapjoin] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=152)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_mr\_diff\_schema\_alias] \ (batch Id=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_null_projection] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_nullsafe\_join] \ (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_number_compare_projection] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join0] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join1] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join2] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join3] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join4] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join5] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join6] (batchId=145)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_partition\_diff\_num\_cols] \ (batch Id=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_partitioned_date_time] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce1] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce2] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce3] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_string\_concat] \ (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_struct_in] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_udf1] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_varchar_mapjoin1] (batchId=142)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_varchar\_simple] \ (batch Id=151) \\
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_when\_case\_null] \ (batch Id=144) \
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_0] (batchId=152)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_10] \ (batch Id=142) \ (batc
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_11] (batchId=144)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_12] \ (batch Id=139) \ (bat
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_13] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_14] (batchId=140)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_15] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_16] (batchId=145)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_17] \ (batch Id=153) \ (batc
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_1] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_2] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_3] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_4] (batchId=141)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_5] \ (batch Id=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_6] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_7] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_8] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_9] (batchId=138)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_short\_regress] \ (batch Id=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_bucketmapjoin1] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized\_casts] \ (batchId=152) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_date_funcs] (batchId=151)
```

```
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_dynamic\_partition\_pruning] \ (batch Id=143) \ (ba
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_join46] (batchId=146)
    org. a pache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_mapjoin] \ (batch Id=151) \\
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_math_funcs] (batchId=141)
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_nested_mapjoin] (batchId=140)
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_parquet_types] (batchId=150)
    org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_ptf] \ (batch Id=149) \\
    org. a pache. hadoop. hive. cli. Test Mini Llap Local Cli Driver. test Cli Driver [vectorized\_rcfile\_columnar] \ (batch Id=144) \\
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_shufflejoin] (batchId=151)
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_string_funcs] (batchId=148)
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_timestamp_funcs] (batchId=143)
    org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_timestamp\_ints\_casts] \ (batch Id=147)
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing] (batchId=147)
    org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing_windowspec2] (batchId=149)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_4] (batchId=93)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_5] (batchId=92)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[hybridgrace_hashjoin_1] (batchId=92)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[hybridgrace_hashjoin_2] (batchId=92)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[orc_vectorization_ppd] (batchId=92)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[tez_union_with_udf] (batchId=93)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[unionDistinct_2] (batchId=92)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[update_orig_table] (batchId=92)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[vectorization_div0] (batchId=93)
    org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[vectorization_limit] (batchId=92)
    org. apache. hadoop. hive. cli. Test Minimr Cli Driver. test Cli Driver [bucket\_num\_reducers 2] \ (batch Id = 83) \\
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[bucket_num_reducers] (batchId=83)
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[index_bitmap3] (batchId=82)
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[index_bitmap_auto] (batchId=82)
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_dyn_part] (batchId=82)
    org. apache. hadoop. hive. cli. Test Minimr Cli Driver. test Cli Driver [infer\_bucket\_sort\_map\_operators] \ (batch Id=82) \\
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_merge] (batchId=83)
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_num_buckets] (batchId=82)
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[infer_bucket_sort_reducers_power_two] (batchId=82)
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[parallel_orderby] (batchId=82)
    org.apache.hadoop.hive.cli.TestMinimrCliDriver.testCliDriver[scriptfile1] (batchId=83)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[fs_default_name1] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[fs_default_name2] (batchId=85)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[subquery_nested_subquery] (batchId=84)
    org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[subquery_shared_alias] (batchId=84)
    org. a pache. hadoop. hive. cli. Test Negative Minimr Cli Driver. test Cli Driver [cluster\_task log\_retrieval] \ (batch Id=86) \\
    org.apache.hadoop.hive.cli.TestNegativeMinimrCliDriver.testCliDriver[minimr_broken_pipe] (batchId=86)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join29] (batchId=117) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby6]
    (batchId=117) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_array] (batchId=117)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[merge1] (batchId=117)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[multi_insert_move_tasks_share_dependencies] (batchId=117)
    org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [runtime\_skewjoin\_mapjoin\_spark] \ (batch Id=117) \\
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sumple5] (batchId=117) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[subquery_in]
    (batchId=120) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[udf_percentile] (batchId=121)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union8] (batchId=117)
    org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_decimal_mapjoin] (batchId=117)
    org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vectorized\_math\_funcs] \ (batch Id=103) \ org. apache. hadoop. hive. ql. Test MTQueries. test MTQuer
    (batchId=204) {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/2620/testReport Console output:
    https://builds.apache.org/job/PreCommit-HIVE-Build/2620/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-2620/ Messages: {noformat}
    Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing
    org. apache. hive. ptest. execution. Execution Phase\ Executing\ org. apache. hive. ptest. execution. Reporting Phase\ Tests\ exited\ with:\ Tests Failed Exception:\ 414\ tests
    failed (noformat) This message is automatically generated. ATTACHMENT ID: 12843659 - PreCommit-HIVE-Build
8. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12843980/HIVE-15297.05.patch {color:green}SUCCESS:
     {color} +1 due to 2 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 164 failed/errored test(s), 10823 tests executed *Failed tests:
    {noformat} TestDerbyConnector - did not produce a TEST-*.xml file (likely timed out) (batchId=234) TestVectorizedColumnReaderBase - did not produce a
    TEST-*.xml file (likely timed out) (batchId=251) org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_joins] (batchId=218)
    org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_predicate_pushdown] (batchId=218)
    org.apache.hadoop.hive.cli.TestAccumuloCliDriver.testCliDriver[accumulo_single_sourced_multi_insert] (batchId=218)
    org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[ctas] (batchId=230)
    org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_into_dynamic_partitions] (batchId=230)
    org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_into_table] (batchId=230)
    org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_overwrite_directory] (batchId=230)
    org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_overwrite_dynamic_partitions] (batchId=230)
    org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[insert_overwrite_table] (batchId=230)
    org.apache.hadoop.hive.cli.TestBlobstoreCliDriver.testCliDriver[write\_final\_output\_blobstore] \ (batchId=230)
    org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [acid\_table\_stats] \ (batch Id=48) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [analyze\_tbl\_part] \ (batch Id=48) \ org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [analyze\_tbl\_part] \ (batch Id=48) \ org. apache. hadoop. hive. cli. Test Cli Driver. test C
    (batchId=44) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[input19] (batchId=79)
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert_overwrite_directory] (batchId=25) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample2]
    (batchId=5) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample4] (batchId=15) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample5]
    (batchId=51) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample6] (batchId=61) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[sample7]
    (batchId=60)\ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [sample9]\ (batchId=39) apache. hadoop. hive. cli. TestCliDriver. testCliDriver [sample9]\ (batchId=39) apache. hadoop. hive. cli. TestCliDriver. testCliD
    org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[serde_opencsv] (batchId=68) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[specialChar]
    (batchId=22) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[vectorized_math_funcs] (batchId=19)
    org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[dboutput] (batchId=221)
    org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[fileformat_base64] (batchId=221)
    org. apache. hadoop. hive. cli. Test Contrib Cli Driver. test Cli Driver [udf\_row\_sequence] \ (batch Id=221)
    org.apache.hadoop.hive.cli.TestContribCliDriver.testCliDriver[url_hook] (batchId=221)
    org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[case_with_row_sequence] (batchId=224)
    org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[invalid_row_sequence] (batchId=224)
    org.apache.hadoop.hive.cli.TestContribNegativeCliDriver.testCliDriver[serde_regex] (batchId=224)
    org. apache. hadoop. hive.cli. Test Encrypted HDFSC liDriver. test CliDriver [encryption\_insert\_partition\_dynamic] \ (batch Id=157) \\
    org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_insert_partition_static] (batchId=155)
    org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_insert_values] (batchId=156)
    org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_join_unencrypted_tbl] (batchId=158)
```

```
org. apache. hadoop. hive.cli. Test Encrypted HDFS Cli Driver. test Cli Driver [encryption\_join\_with\_different\_encryption\_keys] \ (batch Id=158)
org. apache. hadoop. hive. cli. Test Encrypted HDFS Cli Driver. test Cli Driver [encryption\_load\_data\_to\_encrypted\_tables] \ (batch Id=156)
org. a pache. hadoop. hive.cli. Test Encrypted HDFS CliDriver. test CliDriver [encryption\_move\_tbl] \ (batch Id=156) \\
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_select_read_only_encrypted_tbl] (batchId=158)
org.apache.hadoop.hive.cli.TestEncryptedHDFSCliDriver.testCliDriver[encryption_select_read_only_unencrypted_tbl] (batchId=158)
org. apache. hadoop. hive. cli. Test Encrypted HDFSC liDriver. test CliDriver [encryption\_unencrypted\_nonhdfs\_external\_tables] \ (batch Id=156)
org. a pache. hadoop. hive. cli. Test HB as e Negative Cli Driver. test Cli Driver [cascade\_dbdrop] \ (batch Id=225)
org. apache. hadoop. hive. cli. Test HB as e Negative Cli Driver. test Cli Driver [generate h files_require_family_path] \ (batch Id=225) \ 
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[acid_bucket_pruning] (batchId=134)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[bucket5] (batchId=136) org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[cte_2]
(batchId=135) org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[cte_4] (batchId=137)
org.apache.hadoop.hive.cli.Test \underline{MiniLlapCliDriver.testCliDriver[dynamic\_partition\_pruning\_2]} \ (batchId=135)
org. apache. hadoop. hive. cli. Test MiniLlap Cli Driver. test Cli Driver [explainuser\_2] \ (batch Id=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[global_limit] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[insert_into1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llap_udf] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llapdecider] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[load_fs2] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_llap_counters1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_llap_counters] (batchId=137)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge10] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_merge_diff_fs] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc_ppd_basic] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc\_ppd\_schema\_evol\_3a] \ (batchId=135) \ (ba
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_env_var1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_env_var2] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[script_pipe] (batchId=136)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[temp_table_external] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr1] (batchId=133)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[transform_ppr2] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[unionDistinct_1] (batchId=135)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[escape2] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[stats_based_fetch_decision] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_join30] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_join_filters] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_join_nulls] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_left_outer_join2] (batchId=149)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_left semi\_mapjoin] \ (batch Id=139) \ (batch Id=139
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_mapjoin_reduce] (batchId=152)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_mr\_diff\_schema\_alias] \ (batch Id=149) \ (batch Id=1
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_null_projection] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_nullsafe_join] (batchId=153)
org. apache. hadoop. hive. cli. Test Mini Llap Local Cli Driver. test Cli Driver [vector\_number\_compare\_projection] \ (batch Id=139) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join0] (batchId=149)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join1] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join2] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join3] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join4] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join5] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_outer_join6] (batchId=145)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vector\_partition\_diff\_num\_cols] \ (batch Id=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_partitioned_date_time] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce1] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce2] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_reduce3] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_string\_concat] \ (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_struct_in] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_udf1] (batchId=148)
org. apache. hadoop. hive. cli. Test Mini Llap Local Cli Driver. test Cli Driver [vector\_varchar\_mapjoin1] \\ (batch Id=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_varchar_simple] (batchId=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector_when_case_null] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_0] (batchId=152)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_10] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_11] (batchId=144)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_12] (batchId=139)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_13] (batchId=147)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_14] (batchId=140)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_15] \ (batch Id=149) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_16] (batchId=145)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_17] (batchId=153)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_1] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_2] (batchId=141)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_3] \ (batch Id=151) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_4] (batchId=141)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_5] (batchId=148)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_6] (batchId=142)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_7] (batchId=145)
org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_8] \ (batch Id=146) \\
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorization_9] (batchId=138)
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorization\_short\_regress] \ (batch Id=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_bucketmapjoin1] (batchId=142)
org.apache.hadoop.hive.cli.Test MiniLlap Local Cli Driver.test Cli Driver [vectorized\_casts] \ (batch Id=152) \ (batch Id=1
org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_date\_funcs] \ (batch Id=151)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_dynamic_partition_pruning] (batchId=143)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_join46] (batchId=146)
org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_mapjoin] (batchId=151)
```

```
org. apache. hadoop. hive.cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_math\_funcs] \ (batch Id=141)
     org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_nested\_mapjoin] \ (batch Id=140) \ (batch Id=140
     org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_parquet\_types] \ (batch Id=150)
     org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_ptf] (batchId=149)
     org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized rcfile columnar] (batchId=144)
     org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_shufflejoin] (batchId=151)
     org. a pache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_string\_funcs] \ (batch Id=148)
     org. apache. hadoop. hive. cli. Test MiniLlap Local Cli Driver. test Cli Driver [vectorized\_timestamp\_funcs] \ (batch Id=143) \\
     org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vectorized_timestamp_ints_casts] (batchId=147)
     org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing] (batchId=147)
     org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[windowing_windowspec2] (batchId=149)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_2] (batchId=93)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_4] (batchId=93)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_5] (batchId=92)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[hybridgrace_hashjoin_1] (batchId=92)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[hybridgrace_hashjoin_2] (batchId=92)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[orc_vectorization_ppd] (batchId=92)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[tez_union_with_udf] (batchId=93)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[unionDistinct_2] (batchId=92)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[update_orig_table] (batchId=92)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[vectorization_div0] (batchId=93)
     org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[vectorization_limit] (batchId=92)
     org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[fs_default_name1] (batchId=84)
     org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[fs_default_name2] (batchId=85)
     org. a pache. hadoop. hive. cli. Test Negative Minimr Cli Driver. test Cli Driver [cluster\_task log\_retrieval] \ (batch Id=86) \\
     org.apache.hadoop.hive.cli.TestNegativeMinimrCliDriver.testCliDriver[minimr_broken_pipe] (batchId=86)
     org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[auto_join29] (batchId=117) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[groupby6]
     (batchId=117) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[join_array] (batchId=117)
     org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[merge1] (batchId=117)
     org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[multi_insert_move_tasks_share_dependencies] (batchId=117)
     org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [runtime\_skewjoin\_mapjoin\_spark] \\ (batch Id=117)
     org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[sumple5] (batchId=117) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[subquery_in]
     (batchId=120) org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[udf_percentile] (batchId=121)
     org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[union8] (batchId=117)
     org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vector_decimal_mapjoin] (batchId=117)
     org. apache. hadoop. hive. cli. Test Spark Cli Driver. test Cli Driver [vectorized\_math\_funcs] \ (batch Id=103) \ org. apache. hadoop. hive. ql. Test MTQueries. test MTQuer
     (batchId=205) {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/2643/testReport Console output:
     https://builds.apache.org/job/PreCommit-HIVE-Build/2643/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-2643/ Messages: {noformat}
     Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing
     org. apache. hive. ptest. execution. Execution Phase\ Executing\ org. apache. hive. ptest. execution. Reporting Phase\ Tests\ exited\ with:\ Tests Failed Exception:\ 164\ tests
     failed {noformat} This message is automatically generated. ATTACHMENT ID: 12843980 - PreCommit-HIVE-Build
 9. [~pxiong] since you're in this code wanted to flag this: {code} hive> create table test (`x,y` int); FAILED: Execution Error, return code 1 from
     org.apache.hadoop.hive.ql.exec.DDLTask, java.lang.RuntimeException: MetaException(message:org.apache.hadoop.hive.serde2.SerDeException
     org.apache.hadoop.hive.serde2.lazy.LazySimpleSerDe: columns has 2 elements while columns.types has 1 elements!) {code} Would a fix to this be related? Any
     chance to bundle them up?
10. [~cartershanklin], could u try the patch attached and see if it is reproducible? Thanks.
11. [~pxiong] same problem {code} hive> create table test (`x,y` int); FAILED: Execution Error, return code 1 from org.apache.hadoop.hive.ql.exec.DDLTask.
     java.lang.RuntimeException: MetaException(message:org.apache.hadoop.hive.serde2.SerDeException org.apache.hadoop.hive.serde2.lazy.LazySimpleSerDe:
     columns has 2 elements while columns.types has 1 elements!) hive> create table ts (test string); OK Time taken: 2.262 seconds hive> INSERT INTO ts VALUES
     ('Mozilla/5.0 (iPhone; CPU iPhone OS 5_0'); Query ID = vagrant_20170107022957_4be25fcf-33c6-4f8a-b77d-3da64d061ab6 Total jobs = 1 Launching Job 1 out
     ----- Map 1 ...... container SUCCEEDED 1 1 0 0 0 0 --
                                                                                         ===>>] 100% ELAPSED TIME: 0.71 s -----
                 -- Loading data to table default.ts OK Time taken: 4.146 seconds hive> {code}
```

- 12. [~pxiong] Seems like golden file updates is still needed for some q files.
- 13. Yes, it is right now blocked by HIVE-15467. ccing [~hagleitn]
- 14. pushed to master. Thanks [~ashutoshc] for the review. I will file further golden file changes under this jira. Thanks.
- 15. I noticed that a couple of trailing space/tabs are introduced in the patch. Could we get it removed, maybe via a separate JIRA? Thanks.
- 16. [~pxiong] this seems to have broken many tests under HiveQA. Can you please fix or revert?
- 17. [~sershe], i am fixing it now.