git_commits:
1. <b>summary:</b> HIVE-17472: Drop-partition for multi-level partition fails, if data does not exist. (Chris Drome, reviewed by Mithun Radhakrishnan) <b>message:</b> HIVE-17472: Drop-partition for multi-level partition fails, if data does not exist. (Chris Drome, reviewed by Mithun Radhakrishnan)
github_issues:
github_issues_comments:
github_pulls:
github_pulls_comments:
github_pulls_reviews:
jira_issues:
1. <b>summary:</b> Drop-partition for multi-level partition fails, if data does not exist. <b>description:</b> Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code} 2. <b>summary:</b> Drop-partition for multi-level partition fails, if data does not exist.

**label:** test

3. **summary:** Drop-partition for multi-level partition fails, if data does not exist.

Item 252 git\_comments:

description: Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}

**description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}

- 4. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 5. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 6. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 7. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar', ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 8. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING) PARTITIONED BY ( dt STRING, region STRING) STORED AS RCFILE LOCATION '/tmp/foobar', ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 9. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 10. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 11. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 12. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 13. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}
- 14. **summary:** Drop-partition for multi-level partition fails, if data does not exist. **description:** Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION (

dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION (dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code} 15. **summary:** Drop-partition for multi-level partition fails, if data does not exist.

description: Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION (dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code} 16. summary: Drop-partition for multi-level partition fails, if data does not exist.

description: Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION /tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION ( dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}

17. **summary:** Drop-partition for multi-level partition fails, if data does not exist. description: Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION (dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}

18. **summary:** Drop-partition for multi-level partition fails, if data does not exist. description: Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION (dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}

19. summary: Drop-partition for multi-level partition fails, if data does not exist. description: Raising this on behalf of [~cdrome] and [~selinazh]. Here's how to reproduce the problem: {code:sql} CREATE TABLE foobar ( foo STRING, bar STRING ) PARTITIONED BY ( dt STRING, region STRING ) STORED AS RCFILE LOCATION '/tmp/foobar'; ALTER TABLE foobar ADD PARTITION ( dt='1', region='A'); dfs -rm -R -skipTrash /tmp/foobar/dt=1; ALTER TABLE foobar DROP PARTITION (dt='1'); {code} This causes a client-side error as follows: {code} 15/02/26 23:08:32 ERROR exec.DDLTask: org.apache.hadoop.hive.ql.metadata.HiveException: Unknown error. Please check logs. {code}

## jira\_issues\_comments:

- 1. Submitting for tests.
- 2. body: And now, with tests.

label: test

- $3. \ Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12885714/HIVE-17472.2.patch {color:green} SUCCESS: a constant of the latest attachment attachment of the latest attachment of the lates$ {color} +1 due to 1 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 8 failed/errored test(s), 11029 tests executed \*Failed tests:\* {noformat} TestAccumuloCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=230) TestDummy - did not produce a TEST-\*.xml file (likely timed out) (batchId=230) TestTxnCommandsBase - did not produce a TEST-\*.xml file (likely timed out) (batchId=280) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[char\_udf1] (batchId=86)  $org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [insert\_values\_orig\_table\_use\_metadata] \ (batch Id=61)$ org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[sysdb] (batchId=153) org.apache.hadoop.hive.cli.TestPerfCliDriver.testCliDriver[query14] (batchId=234) org.apache.hive.jdbc.TestJdbcWithMiniHS2.testEmptyResultsetThriftSerializeInTasks (batchId=227) {noformat} Test results:
- https://builds.apache.org/job/PreCommit-HIVE-Build/6708/testReport Console output: https://builds.apache.org/job/PreCommit-HIVE-Build/6708/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-6708/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing org.apache.hive.ptest.execution.ExecutionPhase Executing org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 8 tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12885714 - PreCommit-HIVE-Build 4. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12885714/HIVE-17472.2.patch {color:green}SUCCESS:
- {color} +1 due to 1 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 7 failed/errored test(s), 11029 tests executed \*Failed tests:\* {noformat} TestAccumuloCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=230) TestDummy - did not produce a TEST-\*.xml file (likely timed out) (batchId=230) TestTxnCommandsBase - did not produce a TEST-\*.xml file (likely timed out) (batchId=280)  $org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[insert\_values\_orig\_table\_use\_metadata] \ (batchId=61) \\$

org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[unionDistinct\_1] (batchId=143)

org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze\_2] (batchId=100)

org.apache.hadoop.hive.cli.TestPerfCliDriver.testCliDriver[query14] (batchId=234) {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/6709/testReport Console output: https://builds.apache.org/job/PreCommit-HIVE-Build/6709/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build/6709/console Test logs: http://104.198.109.242/logs/PreCommit-PreCom HIVE-Build-6709/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase  $Executing\ org. apache. hive. ptest. execution. Execution Phase\ Executing\ org. apache. hive. ptest. execution. Reporting Phase\ Tests\ exited\ with:\ TestsFailed Exception:\ 70\% apache. hive. ptest. execution. The properties of the properties$ tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12885714 - PreCommit-HIVE-Build

5. Patch for branch-2

6. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12886137/HIVE-17472.2-branch-2.patch {color:green}SUCCESS:{color} +1 due to 1 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 13 failed/errored test(s), 10590 tests executed \*Failed tests:\* {noformat} org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[comments] (batchId=35)

 $org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [drop\_deleted\_partitions] \ (batch Id=62) \$ 

 $org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [explain den penden cydiffengs] \ (batch Id=38)$ 

org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[llap\_smb] (batchId=142)

org.apache.hadoop.hive.cli.TestMiniLlapCliDriver.testCliDriver[orc\_ppd\_basic] (batchId=139)

org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_count\_distinct] (batchId=147)

org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[vector\_if\_expr] (batchId=144)

org. a pache. hadoop. hive. cli. Test Spark Cli Driver. org. a pache. hadoop. hive. cli. Test Spark Cli Driver (batch Id=104) and the cli. Test Spark Cli. Test Spark Cli Driver (batch Id=104) and the cli. Test Spark Cli Driver (batch Id=104) and the cli. Test Spark Cli. Test Spark

org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[explaindenpendencydiffengs] (batchId=115)

org.apache.hadoop.hive.cli.TestSparkCliDriver.testCliDriver[vectorized\_ptf] (batchId=125) org.apache.hadoop.hive.ql.security.TestExtendedAcls.testPartition (batchId=228) org.apache.hadoop.hive.ql.security.TestFolderPermissions.testPartition (batchId=217)

 $org.apache. hive. hcatalog.api. TestHC at Client. test Transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format\}\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format]\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format]\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport Failure (batch Id=176) \{no format]\ Test results: \ https://builds.apache.org/job/PreCommit-HIVE-transport (batch Id=176) \{no format]\ Test results: \ https://builds.apache.org/job/Pre$ Build/6740/testReport Console output: https://builds.apache.org/job/PreCommit-HIVE-Build/6740/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build/6740/console Test logs: http://104.198.109.242/logs/PreCommit-Build/6740/console Test logs: http://104.198.109.242/logs/PreCommit-Build/6740/console Test logs: http://104.198.109.242/logs/PreCommit-Build/6740/console Test logs: http://104.198/logs/PreCommit-Build/6740/console T HIVE-Build-6740/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing org.apache.hive.ptest.execution.ExecutionPhase Executing org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 13 tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12886137 - PreCommit-HIVE-Build

7. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12886535/HIVE-17472.3-branch-2.2.patch {color:green}SUCCESS:{color} +1 due to 1 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 60 failed/errored test(s), 9935 tests executed \*Failed tests:\* {noformat} TestDerbyConnector - did not produce a TEST-\*.xml file (likely timed out) (batchId=244) TestJdbcDriver2 - did not produce a TEST-\*.xml file (likely timed out) (batchId=225) TestMiniLlapLocalCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=167)

[acid\_globallimit.q,alter\_merge\_2\_orc.q] TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=173)

 $[infer\_bucket\_sort\_reducers\_power\_two.q, list\_bucket\_dml\_10.q, orc\_merge9.q, orc\_merge6.q, leftsemijoin\_mr.q, bucket6.q, bucketmapjoin7.q, uber\_reduce.q, empty\_dml_20.q, orc\_merge9.q, orc\_merge9.q, orc\_merge9.q, orc\_merge9.q, leftsemijoin\_mr.q, bucket6.q, bucketmapjoin7.q, uber\_reduce.q, empty\_dml_20.q, orc\_merge9.q, orc\_merge9.q, orc\_merge9.q, leftsemijoin\_mr.q, bucket6.q, bucketmapjoin7.q, uber\_reduce.q, empty\_dml_20.q, orc\_merge9.q, orc\_merg$ TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=174)

 $[infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,bucketmapjoin6.q,import\_exported\_table.q,bucketmapjoin6.q,import\_exported\_table.q,bucketmapjoin6.q,bu$ TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=175)

[scriptfile1.q,vector\_outer\_join5.q,file\_with\_header\_footer.q,bucket4.q,input16\_cc.q,bucket5.q,infer\_bucket\_sort\_merge.q,constprog\_partitioner.q,orc\_merge2.q,red TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=118)

[bucketmapjoin4.q,bucket\_map\_join\_spark4.q,union21.q,groupby2\_noskew.q,timestamp\_2.q,date\_join1.q,mergejoins.q,smb\_mapjoin\_11.q,auto\_sortmerge\_join\_3.c

```
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=119)
[join_cond_pushdown_unqual4.q,union_remove_7.q,join13.q,join_vc.q,groupby_cube1.q,bucket_map_join_spark2.q,sample3.q,smb_mapjoin_19.q,stats16.q,union2
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=120)
[parallel_join1.q,union27.q,union12.q,groupby7_map_multi_single_reducer.q,varchar_join1.q,join7.q,join_reorder4.q,skewjoinopt2.q,bucketsortoptimize_insert_2.q
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=121)
[ptf\_general\_queries.q, auto\_join\_reordering\_values.q, sample2.q, join1.q, decimal\_join.q, mapjoin\_subquery2.q, join32\_lessSize.q, mapjoin1.q, order2.q, skewjoinopt18.
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=122)
[groupby_map_ppr.q,nullgroup4_multi_distinct.q,join_rc.q,union14.q,smb_mapjoin_12.q,vector_cast_constant.q,union_remove_4.q,auto_join11.q,load_dyn_part7.q
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=123)
[skewjoinopt15.q,auto_join18.q,list_bucket_dml_2.q,input1_limit.q,load_dyn_part3.q,union_remove_14.q,auto_sortmerge_join_14.q,auto_sortmerge_join_15.q,unio
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=124)
[avro\_joins.q,skewjoinopt16.q,auto\_join14.q,vectorization\_14.q,auto\_join26.q,stats1.q,cbo\_stats.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,cbo\_stats.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,cbo\_stats1.q,cbo\_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,cbo\_stats1.q,cbo\_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,cbo\_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vial_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_vial_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union\_vial_stats1.q,auto\_sortmerge\_join\_6.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,union22.q,u
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=125)
[limit\_pushdown 2.q, skewjoin\_noskew.q, leftsemijoin\_mr.q, bucket 3.q, skewjoinopt 13.q, bucket mapjoin 9.q, auto\_join 15.q, ptf.q, join 22.q, vectorized\_nested\_mapjoin.q, skewjoinopt 13.q, bucket mapjoin 9.q, auto\_join 15.q, ptf.q, join 22.q, vectorized\_nested\_mapjoin.q, skewjoinopt 13.q, bucket mapjoin 9.q, auto\_join 15.q, ptf.q, join 22.q, vectorized\_nested\_mapjoin.q, skewjoinopt 13.q, bucket mapjoin 9.q, auto\_join 15.q, ptf.q, join 22.q, vectorized\_nested\_mapjoin.q, skewjoinopt 13.q, bucket mapjoin 9.q, auto\_join 15.q, ptf.q, join 22.q, vectorized\_nested\_mapjoin.q, skewjoinopt 13.q, bucket mapjoin 9.q, auto\_join 15.q, ptf.q, join 22.q, vectorized\_nested\_mapjoin.q, skewjoin 15.q, bucket 15.q, 
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=126)
[vector_decimal_aggregate.q,ppd_join3.q,auto_join23.q,join10.q,union_remove_11.q,union_ppr.q,join32.q,groupby_multi_single_reducer2.q,input18.q,stats3.q,cbo_
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=127)
[skewjoinopt19.q,order.q,join_merge_multi_expressions.q,skewjoinopt10.q,insert_into1.q,vectorized_math_funcs.q,vectorization_4.q,vectorization_2.q,skewjoinopt0
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=128)
[skew join opt 3.q, smb\_mapjoin\_4.q, time stamp\_comparison.q, union\_remove\_10.q, mapreduce 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, bucket mapjoin\_negative.q, udf\_in\_file.q, union 5.q, auto\_join 12.q, skev\_join 2.q, auto\_join 2.q, auto\_jo
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=129)
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=130)
[skewjoin_union_remove_2.q,avro_decimal_native.q,skewjoinopt8.q,bucketmapjoin_negative3.q,stats6.q,groupby2_map.q,stats_only_null.q,insert_into3.q,join18_n
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=131)
[auto_join30.q,timestamp_null.q,union32.q,join16.q,groupby_ppr.q,bucketmapjoin7.q,smb_mapjoin_18.q,join19.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,vector_varchar_4.q,union6.q,union6.q,union6.q,union6.q,union6.q,union6.q,union6.q,union6.q,union6.q,union6.q,union6.q,
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=132)
[union_remove_1.q,ppd_outer_join2.q,date_udf.q,groupby1_noskew.q,join20.q,smb_mapjoin_13.q,groupby_rollup1.q,temp_table_gb1.q,vector_string_concat.q,sml
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=133)
[groupby\_grouping\_id2.q,input17.q,bucketmapjoin12.q,ppd\_gby\_join.q,auto\_join10.q,ptf\_rcfile.q,vector\_elt.q,multi\_insert.q,ppd\_join.q,join\_filters\_oversets.q,proptions.q,ppd\_join.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,proptions.q,prop
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=134)
[tez_joins_explain.q,vectorized_rcfile_columnar.q,transform2.q,cbo_semijoin.q,bucketmapjoin13.q,union_remove_6_subq.q,groupby2_map_multi_distinct.q,load_d
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=135)
[enforce_order.q,smb_mapjoin_21.q,load_dyn_part15.q,udf_min.q,groupby_resolution.q,mapjoin_memcheck.q,subquery_exists.q,groupby5.q,join27.q,alter_merge_
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=136)
[vectorization\_16.q,join\_cases ensitive.q,transform\_ppr2.q,join23.q,groupby7\_map\_skew.q,ppd\_join2.q,ppd\_outer\_join5.q,create\_merge\_compressed.q,louter\_join\_full formula and the properties of the properties of
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=137)
[bucketmapjoin3.q,load_dyn_part5.q,union_date.q,cbo_gby.q,auto_join31.q,auto_sortmerge_join_1.q,join_cond_pushdown_unqual1.q,ppd_outer_join3.q,bucket_mapjoin3.q,load_dyn_part5.q,union_date.q,cbo_gby.q,auto_join31.q,auto_sortmerge_join_1.q,join_cond_pushdown_unqual1.q,ppd_outer_join3.q,bucket_mapjoin3.q
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=138)
[escape\_distribute by 1.q. join 9.q. group by 2.q. group by 4\_map.q. udf\_max.q. vectorization\_push down.q. cbo\_gby\_empty.q. join\_cond\_push down\_unqual 3.q. vectorization\_push down\_unqual 3.q. vectorization\_unqual 3.q. vectorizat
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=139)
[groupby_map_ppr_multi_distinct.q,vectorization_13.q,mapjoin_mapjoin.q,union2.q,join41.q,groupby8_map.q,cbo_subq_not_in.q,identity_project_remove_skip.q,s
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=140)
[join 39.q, buckets or top timize\_insert\_7.q, vector\_distinct\_2.q, bucket mapjoin 10.q, join 11.q, union 13.q, auto\_sort merge\_join\_16.q, windowing.q, union\_remove\_3.q, skew
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=141)
[timestamp\_lazy.q,union 29.q,runtime\_skewjoin\_mapjoin\_spark.q,auto\_join 22.q,union 8.q,group by 5\_map.q,dynamic\_rdd\_cache.q,auto\_join 29.q,group by 6.q,merge 1.
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=142)
[load\_dyn\_part2.q,smb\_mapjoin\_7.q,vectorization\_5.q,smb\_mapjoin\_2.q,ppd\_join\_filter.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vectorized\_string\_fuller.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vectorized\_string\_fuller.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vectorized\_string\_fuller.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vectorized\_string\_fuller.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_in.q,vector\_between\_
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=143)
[group by 4\_noskew.q, group by 3\_map\_skew.q, join\_cond\_pushdown\_2.q, union 19.q, union 24.q, union\_remove\_5.q, group by 7\_noskew\_multi\_single\_reducer.q, vectorization and the properties of t
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=144)
[stats12.q,groupby4.q,union_top_level.q,stats2.q,groupby10.q,mapjoin_filter_on_outerjoin.q,auto_sortmerge_join_4.q,limit_partition_metadataonly.q,load_dyn_part
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=145)
[auto\_sortmerge\_join\_13.q.join4.q,join35.q,udf\_percentile.q,join\_reorder3.q,subquery\_in.q,auto\_join19.q,stats14.q,vectorization\_15.q,union7.q,vectorization\_nested and approximately a
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=146)
[groupby3_map.q,union26.q,mapreduce1.q,mapjoin_addjar.q,bucket_map_join_spark1.q,udf_example_add.q,multi_insert_with_join.q,sample7.q,auto_join_nulls.q,r
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=147)
[groupby_complex_types.q,multigroupby_singlemr.q,union11.q,groupby7.q,join5.q,bucketmapjoin_negative2.q,vectorization_div0.q,union_script.q,add_part_multip
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=148)
[table\_access\_keys\_stats.q, bucket mapjoin 11.q, auto\_join 4.q, mapjoin\_decimal.q, join 34.q, null group.q, mergejoins\_mixed.q, sort.q, stats 8.q, auto\_join 28.q, join 17.q, unior properties and the properties of the propertie
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=149)
[ptf_seqfile.q,union_remove_23.q,parallel_join0.q,union_remove_9.q,join_nullsafe.q,skewjoinopt14.q,vectorized_mapjoin.q,union4.q,auto_join5.q,vectorized_shuff
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=150)
[smb\_mapjoin\_15.q, script\_pipe.q, auto\_join\_24.q, filter\_join\_breaktask.q, bucket 4.q, ppd\_multi\_insert.q, skewjoinopt 20.q, join\_thrift.q, multi\_insert\_gby 3.q, group by 8.q, join\_gby 3.q, group by 8.q, group by 8.
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=151)
[ppd_transform.q,auto_join9.q,auto_join1.q,vector_data_types.q,input13.q,input14.q,input12.q,union_remove_22.q,vectorization_3.q,groupby1_map_nomap.q,cbo_i
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=152)
[router_join_ppr.q,auto_join13.q,union30.q,vector_mapjoin_reduce.q,ptf_register_tblfn.q,join_merging.q,union_date_trim.q,groupby3_noskew.q,optimize_nullscan.u
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=153)
[groupby6\_map.q, stats 13.q, groupby2\_noskew\_multi\_distinct.q, load\_dyn\_part 12.q, join 15.q, auto\_join 17.q, join\_hive\_626.q, tez\_join\_tests.q, auto\_join 21.q, join\_view.restation 19.q, join\_hive\_626.q, tez\_join\_tests.q, auto\_join 21.q, join\_hive\_626.q, tez\_join\_hive\_626.q, tez\_
 TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=154)
[union\_remove\_15.q,bucket\_map\_join\_tez1.q,scriptfile1.q,groupby7\_noskew.q,bucketmapjoin1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_in1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_join8.q,auto\_joi
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=155)
[join 2.q, join 36.q, avro\_joins\_native.q, join 18.q, smb\_mapjoin\_10.q, temp\_table.q, union\_remove\_13.q, auto\_sortmerge\_join\_5.q, group by 5\_noskew.q, auto\_join 0.q, vector properties and the properties of th
TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=156)
[auto_sortmerge_join_7.q,auto_join20.q,smb_mapjoin_5.q,vector_char_4.q,cross_product_check_2.q,union15.q,union_remove_25.q,insert_into2.q,join31.q,auto_joi
TestSparkNegativeCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=242)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[acid_globallimit] (batchId=27
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[auto_sortmerge_join_2] (batchId=44)
org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [avrocount empty tbl] \ (batch Id=74)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnStatsUpdateForStatsOptimizer_1] (batchId=31)
org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[decimal\_udf] \ (batchId=8) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[selectindate] \ (batchId=8) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[selectindate] \ (batchId=8) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[selectindate] \ (batchId=8) \ org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDriver.testCliDrive
(batchId=57) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver. [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver. [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver. [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver. [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver. [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver. [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver. [union\_fast\_stats] \ (batchId=47) \ org. apache. hadoop. hive. cli. TestCliDriver. testCliDriver.
org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze_5] (batchId=94)
org. apache. hadoop. hive.cli. Test MiniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109) \ org. apache. hadoop. hive.cli. Test MeniTez Cli Driver. test Cli D
```

(batchId=235) org.apache.hive.beeline.TestBeeLineWithArgs.testQueryProgressParallel (batchId=222) org.apache.hive.beeline.TestBeelineArgParsing.testAddLocalJarWithoutAddDriverClazz[0] (batchId=181)

 $org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [0] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. hive. hive. hive. hive. h$ 

```
(batchId=181) {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/6778/testReport Console output: https://builds.apache.org/job/PreCommit-HIVE-Build/6778/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-6778/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing org.apache.hive.ptest.execution.Execution.ExecutionPhase Executing org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 60 tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12886535 - PreCommit-HIVE-Build 8. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12886535/HIVE-17472.3-branch-2.2.patch
```

{color:green}SUCCESS:{color} +1 due to 1 test(s) being added or modified. {color:red}ERROR:{color} -1 due to 59 failed/errored test(s), 9935 tests executed \*Failed tests:\* {noformat} TestDerbyConnector - did not produce a TEST-\*.xml file (likely timed out) (batchId=244) TestJdbcDriver2 - did not produce a TEST-\*.xml file (likely timed out) (batchId=225) TestMiniLlapLocalCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=167)

[acid\_globallimit.q,alter\_merge\_2\_orc.q] TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=173)

[infer\_bucket\_sort\_reducers\_power\_two.q,list\_bucket\_dml\_10.q,orc\_merge9.q,orc\_merge6.q,leftsemijoin\_mr.q,bucket6.q,bucketmapjoin7.q,uber\_reduce.q,empty\_d TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=174)

[infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=175)

[scriptfile1.q,vector\_outer\_join5.q,file\_with\_header\_footer.q,bucket4.q,input16\_cc.q,bucket5.q,infer\_bucket\_sort\_merge.q,constprog\_partitioner.q,orc\_merge2.q,red TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=118)

[bucketmapjoin4.q,bucket\_map\_join\_spark4.q,union21.q,groupby2\_noskew.q,timestamp\_2.q,date\_join1.q,mergejoins.q,smb\_mapjoin\_11.q,auto\_sortmerge\_join\_3.c TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=119)

[join\_cond\_pushdown\_unqual4.q,union\_remove\_7.q,join13.q,join\_vc.q,groupby\_cube1.q,bucket\_map\_join\_spark2.q,sample3.q,smb\_mapjoin\_19.q,stats16.q,union2 TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=120)

[parallel\_join1.q,union27.q,union12.q,groupby7\_map\_multi\_single\_reducer.q,varchar\_join1.q,join7.q,join\_reorder4.q,skewjoinopt2.q,bucketsortoptimize\_insert\_2.q TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=121)

[ptf\_general\_queries.q,auto\_join\_reordering\_values.q,sample2.q,join1.q,decimal\_join.q,mapjoin\_subquery2.q,join32\_lessSize.q,mapjoin1.q,order2.q,skewjoinopt18. TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=122)

[groupby\_map\_ppr.q,nullgroup4\_multi\_distinct.q,join\_rc.q,union14.q,smb\_mapjoin\_12.q,vector\_cast\_constant.q,union\_remove\_4.q,auto\_join11.q,load\_dyn\_part7.q TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=123)

[skewjoinopt15.q,auto\_join18.q,list\_bucket\_dml\_2.q,input1\_limit.q,load\_dyn\_part3.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,unic TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=124)

[avro\_joins.q,skewjoinopt16.q,auto\_join14.q,vectorization\_14.q,auto\_join26.q,stats1.q,cbo\_stats.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vi TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=125)

[limit\_pushdown2.q,skewjoin\_noskew.q,leftsemijoin\_mr.q,bucket3.q,skewjoinopt13.q,bucketmapjoin9.q,auto\_join15.q,ptf.q,join22.q,vectorized\_nested\_mapjoin.q,s TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=126)

[vector\_decimal\_aggregate.q,ppd\_join3.q,auto\_join23.q,join10.q,union\_remove\_11.q,union\_ppr.q,join32.q,groupby\_multi\_single\_reducer2.q,input18.q,stats3.q,cbo\_TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=127)

[skewjoinopt19.q,order.q,join\_merge\_multi\_expressions.q,skewjoinopt10.q,insert\_into1.q,vectorized\_math\_funcs.q,vectorization\_4.q,vectorization\_2.q,skewjoinopttTestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=128)

[skewjoinopt3.q,smb\_mapjoin\_4.q,timestamp\_comparison.q,union\_remove\_10.q,mapreduce2.q,bucketmapjoin\_negative.q,udf\_in\_file.q,union5.q,auto\_join12.q,skev TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=129)

[bucketsortoptimize\_insert\_4.q,multi\_insert\_mixed.q,vectorization\_10.q,auto\_join18\_multi\_distinct.q,join\_cond\_pushdown\_3.q,custom\_input\_output\_format.q,skev TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=130)

[skewjoin\_union\_remove\_2.q,avro\_decimal\_native.q,skewjoinopt8.q,bucketmapjoin\_negative3.q,stats6.q,groupby2\_map.q,stats\_only\_null.q,insert\_into3.q,join18\_n TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=131)

[auto\_join30.q,timestamp\_null.q,union32.q,join16.q,groupby\_ppr.q,bucketmapjoin7.q,smb\_mapjoin\_18.q,join19.q,vector\_varchar\_4.q,union6.q,cbo\_subq\_in.q,vector\_testSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=132)

[union\_remove\_1.q,ppd\_outer\_join2.q,date\_udf.q,groupby1\_noskew.q,join20.q,smb\_mapjoin\_13.q,groupby\_rollup1.q,temp\_table\_gb1.q,vector\_string\_concat.q,smb TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=133)

[groupby\_grouping\_id2.q,input17.q,bucketmapjoin12.q,ppd\_gby\_join.q,auto\_join10.q,ptf\_rcfile.q,vector\_elt.q,multi\_insert.q,ppd\_join5.q,ppd\_join.q,join\_filters\_overtestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=134)

[tez\_joins\_explain.q,vectorized\_rcfile\_columnar.q,transform2.q,cbo\_semijoin.q,bucketmapjoin13.q,union\_remove\_6\_subq.q,groupby2\_map\_multi\_distinct.q,load\_d TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=135)

[enforce\_order.q,smb\_mapjoin\_21.q,load\_dyn\_part15.q,udf\_min.q,groupby\_resolution.q,mapjoin\_memcheck.q,subquery\_exists.q,groupby5.q,join27.q,alter\_merge\_TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=136)

[vectorization\_16.q,join\_casesensitive.q,transform\_ppr2.q,join23.q,groupby7\_map\_skew.q,ppd\_join2.q,ppd\_outer\_join5.q,create\_merge\_compressed.q,louter\_join\_r TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=137)

[bucketmapjoin3.q,load\_dyn\_part5.q,union\_date.q,cbo\_gby.q,auto\_join31.q,auto\_sortmerge\_join\_1.q,join\_cond\_pushdown\_unqual1.q,ppd\_outer\_join3.q,bucket\_martestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=138)

[escape\_distributeby1.q.join9.q,groupby2.q.groupby4\_map.q.udf\_max.q,vectorization\_pushdown.q,cbo\_gby\_empty.q.join\_cond\_pushdown\_unqual3.q,vectorization TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=139)

[groupby\_map\_ppr\_multi\_distinct.q,vectorization\_13.q,mapjoin\_mapjoin.q,union2.q,join41.q,groupby8\_map.q,cbo\_subq\_not\_in.q,identity\_project\_remove\_skip.q,s
TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=140)

[join39.q,bucketsortoptimize\_insert\_7.q,vector\_distinct\_2.q,bucketmapjoin10.q,join11.q,union13.q,auto\_sortmerge\_join\_16.q,windowing.q,union\_remove\_3.q,skew TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=141)

[timestamp\_lazy.q,union29.q,runtime\_skewjoin\_mapjoin\_spark.q,auto\_join22.q,union8.q,groupby5\_map.q,dynamic\_rdd\_cache.q,auto\_join29.q,groupby6.q,merge1. TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=142)

[load\_dyn\_part2.q,smb\_mapjoin\_7.q,vectorization\_5.q,smb\_mapjoin\_2.q,ppd\_join\_filter.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vectorized\_string\_fu
TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=143)

[groupby4\_noskew.q,groupby3\_map\_skew.q,join\_cond\_pushdown\_2.q,union19.q,union24.q,union\_remove\_5.q,groupby7\_noskew\_multi\_single\_reducer.q,vectoriza TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=144)

 $[stats 12.q, groupby 4.q, union\_top\_level.q, stats 2.q, groupby 10.q, mapjoin\_filter\_on\_outerjoin.q, auto\_sortmerge\_join\_4.q, limit\_partition\_metadataonly.q, load\_dyn\_part TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=145)$ 

[auto\_sortmerge\_join\_13.q,join4.q,join35.q,udf\_percentile.q,join\_reorder3.q,subquery\_in.q,auto\_join19.q,stats14.q,vectorization\_15.q,union7.q,vectorization\_nested TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=146)

[groupby3\_map.q,union26.q,mapreduce1.q,mapjoin\_addjar.q,bucket\_map\_join\_spark1.q,udf\_example\_add.q,multi\_insert\_with\_join.q,sample7.q,auto\_join\_nulls.q,r TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=147)

[groupby\_complex\_types.q,multigroupby\_singlemr.q,union11.q,groupby7.q,join5.q,bucketmapjoin\_negative2.q,vectorization\_div0.q,union\_script.q,add\_part\_multip TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=148)

[table\_access\_keys\_stats.q,bucketmapjoin11.q,auto\_join4.q,mapjoin\_decimal.q,join34.q,nullgroup.q,mergejoins\_mixed.q,sort.q,stats8.q,auto\_join28.q,join17.q,unior TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=149)

[ptf\_seqfile.q,union\_remove\_23.q,parallel\_join0.q,union\_remove\_9.q,join\_nullsafe.q,skewjoinopt14.q,vectorized\_mapjoin.q,union4.q,auto\_join5.q,vectorized\_shuff TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=150)

[smb\_mapjoin\_15.q,script\_pipe.q,auto\_join24.q,filter\_join\_breaktask.q,bucket4.q,ppd\_multi\_insert.q,skewjoinopt20.q,join\_thrift.q,multi\_insert\_gby3.q,groupby8.q,j TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=151)

[ppd\_transform.q,auto\_join9.q,auto\_join1.q,vector\_data\_types.q,input13.q,input14.q,input12.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join9.q,auto\_join1.q,vector\_data\_types.q,input14.q,input12.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join9.q,auto\_join1.q,vector\_data\_types.q,input13.q,input14.q,input12.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join9.q,auto\_join1.q,vector\_data\_types.q,input13.q,input14.q,input12.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join1.q,vector\_data\_types.q,input13.q,input14.q,input12.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join1.q,vector\_data\_types.q,input13.q,input14.q,input12.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join1.q,vector\_data\_types.q,input13.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join1.q,vector\_data\_types.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join1.q,vector\_data\_types.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q.auto\_join1.q,vector\_data\_types.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_transform.q,union\_remove\_22.

[router\_join\_ppr.q,auto\_join13.q,union30.q,vector\_mapjoin\_reduce.q,ptf\_register\_tblfn.q,join\_merging.q,union\_date\_trim.q,groupby3\_noskew.q,optimize\_nullscan.c TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=153)

[groupby6\_map.q,stats13.q,groupby2\_noskew\_multi\_distinct.q,load\_dyn\_part12.q,join15.q,auto\_join17.q,join\_hive\_626.q,tez\_join\_tests.q,auto\_join21.q,join\_view.restSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=154)

```
[union_remove_15.q,bucket_map_join_tez1.q,scriptfile1.q,groupby7_noskew.q,bucketmapjoin1.q,subquery_multiinsert.q,auto_join8.q,auto_join6.q,groupby2_map_TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=155)
[join2.q,join36.q,avro_joins_native.q,join18.q,smb_mapjoin_10.q,temp_table.q,union_remove_13.q,auto_sortmerge_join_5.q,groupby5_noskew.q,auto_join0.q,vecto
```

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=156)
[auto\_sortmerge\_join\_7.q,auto\_join20.q,smb\_mapjoin\_5.q,vector\_char\_4.q,cross\_product\_check\_2.q,union15.q,union\_remove\_25.q,insert\_into2.q,join31.q,auto\_joi

TestSparkNegativeCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=242) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[acid\_globallimit] (batchId=27) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avrocountemptytbl]

(batchId=74) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnStatsUpdateForStatsOptimizer\_1] (batchId=31)

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[decimal\_udf] (batchId=8) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[selectindate]

(batchId=57) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union\_fast\_stats] (batchId=47)

org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[auto\_sortmerge\_join\_12] (batchId=101) org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze\_5] (batchId=94)

org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainuser\_3] (batchId=109) org.apache.hadoop.hive.cli.TestPerfCliDriver.testCliDriver[query23] (batchId=235) org.apache.hive.beeline.TestBeelineArgParsing.testAddLocalJarWithoutAddDriverClazz[0] (batchId=181)

 $org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [0] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. hive.$ 

 $(batch Id=181) \ \{no format\} \ Test \ results: \ https://builds.apache.org/job/PreCommit-HIVE-Build/6779/testReport \ Console \ output: \ https://builds.apache.org/job/PreCommit-HIVE-Build/6779/testReport \ Output: \ https://builds.apache.org/job/PreCommit-HIVE-Build/6779/te$ 

https://builds.apache.org/job/PreCommit-HIVE-Build/6779/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-6779/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing

org.apache.hive.ptest.execution.ExecutionPhase Executing org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 59 tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12886535 - PreCommit-HIVE-Build

 $9. \ Here \ are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12886535/HIVE-17472.3-branch-2.2.patch. And the latest attachment attachment attachment attachment attachment attachment attachment. The latest attachment attachment attachment attachment attachment attachment attachment attachment. The latest attachment attach$ 

\*.xml file (likely timed out) (batchId=225) TestMiniLlapLocalCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=167) [acid\_globallimit.q,alter\_merge\_2\_orc.q] TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=173)

[infer\_bucket\_sort\_reducers\_power\_two.q,list\_bucket\_dml\_10.q,orc\_merge9.q,orc\_merge6.q,leftsemijoin\_mr.q,bucket6.q,bucketmapjoin7.q,uber\_reduce.q,empty\_d TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=174)

[infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=175)

[scriptfile1.q,vector\_outer\_join5.q,file\_with\_header\_footer.q,bucket4.q,input16\_cc.q,bucket5.q,infer\_bucket\_sort\_merge.q,constprog\_partitioner.q,orc\_merge2.q,red TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=118)

[bucketmapjoin4.q,bucket\_map\_join\_spark4.q,union21.q,groupby2\_noskew.q,timestamp\_2.q,date\_join1.q,mergejoins.q,smb\_mapjoin\_11.q,auto\_sortmerge\_join\_3.c TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=119)

[join\_cond\_pushdown\_unqual4.q,union\_remove\_7.q,join13.q,join\_vc.q,groupby\_cube1.q,bucket\_map\_join\_spark2.q,sample3.q,smb\_mapjoin\_19.q,stats16.q,union2 TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=120)

[parallel\_join1.q,union27.q,union12.q,groupby7\_map\_multi\_single\_reducer.q,varchar\_join1.q,join7.q,join\_reorder4.q,skewjoinopt2.q,bucketsortoptimize\_insert\_2.q TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=121)

[ptf\_general\_queries.q,auto\_join\_reordering\_values.q,sample2.q,join1.q,decimal\_join.q,mapjoin\_subquery2.q,join32\_lessSize.q,mapjoin1.q,order2.q,skewjoinopt18. TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=122)

[groupby\_map\_ppr.q,nullgroup4\_multi\_distinct.q,join\_rc.q,union14.q,smb\_mapjoin\_12.q,vector\_cast\_constant.q,union\_remove\_4.q,auto\_join11.q,load\_dyn\_part7.q TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=123)

[skewjoinopt15.q,auto\_join18.q,list\_bucket\_dml\_2.q,input1\_limit.q,load\_dyn\_part3.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_15.q,union\_remove\_15.q,union\_remov

[avro\_joins.q,skewjoinopt16.q,auto\_join14.q,vectorization\_14.q,auto\_join26.q,stats1.q,cbo\_stats.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vi TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=125)

[limit\_pushdown2.q,skewjoin\_noskew.q,leftsemijoin\_mr.q,bucket3.q,skewjoinopt13.q,bucketmapjoin9.q,auto\_join15.q,ptf.q,join22.q,vectorized\_nested\_mapjoin.q,s TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=126)

[vector\_decimal\_aggregate.q,ppd\_join3.q,auto\_join23.q,join10.q,union\_remove\_11.q,union\_ppr.q,join32.q,groupby\_multi\_single\_reducer2.q,input18.q,stats3.q,cbo\_TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=127)

[skewjoinopt19.q,order.q,join\_merge\_multi\_expressions.q,skewjoinopt10.q,insert\_into1.q,vectorized\_math\_funcs.q,vectorization\_4.q,vectorization\_2.q,skewjoinopt(TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=128)

[skewjoinopt3.q,smb\_mapjoin\_4.q,timestamp\_comparison.q,union\_remove\_10.q,mapreduce2.q,bucketmapjoin\_negative.q,udf\_in\_file.q,union5.q,auto\_join12.q,skev TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=129)

 $[buckets or top timize\_insert\_4.q, multi\_insert\_mixed.q, vectorization\_10.q, auto\_join18\_multi\_distinct.q, join\_cond\_pushdown\_3.q, custom\_input\_output\_format.q, skev TestSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=130)$ 

[skewjoin\_union\_remove\_2.q,avro\_decimal\_native.q,skewjoinopt8.q,bucketmapjoin\_negative3.q,stats6.q,groupby2\_map.q,stats\_only\_null.q,insert\_into3.q,join18\_n TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=131)

[auto\_join30.q,timestamp\_null.q,union32.q,join16.q,groupby\_ppr.q,bucketmapjoin7.q,smb\_mapjoin\_18.q,join19.q,vector\_varchar\_4.q,union6.q,cbo\_subq\_in.q,vector\_testSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=132)

[union\_remove\_1.q,ppd\_outer\_join2.q,date\_udf.q,groupby1\_noskew.q,join20.q,smb\_mapjoin\_13.q,groupby\_rollup1.q,temp\_table\_gb1.q,vector\_string\_concat.q,smb TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=133) [groupby\_grouping\_id2.q,input17.q,bucketmapjoin12.q,ppd\_gby\_join.q,auto\_join10.q,ptf\_rcfile.q,vector\_elt.q,multi\_insert.q,ppd\_join5,q,ppd\_join.q,join\_filters\_overset.

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely time dut) (batchId=134)

[tez\_joins\_explain.q,vectorized\_rcfile\_columnar.q,transform2.q,cbo\_semijoin.q,bucketmapjoin13.q,union\_remove\_6\_subq.q,groupby2\_map\_multi\_distinct.q,load\_d TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=135) [enforce\_order.q,smb\_mapjoin\_21.q,load\_dyn\_part15.q,udf\_min.q,groupby\_resolution.q,mapjoin\_memcheck.q,subquery\_exists.q,groupby5.q,join27.q,alter\_merge\_

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=136) [vectorization\_16.q,join\_casesensitive.q,transform\_ppr2.q,join23.q,groupby7\_map\_skew.q,ppd\_join2.q,ppd\_outer\_join5.q,create\_merge\_compressed.q,louter\_join\_r

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=137)

[bucketmapjoin3.q,load\_dyn\_part5.q,union\_date.q,cbo\_gby.q,auto\_join31.q,auto\_sortmerge\_join\_1.q,join\_cond\_pushdown\_unqual1.q,ppd\_outer\_join3.q,bucket\_mapjoin31.q.auto\_sortmerge\_join\_1.q.auto\_sortmerge\_join\_1.q.auto\_pushdown\_unqual1.q.ppd\_outer\_join3.q.bucket\_mapjoin31.q.auto\_sortmerge\_join\_1.q.auto\_pushdown\_unqual1.q.ppd\_outer\_join31.q.auto\_sortmerge\_join\_1.q.auto\_pushdown\_unqual1.q.ppd\_outer\_join31.q.auto

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=138)

Lescape distributory a grouphy a grou

[escape\_distributeby1.q,join9.q,groupby2.q,groupby4\_map.q,udf\_max.q,vectorization\_pushdown.q,cbo\_gby\_empty.q,join\_cond\_pushdown\_unqual3.q,vectorization TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=139)

[groupby\_map\_ppr\_multi\_distinct.q,vectorization\_13.q,mapjoin\_mapjoin.q,union2.q,join41.q,groupby8\_map.q,cbo\_subq\_not\_in.q,identity\_project\_remove\_skip.q,s TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=140)

[join39.q,bucketsortoptimize\_insert\_7.q,vector\_distinct\_2.q,bucketmapjoin10.q,join11.q,union13.q,auto\_sortmerge\_join\_16.q,windowing.q,union\_remove\_3.q,skew TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=141)

[timestamp\_lazy.q,union29.q,runtime\_skewjoin\_mapjoin\_spark.q,auto\_join22.q,union8.q,groupby5\_map.q,dynamic\_rdd\_cache.q,auto\_join29.q,groupby6.q,merge1. TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=142)

[load\_dyn\_part2.q,smb\_mapjoin\_7.q,vectorization\_5.q,smb\_mapjoin\_2.q,ppd\_join\_filter.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vectorized\_string\_fu TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=143)

[groupby4\_noskew.q,groupby3\_map\_skew.q,join\_cond\_pushdown\_2.q,union19.q,union24.q,union\_remove\_5.q,groupby7\_noskew\_multi\_single\_reducer.q,vectoriza TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=144)

[stats12.q,groupby4.q,union\_top\_level.q,stats2.q,groupby10.q,mapjoin\_filter\_on\_outerjoin.q,auto\_sortmerge\_join\_4.q,limit\_partition\_metadataonly.q,load\_dyn\_part TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=145)

[auto\_sortmerge\_join\_13.q,join4.q,join35.q,udf\_percentile.q,join\_reorder3.q,subquery\_in.q,auto\_join19.q,stats14.q,vectorization\_15.q,union7.q,vectorization\_nested TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=146)

 $[group by 3\_map.q, union 26.q, map reduce 1.q, map join\_add jar.q, bucket\_map\_join\_spark 1.q, udf\_example\_add.q, multi\_insert\_with\_join.q, sample 7.q, auto\_join\_nulls.q, processor and processor an$ 

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=147)

[groupby\_complex\_types.q,multigroupby\_singlemr.q,union11.q,groupby7.q,join5.q,bucketmapjoin\_negative2.q,vectorization\_div0.q,union\_script.q,add\_part\_multip

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=148)

[table\_access\_keys\_stats.q,bucketmapjoin11.q,auto\_join4.q,mapjoin\_decimal.q,join34.q,nullgroup.q,mergejoins\_mixed.q,sort.q,stats8.q,auto\_join28.q,join17.q,unior TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=149)

[ptf\_seqfile.q,union\_remove\_23.q,parallel\_join0.q,union\_remove\_9.q,join\_nullsafe.q,skewjoinopt14.q,vectorized\_mapjoin.q,union4.q,auto\_join5.q,vectorized\_shuff TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=150)

[smb\_mapjoin\_15.q,script\_pipe.q,auto\_join\_24.q,filter\_join\_breaktask.q,bucket4.q,ppd\_multi\_insert.q,skewjoinopt20.q,join\_thrift.q,multi\_insert\_gby3.q,groupby8.q,j TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=151)

[ppd\_transform.q,auto\_join9.q,auto\_join1.q,vector\_data\_types.q,input13.q,input14.q,input12.q,union\_remove\_22.q,vectorization\_3.q,groupby1\_map\_nomap.q,cbo\_restSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=152)

[router\_join\_ppr.q,auto\_join13.q,union30.q,vector\_mapjoin\_reduce.q,ptf\_register\_tblfn.q,join\_merging.q,union\_date\_trim.q,groupby3\_noskew.q,optimize\_nullscan.a TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=153)

[groupby6\_map.q,stats13.q,groupby2\_noskew\_multi\_distinct.q,load\_dyn\_part12.q,join15.q,auto\_join17.q,join\_hive\_626.q,tez\_join\_tests.q,auto\_join21.q,join\_view.restSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=154)

[union\_remove\_15.q,bucket\_map\_join\_tez1.q,scriptfile1.q,groupby7\_noskew.q,bucketmapjoin1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=155)

[join2,q,join36,q,avro\_joins\_native.q,join18,q,smb\_mapjoin\_10,q,temp\_table.q,union\_remove\_13,q,auto\_sortmerge\_join\_5,q,groupby5\_noskew.q,auto\_join0.q,vectoretsSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=156)

[auto\_sortmerge\_join\_7.q,auto\_join20.q,smb\_mapjoin\_5.q,vector\_char\_4.q,cross\_product\_check\_2.q,union15.q,union\_remove\_25.q,insert\_into2.q,join31.q,auto\_joi TestSparkNegativeCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=242)

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[acid\_globallimit] (batchId=27) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avrocountemptytbl] (batchId=74) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[columnStatsUpdateForStatsOptimizer\_1] (batchId=31)

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[selectindate] (batchId=57) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union\_fast\_stats]

 $(batch Id=47) \ org. apache. hadoop. hive. cli. Test Mini Tez Cli Driver. test Cli Driver [explain analyze\_5] \ (batch Id=94)$ 

 $org. apache. hadoop. hive. cli. Test Mini Tez Cli Driver. test Cli Driver [explainuser\_3] \ (batch Id=109)$ 

 $org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar Without Add Driver Clazz [0] \ (batch Id=181)$ 

 $org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [0] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. hive. hive. hive. hive. hive. hive. hiv$ 

(batchId=181) {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/6780/testReport Console output:

https://builds.apache.org/job/PreCommit-HIVE-Build/6780/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-6780/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing

org.apache.hive.ptest.execution.ExecutionPhase Executing org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 56 tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12886535 - PreCommit-HIVE-Build

- 10. Dummy patches, to test the tests.
- 11. For the record, the failing tests on {{branch-2.2}} seem to fail independently of this patch. :/
- 12. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12886697/HIVE-17472.4.patch {color:red}ERROR:{color} -1 due to no test(s) being added or modified. {color:red}ERROR:{color} -1 due to 10 failed/errored test(s), 11039 tests executed \*Failed tests:\* {noformat} TestAccumuloCliDriver did not produce a TEST-\*.xml file (likely timed out) (batchId=230) TestDummy did not produce a TEST-\*.xml file (likely timed out) (batchId=230) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[create\_view] (batchId=39)

 $org. apache. hadoop. hive.cli. Test Cli Driver. test Cli Driver [insert\_values\_orig\_table\_use\_metadata] \ (batch Id=61)$ 

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[partition\_wise\_fileformat6] (batchId=7)

org.apache.hadoop.hive.cli.TestMiniLlapLocalCliDriver.testCliDriver[union\_fast\_stats] (batchId=156)

org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainanalyze\_2] (batchId=100)

org.apache.hadoop.hive.cli.TestNegativeCliDriver.testCliDriver[drop\_table\_failure2] (batchId=89) org.apache.hadoop.hive.ql.TestAcidOnTez.testCtasTezUnion (batchId=215) org.apache.hadoop.hive.ql.TestAcidOnTez.testNonStandardConversion01 (batchId=215) {noformat} Test results:

https://builds.apache.org/job/PreCommit-HIVE-Build/6795/testReport Console output: https://builds.apache.org/job/PreCommit-HIVE-Build/6795/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-6795/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.execution.PrepPhase Executing org.apache.hive.ptest.executionPhase Executing org.apache.hive.ptest.execution.PrepPhase Execution.PrepPhase ExecutionPhase Execution

- 13.  $\{\{master\}\}\$  seems to fair better with this patch. Still waiting on  $\{\{branch-2.2\}\}\$  and  $\{\{branch-2\}\}\$ .
- 14. Here are the results of testing the latest attachment: https://issues.apache.org/jira/secure/attachment/12888099/HIVE-17472.4-branch-2.2.patch

{color:red}ERROR:{color} -1 due to no test(s) being added or modified. {color:red}ERROR:{color} -1 due to 58 failed/errored test(s), 9935 tests executed

\*Failed tests: \* {noformat} TestDerbyConnector - did not produce a TEST-\*.xml file (likely timed out) (batchId=244) TestJdbcDriver2 - did not produce a TEST-\*.xml file (likely timed out) (batchId=225) TestMiniLlapLocalCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=167)

[acid\_globallimit.q,alter\_merge\_2\_orc.q] TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=173)

[infer\_bucket\_sort\_reducers\_power\_two.q.list\_bucket\_dml\_10.q,orc\_merge9.q,orc\_merge6.q,leftsemijoin\_mr.q,bucket6.q,bucketmapjoin7.q,uber\_reduce.q,empty\_d TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=174)

[infer\_bucket\_sort\_num\_buckets.q,gen\_udf\_example\_add10.q,insert\_overwrite\_directory2.q,orc\_merge5.q,bucketmapjoin6.q,import\_exported\_table.q,vector\_outer\_TestMiniSparkOnYarnCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=175)

[scriptfile1.q,vector\_outer\_join5.q,file\_with\_header\_footer.q,bucket4.q,input16\_cc.q,bucket5.q,infer\_bucket\_sort\_merge.q,constprog\_partitioner.q,orc\_merge2.q,red TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=118)

[bucketmapjoin4.q,bucket\_map\_join\_spark4.q,union21.q,groupby2\_noskew.q,timestamp\_2.q,date\_join1.q,mergejoins.q,smb\_mapjoin\_11.q,auto\_sortmerge\_join\_3.c TestSparkCliDriver - did not produce a TEST-\*xxml file (likely timed out) (batchId=119)

[join\_cond\_pushdown\_unqual4.q,union\_remove\_7.q,join13.q,join\_vc.q,groupby\_cube1.q,bucket\_map\_join\_spark2.q,sample3.q,smb\_mapjoin\_19.q,stats16.q,union2 TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=120)

[parallel\_join1.q,union27.q,union12.q,groupby7\_map\_multi\_single\_reducer.q,varchar\_join1.q,join7.q,join\_reorder4.q,skewjoinopt2.q,bucketsortoptimize\_insert\_2.q TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=121)

[ptf\_general\_queries.q,auto\_join\_reordering\_values.q,sample2.q,join1.q,decimal\_join.q,mapjoin\_subquery2.q,join32\_lessSize.q,mapjoin1.q,order2.q,skewjoinopt18. TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=122)

[groupby\_map\_ppr.q,nullgroup4\_multi\_distinct.q,join\_rc.q,union14.q,smb\_mapjoin\_12.q,vector\_cast\_constant.q,union\_remove\_4.q,auto\_join11.q,load\_dyn\_part7.q TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=123)

[skewjoinopt15.q,auto\_join18.q,list\_bucket\_dml\_2.q,input1\_limit.q,load\_dyn\_part3.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_14.q,auto\_sortmerge\_join\_15.q,union\_remove\_15.q,union\_remov

[avro\_joins.q,skewjoinopt16.q,auto\_join14.q,vectorization\_14.q,auto\_join26.q,stats1.q,cbo\_stats.q,auto\_sortmerge\_join\_6.q,union22.q,union\_remove\_24.q,union\_vi TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=125)

[limit\_pushdown2.q,skewjoin\_noskew.q,leftsemijoin\_mr.q,bucket3.q,skewjoinopt13.q,bucketmapjoin9.q,auto\_join15.q,ptf.q,join22.q,vectorized\_nested\_mapjoin.q,s
TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=126)

[vector\_decimal\_aggregate.q,ppd\_join3.q,auto\_join23.q,join10.q,union\_remove\_11.q,union\_ppr.q,join32.q,groupby\_multi\_single\_reducer2.q,input18.q,stats3.q,cbo\_TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=127)

[skewjoinopt19.q,order.q,join\_merge\_multi\_expressions.q,skewjoinopt10.q,insert\_into1.q,vectorized\_math\_funcs.q,vectorization\_4.q,vectorization\_2.q,skewjoinopttTestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=128)

[skewjoinopt3.q,smb\_mapjoin\_4.q,timestamp\_comparison.q,union\_remove\_10.q,mapreduce2.q,bucketmapjoin\_negative.q,udf\_in\_file.q,union5.q,auto\_join12.q,skev TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=129)

[bucketsortoptimize\_insert\_4.q,multi\_insert\_mixed.q,vectorization\_10.q,auto\_join18\_multi\_distinct.q,join\_cond\_pushdown\_3.q,custom\_input\_output\_format.q,skev TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=130)

[skewjoin\_union\_remove\_2.q,avro\_decimal\_native.q,skewjoinopt8.q,bucketmapjoin\_negative3.q,stats6.q,groupby2\_map.q,stats\_only\_null.q,insert\_into3.q,join18\_n TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=131)

```
[auto_join30.q,timestamp_null.q,union32.q,join16.q,groupby_ppr.q,bucketmapjoin7.q,smb_mapjoin_18.q,join19.q,vector_varchar_4.q,union6.q,cbo_subq_in.q,vector_testSparkCliDriver - did not produce a TEST-*.xml file (likely timed out) (batchId=132)
```

[union\_remove\_1.q,ppd\_outer\_join2.q,date\_udf.q,groupby1\_noskew.q,join20.q,smb\_mapjoin\_13.q,groupby\_rollup1.q,temp\_table\_gb1.q,vector\_string\_concat.q,smb TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=133)

[groupby\_grouping\_id2.q,input17.q,bucketmapjoin12.q,ppd\_gby\_join.q,auto\_join10.q,ptf\_rcfile.q,vector\_elt.q,multi\_insert.q,ppd\_join5.q,ppd\_join.q,join\_filters\_ovtTestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=134)

[tez\_joins\_explain.q,vectorized\_rcfile\_columnar.q,transform2.q,cbo\_semijoin.q,bucketmapjoin13.q,union\_remove\_6\_subq.q,groupby2\_map\_multi\_distinct.q,load\_d TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=135)

[enforce\_order.q,smb\_mapjoin\_21.q,load\_dyn\_part15.q,uldf\_min.q,groupby\_resolution.q,mapjoin\_memcheck.q,subquery\_exists.q,groupby5.q,join27.q,alter\_merge\_

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=136) [vectorization\_16.q,join\_casesensitive.q,transform\_ppr2.q,join23.q,groupby7\_map\_skew.q,ppd\_join2.q,ppd\_outer\_join5.q,create\_merge\_compressed.q,louter\_join\_r

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=137) [bucketmapjoin3.q,load\_dyn\_part5.q,union\_date.q,cbo\_gby.q,auto\_join31.q,auto\_sortmerge\_join\_1.q,join\_cond\_pushdown\_unqual1.q,ppd\_outer\_join3.q,bucket\_maploin3.q.duto\_sortmerge\_join\_1.q.join\_cond\_pushdown\_unqual1.q.ppd\_outer\_join3.q.bucket\_maploin3.q.duto\_sortmerge\_join\_1.q.join\_cond\_pushdown\_unqual1.q.ppd\_outer\_join3.q.bucket\_maploin3.q.duto\_sortmerge\_join\_1.q.join\_cond\_pushdown\_unqual1.q.ppd\_outer\_join3.q.bucket\_maploin3.q.duto\_sortmerge\_join\_1.q.join\_cond\_pushdown\_unqual1.q.ppd\_outer\_join3.q.bucket\_maploin3.q.duto\_sortmerge\_join\_1.q.join\_cond\_pushdown\_unqual1.q.ppd\_outer\_join3.q.bucket\_maploin3.q.duto\_sortmerge\_join\_1.q.duto\_sortmerge\_join\_1.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer\_join3.q.duto\_sortmerge\_join\_outer

 $TestSparkCliDriver-did not produce a TEST-*.xml file (likely timed out) (batchId=138) \\ [escape\_distributeby 1.q.join 9.q., group by 2.q., group by 4\_map.q., udf\_max.q., vectorization\_pushdown.q., cbo\_gby\_empty.q., join\_cond\_pushdown\_unqual 3.q., vectorization\_pushdown\_unqual 3.q., vectorization\_pushdown\_unqual 3.q., vectorization\_pushdown\_unqual 3.q., vectorization\_unqual 3.q., v$ 

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=139)
[groupby\_map\_ppr\_multi\_distinct.q,vectorization\_13.q,mapjoin\_mapjoin.q,union2.q,join41.q,groupby8\_map.q,cbo\_subq\_not\_in.q,identity\_project\_remove\_skip.q,s

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=140) [join39.q,bucketsortoptimize\_insert\_7.q,vector\_distinct\_2.q,bucketmapjoin10.q,join11.q,union13.q,auto\_sortmerge\_join\_16.q,windowing.q,union\_remove\_3.q,skew

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=141) [timestamp\_lazy.q,union29.q,runtime\_skewjoin\_mapjoin\_spark.q,auto\_join22.q,union8.q,groupby5\_map.q,dynamic\_rdd\_cache.q,auto\_join29.q,groupby6.q,merge1.

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=142) [load\_dyn\_part2.q,smb\_mapjoin\_7.q,vectorization\_5.q,smb\_mapjoin\_2.q,ppd\_join\_filter.q,column\_access\_stats.q,stats0.q,vector\_between\_in.q,vectorized\_string\_fu

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=143) [groupby4\_noskew.q,groupby3\_map\_skew.q,join\_cond\_pushdown\_2.q,union19.q,union24.q,union\_remove\_5.q,groupby7\_noskew\_multi\_single\_reducer.q,vectoriza

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=144) [stats12.q,groupby4.q,union\_top\_level.q,stats2.q,groupby10.q,mapjoin\_filter\_on\_outerjoin.q,auto\_sortmerge\_join\_4.q,limit\_partition\_metadataonly.q,load\_dyn\_part

[stats12.q,groupby4.q,union\_top\_level.q,stats2.q,groupby10.q,mapjoin\_inter\_on\_outerjoin.q,auto\_sortmerge\_join\_4.q,iimit\_partition\_metadataoniy.q,ioad\_dyn\_part
TestSparkCliDriver - did not produce a TEST-\* xml file (likely timed out) (batchId=145)

[auto\_sortmerge\_join\_13.q,join4.q,join35.q,udf\_percentile.q,join\_reorder3.q,subquery\_in.q,auto\_join19.q,stats14.q,vectorization\_15.q,union7.q,vectorization\_nested TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=146)

[groupby3\_map.q,union26.q,mapreduce1.q,mapjoin\_addjar.q,bucket\_map\_join\_spark1.q,udf\_example\_add.q,multi\_insert\_with\_join.q,sample7.q,auto\_join\_nulls.q,particlestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=147)

[groupby\_complex\_types.q,multigroupby\_singlemr.q,union11.q,groupby7.q,join5.q,bucketmapjoin\_negative2.q,vectorization\_div0.q,union\_script.q,add\_part\_multip TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=148)

[table\_access\_keys\_stats.q,bucketmapjoin11.q,auto\_join4.q,mapjoin\_decimal.q,join34.q,nullgroup.q,mergejoins\_mixed.q,sort.q,stats8.q,auto\_join28.q,join17.q,unior TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=149)

[ptf\_seqfile.q,union\_remove\_23.q,parallel\_join0.q,union\_remove\_9.q,join\_nullsafe.q,skewjoinopt14.q,vectorized\_mapjoin.q,union4.q,auto\_join5.q,vectorized\_shuff TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=150)

[smb\_mapjoin\_15.q,script\_pipe.q,auto\_join24.q,filter\_join\_breaktask.q,bucket4.q,ppd\_multi\_insert.q,skewjoinopt20.q,join\_thrift.q,multi\_insert\_gby3.q,groupby8.q,j TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=151)

 $[ppd\_transform.q, auto\_join9.q, auto\_join1.q, vector\_data\_types.q, input13.q, input14.q, input12.q, union\_remove\_22.q, vectorization\_3.q, groupby1\_map\_nomap.q, cbo\_restSparkCliDriver-did not produce a TEST-*.xml file (likely timed out) (batchId=152)$ 

[router\_join\_ppr.q,auto\_join13.q,union30.q,vector\_mapjoin\_reduce.q,ptf\_register\_tblfn.q,join\_merging.q,union\_date\_trim.q,groupby3\_noskew.q,optimize\_nullscan.atestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=153)

[groupby6\_map.q,stats13.q,groupby2\_noskew\_multi\_distinct.q,load\_dyn\_part12.q,join15.q,auto\_join17.q,join\_hive\_626.q,tez\_join\_tests.q,auto\_join21.q,join\_view.r

TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=154)

[union\_remove\_15.q,bucket\_map\_join\_tez1.q,scriptfile1.q,groupby7\_noskew.q,bucketmapjoin1.q,subquery\_multiinsert.q,auto\_join8.q,auto\_join6.q,groupby2\_map\_TestSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=155)

[join2.q,join36.q,avro\_joins\_native.q,join18.q,smb\_mapjoin\_10.q,temp\_table.q,union\_remove\_13.q,auto\_sortmerge\_join\_5.q,groupby5\_noskew.q,auto\_join0.q,vector\_testSparkCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=156)

[auto\_sortmerge\_join\_7.q,auto\_join20.q,smb\_mapjoin\_5.q,vector\_char\_4.q,cross\_product\_check\_2.q,union15.q,union\_remove\_25.q,insert\_into2.q,join31.q,auto\_joi TestSparkNegativeCliDriver - did not produce a TEST-\*.xml file (likely timed out) (batchId=242)

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[acid\_globallimit] (batchId=27)

 $org. apache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [auto\_sortmerge\_join\_2] \ (batch Id=44) \ ($ 

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[avrocountemptytbl] (batchId=74)

 $org. a pache. hadoop. hive. cli. Test Cli Driver. test Cli Driver [column Stats Update For Stats Optimizer\_1] \ (batch Id=31)$ 

org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[selectindate] (batchId=57) org.apache.hadoop.hive.cli.TestCliDriver.testCliDriver[union\_fast\_stats]

(batchId=47) org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[auto\_sortmerge\_join\_12] (batchId=101)

 $org. apache. hadoop. hive. cli. Test Mini Tez Cli Driver. test Cli Driver [explain analyze\_5] \ (batch Id=94) \\$ 

org.apache.hadoop.hive.cli.TestMiniTezCliDriver.testCliDriver[explainuser\_3] (batchId=109)

org.apache.hive.beeline.TestBeelineArgParsing.testAddLocalJarWithoutAddDriverClazz[0] (batchId=181)

 $org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [0] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline. Test Beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ (batch Id=181) \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. beeline Arg Parsing. test Add Local Jar [1] \ org. apache. hive. hive. hive. hive. hive. hive. hive. hiv$ 

(batchId=181) {noformat} Test results: https://builds.apache.org/job/PreCommit-HIVE-Build/6917/testReport Console output:

https://builds.apache.org/job/PreCommit-HIVE-Build/6917/console Test logs: http://104.198.109.242/logs/PreCommit-HIVE-Build-6917/ Messages: {noformat} Executing org.apache.hive.ptest.execution.TestCheckPhase Executing org.apache.hive.ptest.executing

org.apache.hive.ptest.execution.ExecutionPhase Executing org.apache.hive.ptest.execution.ReportingPhase Tests exited with: TestsFailedException: 58 tests failed {noformat} This message is automatically generated. ATTACHMENT ID: 12888099 - PreCommit-HIVE-Build

- 15. Ok, looks like the dummy patches are producing the same failures on {{branch-2.2}} as with the fix. The failing tests seem to pass locally (or fail in the same manner as without the patch), save for the {{TestSparkCliDriver}}. I'm +1. Just running a couple of double-checks before I check this in.
- 16. Committed to {{master}}, {{branch-2}}, and {{branch-2.2}}. Thank you for this fix, [~selinazh], and [~cdrome]!
- 17. This jira is resolved and released with Hive 3.0 If you find an issue with it, please create a new jira.