

**git\_comments:**

**git\_commits:**

1. **summary:** [ISSUE #1409] Fix the bug when use queryMsgByKey or queryMsgByUniqueKey command in aclEnable = true (#1756)  
**message:** [ISSUE #1409] Fix the bug when use queryMsgByKey or queryMsgByUniqueKey command in aclEnable = true (#1756)

**github\_issues:**

1. **title:** rocketmq tools queryMsgByKey may have bug !  
**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!  
**label:** code-design
2. **title:** rocketmq tools queryMsgByKey may have bug !  
**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!
3. **title:** rocketmq tools queryMsgByKey may have bug !  
**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!
4. **title:** rocketmq tools queryMsgByKey may have bug !  
**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!  
**label:** code-design
5. **title:** rocketmq tools queryMsgByKey may have bug !  
**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())

close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

6. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

7. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

8. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

9. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

10. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

11. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())

close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

12. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

13. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

14. **title:** rocketmq tools queryMsgByKey may have bug !

**body:** when I close acl(aclEnable=false), execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678 ,I am able to get the correct result ! but I open the acl(aclEnable=true),execute the command:sh mqadmin queryMsgByKey -n 127.0.0.1:9876 -t topicH -k 12345678,the error:(Caused by: org.apache.rocketmq.client.exception.MQClientException: CODE: 208 DESC: query message by key finished, but no message.) The same situation, when use the DefaultMQProducer queryMessage,the java code eg :  
producer.queryMessage("topicH","12345678",60,System.currentTimeMillis()-1000\*60\*10,System.currentTimeMillis())  
close acl , the result is ok! but open acl,the error: (CODE: 208 DESC: query message by key finished, but no message.) I don't know if I am using the error or the program has a bug. thanks!

**github\_issues\_comments:**

1. **body:** @honglouleiyan it seems that indeed something went wrong in your situation, could you pull a request to fix or polish it?  
**label:** code-design
2. @zongtanghu
3. Not just `queryMsgByKey`, looks like there is other thing went wrong in `Mqadmin` when `broker` enables `acl`. I got `org.apache.rocketmq.client.exception.MQBrokerException: CODE: 1 DESC: org.apache.rocketmq.acl.common.AclException: No acl config for rocketmq2, org.apache.rocketmq.acl.plain.PlainPermissionManager.validate(PlainPermissionManager.java:375)` when run `clusterList`. Looks like `Mqadmin` need a place to config `acl` info.
4. **body:** When users' rocketmq acl enabled,users need to config your own admin in user's tools.yml which is in the distribution/conf/tools.yml huzongtang@cmss.chinamobile.com 发件人： shellbye 发送时间： 2019-08-29 11:37 收件人： apache/rocketmq 抄送： Hu Zongtang; Mention 主题： Re: [apache/rocketmq] rocketmq tools queryMsgByKey may have bug ! (#1409) Not just queryMsgByKey, looks like there is other thing went wrong in Mqadmin when broker enables acl. I got org.apache.rocketmq.client.exception.MQBrokerException: CODE: 1 DESC: org.apache.rocketmq.acl.common.AclException: No acl config for rocketmq2, org.apache.rocketmq.acl.plain.PlainPermissionManager.validate(PlainPermissionManager.java:375) when run clusterList. Looks like Mqadmin need a place to config acl info. — You are receiving this because you were mentioned. Reply to this email directly, view it on GitHub, or mute the thread.  
**label:** code-design
5. @zongtanghu Thanks.
6. @duhenglucky The bug still exist, mine is different.
7. @Shellbye ok, I will reopen this issue, @zongtanghu could you help this guy to resolve this issue?
8. @Shellbye You can compare the tools.yml file to plain\_acl.yml file.The admin accessKey and secretKey must be the same value.
9. @zongtanghu My problem is solved, but not the original.
10. > @zongtanghu My problem is solved, but not the original. Could you please check the origin issue again and give more detail issue info here? and a PR to fix it is warmly welcome.

11. > @honglouleiyan it seems that indeed something went wrong in your situation, could you pull a request to fix or polish it? sorry,I've been busy lately.now, Do I still need to pull a request to fix it?
12. > > @honglouleiyan it seems that indeed something went wrong in your situation, could you pull a request to fix or polish it? > > sorry,I've been busy lately.now, Do I still need to pull a request to fix it? welcome if you can create a PR to fix it.

**github\_pulls:**

**github\_pulls\_comments:**

**github\_pulls\_reviews:**

**jira\_issues:**

**jira\_issues\_comments:**