Item 118
git_comments:

1. * * @version
2. * * Licensed to the Apache Software Foundation (ASF) under one or more * contributor license agreements. See the NOTICE file distributed with * this work for additional information regarding copyright ownership. * The ASF licenses this file to You under the Apache License, Version 2.0 * (the "License"); you may not use this file except in compliance with * the License. You may obtain a copy of the License at * * http://www.apache.org/licenses/LICENSE-2.0 * * Unless required by applicable law or agreed to in writing, software * distributed under the License is distributed on an "AS IS" BASIS, * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. * See the License for the specific language governing permissions and * limitations under the License.
3. check for error if so we should break out

git_commits:

1. **summary:** CAMEL-6889: CBR - Should break out if exception was thrown when evaluating predicate
   message: CAMEL-6889: CBR - Should break out if exception was thrown when evaluating predicate

github_issues:

github_issues_comments:

github_pulls:

github_pulls_comments:

github_pulls_reviews:

jira_issues:

1. **summary:** CBR - Should break out if exception was thrown when evaluating predicate
   description: If having a CBR and the predicate throws an exception, then the next predicate is called before error handler triggers. We should break out when exception is detected like pipeline/multicast can do.

jira_issues_comments:

1. **body:** I was the one asking about this on IRC earlier - just going to document that we found a workaround here. We made the bean implement Predicate and use when(bean) instead of when(method(bean)) and the error handling appears to work correctly.
   label: code-design
2. Thanks for reporting and providing the work around