

git_comments:**git_commits:**

1. **summary:** Merge branch 'pr/169'
message: Merge branch 'pr/169' This closes #169

github_issues:**github_issues_comments:****github_pulls:**

1. **title:** [NETBEANS-54] Module Review o.apache.commons.httpclient
body: Updated to maven coordinates for external resource : commons-httpclient-3.1.jar (Apache 2.0)

github_pulls_comments:

1. Has corrected now username , email-id with a force push
2. I pushed the commit to master. This PR is still a bit strange. For some reason you managed to push three commits into this. Two held the same change with different authors and one merged these two commits. Whatever I removed the merge and the commit with the wrong author and so this is done.

github_pulls_reviews:**jira_issues:**

1. **summary:** Clarify the status of donated files from ApacheNetBeansDonation1.zip
description: Reviewing the software grant [1] provided with the first NetBeans code donation, my understanding is that not all files found in that zip are donated. The grant indicates that the contents of that file [2] ("Code File") are donated "excluding any third-party and separately licensed material contained within the Code File". I don't think we can consider that code ready to release as is, due to the uncertainty that this creates w.r.t to which files are donated and which are not. The zip archive contains about 45'000 files. I see the following options: a) Review all files and include only those which are not "third-party and separately licensed material". How such files are identified needs to be defined and documented, either in scripts under version control or as a set of rules. The review process must be documented and traceable, so that we can go back to it if problems are found in the future. b) Get an updated grant which does not mention such exclusions. If someone sees other options please discuss here or on the NetBeans dev list, referencing this ticket. [1] in svn under private/documents/grants/oracle-america-netbeans.pdf , ASF members have access [2] under <http://bits.netbeans.org/download/apache-donation/> - SHA256(ApacheNetBeansDonation1.zip)= 7f2ca0f61953a190613c9a0fbcc1b034084b04a4d55d23c02cefffc354e7c24a

jira_issues_comments:

1. For the record, the phrase in the grant does not simply say "excluding any third party or separately licensed material contained within the Code File". Instead, the full phrase is: "excluding any third party or separately licensed material contained within the Code File, such separately licensed material including without limitation the Licensor and third party material specifically identified below, and which may also include material identified in the THIRDPARTYLICENSE.txt file at: <https://netbeans.org/downloads/licence/8.2/nb82-THIRDPARTYLICENSE.txt>".
2. I don't necessarily see a problem with option a, i.e., the need to review all files and include only those which are not "third party and separately licensed material". I.e., that would mean doing a check for (a) JAR files and other binaries [of which none will be found, since we removed them prior to doing the donation] and (b) copyright notices. I.e., if we find files that are not licensed to Oracle, we need to evaluate on a case-by-case basis whether they can be released under Apache. We have already gone through that process as part of preparing the ZIP file for donation to Apache and can go through that process again, if needed.
3. bq. if we find files that are not licensed to Oracle, we need to evaluate on a case-by-case basis whether they can be released under Apache. That's an option indeed, provided someone writes a script to identify those files and assuming their number is not too high. You'll also need some heuristics to classify some files as irrelevant for this analysis, things like small configuration files etc.
4. **body:** Yes, we'll document all the steps and processes we'll follow and also track everything here.
label: documentation
5. **body:** Option a is what all newly incubating projects do as part of due diligence IP Clearance. The only difference here is the size of the grant. I agree with Gj that the process for determining which of the files is suitable for Apache Netbeans is under way and needs to be documented here and followed.
label: documentation
6. We have set up a Wiki page for processing all the incoming repos from NetBeans, here:
<https://cwiki.apache.org/confluence/display/NETBEANS/NetBeans+Transition+Process>
7. **body:** When I was relicensing the jackpot30 repository, I wrote a fairly strict tool (attached as JavaApplication9 for the record - please be warned it is not polished in any way) to do the replace. The tool (intentionally) does not accept different formatings, comment marks, etc. to minimize risk of errors. The only "fuzzy" element the tool accepts are years in the headers (i.e. it does not care too much about years, if they are on particular places). I believe the only files I touched by hand were: -increment-spec-versions (broken license header, only one file with that header in the repo) -cmdline/tool/scripts/jackpot.bat (sole .bat file in the repo, "standard" header AFAIK, didn't seem necessary to put the pattern in the tool) -standard-nbm-license.txt (contains license that is copied into the built modules, replaces with Apache License Version 2.0) -LICENSE -NOTICE Maybe we could use this as a start for the main repository, polish the tool a little and make a collection of all license headers types in the repository (I assume there'd be a few dozens of them, given any detail in formatting, comment characters, etc. will lead to a different license header type). We could manually review just these collected headers, and then relicense the files with those specific headers that are found to be OK (and discuss those that are not OK, should there be any). Then we would be left with files that don't have a license header (like manifests, form files, etc.), and we could discuss which of them need it and how to check their origin. Any insights/opinions?
label: code-design
8. This sounds great to me. Let's document this process here: <https://cwiki.apache.org/confluence/display/NETBEANS/NetBeans+Transition+Process>
9. bq. Let's document this process here: <https://cwiki.apache.org/confluence/display/NETBEANS/NetBeans+Transition+Process> I think jira tickets would provide more information than the table found there: what tools are used, explanations about exceptions or edge cases, tips and tricks for next time etc. They can be subtasks of this ticket so the overview stays here.
10. **body:** I was trying to look at a tool that would help us categorize licenses in the main sources. The tool is attached in "convert-headers-1.zip". The (current) output is in "categorized-1.zip". It contains 4 kinds of sources: -do-not-have-cddl0: list of files that do not contain string "CDDL" -have-cddl-not-recognized-filetype0: list of files that contain string "CDDL", but the tool cannot (yet) detect the header -lic*: a detected variant of the licence header (normalized - leading comment marks, leading and trailing whitespaces removed, paragraphs joined on one line, copyright years replaced with "<YEARS>"), with a list of files that contain this specific license header -par*: the header above is split by paragraphs, and each unique paragraph gets a "par" file. Seems it may be easier to review the paragraphs rather than the full license headers (which may contain many duplicated text, with just small differences among variants). Currently, the do-not-have-cddl0 list has 14627 files (so we to do some more work to categorize that), the have-cddl-not-recognized-filetype0 has 667 files, there are 155 license header variants, and 132 variants of the license header paragraphs. Any feedback/opinions on this? Does this look like a viable direction?
label: code-design
11. Excellent, thanks for all the work on this. I think the most important thing from the Apache perspective is that we document this, by means of an issue, so that we have a reference point later -- possibly years from now -- about what steps we took to establish ownership of the donated code. Gj
12. **body:** So, I was looking at (some of) the most commonly used license headers. They are typically like this ("<YEARS>" is automatically added by the attached tool and is supposed to represent a year or a span of years): --- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. Copyright <YEARS> Oracle and/or its affiliates. All rights reserved. Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a

copy of the License at <http://www.netbeans.org/cddl-gplv2.html> or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the specific language governing permissions and limitations under the License. When distributing the software, include this License Header Notice in each file and include the License file at nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code. If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" Contributor(s): The Original Software is NetBeans. The Initial Developer of the Original Software is Sun Microsystems, Inc. Portions Copyright <YEARS> Sun Microsystems, Inc. All Rights Reserved. If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you do not indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder. --- Variations I've noted: -the "If you wish..." section moved before "Contributors:" -various whitespace/empty line changes -"Copyright (c) <YEARS> Oracle and/or its affiliates. All rights reserved." instead of "Copyright <YEARS> Oracle and/or its affiliates. All rights reserved." -the "If you wish..." section not included/missing Variants of the Contributors section I've noted: -Portions Copyrighted <YEARS> Sun Microsystems, Inc. -empty section These variations seem minor to me, so if the original text would be OK, the variants should hopefully be OK as well. This should cover headers of files listed in lic10, lic133, lic139, lic23, lic3, lic47, lic52, lic61, lic62, lic68, lic89 from the attached file (converted-1.zip). A header that differs somewhat more is this (e.g. lic145 from the attached file): --- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. Copyright <YEARS> Sun Microsystems, Inc. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at <http://www.netbeans.org/cddl-gplv2.html> or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the specific language governing permissions and limitations under the License. When distributing the software, include this License Header Notice in each file and include the License file at nbbuild/licenses/CDDL-GPL-2-CP. Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the GPL Version 2 section of the License file that accompanied this code. If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" Contributor(s): The Original Software is NetBeans. The Initial Developer of the Original Software is Sun Microsystems, Inc. Portions Copyright <YEARS> Sun Microsystems, Inc. All Rights Reserved. If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you do not indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder. --- (note the use of "Sun Microsystems" instead of Oracle, and the missing "Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners." section) So, I wonder - are files with these headers (and these variations) OK to relicense? (There will be some header that differ more, but I guess it might make sense to first cover the easier cases above, which, as far as I can tell, are the majority of the code.)

label: code-design

13. Well, Sun became part of Oracle and, though the Sun licenses should have been relicensed to Oracle, in some cases they weren't. Also, when we were preparing the donation, our approach was to make a 'best effort' in terms of relicensing from Sun to Oracle and from other licenses to Oracle, since the intention of the donation was for everything in the ZIP file that was to form the donation to Apache to be donated to Apache and hence the intention was for everything in the ZIP file to ultimately be relicensed to Apache. I can only speak from the point of view of the intention of the 1st code donation, i.e., the ZIP file that has been donated to Apache -- the intention is for everything in that ZIP file to be donated and hence relicensed to Apache.
14. @GJ I agree. Any file that has the Oracle or Sun original license is part of the donation and should have its license header changed to the standard Apache header.
15. Hi, Knowing the intent of both parties, there is extremely little legal risk to accept the grant. Please accept the grant, that's my recommendation as VP, Legal of the ASF. Sincerely, Chris Mattmann VP, Legal, ASF
16. That is great -- and does it mean that we can simply go ahead and relicense everything to Apache? Or do we need to spend time and resources on re-establishing the provenance of each and every individual file first?
17. Accepting a grant doesn't mean relicensing everything to Apache. It means importing the code as-is, without restriction. As to establishing the provenance of code, that is the responsibility of the PMC on any code import (e.g., this was done when I was a PMC member helping to bring Apache OODT in from NASA; with Apache Climate from NASA, etc. etc.) In short, the PMC is responsible for establishing the provenance of the code it manages. So I am basically saying, as VP, Legal, I recommend you accept the code grant/donation. Then, during Incubation, as the PMC, sort through the files, figure out what's what, and proceed without restriction. Thanks, Chris
18. In sorting through the files and doing the relicensing, since it's going to be a very large set of changes, we'd like to do one big merge from a fork. I.e., we propose doing a fork of incubator-netbeans to, for example, github.com/geertjanwielenga, and then doing all the license changes there, after which we'd do one big merge into incubator-netbeans.
19. > ...we propose doing a fork of incubator-netbeans to, for example, github.com/geertjanwielenga, .. Can't you do that in a branch of the ASF repository instead? It's better IMO if things stay here.
20. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/5> [NETBEANS-54] Module Review db.core - no external libraries - checked Rat report; missing license headers added, unrecognized license headers manually changed, ignored manifest.mf and *.form (see central problems) - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/matthiasblaesing/incubator-netbeans> db.core-review Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/5.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #5 ---- commit fa9676d569ac4ea1243cc86c62368fda862919cc Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-24T19:37:02Z [NETBEANS-54] Module Review db.core - no external libraries - checked Rat report; missing license headers added, unrecognized license headers manually changed, ignored manifest.mf and *.form (see central problems) - skimmed through the module, did not notice additional problems ----
21. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/6> [NETBEANS-54] Module Review db - external library derby-10.2.2.0.jar: ALv2 licensed, notice added, Maven coordinates added. - checked Rat report; missing license header added, unrecognized license headers manually changed, ignored l10n.list, manifest.mf, org-netbeans-modules-db.sig and *.form (see central problems) - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/matthiasblaesing/incubator-netbeans> db-review Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/6.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #6 ---- commit ac64007efbf2f6fd3383e1aa5c3c4fa066f0273b Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-24T18:55:43Z [NETBEANS-54] Module Review db - external library derby-10.2.2.0.jar: ALv2 licensed, notice added, Maven coordinates added. - checked Rat report; missing license header added, unrecognized license headers manually changed, ignored l10n.list, manifest.mf, org-netbeans-modules-db.sig and *.form (see central problems) - skimmed through the module, did not notice additional problems --
22. GitHub user dschoorl opened a pull request: <https://github.com/apache/incubator-netbeans/pull/7> [NETBEANS-54] Module Review api.annotations.common - external library: jsr305. pom file states AL-v2.0, however, jsr305-license.txt states 'New BSD license'. Assuming AL-v2.0, removing license file, no notice necessary. Maven coordinates added. - checked Rat report; changed/added license headers in 3 files: external/binaries-list and apichanges.xml + one file located under META-INF/services, but maybe the latter does not need a license header? - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/dschoorl/incubator-netbeans> master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/7.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #7 ---- commit dec2e813e4168f87277bd0a34addfad25bb09cc7 Author: Dave Schoorl <daveloper.rex@gmail.com> Date: 2017-09-24T22:30:50Z [NETBEANS-54] Module Review api.annotations.common - external library: jsr305. pom file states AL-v2.0, however, jsr305-license.txt states 'New BSD license'. Assuming AL-v2.0, removing license file, no notice necessary. Maven coordinates added. - checked Rat report; changed/added license headers in 3 files: external/binaries-list and apichanges.xml + one file located under META-INF/services, but maybe the latter does not need a license header? - skimmed through the module, did not notice additional problems ----
23. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> I am afraid the license here is a little bit more complex. I think the license is probably BSD, at least based on FindBugs: <https://github.com/findbugsproject/findbugs/blob/master/findbugs/licenses/LICENSE-jsr305.txt> (Its not clear where the Apache license note comes from, but it is probably not correct.) Also, the file contains some re-packaged annotations from net.jcip.annotations, so these are presumably under: <https://github.com/findbugsproject/findbugs/blob/master/findbugs/licenses/LICENSE-jcip.txt> So we probably need a license file with these both and maybe even a -notice.txt. The good thing on this particular place is that we only need this file for building. The license file should be present even if the license would be Apache. Otherwise, looks OK.

24. Github user jlahoda commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r140850531 --- Diff: db/external/derby-10.2.2.0-notice.txt --- @@ -0,0 +1,298 @@
+===== --- End diff -- Not quite clear to me how the notice should look like - I think this is OK for now, we will learn if there's an issue with it.
25. Github user jlahoda commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r140850184 --- Diff: db/external/binaries-list --- @@ -1,2 +1,18 @@ -F787C9B484CD7526F866C21D8925C4DACE467F8A derby-10.2.2.0.jar -97771BE04E7452FC197EB875D2591A7E91F274D0 derby-10.2.2.0.zip --- End diff -- The zip is unused, right? (I did a quick search, and didn't find a place where it would be used.)
26. Github user jlahoda commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r140850999 --- Diff: db/test/unit/src/org/netbeans/modules/db/explorer/DbDriverManagerTest.java --- @@ -221,7 +221,7 @@ private static JDBCDriver createJDBCDriver() { private static JDBCDriver createDummyJDBCDriver(File dataDir) throws MalformedURLException { URL url = dataDir.toURL(); - return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "DummyDriver", new URL[] { url }); + return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "org.netbeans.modules.db.explorer.DbDriverManagerTest\$DriverImpl", new URL[] { url }); --- End diff -- So what is the significance of this change? (If it is unrelated to "license" review, then I'd suggest to send it separately, for clarity.)
27. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r140853623 --- Diff: db/external/binaries-list --- @@ -1,2 +1,18 @@ -F787C9B484CD7526F866C21D8925C4DACE467F8A derby-10.2.2.0.jar -97771BE04E7452FC197EB875D2591A7E91F274D0 derby-10.2.2.0.zip --- End diff -- I did not find any usage and as such I removed that reference.
28. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r140854981 --- Diff: db/test/unit/src/org/netbeans/modules/db/explorer/DbDriverManagerTest.java --- @@ -221,7 +221,7 @@ private static JDBCDriver createJDBCDriver() { private static JDBCDriver createDummyJDBCDriver(File dataDir) throws MalformedURLException { URL url = dataDir.toURL(); - return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "DummyDriver", new URL[] { url }); + return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "org.netbeans.modules.db.explorer.DbDriverManagerTest\$DriverImpl", new URL[] { url }); --- End diff -- It is related, as I run unittests and they failed. This was necessary to let them cleanly again. This is related to the change in the binaries-list, as the binaries are used by the unittests.
29. GitHub user jlahoda opened a pull request: <https://github.com/apache/incubator-netbeans/pull/8> [NETBEANS-54] Module Review api.htmlui -no external library -checked Rat report: no license of manifest and signature file (see central problems); unconverted license in api.htmlui/src/org/netbeans/api/htmlui/HTMLDialog.java (misplaced /*\n, so the tool, being strict, refused to convert it. After deleting the /*\n, the tool was happy to convert the header). -skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/jlahoda/incubator-netbeans> api.htmlui-review2 Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/8.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #8 ---- commit 5bec129a2753d62ca6b787cb34f85b380d260c7 Author: Jan Lahoda <jlahoda@netbeans.org> Date: 2017-09-24T06:20:19Z [NETBEANS-54] Module Review api.htmlui -no external library -checked Rat report: no license of manifest and signature file (see central problems); unconverted license in api.htmlui/src/org/netbeans/api/htmlui/HTMLDialog.java (misplaced /*\n, so the tool, being strict, refused to convert it. After deleting the /*\n, the tool was happy to convert the header). -skimmed through the module, did not notice additional problems ----
30. Github user asfgit commented on the issue: <https://github.com/apache/incubator-netbeans/pull/8> Can one of the admins verify this patch?
31. Github user asfgit commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> Can one of the admins verify this patch?
32. Github user asfgit commented on the issue: <https://github.com/apache/incubator-netbeans/pull/6> Can one of the admins verify this patch?
33. Github user asfgit commented on the issue: <https://github.com/apache/incubator-netbeans/pull/5> Can one of the admins verify this patch?
34. Github user emilianbold commented on the issue: [@asfgit who are you?](https://github.com/apache/incubator-netbeans/pull/8)
35. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/9> [NETBEANS-54] Module Review openide.util.* This branch covers: * openide.util : no changes * openide.util.enumerations : no changes * openide.util.lookup : see patches / wiki * openide.util.ui : see patches / wiki You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/emilianbold/incubator-netbeans> emi-review-openide-util Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/9.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #9 ---- commit 603618ed73216e5b1ca84744372f15821f2f1520 Author: Emilian Bold <emi@apache.org> Date: 2017-09-26T08:04:07Z [NETBEANS-54] Module Review openide.util.ui Adds some license headers to test resources. Minor change in UtilitiesTranslateTest to support comment lines (ie. the license header) for a given test resource. commit 557faa75fe80bfc57e6b19ea02696ec8bf601a66 Author: Emilian Bold <emi@apache.org> Date: 2017-09-26T08:05:24Z [NETBEANS-54] Module Review openide.util.lookup ----
36. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/10> [NETBEANS-54] Module Review openide.filesystems.* * openide.filesystems * openide.filesystems.nb * openide.filesystems.compat8 (no change) You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/emilianbold/incubator-netbeans> emi-review-openide-filesystems Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/10.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #10 ---- commit 9fce19e5c1313c90e20fbb7e971e474f98422463 Author: Emilian Bold <emi@apache.org> Date: 2017-09-26T08:45:27Z [NETBEANS-54] Module Review openide.filesystems commit 2553bf5e50d075d89eed3531587c4da8f782e9a1 Author: Emilian Bold <emi@apache.org> Date: 2017-09-26T08:48:42Z [NETBEANS-54] Module Review openide.filesystems.nb ----
37. Github user JaroslavTulach commented on the issue: <https://github.com/apache/incubator-netbeans/pull/10> Good changes. How do I merge them?
38. Github user JaroslavTulach commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/9#discussion_r141020052 --- Diff: openide.util.ui/test/unit/src/org/openide/util/UtilitiesTranslateTest.java --- @@ -157,6 +157,11 @@ public void testTranslateOldFormat () throws Exception { if (line == null) { break; } + + if (line.startsWith("#")) { --- End diff -- I see. This is to support comments in test files.
39. Github user JaroslavTulach commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/8#discussion_r141023560 --- Diff: api.htmlui/src/org/netbeans/api/htmlui/HTMLDialog.java --- @@ -1,44 +1,20 @@ -/* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * http://www.apache.org/licenses/LICENSE-2.0 + * or http://www.netbeans.org/cddl-gplv2.html + * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + * specific language governing permissions and limitations under the + * License. When distributing the software, include this License Header + * in each file and include the License file at + * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this + * particular file as subject to the "Classpath" exception as provided + * by Oracle in the GPL Version 2 section of the License file that + * accompanied this code. If applicable, add the following below the + * License Header, with the fields enclosed by brackets [] replaced by + * your own identifying information: + * Portions Copyrighted [year] [name of copyright owner] + * + * If you wish your version of this file to be governed by only the CDDL + * or only the GPL Version 2, indicate your decision by adding + * "[Contributor] elects to include this software in this distribution + * under the [CDDL or GPL Version 2] license." If you do not indicate a + * single choice of license, a recipient has the option to distribute + * your version of this file under either the CDDL, the GPL Version 2 or + * to extend the choice of license to its licensees as provided above. + * However, if you add GPL Version 2 code and therefore, elected the GPL + * Version 2 license, then the option applies only if the new code is + * made subject to such option by the copyright holder. + * + * Contributor(s): + * Portions Copyrighted 2014 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ --- End diff -- Correct change. This is certainly file owned by Oracle as I (Oracle employee) wrote it.
40. Github user JaroslavTulach commented on the issue: <https://github.com/apache/incubator-netbeans/pull/8> This patch is correct and can be integrated.
41. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/13> [NETBEANS-54] Module Review openide.modules You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/emilianbold/incubator-netbeans> emi-review-openide-modules Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/13.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #13 ---- commit 2f8b133afae4b978a1f21677f8cce9ac3909c711 Author: Emilian Bold <emi@apache.org> Date: 2017-09-26T11:53:42Z [NETBEANS-54] Module Review openide.modules ----
42. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/14> [NETBEANS-54] Module Review o.n.swing.tabcontrol Updated license, but according to <http://www.apache.org/legal/src-headers.html#faq-exceptions> no license would also be OK. You can merge this pull request into

- a Git repository by running: `$ git pull https://github.com/emilianbold/incubator-netbeans emi-review-o.n.swing.tabcontrol` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/14.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #14 ---- commit c5894721394ee0d8e1c7cb21286518b43563351d Author: Emilian Bold <emi@apache.org> Date: 2017-09-26T13:14:19Z [NETBEANS-54] Module Review o.n.swing.tabcontrol ----
43. GitHub user ebarboni opened a pull request: <https://github.com/apache/incubator-netbeans/pull/15> [NETBEANS-54] Module Review uihandler package.html was not updated by the tools You can merge this pull request into a Git repository by running: `$ git pull https://github.com/ebarboni/incubator-netbeans uihandlerreview` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/15.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #15 ---- commit efd73df90eb876b95e2ca2aa866a7ed6e7bfb1ba Author: <barboni@balkiel.irit.fr> Date: 2017-09-26T09:43:24Z properties for by module report commit 7b43ea230fa170cba886356c8fca0488d22dd85a Author: <barboni@balkiel.irit.fr> Date: 2017-09-26T13:10:08Z change header for apache bad detection of the tool commit 863393c50a2f2cc246313626232f07cdf4897703f Author: <barboni@balkiel.irit.fr> Date: 2017-09-26T13:30:57Z Revert "properties for by module report" This reverts commit efd73df90eb876b95e2ca2aa866a7ed6e7bfb1ba. ----
44. Github user jlahoda commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r141121602 --- Diff: db/test/unit/src/org/netbeans/modules/db/explorer/DbDriverManagerTest.java --- @@ -221,7 +221,7 @@ private static JDBCDriver createJDBCDriver() { private static JDBCDriver createDummyJDBCDriver(File dataDir) throws MalformedURLException { URL url = dataDir.toURL(); - return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "DummyDriver", new URL[] { url }); + return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "org.netbeans.modules.db.explorer.DbDriverManagerTest\$DriverImpl", new URL[] { url }); --- End diff -- So, the test was passing before other changes in the pull request and started to fail after the changes have been made?
45. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r141124129 --- Diff: db/test/unit/src/org/netbeans/modules/db/explorer/DbDriverManagerTest.java --- @@ -221,7 +221,7 @@ private static JDBCDriver createJDBCDriver() { private static JDBCDriver createDummyJDBCDriver(File dataDir) throws MalformedURLException { URL url = dataDir.toURL(); - return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "DummyDriver", new URL[] { url }); + return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "org.netbeans.modules.db.explorer.DbDriverManagerTest\$DriverImpl", new URL[] { url }); --- End diff -- No - master fails this test also.
46. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/16> [NETBEANS-54] Module Review db.dataview - no external libraries - fix Rat files: - add missing ALv2 headers for .sql files - move dbdata.txt to dbdata.properties and add header - fix missing header adjustments (all file copyright Sun/Oracle) You can merge this pull request into a Git repository by running: `$ git pull https://github.com/matthiasblaesing/incubator-netbeans db.dataview-review` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/16.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #16 ---- commit 3c33090c4d42a2f1ffa59594b6905c6b60b87da Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-25T15:56:19Z [NETBEANS-54] Module Review db.dataview - no external libraries - fix Rat files: - add missing ALv2 headers for .sql files - move dbdata.txt to dbdata.properties and add header - fix missing header adjustments (all file copyright Sun/Oracle) ----
47. Github user jlahoda commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r141172728 --- Diff: db/test/unit/src/org/netbeans/modules/db/explorer/DbDriverManagerTest.java --- @@ -221,7 +221,7 @@ private static JDBCDriver createJDBCDriver() { private static JDBCDriver createDummyJDBCDriver(File dataDir) throws MalformedURLException { URL url = dataDir.toURL(); - return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "DummyDriver", new URL[] { url }); + return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "org.netbeans.modules.db.explorer.DbDriverManagerTest\$DriverImpl", new URL[] { url }); --- End diff -- If I were doing this, I'd probably do two commits - one license-related cleanup, and one test fix/cleanup. OTOH, I don't think this is important enough to block the change on it, so I'll leave the decision on you on this matter.
48. Github user svenreimers commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/6#discussion_r141175203 --- Diff: db/test/unit/src/org/netbeans/modules/db/explorer/DbDriverManagerTest.java --- @@ -221,7 +221,7 @@ private static JDBCDriver createJDBCDriver() { private static JDBCDriver createDummyJDBCDriver(File dataDir) throws MalformedURLException { URL url = dataDir.toURL(); - return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "DummyDriver", new URL[] { url }); + return JDBCDriver.create("test_driver", "DbDriverManagerTest DummyDriver", "org.netbeans.modules.db.explorer.DbDriverManagerTest\$DriverImpl", new URL[] { url }); --- End diff -- Same here. I would prefer a split - first ee fix sll the thing eith regards to licensing etc. stuff and afterwards we start fixing failing tests (I assume we will find more)
49. Github user dschoolr commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> Thanks Jan. I restored the jsr305 license and added a jcip license. I updated license header files according to latest insights on Rat exclusions (files that don need a license header). I think a NOTICE should be at the project's top level, so this is outside the scope of this module review. Is this alright now?
50. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/6> @svenreimers @jlahoda I reverted the fix for the unittest to get this merged at some point, but I don't agree with your assessment.
51. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/17> [NETBEANS-54] Module Review openide.text You can merge this pull request into a Git repository by running: `$ git pull https://github.com/emilianbold/incubator-netbeans emi-review-openide.text` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/17.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #17 ---- commit 67c571bcca67f425fecc6814bfbcb8d94264ebb0b Author: Emilian Bold <emi@apache.org> Date: 2017-09-27T08:44:36Z [NETBEANS-54] Module Review openide.text ----
52. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/18> [NETBEANS-54] Module Review settings You can merge this pull request into a Git repository by running: `$ git pull https://github.com/emilianbold/incubator-netbeans emi-review-settings` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/18.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #18 ---- commit ff62698079f4e628618550dc33e84e51b09f4727 Author: Emilian Bold <emi@apache.org> Date: 2017-09-27T09:13:15Z [NETBEANS-54] Module Review settings ----
53. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/19> [NETBEANS-54] Module Review openide.nodes You can merge this pull request into a Git repository by running: `$ git pull https://github.com/emilianbold/incubator-netbeans emi-review-openide.nodes` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/19.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #19 ----
54. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/20> [NETBEANS-54] Module Review db.drivers - updated binaries-list to maven coordinates and ensured consistent naming after build - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through module, did not notice additional problems You can merge this pull request into a Git repository by running: `$ git pull https://github.com/matthiasblaesing/incubator-netbeans db.drivers-review` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/20.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #20 ---- commit 5757dd81645aa338084c48b8cb7f4e3147606e57 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-27T17:27:36Z [NETBEANS-54] Module Review db.drivers - updated binaries-list to maven coordinates and ensured consistent naming after build - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through module, did not notice additional problems ----
55. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/8> +1
56. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/9> +1
57. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/10> +1
58. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/13> +1
59. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/14> +1
60. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/6> Matthias, you are an Apache Netbeans committer, right? So you should be able to push this directly to the apache repository (<https://git-wip-us.apache.org/repos/asf/incubator-netbeans>). (I would suggest to rebase the changes before merging so that there's no actual merge commit, but up to you, I am not a git expert.) Please let me know if you need any help. Thanks for working on this!
61. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/17> Looks OK to me.
62. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/19> Looks OK to me.
63. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/6> @svenreimers @jlahoda thanks for taking time for review! I merged the change into master. I'm manually closing this here, as the merge was done as a fast-forward merge and so no merge commit was created.
64. Github user matthiasblaesing closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/6>
65. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/9> I merged the PR changes into master.
66. Github user emilianbold closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/9>

67. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/15> The change looks good. If you squash these three commits together, the two commits efd73df and 863393c will cancel each other out and so only the "real" change remains. This keeps the history clean.
68. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/17> I agree this looks good.
69. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/18> Looks good.
70. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/19> The change looks ok, I'd like to know how this META-INF file is used though.
71. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/19> Looks like a Jackpot hints file. Not sure when it's loaded for tests only though...
72. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/19> Ok - I also did not find out the "why", but indeed the path is read from `org.netbeans.modules.java.hints.declarative.DeclarativeHintRegistry` in the `java.hints.declarative` module. The grammar suggests, that the block comment syntax is correct. Thanks for the hint.
73. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/19> Sorry for now answering sooner. This is a test for "openide.nodes/src/META-INF/upgrade/org.openide.nodes.Node.hint". It is parsed by org.netbeans.modules.java.hints.declarative.test.TestParser.parse, and I believe the parser should ignore everything before the first %%TestCase. (In principle, the tests can be also run when the module tests are run, but I doubt that is configured for the nodes module. So the way to run the test is to open it in the IDE.)
74. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/22> [NETBEANS-54] Module Review db.mysql - no external library - checked Rat report; unrecognized license headers manually changed, ignored manifest.mf and *.form (see central problems) - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/matthiasblaesing/incubator-netbeans-db.mysql-review> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/22.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #22 ---- commit 07f99570c87b11edfef828c4bfff68376226e089d Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-29T19:14:59Z [NETBEANS-54] Module Review db.mysql - no external library - checked Rat report; unrecognized license headers manually changed, ignored manifest.mf and *.form (see central problems) - skimmed through the module, did not notice additional problems ----
75. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/23> [NETBEANS-54] Module Review db.sql.editor - no external library - checked Rat report; unrecognized license headers manually changed, missing headers added, ignored *.form (see central problems) and SQLEExample. The latter file is used in the GUI as a sample and in addition does not reach a level of creativity. - skimmed through the module, did not notice additional problems - Modified tests to allow comments in *.test and *.pass files You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/matthiasblaesing/incubator-netbeans-db.sql.editor-review> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/23.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #23 ---- commit ae8c59fe2679401cb1c533f52f7c838e848b1533 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-29T20:19:13Z [NETBEANS-54] Module Review db.sql.editor - no external library - checked Rat report; unrecognized license headers manually changed, missing headers added, ignored *.form (see central problems) and SQLEExample. The latter file is used in the GUI as a sample and in addition does not reach a level of creativity. - skimmed through the module, did not notice additional problems - Modified tests to allow comments in *.test and *.pass files ----
76. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/24> [NETBEANS-54] Module Review db.sql.visualeditor - external library javacc is only used at build time and is not distributed with netbeans - modified binaries-list to point to maven coordinates - checked Rat report; missing headers added, ignored *.form (see central problems) - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/matthiasblaesing/incubator-netbeans-db.sql.visualeditor-review> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/24.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #24 ---- commit 6e470a8ef57af875989dac5a02e125536c203f34 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-29T20:57:42Z [NETBEANS-54] Module Review db.sql.visualeditor - external library javacc is only used at build time and is not distributed with netbeans - modified binaries-list to point to maven coordinates - checked Rat report; missing headers added, ignored *.form (see central problems) - skimmed through the module, did not notice additional problems ----
77. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/26> [NETBEANS-54] Module Review api.debugger - no external library - checked Rat report: update license header in two package.html - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans-module-review-api.debugger> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/26.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #26 ---- commit aecd23b33879f5750d9bd9d0300cda09b0cc88d1 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-09-29T22:14:54Z [NETBEANS-54] Module Review api.debugger ----
78. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/27> [NETBEANS-54] Module Review api.xml.ui - no external library - checked Rat report: add the license header to test/unit/src/org/netbeans/spi/xml/cookies/data/*, ignore org.netbeans-api-xml-ui.sig - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans-module-review-api.xml.ui> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/27.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #27 ---- commit 4f82952d953ab686328d9f8f5336ee10635f82b2 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-09-30T02:24:09Z [NETBEANS-54] Module Review api.xml.ui ----
79. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/28> [NETBEANS-54] Module Review bugtracking - no external library - checked Rat report: update license header in apichanges.xml, TestIssue.java, and TestQuery. ignore *.form and org-netbeans-modules-bugtracking.sig - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans-module-review-bugtracking> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/28.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #28 ---- commit d87524754456e1e3edbd1d82fa36b3454832ebe4c Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-09-30T04:34:22Z [NETBEANS-54] Module Review bugtracking ----
80. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/27> Some extra newlines at the end but looks ok.
81. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/24> binaries-list is a "problem to be solved centrally". I would not add license headers to it.
82. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/23#discussion_r141999350 --- Diff: db.sql.editor/test/unit/src/org/netbeans/modules/db/sql/editor/completion/SelectCompletionQueryTest.java --- @@ -143,27 +143,19 @@ public void testCompletion() throws Exception { } } - } finally { - reader.close(); } String sql = sqlData.toString(); Metadata metadata = TestMetadata.create(modelData); if (stdout) { performTest(sql, metadata, System.out); } else { File result = new File(getWorkDir(), getName() + ".result"); - Writer writer = new BufferedWriter(new OutputStreamWriter(new FileOutputStream(result), "utf-8")); - try { + try (Writer writer = new BufferedWriter(new OutputStreamWriter(new FileOutputStream(result), "utf-8"))) { performTest(sql, metadata, writer); - } finally { - writer.close(); } File pass = new File(getWorkDir(), getName() + ".pass"); - InputStream input = SelectCompletionQueryTest.class.getResource(getName() + ".pass").openStream(); - try { - copyStream(input, pass); - } finally { - input.close(); + try (InputStream input = SelectCompletionQueryTest.class.getResource(getName() + ".pass").openStream()) { --- End diff -- Changing this was not necessary. But if we do it, why not 'getResourceAsStream'?
83. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/23#discussion_r141999337 --- Diff: db.sql.editor/test/unit/src/org/netbeans/modules/db/sql/editor/completion/SelectCompletionQueryTest.java --- @@ -125,11 +125,11 @@ public void runTest() throws Exception { public void testCompletion() throws Exception { StringBuilder sqlData = new StringBuilder(); - List<String> modelData = new ArrayList<String>(); - BufferedReader reader = new BufferedReader(new InputStreamReader(SelectCompletionQueryTest.class.getResource(getName() + ".test").openStream(), "utf-8")); - try { + List<String> modelData = new ArrayList<>(); + try (InputStream is = SelectCompletionQueryTest.class.getResourceAsStream(getName() + ".test")); + BufferedReader reader = new BufferedReader(new InputStreamReader(is, "utf-8")) { boolean separatorRead = false; - for (String line; (line = reader.readLine()) != null;) { + for (String line = reader.readLine(); line != null; line = reader.readLine()) { --- End diff -- Wasn't the previous 'for' line better?
84. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/16#discussion_r141999524 --- Diff: db.dataview/test/unit/src/org/netbeans/modules/db/dataview/util/TestCaseDataFactory.java --- @@ -39,11 +39,11 @@ public static String DB_SQLINSERT="dbinsert.sql"; public static String DB_SQLSELECT="dbselect.sql"; public static String DB_SQLUPDATE="dbupdate.sql"; - public static String DB_TEXT="dbdata.txt"; + public static String DB_DATA="dbdata.properties"; --- End diff -- I don't understand why this was necessary. Just so we can add comments?
85. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/15> +1

86. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/24> I had to touch binaries-list to change it to maven coordinates - so adding the license header was a natural reaction. From my POV there is no gain by removing that header again - do you agree?
87. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/23#discussion_r142002449 --- Diff: db.sql.editor/test/unit/src/org/netbeans/modules/db/sql/editor/completion/SelectCompletionQueryTest.java --- @@ -125,11 +125,11 @@ public void runTest() throws Exception { public void testCompletion() throws Exception { StringBuilder sqlData = new StringBuilder(); - List<String> modelData = new ArrayList<String>(); - BufferedReader reader = new BufferedReader(new InputStreamReader(SelectCompletionQueryTest.class.getResource(getName()) + ".test").openStream(), "utf-8")); - try { + List<String> modelData = new ArrayList<>(); + try (InputStream is = SelectCompletionQueryTest.class.getResourceAsStream(getName() + ".test")); + BufferedReader reader = new BufferedReader(new InputStreamReader(is, "utf-8")) { boolean separatorRead = false; - for (String line; (line = reader.readLine()) != null;) { + for (String line = reader.readLine(); line != null; line = reader.readLine()) { --- End diff -- I consider the previous one less readable. The previous version mixed initialization, loop advance and checking and these parts are now separated into their corresponding sections.
88. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/23> Thanks for looking into this. I let the changed for loop in place and updated the usage of `getResource().openStream()` to `getResourceAsStream`.
89. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/16#discussion_r142002680 --- Diff: db.dataview/test/unit/src/org/netbeans/modules/db/dataview/util/TestCaseDataFactory.java --- @@ -39,11 +39,11 @@ public static String DB_SQLINSERT="dbinsert.sql"; public static String DB_SQLSELECT="dbselect.sql"; public static String DB_SQLUPDATE="dbupdate.sql"; - public static String DB_TEXT="dbdata.txt"; + public static String DB_DATA="dbdata.properties"; --- End diff -- It was necessary to make it clear, that dbdata is not a plain text file, but a properties file. Else the next reader wonders why the comment header work correctly or where it gets stripped out. For a properties file this is correct by definition.
90. Github user matthiasblaesing commented on the issue: [@ebarboni](https://github.com/apache/incubator-netbeans/pull/15) There are two things I'd like to ask you: - Adjust your git settings to include a name and update the existing commits (see here: <https://www.git-tower.com/learn/git/faq/change-author-name-email>) - Rewrite the history to squash the two commit on CLI (for GUI support you need to look into the corresponding GUI): Checkout the branch that backs this PR, run `git rebase -i HEAD~3`, now an editor of your choosing is started, holding one row per commit (and some help info), there you can reorder the commits, remove commits and squash them. (I failed to do that on a checkout from your repository, as git cli requires identity information, that your commits are missing, see above)
91. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/27> Looks good.
92. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/26> Looks good. (there are now two positive reviews on this, as @emilianbold reacted with a thumbs up, which is not converted into an information message)
93. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/28> Looks good. (there are now two positive reviews on this, as @emilianbold reacted with a thumbs up, which is not converted into an information message)
94. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/23#discussion_r142003704 --- Diff: db.sql.editor/test/unit/src/org/netbeans/modules/db/sql/editor/completion/SelectCompletionQueryTest.java --- @@ -125,11 +125,11 @@ public void runTest() throws Exception { public void testCompletion() throws Exception { StringBuilder sqlData = new StringBuilder(); - List<String> modelData = new ArrayList<String>(); - BufferedReader reader = new BufferedReader(new InputStreamReader(SelectCompletionQueryTest.class.getResource(getName()) + ".test").openStream(), "utf-8")); - try { + List<String> modelData = new ArrayList<>(); + try (InputStream is = SelectCompletionQueryTest.class.getResourceAsStream(getName() + ".test")); + BufferedReader reader = new BufferedReader(new InputStreamReader(is, "utf-8")) { boolean separatorRead = false; - for (String line; (line = reader.readLine()) != null;) { + for (String line = reader.readLine(); line != null; line = reader.readLine()) { --- End diff -- I believe the canonical trick is to have ``java String line; while((line = reader.readLine()) != null) { ... } `` And the original `for` just mixed those to limit the scope of the `line` variable to the `for` block... which is nice. Your `for` repeats the `reader.readLine()` call which seems confusing.
95. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/24> ... unless the central decision will be not to use headers and then your file becomes the only one that has to be manually tweaked back.
96. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/23#discussion_r142003802 --- Diff: db.sql.editor/test/unit/src/org/netbeans/modules/db/sql/editor/completion/SelectCompletionQueryTest.java --- @@ -125,11 +125,11 @@ public void runTest() throws Exception { public void testCompletion() throws Exception { StringBuilder sqlData = new StringBuilder(); - List<String> modelData = new ArrayList<String>(); - BufferedReader reader = new BufferedReader(new InputStreamReader(SelectCompletionQueryTest.class.getResource(getName()) + ".test").openStream(), "utf-8")); - try { + List<String> modelData = new ArrayList<>(); + try (InputStream is = SelectCompletionQueryTest.class.getResourceAsStream(getName() + ".test")); + BufferedReader reader = new BufferedReader(new InputStreamReader(is, "utf-8")) { boolean separatorRead = false; - for (String line; (line = reader.readLine()) != null;) { + for (String line = reader.readLine(); line != null; line = reader.readLine()) { --- End diff -- I'll revert my change to this loop and then push to master.
97. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/24> When that central decision is made, there is already at least one file that has this change already `db/external/binaries-list`. In any case the header is not wrong. The file is part of an apache project and was thus donated by oracle and is now covered by the apache license. If there is a consensus, that the license header is not needed, than it can still be left in place or at that time centrally removed. Till then I consider each file I don't have to discuss about a good file.
98. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/23>
99. Github user ebarboni commented on the issue: [@matthiasblaesing](https://github.com/apache/incubator-netbeans/pull/15) thanks a lot for pointer on rebase. Hope its better now.
100. Github user matthiasblaesing commented on the issue: [@ebarboni](https://github.com/apache/incubator-netbeans/pull/15) thank you, that looks much cleaner. I have one last point: The commit message should reference the tracking bug. You had that in the PR, but that message does not get merged into the history, so I suggest, that you update the commit message to something like: > [NETBEANS-54] Module Review uihandler > > package.html was not updated by the tools You can do this by switching back to the branch backing the PR, and running `git commit --amend`. You can then change the commit message. This changes the commit itself and then you can do another force push.
101. Github user ebarboni commented on the issue: <https://github.com/apache/incubator-netbeans/pull/15> Done
102. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/15>
103. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/15> Merged - thank you!
104. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/29> [NETBEANS-54] Module Review derby - external binary is binary form of etc/sample.sql (not on maven) - checked Rat report; missing header added to etc/sample.sql, ignored binaries-list and *.form files (see central problems) - skimmed through the module, did not notice additional problems - replacing the bundled binary is tracked by [NETBEANS-74] You can merge this pull request into a Git repository by running: \$ git pull https://github.com/matthiasblaesing/incubator-netbeans derby-review Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/29.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #29 ---- commit 3d3a135e9c1fc820d08996890fe743c9a037fa8 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-30T20:21:57Z [NETBEANS-54] Module Review derby - external binary is binary form of etc/sample.sql (not on maven) - checked Rat report; missing header added to etc/sample.sql, ignored binaries-list and *.form files (see central problems) - skimmed through the module, did not notice additional problems - replacing the bundled binary is tracked by [NETBEANS-74] ----
105. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/30> [NETBEANS-54] Module Review defaults - no external library - checked Rat report; unrecognized license headers manually changed - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull https://github.com/matthiasblaesing/incubator-netbeans defaults-review Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/30.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #30 ---- commit e8a87d3195cfe0af8481f018aa7db9220ec61e80 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-09-30T20:43:27Z [NETBEANS-54] Module Review defaults - no external library - checked Rat report; unrecognized license headers manually changed - skimmed through the module, did not notice additional problems ----
106. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/19> Committed.
107. Github user emilianbold closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/19>
108. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/8> Pushed: <https://git-wip-us.apache.org/repos/asf?p=incubator-netbeans.git;a=commit;h=3880c5162f149eb0d3953aacac63c4c014cd101d>
109. Github user jlahoda closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/8>
110. GitHub user jneau001 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/31> [NETBEANS-54] Module Review j2ee.core.utilities Updated j2ee.core.utilities license headers, where needed. - no external libraries - checked Rat report and adjusted license headers accordingly on identified problem files - skimmed module and did not see any other issues You can merge this pull request into a Git repository by running: \$ git pull

- <https://github.com/juneau001/incubator-netbeans> master Alternatively you can review and apply these changes as the patch at:
<https://github.com/apache/incubator-netbeans/pull/31.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #31 ---- commit f70a4a8de60bebf6c563de40faa096745cf5fab Author: Josh Juneau <juneau001@gmail.com> Date: 2017-10-01T13:45:12Z [NETBEANS-54] Module Review j2ee.core.utilities ----
111. GitHub user borxa opened a pull request: <https://github.com/apache/incubator-netbeans/pull/32> [NETBEANS-54] Module Review server - no external library - checked Rat report; changed license headers in 2 files - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/borxa/incubator-netbeans> master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/32.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #32 ---- commit 664936aa2c6d60406818ef016052d36681efed00 Author: borxa <borxa@192.168.1.201> Date: 2017-10-01T16:54:40Z [NETBEANS-54] Module Review server ----
112. GitHub user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> Please have another look at this: - Please ignore the files covered in the "Problems to be solved centrally" of <https://cwiki.apache.org/confluence/display/NETBEANS/List+of+Modules+to+Review>. For example the .form files were updated centrally from their corresponding .java files. These changes need to be removed from this changeset. I suggest you also remove changes that relate to file in the mentioned section. - the latter change might also fix the changes line endings in build.xml
113. GitHub user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/32> The changes itself look good. Could you please just adjust your git settings to contain your name and email address as author (see here: <https://www.git-tower.com/learn/git/faq/change-author-name-email>).
114. GitHub user juneau001 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> Thanks for the feedback and sorry for missing those "Problems to be solved centrally".
115. GitHub user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> Hi Dave, Sorry for belated answer. I think the jcip license text should be merged into the existing -license.txt file. Also the "License: " tag should probably be changed to something else than "New BSD" (e.g. "BSD+jcip"). Even if though this is probably not ever going to be used. For notice - I suspect we will need different notices, one at the top level of the repository for things that are in the repository (which this is not), and a different one for binary builds (where the notice should contain exactly what is in the binary, not more, not less, in other words, this will probably differ between the platform and the Java IDE). And there needs to be enough data to construct such notices automatically, I don't think it is realistic to maintain them manually. Hence the request to add -notice.txt to external binaries if needed, so the build will be able to pick them up if needed. But it is not quite clear to me if anything like that is needed for this library.
116. GitHub user borxa commented on the issue: <https://github.com/apache/incubator-netbeans/pull/32> Settings updated
117. GitHub user dschoorl commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> Hi Jan, Thanks for reviewing again. In no way, I am a legal expert. But I think that by providing the jcip-license.txt file, we meet the requirements of the license stated in article 4b (<https://creativecommons.org/licenses/by/2.5/legalcode>) and I think no notice is needed? Why do you think needs the jcip license text be merged in the jsr305 one? I believe this is also not done by the findbugs-community who repackaged it with jsr305.jar. Are these -license.txt files somehow processed automatically and do they need a certain structure, such as having a License-tag? Is that described somewhere?
118. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/36> [NETBEANS-54] Module Review api.xml - no external library - checked Rat report: add the license header in two *.dtd. ignore three package-list[1] files, org-netbeans-api.xml.sig - A unit test fails even if the license header is not added. (ClassNotFoundException: org.apache.crimson.parser.XMLReaderImpl) [1] <http://docs.oracle.com/javase/8/docs/technotes/tools/windows/javadoc.html#JSWOR663> You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans> module-review-api.xml Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/36.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #36 ---- commit d94a8cbde4c1cde564e4635751d1799c76a70718 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-01T22:22:01Z [NETBEANS-54] Module Review api.xml - no external library - checked Rat report: add the license header in two *.dtd. ignore three package-list files, org-netbeans-api.xml.sig - A unit test fails even if the license header is not added. ----
119. GitHub user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> #21 was merged. So, it seems that this PR includes the commit for removing the license header for .form files.
120. GitHub user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> Description of the current -license.txt processing is here: <http://wiki.netbeans.org/DevFaqExternalLibraries> I think details under Apache are still somewhat unclear, but I think maintaining -license.txt and -notice.txt (if needed) in the library wrapper near the external library is much more maintainable than trying to have a central registry, and that whatever we do will be based on the current design/state. So, I think it would be good to have things prepared for automatic processing as much as possible. Thanks.
121. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/37> [NETBEANS-54] Module Review editor.lib - no external libraries - checked Rat report: modified license header in src/org/netbeans/editor/BaseKit.java - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-editor.lib Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/37.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #37 ---- commit 2993d25f8c12ebf6e2b8ec5bde4a1f32e447a0c Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-02T09:47:44Z [NETBEANS-54] Module Review editor.lib - no external libraries - checked Rat report: modified license header in src/org/netbeans/editor/BaseKit.java ----
122. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/38> [NETBEANS-54] Module Review editor.lib2 - No external libraries. - checked Rat report: modified license header in src/org/netbeans/api/editor/caret/package.html - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-editor.lib2 Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/38.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #38 ---- commit cb443c2efbbd41df528c4166f0b0a629d899cec5 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-02T10:46:40Z [NETBEANS-54] Module Review editor.lib2 - No external libraries. - checked Rat report: modified license header in src/org/netbeans/api/editor/caret/package.html - skimmed through the module, did not notice additional problems ----
123. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/39> [NETBEANS-54] Module Review bugzilla - no external library - checked Rat report: update the license header in BugzillaRepository.java - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans> module-review-bugzilla Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/39.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #39 ---- commit 036bda8db4785d873531e7dcfd4e142f80e3d1e9 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-02T04:44:14Z [NETBEANS-54] Module Review bugzilla - no external library - checked Rat report: update the license header in BugzillaRepository.java - skimmed through the module, did not notice additional problems ----
124. GitHub user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/34> Looks good, I'd adjust the commit message though to contain something like "[NETBEANS-54] Module review libs.jna". The first line is used as summary of the commit and now this looks a bit strange. (Same applies to #33 and #35).
125. GitHub user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> @juneau001 please rereview this changeset - now your PR would remove headers from .form files. While your at it: rebase your changes onto the current HEAD of master and squash the changes together.
126. GitHub user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/39> The change looks good.
127. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/40> [NETBEANS-54] Module Review c.googlecode.javaewah.JavaEWAH - external library JavaEWAH-0.7.9.jar: Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans> module-review-c.googlecode.javaewah.JavaEWAH Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/40.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #40 ---- commit ad8164822b09cc5d8045dffe29518f3262103da Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-02T22:41:37Z [NETBEANS-54] Module Review c.googlecode.javaewah.JavaEWAH - external library JavaEWAH-0.7.9.jar: Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems ----
128. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/41> [NETBEANS-54] Module Review c.google.guava - external library guava-15.0.jar: Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans> module-review-c.google.guava Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/41.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in

- the commit message: This closes #41 ---- commit 93c1dbad03e1d78a9cb0dc93031d559d56b8345d Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-02T22:59:55Z [NETBEANS-54] Module Review c.google.guava - external library guava-15.0.jar: Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems ----
129. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/38>
130. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/37>
131. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/37> Merged with 3 positive reviews - Thank you.
132. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/38> Merged with 2 positive reviews.
133. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/20>
134. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/20> Merged with one positive review - thanks for reviewing.
135. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/30>
136. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/30> Merged into master with 1 positive review. Thank you for reviewing.
137. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/22>
138. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/22> Merged with 1 positive review. Thanks for having a look.
139. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/40> Looks good.
140. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/41> This is nitpicking but as the target is cleanup I hope you understand: - the license file should match the binary ``<binaryname>.zip`` should be accompanied by ``<binaryname>-license.txt`` in this case `guava-15.0-license.jar` - in the license file the version should be corrected to `15.0` Thanks :-)
141. Github user juneau001 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> @matthiasblaesing Thanks for the note. Very sorry for causing an issue, I thought that you wanted me to remove the license headers from the .form files, per the "Problems to be solved centrally" of <https://cwiki.apache.org/confluence/display/NETBEANS/List+of+Modules+to+Review> as I originally had added license headers to these files. I believe that I also should remove the license headers from the project.properties, build.xml, and build-impl.xml since they should also be solved centrally...so I should back out all changes that I made since each of the files was in that list? I appreciate the assistance.
142. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/41> @matthiasblaesing Thanks for looking at it :) Fixed. I hope that my understanding is correct.
143. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/42> [NETBEANS-54] Module Review editor - No external libraries. - Checked Rat report: added license to project files. Did NOT add license to editor/demosrc/README nor to the rest of test files. - Unit tests org.netbeans.editor.PlainDocumentCompatibilityRandomTest and org.netbeans.modules.editor.NbEditorToolBarTest fail (but they were also failing before this PR). - QA Tests should be run. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-editor> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/42.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #42 ---- commit 6f7d84fb96fc8e64bfa0efcca09feabdb6d92d8 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-03T07:14:10Z [NETBEANS-54] Module Review editor - No external libraries. - Checked Rat report: added license to project files. Did NOT add license to editor/demosrc/README nor to the rest of test files. - Unit tests org.netbeans.editor.PlainDocumentCompatibilityRandomTest and org.netbeans.modules.editor.NbEditorToolBarTest fail (but they were also failing before this PR). - QA Tests should be run. ----
144. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/43> [NETBEANS-54] Module Review editor.bookmarks - No external libraries. - Checked Rat report: added license headres to qa-functional projects. - Skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-editor.bookmarks> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/43.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #43 ---- commit ed32d9b9c2886bde81ed1dedec4ec8de8efa5877 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-03T08:10:20Z [NETBEANS-54] Module Review editor.bookmarks - No external libraries. - Checked Rat report: added license headres to qa-functional projects. - Skimmed through the module, did not notice additional problems ----
145. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/41> For me this looks good - thanks for taking care!
146. GitHub user rtaneja1 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/45> [NETBEANS-54] Module Review masterfs.ui Added Apache license header in bundle.properties You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/rtaneja1/incubator-netbeans-license-fixes-0310> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/45.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #45 ---- commit 6db1eac14042c5305781ca66d0d86ba55a38e6a2 Author: Reema Taneja <reema.taneja@oracle.com> Date: 2017-10-03T10:46:19Z [NETBEANS-54] Module Review masterfs.ui ----
147. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/47> [NETBEANS-54] Module Review c.jcraft.jsch - external library jsch-0.1.54.jar: BSD-jsch-variant. Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans-module-review-c.jcraft.jsch> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/47.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #47 ---- commit 2b8ce27c354e86ceec967b9d368b5f49b9d97d5f Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-03T09:40:47Z [NETBEANS-54] Module Review c.jcraft.jsch - external library jsch-0.1.54.jar: BSD-jsch-variant. Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems ----
148. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/48> [NETBEANS-54] Module Review c.jcraft.jzlib - external library jzlib-1.0.7.jar: BSD-jzlib-variant. Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans-module-review-c.jcraft.jzlib> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/48.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #48 ---- commit 8245e69e073caeefb61099fd6c98f16232565386 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-03T11:03:06Z [NETBEANS-54] Module Review c.jcraft.jzlib - external library jzlib-1.0.7.jar: BSD-jzlib-variant. Maven coordinates added. - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat - skimmed through the module, did not notice additional problems ----
149. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/49> [NETBEANS-54] Add license header to binaries-list Add Apache License header to binaries-list. Excluded from this commit are: - db.sql.visualeditor - libs.felix - libs.jna - libs.jna.platform For these PRs are open, that already add a license header. Apart from the license adding/adaption, there are a few whitespace changes, where the file did not contain a final newline. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/matthiasblaesing/incubator-netbeans-binaries-list> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/49.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #49 ---- commit f44b0c89e18eb7c4b9d19a924e0fd1344763c3c8 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-03T11:13:11Z [NETBEANS-54] Add license header to binaries-list Add Apache License header to binaries-list. Excluded from this commit are: - db.sql.visualeditor - libs.felix - libs.jna - libs.jna.platform For these PRs are open, that already add a license header. -
150. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> The problem is that you added the license headers, that conflicted with the central change the @jlahoda kindly did (fixing a great many files). Now your changeset removes these headers again. On github you can see in the "Files changed" section what would happen if your PR is merged and in this case the correct headers are removed for form files. So: - please rebase your changes onto master - please revert your changes to the form files - please also revert the change to genfiles.properties (See: <https://github.com/apache/incubator-netbeans/pull/46/commits/40a715ad91e47696a8018c48c7ad091b9c4341ec>) as that is a generated file The rest looks good. The whitespace changes in build.xml are the removal of trailing spaces, which I think is ok.
151. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> Oh - and no reason for apologies! The work is appreciated.

152. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/32> Thank you - I merged the changes into master with 2 positive reviews. I suggest, that you include the full name into the author field, user names look strange. The merge can be found here: <https://github.com/apache/incubator-netbeans/commit/9a152a75f50f53219b3b2669b6ab9e69a9beb1d7> Please close this PR yourself.
153. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> Looks good.
154. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/48> Looks good.
155. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/45> Looks good.
156. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/43> Looks good.
157. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/18> Committed.
158. Github user emilianbold closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/18>
159. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/17> Committed.
160. Github user emilianbold closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/17>
161. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/14> Merged.
162. Github user emilianbold closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/14>
163. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/50> [NETBEANS-54] Module review diff - no external library - checked Rat report; ignored l10n.list (see central problems) and added ignore entries for rat report. - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: `$ git pull https://github.com/matthiasblaesing/incubator-netbeans diff-review` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/50.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #50 ---- commit 3961ee1ba18ca30a7d7a0c6d640ad0b15b7e7162 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-03T15:03:51Z [NETBEANS-54] Module review diff - no external library - checked Rat report; ignored l10n.list (see central problems) and added ignore entries for rat report. - skimmed through the module, did not notice additional problems ----
164. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/10>
165. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/51> [NETBEANS-54] Module review docker.editor - no external library - checked Rat report; manually updated license header in Dockerfile - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: `$ git pull https://github.com/matthiasblaesing/incubator-netbeans docker.editor` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/51.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #51 ---- commit 2988ec3b199a0bb91917f2f4fd1018c5231bed8f Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-03T15:15:50Z [NETBEANS-54] Module review docker.editor - no external library - checked Rat report; manually updated license header in Dockerfile - skimmed through the module, did not notice additional problems ----
166. Github user borxa closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/32>
167. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/13>
168. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> @junichi11 will you commit this yourself?
169. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/41> Feel free to commit.
170. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> @emilianbold Yes. Are the following steps OK if I push my changes myself? ``\$ cd incubator-netbeans \$ git remote add upstream-apache https://git-wip-us.apache.org/repos/asf/incubator-netbeans \$ git checkout master \$ git pull upstream-apache master \$ git push origin master \$ git checkout module-review-branch \$ git rebase master module-review-branch \$ git push -f origin module-review-branch \$ git checkout master \$ git merge module-review-branch \$ git push upstream-apache master ``
171. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> These look good to me. Before doing the final push you might do:
172. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> Thank you for it :) I'll push changes tomorrow.
173. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/49> To me personally, looks OK.
174. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/53> [NETBEANS-54] Module Review editor.codetemplates * No external libraries. * A nbproject/*sig that will be handled centrally. * Some text xml files without license header. * Test org.netbeans.lib.editor.codetemplates.CodeTemplatesTest FAILED... ... but ant -Dtest-unit-sys-prop.ignore.random.failures=true test did not fail. * Did you know that NetBeans DeveloperX2 was released in the spring of 1998? You can merge this pull request into a Git repository by running: `$ git pull https://github.com/vieiro/incubator-netbeans netbeans-54-module-review-editor.codetemplates` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/53.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #53 ---- commit da1da87d7f2bf5a7183a4f5d703cab1311c46040 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-03T20:48:49Z [NETBEANS-54] Module Review editor.codetemplates * No external libraries. * A nbproject/*sig that will be handled centrally. * Some text xml files without license header. * Test org.netbeans.lib.editor.codetemplates.CodeTemplatesTest FAILED... ... but ant -Dtest-unit-sys-prop.ignore.random.failures=true test did not fail. * Did you know that NetBeans DeveloperX2 was released in the spring of 1998? ----
175. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/47>
176. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/48>
177. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/41>
178. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/40>
179. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/39>
180. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/28>
181. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/27>
182. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/26>
183. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> Please note that this changes fail the build, because the jar from maven central has a different hash. The hash on the central is: DA3584329A263616E277E15462B387ADDD1B208D I skimmed through the differences, and so far it seems to me it is OK to use the jar from central (we presumably would eventually learn if there would be issues anyway). I can do that tonight, unless someone will do that before.
184. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> @jlahoda I'm sorry... Would you please do that?
185. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> You know, I was just thinking how super useful it is to have the hash when switching to Maven Central since at least you know it's the same JAR. How could they differ for the same library?
186. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/55> [NETBEANS-54] Module Review editor.completion - No external libraries. - Updated licenses in apichanges.xml and a Bundle.properties file as per rat report. - Tests passing. No additional problems found. You can merge this pull request into a Git repository by running: `$ git pull https://github.com/vieiro/incubator-netbeans netbeans-54-module-review-editor.completion` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/55.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #55 ---- commit f300576ecf8f5f2ab99b44c56ca3f088bab8dee1 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-04T07:52:49Z [NETBEANS-54] Module Review editor.completion - No external libraries. - Updated licenses in apichanges.xml and a Bundle.properties file as per rat report. - Tests passing. No additional problems found. ----
187. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/47> I agree the hash is useful (among other things) to verify that the jar from the central is the same. But it is unfortunately not the same in this case. Seems the jar on hg/binaries is the same as a download from the JSch web page, and the jar on maven central is different. My wild guess is that these have been produced by different build processes and different JDKs.
188. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/56> [NETBEANS-54] Module Review editor.errorstripe - No external binaries. - Updated licenses in two layer.xml files. - Two unit tests failed: org.netbeans.modules.editor.errorstripe.AnnotationViewDataImplTest org.netbeans.modules.editor.errorstripe.AnnotationViewTest - No additional problems found. You can merge this pull request into a Git repository by running: `$ git pull https://github.com/vieiro/incubator-netbeans netbeans-54-module-review-editor.errorstripe` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/56.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #56 ---- commit 9a76df3c614a3542d504e02a38fb7cef344f7f45 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-04T09:18:59Z [NETBEANS-54] Module Review editor.errorstripe - No external binaries. - Updated licenses in two layer.xml files. - Two unit tests failed: org.netbeans.modules.editor.errorstripe.AnnotationViewDataImplTest org.netbeans.modules.editor.errorstripe.AnnotationViewTest - No additional problems found. ----
189. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/57> [NETBEANS-54] Module Review parsing.api - No external binaries. - Updated licenses in arch.xml - No additional problems found. You can merge this pull request into a Git repository by running: `$ git pull https://github.com/emilianbold/incubator-netbeans emi-review-parsing.api` Alternatively you can review and apply these changes as the patch at:

- <https://github.com/apache/incubator-netbeans/pull/57.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #57 ---- commit e2c63ff9476dd977647dc87dd3a84777816503b9 Author: Emilian Bold <emi@apache.org> Date: 2017-10-04T14:29:46Z [NETBEANS-54] Module Review parsing.api - No external binaries. - Updated licenses in arch.xml - No additional problems found. ----
190. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/58> [NETBEANS-54] Module Review parsing.nb You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/emilianbold/incubator-netbeans/emi-review-parsing.nb> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/58.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #58 ---- commit c02b9bf06c09175101ea8385eb2dfdd2c30a4dcc Author: Emilian Bold <emi@apache.org> Date: 2017-10-04T14:36:52Z [NETBEANS-54] Module Review parsing.nb ----
191. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/59> [NETBEANS-54] Module Review parsing.indexing You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/emilianbold/incubator-netbeans/emi-review-parsing.indexing> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/59.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #59 ---- commit c8b6d76cc55dd10f629a553342a92f4572e2a424 Author: Emilian Bold <emi@apache.org> Date: 2017-10-04T14:48:49Z [NETBEANS-54] Module Review parsing.indexing ----
192. GitHub user emilianbold opened a pull request: <https://github.com/apache/incubator-netbeans/pull/60> [NETBEANS-54] Module Review spellchecker You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/emilianbold/incubator-netbeans/emi-review-spellchecker> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/60.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #60 ----
193. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/51>
194. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/60> Looks good.
195. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/59> Looks good.
196. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/58> Looks good.
197. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/57> Looks good.
198. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/56> Looks good.
199. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/55> Looks good.
200. Github user matthiasblaesing closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/50>
201. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/24>
202. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/16>
203. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/49>
204. GitHub user ikysil opened a pull request: <https://github.com/apache/incubator-netbeans/pull/62> [NETBEANS-54] Module Review hibernate - external binary contains DTDs for Hibernate 3.0 configuration files - changed license headers for files reported by Rat - replacing the bundled binary is tracked by <https://issues.apache.org/jira/browse/NETBEANS-79> You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/ikysil/incubator-netbeans/netbeans-54-review-hibernate> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/62.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #62 ---- commit 5f5ba9225902f8c38a09f14001af5d412f5c0f64 Author: Illya Kysil <ikysil@ikysil.name> Date: 2017-10-04T19:48:37Z [NETBEANS-54] Module Review hibernate - changed license headers for files reported by Rat ----
205. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/63> [NETBEANS-54] Module Review cs.api - no external library - checked Rat report: update the license header in cs.api/src/org/netbeans/modules/csl/editor/semantic/Bundle.properties. ignore manifest.mf and *.txt - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans/module-review-cs.api> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/63.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #63 ---- commit 7797f43412cb8463736ac495ed7a80193814a770 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-03T16:01:40Z [NETBEANS-54] Module Review cs.api - no external library - checked Rat report: update the license header in cs.api/src/org/netbeans/modules/csl/editor/semantic/Bundle.properties. ignore manifest.mf and *.txt - skimmed through the module, did not notice additional problems ----
206. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/60>
207. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/57>
208. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/59>
209. Github user emilianbold closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/58>
210. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/62#discussion_r143012148 --- Diff: hibernate/src/org/netbeans/modules/hibernate/resources/HibernateRevengTemplate.xml --- @@ -1,2 +1,24 @@ +<?xml version="1.0" encoding="UTF-8"?> --- End diff -- From the name this looks to be a template for a user file. If so, I would not include an apache license here, if it ends up in the users code base. There is no real IP here, so I'd be just annoyed if I'd have to remove/replace the license by hand.
211. Github user ikysil commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/62#discussion_r143025054 --- Diff: hibernate/src/org/netbeans/modules/hibernate/resources/HibernateRevengTemplate.xml --- @@ -1,2 +1,24 @@ +<?xml version="1.0" encoding="UTF-8"?> --- End diff -- Okay, I see.
212. Github user juneau001 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/31> Hi @matthiasblaesing is the code looking okay now? I've done what was mentioned. That is, I rebased changes on to master, reverted my changes to form files and genfiles.properties. Let me know how things look now. Thanks
213. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058334 --- Diff: j2ee.core.utilities/src/org/netbeans/modules/j2ee/core/support/java/method/ParametersPanel.form --- @@ -1,26 +1,5 @@ -<?xml version="1.0" encoding="UTF-8"?> -<!-- --- End diff -- ... and this.
214. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058725 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/nbproject/build-impl.xml --- @@ -21,9 +41,9 @@ @@ is divided into following sections: --> <project xmlns:j2seproject1="http://www.netbeans.org/ns/j2se-project/1" xmlns:j2seproject2="http://www.netbeans.org/ns/j2se-project/2" xmlns:j2seproject3="http://www.netbeans.org/ns/j2se-project/3" xmlns:jaxrpc="http://www.netbeans.org/ns/j2se-project/jax-rpc" basedir=".." default="default" name="JavaApp-impl"> <target depends="test.jar.javadoc" description="Build and test whole project." name="default"/> -<!-- --- End diff -- More whitespace.
215. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058295 --- Diff: j2ee.core.utilities/src/org/netbeans/modules/j2ee/core/support/java/method/MethodCustomizerPanel.form --- @@ -1,26 +1,5 @@ -<?xml version="1.0" encoding="UTF-8"?> -<!-- --- End diff -- This should also be reverted.
216. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058623 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/build.xml --- @@ -35,20 +56,20 @@ @@ </obfuscate> </target> - For list of available properties check the imported - nbproject/build-impl.xml file. + For list of available properties check the imported + nbproject/build-impl.xml file. Another way to customize the build is by overriding existing main targets. - The targets of interest are: + The targets of interest are: -init-macrodef-javac: defines macro for javac compilation -init-macrodef-junit: defines macro for junit execution -init-macrodef-debug: defines macro for class debugging -init-macrodef-java: defines macro for class execution -do-jar-with-manifest: JAR building (if you are using a manifest) -do-jar-without-manifest: JAR building (if you are not using a manifest) -run: execution of project + run: execution of project --- End diff -- More whitespace.
217. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058704 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/nbproject/build-impl.xml --- @@ -1,5 +1,25 @@ -<?xml version="1.0" encoding="UTF-8"?> -<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at --- End diff -- This is OK.
218. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058683 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/build.xml --- @@ -60,10 +81,10 @@ @@ </exec> </target> - Notice that the overridden target depends on the jar target and not only on - the compile target as the regular run target does. Again, for a list of available + Notice that the overridden target depends on the jar target and not only on --- End diff -- More whitespace.
219. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058252 --- Diff: j2ee.core.utilities/src/org/netbeans/modules/j2ee/core/support/java/method/ExceptionsPanel.form --- @@ -1,26 +1,5 @@ -<?xml version="1.0" encoding="UTF-8"?> -<!-- --- End diff -- This should be reverted.

220. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058376 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/build.xml --- @@ -1,4 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file --- End diff -- This is OK.
221. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058527 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/build.xml --- @@ -7,9 +28,9 @@ <import file="nbproject/build-impl.xml"/> <!-- - There exist several targets which are by default empty and which can be - used for execution of your tasks. These targets are usually executed - before and after some main targets. They are: + There exist several targets which are by default empty and which can be + used for execution of your tasks. These targets are usually executed --- End diff -- These whitespace changes are not necessary. I generally prefer the patch to contain only the fix, not reformatting.
222. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058793 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/nbproject/project.xml --- @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance --- End diff -- OK.
223. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058582 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/build.xml --- @@ -35,20 +56,20 @@ </obfuscate> </target> - For list of available properties check the imported - nbproject/build-impl.xml file. + For list of available properties check the imported + nbproject/build-impl.xml file. Another way to customize the build is by overriding existing main targets. - The targets of interest are: + The targets of interest are: --- End diff -- More whitespace.
224. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058744 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/nbproject/project.properties --- @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance --- End diff -- OK
225. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143058559 --- Diff: j2ee.core.utilities/test/unit/data/JavaApp/build.xml --- @@ -35,20 +56,20 @@ </obfuscate> </target> - For list of available properties check the imported - nbproject/build-impl.xml file. --- End diff -- More whitespace.
226. Github user juneau001 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143059352 --- Diff: j2ee.core.utilities/src/org/netbeans/modules/j2ee/core/support/java/method/ExceptionsPanel.form --- @@ -1,26 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- --- End diff -- Thanks @emilianbold, can I ask why to revert the .form changes? I took the license headers out because these are auto-generated and I mistakenly put them in the first time.
227. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143059710 --- Diff: j2ee.core.utilities/src/org/netbeans/modules/j2ee/core/support/java/method/ExceptionsPanel.form --- @@ -1,26 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- --- End diff -- In the mean time the decision was to put them in. And they were added all over the codebase automatically, via a script. So now your commit appears to remove what was just added.
228. Github user juneau001 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143060074 --- Diff: j2ee.core.utilities/src/org/netbeans/modules/j2ee/core/support/java/method/ExceptionsPanel.form --- @@ -1,26 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- --- End diff -- I'm sorry about that. I am thinking that I will close this pull request and start fresh...sound ok? Thanks
229. Github user emilianbold commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/31#discussion_r143060563 --- Diff: j2ee.core.utilities/src/org/netbeans/modules/j2ee/core/support/java/method/ExceptionsPanel.form --- @@ -1,26 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- --- End diff -- Don't. Just start in another branch on your local machine then push that into your master branch on github (eventually with --force). The existing PR will pick the updated changesets and we can go from there.
230. Github user juneau001 closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/31>
231. GitHub user juneau001 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/64> [NETBEANS-54] Module Review j2ee.core.utilities - no external libraries - checked Rat report, added license header to project.xml, other headers looked ok. Ignored problems to be resolved centrally. - skimmed module and did not see any other issues You can merge this pull request into a Git repository by running: \$ git pull https://github.com/juneau001/incubator-netbeans master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/64.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #64 ---- commit 1c33153b40ec0cae9c913f6e63373736a47d4258 Author: Josh Juneau <juneau001@gmail.com> Date: 2017-10-06T04:35:45Z [NETBEANS-54] Module Review j2ee.core.utilities ----
232. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/64> Perfect!
233. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/65> You should also fix the commit message. In your case, '[NETBEANS-54] Module Review editor.settings.lib' see [List of Modules to Review] (<https://cwiki.apache.org/confluence/display/NETBEANS/List+of+Modules+to+Review>): > When done commit the changes with a commit message that starts with first line "[NETBEANS-54] Module Review <module>" (<module> should be replaced with the module you reviewed) and a message body describing your review, see the comments section below for samples. The changeset should then be proposed for merging via a PR. Thanks.
234. GitHub user subhash-koganti opened a pull request: <https://github.com/apache/incubator-netbeans/pull/66> [NETBEANS-54] Module Review editor.settings.lib - Added Apache License - no external libraries - checked Rat report and found 11 XML files that don't have any license info defined on them. Added the license text on to them. - After adding the text , Recompiled the code and ran the rat report again and Made sure that these files are fixed in the rat report. - skimmed through the module, did not notice any additional problems You can merge this pull request into a Git repository by running: \$ git pull https://github.com/subhash-koganti/incubator-netbeans master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/66.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #66 - ---- commit da72fc10aa35921db7529d23b45bf9bb62d8f371 Author: subhash-koganti <subhash.koganti@gmail.com> Date: 2017-10-06T05:10:50Z [NETBEANS-54] Module Review editor.settings.lib - Added Apache License ----
235. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/66> Thanks for fixing it. BTW, You should create a new branch, then commit your changes. maybe, since next time?
236. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/67> [NETBEANS-54] Module Review team.common - no external library - checked Rat report: update the license header in package-info.java. ignore manifest.mf - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull https://github.com/junichi11/incubator-netbeans module-review-team.common Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/67.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #67 ---- commit bdf35ca35d1b5c89e405951f7f7f5f12e7f Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-06T00:19:12Z [NETBEANS-54] Module Review team.common - no external library - checked Rat report: update the license header in package-info.java. ignore manifest.mf - skimmed through the module, did not notice additional problems ----
237. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/68> [NETBEANS-54] Module Review project.libraries - no external library - checked Rat report: update the license header in package.html. ignore uispec.txt, org-netbeans-modules-project-libraries.sig, and manifest.mf - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull https://github.com/junichi11/incubator-netbeans module-review-project.libraries Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/68.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #68 ---- commit eb9ea7f30ffc93532ee3d7b5dd36192a6bc923a7 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-06T10:22:54Z [NETBEANS-54] Module Review project.libraries - no external library - checked Rat report: update the license header in package.html. ignore uispec.txt, org-netbeans-modules-project-libraries.sig, and manifest.mf - skimmed through the module, did not notice additional problems ----
238. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/69> [NETBEANS-54] Module Review api.visual Changed the license in the examples-readme.txt. You can merge this pull request into a Git repository by running: \$ git pull https://github.com/geertjanw/incubator-netbeans master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/69.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #69 ---- commit a1a47ca5f8d3a0991b1969617116c9de6f6f0001 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-06T14:25:05Z [NETBEANS-54] Module Review api.visual ----
239. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/69> Looks good

240. Github user ikysil commented on the issue: <https://github.com/apache/incubator-netbeans/pull/62> @matthiasblaesing Could you please do another round of review?

241. Github user subhash-koganti commented on the issue: <https://github.com/apache/incubator-netbeans/pull/66> sure sounds good. I am new to the group. Not sure what the process was. I was told to do a fork . But if Branching is the process , I will branch it next time. By the way is there a document where this is specified ?

242. Github user geertjanw closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/69>

243. GitHub user varaghar opened a pull request: <https://github.com/apache/incubator-netbeans/pull/73> [NETBEANS-54] Module Review #167 You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/varaghar/incubator-netbeans> master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/73.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #73 ---- commit 6a3d4ea36455fd04f4a5f7754cd97f225f6d18d9 Author: Jozsef.Kerekes <jozsef.kerekes@iscd.eu> Date: 2017-10-06T23:32:41Z [NETBEANS-54] Module Review #167 ----

244. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/66> Probably, There is no document about it in the wiki. I think there is no problem even if a new branch is not created. But you may get a problem in your repository after your PR is merged. e.g. If your commits are rebased then merged in the upstream repository, the upstream repository has the different commit id from your one. To keep the master branch up-to-date with the upstream repository, I recommend that you use it :)

245. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/73> Probably, you should send your PR to not `apache:master` but `emilianbold:master`. The commit message must be `[NETBEANS-54] Module Review <module name>`. In your case, `[NETBEANS-54] Module Review profiler.j2se`

246. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/71> Probably, you should send your PR to not `apache:master` but `emilianbold:master`. The commit message must be `[NETBEANS-54] Module Review <module name>`. In your case, `[NETBEANS-54] Module Review updatecenters`

247. Github user varaghar commented on the issue: <https://github.com/apache/incubator-netbeans/pull/73> Thank you for the response, I will update this.

248. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/42> Merged in 215acff0f9714513987031fae8bf329b0514789c. @vieiro Do you mind closing this PR?

249. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/43> Merged in 9117c00eabdbac179ccb4055044fcb2ab40039a. @vieiro Do you mind closing this PR? Thanks!

250. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/36>

251. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/45> Merged in 215043377068868481619d203e0312131294206b. @rtaneja1 Do you mind closing this PR? Thanks!

252. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/74> [NETBEANS-54] Module Review terminal - no external library - checked Rat report: add the license header in README.*. ignore manifest.mf - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans> module-review-terminal Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/74.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #74 ---- commit 23c0cbe25bb4cd97a886730dba0fd85fab279d02 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-07T12:38:18Z [NETBEANS-54] Module Review terminal - no external library - checked Rat report: add the license header in README.*. ignore manifest.mf - skimmed through the module, did not notice additional problems ----

253. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/75> [NETBEANS-54] Module Review api.templates You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-api.templates Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/75.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #75 ---- commit d06d586d745a60d711ffd0e9779ecf697467861a Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-07T12:59:09Z [NETBEANS-54] Module Review api.templates ----

254. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/5> This PR was created nearly two weeks ago - I'll merge this tomorrow, if no one issues a veto.

255. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/76> [NETBEANS-54] Module Review api.visual You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-api.visual Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/76.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #76 ---- commit 684306372dbbb72fc978064e77016556e808796 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-07T13:06:24Z [NETBEANS-54] Module Review api.visual ----

256. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/76> Looks good.

257. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/75> Looks good.

258. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/77> [NETBEANS-54] Module Review api.search You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-api.search Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/77.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #77 ---- commit d6b8677c4b858d3ff734e2fe541ad27e0c9b1179 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-07T13:24:57Z [NETBEANS-54] Module Review api.search ----

259. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/77> The changes look to only touch files, that I would have seen under "central problems". The change itself looks good though.

260. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/77> Right. I thought, basically, "let's just get it done".

261. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/74> Looks good. I might have considered stripping the "#" signs, but that is bike-shedding, so no objection from me.

262. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/78> [NETBEANS-54] Module Review autoupdate.services You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-autoupdate.services Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/78.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #78 ---- commit 8b059393a2d7932cbe094d7458801e35b58e806b Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-07T13:43:33Z [NETBEANS-54] Module Review autoupdate.services ----

263. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/64> Looks good.

264. Github user rtaneja1 closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/45>

265. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/77> Hope someone can do the merges of my PRs, such as this one, haven't got that working yet.

266. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/75>

267. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/77>

268. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/78>

269. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/76>

270. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/77> Done.

271. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/29>

272. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/62> Looks better, but you still introduce a change into HibernateRevangTemplate.xml. You add a XML prolog to the file, that was not there before. So could you please: - remove that also - rebase your changes onto master - squash your changes together into one changeset Thank you!

273. Github user vieiro closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/43>

274. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/43> Closing PR as requested.

275. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/42> Closing PR as requested.

276. Github user vieiro closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/42>

277. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/79> [NETBEANS-54] Module Review lexer.nbbridge - No external libraries. - One test failed: org.netbeans.modules.lexer.nbbridge.test.MimeLookupLanguageProv - Added license to a single layer.xml test file (not strictly required). You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-lexer.nbbridge Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/79.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #79 ---- commit 18cc78320bd836ebd82e96ab3ca9e8aba4af219f Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-07T17:26:43Z [NETBEANS-54] Module Review

- lexer.nbbriidge - No external libraries. - One test failed: org.netbeans.modules.lexer.nbbriidge.test.MimeLookupLanguageProv - Added license to a single layer.xml test file (not strictly required). ----
278. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/80> [NETBEANS-54] Module Review libs.antlr3.runtime * Updated external/binaries-list with Maven coordinates for antlr3 runtime (BSD) * No other problems found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.antlr3.runtime> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/80.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #80 ---- commit 952e344be1e7ecd08ae4b73bf6ea48ef536dfc91 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-07T18:35:20Z [NETBEANS-54] Module Review libs.antlr3.runtime * Updated external/binaries-list with Maven coordinates for antlr3 runtime (BSD) * No other problems found. ----
279. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/80>
280. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/79>
281. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/66>
282. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/64>
283. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/56>
284. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/55>
285. GitHub user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/53> Could you please revisit the "some text xml files without header". If possible I'd add a license header, if not, I'd add an exclude to build.xml.
286. GitHub user ikysil commented on the issue: <https://github.com/apache/incubator-netbeans/pull/62> It looks like this particular pull request is broken beyond reasonable repair due to mistakes which I did during synchronization with upstream. I will open a new PR.
287. GitHub user ikysil closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/62>
288. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/81> [NETBEANS-54] Module Review libs.antlr4.runtime - Updated maven coordinates for antlr 4.5.3 (BSD) - No other problems found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.antlr4.runtime> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/81.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #81 ---- commit 5903f671cf63382e329a74940e5230fbb13417a Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-07T19:43:14Z [NETBEANS-54] Module Review libs.antlr4.runtime - Updated maven coordinates for antlr 4.5.3 (BSD) - No other problems found. ----
289. GitHub user ikysil opened a pull request: <https://github.com/apache/incubator-netbeans/pull/82> [NETBEANS-54] Module Review hibernate - external binary contains DTDs for Hibernate 3.0 configuration files - changed license headers for files reported by Rat - replacing the bundled binary is tracked by <https://issues.apache.org/jira/browse/NETBEANS-79> You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/ikysil/incubator-netbeans-netbeans-54-review-hibernate-rework> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/82.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #82 ---- commit 0a5a1a61c9bad9dae96908f9b3fd63c3d3d5099d Author: Illya Kysil <ikysil@ikysil.name> Date: 2017-10-04T19:48:37Z [NETBEANS-54] Module Review hibernate - external binary contains DTDs for Hibernate 3.0 configuration files - changed license headers for files reported by Rat - replacing the bundled binary is tracked by <https://issues.apache.org/jira/browse/NETBEANS-79> ----
290. GitHub user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/74> Yes, probably, "#" signs are not needed. I used them because I thought that the format should be unified. It is already used in o.n.swing.tabcontrol/readme.txt[1]. [1] <https://github.com/apache/incubator-netbeans/blob/master/o.n.swing.tabcontrol/readme.txt>
291. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/63>
292. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/67>
293. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/68>
294. GitHub user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/74>
295. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/84> [NETBEANS-54] Module Review core.kit You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-core.kit> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/84.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #84 ---- commit 927d62a0538a0796230168f1956ac06e2023dca2 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T05:55:54Z [NETBEANS-54] Module Review core.kit ----
296. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/85> [NETBEANS-54] Module Review libs.commons_compress - Updated maven coordinates for commons/compress 1.8.1 (Apache 2) You can merge this pull request into a Git repository by running: \$ git pull https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.commons_compress Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/85.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #85 ---- commit d6d0166dba0a420dbcd4676dd6cfa3be9f0117b9 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-08T06:04:00Z [NETBEANS-54] Module Review libs.commons_compress - Updated maven coordinates for commons/compress 1.8.1 (Apache 2) ----
297. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/86> [NETBEANS-54] Module Review core.multiview You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-core.multiview> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/86.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #86 ---- commit 2acf5099f2ebadfd6c8abdf3ffc380cccd7878e5 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T06:07:11Z [NETBEANS-54] Module Review core.multiview ----
298. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/87> [NETBEANS-54] Module Review libs.commons_net - Updated maven coordinates for commons/net 3.6 (Apache 2) You can merge this pull request into a Git repository by running: \$ git pull https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.commons_net Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/87.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #87 ---- commit 4bab223b96db762abdfc87af710552eaf34628bb Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-08T06:06:54Z [NETBEANS-54] Module Review libs.commons_net - Updated maven coordinates for commons/net 3.6 (Apache 2) ----
299. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/88> [NETBEANS-54] Module Review core.output2 You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-core.output2> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/88.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #88 ---- commit d9189946a8dc34d261cb3b72144b762bd07119ba Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T06:19:43Z [NETBEANS-54] Module Review core.output2 ----
300. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/89> [NETBEANS-54] Module Review core.startup You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-core.startup> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/89.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #89 ---- commit fa16f25fe186e4bf230801b7298a0cfd06866ccb Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T06:28:04Z [NETBEANS-54] Module Review core.startup ----
301. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/90> [NETBEANS-54] Module Review core.ui You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-core.ui> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/90.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #90 ---- commit 9da052165fd0c7d884a67b8f6661147628c9a2b3 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T06:35:05Z [NETBEANS-54] Module Review core.ui ----
302. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/91> [NETBEANS-54] Module Review libs.freemarker - Added maven coordinates to external/binaries_list for freemarker 2.3.19 (BSD 3?) - Added headers to two source files (FreemarkerEngine.java & FreemarkerFactory.java) and to one test file. - All unit tests passing. - Not adding license headers to the following test files (as some tests would fail): - ./test/unit/data/golden/GeneratedMethodBody.java - ./test/unit/data/golden/ClassWithoutReplacements.java - ./test/unit/data/golden/GeneratedMethodBody2.java - ./test/unit/data/golden/ForceNoReplacements.java - ./test/unit/data/golden/SimpleReplacements.java - ./test/unit/data/licenseheader.txt - ./test/unit/data/templates/GeneratedMethodBody.java - ./test/unit/data/templates/ClassWithoutReplacements.java - ./test/unit/data/templates/SimpleReplacements.java You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.freemarker> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/91.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #91 -

- commit ed9232dc8a05aa17123914fcb550efa72eefa2d9 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-08T06:33:35Z [NETBEANS-54] Module Review libs.freemarker - Added maven coordinates to external/binaries_list for freemarker 2.3.19 (BSD 3?) - Added headers to two source files (FreemarkerEngine.java & FreemarkerFactory.java) and to one test file. - All unit tests passing. - Not adding license headers to the following test files (as some tests would fail): - ./test/unit/data/golden/GeneratedMethodBody.java - ./test/unit/data/golden/ClassWithoutReplacements.java - ./test/unit/data/golden/GeneratedMethodBody2.java - ./test/unit/data/golden/ForceNoReplacements.java - ./test/unit/data/golden/SimpleReplacements.java - ./test/unit/data/licenseheader.txt - ./test/unit/data/templates/GeneratedMethodBody.java - ./test/unit/data/templates/ClassWithoutReplacements.java - ./test/unit/data/templates/SimpleReplacements.java ----
303. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/92> [NETBEANS-54] Module Review core.windows You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-core.windows> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/92.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #92 ---- commit a0c5e285d687f5cec04af5861ed30901eb4747c6 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T06:45:41Z [NETBEANS-54] Module Review core.windows ----
304. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/93> [NETBEANS-54] Module Review core.io.ui You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-core.io.ui> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/93.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #93 ---- commit b93bb1879db6c914215170ced749a25796e06ae1 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T06:50:45Z [NETBEANS-54] Module Review core.io.ui ----
305. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/94> [NETBEANS-54] Module Review libs.ini4j - Updated maven coordinates for ini4j 0.5.1 (Apache 2) - All license headers are correct. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.ini4j> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/94.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #94 ---- commit 049f9659e27cc03668a116486168f15caafcd56 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-08T07:04:10Z [NETBEANS-54] Module Review libs.ini4j - Updated maven coordinates for ini4j 0.5.1 (Apache 2) - All license headers are correct. ----
306. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/52> Thank you for looking into this. I disagree with your assessment about the license header for the templates. I draw the line between the template and its result. The template itself is ALv2 licensed, but its intention is to create code and that is not covered by the ALv2 license. So the license header belongs into the template if it does not interfere with the generation process and in the cases of the XML templates all templates were freemarker templates, so the ALv2 header I added is only in the template itself, not in the resulting code. In fact the license for the resulting code comes from the project properties.
307. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/95> [NETBEANS-54] Module Review apisupport.ant You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-apisupport.ant> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/95.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #95 ---- commit 06da98868310183b783644233c213a2349d689fe Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T09:18:22Z [NETBEANS-54] Module Review apisupport.ant ----
308. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> Arent't lots of these "Problems to be solved centrally"?
309. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/52> > I disagree with your assessment about the license header for the templates. I draw the line between the template and its result. I believe we should discuss this on the dev@ mailing lists. Personally I see it as a bad move to scare users that generated code might be Apache-licensed.
310. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> Yes, though did them just to get it done.
311. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/53>
312. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/53> Merged - thank you!
313. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/81>
314. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/83>
315. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/83> Merged the change - could you please open a jira issue for handling this library? As it is LGPL it can't be distributed with the Apache Netbeans source and either installed by the user or replaced.
316. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/85> Please have a look at for ALv2 licensed files and their NOTICE file (commons-compress has one): http://mail-archives.apache.org/mod_mbox/incubator-netbeans-dev/201710.mbox/%3cCALd=3dEZDmMVwpYajqcmNVSrfa5w_xKAzpGv56unHnAfMQacjg@mail.gmail.com%3e If I'm not mistaken all apache project carry a notice file, so that needs to be included.
317. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/87> Please have a look at for ALv2 licensed files and their NOTICE file (commons-compress has one): http://mail-archives.apache.org/mod_mbox/incubator-netbeans-dev/201710.mbox/%3cCALd=3dEZDmMVwpYajqcmNVSrfa5w_xKAzpGv56unHnAfMQacjg@mail.gmail.com%3e If I'm not mistaken all apache project carry a notice file, so that needs to be included.
318. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/94>
319. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/5>
320. GitHub user juneau001 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/98> [NETBEANS-54] Module Review j2ee.metadata - no external libraries - checked Rat report, added license header on apichanges.xml and changed header on ./test/unit/data/projects/JavaApplication1/nbproject/project.xml from Oracle to Apache, others looked ok. Ignored problems to be resolved centrally. - skimmed module and did not see any other issues You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/juneau001/incubator-netbeans-master> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/98.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #98 ---- commit 7935ee11d1cfd2ef3fed72a63089455c6127c Author: Josh Juneau <juneau001@gmail.com> Date: 2017-10-08T14:54:01Z [NETBEANS-54] Module Review j2ee.metadata ----
321. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/91#discussion_r143356883 --- Diff: libs.freemarker/external/binaries-list --- @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -5EEAAC41164FEB7C73BEBD678A7B6C10C3E80 freemarker-2.3.19.jar +A251045E5FADD02824D17F1AA8C412ACCF1AA1C9.org.freemarker:freemarker:2.3.19 --- End diff -- This is in the license: > 2. The end-user documentation included with the redistribution, if any, must > include the following acknowledgement: > "This product includes software developed by the > Visigoth Software Society (<http://www.visigoths.org/>)." > Alternately, this acknowledgement may appear in the software itself, if and > wherever such third-party acknowledgements normally appear. I would this include a "-notice" file, that in the end should end up in the apache NOTICE file. From my reading this is similar to the apache NOTICE file, that needs to be redistributed.
322. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/84>
323. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/86>
324. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/88>
325. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/89>
326. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/90>
327. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/92>
328. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/93>
329. GitHub user jlahoda opened a pull request: <https://github.com/apache/incubator-netbeans/pull/99> [NETBEANS-54] Module Review applemenu -using an external library instead of inline com/apple/awt classes -saner handling of "external" java.awt classes (not unpacking them into the source directory) You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/jlahoda/incubator-netbeans-applemenu-review> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/99.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #99 ---- commit 898a030c44e6002a4861ea409e32fc63d6d5a4a6 Author: Jan Lahoda <jlahoda@netbeans.org> Date: 2017-10-08T15:36:00Z [NETBEANS-54] Module Review applemenu -using an external library instead of inline com/apple/awt classes -saner handling of "external" java.awt classes (not unpacking them into the source directory) ----
330. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/82> Merged - thank you!
331. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/82>
332. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/98>

333. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> > Yes, though did them just to get it done. But if the conclusion is that these should *not* have headers, we'll have to go back and delete them.
334. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> OK, we should decide on that first and until then not merge this PR.
335. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/91#discussion_r143360229 --- Diff: libs.freemarker/external/freemarker-2.3.19-notice.txt --- @@ -1,6 +1,35 @@ -Apache FreeMarker (incubating) -Copyright 2015-2017 The Apache Software Foundation +Copyright (c) 2003 The Visigoth Software Society. All rights reserved. -This product includes software developed at -The Apache Software Foundation (<http://www.apache.org/>). +Redistribution and use in source and binary forms, with or without +modification, are permitted provided that the following conditions are met: + --- End diff -- I would not go for the full license in the notice. I would just add the required part (see section 2 of the license): > This product includes software developed by the > Visigoth Software Society (<http://www.visigoths.org/>). For updates please also squash the changes together - there will now be at least four changeset for more or less one change.
336. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/85>
337. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/99> Wow, excellent, thanks, that helps a lot.
338. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/87>
339. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> The situation is already there. With or without Geertjans work a potential automatic system needs to detect present licenses, and if it decided, that the headers are not needed, they are not wrong either (Assuming they don't break tests/functionality). I don't see why we would rip out license headers, that are correct and don't interfere with functions/tests.
340. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/100> [NETBEANS-54] Module Review languages.yaml - No external libraries. - Added license to l10n.list - Two user-facing small templates without a license. - 94 unit test files without license. As this module is a parser/lexer/scanner for yaml files I think it's safer not to modify these files with license headers. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-languages.yaml Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/100.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #100 ---- commit d37639b01cdd364c4b725129a820bdca5c45d24f Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-08T17:18:58Z [NETBEANS-54] Module Review languages.yaml - No external libraries. - Added license to l10n.list - Two user-facing small templates without a license. - 94 unit test files without license. As this module is a parser/lexer/scanner for yaml files I think it's safer not to modify these files with license headers. ----
341. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/101> [NETBEANS-54] Module Review libs.jsch.agentproxy - Updated external/binaries-list with maven coordinates. - Added 4 notice.txt files. - The rest of the files have proper Apache licenses. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-libs.jsch.agentproxy Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/101.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #101 ---- commit b20dfcb99c30ea21db62acd5fb4159a667346d6 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-08T17:42:57Z [NETBEANS-54] Module Review libs.jsch.agentproxy - Updated external/binaries-list with maven coordinates. - Added 4 notice.txt files. - The rest of the files have proper Apache licenses. ----
342. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/91>
343. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/91> Thank you - I squashed your changes together and added an exclusion in the rat report for the test-data.
344. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/91> Thank you, I'll try to add those test files to the exclusion list myself in future PRs.
345. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> Agree with this, i.e., whether we decide to add them for all of these throughout or not, the fact that these specific ones in this module already have them, now that I've added them manually, shouldn't be a problem and we should merge this PR from my point of view.
346. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/101>
347. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> @geertjanw please close this PR, the changeset was also part of #96 and the changes are thus merged already.
348. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/95> OK.
349. Github user geertjanw closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/95>
350. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/99> I agree - this looks good. I don't own a mac, so it would be good if someone with a mac could give it a spin.
351. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/100> I merged this in a858f131260db819b3c6106d7d97f28bc61fe26d and added 73b9472ea4174da890b03465ed727ac876bc1686 exclusions. Please close this PR.
352. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/99> I've originally forgot to cleanup the build.xml. I've updated the pull request with the cleanup now.
353. Github user vieiro closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/100>
354. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/100> Thanks!
355. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/102> [NETBEANS-54] Module Review libs.asm You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-libs.asm Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/102.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #102 ---- commit 5f0fabf6de5544decae5e166d48b6116a365dfd6 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T20:30:45Z [NETBEANS-54] Module Review libs.asm ----
356. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/103> [NETBEANS-54] Module Review libs.junit4 You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-libs.junit4 Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/103.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #103 ---- commit ed4c03cb13928b6a076f4eac2730704ae2f66a82 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T20:52:14Z [NETBEANS-54] Module Review libs.junit4 ----
357. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/104> [NETBEANS-54] Module Review libs.osgi You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-libs.osgi Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/104.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #104 ---- commit 96c48b315a585197672e5a0975cedfa1a2b30438 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-08T21:17:22Z [NETBEANS-54] Module Review libs.osgi ----
358. GitHub user martypowell opened a pull request: <https://github.com/apache/incubator-netbeans/pull/105> [NETBEANS-54] Module Review - Resolves #65 - html.editor.lib Replaces license header with apache standard. If there is a problem with the formatting changes caused by my text editor let me know and I can adjust any of those files. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/martypowell/incubator-netbeans> master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/105.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #105 ---- commit 75d1302d001c53d87850e217189f53a55759c976 Author: Marty Powell <jpowel25@gmail.com> Date: 2017-10-08T21:52:35Z Updated the license header to the standard Apache Software Foundation license header commit 2059a010fc2d2813dd6bdb55c2f85f0ec250e0ca Author: Marty Powell <jpowel25@gmail.com> Date: 2017-10-08T22:12:03Z roll back because formatting didn't match original commit 10786bc230dcad774a3e0ac3f5c4b96e9b06c33 Author: Marty Powell <jpowel25@gmail.com> Date: 2017-10-08T22:18:17Z removed whitespace ----
359. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/105> @martypowell If you come from @emilianbold's repo (<https://github.com/emilianbold/incubator-netbeans>), please send your PR there, i.e. not `apache:master` but `emilianbold:master`
360. Github user martypowell commented on the issue: <https://github.com/apache/incubator-netbeans/pull/105> @junichi11 thanks wasn't paying attention...will do
361. Github user martypowell closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/105>
362. GitHub user juneau001 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/110> [NETBEANS-54] Module Review j2ee.metadata.model.support - no external libraries - checked Rat report, added license header on Table.java which unfortunately also changed whitespace...hope is okay, other files looked ok. Ignored problems to be resolved centrally. - skimmed module and did not see any other issues You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/juneau001/incubator-netbeans> master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/110.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in

- the commit message: This closes #110 ---- commit 2a5f1c8c7ef37cf8116d0ddff685add294baaa69c Author: Josh Juneau <juneau001@gmail.com> Date: 2017-10-09T14:17:37Z [NETBEANS-54] Module Review j2ee.metadata.model.support ----
363. Github user matthiasblaesing commented on the diff in the pull request: https://github.com/apache/incubator-netbeans/pull/104#discussion_r143545978 --- Diff: https://github.com/apache/incubator-netbeans/pull/104#discussion_r143545978 --- @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD osgi.cmpn-4.2.jar -2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 osgi.core-5.0.0.jar +972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD org.netbeans.external:osgi.cmpn:4.2 --- End diff -- How does this work? I don't see this on maven central. There are osgi.cmpn artifacts in the org.osgi group, just different versions. I would use this opportunity to move to the "primary" ones.
364. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/103>
365. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/102>
366. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/110>
367. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/112> [NETBEANS-54] Module Review libs.lucene - Added lucene notice file from <https://github.com/apache/lucene-solr/blob/releases/lucene-solr/3.5.0/lucene/NOTICE.txt> - Added the maven coordinates. - No other issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.lucene> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/112.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #112 ----
368. Github user junichi11 commented on the issue: [@varaghar](https://github.com/apache/incubator-netbeans/pull/73) If you come from @emilianbold's repo (<https://github.com/emilianbold/incubator-netbeans>), please send your PR there. i.e. not `apache:master` but `emilianbold:master`.
369. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/113> [NETBEANS-54] Module Review libs.xerces - Updated maven coordinates for Xerces 2.8.0 (Apache 2). - Added xerces notice from https://svn.apache.org/repos/asf/xerces/java/tags/Xerces-J_2_8_0/NOTICE You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.xerces> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/113.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #113 ---- commit 3a9f767d933afd9333de3f08f45cb56579efad95 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-10T05:52:55Z [NETBEANS-54] Module Review libs.xerces - Updated maven coordinates for Xerces 2.8.0 (Apache 2). - Added xerces notice from https://svn.apache.org/repos/asf/xerces/java/tags/Xerces-J_2_8_0/NOTICE ----
370. GitHub user rosslamont opened a pull request: <https://github.com/apache/incubator-netbeans/pull/114> [NETBEANS-54] Module Review css.lib Added or replaced licenses: - CssTokenId.java - NoteType.java - TokenAcceptorsTest.java - itabbar.css.testfile - all css files in unit tests Still todo: - antlr4.patch (not sure what to do here) - .txt data files (central solution) You can merge this pull request into a Git repository by running: \$ git pull https://github.com/rosslamont/incubator-netbeans-css_lib Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/114.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #114 ---- commit c5ba6292be750b3d2c5c771d8c38802324698784 Author: Ross Lamont <rlamont@componentcorp.com> Date: 2017-10-10T11:19:51Z [NETBEANS-54] Module Review css.lib Added or replaced licenses: - CssTokenId.java - NoteType.java - TokenAcceptorsTest.java - itabbar.css.testfile - all css files in unit tests Still todo: - antlr4.patch - .txt data files (central solution) ----
371. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/114> Looks great and makes sense not to do anything with that patch and .txt data file. Thanks for this review, great.
372. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/83> Just for the records, the issue is <https://issues.apache.org/jira/browse/NETBEANS-81>
373. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/113> Please recheck this as this breaks the build. My local build breaks different than the protocol from travis, but reproducible. To check yourself, please run in the repository: `` git clean -x -f ant `` The git clean part removes all files, that are not part of the repository. The downloaded file gets a different name and is can't be made available at build and compile time. Hava a look at project.properties - this should do it: `` diff # This patch file was generated by NetBeans IDE # It uses platform neutral UTF-8 encoding and \n newlines. --- a/libs.xerces/nbproject/project.properties +++ b/libs.xerces/nbproject/project.properties @@ -16,6 +16,6 @@ # under the License. is.autoload=true - release.external.xerces-2.8.0.jar=modules/ext/xerces-2.8.0.jar + release.external.xercesImpl-2.8.0.jar=modules/ext/xerces-2.8.0.jar module.jar.verifylinkageignores=org.apache.xerces.util.XMLCatalogResolver spec.version.base=1.39.0 ``
374. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/114> Sorry, but this breaks the unittests. In these the CSS structure is parsed and the result is compared with a reference file. I would do this: - revert the changes to the files under `css.lib/test/unit/data` - add an exclusion pattern to the rat report task in the `nbbuild/build.xml` with the pattern `css.lib/test/unit/data/**` with a comment, that these are testdata files It would be nice if you could have another look at this.
375. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/113> Should be ready now. Sorry for the trouble. It would be nice getting a travis warning in case of build failure.
376. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/112>
377. Github user matthiasblaesing commented on the issue: [@emilianbold @junichi11](https://github.com/apache/incubator-netbeans/pull/52) given that the html module has a GPLv2/wCPE+CDDL license https://mail-archives.apache.org/mod_mbox/incubator-netbeans-dev/201710.mbox/%3CCAEF8jVfgnUVAzntSRDYE%2BST%3DwreSced3xJ%2BChBOKdX51ExZJw%40mail.gmail.com%3E does this fix the issues you have with this?
378. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/113> Your wish was already granted - the travis configuration was added to the repository literally hours ago. That's the reason I saw that. :-)
379. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/115> [NETBEANS-54] Module Review libs.jvyaamlb - Version 0.2.7 is not available in maven.central - Downgraded to 0.2.6 to see how it behaves in travis build - See issue #82 <https://issues.apache.org/jira/browse/NETBEANS-82> You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.jvyaamlb> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/115.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #115 ---- commit 79d0b48ad1ce0d9bfa7086612bf85b5ed9c6fa21 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-10T20:23:35Z [NETBEANS-54] Module Review libs.jvyaamlb - Version 0.2.7 is not available in maven.central - Downgraded to 0.2.6 to see how it behaves in travis build - See issue #82 <https://issues.apache.org/jira/browse/NETBEANS-82> ----
380. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/113> It would be nice getting a pair of beers in case of build success! :-D
381. Github user emilianbold commented on the issue: [@matthiasblaesing](https://github.com/apache/incubator-netbeans/pull/52): so far I have been excluding template files from Rat. They are user visible as far as I can tell and I don't believe it's good for NetBeans to have that. Maybe there is some flag or something in the non-dev builds that hide the license... I have yet to see the license header disappear when shown.
382. Github user rosslamont commented on the issue: <https://github.com/apache/incubator-netbeans/pull/114> My apologies, I assumed tests were part of the default build. Curious: shouldn't travis be running unit tests and picking that up? I will revert the test changes and look into the rat exclusion.
383. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/116> [NETBEANS-54] Module Review libs.smack - Updated maven coordinates. - Passing tests. No license headers missing. - Still awaiting for travis beers. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.smack> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/116.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #116 ---- commit 9c7f5bafca84797ae4bc625bf8670ff46e942a3f Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-10T21:13:30Z [NETBEANS-54] Module Review libs.smack - Updated maven coordinates. - Passing tests. No license headers missing. - Still awaiting for travis beers. ----
384. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/116> Note: This project (Apache license) didn't seem to have any notice file.
385. Github user rosslamont commented on the issue: <https://github.com/apache/incubator-netbeans/pull/114> Done.
386. Github user rosslamont commented on the issue: <https://github.com/apache/incubator-netbeans/pull/114> Sorry - should I also add the patch to the rat exclusions? What would the comment be?
387. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/52> I get the feeling, that we are running in circles: - Junichi established, that there are templates that already today carry a license header (just the wrong one) (In the IDE Tools -> Templates -> Other -> html, verified in 8.2) - I'm only talking about freemarker templates, that offer the option to add a comment header, that does not go into the resulting file (again, try with the html template, you end up with a file without the GPL+CDDL header). Plaintext templates, that are copied verbatim or just allow text replacement won't be touched by

me. - If a developer looks at the templates he should already now that netbeans is ALv2 licensed, else she/he is not even allowed to have it (at least for Germany no right are granted to third parties by default, so if you assume I gave you no license, you are plainly not allowed to use it) - Having headers makes license review easier - Apart from a feeling no argument was raised against adding the license header, in fact for developers it might be good to get into the habit to "survive" seeing a license.

388. Github user dschoorl commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> I added notice file for jcip-annotations instead of a jcip-license file. I changed the jsr305 license file based on the info in <http://wiki.netbeans.org/DevFaqExternalLibraries> as pointed out by Jan. Unfortunately, the checksum of the artifact at the maven coordinates differs from the original download. The META-INF says it's build with a different JRE version. I have not thoroughly checked the contents of the maven download.
389. Github user emilianbold commented on the issue: <https://github.com/apache/incubator-netbeans/pull/52> I really believe this should be discussed on dev@. There are two email threads, one started by me and one by @junichi11 for mentors (which haven't replied). We are not running in circles, you just want license headers everywhere! There are various types of 'templates': 1. example text displayed to users as preview in Options window and elsewhere 2. freemarker templates used internally and 3. freemarker templates the user is also able to see and edit (eg. Open in Editor for Tools | Templates). The general direction I am using is simple: * if a file has the Oracle template I will replace it, regardless. We'll think of the user-facing impact later. * for templates without an existing Oracle license header, I will not add a license header but exclude it from Rat. The only exception where I would add the license header is category 2 where it is clear the end user does not get to see or edit the template. But we have to prove this for each individual file and it's not really worth the trouble because these templates are simple (not much Intellectual Property, really) and the lack of a license header does not imply Public Domain anyhow (the whole of NetBeans does have a license). I don't think it's up to us to teach developers copyright and patent law. A lot of developers are really clueless about the legal ramifications and they will dislike a lot seeing Apache license headers in "their" code generation pipeline (because, aren't they creating derivative works? Actually, they are!). By the time you have them thinking about this (or, maybe even, ask their own legal counsel) you have already lost a customer.
390. GitHub user juneau001 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/117> [NETBEANS-54] Module Review j2ee.persistence - JPA external library (Java EE) is used for test entity classes, along with junit - checked Rat report: everything has been relicensed to Apache, included in 'central problems' list above, or excluded via Rat. Did not touch the .pass test files. - skimmed through module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/juneau001/incubator-netbeans> master Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/117.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #117 ---- commit 1d886fda778315e4c6089ab6c7e5a0d9916f571d Author: Josh Juneau <juneau001@gmail.com> Date: 2017-10-11T03:54:37Z [NETBEANS-54] Module Review j2ee.persistence ----
391. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/116> So we have a "/home/travis/build/apache/incubator-netbeans/nbbuild/templates/projectized.xml:225: Could not find file /home/travis/build/apache/incubator-netbeans/libs.smack/external/smack.jar to copy " I'll take a look at this later on.
392. Github user mcdonnell-john opened a pull request: <https://github.com/apache/incubator-netbeans/pull/118> [NETBEANS-54] Module Review o.eclipse.jgit Had to change from using a jar called: org.eclipse.jgit-3.6.2.201501210735-r-nosignature.jar to org.eclipse.jgit-3.6.2.201501210735-r.jar Since the previous one wasn't in maven. NO NOTICE file added - Not sure it needs one since its under EDL - see <https://github.com/eclipse/jgit/tree/v3.6.2.201501210735-r> You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/mcdonnell-john/incubator-netbeans> feature/NETBEANS-54/o.eclipse.jgit Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/118.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #118 ---- commit 0f0a0a51866412902354c2f0d814f318719e235b Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T07:01:23Z [NETBEANS-54] Updated binaries to use maven lookups - Had to change from using a jar called: org.eclipse.jgit-3.6.2.201501210735-r-nosignature.jar to org.eclipse.jgit-3.6.2.201501210735-r.jar Since the previous one wasn't in maven. NO NOTICE file added - Not sure it needs one since its under EDL - see <https://github.com/eclipse/jgit/tree/v3.6.2.201501210735-r> ----
393. Github user mcdonnell-john opened a pull request: <https://github.com/apache/incubator-netbeans/pull/119> [NETBEANS-54] Module Review org.eclipse.jgit.java7 Had to change from using a jar called: org.eclipse.jgit.java7-3.6.2.201501210735-r-nosignature.jar to org.eclipse.jgit.java7-3.6.2.201501210735-r.jar Since the previous one wasn't in maven. NO NOTICE file added - Not sure it needs one since its under EDL - see <https://github.com/eclipse/jgit/tree/v3.6.2.201501210735-r> You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/mcdonnell-john/incubator-netbeans> feature/NETBEANS-54/o.eclipse.jgit.java7 Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/119.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #119 ---- commit 032e9cf8cdd05855e7db9b0fa3c6c7c877f7721b Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T10:38:07Z [NETBEANS-54] Updated binaries to use maven lookups - Had to change from using a jar called: org.eclipse.jgit.java7-3.6.2.201501210735-r-nosignature.jar to org.eclipse.jgit.java7-3.6.2.201501210735-r.jar Since the previous one wasn't in maven. NO NOTICE file added - Not sure it needs one since its under EDL - see <https://github.com/eclipse/jgit/tree/v3.6.2.201501210735-r> ----
394. Github user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/120> [NETBEANS-54] Module Review junitlib You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans> netbeans-54-review-junitlib Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/120.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #120 ---- commit a53719ca39589471a2e3e741cb0ce450c7dcac4 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-11T11:07:42Z [NETBEANS-54] Module Review junitlib ----
395. Github user neilsmith-net opened a pull request: <https://github.com/apache/incubator-netbeans/pull/121> [NETBEANS-54] Add l10n.list to Rat excludes. Remove translation registration files from Rat report. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/neilsmith-net/incubator-netbeans> l10n Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/121.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #121 ---- commit ed955f906e666bdca782cb940bd414f29a516e9c Author: Neil C Smith <neilsmith@apache.org> Date: 2017-10-11T12:45:39Z [NETBEANS-54] Add l10n.list to Rat excludes. ----
396. Github user mcdonnell-john opened a pull request: <https://github.com/apache/incubator-netbeans/pull/123> [NETBEANS-54] Module Review hudson.subversion You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/mcdonnell-john/incubator-netbeans> feature/NETBEANS-54/hudson.subversion Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/123.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #123 ---- commit 8ce45a620836b5ac99fb33615ff0b81c76fc3da2 Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T13:30:30Z [NETBEANS-54] Updated rat exclusions to include hudson.subversion/test/unit/src/org/netbeans/modules/hudson/subversion/sample-entries-file since this file is test data. - including a license will break tests. commit 36f5cec09fa1dfb5f44b90f55b5bcebf78798c075 Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T13:33:18Z Merge remote-tracking branch 'upstream/master' into feature/NETBEANS-54/hudson.subversion ----
397. Github user mcdonnell-john opened a pull request: <https://github.com/apache/incubator-netbeans/pull/124> [NETBEANS-54] Module Review o.apache.tools.ant.module You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/mcdonnell-john/incubator-netbeans> feature/NETBEANS-54/o.apache.tools.ant.module Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/124.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #124 ---- commit 72d426903eaea1bccb961513ba87570700fa87c Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T14:09:01Z [NETBEANS-54] Added 3 patterns to the exclusion list for the Rat Report and added missing licenses to 2 files ----
398. Github user mcdonnell-john opened a pull request: <https://github.com/apache/incubator-netbeans/pull/125> [NETBEANS-54] Module Review javafx2.editor You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/mcdonnell-john/incubator-netbeans> feature/NETBEANS-54/javafx2.editor Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/125.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #125 ---- commit 90909e53fab2698d735d98811a69ab3d9e6c5019 Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T15:01:19Z [NETBEANS-54] Added missing license and included 2 exclusion rules for test data ----
399. Github user neilsmith-net opened a pull request: <https://github.com/apache/incubator-netbeans/pull/126> [NETBEANS-54] Replace Oracle license in form module templates; add palette-item exclude Replace Oracle license in form module templates; add palette-item exclude. This doesn't complete Form module fixes - still some test projects to fix, You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/neilsmith-net/incubator-netbeans> form Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/126.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #126 ---- commit ed9f80cece6602224ced5e6372e55e5e43df74b Author: Neil C Smith <neilsmith@apache.org> Date: 2017-10-11T14:50:12Z [NETBEANS-54] Add .palette_item files to Rat exclude, commit 0b37620f278fbeb95ce1b671939707c07a881dc6 Author: Neil C Smith <neilsmith@apache.org> Date: 2017-10-11T14:51:30Z [NETBEANS-54] Replace Oracle licenses with Apache on Form template files. ----

400. Github user mcdonnell-john opened a pull request: <https://github.com/apache/incubator-netbeans/pull/127> [NETBEANS-54] Module Review javafx2.kit You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/mcdonnell-john/incubator-netbeans> feature/NETBEANS-54/javafx2.kit Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/127.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #127 ---- commit 19c2ecc6447f5131e89350f8a65175dac0be42d4 Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T16:33:38Z [NETBEANS-54] Added an exclusion for javafx2.kit/release/VERSION.txt to the Rat Report ----
401. Github user mcdonnell-john opened a pull request: <https://github.com/apache/incubator-netbeans/pull/128> [NETBEANS-54] Module Review javafx2.sample You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/mcdonnell-john/incubator-netbeans> feature/NETBEANS-54/javafx2.samples Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/128.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #128 ---- commit eec8f6aeca8ec6d8f1929bfff720c99152cb4c130 Author: John McDonnell <john.mcdonnell@bearingpoint.com> Date: 2017-10-11T16:55:24Z [NETBEANS-54] Added missing licenses and replaced oracle license in a single file. ----
402. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/52>
403. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/52> The remarks were fixed (templates lost their headers again) and the result merged into master.
404. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/113> For the record: The content of the two binaries is identical, the files from maven central and the original netbeans file were zipped with different timestamps and differing directory order. Diffoscope output is here: <https://try.diffoscope.org/qayzdzqugqe.html> To check yourself: unzip both files and run a recursive diff over it.
405. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/113>
406. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/113> I squashed your two commits together and merged this.
407. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/113> Thanks Matthias. If you ever happen to visit Madrid you know you have some free beers here.
408. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/114> Sorry! I overlooked the patch case. I did not know it yet, but you can add comments to diff patches: <https://stackoverflow.com/questions/18979120/is-it-possible-to-add-a-comment-to-a-diff-file-unified> So I suggest to just add an ALv2 header to the file. With regard to the squash question: Please do so, this way the atomic change is contained in one commit.
409. Github user mcdonnell-john commented on the issue: <https://github.com/apache/incubator-netbeans/pull/99> @matthiasblaesing I've checked out the PR and it builds fine on my machine. After running it I've not seen any issues with the menu. Been able to open projects. Look at the about dialog, etc. and in general, all menus seem to be working the same as they do on 8.2. Any specific checks you want me to perform?
410. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/116> Please don't commit yet, I think there's a typo here.
411. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144195122 --- Diff: j2ee.persistence/110n.list --- @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. --- End diff -- 110n.list is "Problems to be solved centrally". <https://cwiki.apache.org/confluence/display/NETBEANS/List+of+Modules+to+Review>
412. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144195169 --- Diff: j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-1.0.xml --- @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> --- End diff -- persistence-*.xml files are copied: <https://github.com/apache/incubator-netbeans/blob/ff1bc6c47951f9f42231c0c06ff58fbfc99f810e/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/provider/ProviderUtil.java#L866-L872> So, please undo changes then, should be added to rat excludes.
413. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144195193 --- Diff: j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.1.xml --- @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> --- End diff -- The same as persistence-1.0.xml.
414. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144196190 --- Diff: j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/resources/PreexistingEntityException.java.txt --- @@ -1,3 +1,21 @@ + /** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ --- End diff -- The same as IllegalOrphanException.java.txt.
415. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144195286 --- Diff: j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/resources/IllegalOrphanException.java.txt --- @@ -1,3 +1,21 @@ + /** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ --- End diff -- *.java.txt files are used here: <https://github.com/apache/incubator-netbeans/blob/ff1bc6c47951f9f42231c0c06ff58fbfc99f810e/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/JpaControllerIterator.java#L209> So, please undo changes then, should be added to rat excludes.
416. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144195299 --- Diff: j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/resources/NonexistentEntityException.java.txt --- @@ -1,3 +1,21 @@ + /** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ --- End diff -- The same as IllegalOrphanException.java.txt.
417. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144196199 --- Diff: j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/resources/RollbackFailureException.java.txt --- @@ -1,3 +1,21 @@ + /** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT

- WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ --- End diff -- The same as IllegalOrphanException.java.txt.
418. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144195184 --- Diff: j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.0.xml --- @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> --- End diff -- The same as persistence-1.0.xml.
419. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144196133 --- Diff: j2ee.persistence/test/unit/data/invalid_persistence.xml --- @@ -1,8 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <persistence + <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at - ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> +<persistence version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> --- End diff -- Please undo this line. New lines are added intentionally to test the invalid file. --- <persistence ce ---
420. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/131> [NETBEANS-54] Module Review lib.termialemulator - Added Apache license to different files. - genfiles.properties, build-impl.xml and manifest.mf files to be handled centrally. - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-lib.termialemulator> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/131.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #131 ---- commit fb537c4edb3a891267df85fb79d5ac331d18975d Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-12T16:15:22Z [NETBEANS-54] Module Review lib.termialemulator - Added Apache license to different files. - genfiles.properties, build-impl.xml and manifest.mf files to be handled centrally. - No other licensing issues found. ----
421. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/116> Typo solved, build passing. Ready for commit review. Feel free to squash.
422. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/132> [NETBEANS-54] Module Review mercurial - Added license to l10n.list - Added templates & test files to rat exclusion list - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-mercurial> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/132.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #132 ---- commit 06aee948f398e63b064d70bdfa9385bf630dd2f4 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-12T16:38:32Z [NETBEANS-54] Module Review mercurial - Added license to l10n.list - Added templates & test files to rat exclusion list - No other licensing issues found. ----
423. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/133> [NETBEANS-54] Module Review libs.cglib - Updated maven coordinates for the external binary. - Added cglib-2.2 license from <https://github.com/cglib/cglib> - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-libs.cglib> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/133.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #133 ---- commit f5bacc6a843d8cf26e5a5d76273ae7181b36c1e4 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-12T16:57:00Z [NETBEANS-54] Module Review libs.cglib - Updated maven coordinates for the external binary. - Added cglib-2.2 license from <https://github.com/cglib/cglib> - No other licensing issues found. ----
424. GitHub user borxa opened a pull request: <https://github.com/apache/incubator-netbeans/pull/134> [NETBEANS-54] Module Review httpserver Updated maven coordinates for the external binary. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/borxa/incubator-netbeans-master> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/134.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #134 ---- commit e03c6cd62263a372fa018c524ebcd50e88cf7aa4 Author: Borxa Varela Bouzas <borxa@varelabouzas.net> Date: 2017-10-12T18:47:41Z [NETBEANS-54] Module Review httpserver ----
425. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/116>
426. Github user mathiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/99> @mcdonnell-john thank you for having a look - this was what I wanted to have ensured. Call it quick-test or smoke test, just to make sure the functions work in general. For me this is good to go in.
427. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/135> [NETBEANS-54] Module Review dlight.nativeexecution - The external/execute-1.0.zip binary is generated by the scripts and code in tools/ - So I'm assuming this is an Apache 2.0 license as well. - Added license headers to makefiles and different scripts - No other licensing headers required. - Test org.netbeans.modules.nativeexecution.api.util.ConnectionManagerTest failed in my box. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-dlight.nativeexecution> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/135.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #135 ---- commit c95443b31fd265e7c84f732049b019b42984e7c7 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-12T20:22:16Z [NETBEANS-54] Module Review dlight.nativeexecution - The external/execute-1.0.zip binary is generated by the scripts and code in tools/ - So I'm assuming this is an Apache 2.0 license as well. - Added license headers to makefiles and different scripts - No other licensing headers required. - Test org.netbeans.modules.nativeexecution.api.util.ConnectionManagerTest failed in my box. ----
428. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/136> [NETBEANS-54] Module Review hibernate - Update the license header in Bundle.properties (a missing change in #82) - Exclude template files from rat You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans-module-review-hibernate> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/136.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #136 ---- commit a3cc59133cfbae7686b410327f7e1fbb726f9764 Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-13T03:25:12Z [NETBEANS-54] Module Review hibernate - Update the license header Bundle.properties - Exclude template files from rat ----
429. GitHub user junichi11 opened a pull request: <https://github.com/apache/incubator-netbeans/pull/137> [NETBEANS-54] Module Review refactoring.api - no external library - checked Rat report: update the license header in translate.names - skimmed through the module, did not notice additional problems You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/junichi11/incubator-netbeans-module-review-refactoring.api> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/137.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #137 ---- commit db29209df7e928734b70bf98ff0eb0a7d4e28dde Author: Junichi Yamamoto <junichi11@apache.org> Date: 2017-10-13T04:17:36Z [NETBEANS-54] Module Review refactoring.api - no external library - checked Rat report: update the license header in translate.names - skimmed through the module, did not notice additional problems ----
430. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/138> [NETBEANS-54] Module Review extexecution.process - Updated coordinates for libpam4j from Maven central (MIT) - winp binary (MIT) in this directory is a patched version from the one in Maven. Added maven coordinates as a comment in binaries-list. - libpam4j (MIT) is not available in Maven central, the homepage was hosted in kenai, now gone. - Unit tests passing. - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-extexecution.process> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/138.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #138 ---- commit 6785399cb69bb3da7513c7081ad5efbaebbc0ce6 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-13T05:29:22Z [NETBEANS-54] Module Review extexecution.process - Updated coordinates for libpam4j from Maven central (MIT) - winp binary (MIT) in this directory is a patched version from the one in Maven. Added maven coordinates as a comment in binaries-list. - libpam4j (MIT) is not available in Maven central, the homepage was hosted in kenai, now gone. - Unit tests passing. - No other licensing issues found. ----

431. Github user jlahoda commented on the issue: <https://github.com/apache/incubator-netbeans/pull/99> Merged: <https://git-wip-us.apache.org/repos/asf?p=incubator-netbeans.git;a=commit;h=56c952886e51619183a234ffcd7738910de5f31f> Thanks for the comments/testing.
432. Github user jlahoda closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/99>
433. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/139> [NETBEANS-54] Module Review ide.kit - No external binaries. - Added Apache license to different xml/properties files and release/VERSION.txt. - Added rat exclusion list for all qa-functional/**/*.*.txt files. - Remaining files to be handled centrally. - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-ide.kit> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/139.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #139 ---- commit 13004772593a16a69f861b6b7f049137e6ee2ffa Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-13T08:13:17Z [NETBEANS-54] Module Review ide.kit - No external binaries. - Added Apache license to different xml/properties files and release/VERSION.txt. - Added rat exclusion list for all qa-functional/**/*.*.txt files. - Remaining files to be handled centrally. - No other licensing issues found. ----
434. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/140> [NETBEANS-54] Module Review java.editor create shell script You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-java.editor.completion.create> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/140.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #140 ---- commit 63820d93eba17dcd527b64f4bce49ddfffb7600e Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-13T10:20:21Z [NETBEANS-54] Module Review java.editor create shell script ----
435. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/126> This would be good to merge, since there are many files we'll be able to exclude from the Rat report in this way.
436. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/141> [NETBEANS-54] Module Review nbjunit You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-nbjunit> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/141.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #141 ---- commit d854053c1f6a86c4fe382217f50b48291ad943a3 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-13T10:44:49Z [NETBEANS-54] Module Review nbjunit ----
437. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/142> [NETBEANS-54] Module Review spi.debugger.ui - No external binaries. - Removed previous license from many META-INF files. - Two files to be handled centrally (*.sig, manifest.mf) - Two tests failing (both before and after changes): org.netbeans.api.debugger.ProvidersAnnotationTest and org.netbeans.api.debugger.WatchesTest - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-spi.debugger.ui> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/142.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #142 ---- commit 9f656ca7709f69e78eb2b61c42441e3744c35d69 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-13T16:41:08Z [NETBEANS-54] Module Review spi.debugger.ui - No external binaries. - Removed previous license from many META-INF files. - Two files to be handled centrally (*.sig, manifest.mf) - Two tests failing (both before and after changes): org.netbeans.api.debugger.ProvidersAnnotationTest and org.netbeans.api.debugger.WatchesTest - No other licensing issues found. ----
438. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/135> The assumption is correct: external/exchlp-1.0.zip (generated within the module)[is indeed covered by the Apache 2.0 License:](https://mail-archives.apache.org/mod_mbox/incubator-netbeans-dev/201710.mbox/%3c59E0859A.6020808@oracle.com%3e)
439. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/143> [NETBEANS-54] Module Review o.apache.ws.commons.util - Updated maven coordinates for Apache WS Commons Util (Apache 2.0) - No notice found at <http://svn.apache.org/viewvc/webservices/commons/trunk/modules/util/> - No other licensing issues found (manifest.mf to be handled centrally) You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans-netbeans-54-module-review-o.apache.ws.commons.util> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/143.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #143 ---- commit 2974aa36c45c994f5d0f82ef8636eeb7d22d6240 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-13T17:16:02Z [NETBEANS-54] Module Review o.apache.ws.commons.util - Updated maven coordinates for Apache WS Commons Util (Apache 2.0) - No notice found at <http://svn.apache.org/viewvc/webservices/commons/trunk/modules/util/> - No other licensing issues found (manifest.mf to be handled centrally) ----
440. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/143>
441. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/143> The binary file is effectively identical. The difference is in the pom.xml files: <https://try.diffoscope.org/tsvpkrrvedcy.html>
442. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/142> Nice!
443. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/142>
444. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/141>
445. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/140>
446. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/137> Looks good.
447. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/134> Hi, All tests should pass now, but I think the line <runtime-relative-path>ext/webserver-3.2.4.jar</runtime-relative-path> should look like <runtime-relative-path>ext/webserver.jar</runtime-relative-path> The "runtime relative path" is the final destination path of the jar when the IDE/platform is built. If this is changed I think that any other modules referring to this jar may fail at runtime
448. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/133>
449. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/128>
450. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/128> Thank you.
451. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/126>
452. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/126> Agreed. I rebased the changes onto head and merged that. Thank you.
453. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/118>
454. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/119>
455. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/118> New binaries contain signatures - this might be a problem in the future, if so the build process need to be adjusted to strip the signatures away. Thank you.
456. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/119> New binaries contain signatures - this might be a problem in the future, if so the build process need to be adjusted to strip the signatures away. Thank you.
457. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/139>
458. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/132>
459. GitHub user geertjanw opened a pull request: <https://github.com/apache/incubator-netbeans/pull/145> [NETBEANS-54] Module Review apisupport.wizards You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/geertjanw/incubator-netbeans-netbeans-54-review-apisupport.wizards> Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/145.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #145 ---- commit e8b778b6c7b6ff143638358d6144431fb9ee35b99 Author: geertjan <geertjan.wielenga@oracle.com> Date: 2017-10-14T10:11:18Z [NETBEANS-54] Module Review apisupport.wizards ----
460. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/146> [NETBEANS-54] Add ALv2 header to l10n.list files You can merge this pull request into a Git repository by running: \$ git pull https://github.com/matthiasblaesing/incubator-netbeans-l10n_fix Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/146.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #146 ---- commit b6179c1810494f3b29af8965fd4bfb3cd0c39b6 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T11:07:05Z [NETBEANS-54] Add ALv2 header to l10n.list files ----
461. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/147> [NETBEANS-54] Recursively exclude generated project files You can merge this pull request into a Git repository by running: \$ git pull https://github.com/matthiasblaesing/incubator-netbeans-exclude_generated_files Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/147.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #147 ---- commit e769395edc2a4c5139b365aade7418ce788381e4 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T11:30:42Z [NETBEANS-54] Recursively exclude generated project files ----

462. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/147> Closing - I'll regroup this into a larger set
463. Github user matthiasblaesing closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/147>
464. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/146> Closing - I'll regroup this into a larger set
465. Github user matthiasblaesing closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/146>
466. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/137>
467. GitHub user matthiasblaesing opened a pull request: <https://github.com/apache/incubator-netbeans/pull/148> [NETBEANS-54] Fix central problems - l10n.list - build.xml - project.xml - project.properties - platform.properties - added recursive exclusions for generated files You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/matthiasblaesing/incubator-netbeans> central_problems Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/148.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #148 ---- commit 05ef0964f3bb82f54806840aecbdcf78966bbbe Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T11:07:05Z [NETBEANS-54] Add ALv2 header to l10n.list files This closes: #121 commit d9d6c141ac7814414c0617b1b93052cc33995abc Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T12:28:12Z [NETBEANS-54] Added/updated ALv2 header for project.properties commit 014f2f1cb68aca0a99671593719d9fb25fb9d6e6 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T11:30:42Z [NETBEANS-54] Recursively exclude generated project files commit dcf51341c8f9deae9bd2d96784589d3e4b3de8f Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T14:32:06Z [NETBEANS-54] Added/updated ALv2 header for build.xml commit df1ac4253423d1b2067cff7e05ebf757c3ec646b Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T14:39:32Z [NETBEANS-54] Added/updated ALv2 header for project.xml commit 8fe8f79460c307f4941518bc01673547eeb6b9f3 Author: Matthias Bläsing <mblaesing@doppel-helix.eu> Date: 2017-10-14T14:47:38Z [NETBEANS-54] Add license to platform.properties ----
468. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/149> [NETBEANS-54] Module Review o.apache.xmlrpc - Added three entries in binaries-list with Maven coordinates for Apache XMLRPC 3.0 files (Apache 2.0) - No notice files found at https://svn.apache.org/repos/asf/webservices/archive/xmlrpc/tags/XMLRPC_3_0/ - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-o.apache.xmlrpc Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/149.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #149 ---- commit 8ed166ac643b9f5facd6a25d9c4aab02206f773f Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-14T15:26:38Z [NETBEANS-54] Module Review o.apache.xmlrpc - Added three entries in binaries-list with Maven coordinates for Apache XMLRPC 3.0 files (Apache 2.0) - No notice files found at https://svn.apache.org/repos/asf/webservices/archive/xmlrpc/tags/XMLRPC_3_0/ - No other licensing issues found. ----
469. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/150> [NETBEANS-54] Module Review o.eclipse.core.contenttype - Added maven coordinates for org/eclipse/core/contenttype (EPL 1.0) - Updated nbproject/* to reflect the change in the binary. - NOTE: Maven jar file is signed (original was not). - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-o.eclipse.core.contenttype Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/150.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #150 ---- commit d8d20cf432a41bd0b47bebe00be5bf5caff3f8ce Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-14T15:52:09Z [NETBEANS-54] Module Review o.eclipse.core.contenttype - Added maven coordinates for org/eclipse/core/contenttype (EPL 1.0) - Updated nbproject/* to reflect the change in the binary. - NOTE: Maven jar file is signed (original was not). - No other licensing issues found. ----
470. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/120>
471. GitHub user vieiro opened a pull request: <https://github.com/apache/incubator-netbeans/pull/151> [NETBEANS-54] Module Review o.eclipse.core.jobs - Exact version 3.5.101 could not be found in Maven, downgrading to 3.5.100 - Updated binaries-list with maven coordinates for eclipse core jobs 3.5.100 (EPL 1.0) - Updated nbproject/* accordingly. - No other licensing issues found. You can merge this pull request into a Git repository by running: \$ git pull <https://github.com/vieiro/incubator-netbeans> netbeans-54-module-review-o.eclipse.core.jobs Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/151.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #151 ---- commit 7a7bd38207e92d911ba2dc49b16f380cfff9a65 Author: Antonio Vieiro <antonio@vieiro.net> Date: 2017-10-14T18:39:53Z [NETBEANS-54] Module Review o.eclipse.core.jobs - Exact version 3.5.101 could not be found in Maven, downgrading to 3.5.100 - Updated binaries-list with maven coordinates for eclipse core jobs 3.5.100 (EPL 1.0) - Updated nbproject/* accordingly. - No other licensing issues found. ----
472. Github user juneau001 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144706106 --- Diff: j2ee.persistence/test/unit/data/invalid_persistence.xml --- @@ -1,8 +1,25 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!--> <persistence version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> --- End diff -- Reverted back...sorry about that!
473. Github user juneau001 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/117> Made all requested changes...will add those files as mentioned to the Rat report
474. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/145#discussion_r144706085 --- Diff: apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx --- @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +!--> --- End diff -- Template files for module development are not user visible at the moment. <https://github.com/apache/incubator-netbeans/blob/c3fcc0a3fdd8e6c7ab2055118798c77e06bae972/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/common/layer.xml#L29-L92> So, I think that there is no problem to add the license header to them. However, would you please fix the comment tag from <!--> to <!--> if license headers for template file are not removed(template files are not added to rat excludes)?
475. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/117> Thank you for fixing them.
476. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144706417 --- Diff: j2ee.persistence/test/unit/data/invalid_persistence.xml --- @@ -1,8 +1,27 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!--> <persistence -ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> + ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> --- End diff -- Perhaps, we should not add whitespaces there. (we should not change other than the license header.)
477. Github user juneau001 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144708411 --- Diff: j2ee.persistence/test/unit/data/invalid_persistence.xml --- @@ -1,8 +1,27 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!--> <persistence -ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> + ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance"

- xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> --- End diff -- Believe whitespace is removed now...sorry about that!
478. Github user geertjanw commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/145#discussion_r144708728 --- Diff: `apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx` --- @@ -1,41 +1,22 @@ -<!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +<!-- --- End diff -- OK, didn't know there's a difference between '<!--' and '<#--' Can you tell me the difference?
479. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/145#discussion_r144712225 --- Diff: `apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx` --- @@ -1,41 +1,22 @@ -<!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +<!-- --- End diff -- '<#-- -->' is a freemarker comment: `http://freemarker.org/docs/dgui_template_overallstructure.html`<!-- -->` is a XML/HTML comment. This difference is important. Templates are processed by freemarker. So if '<#-- -->' is used in a template file, generated code does not have the comment block('<#-- -->'). However, '<!-- -->' is used in it, generated code has the comment block('<!-- -->'). In this case, the generated code will have the license header. BTW, if template files are user visible(e.g. Tools > Templates > Select Something > Open in editor), probably, we should not add the license header. (we should add them to rat excludes.) https://lists.apache.org/thread.html/43bec9e29901ef8d935c2f1515c2b7710c6a7e0b32657c3ddc1468c4@%3Cdev.netbeans.apache.org%3E`
480. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/148>
481. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/121>
482. Github user geertjanw commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/145#discussion_r144720315 --- Diff: `apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx` --- @@ -1,41 +1,22 @@ -<!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +<!-- --- End diff -- These licenses are not user visible, so I will change <!-- back to <#-- Thanks.
483. Github user geertjanw commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> Is anything more needed to be done here or can this one be merged?
484. GitHub user mclay opened a pull request: <https://github.com/apache/incubator-netbeans/pull/153> [NETBEANS-54] Module Review maven.osgi Cleanup NetBeans license header for module maven.osgi #145 You can merge this pull request into a Git repository by running: `$ git pull https://github.com/mclay/incubator-netbeans netbean_54_maven_osgi` Alternatively you can review and apply these changes as the patch at: <https://github.com/apache/incubator-netbeans/pull/153.patch> To close this pull request, make a commit to your master/trunk branch with (at least) the following in the commit message: This closes #153 --- commit 85fb2b197f0b0aad90e0bb8076f5e87193b7131 Author: Michael Clay <michael.clay@codeworkz.at> Date: 2017-10-15T14:24:03Z a[NETBEANS-54] Module Review maven.osgi ----
485. Github user geertjanw commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/104#discussion_r144721265 --- Diff: `libs.osgi/external/binaries-list` --- @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD osgi.cmpn-4.2.jar -2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 osgi.core-5.0.0.jar +972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD org.netbeans.external:osgi.cmpn:4.2 --- End diff -- I'd rather wait until later to do this. This co-ordinate works (<http://mvnrepository.com/artifact/org.netbeans.external:osgi.cmpn-4.2/RELEASE82>) and is closer to the original entry in binaries-list than the primary equivalent.
486. Github user mclay commented on the issue: <https://github.com/apache/incubator-netbeans/pull/153> <https://github.com/emilianbold/incubator-netbeans/issues/145>
487. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/104#discussion_r144722875 --- Diff: `libs.osgi/external/binaries-list` --- @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD osgi.cmpn-4.2.jar -2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 osgi.core-5.0.0.jar +972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD org.netbeans.external:osgi.cmpn:4.2 --- End diff -- Your link shows, that the referenced binary is not present in maven central, but only in the netbeans repository (see the "Repositories" row). The download binaries task has maven central hard-coded, so the binary won't be found. It works for you (and me), because there are multiple fallbacks: - local maven2 cache (\$HOME/.m2/repository) - fallback to load the file from `http://hg.netbeans.org/binaries/` I would not change the binary reference, as currently there is no valuable alternative. And I can support your assessment not to change the binary right now. This makes it clear, that this needs to be tackled later.
488. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/7>
489. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/7> Merged - thank you!
490. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/73> @varaghar sorry - the fix for this file was merged via a bigger changeset, that tackled to problem for all build.xml files. Would you please close this PR? Thank you!
491. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/150>
492. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/150> I squashed the changes together. The binaries differ in the signing information: <https://try.diffoscope.org/verbgtdavxyv.html>
493. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/149>
494. Github user matthiasblaesing commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/124#discussion_r144725205 --- Diff: `o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml_` --- @@ -1,4 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- --- End diff -- This license header is new - it will be copied into the user file verbatim. Please add an exclusion for this file in the rat report with a comment along the line "user visible template file" and remove the license header.
495. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/115>
496. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/123>
497. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/138>
498. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/151>
499. Github user matthiasblaesing commented on the issue: <https://github.com/apache/incubator-netbeans/pull/131> There are a few files were you added the ALv2 at the end of the file. As most license scanners expect it at the top, it would be good to retain that assumption. So could you update these files accordingly? If you need a short form of the license, it is available: <http://www.apache.org/legal/src-headers.html#is-a-short-form-of-the-source-header-available>
500. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/131> Definitely, expect this within 24-48h from now. Sorry & thanks for the link.
501. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/125>
502. Github user asfgit closed the pull request at: <https://github.com/apache/incubator-netbeans/pull/135>
503. Github user mcdonnell-john commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/124#discussion_r144731085 --- Diff: `o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml_` --- @@ -1,4 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- --- End diff -- Cool, Ill address this tomorrow
504. Github user junichi11 commented on a diff in the pull request: https://github.com/apache/incubator-netbeans/pull/117#discussion_r144731244 --- Diff: `j2ee.persistence/test/unit/data/invalid_persistence.xml` --- @@ -1,8 +1,27 @@ <?xml version="1.0" encoding="UTF-8"?> <persisten +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<persisten -ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> + ce version="2.0" xmlns="http://java.sun.com/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd"> --- End diff -- You need not apologize at all. Thank you for working on this.
505. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/117> @matthiasblaesing What should we do about the external binary (<https://github.com/apache/incubator-netbeans/tree/master/j2ee.persistence/external>)?
506. Github user junichi11 commented on the issue: <https://github.com/apache/incubator-netbeans/pull/153> @mclay Thank you for working on it. However, if you come from @emilianbold's repo (<https://github.com/emilianbold/incubator-netbeans>), you should send your PR there. i.e. not ``apache:master`` but ``emilianbold:master``.
507. Github user vieiro commented on the issue: <https://github.com/apache/incubator-netbeans/pull/131> Should be ready now.

508. geertjanw commented on issue #179: [NETBEANS-54] Module Review java.hints (part 1) URL: <https://github.com/apache/incubator-netbeans/pull/179#issuecomment-338511998> OK, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

509. geertjanw closed pull request #179: [NETBEANS-54] Module Review java.hints (part 1) URL: <https://github.com/apache/incubator-netbeans/pull/179> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/java.hints/src/org/netbeans/modules/java/hints/errors/ImportClass.java b/java.hints/src/org/netbeans/modules/java/hints/errors/ImportClass.java index 762c2adb1..e9b0307ef 100644 --- a/java.hints/src/org/netbeans/modules/java/hints/errors/ImportClass.java +++ b/java.hints/src/org/netbeans/modules/java/hints/errors/ImportClass.java @@ -1,45 +1,20 @@ -/* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * <http://www.netbeans.org/cddl-gplv2.html> - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file thatfake - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * Contributor(s): +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + * package org.netbeans.modules.java.hints.errors; diff --git a/java.hints/src/org/netbeans/modules/java/hints/errors/Utilities.java b/java.hints/src/org/netbeans/modules/java/hints/errors/Utilities.java index df1abac3..18afd9bd3 100644 --- a/java.hints/src/org/netbeans/modules/java/hints/errors/Utilities.java +++ b/java.hints/src/org/netbeans/modules/java/hints/errors/Utilities.java @@ -1,45 +1,20 @@ -/* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * <http://www.netbeans.org/cddl-gplv2.html> - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * Contributor(s): +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + * package org.netbeans.modules.java.hints.errors; diff --git a/java.hints/src/org/netbeans/modules/java/hints/resources/enabled.properties b/java.hints/src/org/netbeans/modules/java/hints/resources/enabled.properties index caa5dfac5..680c86872 100644 --- a/java.hints/src/org/netbeans/modules/java/hints/resources/enabled.properties +++ b/java.hints/src/org/netbeans/modules/java/hints/resources/enabled.properties @@ -1,39 +1,17 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# Enable the hint -# Unless required by applicable law or agreed to in writing, -# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. enabled=true diff --git a/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties b/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties index 14f08c413..cd0356970 100644 --- a/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties +++ b/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties @@ -1,39 +1,17 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# Enable the hint -# Unless required by applicable law or agreed to in writing, -# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. enabled=true diff --git a/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties b/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties index 14f08c413..cd0356970 100644 --- a/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties +++ b/java.hints/src/org/netbeans/modules/java/hints/resources/jdk8.properties @@ -1,39 +1,17 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# Enable the hint -# Unless required by applicable law or agreed to in writing, -# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. enabled=true

copyright owner]" -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# -# Contributor(s): -# Default properties of 'Convert to JDK8' configuration +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. display.name=Migrate to JDK 8 diff --git a/java.hints/src/org/netbeans/modules/java/hints/resources/layer.xml b/java.hints/src/org/netbeans/modules/java/hints/resources/layer.xml index a1d09e3a3..bba4c7903 100644 --- a/java.hints/src/org/netbeans/modules/java/hints/resources/layer.xml +++ b/java.hints/src/org/netbeans/modules/java/hints/resources/layer.xml @@ -1,48 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> <!DOCTYPE filesystem PUBLIC "-//NetBeans//DTD Filesystem 1.2/EN" "http://www.netbeans.org/dtds/filesystem-1_2.dtd"> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License")/ You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -Contributor(s): - -The Original Software is NetBeans. The Initial Developer of the Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2010 Sun -Microsystems, Inc. All Rights Reserved. - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding - "[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --> <filesystem> <folder name="Actions"> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

510. geertjanw commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338512032> Waiting for someone to review, will then merge this. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

511. geertjanw commented on a change in pull request #104: [NETBEANS-54] Module Review libs.osgi URL: https://github.com/apache/incubator-netbeans/pull/104#discussion_r146145620 ##### File path: libs.osgi/external/binaries-list ##### @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD osgi.cmpn-4.2.jar -2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 osgi.core-5.0.0.jar +972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD org.netbeans.external:osgi.cmpn:4.2 Review comment: OK, thanks, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

512. geertjanw closed pull request #104: [NETBEANS-54] Module Review libs.osgi URL: <https://github.com/apache/incubator-netbeans/pull/104> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/libs.osgi/external/binaries-list b/libs.osgi/external/binaries-list index aadb02a39..17e5e684e 100644 --- a/libs.osgi/external/binaries-list +++ b/libs.osgi/external/binaries-list @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD osgi.cmpn-4.2.jar -2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 osgi.core-5.0.0.jar +972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD org.netbeans.external:osgi.cmpn:4.2 +2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 org.osgi:osgi:5.0.0 ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

513. geertjanw commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338512219> Anything more needs to be done here? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

514. matthiasblaesing commented on issue #104: [NETBEANS-54] Module Review libs.osgi URL: <https://github.com/apache/incubator-netbeans/pull/104#issuecomment-338514000> Was there a reason for merging this against my advise? The maven coordinates are broken. Am 22. Oktober 2017 23:52:53 MESZ schrieb Geertjan Wielenga <notifications@github.com>: >geertjanw commented on this pull request. >>> @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the > # specific language governing permissions and limitations > # under the License. >-972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD osgi.cmpn-4.2.jar >-2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 osgi.core-5.0.0.jar >+972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD >org.netbeans.external:osgi.cmpn:4.2 >>OK, thanks, merging. >>> >You are receiving this because you commented. >Reply to this email directly or view it on GitHub: >https://github.com/apache/incubator-netbeans/pull/104#discussion_r146145620 ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

515. rosslamont commented on issue #158: [NETBEANS-54] Module Review css.editor URL: <https://github.com/apache/incubator-netbeans/pull/158#issuecomment-338515881> Very sorry about that. Asleep at the wheel. All sorted now. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

516. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338546812> Yes. Not sure what to do about the binary org.apache.maven.indexer:maven-indexer:6.0-SNAPSHOT My comment from earlier: "Regarding org.apache.maven.indexer:maven-indexer:6.0-SNAPSHOT, I suggest we clone that into apache/netbeans owned git, apply the patch, change the maven coordinates to make it netbeans owned and deploy back to maven central." Not sure how you want to approach that. > On 23 Oct 2017, at 8:54 am, Geertjan Wielenga <notifications@github.com> wrote: >> >Anything more needs to be done here? >> >You are receiving this because you authored the thread. >Reply to this email directly, view it on GitHub <<https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338512219>>, or mute the thread <<https://github.com/notifications/unsubscribe-auth/AXKC2H-yJ6WSuj7DoBsovuvDLFm3mj6yks5su7mZgaJpZM4P-f2H>>. > ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

517. geertjanw commented on issue #104: [NETBEANS-54] Module Review libs.osgi URL: <https://github.com/apache/incubator-netbeans/pull/104#issuecomment-33855136> Apologies, I misunderstood. I thought you meant we shouldn't change anything for now. Sorry, a lot, for misunderstanding. How should this issue be resolved? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

518. geertjanw commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338555667> I think I'd leave them unchanged for the moment, i.e., we do not have to get everything from Maven, right now this minute. Do as much as you can in terms of the other JARs, i.e., the Lucene JARs, and let's handle that patch as a separate issue. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

519. junichi11 closed pull request #158: [NETBEANS-54] Module Review css.editor URL: <https://github.com/apache/incubator-netbeans/pull/158> This is a PR merged from a forked repository. As GitHub won't hide the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it hides the show otherwise due to GitHub magic): diff --git a/css.editor/src/org/netbeans/modules/css/editor/module/main/browsers/webkit.properties b/css.editor/src/org/netbeans/modules/css/editor/module/main/browsers/webkit.properties index b9bbe8372..5201e9303 100644 --- a/css.editor/src/org/netbeans/modules/css/editor/module/main/browsers/webkit.properties +++ b/css.editor/src/org/netbeans/modules/css/editor/module/main/browsers/webkit.properties @@ -1,42 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER - # Copyright 2011 Oracle and/or its affiliates. All rights reserved - # Oracle and Java are registered trademarks of Oracle and/or its affiliates - # Other names may be trademarks of their respective owners - # The contents of this file are subject to the terms of either the GN - # General Public License Version 2 only ("GPL") or the Commo - # Development and Distribution License("CDDL") (collectively, th - # "License"). You may not use this file except in compliance with th - # License. You can obtain a copy of the License a - # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for th - # specific language governing permissions and limitations under th - # License. When distributing the software, include this License Heade - # Notice in each file and include the License file a - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates thi - # particular file as subject to the "Classpath" exception as provide - # by Oracle in the GPL Version 2 section of the License file tha - # accompanied this code. If applicable, add the following below th - # License Header, with the fields enclosed by brackets [] replaced b - # your own identifying information - # "Portions Copyrighted [year] [name of copyright owner]" - # If you wish your version of this file to be governed by only the CDD - # or only the GPL Version 2, indicate your decision by addin - # "[Contributor] elects to include this software in this distributio - # under the [CDDL or GPL Version 2] license." If you do not indicate - # single choice of license, a recipient has the option to distribut - # your version of this file under either the CDDL, the GPL Version 2 o - # to extend the choice of license to its licensees as provided above - # However, if you add GPL Version 2 code and therefore, elected the GP - # Version 2 license, then the option applies only if the new code i - # made subject to such option by the copyright holder + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Portions Copyrighted 2011 Sun Microsystems, Inc. + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # -----
- # diff --git a/css.editor/src/org/netbeans/modules/css/editor/module/main/properties/line.properties b/css.editor/src/org/netbeans/modules/css/editor/module/main/properties/line.properties index 412dcde7a..c4a5d26af 100644 --- a/css.editor/src/org/netbeans/modules/css/editor/module/main/properties/line.properties +++ b/css.editor/src/org/netbeans/modules/css/editor/module/main/properties/line.properties @@ -1,42 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # "Portions Copyrighted [year] [name of copyright owner]" - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2] license." If you do not indicate - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - # Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): - # - # Portions Copyrighted 2011 Sun Microsystems, Inc. + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + #
- # Css line layout module diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 5a5e61cde..76e3f218f 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2043,6 +2043,10 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="css.prep/test/unit/data/testFiles/test.less" /> <!--simple file forss testing--> <exclude name="css.prep/test/unit/data/testFiles/testIssue227676.scss" /> <!--simple file for testing--> <exclude name="css.prep/test/unit/data/testProject_public_html/*" /> <!--simple files for testing--> + <exclude name="css.editor/test/unit/data/testfiles/*" /> <!--simple files for testing--> + <exclude name="css.editor/todo" /> <!-- no degree of creativity --> + <exclude name="css.editor/src/org/netbeans/modules/css/resources/CascadeStyleSheet.css.template" /> <!-- user visible template --> + <exclude name="css.editor/src/org/netbeans/modules/css/resources/CssExample" /> <!-- user visible template --> <exclude name="junit.ui/src/org/netbeans/modules/junit/ui/resources/*.*.template" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="java.api.common/src/org/netbeans/modules/java/api/common/project/ui/customizer/vmo/gen/CommandLine.tokens" /> <!--generated by ANTLR--> <exclude name="javafx2.editor/test/unit/data/org/netbeans/modules/javafx2/editor/*/*.*.fxml" /> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
520. junichi11 commented on issue #158: [NETBEANS-54] Module Review css.editor URL: <https://github.com/apache/incubator-netbeans/pull/158#issuecomment-338557085> Just merged license header parts. Thank you for working on this! ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
521. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338573634> No worries Geertjan. Everything else is done. I'll log an issue regarding the patch and update the APIReview doc , but you can merge this one in I think... ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
522. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338573634> No worries Geertjan. Everything else is done. I'll log an issue regarding the patch and update the Module Review doc , but you can merge this one in I think... ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
523. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338578153> actually on second thoughts I should add a copyright notice to the patch, so hold off merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
524. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338583991> OK, I've pushed a squashed version with - copyright notice in the patch - exclusion for NOTICE-patched-indexer-core-6.0.0" (no degree of creativity) Good to go now. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
525. struberg commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338614332> +1 to apply it. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
526. geertjanw opened a new pull request #180: [NETBEANS-54] Module Review java.hints.declarative URL: <https://github.com/apache/incubator-netbeans/pull/180> - ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub

- and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
527. junichi11 commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338618424> It seems that failed unit tests increase. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
528. geertjanw commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338618636> Failed unit tests increase because of this pull request? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
529. struberg commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338618680> Weird, the 2 commits just add ALv2 headers to a bunch of files. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
530. junichi11 commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338620579> In my environment, Before: 24 tests success, 8 tests fail After: 16 tests success, 16 tests fail So, perhaps, there are problems in some schema2beans/test/unit/data files. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
531. juneau001 commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-338632856> I've expanded the zip file and committed the changes. Let me know if I need to modify the license headers after the RAT checks. Thanks ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
532. geertjanw commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338635407> Can you see which ones fail? I don't see a difference in terms of failed tests. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
533. JaroslavTulach commented on a change in pull request #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: https://github.com/apache/incubator-netbeans/pull/172#discussion_r146254955 ##### File path: o.apache.xml.resolver/build.xml ##### @@ -20,5 +20,43 @@ <project name="o.apache.xml.resolver" default="netbeans" basedir="."> + <import file="..../nbbuild/templates/projectized.xml"/> + <!-- A task to check if the binary 'external/resolver-1.2.jar' exists --> + <target name="check-requires-patching-maven-sources"> + <available file="external/resolver-1.2.jar" property="sources-already-patched"/> + </target> + <!-- + 'javac-init' task is invoked after maven sources have been downloaded + to 'external/xml-resolver-1.2-sources.jar' (see external/binaries-list). + Then if 'external/resolver-1.2.jar' does NOT exist... --> + <target name="prepare-patched-binary" depends="check-requires-patching-maven-sources" unless="sources-already-patched"> + <echo message="Patching xml-resolver-1.2-sources.jar for Netbeans..." /> + <!-- ... 1. Prepares a 'build/external-patch/[sources/classes]' working directories --> + <delete dir="build/external-patch" /> + <mkdir dir="build/external-patch/sources" /> + <!-- ... 2. Unzips maven sources --> + <unzip src="external/xml-resolver-1.2-sources.jar" dest="build/external-patch/sources" /> + <!-- ... 3. Applies patch 'external/xml-resolver-1.2-netbeans.patch' --> + <patch dir="build/external-patch/sources" patchfile="external/xml-resolver-1.2-netbeans.patch" strip="0" /> + <!-- ... 4. Compiles sources to build/external-patch/classes --> + <mkdir dir="build/external-patch/classes" /> + <javac srcdir="build/external-patch/sources" destdir="build/external-patch/classes" /> + <exclude name="org/apache/xml/resolver/tests/**" /> + </javac> + <!-- ... 5. Creates a jar in 'external/resolver-1.2.jar' --> + <jar destfile="external/resolver-1.2.jar" /> + <!-- ... 6. Looks like a clean way to solve the need for patches. Should this be more common, it would be good to move most of the script into 'projectized.xml' and just configure it with properties from 'nbproject/project.properties'. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
534. junichi11 commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338651619> I attach results as screenshots. Sorry in Japanese UI. Before: ![nb-54-pr-178-before](https://user-images.githubusercontent.com/738383/31889591-55775902-b83b-11e7-93ea-d7f9715f5c2c.png) After: ![nb-54-pr-178-after](https://user-images.githubusercontent.com/738383/31889658-8f96ae58-b83b-11e7-8c14-566959c520ff.png) e.g. testExceptions log: ``----- Testcase: testExceptions(tests.MainTest): FAILED DIFF: incubator-netbeans/schema2beans/build/test/unit/work/t.M/e/testExceptions.diff 9 Finished compiling: 0 10 out: TestExceptions - creating the bean graph 11 out: TestExceptions - Hit Exception: class org.netbeans.modules.schema2beans.Schema2BeansException 12 - out: TestExceptions - Doc root 'EXCEPS' not found in the DOM graph! Found 'foo' instead. + out: TestExceptions - Doc root 'EXCEPS' not found in the DOM graph! Found '#comment' instead. 13 Finished running TestExceptions: 0 org.netbeans.junit.AssertionFileFailedError: DIFF: incubator-netbeans/schema2beans/build/test/unit/work/t.M/e/testExceptions.diff 9 Finished compiling: 0 10 out: TestExceptions - creating the bean graph 11 out: TestExceptions - Hit Exception: class org.netbeans.modules.schema2beans.Schema2BeansException 12 - out: TestExceptions - Doc root 'EXCEPS' not found in the DOM graph! Found 'foo' instead. + out: TestExceptions - Doc root 'EXCEPS' not found in the DOM graph! Found '#comment' instead. 13 Finished running TestExceptions: 0 at tests.MainTest.compareReferenceFiles(MainTest.java:542) at org.netbeans.junit.NbTestCase.compareReferenceFiles(NbTestCase.java:1272) at tests.MainTest.tearDown(MainTest.java:512) at org.netbeans.junit.NbTestCase.runBare(NbTestCase.java:500) at org.netbeans.junit.NbTestCase.run(NbTestCase.java:275) `` If I remove the license header of `schema2beans/test/unit/data/TestExceptions.xml`, `testExceptions` succeeds. If you cannot reproduce this, something may be wrong with my environment. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
535. junichi11 commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338620579> In my environment, Before: 24 tests succeed, 8 tests fail After: 16 tests succeed, 16 tests fail So, perhaps, there are problems in some schema2beans/test/unit/data files. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
536. vieiro commented on issue #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-338665582> Mmm... I think this is a very simple use case that just compiles a jar file, not enough for a generalization?. I think (I'm not sure) there're other use cases where you need to download several (hopefully binary) jar files in order to be able to compile the patched sources. Maybe we want to explore that use case before making a generalization. Cheers, Antonio 2017-10-23 14:56 GMT+02:00 Jaroslav Tulach <notifications@github.com>: > *@JaroslavTulach* commented on this pull request. > ----- > > In o.apache.xml.resolver/build.xml > <https://github.com/apache/incubator-netbeans/pull/172#discussion_r146254955> > > > > <!-- ... 2. Unzips maven sources --> > <unzip src="external/xml-resolver-1.2-sources.jar" dest="build/external-patch/sources" /> > <!-- ... 3. Applies patch 'external/xml-resolver-1.2-netbeans.patch' --> > <patch dir="build/external-patch/sources" patchfile="external/xml-resolver-1.2-netbeans.patch" strip="0" /> > <!-- ... 4. Compiles sources to build/external-patch/classes --> > <mkdir dir="build/external-patch/classes" /> > <javac srcdir="build/external-patch/sources" destdir="build/external-patch/classes" /> > <exclude name="org/apache/xml/resolver/tests/**" /> > </javac> > <!-- ... 5. Creates a jar in 'external/resolver-1.2.jar' --> > <jar destfile="external/resolver-1.2.jar" /> > <!-- ... 6. Looks like a clean way to solve the need for patches. Should this be more > common, it would be good to move most of the script into projectized.xml > and just configure it with properties from nbproject/project.properties. > > > > You are receiving this because you authored the thread. > Reply to this email directly, view it on GitHub > <<https://github.com/apache/incubator-netbeans/pull/172#pullrequestreview-71169114>>, > or mute the thread > <https://github.com/notifications/unsubscribe-auth/AAibrCchrJZlH4Nw36ScFaSlvwjsT_hFks5svIzmgaJpZM4QBo> > . > ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
537. geertjanw commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338707204> It seems to me that these are all "test data for which the addition of a source header would cause the tests to fail" -- i.e., these do not require a license header (<https://www.apache.org/legal/src-headers.html>). I think these should be included in the Rat report exclusions. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
538. junichi11 commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338710036> I also think so. Test data are already excluded in some modules because tests fail, probably. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

539. struberg commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338711153> Or fix the test or the tested code to be ok with that header? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

540. geertjanw commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338715094> I would suggest not for the first incubator release of Apache NetBeans (incubating). I.e., for the first release, I propose we handle these via Rat exclusions, we create an issue to document the need for this to be solved in a better way, and leave it at that for the moment. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

541. struberg commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338715597> perfectly fine for me. Do we want to create a low-prio ticket for it so we can better track it? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

542. matthiasblaesing opened a new pull request #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: <https://github.com/apache/incubator-netbeans/pull/181> Maven central does not hold the original netbeans artifact `org.osgi.cmpn-4.2`, but a superset of that: `<dependency> <groupId>org.osgi</groupId> <artifactId>org.osgi.compendium</artifactId> <version>4.2.0</version> </dependency>` That artifact holds not only the compiled binaries, but also the java sources in a subfolder "OSGI-OPT". To get the original netbeans file, the jar is repacked and the folder is stripped. The resulting zip is not identical to the original binary, but the difference is in the zip structure, after expanding the original contents and the new file are identical. This PR is a followup for #104 which introduced a maven coordinate, that can't be satisfied from maven central. There are newer osgi compendium jar on maven central and it looks as if at least 4.3.1 would also work, but updating libraries should be a separate task from this cleanup task. This approach was inspired by @vieiro who first came up with building modified binaries for maven sources. @geertjanw could you please have a look at this and see if it works for you? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

543. vieiro commented on issue #175: [NETBEANS-54] Module Review extexecution.process (patch) URL: <https://github.com/apache/incubator-netbeans/pull/175#issuecomment-338864765> Thanks, Matthias, for your review! :-)

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

544. junichi11 commented on issue #153: [NETBEANS-54] Module Review maven.osgi URL: <https://github.com/apache/incubator-netbeans/pull/153#issuecomment-338873970> I'll close this. see <https://github.com/emilianbold/incubator-netbeans/pull/325> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

545. junichi11 closed pull request #153: [NETBEANS-54] Module Review maven.osgi URL: <https://github.com/apache/incubator-netbeans/pull/153> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/maven.osgi/src/org/netbeans/modules/maven/osgi/templates/Activator.java.template b/maven.osgi/src/org/netbeans/modules/maven/osgi/templates/Activator.java.template index d4ffb792a..b90213562 100644 --- a/maven.osgi/src/org/netbeans/modules/maven/osgi/templates/Activator.java.template +++ b/maven.osgi/src/org/netbeans/modules/maven/osgi/templates/Activator.java.template @@ -1,3 +1,24 @@ + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> + <!-- FreeMarker template (see http://freemarker.org/) --> <#assign licenseFirst = "/" * "> <#assign licensePrefix = " * "> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

546. junichi11 commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-338887894> I've sorted rat excludes. (This PR already had the conflicting file(nbbuild/build.xml)) ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

547. arusinha commented on issue #169: [NETBEANS-54] Module Review o.apache.commons.httpclient URL: <https://github.com/apache/incubator-netbeans/pull/169#issuecomment-338889206> Has corrected now username , email-id with a force push ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

548. bolsover commented on issue #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-338919992> Having problems with this.. Build is failing with message: -prepare-patched-binary: [echo] Patching xml-resolver-1.2-sources.jar for Netbeans... [mkdir] Created dir: D:\incubator-netbeans\o.apache.xml.resolver\build\external-patch\sources [unzip] Expanding: D:\incubator-netbeans\o.apache.xml.resolver\external\xml-resolver-1.2-sources.jar into D:\incubator-netbeans\o.apache.xml.resolver\build\external-patch\sources [nbmerge] Failed to build target: all-o.apache.xml.resolver BUILD FAILED D:\incubator-netbeans\nbbuild\build.xml:425: The following error occurred while executing this line: D:\incubator-netbeans\nbbuild\build.xml:420: The following error occurred while executing this line: D:\incubator-netbeans\nbbuild\build.xml:467: The following error occurred while executing this line: D:\incubator-netbeans\o.apache.xml.resolver\build.xml:47: java.io.IOException: Cannot run program "patch" (in directory "D:\incubator-netbeans\o.apache.xml.resolver\build\external-patch\sources"): CreateProcess error=2, The system cannot find the file specified at java.lang.ProcessBuilder.start(ProcessBuilder.java:1048) at java.lang.Runtime.exec(Runtime.java:620) ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

549. arusinha opened a new pull request #184: [NETBEANS-54] Module Review net.java.html.geo URL: <https://github.com/apache/incubator-netbeans/pull/184> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

550. arusinha opened a new pull request #185: [NETBEANS-54] Module Review net.java.html.boot.script URL: <https://github.com/apache/incubator-netbeans/pull/185> Added license file for external resource net.java.html.boot.script-1.4.jar ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

551. arusinha opened a new pull request #186: [NETBEANS-54] Module Review net.java.html.boot.fx URL: <https://github.com/apache/incubator-netbeans/pull/186> Added license file for external resource net.java.html.boot.fx-1.4.jar ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

552. geertjanw opened a new pull request #187: [NETBEANS-54] adding schema2beans test data to Rat exceptions URL: <https://github.com/apache/incubator-netbeans/pull/187> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

553. arusinha opened a new pull request #188: [NETBEANS-54] Module Review net.java.html.boot URL: <https://github.com/apache/incubator-netbeans/pull/188> Added license file for external resource net.java.html.boot-1.4.jar ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

554. vieiro commented on issue #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-338942929> You need a command-line "patch" program. I'm not sure how to install int in Windows (I don't use Windows myself). This opens an interesting issue. if we want to patch sources then we need the "patch" command line program, i.e., we now depend on the "patch" program. Are we

ready for this dependency? 2017-10-24 10:49 GMT+02:00 David Bolsover <notifications@github.com>: > Having problems with this.. >> Build is failing with message: >> -prepare-patched-binary: > [echo] Patching xml-resolver-1.2-sources.jar for Netbeans... > [mkdir] Created dir: D:\incubator-netbeans\o.apache.xml.resolver\build\ > external-patch\sources > [unzip] Expanding: D:\incubator-netbeans\o.apache.xml.resolver\external\xml-resolver-1.2-sources.jar > into D:\incubator-netbeans\o.apache.xml.resolver\build\ > external-patch\sources > [nbmerge] Failed to build target: all-o.apache.xml.resolver >> BUILD FAILED > D:\incubator-netbeans\build\build.xml:425: The following error occurred > while executing this line: > D:\incubator-netbeans\build\build.xml:420: The following error occurred > while executing this line: > D:\incubator-netbeans\build\build.xml:467: The following error occurred > while executing this line: > D:\incubator-netbeans\o.apache.xml.resolver\build.xml:47: > java.io.IOException: Cannot run program "patch" (in directory > "D:\incubator-netbeans\o.apache.xml.resolver\build\external-patch\sources"): > CreateProcess error=2, The system cannot find the file specified > at java.lang.ProcessBuilder.start(ProcessBuilder.java:1048) > at java.lang.Runtime.exec(Runtime.java:620) >> — > You are receiving this because you authored the thread. >> Reply to this email directly, view it on GitHub >> <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-338919992>, > or mute the thread >> <https://github.com/notifications/unsubscribe-auth/AAiBrHlyIHCFFWMT8w7EejSdbGjXId6Oks5svaSMgaJpZM4QBo_-> > . > -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

555. vikasprabhakar opened a new pull request #189: [NETBEANS-54] Module Review web.browser.api URL: <https://github.com/apache/incubator-netbeans/pull/189> Added license header for webpreview.wsmode ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
556. geertjanw commented on issue #180: [NETBEANS-54] Module Review java.hints.declarative URL: <https://github.com/apache/incubator-netbeans/pull/180#issuecomment-338952650> Discussed on the mailing list in the thread "Review of java.hints.declarative". Please someone review and approve and merge this one. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
557. jlahoda commented on issue #183: [NETBEANS-54] Module Review net.java.html URL: <https://github.com/apache/incubator-netbeans/pull/183#issuecomment-338953182> I am sorry, but Jarda sent a pull request this morning changing the Html4J binaries for version 1.5, which is Apache licensed. I am also prototyping a change that is adding the Apache licenses with the appropriate headers, so the licenses are accounted properly. So my suggestion would be not to add this license file. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
558. arusinha commented on issue #183: [NETBEANS-54] Module Review net.java.html URL: <https://github.com/apache/incubator-netbeans/pull/183#issuecomment-338957738> Closing the pull request as Jan Lahoda will work on the same ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
559. arusinha closed pull request #183: [NETBEANS-54] Module Review net.java.html URL: <https://github.com/apache/incubator-netbeans/pull/183> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/net.java.html/external/net.java.html-1.4-license.txt b/net.java.html/external/net.java.html-1.4-license.txt new file mode 100644 index 0000000000..3ea3c261f --- /dev/null +++ b/net.java.html/external/net.java.html-1.4-license.txt @@ -0,0 +1,827 @@ + +COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 + +1. Definitions. + +1.1. "Contributor" means each individual or entity that +creates or contributes to the creation of Modifications. + +1.2. "Contributor Version" means the combination of the +Original Software, prior Modifications used by a +Contributor (if any), and the Modifications made by that +particular Contributor. + +1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files +containing Original Software with files containing +Modifications, in each case including portions thereof. + +1.4. "Executable" means the Covered Software in any form +other than Source Code. + +1.5. "Initial Developer" means the individual or entity +that first makes Original Software available under this +License. + +1.6. "Larger Work" means a work which combines Covered +Software or portions thereof with code not governed by the +terms of this License. + +1.7. "License" means this document. + +1.8. "Licensable" means having the right to grant, to the +maximum extent possible, whether at the time of the initial +grant or subsequently acquired, any and all of the rights +conveyed herein. + +1.9. "Modifications" means the Source Code and Executable +form of any of the following: + +A. Any file that results from an addition to, +deletion from or modification of the contents of a +file containing Original Software or previous +Modifications; + +B. Any new file that contains any part of the +Original Software or previous Modification; or + +C. Any new file that is contributed or otherwise made +available under the terms of this License. + +1.10. "Original Software" means the Source Code and +Executable form of computer software code that is +originally released under this License. + +1.11. "Patent Claims" means any patent claim(s), now owned +or hereafter acquired, including without limitation, +method, process, and apparatus claims, in any patent +Licensable by grantor. + +1.12. "Source Code" means (a) the common form of computer +software code in which modifications are made and (b) +associated documentation included in or with such code. + +1.13. "You" (or "Your") means an individual or a legal +entity exercising rights under, and complying with all of +the terms of, this License. For legal entities, "You" +includes any entity which controls, is controlled by, or is +under common control with You. For purposes of this +definition, "control" means (a) the power, direct or +indirect, to cause the direction or management of such +entity, whether by contract or otherwise, or (b) ownership +of more than fifty percent (50%) of the outstanding shares +or beneficial ownership of such entity. + +2. License Grants. + +2.1. The Initial Developer Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, the +Initial Developer hereby grants You a world-wide, +royalty-free, non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Initial Developer, +to use, reproduce, modify, display, perform, +sublicense and distribute the Original Software (or +portions thereof), with or without Modifications, +and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using or selling of Original Software, to make, have +made, use, practice, sell, and offer for sale, and/or +otherwise dispose of the Original Software (or +portions thereof). + + (c) The licenses granted in Sections 2.1(a) and (b) +are effective on the date Initial Developer first +distributes or otherwise makes the Original Software +available to a third party under the terms of this +License. + + (d) Notwithstanding Section 2.1(b) above, no patent +license is granted: (1) for code that You delete from +the Original Software, or (2) for infringements +caused by: (i) the modification of the Original +Software, or (ii) the combination of the Original +Software with other software or devices. + +2.2. Contributor Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, each +Contributor hereby grants You a world-wide, royalty-free, +non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Contributor to +use, reproduce, modify, display, perform, sublicense +and distribute the Modifications created by such +Contributor (or portions thereof), either on an +unmodified basis, with other Modifications, as +Covered Software and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using, or selling of Modifications made by that +Contributor either alone and/or in combination with +its Contributor Version (or portions of such +combination), to make, use, sell, offer for sale, +have made, and/or otherwise dispose of: (1) +Modifications made by that Contributor (or portions +thereof); and (2) the combination of Modifications +made by that Contributor with its Contributor Version +(or portions of such combination). + + (c) The licenses granted in Sections 2.2(a) and +2.2(b) are effective on the date Contributor first +distributes or otherwise makes the Modifications +available to a third party. + + (d) Notwithstanding Section 2.2(b) above, no patent +license is granted: (1) for any code that Contributor +has deleted from the Contributor Version; (2) for +infringements caused by: (i) third party +modifications of Contributor Version, or (ii) the +combination of Modifications made by that Contributor +with other software (except as part of the +Contributor Version) or other devices; or (3) under +Patent Claims infringed by Covered Software in the +absence of Modifications made by that Contributor. + +3. Distribution Obligations. + +3.1. Availability of Source Code. + +Any Covered Software that You distribute or otherwise make +available in Executable form must also be made available +in Source Code form and that Source Code form must be +distributed only under the terms of this License. You must +include a copy of this License with every copy of the +Source Code form of the Covered Software You distribute +or otherwise make available. You must inform recipients +of any +such Covered Software in Executable form as to how they can +obtain such Covered Software in Source Code form in a +reasonable manner on or through a medium customarily used +for software exchange. + +3.2. Modifications. + +The Modifications that You create or to which You +contribute are governed by the terms of this License. You +represent that You believe Your Modifications are Your +original creation(s) and/or You have sufficient rights to +grant the rights conveyed by this License. + +3.3. Required Notices. + +You must include a notice in each of Your Modifications +that identifies You as the Contributor of the Modification. +You may not remove or alter any copyright, patent or +trademark notices contained within the Covered Software, or +any notices of licensing or any descriptive text giving +attribution to any Contributor or the Initial Developer. + +3.4. Application of Additional Terms. + +You may not offer or impose any terms on any Covered +Software in Source Code form that alters or restricts the +applicable version of this License or the recipients' +rights hereunder. You may choose to offer, and to charge a +fee for, warranty, support, indemnity or liability +obligations to one or more recipients of Covered Software. +However, you may do so only on Your own behalf, and not on +behalf of the Initial Developer or any Contributor. You +must make it absolutely clear that any such warranty, +support, indemnity or liability obligation is offered by +You alone, and You hereby agree to indemnify the Initial +Developer and every Contributor for any liability incurred +by the Initial Developer or such Contributor as a result +of warranty, support, indemnity or liability terms You offer. + +3.5. Distribution of Executable Versions. + +You may distribute the Executable form of the Covered +Software under the terms of this License or under the terms +of a license of Your choice, which may contain terms +different from this License, provided that You are in +compliance with the terms of this License and that the +license for the Executable form does not attempt to limit +or alter the recipient's rights in the Source Code form +from the rights set forth in this License. If You

+distribute the Covered Software in Executable form under a +different license, You must make it absolutely clear that +any terms which differ from this License are offered by You +alone, not by the Initial Developer or Contributor. You +hereby agree to indemnify the Initial Developer and every +Contributor for any liability incurred by the Initial +Developer or such Contributor as a result of any such terms +You offer. + +3.6. Larger Works. + +You may create a Larger Work by combining Covered Software +with other code not governed by the terms of this License +and distribute the Larger Work as a single product. In such +a case, You must make sure the requirements of this License +are fulfilled for the Covered Software. + +4. Versions of the License. + +4.1. New Versions. + +Sun Microsystems, Inc. is the initial license steward and +may publish revised and/or new versions of this License +from time to time. Each version will be given a +distinguishing version number. Except as provided in +Section 4.3, no one other than the license steward has the +right to modify this License. + +4.2. Effect of New Versions. + +You may always continue to use, distribute or otherwise +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. If the Initial Developer includes a +notice in the Original Software prohibiting it from being +distributed or otherwise made available under any +subsequent version of the License, You must distribute and +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. Otherwise, You may also choose to +use, distribute or otherwise make the Covered Software +available under the terms of any subsequent version of the +License published by the license steward. + +4.3. Modified Versions. + +When You are an Initial Developer and You want to create a +new license for Your Original Software, You may create and +use a modified version of this License if You: (a) rename +the license and remove any references to the name of the +license steward (except to note that the license differs +from this License); and (b) otherwise make it clear that +the license contains terms which differ from this License. + +5. DISCLAIMER OF WARRANTY. + +COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" +BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, +INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED +SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR +PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND +PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY +COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE +INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF +ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF +WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF +ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS +DISCLAIMER. + +6. TERMINATION. + +6.1. This License and the rights granted hereunder will +terminate automatically if You fail to comply with terms +herein and fail to cure such breach within 30 days of +becoming aware of the breach. Provisions which, by their +nature, must remain in effect beyond the termination of +this License shall survive. + +6.2. If You assert a patent infringement claim (excluding +declaratory judgment actions) against Initial Developer or +a Contributor (the Initial Developer or Contributor against +whom You assert such claim is referred to as "Participant") +alleging that the Participant Software (meaning the +Contributor Version where the Participant is a Contributor +or the Original Software where the Participant is the +Initial Developer) directly or indirectly infringes any +patent, then any and all rights granted directly or +indirectly to You by such Participant, the Initial +Developer (if the Initial Developer is not the Participant) +and all Contributors under Sections 2.1 and/or 2.2 of this +License shall, upon 60 days notice from Participant +terminate prospectively and automatically at the expiration +of such 60 day notice period, unless if within such 60 day +period You withdraw Your claim with respect to the +Participant Software against such Participant either +unilaterally or pursuant to a written agreement with +Participant. + +6.3. If You assert a patent infringement claim against +Participant alleging that the Participant Software directly +or indirectly infringes any patent where such claim is +resolved (such as by license or settlement) prior to the +initiation of patent infringement litigation, then the +reasonable value of the licenses granted by such Participant +under Sections 2.1 or 2.2 shall be taken into account in +determining the amount or value of any payment or license. + +6.4. In the event of termination under Sections 6.1 or 6.2 +above, all end user licenses that have been validly granted +by You or any distributor hereunder prior to termination +(excluding licenses granted to You by any distributor) +shall survive termination. + +7. LIMITATION OF LIABILITY. + +UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT +(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE +INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF +COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE +LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR +CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT +LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK +STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER +COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN +INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF +LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL +INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT +APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO +NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR +CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT +APPLY TO YOU. + +8. U.S. GOVERNMENT END USERS. + +The Covered Software is a "commercial item," as that term is +defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial +computer software" (as that term is defined at 48 C.F.R. +252.227-7014(a)(1)) and "commercial computer software +documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. +1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 +through 227.7202-4 (June 1995), all U.S. Government End Users +acquire Covered Software with only those rights set forth herein. +This U.S. Government Rights clause is in lieu of, and supersedes, +any other FAR, DFAR, or other clause or provision that addresses +Government rights in computer software under this License. + +9. MISCELLANEOUS. + +This License represents the complete agreement concerning subject +matter hereof. If any provision of this License is held to be +unenforceable, such provision shall be reformed only to the +extent necessary to make it enforceable. This License shall be +governed by the law of the jurisdiction specified in a notice +contained within the Original Software (except to the extent +applicable law, if any, provides otherwise), excluding such +jurisdiction's conflict-of-law provisions. Any litigation +relating to this License shall be subject to the jurisdiction of +the courts located in the jurisdiction and venue specified in a +notice contained within the Original Software, with the losing +party responsible for costs, including, without limitation, court +costs and reasonable attorneys' fees and expenses. The +application of the United Nations Convention on Contracts for the +International Sale of Goods is expressly excluded. Any law or +regulation which provides that the language of a contract shall +be construed against the drafter shall not apply to this License. +You agree that You alone are responsible for compliance with the +United States export administration regulations (and the export +control laws and regulation of any other countries) when You use, +distribute or otherwise make available any Covered Software. + +10. RESPONSIBILITY FOR CLAIMS. + +As between Initial Developer and the Contributors, each party is +responsible for claims and damages arising, directly or +indirectly, out of its utilization of rights under this License +and You agree to work with Initial Developer and Contributors to +distribute such responsibility on an equitable basis. Nothing +herein is intended or shall be deemed to constitute any admission +of liability. + +NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND +DISTRIBUTION LICENSE (CDDL) + +The code released under the CDDL shall be governed by the laws +of the State of California (excluding conflict-of-law provisions). +Any litigation relating to this License shall be subject to the +jurisdiction of the Federal Courts of the Northern District of +California and the state courts of the State of California, with +venue lying in Santa Clara County, California. + +The GNU General Public License (GPL) +Version 2, June 1991 + +Copyright (C) 1989, 1991 Free Software Foundation, Inc. + 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA + Everyone is permitted to copy and distribute verbatim + copies of this license document, but changing it is not + allowed. + +Preamble + +The licenses for most software are designed to take away +your freedom to share and change it. By contrast, the GNU +General Public License is intended to guarantee your freedom +to share and change free software--to make sure the software +is free for all its users. This General Public License +applies to most of the Free Software Foundation's software +and to any other program whose authors commit to using it. +(Some other Free Software Foundation software is covered by +the GNU Library General Public License instead.) You can +apply it to your programs, too. + +When we speak of free software, we are referring to freedom, +not price. Our General Public Licenses are designed to make +sure that you have the freedom to distribute copies of free +software (and charge for this service if you wish), that you +receive source code or can get it if you want it, that you +can change the software or use pieces of it in new free +programs; and that you know you can do these things. + +To protect your rights, we need to make restrictions that +forbid anyone to deny you these rights or to ask you to +surrender the rights. These restrictions translate to +certain responsibilities for you if you distribute copies of +the software, or if you modify it. + +For example, if you distribute copies of such a program, +whether gratis or for a fee, you must give the recipients +all the rights that you have. You must make sure that they, +too, receive or can get the source code. And you must show +them these terms so they know their rights. + +We protect your rights with two steps: (1) copyright the +software, and (2) offer you this license which gives you +legal permission to copy, distribute and/or modify the +software. + +Also, for each author's protection and ours, we want to make +certain that everyone understands that there is no warranty +for this free software. If the software is modified by +someone else and passed on, we want its recipients to know +that what they have is not the original, so that any +problems introduced by others will not reflect on the +original authors' reputations. + +Finally, any free program is threatened constantly by +software patents. We wish to avoid the danger that +redistributors of a free program will individually obtain +patent licenses, in effect making the program proprietary. +To prevent this, we have made it clear that any patent must +be licensed for everyone's free use or not licensed at all. + +The precise terms and conditions for copying, distribution +and modification follow. + +TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND +MODIFICATION + +0. This License applies to any program or other work which +contains a notice placed by the copyright holder saying it +may be distributed under the terms of this General Public +License. The "Program", below, refers to any such program or +work, and a "work based on the Program" means either the +Program or any derivative work under copyright law: that is +to say, a work containing the Program or a portion of it, +either verbatim or with modifications and/or translated into +another language. (Hereinafter, translation is included +without limitation in the term "modification".) Each +licensee is addressed as "you". + +Activities other than copying, distribution and modification +are not covered by this License; they are outside its scope. +The act of running the Program is not restricted, and the +output from the Program is covered only if its contents +constitute a work based on the Program (independent of +having been made by running the Program). Whether that is +true depends on what the Program does. + +1. You may copy and distribute verbatim copies of the +Program's source code as you receive it, in any medium, +provided that you

conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program. You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the program is itself interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation.

If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does. Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which

makes passes at + compilers) written by James Hacker. + + signature of Ty Coon, 1 April 1989 + Ty Coon, President of Vice + +This General Public License does not permit incorporating +your program into proprietary programs. If your program is a +subroutine library, you may consider it more useful to +permit linking proprietary applications with the library. If +this is what you want to do, use the GNU Library General +Public License instead of this License. + +
+"CLASSPATH" EXCEPTION TO THE GPL VERSION 2 + + +Certain source files distributed by Sun Microsystems, Inc. +are subject to the following clarification and special +exception to the GPL Version 2, but only where Sun has expressly +included in the particular source file's header the words +"Sun designates this particular file as subject to the +"Classpath" exception as provided by Sun in the License file +that accompanied this code." + +Linking this library statically or dynamically with other +modules is making a combined work based on this library. +Thus, the terms and conditions of the GNU General Public +License Version 2 cover the whole combination. + +As a special exception, the copyright holders of this +library give you permission to link this library with +independent modules to produce an executable, regardless of +the license terms of these independent modules, and to copy +and distribute the resulting executable under terms of your +choice, provided that you also meet, for each linked +independent module, the terms and conditions of the license +of that module. An independent module is a module which is +not derived from or based on this library. If you modify +this library, you may extend this exception to your version +of the library, but you are not obligated to do so. If you +do not wish to do so, delete this exception statement from +your version. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL

above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

560. arusinha commented on issue #184: [NETBEANS-54] Module Review net.java.html.geo URL: <https://github.com/apache/incubator-netbeans/pull/184#issuecomment-338957833> Closing the pull request as Jan Lahoda will work on the same -----

This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

561. arusinha closed pull request #184: [NETBEANS-54] Module Review net.java.html.geo URL: <https://github.com/apache/incubator-netbeans/pull/184> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/net.java.html.geo/external/net.java.html.geo-1.4-license.txt b/net.java.html.geo/external/net.java.html.geo-1.4-license.txt @@ -0,0 +1,827 @@ + +COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 + +1. Definitions. + +1.1. "Contributor" means each individual or entity that +creates or contributes to the creation of Modifications. + +1.2. "Contributor Version" means the combination of the +Original Software, prior Modifications used by a +Contributor (if any), and the Modifications made by that +particular Contributor. + +1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files +containing Original Software with files containing +Modifications, in each case including portions thereof. + +1.4. "Executable" means the Covered Software in any form +other than Source Code. + +1.5. "Initial Developer" means the individual or entity +that first makes Original Software available under this +License. + +1.6. "Larger Work" means a work which combines Covered +Software or portions thereof with code not governed by the +terms of this License. + +1.7. "License" means this document. + +1.8. "Licensable" means having the right to grant, to the +maximum extent possible, whether at the time of the initial +grant or subsequently acquired, any and all of the rights +conveyed herein. + +1.9. "Modifications" means the Source Code and Executable +form of any of the following: + +A. Any file that results from an addition to, +deletion from or modification of the contents of a +file containing Original Software or previous +Modifications; + +B. Any new file that contains any part of the +Original Software or previous Modification; or + +C. Any new file that is contributed or otherwise made +available under the terms of this License. + +1.10. "Original Software" means the Source Code and +Executable form of computer software code that is +originally released under this License. + +1.11. "Patent Claims" means any patent claim(s), now owned +or hereafter acquired, including without limitation, +method, process, and apparatus claims, in any patent +Licensable by grantor. + +1.12. "Source Code" means (a) the common form of computer +software code in which modifications are made and (b) +associated documentation included in or with such code. + +1.13. "You" (or "Your") means an individual or a legal +entity exercising rights under, and complying with all of +the terms of, this License. For legal entities, "You" +includes any entity which controls, is controlled by, or is +under common control with You. For purposes of this +definition, "control" means (a) the power, direct or +indirect, to cause the direction or management of such +entity, whether by contract or otherwise, or (b) ownership +of more than fifty percent (50%) of the outstanding shares +or beneficial ownership of such entity. + +2. License Grants. + +2.1. The Initial Developer Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, the +Initial Developer hereby grants You a world-wide, +royalty-free, non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Initial Developer, +to use, reproduce, modify, display, perform, +sublicense and distribute the Original Software (or +portions thereof), with or without Modifications, +and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using or selling of Original Software, to make, have +made, use, practice, sell, and offer for sale, and/or +otherwise dispose of the Original Software (or +portions thereof). + + (c) The licenses granted in Sections 2.1(a) and (b) +are effective on the date Initial Developer first +distributes or otherwise makes the Original Software +available to a third party under the terms of this +License. + + (d) Notwithstanding Section 2.1(b) above, no patent +license is granted: (1) for code that You delete from +the Original Software, or (2) for infringements +caused by: (i) the modification of the Original +Software, or (ii) the combination of the Original +Software with other software or devices. + +2.2. Contributor Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, each +Contributor hereby grants You a world-wide, royalty-free, +non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Contributor +to use, reproduce, modify, display, perform, sublicense +and distribute the Modifications created by such +Contributor (or portions thereof), either on an +unmodified basis, with other Modifications, as +Covered Software and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using, or selling of Modifications made by that +Contributor either alone and/or in combination with +its Contributor Version (or portions of such +combination), to make, use, sell, offer for sale, +have made, and/or otherwise dispose of: (1) +Modifications made by that Contributor (or portions +thereof); and (2) the combination of Modifications +made by that Contributor with its Contributor Version +(or portions of such combination). + + (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first +distributes or otherwise makes the Modifications +available to a third party. + + (d) Notwithstanding Section 2.2(b) above, no patent +license is granted: (1) for any code that Contributor +has deleted from the Contributor Version; (2) for +infringements caused by: (i) third party +modifications of Contributor Version, or (ii) the +combination of Modifications made by that Contributor +with other software (except as part of the +Contributor Version) or other devices; or (3) under +Patent Claims infringed by Covered Software in the +absence of Modifications made by that Contributor. + +3. Distribution Obligations. + +3.1. Availability of Source Code. + +Any Covered Software that You distribute or otherwise make +available in Executable form must also be made available in +Source Code form and that Source Code form must be +distributed only under the terms of this License. You must +include a copy of this License with every copy of the +Source Code form of the Covered Software You distribute or +otherwise make available. You must inform recipients of any +such Covered Software in Executable form as to how they can +obtain such Covered Software in Source Code form in a +reasonable manner on or through a medium customarily used +for software exchange. + +3.2. Modifications. + +The Modifications that You create or to which You +contribute are governed by the terms of this License. You +represent that You believe Your Modifications are Your +original creation(s) and/or You have sufficient rights to +grant the rights conveyed by this License. + +3.3. Required Notices. + +You must include a notice in each of Your Modifications +that identifies You as the Contributor of the Modification. +You may not remove or alter any copyright, patent or +trademark notices contained within the Covered Software, or +any notices of licensing or any descriptive text giving +attribution to any Contributor or the Initial Developer. + +3.4. Application of Additional Terms. + +You may not offer or impose any terms on any Covered +Software in Source Code form that alters or restricts the +applicable version of this License or the recipients' +rights hereunder. You may choose to offer, and to charge a +fee for, warranty, support, indemnity or liability +obligations to one or more recipients of Covered Software. +However, you may do so only on Your own behalf, and not on +behalf of the Initial Developer or any Contributor. You +must make it absolutely clear that any such warranty, +support, indemnity or liability obligation is offered by +You alone, and You hereby agree to indemnify the Initial +Developer and every Contributor for any liability incurred +by the Initial Developer or such Contributor as a result of +warranty, support, indemnity or liability terms You offer. + +3.5. Distribution of Executable Versions. + +You may distribute the Executable form of the Covered +Software under the terms of this License or under the terms +of a license of Your choice, which may contain terms +different from this License, provided that You are in +compliance with the terms of this License and that the +license for the Executable form does not attempt to limit +or alter the recipient's rights in the Source Code form +from the rights set forth in this License. If You +distribute the Covered Software in Executable form under a +different license, You must make it absolutely clear that +any terms which differ from this License are offered by You +alone, not by the Initial Developer or Contributor. You +hereby agree to indemnify the Initial Developer and every +Contributor for any liability incurred by the Initial +Developer or such Contributor as a result of any such terms +You offer. + +3.6. Larger Works. + +You may create a Larger Work by combining Covered Software +with other code not governed by the terms of this License +and distribute the Larger Work as a single product. In such +a case, You must make sure the requirements of this License +are fulfilled for the Covered Software. + +4. Versions of the License. + +4.1. New Versions. + +Sun Microsystems, Inc. is the initial license steward and +may publish revised and/or new versions of this License +from time to time. Each version will be given a +distinguishing version number. Except as provided in +Section 4.3, no one other than the license steward has the +right to modify this License. + +4.2. Effect of New Versions. + +You may always continue to use, distribute or otherwise +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. If the Initial Developer includes a +notice in the Original Software prohibiting it from being +distributed or otherwise made available under any +subsequent version of the License, You must distribute and +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. Otherwise, You may also choose to +use, distribute or otherwise make the Covered Software +available under the terms of any subsequent version of the +License published by the license

steward. + 4.3. Modified Versions. + When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License. + 5. DISCLAIMER OF WARRANTY. + COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER. + 6. TERMINATION. + 6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive. + 6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant. + 6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license. + 6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination. + 7. LIMITATION OF LIABILITY. + UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU. + 8. U.S. GOVERNMENT END USERS. + The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 27.7202-1 through 27.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. + This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License. + 9. MISCELLANEOUS. + This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. + You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software. + 10. RESPONSIBILITY FOR CLAIMS. + As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability. + NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) + The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). + Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California. + The GNU General Public License (GPL) + Version 2, June 1991 + Copyright (C) 1989, 1991 Free Software Foundation, Inc. + 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA + Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. + Preamble + The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too. + When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things. + To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it. + For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights. + We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software. + Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations. + Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. + To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all. + The precise terms and conditions for copying, distribution and modification follow. + TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION + 0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you". + Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. + The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does. + 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program. + You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee. + 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions: + a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change. + b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License. + c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program is itself interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.) + These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably

considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it. Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program. In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable. If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program. If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

8. It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

9. This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

10. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

11. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

12. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

13. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

14. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does. Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989 + Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words "Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

562. arusinha commented on issue #185: [NETBEANS-54] Module Review [net.java.html.boot.script URL: https://github.com/apache/incubator-netbeans/pull/185#issuecomment-338957892](https://github.com/apache/incubator-netbeans/pull/185#issuecomment-338957892) Closing the pull request as Jan Lahoda will work on the same -----

This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

563. arusinha closed pull request #185: [NETBEANS-54] Module Review [net.java.html.boot.script URL: https://github.com/apache/incubator-netbeans/pull/185](https://github.com/apache/incubator-netbeans/pull/185) This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/net.java.html.boot.script/external/net.java.html.boot.script-1.4-license.txt b/net.java.html.boot.script/external/net.java.html.boot.script-1.4-license.txt new file mode 100644 index 000000000..3ea3c261f --- /dev/null +++ b/net.java.html.boot.script/external/net.java.html.boot.script-1.4-license.txt @@ -0,0 +1,827 @@ + +COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 + +1. Definitions. + +1.1. "Contributor" means each individual or entity that +creates or contributes to the creation of Modifications. + +1.2. "Contributor Version" means the combination of the +Original Software, prior Modifications used by a +Contributor (if any), and the Modifications made by that +particular Contributor. + +1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files +containing Original Software with files containing +Modifications, in each case including portions thereof. + +1.4. "Executable" means the Covered Software in any form +other than Source Code. + +1.5. "Initial Developer" means the individual or entity +that first makes Original Software available under this +License. + +1.6. "Larger Work" means a work which combines Covered +Software or portions thereof with code not governed by the +terms of this License. + +1.7. "License" means this document. + +1.8. "Licensable" means having the right to grant, to the +maximum extent possible, whether at the time of the initial +grant or subsequently acquired, any and all of the rights +conveyed herein. + +1.9. "Modifications" means the Source Code and Executable +form of any of the following: + +A. Any file that results from an addition to, +deletion from or modification of the contents of a +file containing Original Software or previous +Modifications; + +B. Any new file that contains any part of the +Original Software or previous Modification; or + +C. Any new file that is contributed or otherwise made +available under the terms of this License. + +1.10. "Original Software" means the Source Code and +Executable form of computer software code that is +originally released under this License. + +1.11. "Patent Claims" means any patent claim(s), now owned +or hereafter acquired, including without limitation, +method, process, and apparatus claims, in any patent +Licensable by grantor. + +1.12. "Source Code" means (a) the common form of computer +software code in which modifications are made and (b) +associated documentation included in or with such code. + +1.13. "You" (or "Your") means an individual or a legal +entity exercising rights under, and complying with all of +the terms of, this License. For legal entities, "You" +includes any entity which controls, is controlled by, or is +under common control with You. For purposes of this +definition, "control" means (a) the power, direct or +indirect, to cause the direction or management of such +entity, whether by contract or otherwise, or (b) ownership +of more than fifty percent (50%) of the outstanding shares +or beneficial ownership of such entity. + +2. License Grants. + +2.1. The Initial Developer Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, the +Initial Developer hereby grants You a world-wide, +royalty-free, non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Initial Developer, +to use, reproduce, modify, display, perform, sublicense +and distribute the Original Software (or +portions thereof), with or without Modifications, +and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using or selling of Original Software, to make, have +made, use, practice, sell, and offer for sale, and/or +otherwise dispose of the Original Software (or +portions thereof). + + (c) The licenses granted in Sections 2.1(a) and (b) +are effective on the date Initial Developer first +distributes or otherwise makes the Original Software +available to a third party under the terms of this +License. + + (d) Notwithstanding Section 2.1(b) above, no patent +license is granted: (1) for code that You delete from +the Original Software, or (2) for infringements +caused by: (i) the modification of the Original +Software, or (ii) the combination of the Original +Software with other software or devices. + +2.2. Contributor Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, each +Contributor hereby grants You a world-wide, royalty-free, +non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Contributor to +use, reproduce, modify, display, perform, sublicense +and distribute the Modifications created by such +Contributor (or portions thereof), either on an +unmodified basis, with other Modifications, as +Covered Software and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using, or selling of Modifications made by that +Contributor either alone and/or in combination with +its Contributor Version (or portions of such +combination), to make, use, sell, offer for sale, +have made, and/or otherwise dispose of: (1) +Modifications made by that Contributor (or portions +thereof); and (2) the combination of Modifications +made by that Contributor with its Contributor Version +(or portions of such combination). + + (c) The licenses granted in Sections 2.2(a) and 2.2(b) +are effective on the date Contributor first +distributes or otherwise makes the Modifications +available to a third party. + + (d) Notwithstanding Section 2.2(b) above, no patent +license is granted: (1) for any code that Contributor +has deleted from the Contributor Version; (2) for +infringements caused by: (i) third party +modifications of Contributor Version, or (ii) the +combination of Modifications made by that Contributor +with other software (except as part of the +Contributor Version) or other devices; or (3) under +Patent Claims infringed by Covered Software in the +absence of Modifications made by that Contributor. + +3. Distribution Obligations. + +3.1. Availability of Source Code. + +Any Covered Software that You distribute or otherwise make +available in Executable form must also be made available in +Source Code form and that Source Code form must be +distributed only under the terms of this License. You must +include a copy of this License with every copy of the +Source Code form of the Covered Software You distribute +or otherwise make available. You must inform recipients of +any +such Covered Software in Executable form as to how they can +obtain such Covered Software in Source Code form in a +reasonable manner on or through a medium customarily used +for software exchange. + +3.2. Modifications. + +The Modifications that You create or to which You +contribute are governed by the terms of this License. You +represent that You believe Your Modifications are Your +original creation(s) and/or You have sufficient rights to +grant the rights conveyed by this License. + +3.3. Required Notices. + +You must include a notice in each of Your Modifications +that identifies You as the Contributor of the Modification. +You may not remove or alter any copyright, patent or +trademark notices contained within the Covered Software, or +any notices of licensing or any descriptive text giving +attribution to any Contributor or the Initial Developer. + +3.4. Application of Additional Terms. + +You may not offer or impose any terms on any Covered +Software in Source Code form that alters or restricts the +applicable version of this License or the recipients' +rights hereunder. You may choose to offer, and to charge a +fee for, warranty, support, indemnity or liability +obligations to one or more recipients of Covered Software. +However, you may do so only on Your own behalf, and not on +behalf of the Initial Developer or any Contributor. You +must make it absolutely clear that any such warranty, +support, indemnity or liability obligation is offered by +You alone, and You hereby agree to indemnify the Initial +Developer and every Contributor for any liability incurred +by the Initial Developer or such Contributor as a result of +warranty, support, indemnity or liability terms You offer. + +3.5. Distribution of Executable Versions. + +You may distribute the Executable form of the Covered +Software under the terms of this License or under the terms +of a license of Your choice, which may contain terms +different from this License, provided that You are in +compliance with the terms of this License and that the +license for the Executable form does not attempt to limit +or alter the recipient's rights in the Source Code form +from the rights set forth in this License. If You +distribute the Covered Software in Executable form under a +different license, You must make it absolutely clear that +any terms which differ from this License are offered by You +alone, not by the Initial Developer or Contributor. You +hereby agree to indemnify the Initial Developer and every +Contributor for any liability incurred by the Initial +Developer or such Contributor as a result of any such terms +You offer. + +3.6. Larger Works. + +You may create a Larger Work by combining Covered Software +with other code not governed by the terms of this License +and distribute the Larger Work as a single product. In such +a case, You must make sure the requirements of this License +are fulfilled for the Covered Software. + +4. Versions of the License. + +4.1. New Versions. + +Sun Microsystems, Inc. is the initial license steward and +may publish revised and/or new versions of this License +from time to time. Each version will be given a +distinguishing version number. Except as provided in +Section 4.3, no one other than the license steward has the +right to modify this License. + +4.2. Effect of New Versions. + +You may always continue to use, distribute or otherwise +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. If the Initial Developer includes a +notice in the Original Software prohibiting it from being +distributed or otherwise made available under any +subsequent version of the License, You must distribute and +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. Otherwise, You may also choose to +use, distribute or otherwise make the Covered Software +available under the terms of any subsequent version of the +License published by the license steward. + +4.3. Modified Versions. + +When You are an Initial Developer and You want to create a +new license for Your Original Software, You may create and +use a modified version of this License if You: (a) rename +the license and remove any references to the name of the +license steward (except to note that the license differs +from this License); and (b) otherwise make it clear that +the license contains terms which differ from this License. + +5. DISCLAIMER OF WARRANTY. + +COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" +BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, +INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED +SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR +PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND +PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY +COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE +INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF +ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF +WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF +ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS +DISCLAIMER. + +6. TERMINATION. + +6.1. This License and the rights granted hereunder will +terminate automatically if You fail to comply with terms +herein and fail to cure such breach within 30 days of +becoming aware of the breach. Provisions which, by their +nature, must remain in effect beyond the termination of +this License shall survive. + +6.2. If You assert a patent infringement claim

(excluding +declaratory judgment actions) against Initial Developer or +a Contributor (the Initial Developer or Contributor against +whom You assert such claim is referred to as "Participant") +alleging that the Participant Software (meaning the +Contributor Version where the Participant is a Contributor +or the Original Software where the Participant is the +Initial Developer) directly or indirectly infringes any +patent, then any and all rights granted directly or +indirectly to You by such Participant, the Initial +Developer (if the Initial Developer is not the Participant) +and all Contributors under Sections 2.1 and/or 2.2 of this +License shall, upon 60 days notice from Participant +terminate prospectively and automatically at the expiration +of such 60 day notice period, unless if within such 60 day +period You withdraw Your claim with respect to the +Participant Software against such Participant either +unilaterally or pursuant to a written agreement with +Participant. + +6.3. If You assert a patent infringement claim against +Participant alleging that the Participant Software directly +or indirectly infringes any patent where such claim is +resolved (such as by license or settlement) prior to the +initiation of patent infringement litigation, then the +reasonable value of the licenses granted by such Participant +under Sections 2.1 or 2.2 shall be taken into account in +determining the amount or value of any payment or license. + +6.4. In the event of termination under Sections 6.1 or 6.2 +above, all end user licenses that have been validly granted +by You or any distributor hereunder prior to termination +(excluding licenses granted to You by any distributor) +shall survive termination. + +7. LIMITATION OF LIABILITY. + +UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT +(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE +INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF +COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE +LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR +CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT +LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK +STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER +COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN +INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF +LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL +INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT +APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO +NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR +CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT +APPLY TO YOU. + +8. U.S. GOVERNMENT END USERS. + +The Covered Software is a "commercial item," as that term is +defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial +computer software" (as that term is defined at 48 C.F.R. +252.227-7014(a)(1)) and "commercial computer software +documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. +1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 27.7202-1 +through 27.7202-4 (June 1995), all U.S. Government End Users +acquire Covered Software with only those rights set forth herein. +This U.S. Government Rights clause is in lieu of, and supersedes, +any other FAR, DFAR, or other clause or provision that addresses +Government rights in computer software under this License. + +9. MISCELLANEOUS. + +This License represents the complete agreement concerning subject +matter hereof. If any provision of this License is held to be +unenforceable, such provision shall be reformed only to the +extent necessary to make it enforceable. This License shall be +governed by the law of the jurisdiction specified in a notice +contained within the Original Software (except to the extent +applicable law, if any, provides otherwise), excluding such +jurisdiction's conflict-of-law provisions. Any litigation +relating to this License shall be subject to the jurisdiction of +the courts located in the jurisdiction and venue specified in a +notice contained within the Original Software, with the losing +party responsible for costs, including, without limitation, court +costs and reasonable attorneys' fees and expenses. The +application of the United Nations Convention on Contracts for the +International Sale of Goods is expressly excluded. Any law or +regulation which provides that the language of a contract shall +be construed against the drafter shall not apply to this License. +You agree that You alone are responsible for compliance with the +United States export administration regulations (and the export +control laws and regulation of any other countries) when You use, +distribute or otherwise make available any Covered Software. + +10. RESPONSIBILITY FOR CLAIMS. + +As between Initial Developer and the Contributors, each party is +responsible for claims and damages arising, directly or +indirectly, out of its utilization of rights under this License +and You agree to work with Initial Developer and Contributors to +distribute such responsibility on an equitable basis. Nothing +herein is intended or shall be deemed to constitute any admission +of liability. + +NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND +DISTRIBUTION LICENSE (CDDL) + +The code released under the CDDL shall be governed by the laws +of the State of California (excluding conflict-of-law provisions). +Any litigation relating to this License shall be subject to the +jurisdiction of the Federal Courts of the Northern District of +California and the state courts of the State of California, with +venue lying in Santa Clara County, California. + +The GNU General Public License (GPL) +Version 2, June 1991 + +Copyright (C) 1989, 1991 Free Software Foundation, Inc. + 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA + Everyone is permitted to copy and distribute verbatim + copies of this license document, but changing it is not + allowed. + + Preamble + +The licenses for most software are designed to take away +your freedom to share and change it. By contrast, the GNU +General Public License is intended to guarantee your freedom +to share and change free software--to make sure the software +is free for all its users. This General Public License +applies to most of the Free Software Foundation's software +and to any other program whose authors commit to using it. +(Some other Free Software Foundation software is covered by +the GNU Library General Public License instead.) You can +apply it to your programs, too. + +When we speak of free software, we are referring to freedom, +not price. Our General Public Licenses are designed to make +sure that you have the freedom to distribute copies of free +software (and charge for this service if you wish), that you +receive source code or can get it if you want it, that you +can change the software or use pieces of it in new free +programs; and that you know you can do these things. + +To protect your rights, we need to make restrictions that +forbid anyone to deny you these rights or to ask you to +surrender the rights. These restrictions translate to +certain responsibilities for you if you distribute copies of +the software, or if you modify it. + +For example, if you distribute copies of such a program, +whether gratis or for a fee, you must give the recipients +all the rights that you have. You must make sure that they, +too, receive or can get the source code. And you must show +them these terms so they know their rights. + +We protect your rights with two steps: (1) copyright the +software, and (2) offer you this license which gives you +legal permission to copy, distribute and/or modify the +software. + +Also, for each author's protection and ours, we want to make +certain that everyone understands that there is no warranty +for this free software. If the software is modified by +someone else and passed on, we want its recipients to know +that what they have is not the original, so that any +problems introduced by others will not reflect on the +original authors' reputations. + +Finally, any free program is threatened constantly by +software patents. We wish to avoid the danger that +redistributors of a free program will individually obtain +patent licenses, in effect making the program proprietary. +To prevent this, we have made it clear that any patent must +be licensed for everyone's free use or not licensed at all. + +The precise terms and conditions for copying, distribution +and modification follow. + +TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND +MODIFICATION + +0. This License applies to any program or other work which +contains a notice placed by the copyright holder saying it +may be distributed under the terms of this General Public +License. The "Program", below, refers to any such program or +work, and a "work based on the Program" means either the +Program or any derivative work under copyright law: that is +to say, a work containing the Program or a portion of it, +either verbatim or with modifications and/or translated into +another language. (Hereinafter, translation is included +without limitation in the term "modification".) Each +licensee is addressed as "you". + +Activities other than copying, distribution and modification +are not covered by this License; they are outside its scope. +The act of running the Program is not restricted, and the +output from the Program is covered only if its contents +constitute a work based on the Program (independent of +having been made by running the Program). Whether that is +true depends on what the Program does. + +1. You may copy and distribute verbatim copies of the +Program's source code as you receive it, in any medium, +provided that you conspicuously and appropriately publish on +each copy an appropriate copyright notice and disclaimer of +warranty; keep intact all the notices that refer to this +License and to the absence of any warranty; and give any +other recipients of the Program a copy of this License along +with the Program. + +You may charge a fee for the physical act of transferring a +copy, and you may at your option offer warranty protection +in exchange for a fee. + +2. You may modify your copy or copies of the Program or any +portion of it, thus forming a work based on the Program, and +copy and distribute such modifications or work under the +terms of Section 1 above, provided that you also meet all of +these conditions: + + a) You must cause the modified files to carry prominent + notices stating that you changed the files and the date + of any change. + + b) You must cause any work that you distribute or + publish, that in whole or in part contains or is derived + from the Program or any part thereof, to be licensed as a + whole at no charge to all third parties under the + terms of this License. + + c) If the modified program normally reads commands + interactively when run, you must cause it, when started + running for such interactive use in the most ordinary + way, to print or display an announcement including an + appropriate copyright notice and a notice that there is + no warranty (or else, saying that you provide a + warranty) and that users may redistribute the program + under these conditions, and telling the user how to view + a copy of this License. (Exception: if the Program + itself is interactive but does not normally print such + an announcement, your work based on the Program is not + required to print an announcement.) + +These requirements apply to the modified work as a whole. If +identifiable sections of that work are not derived from the +Program, and can be reasonably considered independent and +separate works in themselves, then this License, and its +terms, do not apply to those sections when you distribute +them as separate works. But when you distribute the same +sections as part of a whole which is a work based on the +Program, the distribution of the whole must be on the terms +of this License, whose permissions for other licensees +extend to the entire whole, and thus to each and every part +regardless of who wrote it. + +Thus, it is not the intent of this section to claim rights +or contest your rights to work written entirely by you; +rather, the intent is to exercise the right to control the +distribution of derivative or collective works based on the +Program. + +In addition, mere aggregation of another work not based on +the Program with the Program (or with a work based on the +Program) on a volume of a storage or distribution medium +does not bring the other work under the scope of this +License. + +3. You may copy and distribute the Program (or a work based +on it, under Section 2) in object code or executable form +under the terms of Sections 1 and 2 above provided that you +also do one of the following: + + a) Accompany it with the complete corresponding + machine-readable source code, which must be distributed + under the terms of Sections 1 and 2 above on a medium + customarily used for software interchange; or, + + b) Accompany it with a written offer, valid for at least + three years, to give any third party, for a charge no + more than your cost of physically performing source + distribution, a complete machine-readable copy of the + corresponding source code, to be distributed under the + terms of Sections 1 and 2 above on a medium customarily + used for software interchange; or, + + c) Accompany it with the information you received as to + the offer to distribute corresponding source code. (This + alternative is allowed only for noncommercial +

distribution and only if you received the program in + object code or executable form with such an offer, in + accord with Subsection b above.) + +The source code for a work means the preferred form of the +work for making modifications to it. For an executable work, +complete source code means all the source code for all +modules it contains, plus any associated interface +definition files, plus the scripts used to control +compilation and installation of the executable. However, as +a special exception, the source code distributed need not +include anything that is normally distributed (in either +source or binary form) with the major components (compiler, +kernel, and so on) of the operating system on which the +executable runs, unless that component itself accompanies +the executable. + +If distribution of executable or object code is made by +offering access to copy from a designated place, then +offering equivalent access to copy the source code from the +same place counts as distribution of the source code, even +though third parties are not compelled to copy the source +along with the object code. + +4. You may not copy, modify, sublicense, or distribute the +Program except as expressly provided under this License. Any +attempt otherwise to copy, modify, sublicense or distribute +the Program is void, and will automatically terminate your +rights under this License. However, parties who have +received copies, or rights, from you under this License will +not have their licenses terminated so long as such parties +remain in full compliance. + +5. You are not required to accept this License, since you +have not signed it. However, nothing else grants you +permission to modify or distribute the Program or its +derivative works. These actions are prohibited by law if you +do not accept this License. Therefore, by modifying or +distributing the Program (or any work based on the Program), +you indicate your acceptance of this License to do so, and +all its terms and conditions for copying, distributing or +modifying the Program or works based on it. + +6. Each time you redistribute the Program (or any work based +on the Program), the recipient automatically receives a +license from the original licensor to copy, distribute or +modify the Program subject to these terms and conditions. +You may not impose any further restrictions on the +recipients' exercise of the rights granted herein. You are +not responsible for enforcing compliance by third parties to +this License. + +7. If, as a consequence of a court judgment or allegation of +patent infringement or for any other reason (not limited to +patent issues), conditions are imposed on you (whether by +court order, agreement or otherwise) that contradict the +conditions of this License, they do not excuse you from the +conditions of this License. If you cannot distribute so as +to satisfy simultaneously your obligations under this +License and any other pertinent obligations, then as a +consequence you may not distribute the Program at all. For +example, if a patent license would not permit royalty-free +redistribution of the Program by all those who receive +copies directly or indirectly through you, then the only way +you could satisfy both it and this License would be to +refrain entirely from distribution of the Program. + +If any portion of this section is held invalid or +unenforceable under any particular circumstance, the balance +of the section is intended to apply and the section as a +whole is intended to apply in other circumstances. + +It is not the purpose of this section to induce you to +infringe any patents or other property right claims or to +contest validity of any such claims; this section has the +sole purpose of protecting the integrity of the free +software distribution system, which is implemented by public +license practices. Many people have made generous +contributions to the wide range of software distributed +through that system in reliance on consistent application of +that system; it is up to the author/donor to decide if he or +she is willing to distribute software through any other +system and a licensee cannot impose that choice. + +This section is intended to make thoroughly clear what is +believed to be a consequence of the rest of this License. + +8. If the distribution and/or use of the Program is +restricted in certain countries either by patents or by +copyrighted interfaces, the original copyright holder who +places the Program under this License may add an explicit +geographical distribution limitation excluding those +countries, so that distribution is permitted only in or +among countries not thus excluded. In such case, this +License incorporates the limitation as if written in the +body of this License. + +9. The Free Software Foundation may publish revised and/or +new versions of the General Public License from time to +time. Such new versions will be similar in spirit to the +present version, but may differ in detail to address new +problems or concerns. + +Each version is given a distinguishing version number. If +the Program specifies a version number of this License which +applies to it and "any later version", you have the option +of following the terms and conditions either of that version +or of any later version published by the Free Software +Foundation. If the Program does not specify a version number +of this License, you may choose any version ever published +by the Free Software Foundation. + +10. If you wish to incorporate parts of the Program into +other free programs whose distribution conditions are +different, write to the author to ask for permission. For +software which is copyrighted by the Free Software +Foundation, write to the Free Software Foundation; we +sometimes make exceptions for this. Our decision will be +guided by the two goals of preserving the free status of all +derivatives of our free software and of promoting the +sharing and reuse of software generally. + +NO WARRANTY + +11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS +NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY +APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE +COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM + "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR +IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED +WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR +PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE +OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE +DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, +REPAIR OR CORRECTION. + +12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED +TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY +WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED +ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, +SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF +THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT +LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR +LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE +PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH +HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF +SUCH DAMAGES. + +END OF TERMS AND CONDITIONS + +How to Apply These Terms to Your New Programs + +If you develop a new program, and you want it to be of the +greatest possible use to the public, the best way to achieve +this is to make it free software which everyone can +redistribute and change under these terms. + +To do so, attach the following notices to the program. It is +safest to attach them to the start of each source file to +most effectively convey the exclusion of warranty; and each +file should have at least the "copyright" line and a pointer +to where the full notice is found. + +One line to give the program's name and a brief idea of + what it does. Copyright (C) <year> <name of author> + + This program is free software; you can redistribute it + and/or modify it under the terms of the GNU General + Public License as published by the Free Software + Foundation; either version 2 of the License, or (at your + option) any later version. + + This program is distributed in the hope that it will be + useful, but WITHOUT ANY WARRANTY; without even the + implied warranty of MERCHANTABILITY or FITNESS FOR A + PARTICULAR PURPOSE. See the GNU General Public License + for more details. + + You should have received a copy of the GNU General + Public License along with this program; if not, write to + the Free Software Foundation, Inc., 59 Temple Place, + Suite 330, Boston, MA 02111-1307 USA + +Also add information on how to contact you by electronic and +paper mail. + +If the program is interactive, make it output a short notice +like this when it starts in an interactive mode: + + Gnomovision version 69, Copyright (C) year name of + author Gnomovision comes with ABSOLUTELY NO WARRANTY; + for details type `show w'. This is free software, and + you are welcome to redistribute it under certain + conditions; type `show c' for details. + +The hypothetical commands `show w' and `show c' should show +the appropriate parts of the General Public License. Of +course, the commands you use may be called something other +than `show w' and `show c'; they could even be mouse-clicks +or menu items--whatever suits your program. + +You should also get your employer (if you work as a +programmer) or your school, if any, to sign a "copyright +disclaimer" for the program, if necessary. Here is a sample; +alter the names: + + Yoyodyne, Inc., hereby disclaims all copyright interest in + the program `Gnomovision' (which makes passes at + compilers) written by James Hacker. + + signature of Ty Coon, 1 April 1989 + Ty Coon, President of Vice + +This General Public License does not permit incorporating +your program into proprietary programs. If your program is +a subroutine library, you may consider it more useful to +permit linking proprietary applications with the library. If +this is what you want to do, use the GNU Library General +Public License instead of this License. + + "CLASSPATH" EXCEPTION TO THE GPL VERSION 2 + +Certain source files distributed by Sun Microsystems, Inc. +are subject to the following clarification and special +exception to the GPL Version 2, but only where Sun has expressly +included in the particular source file's header the words "+Sun designates this particular file as subject to the + "Classpath" exception as provided by Sun in the License file +that accompanied this code." + +Linking this library statically or dynamically with other +modules is making a combined work based on this library. +Thus, the terms and conditions of the GNU General Public +License Version 2 cover the whole combination. + +As a special exception, the copyright holders of this +library give you permission to link this library with +independent modules to produce an executable, regardless of +the license terms of these independent modules, and to copy +and distribute the resulting executable under terms of your +choice, provided that you also meet, for each linked +independent module, the terms and conditions of the license +of that module. An independent module is a module which is +not derived from or based on this library. If you modify +this library, you may extend this exception to your version +of the library, but you are not obligated to do so. If you +do not wish to do so, delete this exception statement from +your version. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

564. arushinha commented on issue #186: [NETBEANS-54] Module Review net.java.html.boot.fx URL: <https://github.com/apache/incubator-netbeans/pull/186#issuecomment-338957969> Closing the pull request as Jan Lahoda will work on the same -----

This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

565. arushinha closed pull request #186: [NETBEANS-54] Module Review net.java.html.boot.fx URL: <https://github.com/apache/incubator-netbeans/pull/186> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/net.java.html.boot.fx/external/net.java.html.boot.fx-1.4-license.txt b/net.java.html.boot.fx/external/net.java.html.boot.fx-1.4-license.txt new file mode 100644 index 0000000000..3ea3c261f --- /dev/null +++ b/net.java.html.boot.fx/external/net.java.html.boot.fx-1.4-license.txt @@ -0,0,1,827 @@ + +COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 + +1.1. "Contributor" means each individual or entity that +creates or contributes to the creation of Modifications. + +1.2.

"Contributor Version" means the combination of the +Original Software, prior Modifications used by a +Contributor (if any), and the Modifications made by that +particular Contributor. + +1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files +containing Original Software with files containing +Modifications, in each case including portions thereof. + +1.4. "Executable" means the Covered Software in any form +other than Source Code. + +1.5. "Initial Developer" means the individual or entity +that first makes Original Software available under this +License. + +1.6. "Larger Work" means a work which combines Covered +Software or portions thereof with code not governed by the +terms of this License. + +1.7. "License" means this document. + +1.8. "Licensable" means having the right to grant, to the +maximum extent possible, whether at the time of the initial +grant or subsequently acquired, any and all of the rights +conveyed herein. + +1.9. "Modifications" means the Source Code and Executable +form of any of the following: + +A. Any file that results from an addition to, +deletion from or modification of the contents of a +file containing Original Software or previous +Modifications; + +B. Any new file that contains any part of the +Original Software or previous Modification; or + +C. Any new file that is contributed or otherwise made +available under the terms of this License. + +1.10. "Original Software" means the Source Code and +Executable form of computer software code that is +originally released under this License. + +1.11. "Patent Claims" means any patent claim(s), now owned +or hereafter acquired, including without limitation, +method, process, and apparatus claims, in any patent +Licensable by grantor. + +1.12. "Source Code" means (a) the common form of computer +software code in which modifications are made and (b) +associated documentation included in or with such code. + +1.13. "You" (or "Your") means an individual or a legal +entity exercising rights under, and complying with all of +the terms of, this License. For legal entities, "You" +includes any entity which controls, is controlled by, or is +under common control with You. For purposes of this +definition, "control" means (a) the power, direct or +indirect, to cause the direction or management of such +entity, whether by contract or otherwise, or (b) ownership +of more than fifty percent (50%) of the outstanding shares +or beneficial ownership of such entity. + +2. License Grants. + +2.1. The Initial Developer Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, the +Initial Developer hereby grants You a world-wide, +royalty-free, non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Initial Developer, +to use, reproduce, modify, display, perform, +sublicense and distribute the Original Software (or +portions thereof), with or without Modifications, +and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using or selling of Original Software, to make, have +made, use, practice, sell, and offer for sale, and/or +otherwise dispose of the Original Software (or +portions thereof). + + (c) The licenses granted in Sections 2.1(a) and (b) +are effective on the date Initial Developer first +distributes or otherwise makes the Original Software +available to a third party under the terms of this +License. + + (d) Notwithstanding Section 2.1(b) above, no patent +license is granted: (1) for code that You delete from +the Original Software, or (2) for infringements +caused by: (i) the modification of the Original +Software, or (ii) the combination of the Original +Software with other software or devices. + +2.2. Contributor Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, each +Contributor hereby grants You a world-wide, royalty-free, +non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Contributor to +use, reproduce, modify, display, perform, sublicense +and distribute the Modifications created by such +Contributor (or portions thereof), either on an +unmodified basis, with other Modifications, as +Covered Software and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using, or selling of Modifications made by that +Contributor either alone and/or in combination with +its Contributor Version (or portions +thereof); and (2) the combination of Modifications +made by that Contributor with its Contributor Version +(or portions of such combination). + + (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first +distributes or otherwise makes the Modifications +available to a third party. + + (d) Notwithstanding Section 2.2(b) above, no patent +license is granted: (1) for any code that Contributor +has deleted from the Contributor Version; (2) for +infringements caused by: (i) third party +modifications of Contributor Version, or (ii) the +combination of Modifications made by that Contributor +with other software (except as part of the +Contributor Version) or other devices; or (3) under +Patent Claims infringed by Covered Software in the +absence of Modifications made by that Contributor. + +3. Distribution Obligations. + +3.1. Availability of Source Code. + +Any Covered Software that You distribute or otherwise make +available in Executable form must also be made available in +Source Code form and that Source Code form must be +distributed only under the terms of this License. You must +include a copy of this License with every copy of the +Source Code form of the Covered Software You distribute or +otherwise make available. You must inform recipients of any +such Covered Software in Executable form as to how they can +obtain such Covered Software in Source Code form in a +reasonable manner on or through a medium customarily used +for software exchange. + +3.2. Modifications. + +The Modifications that You create or to which You +contribute are governed by the terms of this License. You +represent that You believe Your Modifications are Your +original creation(s) and/or You have sufficient rights to +grant the rights conveyed by this License. + +3.3. Required Notices. + +You must include a notice in each of Your Modifications +that identifies You as the Contributor of the Modification. +You may not remove or alter any copyright, patent or +trademark notices contained within the Covered Software, or +any notices of licensing or any descriptive text giving +attribution to any Contributor or the Initial Developer. + +3.4. Application of Additional Terms. + +You may not offer or impose any terms on any Covered +Software in Source Code form that alters or restricts the +applicable version of this License or the recipients' +rights hereunder. You may choose to offer, and to charge a +fee for, warranty, support, indemnity or liability +obligations to one or more recipients of Covered Software. +However, you may do so only on Your own behalf, and not on +behalf of the Initial Developer or any Contributor. You +must make it absolutely clear that any such warranty, +support, indemnity or liability obligation is offered by +You alone, and You hereby agree to indemnify the Initial +Developer and every Contributor for any liability incurred +by the Initial Developer or such Contributor as a result of +warranty, support, indemnity or liability terms You offer. + +3.5. Distribution of Executable Versions. + +You may distribute the Executable form of the Covered +Software under the terms of this License or under the terms +of a license of Your choice, which may contain terms +different from this License, provided that You are in +compliance with the terms of this License and that the +license for the Executable form does not attempt to limit +or alter the recipient's rights in the Source Code form +from the rights set forth in this License. If You +distribute the Covered Software in Executable form under a +different license, You must make it absolutely clear that +any terms which differ from this License are offered by You +alone, not by the Initial Developer or Contributor. You +hereby agree to indemnify the Initial Developer and every +Contributor for any liability incurred by the Initial +Developer or such Contributor as a result of any such terms +You offer. + +3.6. Larger Works. + +You may create a Larger Work by combining Covered Software +with other code not governed by the terms of this License +and distribute the Larger Work as a single product. In such +a case, You must make sure the requirements of this License +are fulfilled for the Covered Software. + +4. Versions of the License. + +4.1. New Versions. + +Sun Microsystems, Inc. is the initial license steward and +may publish revised and/or new versions of this License +from time to time. Each version will be given a +distinguishing version number. Except as provided in +Section 4.3, no one other than the license steward has the +right to modify this License. + +4.2. Effect of New Versions. + +You may always continue to use, distribute or otherwise +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. If the Initial Developer includes a +notice in the Original Software prohibiting it from being +distributed or otherwise made available under any +subsequent version of the License, You must distribute and +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. Otherwise, You may also choose to +use, distribute or otherwise make the Covered Software +available under the terms of any subsequent version of the +License published by the license steward. + +4.3. Modified Versions. + +When You are an Initial Developer and You want to create a +new license for Your Original Software, You may create and +use a modified version of this License if You: (a) rename +the license and remove any references to the name of the +license steward (except to note that the license differs +from this License); and (b) otherwise make it clear that +the license contains terms which differ from this License. + +5. DISCLAIMER OF WARRANTY. + +COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" +BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, +INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED +SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR +PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND +PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY +COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE +INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF +ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF +WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF +ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS +DISCLAIMER. + +6. TERMINATION. + +6.1. This License and the rights granted hereunder will +terminate automatically if You fail to comply with terms +herein and fail to cure such breach within 30 days of +becoming aware of the breach. Provisions which, by their +nature, must remain in effect beyond the termination of +this License shall survive. + +6.2. If You assert a patent infringement claim (excluding +declaratory judgment actions) against Initial Developer or +a Contributor (the Initial Developer or Contributor against +whom You assert such claim is referred to as "Participant") +alleging that the Participant Software (meaning the +Contributor Version where the Participant is a Contributor +or the Original Software where the Participant is the +Initial Developer) directly or indirectly infringes any +patent, then any and all rights granted directly or +indirectly to You by such Participant, the Initial +Developer (if the Initial Developer is not the Participant) +and all Contributors under Sections 2.1 and/or 2.2 of this +License shall, upon 60 days notice from Participant +terminate prospectively and automatically at the expiration +of such 60 day notice period, unless if within such 60 day +period You withdraw Your claim with respect to the +Participant Software against such Participant either +unilaterally or pursuant to a written agreement with +Participant. + +6.3. If You assert a patent infringement claim against +Participant alleging that the Participant Software directly +or indirectly infringes any patent where such claim is +resolved (such as by license or settlement) prior to the +initiation of patent infringement litigation, then the +reasonable value of the licenses granted by such Participant +under Sections 2.1 or 2.2 shall be taken into account in +determining the amount or value of any payment or license. + +6.4. In the event of termination under Sections 6.1 or 6.2 +above, all end user licenses that have been validly granted +by You or any distributor hereunder prior to termination +(excluding licenses granted to You by any distributor) +shall survive termination. + +7. LIMITATION OF LIABILITY. + +UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT +(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL

YOU, THE +INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF +COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE +LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR +CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT +LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK +STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER +COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN +INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF +LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL +INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT +APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO +NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR +CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT +APPLY TO YOU. +

8. U.S. GOVERNMENT END USERS. +The Covered Software is a "commercial item," as that term is +defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial +computer software" (as that term is defined at 48 C.F.R. +§ 252.227-7014(a)(1)) and "commercial computer software +documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. +1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 +through 227.7202-4 (June 1995), all U.S. Government End Users +acquire Covered Software with only those rights set forth herein. +This U.S. Government Rights clause is in lieu of, and supersedes, +any other FAR, DFAR, or other clause or provision that addresses +Government rights in computer software under this License. +

9. MISCELLANEOUS. +This License represents the complete agreement concerning subject +matter hereof. If any provision of this License is held to be +unenforceable, such provision shall be reformed only to the +extent necessary to make it enforceable. This License shall be +governed by the law of the jurisdiction specified in a notice +contained within the Original Software (except to the extent +applicable law, if any, provides otherwise), excluding such +jurisdiction's conflict-of-law provisions. Any litigation +relating to this License shall be subject to the jurisdiction of +the courts located in the jurisdiction and venue specified in a +notice contained within the Original Software, with the losing +party responsible for costs, including, without limitation, court +costs and reasonable attorneys' fees and expenses. The +application of the United Nations Convention on Contracts for the +International Sale of Goods is expressly excluded. Any law or +regulation which provides that the language of a contract shall +be construed against the drafter shall not apply to this License. +You agree that You alone are responsible for compliance with the +United States export administration regulations (and the export +control laws and regulation of any other countries) when You use, +distribute or otherwise make available any Covered Software. +

10. RESPONSIBILITY FOR CLAIMS. +As between Initial Developer and the Contributors, each party is +responsible for claims and damages arising, directly or +indirectly, out of its utilization of rights under this License +and You agree to work with Initial Developer and Contributors to +distribute such responsibility on an equitable basis. Nothing +herein is intended or shall be deemed to constitute any admission +of liability. +

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND +DISTRIBUTION LICENSE (CDDL) +The code released under the CDDL shall be governed by the laws +of the State of California (excluding conflict-of-law provisions). +Any litigation relating to this License shall be subject to the +jurisdiction of the Federal Courts of the Northern District of +California and the state courts of the State of California, with +venue lying in Santa Clara County, California. +

The GNU General Public License (GPL) +Version 2, June 1991 +

Copyright (C) 1989, 1991 Free Software Foundation, Inc. +

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA +

Everyone is permitted to copy and distribute verbatim +copies of this license document, but changing it is not +allowed. +

Preamble +

The licenses for most software are designed to take away +your freedom to share and change it. By contrast, the GNU +General Public License is intended to guarantee your freedom +to share and change free software--to make sure the software +is free for all its users. This General Public License +applies to most of the Free Software Foundation's software +and to any other program whose authors commit to using it. +(Some other Free Software Foundation software is covered by +the GNU Library General Public License instead.) You can +apply it to your programs, too. +

When we speak of free software, we are referring to freedom, +not price. Our General Public Licenses are designed to make +sure that you have the freedom to distribute copies of free +software (and charge for this service if you wish), that you +receive source code or can get it if you want it, that you +can change the software or use pieces of it in new free +programs; and that you know you can do these things. +

To protect your rights, we need to make restrictions that +forbid anyone to deny you these rights or to ask you to +surrender the rights. These restrictions translate to +certain responsibilities for you if you distribute copies of +the software, or if you modify it. +

For example, if you distribute copies of such a program, +whether gratis or for a fee, you must give the recipients +all the rights that you have. You must make sure that they, +too, receive or can get the source code. And you must show +them these terms so they know their rights. +

We protect your rights with two steps: (1) copyright the +software, and (2) offer you this license which gives you +legal permission to copy, distribute and/or modify the +software. +

Also, for each author's protection and ours, we want to make +certain that everyone understands that there is no warranty +for this free software. If the software is modified by +someone else and passed on, we want its recipients to know +that what they have is not the original, so that any +problems introduced by others will not reflect on the +original authors' reputations. +

Finally, any free program is threatened constantly by +software patents. We wish to avoid the danger that +redistributors of a free program will individually obtain +patent licenses, in effect making the program proprietary. +

To prevent this, we have made it clear that any patent must +be licensed for everyone's free use or not licensed at all. +

The precise terms and conditions for copying, distribution +and modification follow. +

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND +MODIFICATION +

0. This License applies to any program or other work which +contains a notice placed by the copyright holder saying it +may be distributed under the terms of this General Public +License. The "Program", below, refers to any such program or +work, and a "work based on the Program" means either the +Program or any derivative work under copyright law: that is +to say, a work containing the Program or a portion of it, +either verbatim or with modifications and/or translated into +another language. (Hereinafter, translation is included +without limitation in the term "modification".) Each +licensee is addressed as "you". +

Activities other than copying, distribution and modification +are not covered by this License; they are outside its scope. +

The act of running the Program is not restricted, and the +output from the Program is covered only if its contents +constitute a work based on the Program (independent of +having been made by running the Program). Whether that is +true depends on what the Program does. +

1. You may copy and distribute verbatim copies of the +Program's source code as you receive it, in any medium, +provided that you conspicuously and appropriately publish on +each copy an appropriate copyright notice and disclaimer of +warranty; keep intact all the notices that refer to this +License and to the absence of any warranty; and give any +other recipients of the Program a copy of this License along +with the Program. +

You may charge a fee for the physical act of transferring a +copy, and you may at your option offer warranty protection +in exchange for a fee. +

2. You may modify your copy or copies of the Program or any +portion of it, thus forming a work based on the Program, and +copy and distribute such modifications or work under the +terms of Section 1 above, provided that you also meet all of +these conditions: +

a) You must cause the modified files to carry prominent +

notices stating that you changed the files and the date +

of any change. +

b) You must cause any work that you distribute or +

publish, that in whole or in part contains or is derived +

from the Program or any part thereof, to be licensed as +

a whole at no charge to all third parties under the +

terms of this License. +

c) If the modified program normally reads commands +

interactively when run, you must cause it, when started +

running for such interactive use in the most ordinary +

way, to print or display an announcement including an +

appropriate copyright notice and a notice that there is +

no warranty (or else, saying that you provide a +

warranty) and that users may redistribute the program +

under these conditions, and telling the user how to view +

a copy of this License. (Exception: if the Program +

itself is interactive but does not normally print such +

an announcement, your work based on the Program is not +

required to print an announcement.) +

These requirements apply to the modified work as a whole. If +

identifiable sections of that work are not derived from the +

Program, and can be reasonably considered independent and +

separate works in themselves, then this License, and its +

terms, do not apply to those sections when you distribute +

them as separate works. But when you distribute the same +

sections as part of a whole which is a work based on the +

Program, the distribution of the whole must be on the terms +

of this License, whose permissions for other licensees +

extend to the entire whole, and thus to each and every part +

regardless of who wrote it. +

Thus, it is not the intent of this section to claim rights +

or contest your rights to work written entirely by you; +

rather, the intent is to exercise the right to control the +

distribution of derivative or collective works based on the +

Program. +

In addition, mere aggregation of another work not based on +

the Program with the Program (or with a work based on the +

Program) on a volume of a storage or distribution medium +

does not bring the other work under the scope of this +

License. +

3. You may copy and distribute the Program (or a work based +

on it, under Section 2) in object code or executable form +

under the terms of Sections 1 and 2 above provided that you +

also do one of the following: +

a) Accompany it with the complete corresponding +

machine-readable source code, which must be distributed +

under the terms of Sections 1 and 2 above on a medium +

customarily used for software interchange; or, +

b) Accompany it with a written offer, valid for at least +

three years, to give any third party, for a charge no +

more than your cost of physically performing source +

distribution, a complete machine-readable copy of the +

corresponding source code, to be distributed under the +

terms of Sections 1 and 2 above on a medium customarily +

used for software interchange; or, +

c) Accompany it with the information you received as to +

the offer to distribute corresponding source code. (This +

alternative is allowed only for noncommercial +

distribution and only if you received the program in +

object code or executable form with such an offer, in +

accord with Subsection b above.) +

The source code for a work means the preferred form of the +

work for making modifications to it. For an executable work, +

complete source code means all the source code for all +

modules it contains, plus any associated interface +

definition files, plus the scripts used to control +

compilation and installation of the executable. However, as +

a special exception, the source code distributed need not +

include anything that is normally distributed (in either +

source or binary form) with the major components (compiler, +

kernel, and so on) of the operating system on which the +

executable runs, unless that component itself accompanies +

the executable. +

If distribution of executable or object code is made by +

offering access to copy from a designated place, then +

offering equivalent access to copy the source code from the +

same place counts as distribution of the source code, even +

though third parties are not compelled to copy the source +

along with the object code. +

4. You may not copy, modify, sublicense, or distribute the +

Program except as expressly provided under this License. Any +

attempt otherwise to copy, modify, sublicense or distribute +

the Program is void, and will automatically terminate your +

rights under this License. However, parties who have +

received copies, or rights, from you under this License will +

not have their licenses terminated so long as such parties +

remain in full compliance. +

5. You are not required to accept this License, since you +

have not signed it. However, nothing else grants you +

permission to modify or distribute the Program or its +

derivative works. These actions are prohibited by law if you +

do not accept this License. Therefore, by modifying or +

distributing the Program (or any work based on the Program), +

you indicate

your acceptance of this License to do so, and +all its terms and conditions for copying, distributing or +modifying the Program or works based on it. + +6. Each time you redistribute the Program (or any work based +on the Program), the recipient automatically receives a +license from the original licensor to copy, distribute or +modify the Program subject to these terms and conditions. +You may not impose any further restrictions on the +recipients' exercise of the rights granted herein. You are +not responsible for enforcing compliance by third parties to +this License. + +7. If, as a consequence of a court judgment or allegation of +patent infringement or for any other reason (not limited to +patent issues), conditions are imposed on you (whether by +court order, agreement or otherwise) that contradict the +conditions of this License, they do not excuse you from the +conditions of this License. If you cannot distribute so as +to satisfy simultaneously your obligations under this +License and any other pertinent obligations, then as a +consequence you may not distribute the Program at all. For +example, if a patent license would not permit royalty-free +redistribution of the Program by all those who receive +copies directly or indirectly through you, then the only way +you could satisfy both it and this License would be to +refrain entirely from distribution of the Program. + +If any portion of this section is held invalid or +unenforceable under any particular circumstance, the balance +of the section is intended to apply and the section as a +whole is intended to apply in other circumstances. + +It is not the purpose of this section to induce you to +infringe any patents or other property right claims or to +contest validity of any such claims; this section has the +sole purpose of protecting the integrity of the free +software distribution system, which is implemented by public +license practices. Many people have made generous +contributions to the wide range of software distributed +through that system in reliance on consistent application of +that system; it is up to the author/donor to decide if he or +she is willing to distribute software through any other +system and a licensee cannot impose that choice. + +This section is intended to make thoroughly clear what is +believed to be a consequence of the rest of this License. + +8. If the distribution and/or use of the Program is +restricted in certain countries either by patents or by +copyrighted interfaces, the original copyright holder who +places the Program under this License may add an explicit +geographical distribution limitation excluding those +countries, so that distribution is permitted only in or +among countries not thus excluded. In such case, this +License incorporates the limitation as if written in the +body of this License. + +9. The Free Software Foundation may publish revised and/or +new versions of the General Public License from time to +time. Such new versions will be similar in spirit to the +present version, but may differ in detail to address new +problems or concerns. + +Each version is given a distinguishing version number. If +the Program specifies a version number of this License which +applies to it and "any later version", you have the option +of following the terms and conditions either of that version +or of any later version published by the Free Software +Foundation. If the Program does not specify a version number +of this License, you may choose any version ever published +by the Free Software Foundation. + +10. If you wish to incorporate parts of the Program into +other free programs whose distribution conditions are +different, write to the author to ask for permission. For +software which is copyrighted by the Free Software +Foundation, write to the Free Software Foundation; we +sometimes make exceptions for this. Our decision will be +guided by the two goals of preserving the free status of all +derivatives of our free software and of promoting the +sharing and reuse of software generally. + +NO WARRANTY + +11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS +NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY +APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE +COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM + "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR +IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED +WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR +PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE +OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE +DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, +REPAIR OR CORRECTION. + +12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED +TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY +WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED +ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, +SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF +THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT +LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR +LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE +PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH +HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF +SUCH DAMAGES. + + END OF TERMS AND CONDITIONS + + How to Apply These Terms to Your New Programs + +If you develop a new program, and you want it to be of the +greatest possible use to the public, the best way to achieve +this is to make it free software which everyone can +redistribute and change under these terms. + +To do so, attach the following notices to the program. It is +safest to attach them to the start of each source file to +most effectively convey the exclusion of warranty; and each +file should have at least the "copyright" line and a pointer +to where the full notice is found. + + One line to give the program's name and a brief idea of + what it does. Copyright (C) <year> <name of author> + + This program is free software; you can redistribute it + and/or modify it under the terms of the GNU General + Public License as published by the Free Software + Foundation; either version 2 of the License, or (at your + option) any later version. + + This program is distributed in the hope that it will be + useful, but WITHOUT ANY WARRANTY; without even the + implied warranty of MERCHANTABILITY or FITNESS FOR A + PARTICULAR PURPOSE. See the GNU General Public License + for more details. + + You should have received a copy of the GNU General + Public License along with this program; if not, write to + the Free Software Foundation, Inc., 59 Temple Place, + Suite 330, Boston, MA 02111-1307 USA + +Also add information on how to contact you by electronic and +paper mail. + +If the program is interactive, make it output a short notice +like this when it starts in an interactive mode: + + Gnomovision version 69, Copyright (C) year name of + author Gnomovision comes with ABSOLUTELY NO WARRANTY; + for details type `show w'. This is free software, and + you are welcome to redistribute it under certain + conditions; type `show c' for details. + +The hypothetical commands `show w' and `show c' should show +the appropriate parts of the General Public License. Of +course, the commands you use may be called something other +than `show w' and `show c'; they could even be mouse-clicks +or menu items--whatever suits your program. + +You should also get your employer (if you work as a +programmer) or your school, if any, to sign a "copyright +disclaimer" for the program, if necessary. Here is a sample; +alter the names: + + Yoyodyne, Inc., hereby disclaims all copyright interest in + the program `Gnomovision' (which makes passes at + compilers) written by James Hacker. + + signature of Ty Coon, 1 April 1989 + Ty Coon, President of Vice + +This General Public License does not permit incorporating +your program into proprietary programs. If your program is a +subroutine library, you may consider it more useful to +permit linking proprietary applications with the library. If +this is what you want to do, use the GNU Library General +Public License instead of this License. + + "CLASSPATH" EXCEPTION TO THE GPL VERSION 2 + +Certain source files distributed by Sun Microsystems, Inc. +are subject to the following clarification and special +exception to the GPL Version 2, but only where Sun has expressly +included in the particular source file's header the words + "Sun designates this particular file as subject to the + "Classpath" exception as provided by Sun in the License file +that accompanied this code." + +Linking this library statically or dynamically with other +modules is making a combined work based on this library. +Thus, the terms and conditions of the GNU General Public +License Version 2 cover the whole combination. + +As a special exception, the copyright holders of this +library give you permission to link this library with +independent modules to produce an executable, regardless of +the license terms of these independent modules, and to copy +and distribute the resulting executable under terms of your +choice, provided that you also meet, for each linked +independent module, the terms and conditions of the license +of that module. An independent module is a module which is +not derived from or based on this library. If you modify +this library, you may extend this exception to your version +of the library, but you are not obligated to do so. If you +do not wish to do so, delete this exception statement from +your version. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

566. arushin commented on issue #188: [NETBEANS-54] Module Review net.java.html.boot URL: <https://github.com/apache/incubator-netbeans/pull/188#issuecomment-338958063> Closing the pull request as Jan Lahoda will work on the same -----

This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

567. arushin closed pull request #188: [NETBEANS-54] Module Review net.java.html.boot URL: <https://github.com/apache/incubator-netbeans/pull/188> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/net.java.html.boot/external/net.java.html.boot-1.4-license.txt b/net.java.html.boot/external/net.java.html.boot-1.4-license.txt new file mode 100644 index 0000000000..3ea3c261f --- /dev/null +++ b/net.java.html.boot/external/net.java.html.boot-1.4-license.txt @@ -0,0 +1,827 @@ + +COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 + +1. Definitions. + +1.1. "Contributor" means each individual or entity that +creates or contributes to the creation of Modifications. + +1.2. "Contributor Version" means the combination of the +Original Software, prior Modifications used by a +Contributor (if any), and the Modifications made by that +particular Contributor. + +1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files +containing Original Software with files containing +Modifications, in each case including portions thereof. + +1.4. "Executable" means the Covered Software in any form +other than Source Code. + +1.5. "Initial Developer" means the individual or entity +that first makes Original Software available under this +License. + +1.6. "Larger Work" means a work which combines Covered +Software or portions thereof with code not governed by the +terms of this License. + +1.7. "License" means this document. + +1.8. "Licensable" means having the right to grant, to the +maximum extent possible, whether at the time of the initial +grant or subsequently acquired, any and all of the rights +conveyed herein. + +1.9. "Modifications" means the Source Code and Executable +form of any of the following: + +A. Any file that results from an addition to, +deletion from or modification of the contents of a +file containing Original Software or previous +Modifications; + +B. Any new file that contains any part of the +Original Software or previous Modification; or + +C. Any new file that is contributed or otherwise made +available under the terms of this License. + +1.10. "Original Software" means the Source Code and +Executable form of computer software code that is +originally released under this License. + +1.11. "Patent Claims" means any patent claim(s), now owned +or hereafter acquired, including without limitation, +method, process, and apparatus claims, in any patent +Licensable by grantor. + +1.12. "Source Code" means (a) the common form of computer +software code in which modifications

are made and (b) +associated documentation included in or with such code. + +1.13. "You" (or "Your") means an individual or a legal +entity exercising rights under, and complying with all of +the terms of, this License. For legal entities, "You" +includes any entity which controls, is controlled by, or is +under common control with You. For purposes of this +definition, "control" means (a) the power, direct or +indirect, to cause the direction or management of such +entity, whether by contract or otherwise, or (b) ownership +of more than fifty percent (50%) of the outstanding shares +or beneficial ownership of such entity. + +2. License Grants. + +2.1. The Initial Developer Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, the +Initial Developer hereby grants You a world-wide, +royalty-free, non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Initial Developer, +to use, reproduce, modify, display, perform, +sublicense and distribute the Original Software (or +portions thereof), with or without Modifications, +and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using or selling of Original Software, to make, have +made, use, practice, sell, and offer for sale, and/or +otherwise dispose of the Original Software (or +portions thereof). + + (c) The licenses granted in Sections 2.1(a) and (b) +are effective on the date Initial Developer first +distributes or otherwise makes the Original Software +available to a third party under the terms of this +License. + + (d) Notwithstanding Section 2.1(b) above, no patent +license is granted: (1) for code that You delete from +the Original Software, or (2) for infringements +caused by: (i) the modification of the Original +Software, or (ii) the combination of the Original +Software with other software or devices. + +2.2. Contributor Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, each +Contributor hereby grants You a world-wide, +royalty-free, non-exclusive license: + + (a) under intellectual property rights (other than +patent or trademark) Licensable by Contributor to +use, reproduce, modify, display, perform, sublicense +and distribute the Modifications created by such +Contributor (or portions thereof), either on an +unmodified basis, with other Modifications, as +Covered Software and/or as part of a Larger Work; and + + (b) under Patent Claims infringed by the making, +using, or selling of Modifications made by that +Contributor either alone and/or in combination with +its Contributor Version (or portions of such +combination), to make, use, sell, offer for sale, +have made, and/or otherwise dispose of: (1) +Modifications made by that Contributor (or portions +thereof); and (2) the combination of Modifications +made by that Contributor with its Contributor Version +(or portions of such combination). + + (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first +distributes or otherwise makes the Modifications +available to a third party. + + (d) Notwithstanding Section 2.2(b) above, no patent +license is granted: (1) for any code that Contributor +has deleted from the Contributor Version; (2) for +infringements caused by: (i) third party +modifications of Contributor Version, or (ii) the +combination of Modifications made by that Contributor +with other software (except as part of the +Contributor Version) or other devices; or (3) under +Patent Claims infringed by Covered Software in the +absence of Modifications made by that Contributor. + +3. Distribution Obligations. + +3.1. Availability of Source Code. + +Any Covered Software that You distribute or otherwise make +available in Executable form must also be made available in +Source Code form and that Source Code form must be +distributed only under the terms of this License. You must +include a copy of this License with every copy of the +Source Code form of the Covered Software You distribute or +otherwise make available. You must inform recipients of any +such Covered Software in Executable form as to how they can +obtain such Covered Software in Source Code form in a +reasonable manner on or through a medium customarily used +for software exchange. + +3.2. Modifications. + +The Modifications that You create or to which You +contribute are governed by the terms of this License. You +represent that You believe Your Modifications are Your +original creation(s) and/or You have sufficient rights to +grant the rights conveyed by this License. + +3.3. Required Notices. + +You must include a notice in each of Your Modifications +that identifies You as the Contributor of the Modification. +You may not remove or alter any copyright, patent or +trademark notices contained within the Covered Software, or +any notices of licensing or any descriptive text giving +attribution to any Contributor or the Initial Developer. + +3.4. Application of Additional Terms. + +You may not offer or impose any terms on any Covered +Software in Source Code form that alters or restricts the +applicable version of this License or the recipients' +rights hereunder. You may choose to offer, and to charge a +fee for, warranty, support, indemnity or liability +obligations to one or more recipients of Covered Software. +However, you may do so only on Your own behalf, and not on +behalf of the Initial Developer or any Contributor. You +must make it absolutely clear that any such warranty, +support, indemnity or liability obligation is offered by +You alone, and You hereby agree to indemnify the Initial +Developer and every Contributor for any liability incurred +by the Initial Developer or such Contributor as a result of +warranty, support, indemnity or liability terms You offer. + +3.5. Distribution of Executable Versions. + +You may distribute the Executable form of the Covered +Software under the terms of this License or under the terms +of a license of Your choice, which may contain terms +different from this License, provided that You are in +compliance with the terms of this License and that the +license for the Executable form does not attempt to limit +or alter the recipient's rights in the Source Code form +from the rights set forth in this License. If You +distribute the Covered Software in Executable form under a +different license, You must make it absolutely clear that +any terms which differ from this License are offered by You +alone, not by the Initial Developer or Contributor. You +hereby agree to indemnify the Initial Developer and every +Contributor for any liability incurred by the Initial +Developer or such Contributor as a result of any such terms +You offer. + +3.6. Larger Works. + +You may create a Larger Work by combining Covered Software +with other code not governed by the terms of this License +and distribute the Larger Work as a single product. In such +a case, You must make sure the requirements of this License +are fulfilled for the Covered Software. + +4. Versions of the License. + +4.1. New Versions. + +Sun Microsystems, Inc. is the initial license steward and +may publish revised and/or new versions of this License +from time to time. Each version will be given a +distinguishing version number. Except as provided in +Section 4.3, no one other than the license steward has the +right to modify this License. + +4.2. Effect of New Versions. + +You may always continue to use, distribute or otherwise +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. If the Initial Developer includes a +notice in the Original Software prohibiting it from being +distributed or otherwise made available under any +subsequent version of the License, You must distribute and +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. Otherwise, You may also choose to +use, distribute or otherwise make the Covered Software +available under the terms of any subsequent version of the +License published by the license steward. + +4.3. Modified Versions. + +When You are an Initial Developer and You want to create a +new license for Your Original Software, You may create and +use a modified version of this License if You: (a) rename +the license and remove any references to the name of the +license steward (except to note that the license differs +from this License); and (b) otherwise make it clear that +the license contains terms which differ from this License. + +5. DISCLAIMER OF WARRANTY. + +COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" +BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, +INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED +SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR +PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND +PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY +COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE +INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF +ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF +WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF +ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS +DISCLAIMER. + +6. TERMINATION. + +6.1. This License and the rights granted hereunder will +terminate automatically if You fail to comply with terms +herein and fail to cure such breach within 30 days of +becoming aware of the breach. Provisions which, by their +nature, must remain in effect beyond the termination of +this License shall survive. + +6.2. If You assert a patent infringement claim (excluding +declaratory judgment actions) against Initial Developer or +a Contributor (the Initial Developer or Contributor against +whom You assert such claim is referred to as "Participant") +alleging that the Participant Software (meaning the +Contributor Version where the Participant is a Contributor +or the Original Software where the Participant is the +Initial Developer) directly or indirectly infringes any +patent, then any and all rights granted directly or +indirectly to You by such Participant, the Initial +Developer (if the Initial Developer is not the Participant) +and all Contributors under Sections 2.1 and/or 2.2 of this +License shall, upon 60 days notice from Participant +terminate prospectively and automatically at the expiration +of such 60 day notice period, unless if within such 60 day +period You withdraw Your claim with respect to the +Participant Software against such Participant either +unilaterally or pursuant to a written agreement with +Participant. + +6.3. If You assert a patent infringement claim against +Participant alleging that the Participant Software directly +or indirectly infringes any patent where such claim is +resolved (such as by license or settlement) prior to the +initiation of patent infringement litigation, then the +reasonable value of the licenses granted by such Participant +under Sections 2.1 or 2.2 shall be taken into account in +determining the amount or value of any payment or license. + +6.4. In the event of termination under Sections 6.1 or 6.2 +above, all end user licenses that have been validly granted +by You or any distributor hereunder prior to termination +(excluding licenses granted to You by any distributor) +shall survive termination. + +7. LIMITATION OF LIABILITY. + +UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT +(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE +INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF +COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE +LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR +CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT +LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK +STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER +COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN +INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF +LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL +INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT +APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO +NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR +CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT +APPLY TO YOU. + +8. U.S. GOVERNMENT END USERS. + +The Covered Software is a "commercial item," as that term is +defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial +computer software" (as that term is defined at 48 C.F.R. +252.227-7014(a)(1)) and "commercial computer software +documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. +1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 +through 227.7202-4 (June 1995), all U.S. Government End Users +acquire Covered Software with only those rights set forth herein. +This U.S. Government Rights clause is in lieu of, and supersedes, +any other FAR, DFAR, or other clause or provision that addresses +Government rights in computer

software under this License. + +9. MISCELLANEOUS. + +This License represents the complete agreement concerning subject +matter hereof. If any provision of this License is held to be +unenforceable, such provision shall be reformed only to the +extent necessary to make it enforceable. This License shall be +governed by the law of the jurisdiction specified in a notice +contained within the Original Software (except to the extent +applicable law, if any, provides otherwise), excluding such +jurisdiction's conflict-of-law provisions. Any litigation +relating to this License shall be subject to the jurisdiction of +the courts located in the jurisdiction and venue specified in a +notice contained within the Original Software, with the losing +party responsible for costs, including, without limitation, court +costs and reasonable attorneys' fees and expenses. The +application of the United Nations Convention on Contracts for the +International Sale of Goods is expressly excluded. Any law or +regulation which provides that the language of a contract shall +be construed against the drafter shall not apply to this License. +You agree that You alone are responsible for compliance with the +United States export administration regulations (and the export +control laws and regulation of any other countries) when You use, +distribute or otherwise make available any Covered Software. + +10. RESPONSIBILITY FOR CLAIMS. + +As between Initial Developer and the Contributors, each party is +responsible for claims and damages arising, directly or +indirectly, out of its utilization of rights under this License +and You agree to work with Initial Developer and Contributors to +distribute such responsibility on an equitable basis. Nothing +herein is intended or shall be deemed to constitute any admission +of liability. + +NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND +DISTRIBUTION LICENSE (CDDL) + +The code released under the CDDL shall be governed by the laws +of the State of California (excluding conflict-of-law provisions). +Any litigation relating to this License shall be subject to the +jurisdiction of the Federal Courts of the Northern District of +California and the state courts of the State of California, with +venue lying in Santa Clara County, California. + + +The GNU General Public License (GPL) +Version 2, June 1991 + + Copyright (C) 1989, 1991 Free Software Foundation, Inc. + 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA + Everyone is permitted to copy and distribute verbatim + copies of this license document, but changing it is not + allowed. + + Preamble + +The licenses for most software are designed to take away +your freedom to share and change it. By contrast, the GNU +General Public License is intended to guarantee your freedom +to share and change free software--to make sure the software +is free for all its users. This General Public License +applies to most of the Free Software Foundation's software +and to any other program whose authors commit to using it. +(Some other Free Software Foundation software is covered by +the GNU Library General Public License instead.) You can +apply it to your programs, too. + +When we speak of free software, we are referring to freedom, +not price. Our General Public Licenses are designed to make +sure that you have the freedom to distribute copies of free +software (and charge for this service if you wish), that you +receive source code or can get it if you want it, that you +can change the software or use pieces of it in new free +programs; and that you know you can do these things. + +To protect your rights, we need to make restrictions that +forbid anyone to deny you these rights or to ask you to +surrender the rights. These restrictions translate to +certain responsibilities for you if you distribute copies of +the software, or if you modify it. + +For example, if you distribute copies of such a program, +whether gratis or for a fee, you must give the recipients +all the rights that they, +too, receive or can get the source code. And you must show +them these terms so they know their rights. + +We protect your rights with two steps: (1) copyright the +software, and (2) offer you this license which gives you +legal permission to copy, distribute and/or modify the +software. + +Also, for each author's protection and ours, we want to make +certain that everyone understands that there is no warranty +for this free software. If the software is modified by +someone else and passed on, we want its recipients to know +that what they have is not the original, so that any +problems introduced by others will not reflect on the +original authors' reputations. + +Finally, any free program is threatened constantly by +software patents. We wish to avoid the danger that +redistributors of a free program will individually obtain +patent licenses, in effect making the program proprietary. +To prevent this, we have made it clear that any patent must +be licensed for everyone's free use or not licensed at all. + +The precise terms and conditions for copying, distribution +and modification follow. + +TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND +MODIFICATION + +0. This License applies to any program or other work which +contains a notice placed by the copyright holder saying it +may be distributed under the terms of this General Public +License. The "Program", below, refers to any such program or +work, and a "work based on the Program" means either the +Program or any derivative work under copyright law: that is +to say, a work containing the Program or a portion of it, +either verbatim or with modifications and/or translated into +another language. (Hereinafter, translation is included +without limitation in the term "modification".) Each +licensee is addressed as "you". + +Activities other than copying, distribution and modification +are not covered by this License; they are outside its scope. +The act of running the Program is not restricted, and the +output from the Program is covered only if its contents +constitute a work based on the Program (independent of +having been made by running the Program). Whether that is +true depends on what the Program does. + +1. You may copy and distribute verbatim copies of the +Program's source code as you receive it, in any medium, +provided that you conspicuously and appropriately publish on +each copy an appropriate copyright notice and disclaimer of +warranty; keep intact all the notices that refer to this +License and to the absence of any warranty; and give any +other recipients of the Program a copy of this License along +with the Program. + +You may charge a fee for the physical act of transferring a +copy, and you may at your option offer warranty protection +in exchange for a fee. + +2. You may modify your copy or copies of the Program or any +portion of it, thus forming a work based on the Program, and +copy and distribute such modifications or work under the +terms of Section 1 above, provided that you also meet all of +these conditions: + + a) You must cause the modified files to carry prominent + notices stating that you changed the files and the date + of any change. + + b) You must cause any work that you distribute or + publish, that in whole or in part contains or is derived + from the Program or any part thereof, to be licensed as + a whole at no charge to all third parties under the + terms of this License. + + c) If the modified program normally reads commands + interactively when run, you must cause it, when started + running for such interactive use in the most ordinary + way, to print or display an announcement including an + appropriate copyright notice and a notice that there is + no warranty (or else, saying that you provide a + warranty) and that users may redistribute the program + under these conditions, and telling the user how to view + a copy of this License. (Exception: if the Program + itself is interactive but does not normally print such + an announcement, your work based on the Program is not + required to print an announcement.) + +These requirements apply to the modified work as a whole. If +identifiable sections of that work are not derived from the +Program, and can be reasonably considered independent and +separate works in themselves, then this License, and its +terms, do not apply to those sections when you distribute +them as separate works. But when you distribute the same +sections as part of a whole which is a work based on the +Program, the distribution of the whole must be on the terms +of this License, whose permissions for other licensees +extend to the entire whole, and thus to each and every part +regardless of who wrote it. + +Thus, it is not the intent of this section to claim rights +or contest your rights to work written entirely by you; +rather, the intent is to exercise the right to control the +distribution of derivative or collective works based on the +Program. + +In addition, mere aggregation of another work not based on +the Program with the Program (or with a work based on the +Program) on a volume of a storage or distribution medium +does not bring the other work under the scope of this +License. + +3. You may copy and distribute the Program (or a work based +on it, under Section 2) in object code or executable form +under the terms of Sections 1 and 2 above provided that you +also do one of the following: + + a) Accompany it with the complete corresponding + machine-readable source code, which must be distributed + under the terms of Sections 1 and 2 above on a medium + customarily used for software interchange; or, + + b) Accompany it with a written offer, valid for at least + three years, to give any third party, for a charge no + more than your cost of physically performing source + distribution, a complete machine-readable copy of the + corresponding source code, to be distributed under the + terms of Sections 1 and 2 above on a medium customarily + used for software interchange; or, + + c) Accompany it with the information you received as to + the offer to distribute corresponding source code. (This + alternative is allowed only for noncommercial + distribution and only if you received the program in + object code or executable form with such an offer, in + accord with Subsection b above.) + +The source code for a work means the preferred form of the +work for making modifications to it. For an executable work, +complete source code means all the source code for all +modules it contains, plus any associated interface +definition files, plus the scripts used to control +compilation and installation of the executable. However, as +a special exception, the source code distributed need not +include anything that is normally distributed (in either +source or binary form) with the major components (compiler, +kernel, and so on) of the operating system on which the +executable runs, unless that component itself accompanies +the executable. + +If distribution of executable or object code is made by +offering access to copy from a designated place, then +offering equivalent access to copy the source code from the +same place counts as distribution of the source code, even +though third parties are not compelled to copy the source +along with the object code. + +4. You may not copy, modify, sublicense, or distribute the +Program except as expressly provided under this License. Any +attempt otherwise to copy, modify, sublicense or distribute +the Program is void, and will automatically terminate your +rights under this License. However, parties who have +received copies, or rights, from you under this License will +not have their licenses terminated so long as such parties +remain in full compliance. + +5. You are not required to accept this License, since you +have not signed it. However, nothing else grants you +permission to modify or distribute the Program or its +derivative works. These actions are prohibited by law if you +do not accept this License. Therefore, by modifying or +distributing the Program (or any work based on the Program), +you indicate your acceptance of this License to do so, and +all its terms and conditions for copying, distributing or +modifying the Program or works based on it. + +6. Each time you redistribute the Program (or any work based +on the Program), the recipient automatically receives a +license from the original licensor to copy, distribute or +modify the Program subject to these terms and conditions. +You may not impose any further restrictions on the +recipients' exercise of the rights granted herein. You are +not responsible for enforcing compliance by third parties to +this License. + +7. If, as a consequence of a court judgment or allegation of +patent infringement or for any other reason (not limited to +patent issues), conditions are imposed on you (whether by +court order, agreement or otherwise) that contradict the +conditions of this License, they do not excuse you from the +conditions of this License. If you cannot distribute so as +to satisfy simultaneously your obligations under this +License and any other pertinent obligations, then as a +consequence you may not distribute the Program at all. For +example, if a patent license would not permit royalty-free +redistribution of the Program by all those who receive +copies directly or indirectly through you, then the only way +you could satisfy both it and this License would be to +refrain entirely from distribution of the Program. + +If any portion of this section is held invalid or +unenforceable under any particular circumstance, the balance +of the section is intended to apply and the section as a +whole is intended to apply in other circumstances. + +It is not the purpose of this section to induce you to +infringe any patents or other property right claims or to +contest validity of any such claims; this section has the +sole purpose of protecting the integrity of the free +software distribution system, which is implemented by public +license practices.

Many people have made generous +contributions to the wide range of software distributed +through that system in reliance on consistent application of +that system; it is up to the author/donor to decide if he or +she is willing to distribute software through any other +system and a licensee cannot impose that choice. + +This section is intended to make thoroughly clear what is +believed to be a consequence of the rest of this License. + +8. If the distribution and/or use of the Program is +restricted in certain countries either by patents or by +copyrighted interfaces, the original copyright holder who +places the Program under this License may add an explicit +geographical distribution limitation excluding those +countries, so that distribution is permitted only in or +among countries not thus excluded. In such case, this +License incorporates the limitation as if written in the +body of this License. + +9. The Free Software Foundation may publish revised and/or +new versions of the General Public License from time to +time. Such new versions will be similar in spirit to the +present version, but may differ in detail to address new +problems or concerns. + +Each version is given a distinguishing version number. If +the Program specifies a version number of this License which +applies to it and "any later version", you have the option +of following the terms and conditions either of that version +or of any later version published by the Free Software +Foundation. If the Program does not specify a version number +of this License, you may choose any version ever published +by the Free Software Foundation. + +10. If you wish to incorporate parts of the Program into +other free programs whose distribution conditions are +different, write to the author to ask for permission. For +software which is copyrighted by the Free Software +Foundation, write to the Free Software Foundation; we +sometimes make exceptions for this. Our decision will be +guided by the two goals of preserving the free status of all +derivatives of our free software and of promoting the +sharing and reuse of software generally. + +NO WARRANTY + +11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS +NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY +APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE +COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM + "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR +IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED +WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR +PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE +OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE +DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, +REPAIR OR CORRECTION. + +12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED +TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY +WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED +ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, +SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF +THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT +LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR +LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE +PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH +HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF +SUCH DAMAGES. + + END OF TERMS AND CONDITIONS + + How to Apply These Terms to Your New Programs + + If you develop a new program, and you want it to be of the +greatest possible use to the public, the best way to achieve +this is to make it free software which everyone can +redistribute and change under these terms. + + To do so, attach the following notices to the program. It is +safest to attach them to the start of each source file to +most effectively convey the exclusion of warranty; and each +file should have at least the "copyright" line and a pointer +to where the full notice is found. + + One line to give the program's name and a brief idea of + what it does. Copyright (C) <year> <name of author> + + This program is free software; you can redistribute it + and/or modify it under the terms of the GNU General + Public License as published by the Free Software + Foundation; either version 2 of the License, or (at your + option) any later version. + + This program is distributed in the hope that it will be + useful, but WITHOUT ANY WARRANTY; without even the + implied warranty of MERCHANTABILITY or FITNESS FOR A + PARTICULAR PURPOSE. See the GNU General Public License + for more details. + + You should have received a copy of the GNU General + Public License along with this program; if not, write to + the Free Software Foundation, Inc., 59 Temple Place, + Suite 330, Boston, MA 02111-1307 USA + + Also add information on how to contact you by electronic and +paper mail. + + If the program is interactive, make it output a short notice +like this when it starts in an interactive mode: + + Gnomovision version 69, Copyright (C) year name of + author Gnomovision comes with ABSOLUTELY NO WARRANTY; + for details type `show w'. This is free software, and + you are welcome to redistribute it under certain + conditions; type `show c' for details. + + The hypothetical commands `show w' and `show c' should show +the appropriate parts of the General Public License. Of +course, the commands you use may be called something other +than `show w' and `show c'; they could even be mouse-clicks +or menu items--whatever suits your program. + + You should also get your employer (if you work as a +programmer) or your school, if any, to sign a "copyright +disclaimer" for the program, if necessary. Here is a sample; +alter the names: + + Yoyodyne, Inc., hereby disclaims all copyright interest in + the program `Gnomovision' (which makes passes at + compilers) written by James Hacker. + + signature of Ty Coon, 1 April 1989 + Ty Coon, President of Vice + + This General Public License does not permit incorporating +your program into proprietary programs. If your program is a +subroutine library, you may consider it more useful to +permit linking proprietary applications with the library. If +this is what you want to do, use the GNU Library General +Public License instead of this License. + + "CLASSPATH" EXCEPTION TO THE GPL VERSION 2 + + Certain source files distributed by Sun Microsystems, Inc. +are subject to the following clarification and special +exception to the GPL Version 2, but only where Sun has expressly +included in the particular source file's header the words "+Sun designates this particular file as subject to the "+Classpath" exception as provided by Sun in the License file +that accompanied this code." + + Linking this library statically or dynamically with other +modules is making a combined work based on this library. +Thus, the terms and conditions of the GNU General Public +License Version 2 cover the whole combination. + + As a special exception, the copyright holders of this +library give you permission to link this library with +independent modules to produce an executable, regardless of +the license terms of these independent modules, and to copy +and distribute the resulting executable under terms of your +choice, provided that you also meet, for each linked +independent module, the terms and conditions of the license +of that module. An independent module is a module which is +not derived from or based on this library. If you modify +this library, you may extend this exception to your version +of the library, but you are not obligated to do so. If you +do not wish to do so, delete this exception statement from +your version. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

568. arusinha opened a new pull request #190: [NETBEANS-54] Module Review o.apache.commons.io URL: <https://github.com/apache/incubator-netbeans/pull/190>
Added maven coordinate for external resource commons-io-1.4.jar ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
569. geertjanw commented on issue #187: [NETBEANS-54] adding schema2beans test data to Rat exceptions URL: <https://github.com/apache/incubator-netbeans/pull/187#issuecomment-338976315> OK, these updates are modifications to the existing Rat exclusions, and a simplification of part of it, only the build.xml is impacted by this commit, and only the Rat exclusion section in there. These changes should bring the problematic files down to about 500. Merging this now. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
570. geertjanw closed pull request #187: [NETBEANS-54] adding schema2beans test data to Rat exceptions URL: <https://github.com/apache/incubator-netbeans/pull/187> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index bb109b29c..84448511b 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -1991,44 +1991,23 @@ It is possible to use - Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/nbproject/private/**" /> <!--user-specific files --> <exclude name="**/src/META-INF/**" /> <!--no degree of creativity--> <exclude name="*/build/**" /> <exclude name="api.search/test/unit/data/textFiles/utf8file.txt" /> <!--test data--> - <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!--test data--> + <exclude name="*/test/unit/data/**" /> + <exclude name="*/test/qa-functional/data/**" /> <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CascadeStyleSheet.css.template" /> <!-- user visible template --> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CssExample" /> <!-- user visible template --> - <exclude name="css.editor/test/unit/data/testfiles/**" /> <!--simple files for testing--> <exclude name="css.editor/todo" /> <!-- no degree of creativity --> - <exclude name="css.lib/test/unit/data/**" /> <!--test data--> - <exclude name="css.prep/test/qa-functional/data/css_prep/public_html/**" /> <!--simple files for testing--> - <exclude name="css.prep/test/unit/data/testFiles/test.less" /> <!--simple file for testing--> - <exclude name="css.prep/test/unit/data/testFiles/testIssue227676.scss" /> <!--simple file for testing--> - <exclude name="css.prep/test/unit/data/testProject/public_html/**" /> <!--simple files for testing--> <exclude name="debugger.jpda/test/unit/src/org/netbeans/modules/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data -> - <exclude name="diff/test/unit/data/**" /> <!--test data--> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!--test data--> - <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!--test data--> - <exclude name="editor.fold/test/unit/data/goldenfiles/hierarchy/update-hierarchy.folds" /> <!--test data--> <exclude name="editor.fold/test/unit/data/goldenfiles/hierarchy/update-hierarchy.folds" /> <!--test data--> <exclude name="editor.fold/test/unit/src/org/netbeans/modules/editor/fold/FoldContentReader.txt" /> <!--test data--> <exclude name="editor.plain/src/org/netbeans/modules/editor/plain/resources/PlainTextExample" /> <!--license would be visible to users in the Fonts/Colors settings--> <exclude name="editor.settings.storage/test/unit/src/org/netbeans/modules/editor/settings/storage/compatibility/p1/**" /> <!--test data--> <exclude name="extbrowser/test/unit/src/org/netbeans/modules/extbrowser/data/mac_defaults_*/" /> <!--test data--> - <exclude name="form/test/unit/data/goldenfiles/**" /> <!--test data--> <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/Hibernate*.xml" /> <!--template files--> <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax" /> <!--template file--> - <exclude name="html.lexers/test/unit/data/testfiles/**" /> <!--test data--> <exclude name="hudson.subversion/test/unit/src/org/netbeans/modules/hudson/subversion/sample-entries-file" /> <!--test data--> - <exclude

name="ide.kit/test/qa-functional/**/*.*.txt" /> <!-- test data --> <exclude name="java.api.common/src/org/netbeans/modules/java/api/common/project/ui/customizer/vmo/gen/CommandLine.tokens" /> <!-- generated by ANTLR --> - <exclude name="java.editor.base/test/unit/data/**/*.*" /> <!-- test data --> <exclude name="java.editor/src/org/netbeans/modules/java/editor/resources/JavaExample" /> <!-- no degree of creativity --> - <exclude name="java.editor/test/qa-functional/data/**/*.*" /> <!-- test data --> <exclude name="java.editor/test/unit/data/**/*.*" /> <!-- test data --> <exclude name="java.j2semodule/src/org/netbeans/modules/java/j2semodule/ui/resources/module-info.java.template" /> <!-- template file --> - <exclude name="java.lexer/test/unit/data/testfiles/**/*.*" /> <!-- test data --> <exclude name="javadoc/test/unit/data/docs_jdk14_ja/api/index-files/**/*.*" /> <!-- test data --> <exclude name="javafx2.editor/test/unit/data/goldenfiles/org/netbeans/modules/javafx2/editor/completion/impl/**/*.*.out" /> <!-- exclude name="javafx2.editor/test/unit/data/org/netbeans/modules/javafx2/editor/**/*.*.xml" /> <exclude name="javafx2.kit/release/VERSION.txt" /> <!-- generated file --> <exclude name="javafx2.project/src/org/netbeans/modules/javafx2/project/templates/**/*.*" /> <!-- license would be visible when users edit the templates inside their IDE --> <exclude name="javawebstart/antTasks/build/**/*.*" /> <!-- generated build files --> @@ -2036,25 +2015,18 @@ @ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="languages.diff/src/org/netbeans/modules/languages/diff/DiffExample.diff" /> <!-- license would be visible to users in the Fonts/Colors settings --> <exclude name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.*.yaml" /> <!-- Files used in GUI as sample/starting point --> <exclude name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.*.yaml" /> <!-- Files used in GUI as sample/starting point --> - <exclude name="languages.yaml/test/unit/data/testfiles/**/*.*" /> <!-- test data --> <exclude name="libs.freemarker/test/unit/data/**/*.*" /> <!-- test data --> + <exclude name="lib.uihandler/test/unit/src/**/*.*" /> <!-- test data --> <exclude name="mercurial/src/org/netbeans/modules/mercurial/util/log/**/*.*" /> <!-- user templates for mercurial commits, etc. --> <exclude name="mercurial/test/qa-functional/data/files/**/*.*" /> <!-- qa test data --> <exclude name="mercurial/test/unit/data/**/*.*" /> <!-- unit test data --> <exclude name="nbbuild/netbeans/**/*.*" /> + <exclude name="nbbuild/testuserdir/**/*.*" /> <exclude name="o.apache.tools.ant.module/release/VERSION.txt" /> <!-- generated file --> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java" /> <!-- user visible file template --> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml_" /> <!-- user visible file template --> - <exclude name="o.apache.tools.ant.module/test/unit/data/**/*.*.properties" /> <!-- test data --> <exclude name="o.apache.tools.ant.module/test/unit/data/**/*.*.xml" /> <!-- test data --> <exclude name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!-- no degree of creativity --> <exclude name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!-- no degree of creativity --> <exclude name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!-- no degree of creativity --> <exclude name="projectimport.eclipse.core/test/unit/data/**/*.*" /> <!-- test data --> <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/*-license.txt" /> <!-- licenses --> <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/license-default.txt" /> <!-- licenses --> - <exclude name="projectuiapi/test/unit/data/*.*.txt" /> <!-- test data --> - <exclude name="projectuiapi/test/unit/src/org/netbeans/modules/project/uiapi/data/*.*.txt" /> <!-- test data --> <exclude name="selenium2.java/src/org/netbeans/modules/selenium2/java/SeleneseIT.java.template" /> <!-- template file --> <exclude name="spellchecker.dictionary_en/release/modules/dict/*.*.description" /> <!-- Description Files --> <exclude name="spi.navigator/test/unit/src/org/netbeans/modules/navigator/resources/lastsel/file.lastsel_mime1" /> <!-- empty file --> @@ -2062,13 +2034,6 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="templates/src/org/netbeans/modules/templates/resources/userprop.txt" /> <!-- no degree of creativity --> <exclude name="testing.ui/src/org/netbeans/modules/testing/ui/resources/*.*.template" /> <!-- template files --> <exclude name="utilities/test/unit/src/org/netbeans/modules/openfile/resources/recent_files/*.*" /> <!-- test data --> - <exclude name="versioning.core/test/unit/data/workdir/root-test-versioned/**/*.*" /> <!-- test data --> <exclude name="versioning.core/test/unit/data/workdir/root-with-exclusions/**/*.*" /> <!-- test data --> <exclude name="versioning.core/test/unit/data/workdir/root/a.txt" /> <!-- test data --> <exclude name="versioning.util/test/unit/data/historycache/*.*" /> <!-- test data --> <exclude name="versioning/test/unit/data/workdir/root-test-versioned/**/*.*" /> <!-- test data --> - <exclude name="versioning/test/unit/data/workdir/root-with-exclusions/**/*.*" /> <!-- test data --> <exclude name="versioning/test/unit/data/workdir/root/a.txt" /> <!-- test data --> <exclude name="websvc.saas.api/src/org/netbeans/modules/websvc/saas/oauth/*.*.template" /> <!-- template files --> <exclude name="websvc.saas.api/test/unit/src/org/netbeans/modules/websvc/saas/model/application.wadl" /> <!-- test data --> <exclude name="websvc.saas.api/test/unit/src/org/netbeans/modules/websvc/saas/util/rootGroup.xml" /> <!-- test data --> @@ -2083,7 +2048,6 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/resources/dummyProject/nbproject/private/tmpfile" /> <!-- test data --> <exclude name="xml.text/src/org/netbeans/modules/xml/text/resources/DTDExample" /> <!-- GUI sample file to demonstrate syntax highlighting --> <exclude name="xml.text/src/org/netbeans/modules/xml/text/resources/XMLExample" /> <!-- GUI sample file to demonstrate syntax highlighting --> - <exclude name="xml.text/test/qa-functional/src/org/netbeans/modules/xml/text/**/*.*data/**/*.*" /> <!-- test data --> <exclude name="xml.tools/test/qa-functional/src/org/netbeans/modules/**/*.*.dtd" /> <!-- test data --> <exclude name="xml.tools/test/qa-functional/src/org/netbeans/modules/**/*.*.txt" /> <!-- test data --> <exclude name="xml.tools/test/qa-functional/src/org/netbeans/modules/**/*.*.xml" /> <!-- test data --> @@ -2097,7 +2061,6 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="xml/src/org/netbeans/modules/xml/resources/templates/**/*.*" /> <!-- template files - tracked by https://issues.apache.org/jira/browse/NETBEANS-85 --> <exclude name="xml/test/unit/src/org/netbeans/modules/xml/resources/**/*.*" /> <!-- test data --> <exclude name="xsl/src/org/netbeans/modules/xsl/resources/templates/stylesheets.xsl" /> <!-- Template for user - very limited degree of creativity --> - <exclude name="xsl/test/unit/src/org/netbeans/modules/xsl/utlils/data/*.*" /> <!-- test data --> </patternset> <rat:report xmlns:rat="antlib:org.apache.rat.anttasks" reportfile="build-rat-report.txt"> <rat:substringMatcher licenseFamilyCategory="w3c2" licenseFamilyName="W3C Software and Document Notice and License"> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

571. geertjanw commented on issue #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178#issuecomment-338976933> Will create low-prio ticket and have excluded these files via Rat exclusions, so closing this PR. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

572. geertjanw closed pull request #178: [NETBEANS-54] Module Review schema2beans URL: <https://github.com/apache/incubator-netbeans/pull/178> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/schema2beans/src/org/netbeans/modules/schema2beansdev/metadd/gen.ksh b/schema2beans/src/org/netbeans/modules/schema2beansdev/metadd/gen.ksh index 6aa724677..eb92046bf 100644 --- a/schema2beans/src/org/netbeans/modules/schema2beansdev/metadd/gen.ksh +++ b/schema2beans/src/org/netbeans/modules/schema2beansdev/metadd/gen.ksh @@ -1,16 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, software + # distributed under the License is distributed on an "AS IS" BASIS, + # WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + # See the License for the specific language governing permissions and + # limitations under the License. ant genmetadd diff --git a/schema2beans/test/unit/data/TestApplication1_4.xml b/schema2beans/test/unit/data/TestApplication1_4.xml index 8eb151708..088730321 100644 --- a/schema2beans/test/unit/data/TestApplication1_4.xml +++ b/schema2beans/test/unit/data/TestApplication1_4.xml @@ -1,4 @@ @@ <?xml version='1.0' encoding='UTF-8' ?> + <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + The following DTD is a simple view of a book: + book index + diff --git a/schema2beans/test/unit/data/TestAttr.dtd b/schema2beans/test/unit/data/TestAttr.dtd index 9f4557fb0..3338e62d9 100644 --- a/schema2beans/test/unit/data/TestAttr.dtd +++ b/schema2beans/test/unit/data/TestAttr.dtd @@ -1,4 @@ @@ <!-- The following DTD is a simple view of a book: + book index + diff --git a/schema2beans/test/unit/data/TestAttr.xml b/schema2beans/test/unit/data/TestAttr.xml index c2b5e1b19..fdafb27fe 100644 --- a/schema2beans/test/unit/data/TestAttr.xml +++ b/schema2beans/test/unit/data/TestAttr.xml @@ -1,5 @@ @@ <?xml version="1.0" encoding="ISO-8859-1"?>

+<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <book good="no"> <summary size="12" lang="en" length="132"> This book is about the life of a book spent between books who dreamed diff --git a/schema2beans/test/unit/data/TestBadNames.xml b/schema2beans/test/unit/data/TestBadNames.xml index 47f97140d..bedb74bdf 100644 --- a/schema2beans/test/unit/data/TestBadNames.xml +++ b/schema2beans/test/unit/data/TestBadNames.xml @@ -1,4 +1,24 @@ <?xml version="1.0" ?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <bad-names> <el class="c" package="p"> <property>-9</property> diff --git a/schema2beans/test/unit/data/TestBadNames.xsd b/schema2beans/test/unit/data/TestBadNames.xsd index 28473c30f..a080bf895 100644 --- a/schema2beans/test/unit/data/TestBadNames.xsd +++ b/schema2beans/test/unit/data/TestBadNames.xsd @@ -1,5 +1,24 @@ <?xml version="1.0" ?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"> <element name="bad-names"> <complexType> diff --git a/schema2beans/test/unit/data/TestBeanWrapper.mdd b/schema2beans/test/unit/data/TestBeanWrapper.mdd index 403502f66..7be04c8df 100644 --- a/schema2beans/test/unit/data/TestBeanWrapper.mdd +++ b/schema2beans/test/unit/data/TestBeanWrapper.mdd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <metaDD> <meta-element> <dttd-name>namespaceSample</dttd-name> diff --git a/schema2beans/test/unit/data/TestBook.dtd b/schema2beans/test/unit/data/TestBook.dtd index 17d40c9ef..9892aa07b 100644 --- a/schema2beans/test/unit/data/TestBook.dtd +++ b/schema2beans/test/unit/data/TestBook.dtd @@ -1,4 +1,24 @@ <!-- The following DTD is a simple view of a book: +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The following DTD is a simple view of a book: + book index diff --git a/schema2beans/test/unit/data/TestBook.xml b/schema2beans/test/unit/data/TestBook.xml index b9b76bbbe..8ac5083cb 100644 --- a/schema2beans/test/unit/data/TestBook.xml +++ b/schema2beans/test/unit/data/TestBook.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <book> <summary> This book is about the life of a book spent between books who dreamed diff --git a/schema2beans/test/unit/data/TestBookXMLSchema.xml b/schema2beans/test/unit/data/TestBookXMLSchema.xml index b9b76bbbe..8ac5083cb 100644 --- a/schema2beans/test/unit/data/TestBookXMLSchema.xml +++ b/schema2beans/test/unit/data/TestBookXMLSchema.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <book> <summary> This book is about the life of a book spent between books who dreamed diff --git a/schema2beans/test/unit/data/TestBookXMLSchema.xsd b/schema2beans/test/unit/data/TestBookXMLSchema.xsd index 41658002c..dc7359a24 100644 --- a/schema2beans/test/unit/data/TestBookXMLSchema.xsd +++ b/schema2beans/test/unit/data/TestBookXMLSchema.xsd @@ -1,5 +1,24 @@ <?xml version="1.0" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"> <xsd:element name="book"> <xsd:complexType> diff --git a/schema2beans/test/unit/data/TestChameleonIncludeDependency.xsd b/schema2beans/test/unit/data/TestChameleonIncludeDependency.xsd index 81cba2835..86a59de52 100644 --- a/schema2beans/test/unit/data/TestChameleonIncludeDependency.xsd +++ b/schema2beans/test/unit/data/TestChameleonIncludeDependency.xsd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified" attributeFormDefault="unqualified"> diff --git a/schema2beans/test/unit/data/TestChameleonIncludeMain.xsd b/schema2beans/test/unit/data/TestChameleonIncludeMain.xsd index 4d0383826..5f57de96e 100644 --- a/schema2beans/test/unit/data/TestChameleonIncludeMain.xsd +++ b/schema2beans/test/unit/data/TestChameleonIncludeMain.xsd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <schema targetNamespace="http://test.org/test" xmlns:test="http://test.org/test" xmlns="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified" diff --git a/schema2beans/test/unit/data/TestContrivedApp.dtd b/schema2beans/test/unit/data/TestContrivedApp.dtd index de7f639cc..10bfd9578 100644 --- a/schema2beans/test/unit/data/TestContrivedApp.dtd +++ b/schema2beans/test/unit/data/TestContrivedApp.dtd @@ -1,3 +1,23 @@ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!ELEMENT application (display-name, description, module)> <!ELEMENT module (ejb, alt-dd)> <!ELEMENT display-name #PCDATA> diff -

-git a/schema2beans/test/unit/data/TestContrivedApp.mdd b/schema2beans/test/unit/data/TestContrivedApp.mdd index 21f95891a..1cb67f3f3 100644 ---
a/schema2beans/test/unit/data/TestContrivedApp.mdd +++ b/schema2beans/test/unit/data/TestContrivedApp.mdd @@ -1,4 +1,24 @@<?xml version="1.0"
encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <metaDD> <throw-exceptions/> <meta-element> diff --git
a/schema2beans/test/unit/data/TestContrivedApp.xml b/schema2beans/test/unit/data/TestContrivedApp.xml index 87387c10b..f41cf5b97 100644 ---
a/schema2beans/test/unit/data/TestContrivedApp.xml +++ b/schema2beans/test/unit/data/TestContrivedApp.xml @@ -1,5 +1,25 @@<?xml version="1.0"
encoding="UTF-8"?> <!DOCTYPE application PUBLIC "-//Sun Microsystems, Inc./DTD J2EE Application 1.3/EN"
"http://java.sun.com/dtd/application_1_3.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements.
See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the
Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <application> <display-name>Application_EJBModule_Entity2</display-name>
<description>J2EE Application &#amp;#x2011;Application_EJBModule_Entity2<![CDATA[<?‑]]></description> diff --git
a/schema2beans/test/unit/data/TestDupInternalNames.xsd b/schema2beans/test/unit/data/TestDupInternalNames.xsd index f9534bd3d..3387d2310 100644 ---
a/schema2beans/test/unit/data/TestDupInternalNames.xsd +++ b/schema2beans/test/unit/data/TestDupInternalNames.xsd @@ -1,4 +1,24 @@<?xml
version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <xs:schema targetNamespace="http://multitrode.com/config"
xmlns="http://multitrode.com/config" xmlns:xs="http://www.w3.org/2001/XMLSchema" diff --git a/schema2beans/test/unit/data/TestEmpty.dtd
b/schema2beans/test/unit/data/TestEmpty.dtd index c8bf58215..a0fa78c3e 100644 --- a/schema2beans/test/unit/data/TestEmpty.dtd +++
b/schema2beans/test/unit/data/TestEmpty.dtd @@ -1 +1,21 @@<?xml +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor
license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to
you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the
License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the
License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for
the + specific language governing permissions and limitations + under the License. + +--> <!ELEMENT EmptyElement EMPTY> diff --git
a/schema2beans/test/unit/data/TestEncoding.dtd b/schema2beans/test/unit/data/TestEncoding.dtd index 480e13f8d..0d1d7333e 100644 ---
a/schema2beans/test/unit/data/TestEncoding.dtd +++ b/schema2beans/test/unit/data/TestEncoding.dtd @@ -1,3 +1,23 @@<?xml +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!ELEMENT
FORTEDDL (PHASE+)> <ELEMENT PHASE (ATTRIBUTE, ANNOTATION)*> diff --git a/schema2beans/test/unit/data/TestEncoding.xml
b/schema2beans/test/unit/data/TestEncoding.xml index 6cac170d3..b04c97afc 100644 --- a/schema2beans/test/unit/data/TestEncoding.xml +++
b/schema2beans/test/unit/data/TestEncoding.xml @@ -1,18 +1,38 @@<?xml version="1.0" encoding="ISO-8859-1"?> <!-- ex1.xml --> <!-- This is a simple
XML source file. Object class metamethod --> <!-- m3 includes 8-bit ASCII text, with a tilde-n and accent-e --> <!-- characters embedded, to test the UTF8-
>native codeset --> <!-- conversion feature of the SAX expat driver. As long as this --> <!-- test is run under ISO-8859-1 localization, test output should--> <!--
be identical to test input, with one odd byte representing --> <!-- each of these 8-bit characters. --> <!-- --> <!-- The vi editor on Sun Solaris displays the two
odd characters --> <!-- as \161 and \151. --> <!-- --> +<!-- <!--> <!DOCTYPE FORTEDDL SYSTEM "TestEncoding.dtd" []> --> + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + ex1.xml + This is a
simple XML source file. Object class metamethod + m3 includes 8-bit ASCII text, with a tilde-n and accent-e + characters embedded, to test the UTF8->native
codeset + conversion feature of the SAX expat driver. As long as this + test is run under ISO-8859-1 localization, test output should + be identical to test input,
with one odd byte representing + each of these 8-bit characters. + + The vi editor on Sun Solaris displays the two odd characters + as \161 and \151. + +
<!DOCTYPE FORTEDDL SYSTEM "TestEncoding.dtd" []> + +--> <FORTEDDL> <PHASE OBJECTTYPE="MetaPlan.MetaClass" OBJECTNAME="c1"
NUMBER="1"> <ATTRIBUTE NAME="Name">c1</ATTRIBUTE> diff --git a/schema2beans/test/unit/data/TestEvents.dtd
b/schema2beans/test/unit/data/TestEvents.dtd index 4ae0b5344..508ef8054 100644 --- a/schema2beans/test/unit/data/TestEvents.dtd +++
b/schema2beans/test/unit/data/TestEvents.dtd @@ -1,4 +1,24 @@<?xml +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The following DTD is
a simple view of a book: + book index + diff --git a/schema2beans/test/unit/data/TestExceptions.dtd b/schema2beans/test/unit/data/TestExceptions.dtd index
96535c8d3..95ad15272 100644 --- a/schema2beans/test/unit/data/TestExceptions.dtd +++ b/schema2beans/test/unit/data/TestExceptions.dtd @@ -1,3 +1,23 @@<?xml
version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing
permissions and limitations + under the License. + +--> <ELEMENT EXCEPS BLUE?, GREEN?> <ELEMENT BLUE #PCDATA> diff --git a/schema2beans/test/unit/data/TestExceptions.mdd
b/schema2beans/test/unit/data/TestExceptions.mdd index ef48ace3..2cfa67e35 100644 --- a/schema2beans/test/unit/data/TestExceptions.mdd +++
b/schema2beans/test/unit/data/TestExceptions.mdd @@ -1,4 +1,24 @@<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <metaDD> <throw-exceptions/>
<meta-element> diff --git a/schema2beans/test/unit/data/TestExceptions.xml b/schema2beans/test/unit/data/TestExceptions.xml index 011e39199..72643f8ab
100644 --- a/schema2beans/test/unit/data/TestExceptions.xml +++ b/schema2beans/test/unit/data/TestExceptions.xml @@ -1,2 +1,22 @@<?xml version="1.0"?>
+<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this
work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you
may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. + +--> <foo/> diff --git a/schema2beans/test/unit/data/TestExtension.xsd b/schema2beans/test/unit/data/TestExtension.xsd index

85dd2ecbc..b0129a662 100644 --- a/schema2beans/test/unit/data/TestExtension.xsd +++ b/schema2beans/test/unit/data/TestExtension.xsd @@ -1,5 +1,24 @@ <?xml version="1.0" ?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" > <xs:complexType name="ComplexFunSpec"> diff --git a/schema2beans/test/unit/data/TestExtension2.xsd b/schema2beans/test/unit/data/TestExtension2.xsd index b48d780d2..4213f73e2 100644 --- a/schema2beans/test/unit/data/TestExtension2.xsd +++ b/schema2beans/test/unit/data/TestExtension2.xsd @@ -1,5 +1,24 @@ <?xml version="1.0" ?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" > <xs:element name="mycar" type="car"/> diff --git a/schema2beans/test/unit/data/TestExtensionSample.xsd b/schema2beans/test/unit/data/TestExtensionSample.xsd index b3ea48bdb..fed5f0e13 100644 --- a/schema2beans/test/unit/data/TestExtensionSample.xsd +++ b/schema2beans/test/unit/data/TestExtensionSample.xsd @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xsd:schema xmlns="http://www.w3.org/2001/XMLSchema" targetNamespace="http://anything.org/extension" diff --git a/schema2beans/test/unit/data/TestFind.dtd b/schema2beans/test/unit/data/TestFind.dtd index 258155196..09b69cad3 100644 --- a/schema2beans/test/unit/data/TestFind.dtd +++ b/schema2beans/test/unit/data/TestFind.dtd @@ -1,5 +1,26 @@ <!-- The following DTD is a simple view of a book: -book +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The following DTD is a simple view of a book: + + book + index + word diff --git a/schema2beans/test/unit/data/TestGroupUnbounded.java b/schema2beans/test/unit/data/TestGroupUnbounded.java index 1cb1d2089..e2bf10536 100644 --- a/schema2beans/test/unit/data/TestGroupUnbounded.java +++ b/schema2beans/test/unit/data/TestGroupUnbounded.java @@ -1,42 +1,20 @@ -/* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * - * Copyright 1997-2009 Sun Microsystems, Inc. All rights reserved. + * http://www.apache.org/licenses/LICENSE-2.0 + * - * The contents of this file are subject to the terms of the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Sun designates this - * particular file as subject to the "Classpath" exception as provided - * by Sun in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * Contributor(s): - * - * The Original Software is NetBeans. The Initial Developer of the original - * Code is Sun Microsystems, Inc. PGroupUnbounded Copyright 1997-2006 Sun - * Microsystems, Inc. All Rights Reserved. - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + * import java.io.*; diff --git a/schema2beans/test/unit/data/TestGroupUnbounded.xsd b/schema2beans/test/unit/data/TestGroupUnbounded.xsd index 51ebc084e..b3b7dadec 100644 --- a/schema2beans/test/unit/data/TestGroupUnbounded.xsd +++ b/schema2beans/test/unit/data/TestGroupUnbounded.xsd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:tns="http://foo.com/xml/group-unbounded" diff --git a/schema2beans/test/unit/data/TestIncludeDependency.xsd b/schema2beans/test/unit/data/TestIncludeDependency.xsd index 3d82fd0a6..b2a526ff5 100644 --- a/schema2beans/test/unit/data/TestIncludeDependency.xsd +++ b/schema2beans/test/unit/data/TestIncludeDependency.xsd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <schema targetNamespace="http://test.org/test" xmlns="http://www.w3.org/2001/XMLSchema" xmlns:test="http://test.org/test" diff --git a/schema2beans/test/unit/data/TestIncludeMain.xsd b/schema2beans/test/unit/data/TestIncludeMain.xsd index 74efcf894..4598e783f 100644 --- a/schema2beans/test/unit/data/TestIncludeMain.xsd +++ b/schema2beans/test/unit/data/TestIncludeMain.xsd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xs:schema targetNamespace="http://test.org/test" xmlns:test="http://test.org/test" xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified" diff --git a/schema2beans/test/unit/data/TestInvoice.xsd b/schema2beans/test/unit/data/TestInvoice.xsd index 57c33d346..58d1a830c 100644 --- a/schema2beans/test/unit/data/TestInvoice.xsd +++ b/schema2beans/test/unit/data/TestInvoice.xsd @@ -1,4 +1,24 @@ <?xml version="1.0"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" > <xsd:annotation> diff --git a/schema2beans/test/unit/data/TestMdd.dtd b/schema2beans/test/unit/data/TestMdd.dtd index 9e863279e..a72d81ed5 100644 --- a/schema2beans/test/unit/data/TestMdd.dtd +++ b/schema2beans/test/unit/data/TestMdd.dtd @@ -1,4 +1,24 @@ <!-- The following DTD is a simple view of a book: +<!-- + Licensed to the Apache Software

Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The following DTD is a simple view of a book: + Index[1,n] Alpha - String Word - String diff --git a/schema2beans/test/unit/data/TestMdd.mdd b/schema2beans/test/unit/data/TestMdd.mdd index 9d8a4b375..c6fd4321d 100644 --- a/schema2beans/test/unit/data/TestMdd.mdd +++ b/schema2beans/test/unit/data/TestMdd.mdd @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <metaDD> <meta-element> <bean-name>Word</bean-name> diff --git a/schema2beans/test/unit/data/TestMerge.dtd b/schema2beans/test/unit/data/TestMerge.dtd index 7fab95c25..3a58e7579 100644 --- a/schema2beans/test/unit/data/TestMerge.dtd +++ b/schema2beans/test/unit/data/TestMerge.dtd @@ -1,4 +1,23 @@ <!-- The following DTD is a simple view of a book: +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The following DTD is a simple view of a book: Tree: book title diff --git a/schema2beans/test/unit/data/TestMergeExtendBaseBean.dtd b/schema2beans/test/unit/data/TestMergeExtendBaseBean.dtd index f50fb6e12..68cf9bd68 100644 --- a/schema2beans/test/unit/data/TestMergeExtendBaseBean.dtd +++ b/schema2beans/test/unit/data/TestMergeExtendBaseBean.dtd @@ -1,4 +1,23 @@ <!-- The following DTD is a simple view of a book: +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The following DTD is a simple view of a book: Tree: book title diff --git a/schema2beans/test/unit/data/TestNamespace.xsd b/schema2beans/test/unit/data/TestNamespace.xsd index 63798c0b1..dac3bc00a 100644 --- a/schema2beans/test/unit/data/TestNamespace.xsd +++ b/schema2beans/test/unit/data/TestNamespace.xsd @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <xs:schema xmlns="http://www.w3.org/2001/XMLSchema" targetNamespace="http://anything.org/extension" diff --git a/schema2beans/test/unit/data/TestOr.dtd b/schema2beans/test/unit/data/TestOr.dtd index 0511b10d8..dbef4a6f8 100644 --- a/schema2beans/test/unit/data/TestOr.dtd +++ b/schema2beans/test/unit/data/TestOr.dtd @@ -1,3 +1,23 @@ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <!ELEMENT top cache-mapping> <!-- <!ELEMENT cache-mapping (servlet-name | url-pattern), (cache-helper-ref | timeout?, http-method*, key-field*, (a | b), constraint-field*)> --> <!ELEMENT cache-mapping (servlet-name | url-pattern), (cache-helper-ref | timeout?, http-method*, key-field*, (a | b), constraint-field*)> diff --git a/schema2beans/test/unit/data/TestPositions.dtd b/schema2beans/test/unit/data/TestPositions.dtd index 8197b2fcb..87d8d39b8 100644 --- a/schema2beans/test/unit/data/TestPositions.dtd +++ b/schema2beans/test/unit/data/TestPositions.dtd @@ -1,3 +1,23 @@ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <!ELEMENT menu (menu*, foo)> <!ELEMENT menu (name, (menu-item | separator | menu)*)> diff --git a/schema2beans/test/unit/data/TestValid.dtd b/schema2beans/test/unit/data/TestValid.dtd index 015730da0..f0a933967 100644 --- a/schema2beans/test/unit/data/TestValid.dtd +++ b/schema2beans/test/unit/data/TestValid.dtd @@ -1,3 +1,23 @@ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <!ELEMENT book (title?, chapter+, note?, paperback?, summary?, isbn?, price?)> <!ELEMENT title (#PCDATA)> <!ELEMENT chapter (title, summary?, paragraph*, conclusion?, ending?)> diff --git a/schema2beans/test/unit/data/TestValid.xml b/schema2beans/test/unit/data/TestValid.xml index 24b8fc4c0..30c648708 100644 --- a/schema2beans/test/unit/data/TestValid.xml +++ b/schema2beans/test/unit/data/TestValid.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" standalone="yes"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <!DOCTYPE book [<!ELEMENT book (title?, chapter+, note?, paperback?, summary?, isbn?, price?)> <!ELEMENT title (#PCDATA)> diff --git a/schema2beans/test/unit/data/TestVeto.dtd b/schema2beans/test/unit/data/TestVeto.dtd index 7554f81b6..7d636fe64 100644 --- a/schema2beans/test/unit/data/TestVeto.dtd +++ b/schema2beans/test/unit/data/TestVeto.dtd @@ -1,5 +1,25 @@ <!-- The following DTD is a simple view of a book: -book +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The following DTD is a simple view of a book: + + book index + word diff --git a/schema2beans/test/unit/data/TestVeto.mdd b/schema2beans/test/unit/data/TestVeto.mdd index ccafec096..9af9d1965 100644 --- a/schema2beans/test/unit/data/TestVeto.mdd +++ b/schema2beans/test/unit/data/TestVeto.mdd @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <metaDD> <meta-element> <tdt-name>summary</tdt-name> diff --git a/schema2beans/test/unit/data/TestWebApp.mdd b/schema2beans/test/unit/data/TestWebApp.mdd index f5c6272d5..1573f8330 100644 --- a/schema2beans/test/unit/data/TestWebApp.mdd +++ b/schema2beans/test/unit/data/TestWebApp.mdd @@ -1,4 +1,24 @@ <?xml version='1.0' encoding='UTF-8'?> +<!-- + + Licensed to the Apache Software

Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <metaDD> <meta-element> <dtd-name>web-app</dtd-name> diff --git a/schema2beans/test/unit/data/TestWebAppDelegator.xml b/schema2beans/test/unit/data/TestWebAppDelegator.xml index 31bdd2c9d..8b31204f8 100644 --- a/schema2beans/test/unit/data/TestWebAppDelegator.xml +++ b/schema2beans/test/unit/data/TestWebAppDelegator.xml @@ -1,4 +1,24 @@ <?xml version="1.0"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <web-app> <description>This is my Web App</description> <display-name>MyWebApp</display-name> diff --git a/schema2beans/test/unit/data/TestWebAppDelegatorBaseBean.xml b/schema2beans/test/unit/data/TestWebAppDelegatorBaseBean.xml index 06d97e3c7..73d5c6a87 100644 --- a/schema2beans/test/unit/data/TestWebAppDelegatorBaseBean.xml +++ b/schema2beans/test/unit/data/TestWebAppDelegatorBaseBean.xml @@ -1,4 +1,24 @@ <?xml version="1.0"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <web-app> <description>This is my Web App</description> <display-name>MyWebApp</display-name> diff --git a/schema2beans/test/unit/data/tm01_g1.xml b/schema2beans/test/unit/data/tm01_g1.xml index b93b3bab9..cd89b1200 100644 --- a/schema2beans/test/unit/data/tm01_g1.xml +++ b/schema2beans/test/unit/data/tm01_g1.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <book> <author> John Smith diff --git a/schema2beans/test/unit/data/tm01_g2.xml b/schema2beans/test/unit/data/tm01_g2.xml index 0c87248b1..99551e42c 100644 --- a/schema2beans/test/unit/data/tm01_g2.xml +++ b/schema2beans/test/unit/data/tm01_g2.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <book good="no"> <summary length="123" lang="us" size="12"> This book is about the life of a book spent between books who dreamed diff --git a/schema2beans/test/unit/data/tm01_g3.xml b/schema2beans/test/unit/data/tm01_g3.xml index 3ea4c2dea..26e4acfa6 100644 --- a/schema2beans/test/unit/data/tm01_g3.xml +++ b/schema2beans/test/unit/data/tm01_g3.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <book good="no"> <summary length="123" lang="us" size="12"> This book is about the life of a book spent between books who dreamed diff --git a/schema2beans/test/unit/data/tm01_g4.xml b/schema2beans/test/unit/data/tm01_g4.xml index 2ae408e04..0e7160e15 100644 --- a/schema2beans/test/unit/data/tm01_g4.xml +++ b/schema2beans/test/unit/data/tm01_g4.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <book good="no"> <!-- BLUE - -> <summary length="123" lang="us" size="12"> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

573. bolsover commented on issue #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-339001084> I'll quite happily do some testing... Where do I get the 'patch' utility? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
574. geertjanw commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339002802> I see about 15 files in j2ee.persistence that have problematic license headers (or none) of some kind: <https://builds.apache.org/job/incubator-netbeans-linux/lastSuccessfulBuild/artifact/nbbuild/build/rat-report.txt> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
575. juneau001 commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339047664> Thanks @geertjanw we ran into an issue with this package due to a ZIP file containing additional files requiring license updates. @matthiasblaesing Would you like me now to adjust the license headers for those files which I extracted? Thanks ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
576. asfgit closed pull request #169: [NETBEANS-54] Module Review o.apache.commons.httpclient URL: <https://github.com/apache/incubator-netbeans/pull/169> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.apache.commons.httpclient/external/binaries-list b/o.apache.commons.httpclient/external/binaries-list index c97e9d5dd..b96c89ace 100644 --- a/o.apache.commons.httpclient/external/binaries-list +++ b/o.apache.commons.httpclient/external/binaries-list @@ -1,4 +1,24 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -964CD74171F427720480EFDEC40A7C7F6E58426A commons-httpclient-3.1.jar +964CD74171F427720480EFDEC40A7C7F6E58426A commons-httpclient:commons-httpclient:3.1 ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
577. geertjanw commented on issue #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: <https://github.com/apache/incubator-netbeans/pull/181#issuecomment-339060565> Thanks for the info, will investigate. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
578. matthiasblaesing commented on issue #169: [NETBEANS-54] Module Review o.apache.commons.httpclient URL: <https://github.com/apache/incubator-netbeans/pull/169#issuecomment-339061437> I pushed the commit to master. This PR is still a bit strange. For some reason you managed to push three commits into this. Two held the same change with different authors and one merged these two commits. Whatever I removed the merge and the commit with the wrong author and so this is done. ----- This is an automated message from the Apache Git Service. To respond to the

message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

579. vieiro commented on issue #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-339065700> We'll either: 1- Add the complete source files to avoid patching (I'm worried about licensing issues here). 2- Build a patch utility in Java (NetBeans has some stuff for this). 1 is simpler, but 2 is more elegant. I think I'll try 2. It's worth having a pure-java patch utility that can be handy in some other situations. Regarding the 'patch' utility for Windows, maybe Google is of some help (I don't use Windows myself). ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
580. lbruun opened a new pull request #191: [NETBEANS-54] Module Review swing.validation URL: <https://github.com/apache/incubator-netbeans/pull/191> Project includes 'ValidationAPI.jar' (CDDL licensed), originally hosted on Kenai, now GitHub. Changed dead references to Kenai to their equivalent GitHub coordinates. Note: Even if the 'ValidationAPI.jar' file is using the 'org.netbeans' package namespace it is not part of the grant, as far as I can tell. Therefore it is still CDDL licensed. Should anyone want to recreate the binary from source: The binary uses Kenai SVN commit no as the version number. Since the project was transferred to GitHub with full commit history, it is possible to find the equivalent point in time in GitHub, namely end-of-day Nov 17, 2011. The URL is noted in 'ValidationAPI-license.txt' file. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
581. vieiro opened a new pull request #192: [NETBEANS-54] Module Review o.apache.xml.resolver (Build fails on sys... URL: <https://github.com/apache/incubator-netbeans/pull/192> Build fails on systems without the 'patch' command line tool. - The ant 'patch' task requires an external 'patch' tool that is not available in all systems. - As a temporary solution I've added the patched sources to make the build run. - Later on, we may want to reuse some code from the 'diff' module to implement an ant patch task in pure Java. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
582. vieiro commented on issue #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-339110849> All source is Apache 2 licensed, so no worries regarding point 1. See #192 for a fix. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
583. matthiasblaesing commented on issue #192: [NETBEANS-54] Module Review o.apache.xml.resolver (Build fails on sys... URL: <https://github.com/apache/incubator-netbeans/pull/192#issuecomment-33911091> Please wait with this. I'm currently looking into a java based patching solution. This won't be pretty, but it looks to be working. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
584. matthiasblaesing commented on issue #172: [NETBEANS-54] Module Review o.apache.xml.resolver URL: <https://github.com/apache/incubator-netbeans/pull/172#issuecomment-339115637> Another approach (java based patching): <https://github.com/matthiasblaesing/incubator-netbeans/tree/build-java-patching> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
585. geertjanw commented on issue #191: [NETBEANS-54] Module Review swing.validation URL: <https://github.com/apache/incubator-netbeans/pull/191#issuecomment-339280203> Thanks for this investigation and changes, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
586. geertjanw closed pull request #191: [NETBEANS-54] Module Review swing.validation URL: <https://github.com/apache/incubator-netbeans/pull/191> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/swing.validation/arch.xml b/swing.validation/arch.xml index 5268c8757..896c33ffd 100644 --- a/swing.validation/arch.xml +++ b/swing.validation/arch.xml @@ -50,7 +50,7 @@ <answer id="arch-overall"> <p> Provides a framework for adding user input validation to existing Swing - panels very simply. See the + panels very simply. See the Simple Validation project for details. </p> <p> @@ -160,7 +160,7 @@ <answer id="arch-where"> The source code for the Simple Validation project is at - http://kenai.com/projects/simplevalidation/pages/Home. + https://github.com/timboudreau/simplevalidation/. The adapters for dialog descriptors and wizards are in the module. </answer> @@ -317,7 +317,7 @@ <answer id="dep-non-nb"> <p> - http://kenai.com/projects/simplevalidation/pages/Home + https://github.com/timboudreau/simplevalidation/ </p> <answer> diff --git a/swing.validation/external/ValidationAPI-license.txt b/swing.validation/external/ValidationAPI-license.txt index 53da6f5d7..155288e2e 100644 --- a/swing.validation/external/ValidationAPI-license.txt +++ b/swing.validation/external/ValidationAPI-license.txt @@ -3,6 +3,7 @@ Version: 331 License: CDDL-GPL-2-CP OSR: 11316 Origin: Oracle (https://svn.kenai.com/svn/simplevalidation~src/trunk@331) + (same as: https://github.com/timboudreau/simplevalidation/tree/b26b94cc001a41ab9138496b11e2ae256a159ffd) Comment: Provides utilities for adding input validation to Swing forms quickly and easily COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 diff --git a/swing.validation/nbproject/project.properties b/swing.validation/nbproject/project.properties index 4eab392ef..3c8b5465f 100644 --- a/swing.validation/nbproject/project.properties +++ b/swing.validation/nbproject/project.properties @@ -18,6 +18,6 @@ is.autoload=true javac.source=1.6 javac.compilerargs=-Xlint -Xlint:serial javadoc.arch=\${basedir}/arch.xml -nbm.homepage=http://kenai.com/projects/simplevalidation/ +nbm.homepage=https://github.com/timboudreau/simplevalidation/ -nbm.module.author=Tim Boudreau release.external/ValidationAPI.jar=modules/ext/ValidationAPI.jar ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
587. geertjanw commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339280397> I think that makes sense, yes, i.e., please adjust license headers of those files. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
588. geertjanw commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-339280650> Should this be merged or closed? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
589. geertjanw commented on issue #189: [NETBEANS-54] Module Review web.browser.api URL: <https://github.com/apache/incubator-netbeans/pull/189#issuecomment-339280812> Thanks. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
590. geertjanw closed pull request #189: [NETBEANS-54] Module Review web.browser.api URL: <https://github.com/apache/incubator-netbeans/pull/189> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/web.browser.api/src/org/netbeans/modules/web/browser/ui/resources/webpreview.wsmode b/web.browser.api/src/org/netbeans/modules/web/browser/ui/resources/webpreview.wsmode index ed7b4a074..3b582d0de 100644 --- a/web.browser.api/src/org/netbeans/modules/web/browser/ui/resources/webpreview.wsmode +++ b/web.browser.api/src/org/netbeans/modules/web/browser/ui/resources/webpreview.wsmode @@ -1,5 +1,20 @@ <?xml version="1.0" encoding="UTF-8"?> - + <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <mode version="2.4"> <name unique="webpreview" /> <kind type="view" /> ----- This is an

automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

591. geertjanw commented on issue #190: [NETBEANS-54] Module Review o.apache.commons.io URL: <https://github.com/apache/incubator-netbeans/pull/190#issuecomment-339281165> Thanks. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
592. geertjanw closed pull request #190: [NETBEANS-54] Module Review o.apache.commons.io URL: <https://github.com/apache/incubator-netbeans/pull/190> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.apache.commons.io/external/binaries-list b/o.apache.commons.io/external/binaries-list index 0858cfecb..a00542d0f 100644 --- a/o.apache.commons.io/external/binaries-list +++ b/o.apache.commons.io/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -A8762D07E76CFDE2395257A5DA47BA7C1DBD3DCE commons-io-1.4.jar +A8762D07E76CFDE2395257A5DA47BA7C1DBD3DCE commons-io:commons-io:1.4 ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
593. geertjanw commented on issue #180: [NETBEANS-54] Module Review java.hints.declarative URL: <https://github.com/apache/incubator-netbeans/pull/180#issuecomment-339281482> OK, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
594. geertjanw closed pull request #180: [NETBEANS-54] Module Review java.hints.declarative URL: <https://github.com/apache/incubator-netbeans/pull/180> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/java.hints.declarative/src/org/netbeans/modules/java/hints/declarative/resources/DeclarativeHintsTestTemplate.test b/java.hints.declarative/src/org/netbeans/modules/java/hints/declarative/resources/DeclarativeHintsTestTemplate.test deleted file mode 100644 index e69de29bb..000000000 diff --git a/java.hints.declarative/src/org/netbeans/modules/java/hints/declarative/resources/HintTemplate.hint b/java.hints.declarative/src/org/netbeans/modules/java/hints/declarative/resources/HintTemplate.hint deleted file mode 100644 index 8b1378917..000000000 --- a/java.hints.declarative/src/org/netbeans/modules/java/hints/declarative/resources/HintTemplate.hint +++ /dev/null @@ -1 +0,0 @@ - diff --git a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CallOutterMethod.test b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CallOutterMethod.test index 14b076197..5c5379182 100644 --- a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CallOutterMethod.test +++ b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CallOutterMethod.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ +%%TestCase test package test; public class Test { diff --git a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ChangeFieldType.test b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ChangeFieldType.test index 192eda575..d3a0cb96c 100644 --- a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ChangeFieldType.test +++ b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ChangeFieldType.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ +%%TestCase no-mods package test; public class Test { diff --git a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CustomConditionTest.test b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CustomConditionTest.test index 3db57c1bf..99d4dea4c 100644 --- a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CustomConditionTest.test +++ b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/CustomConditionTest.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ +%%TestCase run-condition-pass package test; public class Test { diff --git a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/EnhancedForTest.test b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/EnhancedForTest.test index 82a0b5ce8..c52d54d6d 100644 --- a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/EnhancedForTest.test +++ b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/EnhancedForTest.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ +%%TestCase run-condition-pass package test; public class Test { diff --git a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/FakeBlockWarning.test b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/FakeBlockWarning.test index 634a8ef18..1bc31fa88 100644 --- a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/FakeBlockWarning.test +++ b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/FakeBlockWarning.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ +%%TestCase simple package test; import java.util.concurrent.locks.Lock; diff --git a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest1.test b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest1.test index e56e8bfdb..36c8c5ace 100644 --- a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest1.test +++ b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest1.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ +%%TestCase simple package test; public class Test { diff --git a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest2.test

b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest2.test index 818d8cbf1..18433db01 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest2.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/ImportsTest2.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase simple package test; import java.util.LinkedList; diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/LambdaInput.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/LambdaInput.test index 4abe84df9..2b770e034 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/LambdaInput.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/LambdaInput.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase convert-to-lambda-positive-1 package test; public abstract class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NameBoundVariablesGetSet.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NameBoundVariablesGetSet.test index ee55e5d63..bd390c9fd 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NameBoundVariablesGetSet.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NameBoundVariablesGetSet.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase simple package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NegativeInstanceOfTest.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NegativeInstanceOfTest.test index d2127c659..e4f3c4f91 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NegativeInstanceOfTest.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/NegativeInstanceOfTest.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase positive package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/TestParentMatches.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/TestParentMatches.test index ae90420d2..07cc8d0db 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/TestParentMatches.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/TestParentMatches.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase run-condition-pass package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/annotation-conversion.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/annotation-conversion.test index 285626851..62e9f156a 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/annotation-conversion.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/annotation-conversion.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase test package test; import test.Test.Ann; diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/broken-condition-no-exception.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/broken-condition-no-exception.test index 6674c33d8..427d69fea 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/broken-condition-no-exception.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/broken-condition-no-exception.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase simple package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/condition-on-fix.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/condition-on-fix.test index a803d8e5d..7432b2a0b 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/condition-on-fix.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/condition-on-fix.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ %%%TestCase first-fix package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/isAvailable.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/isAvailable.test index 9871ac957..deff177cf 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/isAvailable.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/isAvailable.test @@ -1,3 +1,21 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under

the License. + */ %%TestCase is-available-1 package test; public class Test extends ThreadLocal { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/matchWithBind.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/matchWithBind.test index 334301898..8fa70e3c3 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/matchWithBind.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/conditionapi/matchWithBind.test @@ -1,3 +1,21 @@ +/* + * Licensed to the
Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional
information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use
this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless
required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under
the License. + */ %%TestCase bind-works-1 package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/expression-to-expression-statement.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/expression-to-expression-statement.test index 1ded2ab50..f3dcb5a83 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/expression-to-expression-statement.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/expression-to-expression-statement.test @@ -1,3 +1,21 @@ +/* + * Licensed to the
Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional
information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use
this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless
required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under
the License. + */ %%TestCase rewrite package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/fqn-rewrite-test.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/fqn-rewrite-test.test index 83b018f16..7f91c077f 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/fqn-rewrite-test.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/fqn-rewrite-test.test @@ -1,3 +1,21 @@ +/* + * Licensed to the Apache
Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information +
* regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except
in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by
applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the
License. + */ %%TestCase pos-1 package test; import javax.swing.text.AbstractDocument; diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/otherwise-test.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/otherwise-test.test index c6509a087..6501538e8 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/otherwise-test.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/otherwise-test.test @@ -1,3 +1,21 @@ +/* + * Licensed to the Apache Software
Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information +
* regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except
in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by
applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the
License. + */ %%TestCase pos-1 package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/remove-from-parent.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/remove-from-parent.test index e8000c650..2d3099707 100644 ---
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/remove-from-parent.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/remove-from-parent.test @@ -1,3 +1,21 @@ +/* + * Licensed to the Apache
Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information +
* regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except
in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by
applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the
License. + */ %%TestCase pos-1 package test; public class Test { diff --git
a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/testfrombundle/display-names-from-bundle.test
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/testfrombundle/display-names-from-bundle.test index 800208c03..962d36852
100644 --- a/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/testfrombundle/display-names-from-bundle.test +++
b/java.hints.declarative/test/unit/src/org/netbeans/modules/java/hints/declarative/testfrombundle/display-names-from-bundle.test @@ -1,3 +1,21 @@ +/* + *
Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for
additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you
may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * +
* Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and
limitations + * under the License. + */ %%TestCase first-fix package test; public class Test { ----- This is an
automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For
queries about this service, please contact Infrastructure at: users@infra.apache.org
595. matthiasblaesing commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: https://github.com/apache/incubator-
netbeans/pull/117#issuecomment-339295122 Please be careful. The contents of the ZIP does not belong to the netbeans cidebase. In the ZIP XSDs are contained,
that hold the XML grammar. We should see why Rat does not detect CDDL/GPLv2CPE and EDL/EPL. From legal perspective the file can IMHO stay. See above
für reasoning. I'm writing from my phone, I'll have a look at this tonight. Am 25. Oktober 2017 12:04:12 MESZ schrieb Geertjan Wielenga
<notifications@github.com>: >I think that makes sense, yes, i.e., please adjust license headers of >those files. >--- >You are receiving this because you were
mentioned. >Reply to this email directly or view it on GitHub: >https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339280397 -- Diese
Nachricht wurde von meinem Android-Mobiltelefon mit K-9 Mail gesendet. ----- This is an automated message
from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this
service, please contact Infrastructure at: users@infra.apache.org
596. geertjanw commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: https://github.com/apache/incubator-
netbeans/pull/117#issuecomment-339295454 That makes sense, yes, don't relicense these from the ZIP, we need to figure out why they're caught by Rat -- and also
make sure we're talking about the same files here. ----- This is an automated message from the Apache Git
Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact
Infrastructure at: users@infra.apache.org
597. juneau001 commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: https://github.com/apache/incubator-
netbeans/pull/117#issuecomment-339297996 I have modified the license headers for those xsd files that were contained within the archive ZIP file. Please let me
know if you need anything else. Thanks ----- This is an automated message from the Apache Git Service. To
respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at:
users@infra.apache.org
598. geertjanw commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: https://github.com/apache/incubator-
netbeans/pull/117#issuecomment-339298136 I think we need to investigate whether this is the right approach here. -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific
comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
599. juneau001 commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: https://github.com/apache/incubator-
netbeans/pull/117#issuecomment-339298284 OK, I need to revert that...sorry. I read on my phone and thought you wanted me to relicense. Give me a moment to

revert. Thanks ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

600. geertjanw commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339298472> Well, potentially it's OK. Let's wait and investigate. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

601. juneau001 commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339299401> I've got both versions available in my local repository...if I need to relicense then let me know and I can do it. Sorry about misreading your previous message. Too early here and just drinking my first cup of Java for the day. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

602. matthiasblaesing commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339460139> Ok - this still looks a bit chaotic: - please squash the commits together into one - this gives a better overview what was really changed: <https://github.com/todotxt/todo.txt-android/wiki/Squash-All-Commits-Related-to-a-Single-Issue-into-a-Single-Commit> - rebase the changes onto master (build.xml is currently in flux, so you need a recent version to get this mergeable) - remove these lines from `gitignore`: ``

```
/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_1_0.xsd
/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_0.xsd
/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_1.xsd
/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_1_0.xsd
/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_0.xsd
/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_1.xsd
```

`` - the "expand zip" part in `j2ee.persistence/build.xml` needs to be removed (lines 25-29) - the contents of the zip `orm*.xsd` and `persistence*.xsd` needs to be placed in `j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/` (see the result of a normal build, the xsds can be found in the source) - the whole external folder needs be removed, after the XSDs are moved into the correct location - Add rat exclusions to build.xml: `` <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/*.xsd" /> <!-- XSDs for usage at runtime and code generation - the XSDs are not modified, so covered by <https://www.apache.org/legal/resolved.html#category-b> --> <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/*.xml" /> <!-- user visible file template --> <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/resources/*.txt" /> <!-- user visible file template --> `` This should do it. --

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

603. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-339492014> I didn't realise I could resolve conflicts from GitHub. I've done that now, but that's made a mess after the alphabetisation. So hold up a bit and I'll sort it out. Hopefully have a clean squashed commit for you soon. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

604. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-339497203> OK, all sorted, but I haven't squashed the merge masters. I'm not that familiar with git/squashing - is it safe to squash the merge commits? Just a regular squash? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

605. junichi11 opened a new pull request #194: [NETBEANS-54] Module Review java.platform.ui URL: <https://github.com/apache/incubator-netbeans/pull/194> Exclude javaplatfrom.xml from rat. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

606. matthiasblaesing closed pull request #192: [NETBEANS-54] Module Review o.apache.xml.resolver (Build fails on sys... URL: <https://github.com/apache/incubator-netbeans/pull/192> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.apache.xml.resolver/build.xml b/o.apache.xml.resolver/build.xml index 40143e1fb..b19082f49 100644 --- a/o.apache.xml.resolver/build.xml +++ b/o.apache.xml.resolver/build.xml @@ -42,9,16 @@ @<!-- ... 2. Unzips maven sources --> <unzip src="external/xml-resolver-1.2-sources.jar" dest="build/external-patch/sources" /> <!-- ... 3. Applies patch 'external/xml-resolver-1.2-netbeans.patch' --> + <!-- DISABLED: --> + ant patch task requires external 'patch' tool, not available on all systems. + - We may want to reuse some code from the 'diff' module to implement an patch task later on. <patch dir="build/external-patch/sources" patchfile="external/xml-resolver-1.2-netbeans.patch" strip="0" /> + --> + <copy todir="build/external-patch/sources"> + <fileset dir="patch-src" /> + </copy> <!-- ... 4. Compiles sources to build/external-patch/classes --> <mkdir dir="build/external-patch/classes" /> <javac srcdir="build/external-patch/sources" diff --git a/o.apache.xml.resolver/patch-src/org/apache/xml/resolver/Catalog.java b/o.apache.xml.resolver/patch-src/org/apache/xml/resolver/Catalog.java new file mode 100644 index 000000000..cc129792d --- /dev/null +++ b/o.apache.xml.resolver/patch-src/org/apache/xml/resolver/Catalog.java @@ -0,0 +1,2231 @@ +// Catalog.java - Represents OASIS Open Catalog files. + /* + * Licensed to the Apache Software Foundation (ASF) under one or more + * contributor license agreements. See the NOTICE file distributed with + * this work for additional information regarding copyright ownership. + * The ASF licenses this file to You under the Apache License, Version 2.0 + * (the "License"); you may not use this file except in compliance with + * the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, software + * distributed under the License is distributed on an "AS IS" BASIS, + * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + * See the License for the specific language governing permissions and + * limitations under the License. + * + * / + package org.apache.xml.resolver; + import java.io.IOException; + import java.io.FileNotFoundException; + import java.io.InputStream; + import java.io.UnsupportedEncodingException; + import java.io.DataInputStream; + import java.util.Enumuration; + import java.util.Hashtable; + import java.util.Vector; + import java.net.URL; + import java.net.MalformedURLException; + import javax.xml.parsers.SAXParserFactory; + import org.apache.xml.resolver.CatalogManager; + import org.apache.xml.resolver.helpers.PublicId; + import org.apache.xml.resolver.readers.CatalogReader; + import org.apache.xml.resolver.readers.SAXCatalogReader; + import org.apache.xml.resolver.readers.TR9401CatalogReader; + import org.apache.xml.resolver.readers.OASISXMLCatalogReader; + import org.apache.xml.resolver.helpers.FileURL; + + /** + * Represents OASIS Open Catalog files. + * + * <p>This class implements the semantics of OASIS Open Catalog files + * (defined by + * OASIS Technical + * Resolution 9401:1997 (Amendment 2 to TR 9401)).</p> + * + * <p>The primary purpose of the Catalog is to associate resources in the + * document with local system identifiers. Some entities + * (document types, XML entities, and notations) have names and all of them + * can have either public or system identifiers or both. (In XML, only a + * notation can have a public identifier without a system identifier, but + * the methods implemented in this class obey the Catalog semantics + * from the SGML + * days when system identifiers were optional.)</p> + * + * <p>The system identifiers returned by the resolution methods in this + * class are valid, i.e. usable by, and in fact constructed by, the + * <tt>java.net.URL</tt> class. Unfortunately, this class seems to behave in + * somewhat non-standard ways and the system identifiers returned may + * not be directly usable in a browser or filesystem context. + * + * <p>This class recognizes all of the Catalog entries defined in + * TR9401:1997:</p> + * + * + * BASE + * changes the base URI for resolving relative system identifiers. The + * initial base URI is the URI of the location of the catalog (which is, + * in turn, relative to the location of the current working directory + * at startup, as returned by the <tt>user.dir</tt> system property). + * CATALOG + * processes other catalog files. An included catalog occurs logically + * at the end of the including catalog. + * DELEGATE_PUBLIC + * specifies alternate catalogs for some public identifiers. The delegated + * catalogs are not loaded until they are needed, but they are cached + * once loaded. + * DELEGATE_SYSTEM + * specifies alternate catalogs for some system identifiers. The delegated + * catalogs are not loaded until they are needed, but they are cached + * once loaded. + * REWRITE_SYSTEM + * specifies alternate prefix for a system identifier. + * REWRITE_URI + * specifies alternate prefix for a URI. + * SYSTEM_SUFFIX + * maps any system identifier that ends with a particular suffix to another + * system identifier. + * URI_SUFFIX + * maps any URI that ends with a particular suffix to another URI. + * DOCTYPE + * associates the names of root elements with URIs. (In other words, an XML + * processor might infer the doctype of an XML document that does not include + * a doctype declaration by looking for the DOCTYPE entry in the + * catalog which matches the name of the root element of the document.) + * DOCUMENT + * provides a default document. + * DTDDECL + * recognized and silently ignored. Not relevant for XML. + * ENTITY + * associates entity names with URIs. + * LINKTYPE + * recognized and silently ignored. Not relevant for XML. +

```

<li><b>NOTATION</b> + * associates notation names with URIs.</li> + * <li><b>OVERWRITE</b> + * changes the override behavior. Initial behavior is set
by the + * system property <tt>xml.catalog.override</tt>. The default initial + * behavior is 'YES', that is, entries in the catalog override + * system identifiers
specified in the document.</li> + * <li><b>PUBLIC</b> + * maps a public identifier to a system identifier.</li> + * <li><b>SGMLDECL</b> + * recognized
and silently ignored. Not relevant for XML.</li> + * <li><b>SYSTEM</b> + * maps a system identifier to another system identifier.</li> + * <li><b>URI</b> +
* maps a URI to another URI.</li> + * <ul> + * + * <p>Note that BASE entries are treated as described by RFC2396. In + * particular, this has the counter-
intuitive property that after a BASE + * entry identifying "http://example.com/a/b/c" as the base URI, + * the relative URI "foo" is resolved to the absolute URI +
* "http://example.com/a/b/foo". You must provide the trailing slash if + * you do not want the final component of the path to be discarded as a + * filename would in
a URI for a resource: "http://example.com/a/b/c/". + * + * <p> + * + * <p>Note that subordinate catalogs (all catalogs except the first, + * including CATALOG and
DELEGATE* catalogs) are only loaded if and when + * they are required.</p> + * + * <p>This class relies on classes which implement the CatalogReader +
* interface to actually load catalog files. This allows the catalog + * semantics to be implemented for TR9401 text-based catalogs, XML + * catalogs, or any number
of other storage formats.</p> + * + * <p>Additional catalogs may also be loaded with the + * {@link #parseCatalog} method.</p> + * + * <dl> + * + *
<p><b>Change Log</b>:</p> + * + * <dl> + * + * <dt>2.0</dt> + * + * <dd><p>Rewrite to use CatalogReaders.</p><dt>1.1</dt> + * + * <dd><p>Allow quoted
components in <tt>xml.catalog.files</tt> + * so that URLs containing colons can be used on Unix. + * The string passed to <tt>xml.catalog.files</tt> can now
have the form:</p> + * + * <pre> + * unquoted-path-with-no-sep-chars:"double-quoted path with or without sep chars":single-quoted path with or without sep chars'
+ * </pre> + * + * <p>(Where ":" is the separator character in this example.)</p> + * + * <p>If an unquoted path contains an embedded double or single quote +
* character, no special processig is performed on that character. No + * path can contain separator characters, double, and single quotes + * simultaneously.</p> +
* + * <p>Fix bug in calculation of BASE entries: if + * a catalog contains multiple BASE entries, each is relative to the preceding + * base, not the default base URI of
the catalog.</p> + * + * <dd> + * + * <dt>1.0.1</dt> + * + * <dd><p>Fixed a bug in the calculation of the list of subordinate catalogs. + * This bug caused an infinite loop
where parsing would alternately process + * two catalogs indefinitely.</p> + * + * <dd> + * + * <dl> + * + * @see CatalogReader + * + * @see CatalogEntry + * + *
@author Norman Walsh + * + * <a href="mailto:Norman.Walsh@Sun.COM">Norman.Walsh@Sun.COM</a> + * + * @version 1.0 + * + * <p>Derived from public
domain code originally published by Arbotext, + * Inc.</p> + * + * <p> + * + * <p>public class Catalog { + * + * The BASE Catalog Entry type. + * + * public static final int BASE =
CatalogEntry.addEntryType("BASE", 1); + * + * The CATALOG Catalog Entry type. + * + * public static final int CATALOG =
CatalogEntry.addEntryType("CATALOG", 1); + * + * The DOCUMENT Catalog Entry type. + * + * public static final int DOCUMENT =
CatalogEntry.addEntryType("DOCUMENT", 1); + * + * The OVERRIDE Catalog Entry type. + * + * public static final int OVERRIDE =
CatalogEntry.addEntryType("OVERRIDE", 1); + * + * The SGMLDECL Catalog Entry type. + * + * public static final int SGMLDECL =
CatalogEntry.addEntryType("SGMLDECL", 1); + * + * The DELEGATE_PUBLIC Catalog Entry type. + * + * public static final int DELEGATE_PUBLIC =
CatalogEntry.addEntryType("DELEGATE_PUBLIC", 2); + * + * The DELEGATE_SYSTEM Catalog Entry type. + * + * public static final int
DELEGATE_SYSTEM = CatalogEntry.addEntryType("DELEGATE_SYSTEM", 2); + * + * The DELEGATE_URI Catalog Entry type. + * + * public static final int
DELEGATE_URI = CatalogEntry.addEntryType("DELEGATE_URI", 2); + * + * The DOCTYPE Catalog Entry type. + * + * public static final int DOCTYPE =
CatalogEntry.addEntryType("DOCTYPE", 2); + * + * The DTDDECL Catalog Entry type. + * + * public static final int DTDDECL =
CatalogEntry.addEntryType("DTDDECL", 2); + * + * The ENTITY Catalog Entry type. + * + * public static final int ENTITY =
CatalogEntry.addEntryType("ENTITY", 2); + * + * The LINKTYPE Catalog Entry type. + * + * public static final int LINKTYPE =
CatalogEntry.addEntryType("LINKTYPE", 2); + * + * The NOTATION Catalog Entry type. + * + * public static final int NOTATION =
CatalogEntry.addEntryType("NOTATION", 2); + * + * The PUBLIC Catalog Entry type. + * + * public static final int PUBLIC =
CatalogEntry.addEntryType("PUBLIC", 2); + * + * The SYSTEM Catalog Entry type. + * + * public static final int SYSTEM =
CatalogEntry.addEntryType("SYSTEM", 2); + * + * The URI Catalog Entry type. + * + * public static final int URI = CatalogEntry.addEntryType("URI", 2); + * + *
The REWRITE_SYSTEM Catalog Entry type. + * + * public static final int REWRITE_SYSTEM = CatalogEntry.addEntryType("REWRITE_SYSTEM", 2); + * + *
The REWRITE_URI Catalog Entry type. + * + * public static final int REWRITE_URI = CatalogEntry.addEntryType("REWRITE_URI", 2); + * + *
The SYSTEM_SUFFIX Catalog Entry type. + * + * public static final int SYSTEM_SUFFIX = CatalogEntry.addEntryType("SYSTEM_SUFFIX", 2); + * + *
The URI_SUFFIX Catalog Entry type. + * + * public static final int URI_SUFFIX = CatalogEntry.addEntryType("URI_SUFFIX", 2); + * + *
The base URI for
relative system identifiers in the catalog. + * This may be changed by BASE entries in the catalog. + * + * protected URL base; + * + * The base URI of the Catalog
file currently being parsed. + * + * protected URL catalogCwd; + * + * The catalog entries currently known to the system. + * + * protected Vector catalogEntries = new
Vector(); + * + * The default initial override setting. + * + * protected boolean default_override = true; + * + * The catalog manager in use for this instance. + * +
protected CatalogManager catalogManager = CatalogManager.getStaticManager(); + * + * + * A vector of catalog files to be loaded. + * + * + * <p>This list is
initially established by + * <code>loadSystemCatalogs</code> when + * it parses the system catalog list, but CATALOG entries may + * contribute to it during
the course of parsing.</p> + * + * + * @see #loadSystemCatalogs + * + * @see #localCatalogFiles + * + * protected Vector catalogFiles = new Vector(); + * + * + *
A
vector of catalog files constructed during processing of + * CATALOG entries in the current catalog. + * + * + * <p>This two-level system is actually necessary to
correctly implement + * the semantics of the CATALOG entry. If one catalog file includes + * another with a CATALOG entry, the included catalog logically +
* occurs <i>at the end</i> of the including catalog, and after any + * preceding CATALOG entries. In other words, the CATALOG entry + * cannot insert anything
into the middle of a catalog file.</p> + * + * + * <p>When processing reaches the end of each catalog files, any + * elements on this vector are added to the front of
the + * <code>catalogFiles</code> vector.</p> + * + * + * @see #catalogFiles + * + * protected Vector localCatalogFiles = new Vector(); + * + * + *
A vector of
Catalogs. + * + * + * <p>The semantics of Catalog resolution are such that each + * catalog is effectively a list of Catalogs (in other words, + * a recursive list
of Catalog instances).</p> + * + * + * <p>Catalogs that are processed as the result of CATALOG or + * DELEGATE* entries are subordinate to the catalog that
contained + * them, but they may in turn have subordinate catalogs.</p> + * + * + * <p>Catalogs are only loaded when they are needed, so this vector + * initially
contains a list of Catalog filenames (URLs). If, during + * processing, one of these catalogs has to be loaded, the resulting + * Catalog object is placed in the
vector, effectively caching it + * for the next query.</p> + * + * + * protected Vector catalogs = new Vector(); + * + * + * A vector of DELEGATE* Catalog entries
constructed during + * processing of the Catalog. + * + * + * <p>This two-level system has two purposes; first, it allows + * us to sort the DELEGATE* entries by the
length of the partial + * public identifier so that a linear search encounters them in + * the correct order and second, it puts them all at the end of + * the Catalog.
</p> + * + * + * <p>When processing reaches the end of each catalog file, any + * elements on this vector are added to the end of the + *
<code>catalogEntries</code> vector. This assures that matching + * PUBLIC keywords are encountered before DELEGATE* entries.</p> + * + * + * protected Vector
localDelegate = new Vector(); + * + * + * A hash of CatalogReaders. + * + * + * <p>This hash maps MIME types to elements in the readerArr + * vector. This allows
the Catalog to quickly locate the reader + * for a particular MIME type.</p> + * + * + * protected Hashtable readerMap = new Hashtable(); + * + * + *
A vector of
CatalogReaders. + * + * + * <p>This vector contains all of the readers in the order that they + * were added. In the event that a catalog is read from a file, where +
* the MIME type is unknown, each reader is attempted in turn until + * one succeeds.</p> + * + * + * protected Vector readerArr = new Vector(); + * + * + *
Constructs
an empty Catalog. + * + * + * <p>The constructor interrogates the relevant system properties + * using the default (static) CatalogManager + * and initializes the
catalog data structures.</p> + * + * + * public Catalog() { + * + * nop; + * + * + * Constructs an empty Catalog with a specific CatalogManager. + * + * + * <p>The
constructor interrogates the relevant system properties + * using the specified Catalog Manager + * and initializes the catalog data structures.</p> + * + * + * public
Catalog(CatalogManager manager) { + * + * catalogManager = manager; + * + * + * Return the CatalogManager used by this catalog. + * + * + * public
CatalogManager getCatalogManager() { + * + * return catalogManager; + * + * + * Establish the CatalogManager used by this catalog. + * + * + * public void
setCatalogManager(CatalogManager manager) { + * + * catalogManager = manager; + * + * + * Return all registered public IDs. + * + * This method added for solving
the following issues in NetBeans codebase: + * + * http://www.netbeans.org/issues/show_bug.cgi?id=98212 + * + * + *
http://www.netbeans.org/issues/show_bug.cgi?id=112679 + * + * public java.util.Iterator getPublicIDs() { + * Vector v = new Vector(); + * Enumeration enumeration =
catalogEntries.elements(); + * while (enumeration.hasMoreElements()) { + * CatalogEntry e = (CatalogEntry) enumeration.nextElement(); + * if (e.getEntryType() ==
PUBLIC) { + * v.add(e.getEntryArg(0)); + * } + * } + * return v.iterator(); + * } + * + * + * Setup readers. + * + * + * public void setupReaders() { + * SAXParserFactory spf =
SAXParserFactory.newInstance(); + * spf.setNamespaceAware(true); + * spf.setValidating(false); + * SAXCatalogReader saxReader = new SAXCatalogReader(spf);
+ * + * saxReader.setCatalogParser(null, "XCatalog", + * "org.apache.xml.resolver.readers.XCatalogReader"); + * + *
saxReader.setCatalogParser(OASISXMLCatalogReader.namespaceName, + * "catalog", + * "org.apache.xml.resolver.readers.OASISXMLCatalogReader"); + * + *
addReader("application/xml", saxReader); + * + * TR9401CatalogReader textReader = new TR9401CatalogReader(); + * addReader("text/plain", textReader); + * } + * +
* + * Add a new CatalogReader to the Catalog. + * + * + * <p>This method allows you to add a new CatalogReader to the + * catalog. The reader will be associated
with the specified mimeType. + * + * You can only have one reader per mimeType.</p> + * + * + * <p>In the absence of a mimeType (e.g., when reading a catalog +
* directly from a file on the local system), the readers are attempted + * in the order that you add them to the Catalog.</p> + * + * + * <p>Note that subordinate catalogs
(created by CATALOG or + * DELEGATE* entries) get a copy of the set of readers present in + * the primary catalog when they are created. Readers added
subsequently + * will not be available. For this reason, it is best to add all + * of the readers before the first call to parse a catalog.</p> + * + * + * @param mimeType
The MIME type associated with this reader. + * + * @param reader The CatalogReader to use. + * + * + * public void addReader(String mimeType, CatalogReader reader)
{ + * if (readerMap.containsKey(mimeType)) { + * Integer pos = (Integer) readerMap.get(mimeType); + * readerArr.set(pos.intValue(), reader); + * } else { +
* readerArr.add(reader); + * Integer pos = new Integer(readerArr.size()-1); + * readerMap.put(mimeType, pos); + * } + * } + * + * + * Copies the reader list from the
current Catalog to a new Catalog. + * + * + * <p>This method is used internally when constructing a new catalog. + * + * It copies the current reader associations over to
the new catalog. + * + * + * @param newCatalog The new Catalog. + * + * + * protected void copyReaders(Catalog newCatalog) { + * + * Have to copy the readers

```

```

in the right order...convert hash to arr + Vector mapArr = new Vector(readerMap.size()); + + // Pad the mapArr out to the right length + for (int count = 0; count <
readerMap.size(); count++) { + mapArr.add(null); + } + Enumeration en = readerMap.keys(); + while (en.hasMoreElements()) { + String mimeType = (String)
en.nextElement(); + Integer pos = (Integer) readerMap.get(mimeType); + mapArr.set(pos.intValue(), mimeType); + } + + for (int count = 0; count < mapArr.size();
count++) { + String mimeType = (String) mapArr.get(count); + Integer pos = (Integer) readerMap.get(mimeType); + newCatalog.addReader(mimeType, +
(CatalogReader) + readerArr.get(pos.intValue())); + } + } + + /** + * Create a new Catalog object. + * + * <p>This method constructs a new instance of the
running Catalog + * class (which might be a subtype of org.apache.xml.resolver.Catalog). + * All new catalogs are managed by the same CatalogManager. + *
</p> + * + * <p>N.B. All Catalog subtypes should call newCatalog() to construct + * a new Catalog. Do not simply use "new Subclass()" since that will + *
confuse future subclasses.</p> + */ + protected Catalog newCatalog() { + String catalogClass = this.getClass().getName(); + try { + Catalog c = (Catalog)
(Class.forName(catalogClass).newInstance()); + c.setCatalogManager(catalogManager); + copyReaders(c); + return c; + } catch (ClassNotFoundException cnfe) {
+ catalogManager.debug.message(1, "Class Not Found Exception: " + catalogClass); + } catch (IllegalAccessException iae) { + catalogManager.debug.message(1,
"Illegal Access Exception: " + catalogClass); + } catch (InstantiationException ie) { + catalogManager.debug.message(1, "Instantiation Exception: " +
catalogClass); + } catch (ClassCastException cce) { + catalogManager.debug.message(1, "Class Cast Exception: " + catalogClass); + } catch (Exception e) { +
catalogManager.debug.message(1, "Other Exception: " + catalogClass); + } + + Catalog c = new Catalog(); + c.setCatalogManager(catalogManager); +
copyReaders(c); + return c; + } + + /** + * Returns the current base URL. + * + * <p>All catalog files loaded by this catalog will have the + * initial override setting specified by
this default.</p> + */ + public String getDefaultOverride() { + if (default_override) { + return "yes"; + } else { + return "no"; + } + } + + /** + * Load the system
catalog files. + * + * <p>The method adds all of the + * catalogs specified in the <tt>xml.catalog.files</tt> property + * to the Catalog list.</p> + * + * @throws
MalformedURLException One of the system catalogs is + * identified with a filename that is not a valid URL. + * @throws IOException One of the system
catalogs cannot be read. + * + * public void loadSystemCatalogs() + throws MalformedURLException, IOException { + Vector catalogs =
catalogManager.getCatalogFiles(); + if (catalogs != null) { + for (int count = 0; count < catalogs.size(); count++) { +
catalogFiles.addElement(catalogs.elementAt(count)); + } + } + + if (catalogFiles.size() > 0) { + // This is a little odd. The parseCatalog() method expects + // a
filename, but it calls that name to the end of the + // catalogFiles vector, and then processes that vector. + // This allows the system to handle CATALOG entries + //
correctly. + // + // In this init case, we take the last element off the + // catalogFiles vector and pass it to parseCatalog. This + // will "do the right thing" in the init
case, and allow + // parseCatalog() to do the right thing in the non-init + // case. Honest. + // + String catfile = (String) catalogFiles.lastElement(); +
catalogFiles.removeElement(catfile); + parseCatalog(catfile); + } + } + + /** + * Parse a catalog file, augmenting internal data structures. + * + * @param
fileName The filename of the catalog file to process + * + * @throws MalformedURLException The fileName cannot be turned into + * a valid URL. + *
@throws IOException Error reading catalog file. + * + * public synchronized void parseCatalog(String fileName) + throws MalformedURLException, IOException
{ + + default_override = catalogManager.getPreferPublic(); + catalogManager.debug.message(4, "Parse catalog: " + fileName); + + // Put the file into the list of
catalogs to process... + // In all cases except the case when initCatalog() is the + // caller, this will be the only catalog initially in the list... +
catalogFiles.addElement(fileName); + + // Now process all the pending catalogs... + parsePendingCatalogs(); + } + + /** + * Parse a catalog file, augmenting
internal data structures. + * + * <p>Catalogs retrieved over the net may have an associated MIME type. + * The MIME type can be used to select an appropriate
reader.</p> + * + * @param mimeType The MIME type of the catalog file. + * @param is The InputStream from which the catalog should be read + * + *
@throws CatalogException Failed to load catalog + * mimeType. + * @throws IOException Error reading catalog file. + * + * public synchronized void
parseCatalog(String mimeType, InputStream is) + throws IOException, CatalogException { + + default_override = catalogManager.getPreferPublic(); +
catalogManager.debug.message(4, "Parse " + mimeType + " catalog on input stream"); + + CatalogReader reader = null; + + if
(readerMap.containsKey(mimeType)) { + int arrayPos = ((Integer) readerMap.get(mimeType)).intValue(); + reader = (CatalogReader) readerArr.get(arrayPos); + }
+ + if (reader == null) { + String msg = "No CatalogReader for MIME type: " + mimeType; + catalogManager.debug.message(2, msg); + throw new
CatalogException(CatalogException.UNPARSEABLE, msg); + } + + reader.readCatalog(this, is); + + // Now process all the pending catalogs... +
parsePendingCatalogs(); + } + + /** + * Parse a catalog document, augmenting internal data structures. + * + * <p>This method supports catalog files stored in jar
files: e.g., + * jar:file://path/to/fileName.jar!/path/to/catalog.xml". That URI + * doesn't survive transmogrification through the URI processing that + * the
parseCatalog(String) performs and passing it as an input stream + * doesn't set the base URI appropriately.</p> + * + * <p>Written by Stefan Wachter (2002-09-
26)</p> + * + * @param aUrl The URL of the catalog document to process + * + * @throws IOException Error reading catalog file. + * + * public synchronized
void parseCatalog(URL aUrl) throws IOException { + catalogCwd = aUrl; + base = aUrl; + + default_override = catalogManager.getPreferPublic(); +
catalogManager.debug.message(4, "Parse catalog: " + aUrl.toString()); + + DataInputStream inStream = null; + boolean parsed = false; + + for (int count = 0;
!parsed && count < readerArr.size(); count++) { + CatalogReader reader = (CatalogReader) readerArr.get(count); + + try { + inStream = new
DataInputStream(aUrl.openStream()); + } catch (FileNotFoundException fnfe) { + // No catalog; give up! + break; + } + + try { + reader.readCatalog(this,
inStream); + parsed=true; + } catch (CatalogException ce) { + if (ce.getExceptionType() == CatalogException.PARSE_FAILED) { + // give up! + break; + } else {
+ // try again! + } + } + + try { + inStream.close(); + } catch (IOException e) { + //nop + } + } + + if (parsed) parsePendingCatalogs(); + } + + /** + * Parse all of
the pending catalogs. + * + * <p>Catalogs may refer to other catalogs, this method parses + * all of the currently pending catalog files.</p> + * + * protected
synchronized void parsePendingCatalogs() + throws MalformedURLException, IOException { + + if (!localCatalogFiles.isEmpty()) { + // Move all the
localCatalogFiles into the front of + // the catalogFiles queue + Vector newQueue = new Vector(); + Enumeration q = localCatalogFiles.elements(); + while
(q.hasMoreElements()) { + newQueue.addElement(q.nextElement()); + } + + // Put the rest of the catalogs on the end of the new list + for (int curCat = 0; curCat <
catalogFiles.size(); curCat++) { + String catfile = (String) catalogFiles.elementAt(curCat); + newQueue.addElement(catfile); + } + + catalogFiles = newQueue; +
localCatalogFiles.clear(); + } + + // Suppose there are no catalog files to process, but the + // single catalog already parsed included some delegate + // entries?
Make sure they don't get lost. + if (catalogFiles.isEmpty() && !localDelegate.isEmpty()) { + Enumeration e = localDelegate.elements(); + while
(e.hasMoreElements()) { + catalogEntries.addElement(e.nextElement()); + } + + localDelegate.clear(); + } + + // Now process all the files on the catalogFiles vector.
This + // vector can grow during processing if CATALOG entries are + // encountered in the catalog + while (!catalogFiles.isEmpty()) { + String catfile = (String)
catalogFiles.elementAt(0); + try { + catalogFiles.remove(0); + } catch (ArrayIndexOutOfBoundsException e) { + // can't happen + } + + if (catalogEntries.size()
== 0 && catalogs.size() == 0) { + // We haven't parsed any catalogs yet, let this + // catalog be the first... + try { + parseCatalogFile(catfile); + } catch
(CatalogException ce) { + System.out.println("FIXME: " + ce.toString()); + } + } else { + // This is a subordinate catalog. We save its name, + // but don't bother to
load it unless it's necessary. + catalogs.addElement(catfile); + } + + if (!localCatalogFiles.isEmpty()) { + // Move all the localCatalogFiles into the front of + // the
catalogFiles queue + Vector newQueue = new Vector(); + Enumeration q = localCatalogFiles.elements(); + while (q.hasMoreElements()) { +
newQueue.addElement(q.nextElement()); + } + + // Put the rest of the catalogs on the end of the new list + for (int curCat = 0; curCat < catalogFiles.size();
curCat++) { + catfile = (String) catalogFiles.elementAt(curCat); + newQueue.addElement(catfile); + } + + catalogFiles = newQueue; + localCatalogFiles.clear(); + }
+ + if (!localDelegate.isEmpty()) { + Enumeration e = localDelegate.elements(); + while (e.hasMoreElements()) { +
catalogEntries.addElement(e.nextElement()); + } + + localDelegate.clear(); + } + + // We've parsed them all, reinist the vector... + catalogFiles.clear(); + } + + /**
+ * Parse a single catalog file, augmenting internal data structures. + * + * @param fileName The filename of the catalog file to process + * + * @throws
MalformedURLException The fileName cannot be turned into + * a valid URL. + * @throws IOException Error reading catalog file. + * + * protected
synchronized void parseCatalogFile(String fileName) + throws MalformedURLException, IOException, CatalogException { + + CatalogEntry entry; + + // The
base-base is the cwd. If the catalog file is specified + // with a relative path, this assures that it gets resolved + // properly... + try { + // tack on a basename because
URLs point to files not dirs + catalogCwd = FileURL.makeURL("basename"); + } catch (MalformedURLException e) { + String userdir =
System.getProperty("user.dir"); + userdir = userdir.replace("\\", "/"); + catalogManager.debug.message(1, "Malformed URL on cwd", userdir); + catalogCwd = null; + }
+ + // The initial base URI is the location of the catalog file + try { + base = new URL(catalogCwd, fixSlashes(fileName)); + } catch
(MalformedURLException e) { + try { + base = new URL("file:" + fixSlashes(fileName)); + } catch (MalformedURLException e2) { +
catalogManager.debug.message(1, "Malformed URL on catalog filename", + fixSlashes(fileName)); + base = null; + } + } + + catalogManager.debug.message(2,
>Loading catalog", fileName); + catalogManager.debug.message(4, "Default BASE", base.toString()); + + fileName = base.toString(); + + DataInputStream
inStream = null; + boolean parsed = false; + boolean notFound = false; + + for (int count = 0; !parsed && count < readerArr.size(); count++) { + CatalogReader
reader = (CatalogReader) readerArr.get(count); + + try { + notFound = false; + inStream = new DataInputStream(base.openStream()); + } catch
(FileNotFoundException fnfe) { + // No catalog; give up! + notFound = true; + break; + } + + try { + reader.readCatalog(this, inStream); + parsed = true; + } catch
(CatalogException ce) { + if (ce.getExceptionType() == CatalogException.PARSE_FAILED) { + // give up! + break; + } else { + // try again! + } + } + + try { +
inStream.close(); + } catch (IOException e) { + //nop + } + } + + if (!parsed) { + if (notFound) { + catalogManager.debug.message(3, "Catalog does not exist",
fileName); + } else { + catalogManager.debug.message(1, "Failed to parse catalog", fileName); + } + } + + /** + * Cleanup and process a Catalog entry. + * + *
<p>This method processes each Catalog entry, changing mapped + * relative system identifiers into absolute ones (based on the current + * base URI), and
maintaining other information about the current + * catalog.</p> + * + * @param entry The CatalogEntry to process. + * + * public void addEntry(CatalogEntry
entry) { + int type = entry.getEntryType(); + + if (type == BASE) { + String value = entry.getEntryArg(0); + URL newbase = null; + + if (base == null) { +
catalogManager.debug.message(5, "BASE CUR", "null"); + } else { + catalogManager.debug.message(5, "BASE CUR", base.toString()); + } + +
catalogManager.debug.message(4, "BASE STR", value); + + try { + value = fixSlashes(value); + newbase = new URL(base, value); + } catch
(MalformedURLException e) { + try { + newbase = new URL("file:" + value); + } catch (MalformedURLException e2) { + catalogManager.debug.message(1,

```

```

"Malformed URL on base", value); + newbase = null; + } + } + } + if (newbase != null) { + base = newbase; + } + + catalogManager.debug.message(5, "BASE
NEW", base.toString()); + } else if (type == CATALOG) { + String fsi = makeAbsolute(entry.getEntryArg(0)); + + catalogManager.debug.message(4,
"CATALOG", fsi); + + localCatalogFiles.addElement(fsi); + } else if (type == PUBLIC) { + String publicId = PublicId.normalize(entry.getEntryArg(0)); + String
systemid = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(0, publicId); + entry.setEntryArg(1, systemid); + +
catalogManager.debug.message(4, "PUBLIC", publicId, systemid); + + catalogEntries.addElement(entry); + } else if (type == SYSTEM) { + String systemid =
normalizeURI(entry.getEntryArg(0)); + String fsi = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(1, fsi); + +
catalogManager.debug.message(4, "SYSTEM", systemid, fsi); + + catalogEntries.addElement(entry); + } else if (type == URI) { + String uri =
normalizeURI(entry.getEntryArg(0)); + String altURI = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(1, altURI); + +
catalogManager.debug.message(4, "URI", uri, altURI); + + catalogEntries.addElement(entry); + } else if (type == DOCUMENT) { + String fsi =
makeAbsolute(normalizeURI(entry.getEntryArg(0))); + entry.setEntryArg(0, fsi); + + catalogManager.debug.message(4, "DOCUMENT", fsi); + +
catalogEntries.addElement(entry); + } else if (type == OVERRIDE) { + catalogManager.debug.message(4, "OVERRIDE", entry.getEntryArg(0)); + +
catalogEntries.addElement(entry); + } else if (type == SGMLDECL) { + // meaningless in XML + String fsi =
makeAbsolute(normalizeURI(entry.getEntryArg(0))); + entry.setEntryArg(0, fsi); + + catalogManager.debug.message(4, "SGMLDECL", fsi); + +
catalogEntries.addElement(entry); + } else if (type == DELEGATE_PUBLIC) { + String ppi = PublicId.normalize(entry.getEntryArg(0)); + String fsi =
makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(0, ppi); + entry.setEntryArg(1, fsi); + + catalogManager.debug.message(4,
"DELEGATE_PUBLIC", ppi, fsi); + + addDelegate(entry); + } else if (type == DELEGATE_SYSTEM) { + String psi = normalizeURI(entry.getEntryArg(0)); +
String fsi = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(0, psi); + entry.setEntryArg(1, fsi); + + catalogManager.debug.message(4,
"DELEGATE_SYSTEM", psi, fsi); + + addDelegate(entry); + } else if (type == DELEGATE_URI) { + String pui = normalizeURI(entry.getEntryArg(0)); + String
fsi = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(0, pui); + entry.setEntryArg(1, fsi); + + catalogManager.debug.message(4,
"DELEGATE_URI", pui, fsi); + + addDelegate(entry); + } else if (type == REWRITE_SYSTEM) { + String psi = normalizeURI(entry.getEntryArg(0)); + String
rpx = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(0, psi); + entry.setEntryArg(1, rpx); + + catalogManager.debug.message(4,
"REWRITE_SYSTEM", psi, rpx); + + catalogEntries.addElement(entry); + } else if (type == REWRITE_URI) { + String pui =
normalizeURI(entry.getEntryArg(0)); + String upx = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(0, pui); + entry.setEntryArg(1,
upx); + + catalogManager.debug.message(4, "REWRITE_URI", pui, upx); + + catalogEntries.addElement(entry); + } else if (type == SYSTEM_SUFFIX) { +
String pui = normalizeURI(entry.getEntryArg(0)); + String upx = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + + entry.setEntryArg(0, pui); +
entry.setEntryArg(1, upx); + + catalogManager.debug.message(4, "SYSTEM_SUFFIX", pui, upx); + + catalogEntries.addElement(entry); + } else if (type ==
URI_SUFFIX) { + String pui = normalizeURI(entry.getEntryArg(0)); + String upx = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + +
entry.setEntryArg(0, pui); + entry.setEntryArg(1, upx); + + catalogManager.debug.message(4, "URI_SUFFIX", pui, upx); + + catalogEntries.addElement(entry); +
} else if (type == DOCTYPE) { + String fsi = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + entry.setEntryArg(1, fsi); + +
catalogManager.debug.message(4, "DOCTYPE", entry.getEntryArg(0), fsi); + + catalogEntries.addElement(entry); + } else if (type == DTDDECL) { + //
meaningless in XML + String fpi = PublicId.normalize(entry.getEntryArg(0)); + entry.setEntryArg(0, fpi); + String fsi =
makeAbsolute(normalizeURI(entry.getEntryArg(1))); + entry.setEntryArg(1, fsi); + + catalogManager.debug.message(4, "DTDDECL", fpi, fsi); + +
catalogEntries.addElement(entry); + } else if (type == ENTITY) { + String fsi = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + entry.setEntryArg(1, fsi);
+ + catalogManager.debug.message(4, "ENTITY", entry.getEntryArg(0), fsi); + + catalogEntries.addElement(entry); + } else if (type == LINKTYPE) { + //
meaningless in XML + String fsi = makeAbsolute(normalizeURI(entry.getEntryArg(1))); + entry.setEntryArg(1, fsi); + + catalogManager.debug.message(4,
"LINKTYPE", entry.getEntryArg(0), fsi); + + catalogEntries.addElement(entry); + } else if (type == NOTATION) { + String fsi =
makeAbsolute(normalizeURI(entry.getEntryArg(1))); + entry.setEntryArg(1, fsi); + + catalogManager.debug.message(4, "NOTATION", entry.getEntryArg(0), fsi);
+ + catalogEntries.addElement(entry); + } else { + catalogEntries.addElement(entry); + } + } + + /** + * Handle unknown CatalogEntry types. + * + * <p>This
method exists to allow subclasses to deal with unknown + * entry types.</p> + * + * public void unknownEntry(Vector strings) { + * if (strings != null &&
strings.size() > 0) { + * String keyword = (String) strings.elementAt(0); + * catalogManager.debug.message(2, "Unrecognized token parsing catalog", keyword); + *
} + * + * + * Parse all subordinate catalogs. + * + * <p>This method recursively parses all of the subordinate catalogs. + * If this method does not throw an
exception, you can be confident that + * no subsequent call to any resolve*() method will either, with two + * possible exceptions:</p> + * + * + * <ol> + * + * <li>
<p>Delegated catalogs are re-parsed each time they are needed + * (because a variable list of them may be needed in each case, + * depending on the length of the
matching partial public identifier).</p> + * + * <p>But they are parsed by this method, so as long as they don't + * change or disappear while the program is running,
they shouldn't + * generate errors later if they don't generate errors now.</p> + * + * <li><p>If you add new catalogs with <code>parseCatalog</code>, they + * won't
be loaded until they are needed or until you call + * <code>parseAllCatalogs</code> again.</p> + * + * + * <p>On the other hand, if you don't call this
method, you may + * successfully parse documents without having to load all possible + * catalogs.</p> + * + * + * @throws MalformedURLException The filename
(URL) for a + * subordinate or delegated catalog is not a valid URL. + * @throws IOException Error reading some subordinate or delegated + * catalog file. + * + * + *
public void parseAllCatalogs() + * throws MalformedURLException, IOException { + * // Parse all the subordinate catalogs + * for (int catPos = 0; catPos <
catalogs.size(); catPos++) { + * Catalog c = null; + * try { + * c = (Catalog) catalogs.elementAt(catPos); + * catch (ClassCastException e) { + * String catfile = (String)
catalogs.elementAt(catPos); + * c = new Catalog(); + * c.parseCatalog(catfile); + * catalogs.setElementAt(c, catPos); + * c.parseAllCatalogs(); + * } + * } + * // Parse all
the DELEGATE catalogs + * Enumeration en = catalogEntries.elements(); + * while (en.hasMoreElements()) { + * CatalogEntry e = (CatalogEntry) en.nextElement(); + *
if (e.getEntryType() == DELEGATE_PUBLIC + * || e.getEntryType() == DELEGATE_SYSTEM + * || e.getEntryType() == DELEGATE_URI) { + * Catalog dcat =
newCatalog(); + * dcat.parseCatalog(e.getEntryArg(1)); + * } + * } + * + * + * Return the applicable DOCTYPE system identifier. + * + * + * @param entityName
The name of the entity (element) for which + * a doctype is required. + * @param publicId The nominal public identifier for the doctype + * (as provided in the
source document). + * @param systemId The nominal system identifier for the doctype + * (as provided in the source document). + * + * + * @return The system
identifier to use for the doctype. + * + * + * @throws MalformedURLException The formal system identifier of a + * subordinate catalog cannot be turned into a valid
URL. + * + * @throws IOException Error reading subordinate catalog file. + * + * + * public String resolveDoctype(String entityName, + * String publicId, + * String
systemId) + * throws MalformedURLException, IOException { + * String resolved = null; + * + * catalogManager.debug.message(3, "resolveDoctype(" +
entityName + ", " + publicId + ", " + systemId + ")"); + * + * systemId = normalizeURI(systemId); + * + * if (publicId != null && publicId.startsWith("urn:publicid:")) { + *
publicId = PublicId.decodeURN(publicId); + * } + * + * if (systemId != null && systemId.startsWith("urn:publicid:")) { + * systemId = PublicId.decodeURN(systemId);
+ * } + * + * if (publicId != null && !publicId.equals(systemId)) { + * catalogManager.debug.message(1, "urn:publicid: system identifier differs from public identifier; using
public identifier"); + * systemId = null; + * } else { + * publicId = systemId; + * systemId = null; + * } + * + * if (systemId != null) { + * // If there's a SYSTEM entry in this
catalog, use it + * resolved = resolveLocalSystem(systemId); + * if (resolved != null) { + * return resolved; + * } + * } + * + * if (publicId != null) { + * // If there's a PUBLIC
entry in this catalog, use it + * resolved = resolveLocalPublic(DOCTYPE, + * entityName, + * publicId, + * systemId); + * if (resolved != null) { + * return resolved; + * } + *
} + * + * // If there's a DOCTYPE entry in this catalog, use it + * boolean over = default_override; + * Enumeration en = catalogEntries.elements(); + * while
(en.hasMoreElements()) { + * CatalogEntry e = (CatalogEntry) en.nextElement(); + * if (e.getEntryType() == OVERRIDE) { + * over =
e.getEntryArg(0).equalsIgnoreCase("YES"); + * continue; + * } + * + * if (e.getEntryType() == DOCTYPE + * && e.getEntryArg(0).equals(entityName)) { + * if (over ||
systemId == null) { + * return e.getEntryArg(1); + * } + * } + * + * // Otherwise, look in the subordinate catalogs + * return resolveSubordinateCatalogs(DOCTYPE, + *
entityName, + * publicId, + * systemId); + * } + * + * + * Return the applicable DOCUMENT entry. + * + * + * @return The system identifier to use for the doctype. + * + *
+ * @throws MalformedURLException The formal system identifier of a + * subordinate catalog cannot be turned into a valid URL. + * + * @throws IOException
Error reading subordinate catalog file. + * + * + * public String resolveDocument() + * throws MalformedURLException, IOException { + * // If there's a DOCUMENT
entry, return it + * + * catalogManager.debug.message(3, "resolveDocument"); + * + * Enumeration en = catalogEntries.elements(); + * while (en.hasMoreElements()) { + *
CatalogEntry e = (CatalogEntry) en.nextElement(); + * if (e.getEntryType() == DOCUMENT) { + * return e.getEntryArg(0); + * } + * } + * + * return
resolveSubordinateCatalogs(DOCUMENT, + * null, null, null); + * } + * + * + * Return the applicable ENTITY system identifier. + * + * + * @param entityName
The name of the entity for which + * a system identifier is required. + * + * @param publicId The nominal public identifier for the entity + * (as provided in the source
document). + * + * @param systemId The nominal system identifier for the entity + * (as provided in the source document). + * + * + * @return The system identifier
to use for the entity. + * + * + * @throws MalformedURLException The formal system identifier of a + * subordinate catalog cannot be turned into a valid URL. + * + *
+ * @throws IOException Error reading subordinate catalog file. + * + * + * public String resolveEntity(String entityName, + * String publicId, + * String systemId) + *
throws MalformedURLException, IOException { + * String resolved = null; + * + * catalogManager.debug.message(3, "resolveEntity(" +
entityName + ", " + publicId + ", " + systemId + ")"); + * + * systemId = normalizeURI(systemId); + * + * if (publicId != null && publicId.startsWith("urn:publicid:")) { + *
publicId = PublicId.decodeURN(publicId); + * } + * + * if (systemId != null && systemId.startsWith("urn:publicid:")) { + * systemId = PublicId.decodeURN(systemId);
+ * } + * + * if (publicId != null && !publicId.equals(systemId)) { + * catalogManager.debug.message(1, "urn:publicid: system identifier differs from public identifier; using
public identifier"); + * systemId = null; + * } else { + * publicId = systemId; + * systemId = null; + * } + * + * if (systemId != null) { + * // If there's a SYSTEM entry in this
catalog, use it + * resolved = resolveLocalSystem(systemId); + * if (resolved != null) { + * return resolved; + * } + * } + * + * if (publicId != null) { + * // If there's a PUBLIC
entry in this catalog, use it + * resolved = resolveLocalPublic(ENTITY, + * entityName, + * publicId, + * systemId); + * if (resolved != null) { + * return resolved; + * } + *
} + * + * // If there's a ENTITY entry in this catalog, use it + * boolean over = default_override; + * Enumeration en = catalogEntries.elements(); + * while
(en.hasMoreElements()) { + * CatalogEntry e = (CatalogEntry) en.nextElement(); + * if (e.getEntryType() == OVERRIDE) { + * over =

```



```

e.getEntryArg(0).equalsIgnoreCase("YES"); + continue; + } + + if (e.getEntryType() == ENTITY + && e.getEntryArg(0).equals(entityName)) { + if (over ||
systemId == null) { + return e.getEntryArg(1); + } + } + + // Otherwise, look in the subordinate catalogs + return resolveSubordinateCatalogs(ENTITY, +
entityName, + publicId, + systemId); + } + + /** + * Return the applicable NOTATION system identifier. + * + * @param notationName The name of the notation
for which + * a doctype is required. + * @param publicId The nominal public identifier for the notation + * (as provided in the source document). + * @param
systemId The nominal system identifier for the notation + * (as provided in the source document). + * + * @return The system identifier to use for the notation. + *
+ * @throws MalformedURLException The formal system identifier of a + * subordinate catalog cannot be turned into a valid URL. + * @throws IOException
Error reading subordinate catalog file. + */ + public String resolveNotation(String notationName, + String publicId, + String systemId) + throws
MalformedURLException, IOException { + String resolved = null; + + catalogManager.debug.message(3, "resolveNotation(" +
notationName+", "+publicId+", "+systemId+")"); + + systemId = normalizeURI(systemId); + + if (publicId != null && publicId.startsWith("urn:publicid:")) { +
publicId = PublicId.decodeURN(publicId); + } + + if (systemId != null && systemId.startsWith("urn:publicid:")) { + systemId = PublicId.decodeURN(systemId);
+ } + + if (publicId != null && !publicId.equals(systemId)) { + catalogManager.debug.message(1, "urn:publicid: system identifier differs from public identifier; using
public identifier"); + systemId = null; + } + + else { + publicId = systemId; + systemId = null; + } + } + + if (systemId != null) { + // If there's a SYSTEM entry in this
catalog, use it + resolved = resolveLocalSystem(systemId); + if (resolved != null) { + return resolved; + } + } + + if (publicId != null) { + // If there's a PUBLIC
entry in this catalog, use it + resolved = resolveLocalPublic(NOTATION, + notationName, + publicId, + systemId); + if (resolved != null) { + return resolved; + }
+ } + + // If there's a NOTATION entry in this catalog, use it + boolean over = default_override; + Enumeration en = catalogEntries.elements(); + while
(en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + if (e.getEntryType() == OVERRIDE) { + over =
e.getEntryArg(0).equalsIgnoreCase("YES"); + continue; + } + + if (e.getEntryType() == NOTATION + && e.getEntryArg(0).equals(notationName)) { + if (over ||
systemId == null) { + return e.getEntryArg(1); + } + } + } + + // Otherwise, look in the subordinate catalogs + return resolveSubordinateCatalogs(NOTATION, +
notationName, + publicId, + systemId); + } + + /** + * Return the applicable PUBLIC or SYSTEM identifier. + * + * <p>This method searches the Catalog and
returns the system + * identifier specified for the given system or + * public identifiers. If + * no appropriate PUBLIC or SYSTEM entry is found in the Catalog, +
* null is returned.</p> + * + * @param publicId The public identifier to locate in the catalog. + * Public identifiers are normalized before comparison. + * @param
systemId The nominal system identifier for the entity + * in question (as provided in the source document). + * + * @throws MalformedURLException The formal
system identifier of a + * subordinate catalog cannot be turned into a valid URL. + * @throws IOException Error reading subordinate catalog file. + * + * @return
The system identifier to use. + * Note that the nominal system identifier is not returned if a + * match is not found in the catalog, instead null is returned + * to
indicate that no match was found. + */ + public String resolvePublic(String publicId, String systemId) + throws MalformedURLException, IOException { + +
catalogManager.debug.message(3, "resolvePublic(" +publicId+", "+systemId+")"); + + systemId = normalizeURI(systemId); + + if (publicId != null &&
publicId.startsWith("urn:publicid:")) { + publicId = PublicId.decodeURN(publicId); + } + + if (systemId != null && systemId.startsWith("urn:publicid:")) { +
systemId = PublicId.decodeURN(systemId); + if (publicId != null && !publicId.equals(systemId)) { + catalogManager.debug.message(1, "urn:publicid: system
identifier differs from public identifier; using public identifier"); + systemId = null; + } + + else { + publicId = systemId; + systemId = null; + } + } + + // If there's a
SYSTEM entry in this catalog, use it + if (systemId != null) { + String resolved = resolveLocalSystem(systemId); + if (resolved != null) { + return resolved; + } +
} + + // If there's a PUBLIC entry in this catalog, use it + String resolved = resolveLocalPublic(PUBLIC, + null, + publicId, + systemId); + if (resolved != null) { +
return resolved; + } + + // Otherwise, look in the subordinate catalogs + return resolveSubordinateCatalogs(PUBLIC, + null, + publicId, + systemId); + } + + /** +
* Return the applicable PUBLIC or SYSTEM identifier. + * + * <p>This method searches the Catalog and returns the system + * identifier specified for the given
system or public identifiers. + * If no appropriate PUBLIC or SYSTEM entry is found in the Catalog, + * delegated Catalogs are interrogated.</p> + * + *
<p>There are four possible cases:</p> + * + * <ul> + * <li>If the system identifier provided matches a SYSTEM entry + * in the current catalog, the SYSTEM
entry is returned. + * <li>If the system identifier is not null, the PUBLIC entries + * that were encountered when OVERRIDE YES was in effect are + *
interrogated and the first matching entry is returned.</li> + * <li>If the system identifier is null, then all of the PUBLIC + * entries are interrogated and the first
matching entry + * is returned. This may not be the same as the preceding case, if + * some PUBLIC entries are encountered when OVERRIDE NO is in effect. In
+ * XML, the only place where a public identifier may occur without + * a system identifier is in a notation declaration.</li> + * <li>Finally, if the public identifier
matches one of the partial + * public identifiers specified in a DELEGATE* entry in + * the Catalog, the delegated catalog is interrogated. The first + * time that
the delegated catalog is required, it will be + * retrieved and parsed. It is subsequently cached. + * </li> + * </ul> + * + * @param entityType The CatalogEntry
type for which this query is + * being conducted. This is necessary in order to do the appropriate + * query on a delegated catalog. + * @param entityName The
name of the entity being searched for, if + * appropriate. + * @param publicId The public identifier of the entity in question. + * @param systemId The nominal
system identifier for the entity + * in question (as provided in the source document). + * + * @throws MalformedURLException The formal system identifier of a
+ * delegated catalog cannot be turned into a valid URL. + * @throws IOException Error reading delegated catalog file. + * + * @return The system identifier to
use. + * Note that the nominal system identifier is not returned if a + * match is not found in the catalog, instead null is returned + * to indicate that no match was
found. + */ + protected synchronized String resolveLocalPublic(int entityType, + String entityName, + String publicId, + String systemId) + throws
MalformedURLException, IOException { + + // Always normalize the public identifier before attempting a match + publicId = PublicId.normalize(publicId); + +
// If there's a SYSTEM entry in this catalog, use it + if (systemId != null) { + String resolved = resolveLocalSystem(systemId); + if (resolved != null) { + return
resolved; + } + } + + // If there's a PUBLIC entry in this catalog, use it + boolean over = default_override; + Enumeration en = catalogEntries.elements(); + while
(en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + if (e.getEntryType() == OVERRIDE) { + over =
e.getEntryArg(0).equalsIgnoreCase("YES"); + continue; + } + + if (e.getEntryType() == PUBLIC + && e.getEntryArg(0).equals(publicId)) { + if (over || systemId
== null) { + return e.getEntryArg(1); + } + } + } + + // If there's a DELEGATE_PUBLIC entry in this catalog, use it + over = default_override; + en =
catalogEntries.elements(); + Vector delCats = new Vector(); + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + if
(e.getEntryType() == OVERRIDE) { + over = e.getEntryArg(0).equalsIgnoreCase("YES"); + continue; + } + + if (e.getEntryType() == DELEGATE_PUBLIC +
&& (over || systemId == null)) { + String p = (String) e.getEntryArg(0); + if (p.length() <= publicId.length() + && p.equals(publicId.substring(0, p.length()))) { +
// delegate this match to the other catalog + + delCats.addElement(e.getEntryArg(1)); + } + } + } + + if (delCats.size() > 0) { + Enumeration enCats =
delCats.elements(); + + if (catalogManager.debug.isDebugEnabled() && catalogManager.debug.getMessage(2, "Switching to delegated catalog(s):"); + + while
(enCats.hasMoreElements()) { + String delegatedCatalog = (String) enCats.nextElement(); + catalogManager.debug.message(2, "\" + delegatedCatalog); + } + } +
+ Catalog dcat = new Catalog(); + + enCats = delCats.elements(); + while (enCats.hasMoreElements()) { + String delegatedCatalog = (String)
enCats.nextElement(); + dcat.parseCatalog(delegatedCatalog); + } + + return dcat.resolvePublic(publicId, null); + } + + // Nada! + return null; + } + + /** +
* Return the applicable SYSTEM system identifier. + * + * <p>If a SYSTEM entry exists in the Catalog + * for the system ID specified, return the mapped value.
</p> + * + * <p>On Windows-based operating systems, the comparison between + * the system identifier provided and the SYSTEM entries in the + * Catalog is
case-insensitive.</p> + * + * @param systemId The system ID to locate in the catalog. + * + * @return The resolved system identifier. + * + * @throws
MalformedURLException The formal system identifier of a + * subordinate catalog cannot be turned into a valid URL. + * @throws IOException Error reading
subordinate catalog file. + */ + public String resolveSystem(String systemId) + throws MalformedURLException, IOException { + +
catalogManager.debug.message(3, "resolveSystem(" +systemId+")"); + + systemId = normalizeURI(systemId); + + if (systemId != null &&
systemId.startsWith("urn:publicid:")) { + systemId = PublicId.decodeURN(systemId); + return resolvePublic(systemId, null); + } + + // If there's a SYSTEM entry
in this catalog, use it + if (systemId != null) { + String resolved = resolveLocalSystem(systemId); + if (resolved != null) { + return resolved; + } + } + +
// Otherwise, look in the subordinate catalogs + return resolveSubordinateCatalogs(SYSTEM, + null, + null, + systemId); + } + + /** + * Return the applicable
SYSTEM system identifier in this + * catalog. + * + * <p>If a SYSTEM entry exists in the catalog file + * for the system ID specified, return the mapped value.
</p> + * + * @param systemId The system ID to locate in the catalog + * + * @return The mapped system identifier or null + * if no match was found. + * + *
protected String
resolveLocalSystem(String systemId) + throws MalformedURLException, IOException { + + String osname = System.getProperty("os.name"); + boolean
windows = (osname.indexOf("Windows") >= 0); + Enumeration en = catalogEntries.elements(); + while (en.hasMoreElements()) { + CatalogEntry e =
(CatalogEntry) en.nextElement(); + if (e.getEntryType() == SYSTEM + && (e.getEntryArg(0).equals(systemId) + || (windows + &&
e.getEntryArg(0).equalsIgnoreCase(systemId)))) { + return e.getEntryArg(1); + } + } + + // If there's a REWRITE_SYSTEM entry in this catalog, use it + en =
catalogEntries.elements(); + String startString = null; + String prefix = null; + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry)
en.nextElement(); + + if (e.getEntryType() == REWRITE_SYSTEM) { + String p = (String) e.getEntryArg(0); + if (p.length() <= systemId.length() + &&
p.equals(systemId.substring(0, p.length()))) { + // Is this the longest prefix? + if (startString == null + || p.length() > startString.length()) { + startString = p; +
prefix = e.getEntryArg(1); + } + } + } + + if (prefix != null) { + // return the systemId with the new prefix + return prefix +
systemId.substring(startString.length()); + } + + // If there's a SYSTEM_SUFFIX entry in this catalog, use it + en = catalogEntries.elements(); + String suffixString
= null; + String suffixURI = null; + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + + if (e.getEntryType() ==
SYSTEM_SUFFIX) { + String p = (String) e.getEntryArg(0); + if (p.length() <= systemId.length() + && systemId.endsWith(p)) { + // Is this the longest prefix? +
if (suffixString == null + || p.length() > suffixString.length()) { + suffixString = p; + suffixURI = e.getEntryArg(1); + } + } + } + + if (suffixURI != null) { +
// return the systemId for the suffix + return suffixURI; + } + } + + // If there's a DELEGATE_SYSTEM entry in this catalog, use it + en = catalogEntries.elements(); +
Vector delCats = new Vector(); + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + + if (e.getEntryType() ==
DELEGATE_SYSTEM) { + String p = (String) e.getEntryArg(0); + if (p.length() <= systemId.length() + && p.equals(systemId.substring(0, p.length()))) { +
// delegate this match to the other catalog + + delCats.addElement(e.getEntryArg(1)); + } + } + } + + if (delCats.size() > 0) { + Enumeration enCats =

```



```

delCats.elements(); ++ if (catalogManager.debug.getDebug() > 1) { + catalogManager.debug.message(2, "Switching to delegated catalog(s):"); + while
(enCats.hasMoreElements()) { + String delegatedCatalog = (String) enCats.nextElement(); + catalogManager.debug.message(2, "\t" + delegatedCatalog); + } + } +
+ Catalog dcat = newCatalog(); + enCats = delCats.elements(); + while (enCats.hasMoreElements()) { + String delegatedCatalog = (String)
enCats.nextElement(); + dcat.parseCatalog(delegatedCatalog); + } + + return dcat.resolveSystem(systemId); + } + + return null; + } + + /** + * Return the
applicable URI. + * + * <p>If a URI entry exists in the Catalog + * for the URI specified, return the mapped value.</p> + * + * <p>URI comparison is case
sensitive.</p> + * + * @param uri The URI to locate in the catalog. + * + * @return The resolved URI. + * + * @throws MalformedURLException The system
identifier of a + * subordinate catalog cannot be turned into a valid URL. + * @throws IOException Error reading subordinate catalog file. + */ + public String
resolveURI(String uri) + throws MalformedURLException, IOException { + catalogManager.debug.message(3, "resolveURI(\"+uri+\")"); + uri =
normalizeURI(uri); + if (uri != null && uri.startsWith("urn:publicid:")) { + uri = PublicId.decodeURN(uri); + return resolvePublic(uri, null); + } + + // If there's
a URI entry in this catalog, use it + if (uri != null) { + String resolved = resolveLocalURI(uri); + if (resolved != null) { + return resolved; + } + } + + // Otherwise,
look in the subordinate catalogs + return resolveSubordinateCatalogs(URI, null, null, uri); + } + + /** + * Return the applicable URI in this catalog. + * + *
<p>If a URI entry exists in the catalog file + * for the URI specified, return the mapped value.</p> + * + * @param uri The URI to locate in the catalog + * + *
@return The mapped URI or null + */ + protected String resolveLocalURI(String uri) + throws MalformedURLException, IOException { + Enumeration en =
catalogEntries.elements(); + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + if (e.getEntryType() == URI &&
(e.getEntryArg(0).equals(uri))) { + return e.getEntryArg(1); + } + } + + // If there's a REWRITE_URI entry in this catalog, use it + en = catalogEntries.elements();
+ String startString = null; + String prefix = null; + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + if (e.getEntryType()
== REWRITE_URI) { + String p = (String) e.getEntryArg(0); + if (p.length() <= uri.length() && p.equals(uri.substring(0, p.length()))) { + // Is this the longest
prefix? + if (startString == null + || p.length() > startString.length()) { + startString = p; + prefix = e.getEntryArg(1); + } + } + } + + if (prefix != null) { + //
return the uri with the new prefix + return prefix + uri.substring(startString.length()); + } + + // If there's a URI_SUFFIX entry in this catalog, use it + en =
catalogEntries.elements(); + String suffixString = null; + String suffixURI = null; + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry)
en.nextElement(); + if (e.getEntryType() == URI_SUFFIX) { + String p = (String) e.getEntryArg(0); + if (p.length() <= uri.length() && uri.endsWith(p)) { + //
Is this the longest prefix? + if (suffixString == null + || p.length() > suffixString.length()) { + suffixString = p; + suffixURI = e.getEntryArg(1); + } + } + } + } + +
if (suffixURI != null) { + // return the uri for the suffix + return suffixURI; + } + + // If there's a DELEGATE_URI entry in this catalog, use it + en =
catalogEntries.elements(); + Vector delCats = new Vector(); + while (en.hasMoreElements()) { + CatalogEntry e = (CatalogEntry) en.nextElement(); + if
(e.getEntryType() == DELEGATE_URI) { + String p = (String) e.getEntryArg(0); + if (p.length() <= uri.length() && p.equals(uri.substring(0, p.length()))) { + //
delegate this match to the other catalog + delCats.addElement(e.getEntryArg(1)); + } + } + } + + if (delCats.size() > 0) { + Enumeration enCats =
delCats.elements(); + if (catalogManager.debug.getDebug() > 1) { + catalogManager.debug.message(2, "Switching to delegated catalog(s):"); + while
(enCats.hasMoreElements()) { + String delegatedCatalog = (String) enCats.nextElement(); + catalogManager.debug.message(2, "\t" + delegatedCatalog); + } + } +
+ Catalog dcat = newCatalog(); + enCats = delCats.elements(); + while (enCats.hasMoreElements()) { + String delegatedCatalog = (String)
enCats.nextElement(); + dcat.parseCatalog(delegatedCatalog); + } + + return dcat.resolveURI(uri); + } + + return null; + } + + /** + * Search the subordinate
catalogs, in order, looking for a match. + * + * <p>This method searches the Catalog and returns the system + * identifier specified for the given entity type with
the given + * name, public, and system identifiers. In some contexts, these + * may be null.</p> + * + * @param entityType The CatalogEntry type for which this
query is + * being conducted. This is necessary in order to do the appropriate + * query on a subordinate catalog. + * @param entityName The name of the entity
being searched for, if + * appropriate. + * @param publicId The public identifier of the entity in question + * (as provided in the source document). + * @param
systemId The nominal system identifier for the entity + * in question (as provided in the source document). This parameter is + * overloaded for the URI entry
type. + * + * @throws MalformedURLException The formal system identifier of a + * delegated catalog cannot be turned into a valid URL. + * @throws
IOException Error reading delegated catalog file. + * + * @return The system identifier to use. + * Note that the nominal system identifier is not returned if a + *
match is not found in the catalog, instead null is returned + * to indicate that no match was found. + */ + protected synchronized String
resolveSubordinateCatalogs(int entityType, + String entityName, + String publicId, + String systemId) + throws MalformedURLException, IOException { + for
(int catPos = 0; catPos < catalogs.size(); catPos++) { + Catalog c = null; + try { + c = (Catalog) catalogs.elementAt(catPos); + } catch (ClassCastException e) { +
String catfile = (String) catalogs.elementAt(catPos); + c = newCatalog(); + try { + c.parseCatalog(catfile); + } catch (MalformedURLException mue) { +
catalogManager.debug.message(1, "Malformed Catalog URL", catfile); + } catch (FileNotFoundException fnfe) { + catalogManager.debug.message(1, "Failed to
load catalog, file not found", catfile); + } catch (IOException ioe) { + catalogManager.debug.message(1, "Failed to load catalog, I/O error", catfile); + } +
+ catalogs.setElementAt(c, catPos); + } + + String resolved = null; + + // Ok, now what are we supposed to call here? + if (entityType == DOCTYPE) { + resolved =
c.resolveDoctype(entityName, + publicId, + systemId); + } else if (entityType == DOCUMENT) { + resolved = c.resolveDocument(entityName, + publicId, + systemId); + }
else if (entityType == NOTATION) { + resolved = c.resolveNotation(entityName, + publicId, + systemId); + } else if (entityType == PUBLIC) { + resolved = c.resolvePublic(publicId, systemId); + } else if
(entityType == SYSTEM) { + resolved = c.resolveSystem(systemId); + } else if (entityType == URI) { + resolved = c.resolveURI(systemId); + } + + if (resolved
!= null) { + return resolved; + } + } + + return null; + } + + // ----- + + /** + * Replace backslashes with forward
slashes. (URLs always use + * forward slashes.) + * + * @param sysid The input system identifier. + * @return The same system identifier with backslashes
turned into + * forward slashes. + */ + protected String fixSlashes (String sysid) { + return sysid.replace("\\", "/"); + } + + /** + * Construct an absolute URI from a
relative one, using the current + * base URI. + * + * @param sysid The (possibly relative) system identifier + * @return The system identifier made absolute with
respect to the + * current {@link #base}. + */ + protected String makeAbsolute(String sysid) { + URL local = null; + sysid = fixSlashes(sysid); + try { + local =
new URL(base, sysid); + } catch (MalformedURLException e) { + catalogManager.debug.message(1, "Malformed URL on system identifier", sysid); + } + + if
(local != null) { + return local.toString(); + } else { + return sysid; + } + } + + /** + * Perform character normalization on a URI reference. + * + * @param uriRef
The URI reference + * @return The normalized URI reference. + */ + protected String normalizeURI(String uriRef) { + String newRef = ""; + byte[] bytes; + if
(uriRef == null) { + return null; + } + try { + bytes = uriRef.getBytes("UTF-8"); + } catch (UnsupportedEncodingException e) { + // this can't happen +
catalogManager.debug.message(1, "UTF-8 is an unsupported encoding!?!"); + return uriRef; + } + + for (int count = 0; count < bytes.length; count++) { + int ch =
bytes[count] & 0xFF; + if ((ch <= 0x20) // ctrl + || (ch > 0x7F) // high ascii + || (ch == 0x22) // " + || (ch == 0x3C) // < + || (ch == 0x3E) // > + || (ch == 0x5C) // \
+ || (ch == 0x5E) // ^ + || (ch == 0x60) // ` + || (ch == 0x7B) // { + || (ch == 0x7C) // | + || (ch == 0x7D) // } + || (ch == 0x7F) // ~) { + newRef += encodedByte(ch); + }
else { + newRef += (char) bytes[count]; + } + } + + return newRef; + } + + /** + * Perform %-encoding on a single byte. + * + * @param b The 8-bit integer that
represents the byte. (Bytes are signed + * but encoding needs to look at the bytes unsigned.) + * @return The %-encoded string for the byte in question. + */ +
protected String encodedByte (int b) { + String hex = Integer.toHexString(b).toUpperCase(); + if (hex.length() < 2) { + return "%0" + hex; + } else { + return "%"
+ hex; + } + } + + // ----- + + /** + * Add to the current list of delegated catalogs. + * + * <p>This method
always constructs the {@link #localDelegate} + * vector so that it is ordered by length of partial + * public identifier.</p> + * + * @param entry The DELEGATE
catalog entry + */ + protected void addDelegate(CatalogEntry entry) { + int pos = 0; + String partial = entry.getEntryArg(0); + Enumeration local =
localDelegate.elements(); + while (local.hasMoreElements()) { + CatalogEntry dpe = (CatalogEntry) local.nextElement(); + String dp = dpe.getEntryArg(0); + if
(dp.equals(partial)) { + // we already have this prefix + return; + } + if (dp.length() > partial.length()) { + pos++; + } + if (dp.length() < partial.length()) { + break;
+ } + } + + // now insert partial into the vector at [pos] + if (localDelegate.size() == 0) { + localDelegate.addElement(entry); + } else { +
localDelegate.insertElementAt(entry, pos); + } + } + + diff --git a/org.apache.xml.resolver/patch-src/org/apache/xml/resolver/CatalogManager.java
b/org.apache.xml.resolver/patch-src/org/apache/xml/resolver/CatalogManager.java new file mode 100644 index 000000000..3ec0fea12 --- /dev/null +++
b/org.apache.xml.resolver/patch-src/org/apache/xml/resolver/CatalogManager.java @@ -0,0 +1,838 @@ +// CatalogManager.java - Access
CatalogManager.properties + +/* + * Licensed to the Apache Software Foundation (ASF) under one or more + * contributor license agreements. See the NOTICE
file distributed with + * this work for additional information regarding copyright ownership. + * The ASF licenses this file to You under the Apache License,
Version 2.0 + * (the "License"); you may not use this file except in compliance with + * the License. You may obtain a copy of the License at + * + *
http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, software + * distributed under the License is
distributed on an "AS IS" BASIS, + * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + * See the License for the
specific language governing permissions and + * limitations under the License. + */ + package org.apache.xml.resolver; + import java.io.InputStream; +
import java.net.URL; + import java.net.MalformedURLException; + import java.util.MissingResourceException; + import java.util.PropertyResourceBundle;
+ import java.util.ResourceBundle; + import java.util.StringTokenizer; + import java.util.Vector; + import org.apache.xml.resolver.helpers.Debug; + import
org.apache.xml.resolver.helpers.BootstrapResolver; + import org.apache.xml.resolver.Catalog; + + /** + * CatalogManager provides an interface to the catalog
properties. + * + * <p>Properties can come from two places: from system properties or + * from a <i>CatalogManager.properties</i> file. This class provides a
transparent + * interface to both, with system properties preferred over property file values.</p> + * + * <p>The following table summarizes the
properties:</p> + * + * <table border="1"> + * <thead> + * <tr> + * <td>System Property</td> + * <td>CatalogManager.properties<br>Property</td> + * <td>Description</td> +
* </tr> + * </thead> + * <tbody> + * <tr> + * <td>xml.catalog.ignoreMissing</td> + * <td>&#160;</td> + * <td>If true, a missing
<i>CatalogManager.properties</i> file or missing properties + * within that file will not generate warning messages. See also the + *
<i>ignoreMissingProperties</i> method.</td> + * </tr> + * <tr> + * <td>xml.catalog.files</td> + * <td>catalogs</td> + * <td>The <emph>semicolon-
delimited</emph> list of catalog files.</td> + * </tr> + * <tr> + * <td>&#160;</td> + * <td>relative-catalogs</td> + * <td>If false, relative catalog URIs are

```

made absolute with respect to the base URI of + * the <i>CatalogManager.properties</i> file. This setting only applies to catalog + * URIs obtained from the <i>catalogs</i> property <emph>in the</emph> + * <i>CatalogManager.properties</i> file</td> + * </tr> + * <tr> + * <td>xml.catalog.verbosity</td> + * <td>verbosity</td> + * <td>If non-zero, the Catalog classes will print informative and debugging messages. + * The higher the number, the more messages.</td> + * </tr> + * <tr> + * <td>xml.catalog.prefer</td> + * <td>prefer</td> + * <td>Which identifier is preferred, "public" or "system"?</td> + * </tr> + * <tr> + * <td>xml.catalog.staticCatalog</td> + * <td>static-catalog</td> + * <td>Should a single catalog be constructed for all parsing, or should a different + * catalog be created for each parser?</td> + * </tr> + * <tr> + * <td>xml.catalog.allowPI</td> + * <td>allow-oasis-xml-catalog-pi</td> + * <td>If the source document contains "oasis-xml-catalog" processing instructions, + * should they be used?</td> + * </tr> + * <tr> + * <td>xml.catalog.className</td> + * <td>catalog-class-name</td> + * <td>If you're using the convenience classes + * <tt>org.apache.xml.resolver.tools.*</tt>), this setting + * allows you to specify an alternate class name to use for the underlying + * catalog.</td> + * </tr> + * </tbody> + * </table> + * + * @see Catalog + * + * @author Norman Walsh + * Norman.Walsh@Sun.COM + * + * @version 1.0 + * + * public class CatalogManager { + private static String pFiles = "xml.catalog.files"; + private static String pVerbosity = "xml.catalog.verbosity"; + private static String pPrefer = "xml.catalog.prefer"; + private static String pStatic = "xml.catalog.staticCatalog"; + private static String pAllowPI = "xml.catalog.allowPI"; + private static String pClassName = "xml.catalog.className"; + private static String pIgnoreMissing = "xml.catalog.ignoreMissing"; + + /** A static CatalogManager instance for sharing */ + private static CatalogManager staticManager = new CatalogManager(); + + /** The bootstrap resolver to use when loading XML Catalogs. */ + private BootstrapResolver bResolver = new BootstrapResolver(); + + /** Flag to ignore missing property files and/or properties */ + private boolean ignoreMissingProperties = (System.getProperty(pIgnoreMissing) != null || System.getProperty(pFiles) != null); + + /** Holds the resources after they are loaded from the file. */ + private ResourceBundle resources; + + /** The name of the CatalogManager properties file. */ + private String propertyFile = "CatalogManager.properties"; + + /** The location of the propertyFile */ + private URL propertyFileURI = null; + + /** Default catalog files list. */ + private String defaultCatalogFiles = ".xcatalog"; + + /** Current catalog files list. */ + private String catalogFiles = null; + + /** Did the catalogFiles come from the properties file? */ + private boolean fromPropertiesFile = false; + + /** Default verbosity level if there is no property setting for it. */ + private int defaultVerbosity = 1; + + /** Current verbosity level. */ + private Integer verbosity = null; + + /** Default preference setting. */ + private boolean defaultPreferPublic = true; + + /** Current preference setting. */ + private Boolean preferPublic = null; + + /** Default setting of the static catalog flag. */ + private boolean defaultUseStaticCatalog = true; + + /** Current setting of the static catalog flag. */ + private Boolean useStaticCatalog = null; + + /** The static catalog used by this manager. */ + private static Catalog staticCatalog = null; + + /** Default setting of the oasisXMLCatalogPI flag. */ + private boolean defaultOasisXMLCatalogPI = true; + + /** Current setting of the oasisXMLCatalogPI flag. */ + private Boolean oasisXMLCatalogPI = null; + + /** Default setting of the relativeCatalogs flag. */ + private boolean defaultRelativeCatalogs = true; + + /** Current setting of the relativeCatalogs flag. */ + private Boolean relativeCatalogs = null; + + /** Current catalog class name. */ + private String catalogClassName = null; + + /** The manager's debug object. Used for printing debugging messages. + * + * <p>This field is public so that objects that have access to this + * CatalogManager can use this debug object.</p> + */ + public Debug debug = null; + + /** Constructor. */ + public CatalogManager() { + debug = new Debug(); + // Note that we don't setDebug() here; we do that lazily. Either the + // user will set it explicitly, or we'll do it automatically if they + // read from the propertyFile for some other reason. That way, there's + // no attempt to read from the file before the caller has had a chance + // to avoid it. + } + + /** Constructor that specifies an explicit property file. */ + public CatalogManager(String propertyFile) { + this.propertyFile = propertyFile; + + debug = new Debug(); + // Note that we don't setDebug() here; we do that lazily. Either the + // user will set it explicitly, or we'll do it automatically if they + // read from the propertyFile for some other reason. That way, there's + // no attempt to read from the file before the caller has had a chance + // to avoid it. + } + + /** Set the bootstrap resolver. */ + public void setBootstrapResolver(BootstrapResolver resolver) { + bResolver = resolver; + } + + /** Get the bootstrap resolver. */ + public BootstrapResolver getBootstrapResolver() { + return bResolver; + } + + /** Load the properties from the propertyFile and build the + * resources from it. + */ + private synchronized void readProperties() { + if (propertyFile == null) { + return; + } + try { + propertyFileURI = CatalogManager.class.getResource("/"+propertyFile); + InputStream in = CatalogManager.class.getResourceAsStream("/"+propertyFile); + if (in==null) { + if (!ignoreMissingProperties) { + System.err.println("Cannot find '"+propertyFile); + // there's no reason to give this warning more than once + ignoreMissingProperties = true; + } + return; + } + resources = new PropertyResourceBundle(in); + } catch (MissingResourceException mre) { + if (!ignoreMissingProperties) { + System.err.println("Cannot read '"+propertyFile); + } + } catch (java.io.IOException e) { + if (!ignoreMissingProperties) { + System.err.println("Failure trying to read '"+propertyFile); + } + } + // This is a bit of a hack. After we've successfully read the properties, + // use them to set the default debug level, if the user hasn't already set + // the default debug level. + if (verbosity == null) { + try { + String verbStr = resources.getString("verbosity"); + int verb = Integer.parseInt(verbStr.trim()); + debug.setDebug(verb); + verbosity = new Integer(verb); + } catch (Exception e) { + // nop + } + } + + /** Allow access to the static CatalogManager + */ + public static CatalogManager getStaticManager() { + return staticManager; + } + + /** How are missing properties handled? + * + * <p>If true, missing or unreadable property files will + * not be reported. Otherwise, a message will be sent to System.err. + * </p> + */ + public boolean getIgnoreMissingProperties() { + return ignoreMissingProperties; + } + + /** How should missing properties be handled? + * + * <p>If ignore is true, missing or unreadable property files will + * not be reported. Otherwise, a message will be sent to System.err. + * </p> + */ + public void setIgnoreMissingProperties(boolean ignore) { + ignoreMissingProperties = ignore; + } + + /** How are missing properties handled? + * + * <p>If ignore is true, missing or unreadable property files will + * not be reported. Otherwise, a message will be sent to System.err. + * </p> + */ + @deprecated No longer static; use get/set methods. + */ + public void ignoreMissingProperties(boolean ignore) { + setIgnoreMissingProperties(ignore); + } + + /** Obtain the verbosity setting from the properties. + * + * @return The verbosity level from the propertyFile or the + * defaultVerbosity. + */ + private int queryVerbosity () { + String defaultVerbStr = Integer.toString(defaultVerbosity); + String verbStr = System.getProperty(pVerbosity); + if (verbStr == null) { + if (resources==null) readProperties(); + if (resources != null) { + try { + verbStr = resources.getString("verbosity"); + } catch (MissingResourceException e) { + verbStr = defaultVerbStr; + } + } else { + verbStr = defaultVerbStr; + } + } + int verb = Integer.parseInt(verbStr.trim()); + } catch (Exception e) { + System.err.println("Cannot parse verbosity: '"+verbStr+""); + } + // This is a bit of a hack. After we've successfully got the verbosity, + // we have to use it to set the default debug level, + // if the user hasn't already set the default debug level. + if (verbosity == null) { + debug.setDebug(verb); + verbosity = new Integer(verb); + } + return verb; + } + + /** What is the current verbosity? + */ + public int getVerbosity() { + if (verbosity == null) { + verbosity = new Integer(queryVerbosity()); + } + return verbosity.intValue(); + } + + /** Set the current verbosity. + */ + public void setVerbosity (int verbosity) { + this.verbosity = new Integer(verbosity); + debug.setDebug(verbosity); + } + + /** What is the current verbosity? + * + * @deprecated No longer static; use get/set methods. + */ + public int verbosity () { + return getVerbosity(); + } + + /** Obtain the relativeCatalogs setting from the properties. + * + * @return The relativeCatalogs setting from the propertyFile or the + * defaultRelativeCatalogs. + */ + private boolean queryRelativeCatalogs () { + if (resources==null) readProperties(); + if (resources==null) return defaultRelativeCatalogs; + try { + String allow = resources.getString("relative-catalogs"); + return (allow.equalsIgnoreCase("true") || allow.equalsIgnoreCase("yes") || allow.equalsIgnoreCase("1")); + } catch (MissingResourceException e) { + return defaultRelativeCatalogs; + } + } + + /** Get the relativeCatalogs setting. + * + * <p>This property is used when the catalogFiles property is + * interrogated. If true, then relative catalog entry file names + * are returned. If false, relative catalog entry file names are + * made absolute with respect to the properties file before returning + * them.</p> + * + * <p>This property <emph>only applies</emph> when the catalog files + * come from a properties file. If they come from a system property or + * the default list, they are never considered relative. (What would + * they be relative to?)</p> + * + * <p>In the properties, a value of 'yes', 'true', or '1' is considered + * true, anything else is false.</p> + * + * @return The relativeCatalogs setting from the propertyFile or the + * defaultRelativeCatalogs. + */ + public boolean getRelativeCatalogs () { + if (relativeCatalogs == null) { + relativeCatalogs = new Boolean(queryRelativeCatalogs()); + } + return relativeCatalogs.booleanValue(); + } + + /** Set the relativeCatalogs setting. + * + * @see #getRelativeCatalogs() + */ + public void setRelativeCatalogs (boolean relative) { + relativeCatalogs = new Boolean(relative); + } + + /** Get the relativeCatalogs setting. + * + * @deprecated No longer static; use get/set methods. + */ + public boolean relativeCatalogs () { + return getRelativeCatalogs(); + } + + /** Obtain the list of catalog files from the properties. + * + * @return A semicolon delimited list of catalog file URIs + */ + private String queryCatalogFiles () { + String catalogList = System.getProperty(pFiles); + fromPropertiesFile = false; + if (catalogList == null) { + if (resources == null) readProperties(); + if (resources != null) { + try { + catalogList = resources.getString("catalogs"); + fromPropertiesFile = true; + } catch (MissingResourceException e) { + System.err.println(propertyFile + ": catalogs not found."); + catalogList = null; + } + } + if (catalogList == null) { + catalogList = defaultCatalogFiles; + } + return catalogList; + } + + /** Return the current list of catalog files. + * + * @return A vector of the catalog file names or null if no catalogs + * are available in the properties. + */ + public Vector getCatalogFiles() { + if (catalogFiles == null) { + catalogFiles = queryCatalogFiles(); + } + StringTokenizer files = new StringTokenizer(catalogFiles, ";"); + Vector catalogs = new Vector(); + while (files.hasMoreTokens()) { + String catalogFile = files.nextToken(); + URL absURI = null; + if (fromPropertiesFile && !relativeCatalogs()) { + try { + absURI = new URL(propertyFileURI, catalogFile); + catalogFile = absURI.toString(); + } catch (MalformedURLException mue) { + absURI = null; + } + } + catalogs.add(catalogFile); + } + return catalogs; + } + + /** Set the list of catalog files. + */ + public void setCatalogFiles(String fileList) { + catalogFiles = fileList; + fromPropertiesFile = false; + } + + /** Return the current list of catalog files. + * + * @return A vector of the catalog file names or null if no catalogs + * are available in the properties. + * + * @deprecated No longer static; use get/set methods. + */ + public Vector catalogFiles() { + return getCatalogFiles(); + } + + /** Obtain the preferPublic setting from the properties. + * + * <p>In the properties, a value of 'public' is true, + * anything else is false.</p> + * + * @return True if prefer is public or the + * defaultPreferSetting. + */ + private boolean queryPreferPublic () { + String prefer = System.getProperty(pPrefer); + if (prefer == null) { + if (resources==null) readProperties(); + if (resources==null) return defaultPreferPublic; + try { + prefer = resources.getString("prefer"); + } catch (MissingResourceException e) { + return defaultPreferPublic; + } + } + if (prefer == null) { + return defaultPreferPublic; + } + return (prefer.equalsIgnoreCase("public")); + } + + /** Return the current prefer public setting. + * + * @return True if public

```

identifiers are preferred. + */ + public boolean getPreferPublic () { + if (preferPublic == null) { + preferPublic = new Boolean(queryPreferPublic()); + } + return
preferPublic.booleanValue(); + } + + /** + * Set the prefer public setting. + */ + public void setPreferPublic (boolean preferPublic) { + this.preferPublic = new
Boolean(preferPublic); + } + + /** + * Return the current prefer public setting. + * + * @return True if public identifiers are preferred. + * + * @deprecated No
longer static; use get/set methods. + */ + public boolean preferPublic () { + return getPreferPublic(); + } + + /** + * Obtain the static-catalog setting from the
properties. + * + * <p>In the properties, a value of 'yes', 'true', or '1' is considered + * true, anything else is false.</p> + * + * @return The static-catalog setting
from the propertyFile or the + * defaultUseStaticCatalog. + */ + private boolean queryUseStaticCatalog () { + String staticCatalog = System.getProperty(pStatic);
+ + if (staticCatalog == null) { + if (resources==null) readProperties(); + if (resources==null) return defaultUseStaticCatalog; + try { + staticCatalog =
resources.getString("static-catalog"); + } catch (MissingResourceException e) { + return defaultUseStaticCatalog; + } + } + + if (staticCatalog == null) { + return
defaultUseStaticCatalog; + } + + return (staticCatalog.equalsIgnoreCase("true") + || staticCatalog.equalsIgnoreCase("yes") + ||
staticCatalog.equalsIgnoreCase("1")); + } + + /** + * Get the current use static catalog setting. + */ + public boolean getUseStaticCatalog () { + if
(useStaticCatalog == null) { + useStaticCatalog = new Boolean(queryUseStaticCatalog()); + } + + return useStaticCatalog.booleanValue(); + } + + /** + * Set the
use static catalog setting. + */ + public void setUseStaticCatalog(boolean useStatic) { + useStaticCatalog = new Boolean(useStatic); + } + + /** + * Get the current
use static catalog setting. + * + * @deprecated No longer static; use get/set methods. + */ + public boolean staticCatalog () { + return getUseStaticCatalog(); + } +
+ /** + * Get a new catalog instance. + * + * This method always returns a new instance of the underlying catalog class. + */ + public Catalog getPrivateCatalog ()
{ + Catalog catalog = staticCatalog; + + if (useStaticCatalog == null) { + useStaticCatalog = new Boolean(getUseStaticCatalog()); + } + + if (catalog == null ||
!useStaticCatalog.booleanValue()) { + try { + String catalogClassName = getCatalogClassName(); + + if (catalogClassName == null) { + catalog = new
Catalog(); + } else { + try { + catalog = (Catalog) Class.forName(catalogClassName).newInstance(); + } catch (ClassNotFoundException cnfe) { +
debug.message(1, "Catalog class named '" + catalogClassName + "' could not be found. Using default."); + catalog = new Catalog(); + } catch
(ClassCastException cnfe) { + debug.message(1, "Class named '" + catalogClassName + "' is not a Catalog. Using default."); + catalog = new Catalog(); + } + }
+ + catalog.setCatalogManager(this); + catalog.setupReaders(); + catalog.loadSystemCatalogs(); + } catch (Exception ex) { + ex.printStackTrace(); + } + + if
(useStaticCatalog.booleanValue()) { + staticCatalog = catalog; + } + } + + return catalog; + } + + /** + * Get a catalog instance. + * + * If this manager uses static
catalogs, the same static catalog will + * always be returned. Otherwise a new catalog will be returned. + */ + public Catalog getCatalog () { + Catalog catalog =
staticCatalog; + + if (useStaticCatalog == null) { + useStaticCatalog = new Boolean(getUseStaticCatalog()); + } + + if (catalog == null ||
!useStaticCatalog.booleanValue()) { + catalog = getPrivateCatalog(); + if (useStaticCatalog.booleanValue()) { + staticCatalog = catalog; + } + } + + return catalog;
+ } + + /** + * <p>Obtain the oasisXMLCatalogPI setting from the properties.</p> + * + * <p>In the properties, a value of 'yes', 'true', or '1' is considered + * true,
anything else is false.</p> + * + * @return The oasisXMLCatalogPI setting from the propertyFile or the + * defaultOasisXMLCatalogPI. + */ + public boolean
queryAllowOasisXMLCatalogPI () { + String allow = System.getProperty(pAllowPI); + + if (allow == null) { + if (resources==null) readProperties(); + if
(resources==null) return defaultOasisXMLCatalogPI; + try { + allow = resources.getString("allow-oasis-xml-catalog-pi"); + } catch (MissingResourceException
e) { + return defaultOasisXMLCatalogPI; + } + } + + if (allow == null) { + return defaultOasisXMLCatalogPI; + } + + return (allow.equalsIgnoreCase("true") + ||
allow.equalsIgnoreCase("yes") + || allow.equalsIgnoreCase("1")); + } + + /** + * Get the current XML Catalog PI setting. + */ + public boolean
getAllowOasisXMLCatalogPI () { + if (oasisXMLCatalogPI == null) { + oasisXMLCatalogPI = new Boolean(queryAllowOasisXMLCatalogPI()); + } + + return
oasisXMLCatalogPI.booleanValue(); + } + + /** + * Set the XML Catalog PI setting + */ + public void setAllowOasisXMLCatalogPI(boolean allowPI) { +
oasisXMLCatalogPI = new Boolean(allowPI); + } + + /** + * Get the current XML Catalog PI setting. + * + * @deprecated No longer static; use get/set methods.
+ */ + public boolean allowOasisXMLCatalogPI () { + return getAllowOasisXMLCatalogPI(); + } + + /** + * Obtain the Catalog class name setting from the
properties. + * + * + */ + public String queryCatalogClassName () { + String className = System.getProperty(pClassName); + + if (className == null) { + if
(resources==null) readProperties(); + if (resources==null) return null; + try { + return resources.getString("catalog-class-name"); + } catch
(MissingResourceException e) { + return null; + } + } + + return className; + } + + /** + * Get the current Catalog class name. + */ + public String
getCatalogClassName () { + if (catalogClassName == null) { + catalogClassName = queryCatalogClassName(); + } + + return catalogClassName; + } + + /** + *
Set the Catalog class name. + */ + public void setCatalogClassName(String className) { + catalogClassName = className; + } + + /** + * Get the current
Catalog class name. + * + * @deprecated No longer static; use get/set methods. + */ + public String catalogClassName () { + return getCatalogClassName(); + } + }
diff --git a/org.apache.xml.resolver/patch-src/org/apache/xml/resolver/NbCatalogManager.java b/org.apache.xml.resolver/patch-
src/org/apache/xml/resolver/NbCatalogManager.java
new file mode 100644
index 0000000000..b6230d536
--- /dev/null
+++ b/org.apache.xml.resolver/patch-
src/org/apache/xml/resolver/NbCatalogManager.java
@@ -0,0 +1,570 @@
+/*
+ * Licensed to the Apache Software Foundation (ASF) under one or more *
+ * contributor license agreements. See the NOTICE file distributed with *
+ * this work for additional information regarding copyright ownership. *
+ * The ASF licenses this file to You under the Apache License, Version 2.0 *
+ * (the "License"); you may not use this file except in compliance with *
+ * the License. You may obtain a copy of the License at *
+ * http://www.apache.org/licenses/LICENSE-2.0 *
+ * Unless required by applicable law or agreed to in writing, software +
+ * distributed under the License is distributed on an "AS IS" BASIS, *
+ * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
+ * implied. *
+ * See the License for the specific language governing permissions and *
+ * limitations under the License.
+ */
+package org.apache.xml.resolver;
+import java.io.IOException;
+import java.io.InputStream;
+import java.io.OutputStream;
+import java.io.PrintStream;
+import java.net.MalformedURLException;
+import java.net.URL;
+import java.util.MissingResourceException;
+import java.util.PropertyResourceBundle;
+import java.util.ResourceBundle;
+import java.util.StringTokenizer;
+import java.util.Vector;
+import org.apache.xml.resolver.helpers.BootstrapResolver;
+import org.apache.xml.resolver.helpers.Debug;
+
+public class
NbCatalogManager extends CatalogManager {
+    private static String pFiles = "xml.catalog.files";
+    private static String pVerbosity = "xml.catalog.verbosity";
+    private static String pPrefer = "xml.catalog.prefer";
+    private static String pStatic = "xml.catalog.staticCatalog";
+    private static String pAllowPI =
"xml.catalog.allowPI";
+    private static String pClassName = "xml.catalog.className";
+    private static String pIgnoreMissing = "xml.catalog.ignoreMissing";
+    private static NbCatalogManager staticManager = new NbCatalogManager();
+    private BootstrapResolver bResolver = new BootstrapResolver();
+    private boolean
ignoreMissingProperties = (System.getProperty(pIgnoreMissing) != null) || (System.getProperty(pFiles) != null);
+    private ResourceBundle resources;
+    private String
propertyFile = "CatalogManager.properties";
+    private URL propertyFileURL = null;
+    private String defaultCatalogFiles = ".xcatalog";
+    private String
catalogFiles = null;
+    private boolean fromPropertiesFile = false;
+    private int defaultVerbosity = 1;
+    private Integer verbosity = null;
+    private boolean
defaultPreferPublic = true;
+    private Boolean preferPublic = null;
+    private boolean defaultUseStaticCatalog = true;
+    private Boolean useStaticCatalog = null;
+    private static Catalog
staticCatalog = null;
+    private boolean defaultOasisXMLCatalogPI = true;
+    private Boolean oasisXMLCatalogPI = null;
+    private boolean
defaultRelativeCatalogs = true;
+    private Boolean relativeCatalogs = null;
+    private String catalogClassName = null;
+    public Debug debug = null;
+    public NbCatalogManager() {
+        this.debug = new Debug();
+    }
+    public void setBootstrapResolver(BootstrapResolver resolver) {
+        this.bResolver = resolver;
+    }
+    public
BootstrapResolver getBootstrapResolver() {
+        return this.bResolver;
+    }
+    private synchronized void readProperties() {
+        if (this.propertyFile == null) {
+            return;
+        }
+        try {
+            this.propertyFileURL = NbCatalogManager.class.getResource("'" + this.propertyFile);
+            InputStream in =
NbCatalogManager.class.getResourceAsStream("'" + this.propertyFile);
+            if (in == null) {
+                if (!this.ignoreMissingProperties) {
+                    this.debug.message(2,
"Cannot find " + this.propertyFile);
+                    this.ignoreMissingProperties = true;
+                }
+                return;
+            }
+            this.resources = new PropertyResourceBundle(in);
+        } catch
(MissingResourceException mre) {
+            if (!this.ignoreMissingProperties) {
+                System.err.println("Cannot read " + this.propertyFile);
+            }
+            catch (IOException e) {
+                if (!this.ignoreMissingProperties) {
+                    System.err.println("Failure trying to read " + this.propertyFile);
+                }
+                if (this.verbosity == null) {
+                    try {
+                        String verbStr = this.resources.getString("verbosity");
+                        int verb = Integer.parseInt(verbStr.trim());
+                        this.debug.setDebug(verb);
+                        this.verbosity = new
Integer(verb);
+                    } catch (Exception e) {}
+                }
+                public static CatalogManager getStaticManager() {
+                    return staticManager;
+                }
+                public boolean
getIgnoreMissingProperties() {
+                    return this.ignoreMissingProperties;
+                }
+                public void setIgnoreMissingProperties(boolean ignore) {
+                    this.ignoreMissingProperties = ignore;
+                }
+                public void ignoreMissingProperties(boolean ignore) {
+                    setIgnoreMissingProperties(ignore);
+                }
+                private int queryVerbosity() {
+                    String defaultVerbStr = Integer.toString(this.defaultVerbosity);
+                    String verbStr = System.getProperty(pVerbosity);
+                    if (verbStr == null) {
+                        if (this.resources == null) {
+                            readProperties();
+                        }
+                        if (this.resources != null) {
+                            try {
+                                verbStr = defaultVerbStr;
+                            } else {
+                                verbStr = defaultVerbStr;
+                            }
+                        }
+                        int verb = this.defaultVerbosity;
+                        try {
+                            verb = Integer.parseInt(verbStr.trim());
+                        } catch (Exception e) {
+                            System.err.println("Cannot parse verbosity:
'" + verbStr + "'");
+                        }
+                        if (this.verbosity == null) {
+                            this.debug.setDebug(verb);
+                            this.verbosity = new Integer(verb);
+                        }
+                        return verb;
+                    }
+                    public int
getVerbosity() {
+                        if (this.verbosity == null) {
+                            this.verbosity = new Integer(queryVerbosity());
+                        }
+                        return this.verbosity.intValue();
+                    }
+                    public void
setVerbosity(int verbosity) {
+                        this.verbosity = new Integer(verbosity);
+                        this.debug.setDebug(verbosity);
+                    }
+                    @deprecated + */
+                    public int
verbosity() {
+                        return getVerbosity();
+                    }
+                    private boolean queryRelativeCatalogs() {
+                        if (this.resources == null) {
+                            readProperties();
+                        }
+                        if (this.resources == null) {
+                            return this.defaultRelativeCatalogs;
+                        }
+                        try {
+                            String allow = this.resources.getString("relative-catalogs");
+                            return (allow.equalsIgnoreCase("true") || allow.equalsIgnoreCase("yes") || allow.equalsIgnoreCase("1"));
+                        } catch (MissingResourceException e) {}
+                        return this.defaultRelativeCatalogs;
+                    }
+                    public boolean
getRelativeCatalogs() {
+                        if (this.relativeCatalogs == null) {
+                            this.relativeCatalogs = new Boolean(queryRelativeCatalogs());
+                        }
+                        return this.relativeCatalogs.booleanValue();
+                    }
+                    public void setRelativeCatalogs(boolean relative) {
+                        this.relativeCatalogs = new Boolean(relative);
+                    }
+                    @deprecated + */
+                    public boolean
relativeCatalogs() {
+                        return getRelativeCatalogs();
+                    }
+                    private String queryCatalogFiles() {
+                        String catalogList = System.getProperty(pFiles);
+                        if (catalogList == null) {
+                            if (this.resources == null) {
+                                readProperties();
+                            }
+                            if (this.resources != null) {
+                                try {
+                                    catalogList = this.resources.getString("catalogs");
+                                }

```


an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

608. jaydreamersw commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-339760312> In all my GitHub projects I can configure how PR are handled. From allowing all types (merge, squash, etc.) to selecting one or some of them. If squashing is the preferred way it should be probably the only option. Usually the person(s) configured to merge to trunk can choose which one. ![image](https://user-images.githubusercontent.com/2817343/32070839-27439ce8-ba53-11e7-8b4b-0b97e2136695.png) -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
609. juneau001 commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339766476> @matthiasblaesing How are things looking now??? I performed the recommended changes in the order you had outlined. -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
610. geertjanw commented on issue #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: <https://github.com/apache/incubator-netbeans/pull/181#issuecomment-339770763> No, haven't been able to yet, if you know how to resolve this and have a moment to do it, that might be fastest. -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
611. matthiasblaesing commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339778858> @juneau001 thank you. The commits still look strange (looks as if you merged master, but did neither the squash, nor the rebase). I took the changes consolidated that and pushed it as: <https://github.com/apache/incubator-netbeans/commit/7e6fdb145e62b7e33156afa7ef2bf3524c93da7> That should take care of j2ee.persistence -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
612. matthiasblaesing closed pull request #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/.gitignore b/.gitignore index ab346fa8f..b034c3ebd 100644 --- a/.gitignore +++ b/.gitignore @@ -20,7 +20,6 @@ .DS_Store #the following should only be transient, until resolved more appropriately: -/applemenu/src/java/ /db.sql.visualeditor/src/org/netbeans/modules/db/sql/visualeditor/parser/JavaCharStream.java /db.sql.visualeditor/src/org/netbeans/modules/db/sql/visualeditor/parser/ParseException.java /db.sql.visualeditor/src/org/netbeans/modules/db/sql/visualeditor/parser/SQLParser.java @@ -28,23 +27,18 @@ /db.sql.visualeditor/src/org/netbeans/modules/db/sql/visualeditor/parser/SQLParserTokenManager.java /db.sql.visualeditor/src/org/netbeans/modules/db/sql/visualeditor/parser/Token.java /db.sql.visualeditor/src/org/netbeans/modules/db/sql/visualeditor/parser/TokenMgrError.java +/debugger.jpda.ui/test/qa-functional/data/debugTestProject/nbproject/private/ +/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/nbproject/private/ /hibernate/src/org/netbeans/modules/hibernate/resources/hibernate-configuration-3.0.dtd /hibernate/src/org/netbeans/modules/hibernate/resources/hibernate-reverse-engineering-3.0.dtd -/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_1_0.xsd -/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_0.xsd -/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_1.xsd -/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_1_0.xsd -/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_0.xsd -/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_1.xsd /lib.profiler/release/lib/ /websvc.saas.api/src/org/netbeans/modules/websvc/saas/model/jaxb/ /websvc.saas.api/src/org/netbeans/modules/websvc/saas/model/oauth/ /websvc.saas.api/src/org/netbeans/modules/websvc/saas/model/wadl/ /websvc.saas.api/src/org/netbeans/modules/websvc/saas/model/wadl20061109.xsd /websvc.saas.api/src/org/netbeans/modules/websvc/saas/model/wadl200902.xsd -/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema-instance.xsd -/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.dtd -/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.xsd -/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/datatypes.dtd +/xml/test/qa-functional/data/DTDAActionsTestProject/nbproject/private/ +/xml/test/qa-functional/data/ActionsTestProject/nbproject/private/ +/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/private/ +/javafx2.samples/FXML-LoginDemo/nbproject/private/ diff --git a/ant.freeform/test/unit/data/example-projects/extbuildroot/proj/nbproject/project.xml b/ant.freeform/test/unit/data/example-projects/extbuildroot/proj/nbproject/project.xml index ba6e351e2..edba41401 100644 --- a/ant.freeform/test/unit/data/example-projects/extbuildroot/proj/nbproject/project.xml +++ b/ant.freeform/test/unit/data/example-projects/extbuildroot/proj/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.ant.freeform</type> <configuration> diff --git a/ant.freeform/test/unit/data/example-projects/extbuildscript/nbproject/project.xml b/ant.freeform/test/unit/data/example-projects/extbuildscript/nbproject/project.xml index 94bcbef79..20b9d1aab 100644 --- a/ant.freeform/test/unit/data/example-projects/extbuildscript/nbproject/project.xml +++ b/ant.freeform/test/unit/data/example-projects/extbuildscript/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.ant.freeform</type> <configuration> diff --git a/ant.freeform/test/unit/data/example-projects/extbuildscript/scripts/build.xml b/ant.freeform/test/unit/data/example-projects/extbuildscript/scripts/build.xml index b856805fc..664237736 100644 --- a/ant.freeform/test/unit/data/example-projects/extbuildscript/scripts/build.xml +++ b/ant.freeform/test/unit/data/example-projects/extbuildscript/scripts/build.xml @@ -1,13 +1,23 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project name="extbuildscript" default="default" basedir="."> </project> diff --git a/ant.freeform/test/unit/data/example-projects/extsrcroot/proj/nbproject/project.xml b/ant.freeform/test/unit/data/example-projects/extsrcroot/proj/nbproject/project.xml index b90e5933b..19cd8d2ff 100644 --- a/ant.freeform/test/unit/data/example-projects/extsrcroot/proj/nbproject/project.xml +++ b/ant.freeform/test/unit/data/example-projects/extsrcroot/proj/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.ant.freeform</type> <configuration> diff --git a/ant.freeform/test/unit/data/example-projects/freeforminside/FreeForm/build.xml b/ant.freeform/test/unit/data/example-projects/freeforminside/FreeForm/build.xml index 6273e82e2..14c1f169e 100644 --- a/ant.freeform/test/unit/data/example-projects/freeforminside/FreeForm/build.xml +++ b/ant.freeform/test/unit/data/example-projects/freeforminside/FreeForm/build.xml @@ -1,4 +1,24 @@ <?xml

```

"1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project basedir="." default="dist" name="simple-freeform-project"> <target name="dist" />
</project> diff --git a/ant.freeform/test/unit/data/example-projects/freeforminside/build.xml b/ant.freeform/test/unit/data/example-
projects/freeforminside/build.xml index 6273e82e2..14c1f169e 100644 --- a/ant.freeform/test/unit/data/example-projects/freeforminside/build.xml +++
b/ant.freeform/test/unit/data/example-projects/freeforminside/build.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the
Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <project basedir="." default="dist" name="simple-freeform-project"> <target name="dist" /> </project> diff --git
a/ant.freeform/test/unit/data/example-projects/freeforminside/nbproject/project.xml b/ant.freeform/test/unit/data/example-
projects/freeforminside/nbproject/project.xml index 9b41d8922..c96e527fb 100644 --- a/ant.freeform/test/unit/data/example-
projects/freeforminside/nbproject/project.xml +++ b/ant.freeform/test/unit/data/example-projects/freeforminside/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml
version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.ant.freeform</type> <configuration> diff --git a/ant.freeform/test/unit/data/example-projects/simple/build.xml
b/ant.freeform/test/unit/data/example-projects/simple/build.xml index 6134d228b..77e118141 100644 --- a/ant.freeform/test/unit/data/example-
projects/simple/build.xml +++ b/ant.freeform/test/unit/data/example-projects/simple/build.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +
<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this
work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <project basedir="." default="dist" name="simple-freeform-project"> <target name="init"> <property file="build.properties"/> diff --git
a/ant.freeform/test/unit/data/example-projects/simple/nbproject/project.xml b/ant.freeform/test/unit/data/example-projects/simple/nbproject/project.xml index
4fdae3cb6..9cd8f0342 100644 --- a/ant.freeform/test/unit/data/example-projects/simple/nbproject/project.xml +++ b/ant.freeform/test/unit/data/example-
projects/simple/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance +
with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to
in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express
or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project
xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.ant.freeform</type> <configuration> diff --git a/ant.freeform/test/unit/data/example-
projects/simple2/nbproject/project.xml b/ant.freeform/test/unit/data/example-projects/simple2/nbproject/project.xml index 9cd05aebc..3702dfbf8 100644 ---
a/ant.freeform/test/unit/data/example-projects/simple2/nbproject/project.xml +++ b/ant.freeform/test/unit/data/example-projects/simple2/nbproject/project.xml
@@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor
license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file +
to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of
the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the
License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +
specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.ant.freeform</type> <configuration> diff --git a/ant.freeform/test/unit/data/example-projects/simple3/build.xml
b/ant.freeform/test/unit/data/example-projects/simple3/build.xml index 6273e82e2..14c1f169e 100644 --- a/ant.freeform/test/unit/data/example-
projects/simple3/build.xml +++ b/ant.freeform/test/unit/data/example-projects/simple3/build.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?>
+<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this
work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. + +--> <project basedir="." default="dist" name="simple-freeform-project"> <target name="dist" /> </project> diff --git
a/ant.freeform/test/unit/data/example-projects/simplewithlicense/build.xml b/ant.freeform/test/unit/data/example-projects/simplewithlicense/build.xml index
8c3b6f0bb..df056ac77 100644 --- a/ant.freeform/test/unit/data/example-projects/simplewithlicense/build.xml +++ b/ant.freeform/test/unit/data/example-
projects/simplewithlicense/build.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance +
with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to
in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express
or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project basedir="." default="all"
name="simplewithlicense"> diff --git a/ant.freeform/test/unit/data/example-projects/simplewithlicense/nbproject/project.xml b/ant.freeform/test/unit/data/example-
projects/simplewithlicense/nbproject/project.xml index e622f3a6a..d8958adb5 100644 --- a/ant.freeform/test/unit/data/example-
projects/simplewithlicense/nbproject/project.xml +++ b/ant.freeform/test/unit/data/example-projects/simplewithlicense/nbproject/project.xml @@ -1,4 +1,24 @@
@<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See
the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.ant.freeform</type> <configuration> diff --git a/ant.freeform/test/unit/src/META-INF/services/org.netbeans.spi.queries.CollocationQueryImplementation
b/ant.freeform/test/unit/src/META-INF/services/org.netbeans.spi.queries.CollocationQueryImplementation index 6959cbf07..d327de214 100644 --- a/ant.freeform/test/unit/src/META-

```



```

INF/services/org.netbeans.spi.queries.CollocationQueryImplementation +++ b/ant.freeform/test/unit/src/META-
INF/services/org.netbeans.spi.queries.CollocationQueryImplementation @@ -1 +1,18 @@ -#-org.netbeans.modules.queries.AlwaysRelativeCollocationQuery +#
Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for
additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may
not use this file except in compliance +# with the License. You may obtain a copy of the License at ++ # http://www.apache.org/licenses/LICENSE-2.0 ++ #
Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and
limitations ++ under the License. ++ #-org.netbeans.modules.queries.AlwaysRelativeCollocationQuery \ No newline at end of file diff --git
a/api.annotations.common/apichanges.xml b/api.annotations.common/apichanges.xml index 3d6755fd7..4ac0a1f86 100644 ---
a/api.annotations.common/apichanges.xml +++ b/api.annotations.common/apichanges.xml @@ -1,48 +1,21 @@ <?xml version="1.0" encoding="UTF-8"?> <!--
Search for CHANGEEME in this document when copying and using it: --> <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -
Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may
be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or
the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License.
You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific
language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include
the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the
GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by
brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -Contributor(s): - -The Original Software is
NetBeans. The Initial Developer of the Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -Microsystems, Inc. All Rights Reserved.
- -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to
include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option
to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if
you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the
copyright holder. + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed
with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the +
"License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at +
http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + --> <?xml-stylesheet type="text/xml" href="CHANGEEME/nbbuild/javadoctools/apichanges.xml"?>
<!DOCTYPE apichanges PUBLIC "-//NetBeans/DTD API changes list 1.0//EN" ".../nbbuild/javadoctools/apichanges.dtd"> diff --git
a/api.annotations.common/external/binaries-list b/api.annotations.common/external/binaries-list index 8298f8fc5..74f1e377c 100644 ---
a/api.annotations.common/external/binaries-list +++ b/api.annotations.common/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See
the License for the # specific language governing permissions and limitations # under the License. -5871FB60DC68D67DA54A663C3FD636A10A532948
jsr305.jar +516C03B21D50A644D538DE0F0369C620989CD8F0 com.google.code.findbugs/jsr305:2.0.0 \ No newline at end of file diff --git
a/api.annotations.common/external/jsr305-2.0.0-license.txt b/api.annotations.common/external/jsr305-2.0.0-license.txt new file mode 100644 index
000000000..53b4a1b25 --- /dev/null +++ b/api.annotations.common/external/jsr305-2.0.0-license.txt @@ -0,0 +1,42 @@ +Name: jsr305-2.0.0.jar +Version: 2.0.0
+Description: JSR305 Annotations for Findbugs +License: BSD +OSR: N/A +Origin:
http://central.maven.org/maven2/com/google/code/findbugs/jsr305/2.0.0/jsr305-2.0.0.jar +Comment: Use of JSR 305 is governed by the terms of the license
below: +Comment: The JSR-305 reference implementation (lib/jsr305.jar) is distributed +Comment: under the terms of the New BSD license: +Comment:
https://opensource.org/licenses/BSD-3-Clause +Comment: See the JSR-305 home page for more information: +Comment: http://code.google.com/p/jsr-305/ + +
+Copyright (c) __YEAR__, __OWNER__ + +All rights reserved. + +Redistribution and use in source and binary forms, with or without +modification, are
permitted provided that the following conditions are met: + +1. Redistributions of source code must retain the above copyright notice, + this list of conditions and
the following disclaimer. +2. Redistributions in binary form must reproduce the above copyright notice, + this list of conditions and the following disclaimer in the
documentation + and/or other materials provided with the distribution. +3. Neither the name of __COPYRIGHT_OWNER__ nor the names + of __PRONOUN__
contributors may be used to endorse or promote products + derived from this software without specific prior written permission. + +THIS SOFTWARE IS
PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" +AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE +IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE +ARE DISCLAIMED. IN
NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE +LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR +CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF +SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS +INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN +CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) +ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE +POSSIBILITY OF SUCH DAMAGE. + diff --git a/api.annotations.common/external/jsr305-2.0.0-
notice.txt b/api.annotations.common/external/jsr305-2.0.0-notice.txt new file mode 100644 index 000000000..a91912ef1 --- /dev/null +++
b/api.annotations.common/external/jsr305-2.0.0-notice.txt @@ -0,0 +1,5 @@ +The Java code in the package javax.annotation.concurrent in jsr305-2.0.0.jar +is
copyright (c) 2005 Brian Goetz and is released under the Creative Commons +Attribution License (http://creativecommons.org/licenses/by/2.5) + +Official home:
http://www.jcip.net \ No newline at end of file diff --git a/api.annotations.common/external/jsr305-license.txt b/api.annotations.common/external/jsr305-license.txt
deleted file mode 100644 index 6d8929c26..000000000 --- a/api.annotations.common/external/jsr305-license.txt +++ /dev/null @@ -1,15 +0,0 @@ -Name:
JSR305 -License: New BSD -Origin: http://repo1.maven.org/maven2/com/google/code/findbugs/jsr305/2.0.0/jsr305-2.0.0.jar -Use of JSR 305 is governed by the
terms of the license below: - -[TEXT OF THE LICENSE] -The JSR-305 reference implementation (lib/jsr305.jar) is -distributed under the terms of the New BSD
license: - - http://www.opensource.org/licenses/bsd-license.php - -See the JSR-305 home page for more information: - - http://code.google.com/p/jsr-305/ diff --git
a/api.annotations.common/nbproject/project.properties b/api.annotations.common/nbproject/project.properties index e17605cf1..9ff142e7b 100644 ---
a/api.annotations.common/nbproject/project.properties +++ b/api.annotations.common/nbproject/project.properties @@ -22,4 +22,4 @@ javac.compilerargs=-
Xlint -Xlint-serial javadoc.arch=${basedir}/arch.xml javadoc.apichanges=${basedir}/apichanges.xml -cp.extra=external/jsr305.jar +cp.extra=external/jsr305-
2.0.0.jar diff --git a/api.annotations.common/src/META-INF/services/javax.annotation.processing.Processor b/api.annotations.common/src/META-
INF/services/javax.annotation.processing.Processor index bac1ed29e..1a17a0264 100644 --- a/api.annotations.common/src/META-
INF/services/javax.annotation.processing.Processor +++ b/api.annotations.common/src/META-INF/services/javax.annotation.processing.Processor @@ -1,42
+1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -# Copyright 2009-2017 Oracle and/or its affiliates. All rights
reserved. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with
this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +#
"License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at ++ # http://www.apache.org/licenses/LICENSE-2.0 ++ #
The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution
License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -#
http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and
limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -#
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2
section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets []
replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" ++ Unless required by applicable law or agreed to in
writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND,
either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. ++ #- Contributor(s): ++ #- The
Original Software is NetBeans. The Initial Developer of the Original ++ Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun ++ Microsystems,
Inc. All Rights Reserved. ++ #- If you wish your version of this file to be governed by only the CDDL ++ or only the GPL Version 2, indicate your decision by
adding ++ #- "[Contributor] elects to include this software in this distribution ++ under the [CDDL or GPL Version 2] license." If you do not indicate a ++ single
choice of license, a recipient has the option to distribute ++ your version of this file under either the CDDL, the GPL Version 2 or ++ to extend the choice of
license to its licensees as provided above. ++ However, if you add GPL Version 2 code and therefore, elected the GPL ++ Version 2 license, then the option applies
only if the
new code is ++ made subject to such option by the copyright holder. org.netbeans.api.annotations.common.proc.StaticResourceProcessor diff --git
a/apisupport.ant/110n.list b/apisupport.ant/110n.list index 223506330..d6e1cd86c 100644 --- a/apisupport.ant/110n.list +++ b/apisupport.ant/110n.list @@ -1,3

```


+1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # + # apisupport/ant read global \${110n-module}/src/**/TemplateNames.properties diff --git a/apisupport.project/110n.list b/apisupport.project/110n.list index 7e470db6c..7f5ed19ee 100644 --- a/apisupport.project/110n.list +++ b/apisupport.project/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # + # apisupport/project read global \${110n-module}/src/org/netbeans/modules/apisupport/project/metainf/*.png diff --git a/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.loaders.UniFileLoader b/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.loaders.UniFileLoader index 7bf40951e..0bdc45162 100644 --- a/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.loaders.UniFileLoader +++ b/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.loaders.UniFileLoader @@ -1 +1,18 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # testRename.MyDataLoader diff --git a/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.util.actions.CookieAction b/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.util.actions.CookieAction index b04a9cdef..661ef22ae 100644 --- a/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.util.actions.CookieAction +++ b/apisupport.refactoring/test/qa-functional/data/testRename/src/META-INF/services/org.openide.util.actions.CookieAction @@ -1 +1,18 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # testRename.WhereUsedAction \ No newline at end of file diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx index 3e05e9603..e93c5039d 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/actionListener.javx @@ -1,41 +1,22 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/callableSystemAction.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/callableSystemAction.javx index 8899d4f98..e4210beff 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/callableSystemAction.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/callableSystemAction.javx @@ -1,41 +1,22 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/contextAction.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/contextAction.javx index 53f4fa31a..2811ef3a9 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/contextAction.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/contextAction.javx @@ -1,41 +1,22 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this

License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/cookieAction.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/cookieAction.javx index 1e0d4556e..341dff2d6 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/cookieAction.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/action/cookieAction.javx @@ -1,41 +1,22 @@<#-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/Bundle.properties b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/Bundle.properties index 66f16f7fb..f8e8e34d0 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/Bundle.properties +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/Bundle.properties @@ -1,42 +1,19 @@<#-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2010 Oracle and/or its affiliates. All rights reserved. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at # -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. - -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" - -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# -"[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. - -# Contributor(s): - -# Portions Copyrighted 2008 Sun Microsystems, Inc. + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. LBL_CodeGeneratorPanel_Title=Code Generator Templates/NetBeansModuleDevelopment/newCodeGenerator=Code Generator diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/codeGenerator.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/codeGenerator.javx index 8634cf86f..1c8458cc8 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/codeGenerator.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/codeGenerator.javx @@ -1,41 +1,22 @@<#-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/contextProvider.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/contextProvider.javx index 349655ea6..78a3edbe0 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/contextProvider.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/codegenerator/contextProvider.javx @@ -1,41 +1,22 @@<#-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-

GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/*" <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.htmx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.htmx index 0d91bd89f..a2264a933 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.htmx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.htmx @@ -1,3 +1,23 @@ @+ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html> <head> <title>\${TEMPLATENAME}</title> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.java index 13e003704..854c9a6fc 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/html/HTML.java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/*" <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-about.html b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-about.html index de5201749..7fa438e94 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-about.html +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-about.html @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "<!--" <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-helpset.xml b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-helpset.xml index 3089876f1..85fdbaf6a 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-helpset.xml +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-helpset.xml @@ -1,42 +1,23 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "<!--" <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-idx.xml b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/java/help/template_myplugin-idx.xml index efe8a4091..977129a74 100644 ---

```

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-idx.xml +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-idx.xml @@ -1,42 +1,23 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All
rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle
and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are
subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL")
(collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -
http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations
under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-
2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -
accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying
information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under
the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License
for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or
only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2]
license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version
2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license,
then the option applies only if the new code is -made subject to such option by the copyright holder. --Contributor(s): --> <#assign licenseFirst = "<!--" > <#assign
licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-map.jhm
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-map.jhm index 10d94d11b..f93c7ef3 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-map.jhm +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-map.jhm @@ -1,42 +1,23 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All
rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle
and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are
subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL")
(collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -
http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations
under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-
2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -
accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying
information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under
the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License
for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or
only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2]
license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version
2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license,
then the option applies only if the new code is -made subject to such option by the copyright holder. --Contributor(s): --> <#assign licenseFirst = "<!--" > <#assign
licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-toc.xml
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-toc.xml index 998a16e86..9ba5d480b 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-toc.xml +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin-toc.xml @@ -1,42 +1,23 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All
rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle
and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are
subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL")
(collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -
http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations
under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-
2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -
accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying
information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under
the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License
for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or
only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2]
license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version
2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license,
then the option applies only if the new code is -made subject to such option by the copyright holder. --Contributor(s): --> <#assign licenseFirst = "<!--" > <#assign
licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin.hs
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin.hs index e4574ba72..58082860b 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin.hs +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahelp/template_myplugin.hs @@ -1,42 +1,23 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All
rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle
and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are
subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL")
(collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -
http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations
under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-
2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -
accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying
information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under
the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License
for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or
only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2]
license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version
2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license,
then the option applies only if the new code is -made subject to such option by the copyright holder. --Contributor(s): --> <#assign licenseFirst = "<!--" > <#assign
licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahint/javaHint.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javaahint/javaHint.javx index 9df06e12c..adc0faafe 100644 ---

```

```

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHint.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHint.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of
their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public
License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except
in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the
License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice
in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as
provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with
the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor]
elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has
the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -
However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such
option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTest.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTest.javx index b09b6cca4..066c61c61 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTest.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTest.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance
+ with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be
trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -
General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice
of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to
its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTestApp.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTestApp.javx index ffc6f168f..d0314a366 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTestApp.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/javahint/javaHintTestApp.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance
+ with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be
trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -
General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice
of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to
its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/librarydescriptor/libdescriptemplate.xml
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/librarydescriptor/libdescriptemplate.xml index ca61acb07..4620de268 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/librarydescriptor/libdescriptemplate.xml +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/librarydescriptor/libdescriptemplate.xml @@ -1,42 +1,23 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All
rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle
and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are
subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL")
(collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -
http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations
under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-
GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License
file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own
identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the
License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the
CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or
GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either
the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore,
elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s):
--> <#assign licenseFirst = "<!--" > <#assign
licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoader.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoader.javx index 51b01f9ea..6c1b11f75 100644 ---

```

```

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoader.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoader.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance +
with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be
trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -
General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoaderBeanInfo.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoaderBeanInfo.javx index c8664870f..ad91b52b3 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoaderBeanInfo.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataLoaderBeanInfo.javx @@ -1,41 +1,22 @@ <!-- DO NOT
ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the
Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -
Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of
either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License").
You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or
nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the
software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular
file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable,
add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year]
[name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions
and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataNode.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataNode.javx index b72960c02..75133d759 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataNode.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataNode.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance +
with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be
trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -
General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObject.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObject.javx index 26caa2b91..6d97d8d1d 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObject.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObject.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance +
with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be
trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -
General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectAnno.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectAnno.javx index 13f682609..eb8e69711 100644 ---

```



```

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectAnno.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectAnno.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER
OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names
may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU
-General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectInLayer.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectInLayer.javx index 0dc6e0659..498b931a4 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectInLayer.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectInLayer.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER
OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names
may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU
-General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMulti.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMulti.javx index bc148c6a5..54ca2c5b2 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMulti.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMulti.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER
OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names
may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU
-General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.forx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.forx index 761bb54e6..cc30159e0 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.forx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.forx @@ -1,5 +1,24 @@ <?xml version="1.0"
encoding="UTF-8" ?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + --> <Form version="1.3" type="org.netbeans.modules.form.forminfo.JPanelFormInfo">
<AuxValues> <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean" value="true"/> diff --git
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.javx index 8c5085d0b..2a900c824 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectMultiVisual.javx @@ -1,41 +1,22 @@ <!-- DO NOT
ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are
registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms
of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -
"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or
nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the
software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file
as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the
following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name
of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"

```

[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectWithLookup.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectWithLookup.java index 1f10806f2..b150f1b54 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectWithLookup.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateDataObjectWithLookup.java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew1 b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew1 index 0d6f364b7..804fa30ff 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew1 +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew1 @@ -1 +1,21 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> sample content \ No newline at end of file diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew2 b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew2 index 52bd0abf9..ca12cf787 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew2 +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateNew2 @@ -1,2 +1,22 @@ -1,22 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root xmlns="{NAMESPACE}"> </root> \ No newline at end of file diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateresolver.xml b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateresolver.xml index ea9ca7b98..60dc41db4 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateresolver.xml +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/loader/templateresolver.xml @@ -1,42 +1,23 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "<!--"> <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleActivator.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleActivator.java index eb29620bc..2be6bec4 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleActivator.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleActivator.java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. + <http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made

subject to such option by the copyright holder. -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleInstall.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleInstall.java index c820fe511..20ea61a5e 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleInstall.java +++ a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/moduleinstall/moduleInstall.java @@ -1,41 +1,22 @@ @<!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginOptionsPanelController b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginOptionsPanelController index ff6b9dc0a..6cee21ed9 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginOptionsPanelController +++ a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginOptionsPanelController @@ -1,41 +1,22 @@ @<!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginPanel b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginPanel index 207e34e9b..6d33469d1 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginPanel +++ a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_mypluginPanel @@ -1,41 +1,22 @@ @<!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_myplugin_formPanel b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_myplugin_formPanel index 358ae7280..0a26af4cd 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_myplugin_formPanel +++ a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/options/template_myplugin_formPanel @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <Form version="1.3" type="org.netbeans.modules.form.forminfo.JPanelFormInfo"> <Properties> </Properties> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateDescription.html b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateDescription.html index a82633025..8c7f01ce1 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateDescription.html +++ a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateDescription.html @@ -1,41 +1,22 @@ @<!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding

copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "<!--" >#assign licensePrefix = ""> diff -git

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.frmx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.frmx index ddc424bbf..b44c0c682 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.frmx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.frmx @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <Form version="1.3" type="org.netbeans.modules.form.forminfo.JPanelFormInfo">
<AuxValues> <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean" value="true"/> diff -git

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.javx index 316f0968d..e32f5508d 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templatePanelVisual.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/">#assign licensePrefix = " * "> diff -git

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardIterator.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardIterator.javx index 05d47ad67..3056d7377 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardIterator.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardIterator.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/">#assign licensePrefix = " * "> diff -git

a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardPanel.javx
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardPanel.javx index 923337aeb..af83b9a01 100644 ---
a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardPanel.javx +++
b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/project/templateWizardPanel.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license

agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/quicksearch/quickSearch.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/quicksearch/quickSearch.javx index d14baf96b..5ab08a285 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/quicksearch/quickSearch.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/quicksearch/quickSearch.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/updatecenter/update_center.xml b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/updatecenter/update_center.xml index 510a58c3f..ffe1e6be2 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/updatecenter/update_center.xml +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/updatecenter/update_center.xml @@ -1,42 +1,23 @@ <?xml version="1.0"?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"!-> <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateAction.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateAction.javx index b56be3c41..67533abe2 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateAction.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateAction.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateSettings.xml b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateSettings.xml index 5f0f155e3..3f5a9d23f 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateSettings.xml +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateSettings.xml @@ -1,42 +1,23 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License

for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "<!--"> <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.frmx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.frmx index 761bb54e6..cc30159e0 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.frmx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.frmx @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <Form version="1.3" type="org.netbeans.modules.form.forminfo.JPanelFormInfo"> <AuxValues> <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean" value="true"/> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.java index 77a941ccd..26aaa20d1 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent.java @@ -1,41 +1,22 @@ -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding - "[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = ""*> <#assign licensePrefix = ""*> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent637.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent637.java index 4c0b88847..83e54a0d3 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent637.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponent637.java @@ -1,41 +1,22 @@ -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding - "[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = ""*> <#assign licensePrefix = ""*> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponentAnno.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponentAnno.java index 5cf0607b0..7b7a725fc 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponentAnno.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateTopComponentAnno.java @@ -1,41 +1,22 @@ -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding - "[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = ""*> <#assign licensePrefix = ""*> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateWstcref.xml b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateWstcref.xml index 8ff8ae080..fa083045e 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateWstcref.xml +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/templateWstcref.xml @@ -1,41 +1,23 @@ -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with

this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "<!--" > <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/instantiatingIterator.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/instantiatingIterator.java index 2deac0f1f..a7426ed23 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/instantiatingIterator.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/instantiatingIterator.java @@ -1,41 +1,22 @@ <#-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/sampleAction.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/sampleAction.java index 1f357091c..be6676f85 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/sampleAction.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/sampleAction.java @@ -1,41 +1,22 @@ <#-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.forx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.forx index 761bb54e6..cc30159e0 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.forx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.forx @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <Form version="1.3" type="org.netbeans.modules.form.forminfo.JPanelFormInfo"> <AuxValues> <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean" value="true"/> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.java b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.java index 43bf23072..e6b554b4a 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.java +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/visualPanel.java @@ -1,41 +1,22 @@ <#-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the

License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. - However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardDescription.html b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardDescription.html index a4d0abacb..a3b6c7b15 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardDescription.html +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardDescription.html @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "<!--"> <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.fmk b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.fmk index d3fd2a978..29b33ee77 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.fmk +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.fmk @@ -1 +1,21 @@ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> You are feeling \${"\${}"}! diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.html b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.html index 5193eabce..1c1c49fe6 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.html +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.html @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "<!--"> <#assign licensePrefix = ""> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.javx index 36315a7c0..a15fd627e 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardHTML.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardIterator.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardIterator.javx index 58ce93356..12304801d 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardIterator.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardIterator.javx @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or

nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: "Portions Copyrighted [year] [name of copyright owner]" -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -" [Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardPanel.javx b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardPanel.javx index ff463e79d..f741796a3 100644 --- a/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardPanel.javx +++ b/apisupport.wizards/src/org/netbeans/modules/apisupport/project/ui/wizard/wizard/wizardPanel.javx @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + <http://www.apache.org/licenses/LICENSE-2.0> -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/apisupport.wizards/test/unit/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/testWsmode.xml b/apisupport.wizards/test/unit/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/testWsmode.xml index 8cb18e9ce..07954d9b6 100644 --- a/apisupport.wizards/test/unit/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/testWsmode.xml +++ b/apisupport.wizards/test/unit/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/testWsmode.xml +++ b/apisupport.wizards/test/unit/src/org/netbeans/modules/apisupport/project/ui/wizard/winsys/testWsmode.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <mode version="2.4"> <name unique="nadexplorer" /> <kind type="view" /> diff --git a/applemenu/build.xml b/applemenu/build.xml index 7c75eb1ff..33a14cc15 100644 --- a/applemenu/build.xml +++ b/applemenu/build.xml @@ -23,36 +23,11 @@ <project name="applemenu" basedir="." default="netbeans"> <import file="..nbbuild/templates/projectized.xml"/> <property name="jdk-version" value="\${ant.java.version}"/> <property name="jdk9-version" value="1.9"/> <property name="applemenu.src.dir" value="..src"/> <target name="compile" depends="projectized-common.compile"> <delete dir="\${build.classes.dir}/com"/> <!-- just stubs --> <delete dir="\${build.classes.dir}/java"/> <!-- just stubs --> <target name="ext-desktop-classes-unzip-cond"> <script language="javascript"><![CDATA[- var jdkCurrentVersion = parseFloat(project.getProperty("jdk-version")); - var jdk9Version = parseFloat(project.getProperty("jdk9-version")); - project.setProperty("isJdkVersionLessth9", jdkCurrentVersion < jdk9Version); -]]></script> <condition property="isJdkVersionLessth9"> <equals arg1="\${isJdkVersionLessth9}" arg2="true"/> </condition> <target name="unzip-ext-binaries" depends="ext-desktop-classes-unzip-cond" if="\${isJdkVersionLessth9}"> <echo>Get file based on condition being false</echo> </target> <target name="build-init" depends="ext-desktop-classes-unzip-cond,projectized.build-init" if="\${isJdkVersionLessth9}"> <unzip src="external/applemenu-external-desktop-classes.zip" dest="\${applemenu.src.dir}"/> <target name="build-init" depends="projectized.build-init"> <mkdir dir="\${build.dir}/desktop-classes-src"/> <unzip src="external/applemenu-external-desktop-classes.zip" dest="\${build.dir}/desktop-classes-src"/> <mkdir dir="\${build.dir}/desktop-classes-classes"/> <javac srcdir="\${build.dir}/desktop-classes-src" destdir="\${build.dir}/desktop-classes-classes"/> </target> </project> diff --git a/applemenu/external/applemenu-external-desktop-classes-license.txt b/applemenu/external/applemenu-external-desktop-classes-license.txt new file mode 100644 index 000000000..119492fa4 --- /dev/null +++ b/applemenu/external/applemenu-external-desktop-classes-license.txt @@ -0,1 +1,832 @@ +Name: External Desktop Classes +Version: 8.2 +License: CDDL-GPL-2-CP +Origin: NetBeans +Comment: Provides java.awt.desktop classes to support compilation on JDK 8. + +COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 + +1. Definitions. + +1.1. "Contributor" means each individual or entity that +creates or contributes to the creation of Modifications. + +1.2. "Contributor Version" means the combination of the +Original Software, prior Modifications used by a +Contributor (if any), and the Modifications made by that +particular Contributor. + +1.3. "Covered Software" means (a) the Original Software, or +(b) Modifications, or (c) the combination of files +containing Original Software with files containing +Modifications, in each case including portions thereof. + +1.4. "Executable" means the Covered Software in any form +other than Source Code. + +1.5. "Initial Developer" means the individual or entity +that first makes Original Software available under this +License. + +1.6. "Larger Work" means a work which combines Covered +Software or portions thereof with code not governed by the +terms of this License. + +1.7. "License" means this document. + +1.8. "Licensable" means having the right to grant, to the +maximum extent possible, whether at the time of the initial +grant or subsequently acquired, any and all of the rights +conveyed herein. + +1.9. "Modifications" means the Source Code and Executable +form of any of the following: + +A. Any file that results from an addition to, +deletion from or modification of the contents of a +file containing Original Software or previous +Modifications; + +B. Any new file that contains any part of the +Original Software or previous Modification; or + +C. Any new file that is contributed or otherwise made +available under the terms of this License. + +1.10. "Original Software" means the Source Code and +Executable form of computer software code that is +originally released under this License. + +1.11. "Patent Claims" means any patent claim(s), now owned +or hereafter acquired, including without limitation, +method, process, and apparatus claims, in any patent +Licensable by grantor. + +1.12. "Source Code" means (a) the common form of computer +software code in which modifications are made and (b) +associated documentation included in or with such code. + +1.13. "You" (or "Your") means an individual or a legal +entity exercising rights under, and complying with all of +the terms of, this License. For legal entities, "You" +includes any entity which controls, is controlled by, or is +under common control with You. For purposes of this +definition, "control" means (a) the power, direct or +indirect, to cause the direction or management of such +entity, whether by contract or otherwise, or (b) ownership +of more than fifty percent (50%) of the outstanding shares +or beneficial ownership of such entity. + +2. License Grants. + +2.1. The Initial Developer Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to third party intellectual property claims, the +Initial Developer hereby grants You a world-wide, +royalty-free, non-exclusive license: + +(a) under intellectual property rights (other than +patent or trademark) Licensable by Initial Developer, +to use, reproduce, modify, display, perform, +sublicense and distribute the Original Software (or +portions thereof), with or without Modifications, +and/or as part of a Larger Work; and + +(b) under Patent Claims infringed by the making, +using or selling of Original Software, to make, have +made, use, practice, sell, and offer for sale, and/or +otherwise dispose of the Original Software (or +portions thereof). + +(c) The licenses granted in Sections 2.1(a) and (b) +are effective on the date Initial Developer first +distributes or otherwise makes the Original Software +available to a third party under the terms of this +License. + +(d) Notwithstanding Section 2.1(b) above, no patent +license is granted: (1) for code that You delete from +the Original Software, or (2) for infringements +caused by: (i) the modification of the Original +Software, or (ii) the combination of the Original +Software with other software or devices. + +2.2. Contributor Grant. + +Conditioned upon Your compliance with Section 3.1 below and +subject to

third party intellectual property claims, each +Contributor hereby grants You a world-wide, royalty-free, +non-exclusive license: + (a) under intellectual property rights (other than +patent or trademark) Licensable by Contributor to +use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such +Contributor (or portions thereof), either on an +unmodified basis, with other Modifications, as +Covered Software and/or as part of a Larger Work; and + (b) under Patent Claims infringed by the making, +using, or selling of Modifications made by that +Contributor either alone and/or in combination with +its Contributor Version (or portions of such +combination), to make, use, sell, offer for sale, +have made, and/or otherwise dispose of: (1) +Modifications made by that Contributor (or portions +thereof); and (2) the combination of Modifications +made by that Contributor with its Contributor Version +(or portions of such combination). + (c) The licenses granted in Sections 2.2(a) and +2.2(b) are effective on the date Contributor first +distributes or otherwise makes the Modifications +available to a third party. + (d) Notwithstanding Section 2.2(b) above, no patent +license is granted: (1) for any code that Contributor +has deleted from the Contributor Version; (2) for +infringements caused by: (i) third party +modifications of Contributor Version, or (ii) the +combination of Modifications made by that Contributor +with other software (except as part of the +Contributor Version) or other devices; or (3) under +Patent Claims infringed by Covered Software in the +absence of Modifications made by that Contributor. + 3. Distribution Obligations. + 3.1. Availability of Source Code. + +Any Covered Software that You distribute or otherwise make +available in Executable form must also be made available in +Source Code form and that Source Code form must be +distributed only under the terms of this License. You must +include a copy of this License with every copy of the +Source Code form of the Covered Software You distribute or +otherwise make available. You must inform recipients of any +such Covered Software in Executable form as to how they can +obtain such Covered Software in Source Code form in a +reasonable manner on or through a medium customarily used +for software exchange. + 3.2. Modifications. + +The Modifications that You create or to which You +contribute are governed by the terms of this License. You +represent that You believe Your Modifications are Your +original creation(s) and/or You have sufficient rights to +grant the rights conveyed by this License. + 3.3. Required Notices. + +You must include a notice in each of Your Modifications +that identifies You as the Contributor of the Modification. +You may not remove or alter any copyright, patent or +trademark notices contained within the Covered Software, or +any notices of licensing or any descriptive text giving +attribution to any Contributor or the Initial Developer. + 3.4. Application of Additional Terms. + +You may not offer or impose any terms on any Covered +Software in Source Code form that alters or restricts the +applicable version of this License or the recipients' +rights hereunder. You may choose to offer, and to charge a +fee for, warranty, support, indemnity or liability +obligations to one or more recipients of Covered Software. +However, you may do so only on Your own behalf, and not on +behalf of the Initial Developer or any Contributor. You +must make it absolutely clear that any such warranty, +support, indemnity or liability obligation is offered by +You alone, and You hereby agree to indemnify the Initial +Developer and every Contributor for any liability incurred +by the Initial Developer or such Contributor as a result of +warranty, support, indemnity or liability terms You offer. + 3.5. Distribution of Executable Versions. + +You may distribute the Executable form of the Covered +Software under the terms of this License or under the terms +of a license of Your choice, which may contain terms +different from this License, provided that You are in +compliance with the terms of this License and that the +license for the Executable form does not attempt to limit +or alter the recipient's rights in the Source Code form +from the rights set forth in this License. If You +distribute the Covered Software in Executable form under a +different license, You must make it absolutely clear that +any terms which differ from this License are offered by You +alone, not by the Initial Developer or Contributor. You +hereby agree to indemnify the Initial Developer and every +Contributor for any liability incurred by the Initial +Developer or such Contributor as a result of any such terms +You offer. + 3.6. Larger Works. + +You may create a Larger Work by combining Covered Software +with other code not governed by the terms of this License +and distribute the Larger Work as a single product. In such +a case, You must make sure the requirements of this License +are fulfilled for the Covered Software. + 4. Versions of the License. + 4.1. New Versions. + +Sun Microsystems, Inc. is the initial license steward and +may publish revised and/or new versions of this License +from time to time. Each version will be given a +distinguishing version number. Except as provided in +Section 4.3, no one other than the license steward has the +right to modify this License. + 4.2. Effect of New Versions. + +You may always continue to use, distribute or otherwise +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. If the Initial Developer includes a +notice in the Original Software prohibiting it from being +distributed or otherwise made available under any +subsequent version of the License, You must distribute and +make the Covered Software available under the terms of the +version of the License under which You originally received +the Covered Software. Otherwise, You may also choose to +use, distribute or otherwise make the Covered Software +available under the terms of any subsequent version of the +License published by the license steward. + 4.3. Modified Versions. + +When You are an Initial Developer and You want to create a +new license for Your Original Software, You may create and +use a modified version of this License if You: (a) rename +the license and remove any references to the name of the +license steward (except to note that the license differs +from this License); and (b) otherwise make it clear that +the license contains terms which differ from this License. + 5. DISCLAIMER OF WARRANTY. + +COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" +BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, +INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED +SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR +PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND +PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY +COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE +INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF +ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF +WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF +ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS +DISCLAIMER. + 6. TERMINATION. + 6.1. This License and the rights granted hereunder will +terminate automatically if You fail to comply with terms +herein and fail to cure such breach within 30 days of +becoming aware of the breach. Provisions which, by their +nature, must remain in effect beyond the termination of +this License shall survive. + 6.2. If You assert a patent infringement claim (excluding +declaratory judgment actions) against Initial Developer or +a Contributor (the Initial Developer or Contributor against +whom You assert such claim is referred to as "Participant") +alleging that the Participant Software (meaning the +Contributor Version where the Participant is a Contributor +or the Original Software where the Participant is the +Initial Developer) directly or indirectly infringes any +patent, then any and all rights granted directly or +indirectly to You by such Participant, the Initial +Developer (if the Initial Developer is not the Participant) +and all Contributors under Sections 2.1 and/or 2.2 of this +License shall, upon 60 days notice from Participant +terminate prospectively and automatically at the expiration +of such 60 day notice period, unless if within such 60 day +period You withdraw Your claim with respect to the +Participant Software against such Participant either +unilaterally or pursuant to a written agreement with +Participant. + 6.3. If You assert a patent infringement claim against +Participant alleging that the Participant Software directly +or indirectly infringes any patent where such claim is +resolved (such as by license or settlement) prior to the +initiation of patent infringement litigation, then the +reasonable value of the licenses granted by such Participant +under Sections 2.1 or 2.2 shall be taken into account in +determining the amount or value of any payment or license. + 6.4. In the event of termination under Sections 6.1 or 6.2 +above, all end user licenses that have been validly granted +by You or any distributor hereunder prior to termination +(excluding licenses granted to You by any distributor) +shall survive termination. + 7. LIMITATION OF LIABILITY. + +UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT +(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE +INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF +COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE +LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR +CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT +LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK +STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER +COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN +INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF +LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL +INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT +APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO +NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR +CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT +APPLY TO YOU. + 8. U.S. GOVERNMENT END USERS. + +The Covered Software is a "commercial item," as that term is +defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial +computer software" (as that term is defined at 48 C.F.R. +§ 252.227-7014(a)(1)) and "commercial computer software +documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. +1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 +through 227.7202-4 (June 1995), all U.S. Government End Users +acquire Covered Software with only those rights set forth herein. +This U.S. Government Rights clause is in lieu of, and supersedes, +any other FAR, DFAR, or other clause or provision that addresses +Government rights in computer software under this License. + 9. MISCELLANEOUS. + +This License represents the complete agreement concerning subject +matter hereof. If any provision of this License is held to be +unenforceable, such provision shall be reformed only to the +extent necessary to make it enforceable. This License shall be +governed by the law of the jurisdiction specified in a notice +contained within the Original Software (except to the extent +applicable law, if any, provides otherwise), excluding such +jurisdiction's conflict-of-law provisions. Any litigation +relating to this License shall be subject to the jurisdiction of +the courts located in the jurisdiction and venue specified in a +notice contained within the Original Software, with the losing +party responsible for costs, including, without limitation, court +costs and reasonable attorneys' fees and expenses. The +application of the United Nations Convention on Contracts for the +International Sale of Goods is expressly excluded. Any law or +regulation which provides that the language of a contract shall +be construed against the drafter shall not apply to this License. +You agree that You alone are responsible for compliance with the +United States export administration regulations (and the export +control laws and regulation of any other countries) when You use, +distribute or otherwise make available any Covered Software. + 10. RESPONSIBILITY FOR CLAIMS. + +As between Initial Developer and the Contributors, each party is +responsible for claims and damages arising, directly or +indirectly, out of its utilization of rights under this License +and You agree to work with Initial Developer and Contributors to +distribute such responsibility on an equitable basis. Nothing +herein is intended or shall be deemed to constitute any admission +of liability. + NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND +DISTRIBUTION LICENSE (CDDL) + +The code released under the CDDL shall be governed by the laws +of the State of California (excluding conflict-of-law

provisions). +Any litigation relating to this License shall be subject to the +jurisdiction of the Federal Courts of the Northern District of +California and the state courts of the State of California, with +venue lying in Santa Clara County, California. + + +The GNU General Public License (GPL) +Version 2, June 1991 + + Copyright (C) 1989, 1991 Free Software Foundation, Inc. + 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA + Everyone is permitted to copy and distribute verbatim + copies of this license document, but changing it is not + allowed. + + Preamble + +The licenses for most software are designed to take away +your freedom to share and change it. By contrast, the GNU +General Public License is intended to guarantee your freedom +to share and change free software--to make sure the software +is free for all its users. This General Public License +applies to most of the Free Software Foundation's software +and to any other program whose authors commit to using it. +(Some other Free Software Foundation software is covered by +the GNU Library General Public License instead.) You can +apply it to your programs, too. + +When we speak of free software, we are referring to freedom, +not price. Our General Public Licenses are designed to make +sure that you have the freedom to distribute copies of free +software (and charge for this service if you wish), that you +receive source code or can get it if you want it, that you +can change the software or use pieces of it in new free +programs; and that you know you can do these things. + +To protect your rights, we need to make restrictions that +forbid anyone to deny you these rights or to ask you to +surrender the rights. These restrictions translate to +certain responsibilities for you if you distribute copies of +the software, or if you modify it. + +For example, if you distribute copies of such a program, +whether gratis or for a fee, you must give the recipients +all the rights that you have. You must make sure that they, +too, receive or can get the source code. And you must show +them these terms so they know their rights. + +We protect your rights with two steps: (1) copyright the +software, and (2) offer you this license which gives you +legal permission to copy, distribute and/or modify the +software. + +Also, for each author's protection and ours, we want to make +certain that everyone understands that there is no warranty +for this free software. If the software is modified by +someone else and passed on, we want its recipients to know +that what they have is not the original, so that any +problems introduced by others will not reflect on the +original authors' reputations. + +Finally, any free program is threatened constantly by +software patents. We wish to avoid the danger that +redistributors of a free program will individually obtain +patent licenses, in effect making the program proprietary. +To prevent this, we have made it clear that any patent must +be licensed for everyone's free use or not licensed at all. + +The precise terms and conditions for copying, distribution +and modification follow. + +TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND +MODIFICATION + +0. This License applies to any program or other work which +contains a notice placed by the copyright holder saying it +may be distributed under the terms of this General Public +License. The "Program", below, refers to any such program or +work, and a "work based on the Program" means either the +Program or any derivative work under copyright law: that is +to say, a work containing the Program or a portion of it, +either verbatim or with modifications and/or translated into +another language. (Hereinafter, translation is included +without limitation in the term "modification".) Each +licensee is addressed as "you". + +Activities other than copying, distribution and modification +are not covered by this License; they are outside its scope. +The act of running the Program is not restricted, and the +output from the Program is covered only if its contents +constitute a work based on the Program (independent of +having been made by running the Program). Whether that is +true depends on what the Program does. + +1. You may copy and distribute verbatim copies of the +Program's source code as you receive it, in any medium, +provided that you conspicuously and appropriately publish on +each copy an appropriate copyright notice and disclaimer of +warranty; keep intact all the notices that refer to this +License and to the absence of any warranty; and give any +other recipients of the Program a copy of this License along +with the Program. + +You may charge a fee for the physical act of transferring a +copy, and you may at your option offer warranty protection +in exchange for a fee. + +2. You may modify your copy or copies of the Program or any +portion of it, thus forming a work based on the Program, and +copy and distribute such modifications or work under the +terms of Section 1 above, provided that you also meet all of +these conditions: + + a) You must cause the modified files to carry prominent + notices stating that you changed the files and the date + of any change. + + b) You must cause any work that you distribute or + publish, that in whole or in part contains or is derived + from the Program or any part thereof, to be licensed as + a whole at no charge to all third parties under the + terms of this License. + + c) If the modified program normally reads commands + interactively when run, you must cause it, when started + running for such interactive use in the most ordinary + way, to print or display an announcement including an + appropriate copyright notice and a notice that there is + no warranty (or else, saying that you provide a + warranty) and that users may redistribute the program + under these conditions, and telling the user how to view + a copy of this License. (Exception: if the Program + itself is interactive but does not normally print such + an announcement, your work based on the Program is not + required to print an announcement.) + +These requirements apply to the modified work as a whole. If +identifiable sections of that work are not derived from the +Program, and can be reasonably considered independent and +separate works in themselves, then this License, and its +terms, do not apply to those sections when you distribute +them as separate works. But when you distribute the same +sections as part of a whole which is a work based on the +Program, the distribution of the whole must be on the terms +of this License, whose permissions for other licensees +extend to the entire whole, and thus to each and every part +regardless of who wrote it. + +Thus, it is not the intent of this section to claim rights +or contest your rights to work written entirely by you; +rather, the intent is to exercise the right to control the +distribution of derivative or collective works based on the +Program. + +In addition, mere aggregation of another work not based on +the Program with the Program (or with a work based on the +Program) on a volume of a storage or distribution medium +does not bring the other work under the scope of this +License. + +3. You may copy and distribute the Program (or a work based +on it, under Section 2) in object code or executable form +under the terms of Sections 1 and 2 above provided that you +also do one of the following: + + a) Accompany it with the complete corresponding + machine-readable source code, which must be distributed + under the terms of Sections 1 and 2 above on a medium + customarily used for software interchange; or, + + b) Accompany it with a written offer, valid for at least + three years, to give any third party, for a charge no + more than your cost of physically performing source + distribution, a complete machine-readable copy of the + corresponding source code, to be distributed under the + terms of Sections 1 and 2 above on a medium customarily + used for software interchange; or, + + c) Accompany it with the information you received as to + the offer to distribute corresponding source code. (This + alternative is allowed only for noncommercial + distribution and only if you received the program in + object code or executable form with such an offer, in + accord with Subsection b above.) + +The source code for a work means the preferred form of the +work for making modifications to it. For an executable work, +complete source code means all the source code for all +modules it contains, plus any associated interface +definition files, plus the scripts used to control +compilation and installation of the executable. However, as +a special exception, the source code distributed need not +include anything that is normally distributed (in either +source or binary form) with the major components (compiler, +kernel, and so on) of the operating system on which the +executable runs, unless that component itself accompanies +the executable. + +If distribution of executable or object code is made by +offering access to copy from a designated place, then +offering equivalent access to copy the source code from the +same place counts as distribution of the source code, even +though third parties are not compelled to copy the source +along with the object code. + +4. You may not copy, modify, sublicense, or distribute the +Program except as expressly provided under this License. Any +attempt otherwise to copy, modify, sublicense or distribute +the Program is void, and will automatically terminate your +rights under this License. However, parties who have +received copies, or rights, from you under this License will +not have their licenses terminated so long as such parties +remain in full compliance. + +5. You are not required to accept this License, since you +have not signed it. However, nothing else grants you +permission to modify or distribute the Program or its +derivative works. These actions are prohibited by law if you +do not accept this License. Therefore, by modifying or +distributing the Program (or any work based on the Program), +you indicate your acceptance of this License to do so, and +all its terms and conditions for copying, distributing or +modifying the Program or works based on it. + +6. Each time you redistribute the Program (or any work based +on the Program), the recipient automatically receives a +license from the original licensor to copy, distribute or +modify the Program subject to these terms and conditions. +You may not impose any further restrictions on the +recipients' exercise of the rights granted herein. You are +not responsible for enforcing compliance by third parties to +this License. + +7. If, as a consequence of a court judgment or allegation of +patent infringement or for any other reason (not limited to +patent issues), conditions are imposed on you (whether by +court order, agreement or otherwise) that contradict the +conditions of this License, they do not excuse you from the +conditions of this License. If you cannot distribute so as +to satisfy simultaneously your obligations under this +License and any other pertinent obligations, then as a +consequence you may not distribute the Program at all. For +example, if a patent license would not permit royalty-free +redistribution of the Program by all those who receive +copies directly or indirectly through you, then the only way +you could satisfy both it and this License would be to +refrain entirely from distribution of the Program. + +If any portion of this section is held invalid or +unenforceable under any particular circumstance, the balance +of the section is intended to apply and the section as a +whole is intended to apply in other circumstances. + +It is not the purpose of this section to induce you to +infringe any patents or other property right claims or to +contest validity of any such claims; this section has the +sole purpose of protecting the integrity of the free +software distribution system, which is implemented by public +license practices. Many people have made generous +contributions to the wide range of software distributed +through that system in reliance on consistent application of +that system; it is up to the author/donor to decide if he or +she is willing to distribute software through any other +system and a licensee cannot impose that choice. + +This section is intended to make thoroughly clear what is +believed to be a consequence of the rest of this License. + +8. If the distribution and/or use of the Program is +restricted in certain countries either by patents or by +copyrighted interfaces, the original copyright holder who +places the Program under this License may add an explicit +geographical distribution limitation excluding those +countries, so that distribution is permitted only in or +among countries not thus excluded. In such case, this +License incorporates the limitation as if written in the +body of this License. + +9. The Free Software Foundation may publish revised and/or +new versions of the General Public License from time to +time. Such new versions will be similar in spirit to the +present version, but may differ in detail to address new +problems or concerns. + +Each version is given a distinguishing version number. If +the Program specifies a version number of this License which +applies to it and "any later version", you have the option +of following the terms and conditions either of that version +or of any later version published by the Free Software +Foundation. If the Program does not specify a version number +of this License, you may choose any version ever published +by the Free Software Foundation. + +10. If you wish to incorporate parts of the Program into +other free programs whose distribution conditions are +different, write to the author to ask for permission. For +software which is copyrighted by the Free Software +Foundation, write to the Free Software Foundation; we +sometimes make exceptions for this. Our decision will be +guided by the two goals of preserving the free status of all +derivatives of our free software and of promoting the

+sharing and reuse of software generally. + +NO WARRANTY + +11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS +NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY +APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE +COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM + "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR +IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED +WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR +PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE +OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE +DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, +REPAIR OR CORRECTION. + +12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED +TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY +WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED +ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, +SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF +THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT +LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR +LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE +PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH +HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF +SUCH DAMAGES. + + END OF TERMS AND CONDITIONS + + How to Apply These Terms to Your New Programs + +If you develop a new program, and you want it to be of the +greatest possible use to the public, the best way to achieve +this is to make it free software which everyone can +redistribute and change under these terms. + +To do so, attach the following notices to the program. It is +safest to attach them to the start of each source file to +most effectively convey the exclusion of warranty; and each +file should have at least the "copyright" line and a pointer +to where the full notice is found. + + One line to give the program's name and a brief idea of + what it does. Copyright (C) <year> <name of author> + + This program is free software; you can redistribute it + and/or modify it under the terms of the GNU General + Public License as published by the Free Software + Foundation; either version 2 of the License, or (at your + option) any later version. + + This program is distributed in the hope that it will be + useful, but WITHOUT ANY WARRANTY; without even the + implied warranty of MERCHANTABILITY or FITNESS FOR A + PARTICULAR PURPOSE. See the GNU General Public License + for more details. + + You should have received a copy of the GNU General + Public License along with this program; if not, write to + the Free Software Foundation, Inc., 59 Temple Place, + Suite 330, Boston, MA 02111-1307 USA + +Also add information on how to contact you by electronic and +paper mail. + +If the program is interactive, make it output a short notice +like this when it starts in an interactive mode: + + Gnomovision version 69, Copyright (C) year name of + author Gnomovision comes with ABSOLUTELY NO WARRANTY; + for details type `show w'. This is free software, and + you are welcome to redistribute it under certain + conditions; type `show c' for details. + +The hypothetical commands `show w' and `show c' should show +the appropriate parts of the General Public License. Of +course, the commands you use may be called something other +than `show w' and `show c'; they could even be mouse-clicks +or menu items-- whatever suits your program. + +You should also get your employer (if you work as a +programmer) or your school, if any, to sign a "copyright +disclaimer" for the program, if necessary. Here is a sample; +alter the names: + + Yoyodyne, Inc., hereby disclaims all copyright interest in + the program 'Gnomovision' (which makes passes at + compilers) written by James Hacker. + + signature of Ty Coon, 1 April 1989 + Ty Coon, President of Vice + +This General Public License does not permit incorporating +your program into proprietary programs. If your program is +a subroutine library, you may consider it more useful to +permit linking proprietary applications with the library. If +this is what you want to do, use the GNU Library General +Public License instead of this License. + + "CLASSPATH" EXCEPTION TO THE GPL VERSION 2 + + Certain source files distributed by Sun Microsystems, Inc. +are subject to the following clarification and special +exception to the GPL Version 2, but only where Sun has expressly +included in the particular source file's header the words + "Sun designates this particular file as subject to the + "Classpath" exception as provided by Sun in the License file +that accompanied this code." + +Linking this library statically or dynamically with other +modules is making a combined work based on this library. +Thus, the terms and conditions of the GNU General Public +License Version 2 cover the whole combination. + +As a special exception, the copyright holders of this +library give you permission to link this library with +independent modules to produce an executable, regardless of +the license terms of these independent modules, and to copy +and distribute the resulting executable under terms of your +choice, provided that you also meet, for each linked +independent module, the terms and conditions of the license +of that module. An independent module is a module which is +not derived from or based on this library. If you modify +this library, you may extend this exception to your version +of the library, but you are not obligated to do so. If you +do not wish to do so, delete this exception statement from +your version. diff --git a/applemenu/external/binaries-list b/applemenu/external/binaries-list index 635a78de2..8463b994d 100644 --- a/applemenu/external/binaries-list +++ b/applemenu/external/binaries-list @@ -15,3 +15,4 @@ # specific language governing permissions and limitations # under the License. 1D14F4B56AD34841339698565B17BBAE755B0E61 applemenu-external-desktop-classes.zip +9A7C8D43E0ECC6ACED43970512FF42EF0717DC7C com.massframework:orange-extensions:1.3.1 diff --git a/applemenu/external/orange-extensions-1.3.1-license.txt b/applemenu/external/orange-extensions-1.3.1-license.txt new file mode 100644 index 000000000..26279816e --- /dev/null +++ b/applemenu/external/orange-extensions-1.3.1-license.txt @@ -0,1 +36 @@ +Name: Orange Extensions +Version: 1.3.1 +License: BSD +Description: com.apple classes for cross-compilation. + +This jar was created by decompiling AppleJavaExtensions.jar (completely consistent +with its BSD-like license), and adding the new Java 5 methods. + +Apple's license does not specify that their copyright notice should be included +in modified versions (only complete, unmodified ones), so I'm putting it under 3-clause +BSD just to protect myself from liability. + +Copyright (c) 2010, Yuvi Masory +All rights reserved. + +Redistribution and use in source and binary forms, with or without +modification, are permitted provided that the following conditions are met: + * Redistributions of source code must retain the above copyright + notice, this list of conditions and the following disclaimer. + * Redistributions in binary form must reproduce the above copyright + notice, this list of conditions and the following disclaimer in the + documentation and/or other materials provided with the distribution. + * Neither the name Yuvi Masory nor the + names of other contributors may be used to endorse or promote products + derived from this software without specific prior written permission. + +THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND +ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED +WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE +DISCLAIMED. IN NO EVENT SHALL Yuvi Masory BE LIABLE FOR ANY +DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES +(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; +LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND +ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT + (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS +SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. diff --git a/applemenu/nbproject/project.properties b/applemenu/nbproject/project.properties index 64ab6bdfc..a06a886f8 100644 --- a/applemenu/nbproject/project.properties +++ b/applemenu/nbproject/project.properties @@ -19,3 +19,5 @@ javac.compilerargs=-Xlint -Xlint:serial javac.source=1.6 nbm.needs.restart=true is.eager=true +cp.extra=external/orange-extensions-1.3.1.jar +bootclasspath.prepend=\${build.dir}/desktop-classes-classes \ No newline at end of file diff --git a/applemenu/src/com/apple/ewawt/AboutHandler.java b/applemenu/src/com/apple/ewawt/AboutHandler.java deleted file mode 100644 index 4c24e05ad..000000000 --- a/applemenu/src/com/apple/ewawt/AboutHandler.java +++ /dev/null @@ -1,33 +0,0 @@ - /* Licensed to the Apache Software Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - * regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in compliance - * with the License. You may obtain a copy of the License at - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the License. - */ - /* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ - package com.apple.ewawt; - - import com.apple.ewawt.AppEvent.AboutEvent; - - public interface AboutHandler { - public void handleAbout(final AboutEvent e); - } diff --git a/applemenu/src/com/apple/ewawt/AppEvent.java b/applemenu/src/com/apple/ewawt/AppEvent.java deleted file mode 100644 index 44d6b2889..000000000 --- a/applemenu/src/com/apple/ewawt/AppEvent.java +++ /dev/null @@ -1,73 +0,0 @@ - /* Licensed to the Apache Software Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - * regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in compliance - * with the License. You may obtain a copy of the License at - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the License. - */ - /* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ - package com.apple.ewawt; - - import java.io.File; - import java.net.URI; - import java.util.*; - import java.awt.Window; - - public abstract class AppEvent extends EventObject { - public AppEvent() { - super(null); - } - - public abstract static class FileEvent extends AppEvent { - public List<File> getFiles() { - return null; - } - - public static class OpenFilesEvent extends FileEvent { - public String getSearchTerm() { - return null; - } - - public static class PrintFilesEvent extends FileEvent { - public static class OpenURIEvent extends AppEvent { - public URI getURI() { - return null; - } - - public static class AboutEvent extends AppEvent { - public static class PreferencesEvent extends AppEvent { - public static class QuitEvent extends AppEvent { - public static class AppReOpenedEvent extends AppEvent { - public static class AppForegroundEvent extends AppEvent { - public static class AppHiddenEvent extends AppEvent { - public static class UserSessionEvent extends AppEvent { - public static class ScreenSleepEvent extends AppEvent { - public static class SystemSleepEvent extends AppEvent { - public static class FullScreenEvent extends AppEvent { - public Window getWindow() { - return null; - } - } - } diff --git a/applemenu/src/com/apple/ewawt/AppEventListener.java

b/applemenu/src/com/apple/awt/AppEventListener.java deleted file mode 100644 index 3b41a00bf..000000000 ---
a/applemenu/src/com/apple/awt/AppEventListener.java +++ /dev/null @@ -1,29 +0,0 @@ -/* - * Licensed to the Apache Software Foundation (ASF) under one
- * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - * regarding copyright ownership. The
ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in compliance - * with the License. You
may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by applicable law or agreed to in writing, - *
software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - * KIND, either express
or implied. See the License for the - * specific language governing permissions and limitations - * under the License. - */ -/* this is stub code written based on
Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses Apple EAWT - * on non-Mac platforms possible.
The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -public interface AppEventListener { } -diff --git
a/applemenu/src/com/apple/awt/Application.java b/applemenu/src/com/apple/awt/Application.java deleted file mode 100644 index c4a89485a..000000000 ---
a/applemenu/src/com/apple/awt/Application.java +++ /dev/null @@ -1,56 +0,0 @@ -/* - * Licensed to the Apache Software Foundation (ASF) under one - * or
more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - * regarding copyright ownership. The ASF
licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in compliance - * with the License. You
may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by applicable law or agreed to in writing, - * software
distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - * KIND, either express or
implied. See the License for the - * specific language governing permissions and limitations - * under the License. - */ -/* this is stub code written based on
Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses Apple EAWT - * on non-Mac platforms possible.
The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -import java.awt.Image; -import
java.awt.PopupMenu; -import javax.swing.JMenuBar; -public class Application { - public static Application getApplication() { return null; } - public void
addAppEventListener(final AppEventListener listener) {} - public void removeAppEventListener(final AppEventListener listener) {} - public void
setAboutHandler(final AboutHandler aboutHandler) {} - public void setPreferencesHandler(final PreferencesHandler preferencesHandler) {} - public void
setOpenFileHandler(final OpenFilesHandler openFileHandler) {} - public void setPrintFileHandler(final PrintFilesHandler printFileHandler) {} - public void
setOpenURIHandler(final OpenURIHandler openURIHandler) {} - public void setQuitHandler(final QuitHandler quitHandler) {} - public void
setQuitStrategy(final QuitStrategy strategy) {} - public void enableSuddenTermination() {} - public void disableSuddenTermination() {} - public void
requestForeground(final boolean allWindows) {} - public void requestUserAttention(final boolean critical) {} - public void openHelpViewer() {} - public void
setDockMenu(final PopupMenu menu) {} - public PopupMenu getDockMenu() { return null; } - public void setDockIconImage(final Image image) {} - public
Image getDockIconImage() { return null; } - public void setDockIconBadge(final String badge) {} - public void setDefaultMenuBar(final JMenuBar menuBar) {}
- } -diff --git a/applemenu/src/com/apple/awt/ApplicationBeanInfo.java b/applemenu/src/com/apple/awt/ApplicationBeanInfo.java deleted file mode 100644
index 269af2e65..000000000 --- a/applemenu/src/com/apple/awt/ApplicationBeanInfo.java +++ /dev/null @@ -1,33 +0,0 @@ -/* - * Licensed to the Apache
Software Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - *
regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in
compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by
applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -/* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses
Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -
public class ApplicationBeanInfo extends java.beans.SimpleBeanInfo { - public java.awt.Image getIcon(int iconKind) { return null; } - } -diff --git
a/applemenu/src/com/apple/awt/FullScreenUtilities.java b/applemenu/src/com/apple/awt/FullScreenUtilities.java deleted file mode 100644 index
d1154edd8..000000000 --- a/applemenu/src/com/apple/awt/FullScreenUtilities.java +++ /dev/null @@ -1,31 +0,0 @@ -/* - * Licensed to the Apache Software
Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - *
regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in
compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by
applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -package com.apple.eawt; -import java.awt.Window; -/* this is stub code written based on Apple EAWT package javadoc published at - *
http://developer.apple.com. It makes compiling code which uses Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - *
included in the final product. - */ -public class FullScreenUtilities { - public static void setWindowCanFullScreen(Window w, boolean canFullScreen) {} - } -diff
--git a/applemenu/src/com/apple/awt/OpenFilesHandler.java b/applemenu/src/com/apple/awt/OpenFilesHandler.java deleted file mode 100644 index
f48ba1871..000000000 --- a/applemenu/src/com/apple/awt/OpenFilesHandler.java +++ /dev/null @@ -1,32 +0,0 @@ -/* - * Licensed to the Apache Software
Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - *
regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in
compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by
applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -/* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses
Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -
import com.apple.eawt.AppEvent.OpenFilesEvent; -public interface OpenFilesHandler { - public void openFiles(final OpenFilesEvent e); - } -diff --git
a/applemenu/src/com/apple/awt/OpenURIHandler.java b/applemenu/src/com/apple/awt/OpenURIHandler.java deleted file mode 100644 index
6c8474156..000000000 --- a/applemenu/src/com/apple/awt/OpenURIHandler.java +++ /dev/null @@ -1,33 +0,0 @@ -/* - * Licensed to the Apache Software
Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - *
regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in
compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by
applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -/* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses
Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -
import com.apple.eawt.AppEvent.OpenURIEvent; -public interface OpenURIHandler { - public void openURI(final OpenURIEvent e); - } -diff --git
a/applemenu/src/com/apple/awt/PreferencesHandler.java b/applemenu/src/com/apple/awt/PreferencesHandler.java deleted file mode 100644 index
3958194f0..000000000 --- a/applemenu/src/com/apple/awt/PreferencesHandler.java +++ /dev/null @@ -1,32 +0,0 @@ -/* - * Licensed to the Apache Software
Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - *
regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in
compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by
applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -/* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses
Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -
import com.apple.eawt.AppEvent.PreferencesEvent; -public interface PreferencesHandler { - public void handlePreferences(final PreferencesEvent e); - } -diff --git
a/applemenu/src/com/apple/awt/PrintFilesHandler.java b/applemenu/src/com/apple/awt/PrintFilesHandler.java deleted file mode 100644 index
4230d16df..000000000 --- a/applemenu/src/com/apple/awt/PrintFilesHandler.java +++ /dev/null @@ -1,32 +0,0 @@ -/* - * Licensed to the Apache Software
Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - *
regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in
compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by
applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -/* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses
Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -
import com.apple.eawt.AppEvent.PrintFilesEvent; -public interface PrintFilesHandler { - public void printFiles(final PrintFilesEvent e); - } -diff --git
a/applemenu/src/com/apple/awt/QuitHandler.java b/applemenu/src/com/apple/awt/QuitHandler.java deleted file mode 100644 index c6b82d869..000000000 ---

```

a/applemenu/src/com/apple/eawt/QuitHandler.java +++ /dev/null @@ -1,32 +0,0 @@ -/* - * Licensed to the Apache Software Foundation (ASF) under one - *
or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - * regarding copyright ownership. The ASF
licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in compliance - * with the License. You may
obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by applicable law or agreed to in writing, - * software
distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - * KIND, either express or
implied. See the License for the - * specific language governing permissions and limitations - * under the License. - */ -/* this is stub code written based on
Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses Apple EAWT - * on non-Mac platforms possible.
The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -import com.apple.eawt.AppEvent.QuitEvent; -
public interface QuitHandler { - public void handleQuitRequestWith(final QuitEvent e, final QuitResponse response); - } diff --git
a/applemenu/src/com/apple/eawt/QuitResponse.java b/applemenu/src/com/apple/eawt/QuitResponse.java deleted file mode 100644 index 67da57c8a..000000000 -
-- a/applemenu/src/com/apple/eawt/QuitResponse.java +++ /dev/null @@ -1,32 +0,0 @@ -/* - * Licensed to the Apache Software Foundation (ASF) under one - *
or more contributor license agreements. See the NOTICE file - * distributed with this work for additional information - * regarding copyright ownership. The
ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use this file except in compliance - * with the License.
You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless required by applicable law or agreed to in writing, - *
software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - * KIND, either express
or implied. See the License for the - * specific language governing permissions and limitations - * under the License. - */ -/* this is stub code written based on
Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses Apple EAWT - * on non-Mac platforms possible.
The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -public class QuitResponse { - public void
performQuit() { - - public void cancelQuit() { } - } diff --git a/applemenu/src/com/apple/eawt/QuitStrategy.java b/applemenu/src/com/apple/eawt/QuitStrategy.java
deleted file mode 100644 index fc9dc794b..000000000 --- a/applemenu/src/com/apple/eawt/QuitStrategy.java +++ /dev/null @@ -1,31 +0,0 @@ -/* - * Licensed
to the Apache Software Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional
information - * regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use
this file except in compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless
required by applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -/* this is stub code written based on Apple EAWT package javadoc published at - * http://developer.apple.com. It makes compiling code which uses
Apple EAWT - * on non-Mac platforms possible. The compiled stub classes should never be - * included in the final product. - */ -package com.apple.eawt; -
public enum QuitStrategy { - SYSTEM_EXIT_0, - CLOSE_ALL_WINDOWS - } diff --git a/autoupdate.services/110n.list b/autoupdate.services/110n.list index
5f86d11c2..828f273e6 100644 --- a/autoupdate.services/110n.list +++ b/autoupdate.services/110n.list @@ -1,44 +1,20 @@ -# DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# Licensed to the Apache Software
Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -#
regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in
compliance -# with the License. You may obtain a copy of the License at -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other
names may be trademarks of their respective owners. -# http://www.apache.org/licenses/LICENSE-2.0 -# -# The contents of this file are subject to the terms of
either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -#
"License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-
gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License.
When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle
designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -#
accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying
information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Unless required by applicable law or agreed to in writing, -# software distributed
under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the
License for the -# specific language governing permissions and limitations -# under the License. -# -# Contributor(s): -# -# The Original Software is NetBeans.
The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If
you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to
include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the
option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -#
However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to
such option by the copyright holder. -# autoupdate/services/read global ${110n-module}/libsrc/**/Bundle.properties diff --git
a/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryCreateTest.java
b/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryCreateTest.java index f59cd2f1e..c42fa549a 100644 ---
a/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryCreateTest.java +++
b/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryCreateTest.java @@ -23,7 +23,6 @@ import java.util.List; import
org.netbeans.junit.MockServices; import org.netbeans.junit.NbTestCase; -import org.netbeans.modules.autoupdate.services.UpdateUnitFactoryTest; import
org.netbeans.modules.autoupdate.updateprovider.AutoupdateCatalogProvider; /** @@ -50,7 +49,7 @@ protected void tearDown () throws Exception { public
void testCreate () throws Exception { String name = "new-one"; String displayName = "Newone"; - URL url = UpdateUnitFactoryTest.class.getResource
("data/catalog.xml"); + URL url = getClass().getResource ("org/netbeans/modules/autoupdate/updateprovider/data/catalog.xml"); UpdateUnitProvider newone =
UpdateUnitProviderFactory.getDefault().create(name, displayName, url); assertNotNull ("New provider was created.", newone); @@ -71,13 +70,13 @@ public
void testCreate () throws Exception { public static class MyProvider extends AutoupdateCatalogProvider { public MyProvider () { - super ("test-updates-provider",
"test-updates-provider", UpdateUnitFactoryTest.class.getResource ("data/catalog.xml")); + super ("test-updates-provider", "test-updates-provider",
UpdateProviderFactoryCreateTest.class.getResource ("org/netbeans/modules/autoupdate/updateprovider/data/catalog.xml")); } } public static class MyProvider2
extends AutoupdateCatalogProvider { public MyProvider2 () { - super ("test-updates-provider-2", "test-updates-provider-2",
UpdateUnitFactoryTest.class.getResource ("data/catalog.xml")); + super ("test-updates-provider-2", "test-updates-provider-2",
UpdateProviderFactoryCreateTest.class.getResource ("org/netbeans/modules/autoupdate/updateprovider/data/catalog.xml")); } } } diff --git
a/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryTest.java
b/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryTest.java index ae4d2e64b..32eef949c 100644 ---
a/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryTest.java +++
b/autoupdate.services/test/unit/src/org/netbeans/api/autoupdate/UpdateProviderFactoryTest.java @@ -19,11 +19,9 @@ package org.netbeans.api.autoupdate; -
import java.net.URL; import java.util.List; import org.netbeans.junit.MockServices; import org.netbeans.junit.NbTestCase; -import
org.netbeans.modules.autoupdate.services.UpdateUnitFactoryTest; import org.netbeans.modules.autoupdate.updateprovider.AutoupdateCatalogProvider; /** @@
-72,13 +70,13 @@ public void testSetEnable () { public static class MyProvider extends AutoupdateCatalogProvider { public MyProvider () { - super ("test-
updates-provider", "test-updates-provider", UpdateUnitFactoryTest.class.getResource ("data/catalog.xml")); + super ("test-updates-provider", "test-updates-
provider", UpdateProviderFactoryTest.class.getResource ("data/catalog.xml")); } } public static class MyProvider2 extends AutoupdateCatalogProvider { public
MyProvider2 () { - super ("test-updates-provider-2", "test-updates-provider-2", UpdateUnitFactoryTest.class.getResource ("data/catalog.xml")); + super ("test-
updates-provider-2", "test-updates-provider-2", UpdateProviderFactoryTest.class.getResource ("org/netbeans/modules/autoupdate/updateprovider/data/catalog.xml"));
} } } diff --git
a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/ExecutablePermissionsTest.java
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/ExecutablePermissionsTestDisabled.java similarity index 94% rename from
autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/ExecutablePermissionsTest.java rename to
autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/ExecutablePermissionsTestDisabled.java index dc950cc91..513ddec7 100644 ---
a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/ExecutablePermissionsTest.java +++
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/ExecutablePermissionsTestDisabled.java @@ -1,91 +1,91 @@ -/* - * Licensed to
the Apache Software Foundation (ASF) under one - * or more contributor license agreements. See the NOTICE file - * distributed with this work for additional
information - * regarding copyright ownership. The ASF licenses this file - * to you under the Apache License, Version 2.0 (the - * "License"); you may not use
this file except in compliance - * with the License. You may obtain a copy of the License at - * - * http://www.apache.org/licenses/LICENSE-2.0 - * - * Unless
required by applicable law or agreed to in writing, - * software distributed under the License is distributed on an - * "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY - * KIND, either express or implied. See the License for the - * specific language governing permissions and limitations - * under the
License. - */ -package org.netbeans.modules.autoupdate.services; -import java.io.File; -import java.io.IOException; -import java.util.HashMap; -import

```

```

java.util.Map; -import org.netbeans.api.autoupdate.UpdateUnit; -import org.netbeans.spi.autoupdate.UpdateItem; -import
org.netbeans.spi.autoupdate.UpdateProvider; - /** - * @author Dmitry Lipin - */ -public class ExecutablePermissionsTest extends NbmAdvancedTestCase {
- private UpdateProvider p = null; - private String testModuleVersion = "1.0"; - private String testModuleName = "org.yourorgwhere.executable.permissions"; -
public ExecutablePermissionsTest(String name) { - super(name); - } - @Override - protected void setUp() throws IOException, Exception { - super.setUp(); - }
- @Override - public boolean canRun() { - return super.canRun() && !System.getProperty("os.name").startsWith("Windows"); - } - private String
generateExecutablePermissionsModuleElement() { - String res = "\n<module codenamespace=\"\" + testModuleName + \"\" \" +
\"homepage=\"http://www.netbeans.org/\" distribution=\"nbresloc:/org/netbeans/api/autoupdate/data/org-yourorgwhere-executable-permissions.nbml\" \" +
\"license=\"standard-nbm-license.txt\" downloadsize=\"5122\" \" + - \"needsrestart=\"false\" moduleauthor=\"\" \" + - \"eager=\"false\" \" +
\"releasedate=\"2006/02/23/>\n"; - res += "<manifest OpenIDE-Module=\"\" + testModuleName + \"\" \" + \"OpenIDE-Module-Name=\"\" + testModuleName + \"\"
\" + \"AutoUpdate-Show-In-Client=\"true\" \" + \"OpenIDE-Module-Specification-Version=\"\" + testModuleVersion + \"\"/>\n"; - res += "<module>"; - return res;
- } - public void testExecutablePermissionsModule() throws IOException { - String os = !org.openide.util.Utilities.isUnix() ? "Windows" : "Unix"; - String
catalog = generateCatalog(generateExecutablePermissionsModuleElement()); - p = createUpdateProvider(catalog); - p.refresh(true); - Map<String,
UpdateUnit> unitImpls = new HashMap<String, UpdateUnit>(); - Map<String, UpdateItem> updates = p.getUpdateItems(); - assertNotNull("Some modules are
installed.", updates); - assertFalse("Some modules are installed.", updates.isEmpty()); - assertTrue(testModuleName + " found in parsed items.",
updates.keySet().contains(testModuleName + "_" + testModuleVersion)); - Map<String, UpdateUnit> newImpls =
UpdateUnitFactory.getDefault().appendUpdateItems(unitImpls, p); - assertNotNull("Some units found.", newImpls); - assertFalse("Some units found.",
newImpls.isEmpty()); - UpdateUnit u1 = newImpls.get(testModuleName); - installUpdateUnit(u1); - File f = new File(userDir, "bin/start.sh"); - assertTrue("File "
+ f + " should exist after module installation", f.exists()); - assertTrue("File " + f + " is not executable after module installation", f.canExecute());
- } }

Licensed to the Apache Software Foundation (ASF) under one * or more contributor license agreements. See the NOTICE file * distributed with this work for
additional information * regarding copyright ownership. The ASF licenses this file * to you under the Apache License, Version 2.0 (the * "License"); you
may not use this file except in compliance * with the License. You may obtain a copy of the License at * * http://www.apache.org/licenses/LICENSE-2.0 *
* * Unless required by applicable law or agreed to in writing, * software distributed under the License is distributed on an * "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY * KIND, either express or implied. See the License for the * specific language governing permissions and
limitations * under the License. */
package org.netbeans.modules.autoupdate.services;
+import java.io.File;
+import java.io.IOException;
+import java.util.HashMap;
+import java.util.Map;
+import org.netbeans.api.autoupdate.UpdateUnit;
+import org.netbeans.spi.autoupdate.UpdateItem;
+import org.netbeans.spi.autoupdate.UpdateProvider;
+ /**
+ * @author Dmitry Lipin
+ */
+public class ExecutablePermissionsTestDisabled extends
NbmAdvancedTestCase {
+ private UpdateProvider p = null;
+ private String testModuleVersion = "1.0";
+ private String testModuleName =
"org.yourorgwhere.executable.permissions";
+ public ExecutablePermissionsTestDisabled(String name) {
+ super(name);
+ }
+ @Override
+ protected void
setUp() throws IOException, Exception {
+ super.setUp();
+ }
+ @Override
+ public boolean canRun() {
+ return super.canRun() &&
!System.getProperty("os.name").startsWith("Windows");
+ }
+ private String generateExecutablePermissionsModuleElement() {
+ String res = "\n<module
codenamespace=\"\" + testModuleName + \"\" \" +
\"homepage=\"http://www.netbeans.org/\" distribution=\"nbresloc:/org/netbeans/api/autoupdate/data/org-
yourorgwhere-executable-permissions.nbml\" \" +
\"license=\"standard-nbm-license.txt\" downloadsize=\"5122\" \" +
\"needsrestart=\"false\" moduleauthor=\"\" \" +
\"eager=\"false\" \" +
\"releasedate=\"2006/02/23/>\n";
+ res += "<manifest OpenIDE-Module=\"\" + testModuleName + \"\" \" + \"OpenIDE-Module-Name=\"\"
+ testModuleName + \"\" \" + \"AutoUpdate-Show-In-Client=\"true\" \" + \"OpenIDE-Module-Specification-Version=\"\" + testModuleVersion + \"\"/>\n";
+ res += "<module>";
+ return res;
+ }
+ public void testExecutablePermissionsModule() throws IOException {
+ String os = !org.openide.util.Utilities.isUnix() ?
"Windows" : "Unix";
+ String catalog = generateCatalog(generateExecutablePermissionsModuleElement());
+ p = createUpdateProvider(catalog);
+ p.refresh(true);
+ Map<String, UpdateUnit> unitImpls = new HashMap<String, UpdateUnit>();
+ Map<String, UpdateItem> updates = p.getUpdateItems();
+ assertNotNull("Some modules are installed.", updates);
+ assertFalse("Some modules are installed.", updates.isEmpty());
+ assertTrue(testModuleName + " found
in parsed items.", updates.keySet().contains(testModuleName + "_" + testModuleVersion));
+ Map<String, UpdateUnit> newImpls =
UpdateUnitFactory.getDefault().appendUpdateItems(unitImpls, p);
+ assertNotNull("Some units found.", newImpls);
+ assertFalse("Some units found.",
newImpls.isEmpty());
+ UpdateUnit u1 = newImpls.get(testModuleName);
+ installUpdateUnit(u1);
+ File f = new File(userDir, "bin/start.sh");
+ assertTrue("File " + f + " should exist after module installation", f.exists());
+ assertTrue("File " + f + " is not executable after module installation", f.canExecute());
+ }
+ }

diff --git a/autoupdate/services/test/unit/src/org/netbeans/modules/autoupdate/services/InstallEagerModuleTest.java
b/autoupdate/services/test/unit/src/org/netbeans/modules/autoupdate/services/InstallEagerModuleTest.java index 2cbf86b02..9e28fd5a8 100644 ---
a/autoupdate/services/test/unit/src/org/netbeans/modules/autoupdate/services/InstallEagerModuleTest.java +++
b/autoupdate/services/test/unit/src/org/netbeans/modules/autoupdate/services/InstallEagerModuleTest.java
@@ -1,167 +1,167 @@
- /**
- * Licensed to the
Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional
information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the
- * "License"); you may not use
this file except in compliance
- * with the License. You may obtain a copy of the License at
- * * http://www.apache.org/licenses/LICENSE-2.0
- * * Unless
required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY
- * KIND, either express or implied. See the License for the
- * specific language governing permissions and limitations
- * under the
License.
- */
- package org.netbeans.modules.autoupdate.services;
- -import java.io.IOException;
- -import java.util.List;
- -import java.util.Map;
- -import
java.util.Set;
- -import org.netbeans.api.autoupdate.UpdateElement;
- -import org.netbeans.api.autoupdate.UpdateManager;
- -import
org.netbeans.api.autoupdate.UpdateUnit;
- -import org.netbeans.api.autoupdate.UpdateUnitProviderFactory;
- -import
org.netbeans.modules.autoupdate.updateprovider.AutoupdateCatalogProvider;
- -import org.netbeans.modules.autoupdate.updateprovider.ModuleItem;
- -import
org.netbeans.spi.autoupdate.UpdateItem;
- - /**
- * @author Jiri Rehtacek
- */
- public class InstallEagerModuleTest extends NbmAdvancedTestCase {
- - public InstallEagerModuleTest (String testName) {
- - super (testName);
- - }
- - public void testIfAutoupdateUnderstandsEagerAttribute () throws IOException {
- - //
Lookup.getDefault ().lookup (ModuleInfo.class);
- - String eagerModule = "com.sun.testmodule.eager";
- - String regularModule = "com.sun.testmodule.regular";
- - String catalog = generateCatalog (
- - generateModuleElement (eagerModule, "1.3", null, null, false, true,
- - "org.openide.filesystems > 6.2",
- - "org.openide.util > 6.2",
- - "org.openide.modules > 6.2",
- - "org.openide.nodes > 6.2",
- - "org.openide.loaders",
- - "org.openide.io"),
- - generateModuleElement (regularModule, "1.3",
- - null, null, false, false,
- - "org.openide.filesystems > 6.2",
- - "org.openide.util > 6.2",
- - "org.openide.modules > 6.2",
- - "org.openide.nodes > 6.2",
- - "org.openide.loaders",
- - "org.openide.io"));
- - ;
- - AutoupdateCatalogProvider p = createUpdateProvider (catalog);
- - p.refresh (true);
- - Map<String, UpdateItem>
updates = p.getUpdateItems ();
- - assertNotNull ("Some modules are installed.", updates);
- - assertFalse ("Some modules are installed.", updates.isEmpty ());
- - //
check being
- - assertTrue (eagerModule + " found in parsed items.", updates.keySet ().contains (eagerModule + "_1.3"));
- - assertTrue (regularModule + " found in
parsed items.", updates.keySet ().contains (regularModule + "_1.3"));
- - // check state
- - ModuleItem eagerModuleItem = (ModuleItem) Trampoline.SPI.impl
(updates.get (eagerModule + "_1.3"));
- - ModuleItem regularModuleItem = (ModuleItem) Trampoline.SPI.impl (updates.get (regularModule + "_1.3"));
- - assertTrue (eagerModule + " is eager.", eagerModuleItem.isEager () && !eagerModuleItem.isAutoload ());
- - assertFalse (regularModule + " is regular.",
regularModuleItem.isEager () || regularModuleItem.isAutoload ());
- - }
- - public void testAcquireEagersFromManager () throws IOException {
- - String
eagerModule = "com.sun.testmodule.eager";
- - String regularModule1 = "org.yourorgwhere.independent";
- - String regularModule2 = "org.yourorgwhere.engine";
- - String catalog = generateCatalog (
- - generateModuleElement (eagerModule, "1.0", null, null, false, true,
- - regularModule1,
- - regularModule2),
- - generateModuleElement (regularModule1, "1.0", null, null, false, false),
- - generateModuleElement (regularModule2, "1.0", null, null, false, false, regularModule1)
- - );
- - UpdateUnitProviderFactory.getDefault ().create ("test-update-provider", "test-update-provider", generateFile (catalog));
- - UpdateUnitProviderFactory.getDefault ().refreshProviders (null, true);
- - Set<UpdateElement> eagerElements = UpdateManagerImpl.getInstance
().getAvailableEagers ();
- - assertFalse ("Some available eagers are found.", eagerElements.isEmpty ());
- - UpdateUnit ea = UpdateManagerImpl.getInstance
().getUpdateUnit (eagerModule);
- - UpdateElement foundEaEl = eagerElements.iterator ().next ();
- - UpdateUnit foundEaU = foundEaEl.getUpdateUnit ();
- - assertEquals ("Same eager UpdateUnit", ea, foundEaU);
- - // assertFalse ("Some installed eagers are found.", UpdateManagerImpl.getInstance
().getInstalledEagers ().isEmpty ());
- - }
- - public void testInstallRegularModule () throws IOException {
- - String eagerModule = "com.sun.testmodule.eager";
- - String regularModule1 = "org.yourorgwhere.independent";
- - String regularModule2 = "org.yourorgwhere.engine";
- - String catalog = generateCatalog (
- - generateModuleElement (eagerModule, "1.0", null, null, false, true,
- - regularModule1,
- - regularModule2),
- - generateModuleElement (regularModule1, "1.0", null, null, false, false),
- - generateModuleElement (regularModule2, "1.0", null, null, true, false, regularModule1)
- - );
- - AutoupdateCatalogProvider p =
createUpdateProvider (catalog);
- - p.refresh (true);
- - Map<String, UpdateItem> updates = p.getUpdateItems ();
- - // initial check of updates being and its states
- - ModuleItem eagerModuleItem = (ModuleItem) Trampoline.SPI.impl (updates.get (eagerModule + "_1.0"));
- - assertFalse (eagerModuleItem.getModuleInfo
().getDependencies () + " are not empty.",
- - eagerModuleItem.getModuleInfo ().getDependencies ().isEmpty ());
- - ModuleItem regularModule1Item =
(ModuleItem) Trampoline.SPI.impl (updates.get (regularModule1 + "_1.0"));
- - ModuleItem regularModule2Item = (ModuleItem) Trampoline.SPI.impl
(updates.get (regularModule2 + "_1.0"));
- - assertTrue (eagerModule + " is eager.", eagerModuleItem.isEager () && !eagerModuleItem.isAutoload ());
- - assertFalse (regularModule1 + " is regular.",
regularModule1Item.isEager () || regularModule1Item.isAutoload ());
- - assertFalse (regularModule2 + " is regular.",
regularModule2Item.isEager () || regularModule2Item.isAutoload ());
- - // acquire UpdateUnits for test modules
- - UpdateUnitProviderFactory.getDefault ().create
("test-update-provider", "test-update-provider", generateFile (catalog));
- - UpdateUnitProviderFactory.getDefault ().refreshProviders (null, true);
- - UpdateUnit u1 =

```

```

UpdateManagerImpl.getInstance ().getUpdateUnit (regularModule1); - assertTrue (UpdateManager.TYPE.KIT_MODULE.equals (u1.getType ())); - //keep it to
prevent GC-ed cache in UpdateManagerImpl - List<UpdateUnit> uuu = UpdateManagerImpl.getInstance ().getUpdateUnits(); - UpdateUnit u2 =
UpdateManagerImpl.getInstance ().getUpdateUnit (regularModule2); - UpdateUnit ea = UpdateManagerImpl.getInstance ().getUpdateUnit (eagerModule); -
assertNotNull ("Unit " + regularModule1 + " found.", u1); - assertNotNull ("Unit " + regularModule2 + " found.", u2); - assertNotNull ("Unit " + eagerModule +
" found.", ea); - // install regular module 1 - installUpdateUnit (u1); - // check states installed regular 1 and others - assertNotNull (u1 + " is installed.",
u1.getInstalled ()); - assertNull (u2 + " is not installed.", u2.getInstalled ()); - assertNull (ea + " is not installed.", ea.getInstalled ()); - // installe regular module 2 -
installUpdateUnit (u2); - // check states installed regular 1 and others - assertNotNull (u1 + " is installed.", u1.getInstalled ()); - assertNotNull (u2 + " is
installed.", u2.getInstalled ()); - assertNotNull (ea + " is must be installed as well because all required modules are on.", ea.getInstalled ()); - } - } /**
 *
 * Licensed to the Apache Software Foundation (ASF) under one * or more contributor license agreements. See the NOTICE file * distributed with this work for
additional information * regarding copyright ownership. The ASF licenses this file * to you under the Apache License, Version 2.0 (the * "License"); you
may not use this file except in compliance * with the License. You may obtain a copy of the License at * * http://www.apache.org/licenses/LICENSE-2.0 *
* Unless required by applicable law or agreed to in writing, * software distributed under the License is distributed on an * "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY * KIND, either express or implied. See the License for the * specific language governing permissions and
limitations * under the License. */
+package org.netbeans.modules.autoupdate.services; +import java.io.IOException; +import java.util.List; +import
java.util.Map; +import java.util.Set; +import org.netbeans.api.autoupdate.UpdateElement; +import org.netbeans.api.autoupdate.UpdateManager; +import
org.netbeans.api.autoupdate.UpdateUnit; +import org.netbeans.api.autoupdate.UpdateUnitProviderFactory; +import
org.netbeans.modules.autoupdate.updateprovider.AutoupdateCatalogProvider; +import org.netbeans.modules.autoupdate.updateprovider.ModuleItem; +import
org.netbeans.spi.autoupdate.UpdateItem; + /**
 * @author Jiri Rectacek
 * +public class InstallEagerModuleTest extends NbmAdvancedTestCase { + +
public InstallEagerModuleTest (String testName) { + super (testName); + } + + public void testIfAutoupdateUnderstandsEagerAttribute () throws IOException { +
// Lookup.getDefault ().lookup (ModuleInfo.class); + String eagerModule = "com.sun.testmodule.eager"; + String regularModule = "com.sun.testmodule.regular";
+ String catalog = generateCatalog ( + generateModuleElement (eagerModule, "1.3", null, null, false, true, + "org.openide.filesystems > 6.2", + "org.openide.util >
6.2", + "org.openide.modules > 6.2", + "org.openide.nodes > 6.2", + "org.openide.loaders", + "org.openide.io"), + generateModuleElement (regularModule, "1.3",
null, null, false, false, + "org.openide.filesystems > 6.2", + "org.openide.util > 6.2", + "org.openide.modules > 6.2", + "org.openide.loaders > 6.2", +
"org.openide.io") + ); + AutoupdateCatalogProvider p = createUpdateProvider (catalog); + p.refresh (true); + Map<String, UpdateItem>
updates = p.getUpdateItems (); + assertNotNull ("Some modules are installed.", updates); + assertFalse ("Some modules are installed.", updates.isEmpty ()); + //
check being + assertTrue (eagerModule + " found in parsed items.", updates.keySet ().contains (eagerModule + "_1.3")); + assertTrue (regularModule + " found in
parsed items.", updates.keySet ().contains (regularModule + "_1.3")); + // check state + ModuleItem eagerModuleItem = (ModuleItem) Trampoline.SPI.impl
(updates.get (eagerModule + "_1.3")); + ModuleItem regularModuleItem = (ModuleItem) Trampoline.SPI.impl (updates.get (regularModule + "_1.3")); +
assertTrue (eagerModule + " is eager.", eagerModuleItem.isEager () && ! eagerModuleItem.isAutoload ()); + assertFalse (regularModule + " is regular.",
regularModuleItem.isEager () || regularModuleItem.isAutoload ()); + } + + public void testAcquireEagersFromManager () throws IOException { + String
eagerModule = "com.sun.testmodule.eager"; + String regularModule1 = "org.yourorhere.independent"; + String regularModule2 = "org.yourorhere.engine"; +
String catalog = generateCatalog ( + generateModuleElement (eagerModule, "1.0", null, null, false, true, + regularModule1, + regularModule2), +
generateModuleElement (regularModule1, "1.0", null, null, false, false), + generateModuleElement (regularModule2, "1.0", null, null, false, false,
regularModule1) + ); + UpdateUnitProviderFactory.getDefault ().create ("test-update-provider", "test-update-provider", generateFile (catalog)); +
UpdateUnitProviderFactory.getDefault ().refreshProviders (null, true); + Set<UpdateElement> eagerElements = UpdateManagerImpl.getInstance
().getAvailableEagers (); + assertFalse ("Some available eagers are found.", eagerElements.isEmpty ()); + UpdateUnit ea = UpdateManagerImpl.getInstance
().getUpdateUnit (eagerModule); + UpdateElement foundEaEl = eagerElements.iterator ().next (); + UpdateUnit foundEaU = foundEaEl.getUpdateUnit (); +
assertEquals ("Same eager UpdateUnit", ea, foundEaU); + // assertFalse ("Some installed eagers are found.", UpdateManagerImpl.getInstance
().getInstalledEagers ().isEmpty ()); + } + + public void disable_testInstallRegularModule () throws IOException { + String eagerModule =
"com.sun.testmodule.eager"; + String regularModule1 = "org.yourorhere.independent"; + String regularModule2 = "org.yourorhere.engine"; + String catalog =
generateCatalog ( + generateModuleElement (eagerModule, "1.0", null, null, false, true, + regularModule1, + regularModule2), + generateModuleElement
(regularModule1, "1.0", null, null, true, false), + generateModuleElement (regularModule2, "1.0", null, null, true, false, regularModule1) + ); + +
AutoupdateCatalogProvider p = createUpdateProvider (catalog); + p.refresh (true); + Map<String, UpdateItem> updates = p.getUpdateItems (); + // initial check
of updates being and its states + ModuleItem eagerModuleItem = (ModuleItem) Trampoline.SPI.impl (updates.get (eagerModule + "_1.0")); + assertFalse
(eagerModuleItem.getModuleInfo ().getDependencies () + " are not empty.", + eagerModuleItem.getModuleInfo ().getDependencies ().isEmpty ()); + ModuleItem
regularModule1Item = (ModuleItem) Trampoline.SPI.impl (updates.get (regularModule1 + "_1.0")); + ModuleItem regularModule2Item = (ModuleItem)
Trampoline.SPI.impl (updates.get (regularModule2 + "_1.0")); + assertTrue (eagerModule + " is eager.", eagerModuleItem.isEager () && !
eagerModuleItem.isAutoload ()); + assertFalse (regularModule1 + " is regular.", regularModule1Item.isEager () || regularModule1Item.isAutoload ()); +
assertFalse (regularModule2 + " is regular.", regularModule2Item.isEager () || regularModule2Item.isAutoload ()); + // acquire UpdateUnits for test modules +
UpdateUnitProviderFactory.getDefault ().create ("test-update-provider", "test-update-provider", generateFile (catalog)); + UpdateUnitProviderFactory.getDefault
().refreshProviders (null, true); + UpdateUnit u1 = UpdateManagerImpl.getInstance ().getUpdateUnit (regularModule1); + assertTrue
(UpdateManager.TYPE.KIT_MODULE.equals (u1.getType ())); + //keep it to prevent GC-ed cache in UpdateManagerImpl + List<UpdateUnit> uuu =
UpdateManagerImpl.getInstance ().getUpdateUnits(); + UpdateUnit u2 = UpdateManagerImpl.getInstance ().getUpdateUnit (regularModule2); + UpdateUnit ea =
UpdateManagerImpl.getInstance ().getUpdateUnit (eagerModule); + assertNotNull ("Unit " + regularModule1 + " found.", u1); + assertNotNull ("Unit " +
regularModule2 + " found.", u2); + assertNotnull ("Unit " + eagerModule + " found.", ea); + // install regular module 1 + installUpdateUnit (u1); + // check
states installed regular 1 and others + assertNotNull (u1 + " is installed.", u1.getInstalled ()); + assertNull (u2 + " is not installed.", u2.getInstalled ()); +
assertNull (ea + " is not installed.", ea.getInstalled ()); + // installe regular module 2 + installUpdateUnit (u2); + // check states installed regular 1 and others +
assertNotNull (u1 + " is installed.", u1.getInstalled ()); + assertNotNull (u2 + " is installed.", u2.getInstalled ()); + assertNotNull (ea + " is must be installed as well
because all required modules are on.", ea.getInstalled ()); + } + } diff --git
a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/UpdateFromNbmTest.java
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/UpdateFromNbmTest.java
deleted file mode 100644
index 0fa54ae00..000000000
---
a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/UpdateFromNbmTest.java
+++ /dev/null
@@ -1,144 +0,0 @@
-/**
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional
 * information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use
 * this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless
 * required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES
 * OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
-package org.netbeans.modules.autoupdate.services;
-import java.io.File;
-import java.net.URL;
-import java.util.List;
-import java.util.Set;
-import
org.netbeans.api.autoupdate.InstallSupport;
-import org.netbeans.api.autoupdate.OperationContainer;
-import org.netbeans.api.autoupdate.OperationException;
-import
org.netbeans.api.autoupdate.UpdateManager;
-import org.netbeans.api.autoupdate.UpdateElement;
-import
org.netbeans.api.autoupdate.UpdateUnit;
-import org.netbeans.api.autoupdate.UpdateUnitProviderFactory;
-import
org.netbeans.junit.MockServices;
-/**
 * @author Radek Matous
 */
-public class UpdateFromNbmTest extends OperationsTestImpl {
- public
UpdateFromNbmTest(String testName) {
- super(testName);
- }
- protected String moduleCodeNameBaseForTest() {
- return "org.yourorhere.engine";
- }
- public void testSelf() throws Exception {
- UpdateUnit toUpdate = UpdateManagerImpl.getInstance().getUpdateUnit(moduleCodeNameBaseForTest());
- assertNotNull(toUpdate);
- assertEquals(2, toUpdate.getAvailableUpdates().size());
- UpdateElement engine1_0 = toUpdate.getAvailableUpdates().get(1);
-
assertNotNull(engine1_0);
- assertEquals("1.0", engine1_0.getSpecificationVersion().toString());
- installModule(toUpdate, engine1_0);
- toUpdate =
UpdateManagerImpl.getInstance().getUpdateUnit(moduleCodeNameBaseForTest());
- assertNotNull(toUpdate.getInstalled());
- MockServices.setServices(MyProvider.class, CustomItemsProvider.class);
- URL engineURL = TestUtils.class.getResource("data/org-yourorhere-engine-1-2.nbm");
-
assertNotNull(engineURL);
- File engineFile = TestUtils.getFile(this, engineURL);
- assertTrue(engineFile.exists());
- URL independentURL =
TestUtils.class.getResource("data/org-yourorhere-independent-1-1.nbm");
-
assertNotNull(independentURL);
- File independentFile = TestUtils.getFile(this, independentURL);
-
assertTrue(independentFile.exists());
- String source = "local-downloaded";
- List<UpdateUnit> units =
UpdateUnitProviderFactory.getDefault().create(source, new File[] {engineFile, independentFile});
- getUpdateUnits(UpdateManager.TYPE.MODULE);
- assertEquals(2, units.size());
- UpdateUnit nbmsEngine = null;
- if (units.get(0).getCodeName().indexOf("engine") != -1) {
- nbmsEngine = units.get(0);
- } else if
(units.get(1).getCodeName().indexOf("engine") != -1) {
- nbmsEngine = units.get(1);
- }
-
assertNotNull(nbmsEngine);
-
assertNotnull(nbmsEngine.getInstalled());
-
assertEquals(1, nbmsEngine.getAvailableUpdates().size());
- UpdateElement engine1_2 =
nbmsEngine.getAvailableUpdates().get(0);
-
assertEquals(source, engine1_2.getSource());
-
assertEquals("1.2", engine1_2.getSpecificationVersion().toString());
-
OperationContainer<InstallSupport> oc = OperationContainer.createForUpdate();
- OperationContainer.OperationInfo info = oc.add(nbmsEngine, engine1_2);
-

```

```

assertNotNull(info); - final Set brokeDeps = info.getBrokenDependencies(); - assertEquals("One broken dep: " + brokeDeps, 1, brokeDeps.size()); - String
brokenDep = (String)brokeDeps.toArray()[0]; - assertEquals("module org.yourorghere.independent > 1.1",brokenDep); - assertEquals(0,
info.getRequiredElements().size()); - UpdateUnit independentEngine = null; - if (units.get(0).getCodeName().indexOf("independent") != -1) { -
independentEngine = units.get(0); - } else if (units.get(1).getCodeName().indexOf("independent") != -1) { - independentEngine = units.get(1); - } - assertNotNull
(independentEngine); - assertNotNull(independentEngine.getInstalled()); - - UpdateElement independent1_1 = independentEngine.getAvailableUpdates().get(0); -
assertEquals(source,independent1_1.getSource()); - assertEquals("1.1",independent1_1.getSpecificationVersion().toString()); - - OperationContainer.OperationInfo
info2 = oc.add(independentEngine, independent1_1); - assertEquals(0, info.getBrokenDependencies().size()); - assertEquals(0, info.getRequiredElements().size());
- assertEquals(0, info2.getBrokenDependencies().size()); - assertEquals(0, info2.getRequiredElements().size()); - - InstallSupport support = oc.getSupport(); -
assertNotNull(support); - - InstallSupport.Validator v = support.doDownload(null, false); - assertNotNull(v); - InstallSupport.Installer i = support.doValidate(v,
null); - assertNotNull(i); - //assertNotNull(support.getCertificate(i, upEl)); - Restart r = null; - try { - r = support.doInstall(i, null); - } catch (OperationException
ex) { - if (OperationException.ERROR_TYPE.INSTALL == ex.getErrorType()) { - // can ignore - // module system cannot load the module either - } else { - fail
(ex.toString()); - } - } - assertNotNull("Install update " + engine1_2 + " needs restart.", r); - support.doRestartLater(r); - -
MockServices.setServices(MyProvider.class, CustomItemsProvider.class); - assertTrue(nbmsEngine + " is waiting for Restart IDE.", nbmsEngine.isPending()); -
} - - diff --git a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/UpdateUnitFactoryTest.java
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/UpdateUnitFactoryTest.java deleted file mode 100644 index 6c03c29b4..000000000
-- a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/UpdateUnitFactoryTest.java +++ /dev/null @@ -1,188 +0,0 @@ - /* * Licensed
to the Apache Software Foundation (ASF) under one * or more contributor license agreements. See the NOTICE file * distributed with this work for additional
information * regarding copyright ownership. The ASF licenses this file * to you under the Apache License, Version 2.0 (the * "License"); you may not use
this file except in compliance * with the License. You may obtain a copy of the License at * - * http://www.apache.org/licenses/LICENSE-2.0 * - * Unless
required by applicable law or agreed to in writing, * software distributed under the License is distributed on an * "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY * KIND, either express or implied. See the License for the * specific language governing permissions and limitations * under the
License. * - */ - package org.netbeans.modules.autoupdate.services; - import org.netbeans.modules.autoupdate.updateprovider.InstalledModuleProvider; - import
java.io.File; - import java.io.IOException; - import java.net.URISyntaxException; - import java.net.URL; - import java.util.HashMap; - import java.util.List; - import
java.util.Map; - import org.netbeans.api.autoupdate.UpdateElement; - import org.netbeans.api.autoupdate.UpdateUnit; - import org.netbeans.junit.NbTestCase; -
import org.netbeans.modules.autoupdate.updateprovider.AutoupdateCatalogProvider; - import
org.netbeans.modules.autoupdate.updateprovider.AutoupdateInfoParserTest; - import org.netbeans.modules.autoupdate.updateprovider.LocalNBMsProvider; -
import org.netbeans.spi.autoupdate.UpdateItem; - import org.netbeans.spi.autoupdate.UpdateProvider; - import org.openide.modules.ModuleInfo; - import
org.openide.util.Lookup; - import org.openide.util.Utilities; - - /** * * @author Jiri Rehtacek */ - public class UpdateUnitFactoryTest extends NbTestCase { - -
public UpdateUnitFactoryTest(String testName) { - super(testName); - } - - private UpdateProvider p = null; - private static File NBM_FILE = null; - -
@Override - protected void setUp() throws IOException, URISyntaxException { - clearWorkDir(); - System.setProperty("netbeans.user", getWorkDirPath()); -
Lookup.getDefault().lookup(ModuleInfo.class); - try { - p = new MyProvider(); - } catch (Exception x) { - x.printStackTrace(); - } - p.refresh(true); - URL
urlToFile = AutoupdateInfoParserTest.class.getResource("data/org-yourorghere-depending.nbm"); - NBM_FILE = Utilities.toFile(urlToFile.toURI()); -
assertNotNull("data/org-yourorghere-depending.nbm file must found.", NBM_FILE); - } - - public void testAppendInstalledModule() { - Map<String,
UpdateUnit> unitImpls = new HashMap<String, UpdateUnit>(); - Map<String, ModuleInfo> modules = InstalledModuleProvider.getInstalledModules(); -
assertNotNull("Some modules are installed."); - assertFalse("Some modules are installed.", modules.isEmpty()); - - Map<String, UpdateUnit>
newImpls = UpdateUnitFactory.getDefault().appendUpdateItems(- unitImpls, - InstalledModuleProvider.getDefault()); - assertNotNull("Some units found.",
newImpls); - assertFalse("Some units found.", newImpls.isEmpty()); - - int modulesC = 0; - int features = 0; - - for (UpdateUnit unit : newImpls.values()) { -
switch (unit.getType()) { - case KIT_MODULE : - modulesC++; - break; - case MODULE : - modulesC++; - break; - case LOCALIZATION : - case FEATURE
: - features++; - break; - } - } - assertEquals("Same size of installed modules and UpdateUnit (except FeatureElement).", modules.size(), modulesC); - } - - public
void testAppendUpdateItems() throws IOException { - Map<String, UpdateUnit> unitImpls = new HashMap<String, UpdateUnit>(); - Map<String, UpdateItem>
updates = p.getUpdateItems(); - assertNotNull("Some updates are present.", updates); - assertFalse("Some updates are present.", updates.isEmpty()); - -
Map<String, UpdateUnit> newImpls = UpdateUnitFactory.getDefault().appendUpdateItems(- unitImpls, - p); - assertNotNull("Some units found.", newImpls); -
assertFalse("Some units found.", newImpls.isEmpty()); - - int modules = 0; - int features = 0; - int kits = 0; - int installed = 0; - - for (UpdateUnit unit :
newImpls.values()) { - switch (unit.getType()) { - case MODULE : - modules++; - if (unit.getInstalled() != null) { - installed++; - } - break; - case
KIT_MODULE : - kits++; - if (unit.getInstalled() != null) { - installed++; - } - break; - case LOCALIZATION : - case FEATURE : - features++; - break; - } - } -
assertEquals("Same size of updates (modules + features) and UpdateUnit", updates.size() - installed, kits + modules + features); - } - - public void
testGroupInstalledAndUpdates() { - Map<String, UpdateUnit> unitImpls = new HashMap<String, UpdateUnit>(); - Map<String, UpdateUnit> installedImpls =
UpdateUnitFactory.getDefault().appendUpdateItems(- unitImpls, - InstalledModuleProvider.getDefault()); - Map<String, UpdateUnit> updatedImpls =
UpdateUnitFactory.getDefault().appendUpdateItems(- installedImpls, p); - boolean isInstalledAndHasUpdates = false; - for (String id : updatedImpls.keySet()) { -
UpdateUnit impl = updatedImpls.get(id); - UpdateElement installed = impl.getInstalled(); - List<UpdateElement> updates = impl.getAvailableUpdates(); -
isInstalledAndHasUpdates = isInstalledAndHasUpdates || installed != null && updates != null && ! updates.isEmpty(); - if (installed != null && updates != null
&& ! updates.isEmpty()) { - assertTrue("Updates of module " + id + " contain newer one.", updates.get(0).getSpecificationVersion().compareTo
(installed.getSpecificationVersion()) > 0); - } - } - assertTrue("Some module is installed and has updates.", isInstalledAndHasUpdates); - } - - public void
testGetUpdateUnitsInNbmFile() { - UpdateProvider localFilesProvider = new LocalNBMsProvider("test-local-file-provider", NBM_FILE); - assertNotNull
("LocalNBMsProvider found for file " + NBM_FILE, localFilesProvider); - Map<String, UpdateUnit> units = UpdateUnitFactory.getDefault().getUpdateUnits
(localFilesProvider); - assertNotNull("UpdateUnit found in provider " + localFilesProvider.getDisplayName(), units); - assertEquals("Provider providers only
once unit in provider" + localFilesProvider.getName(), 1, units.size()); - String id = units.keySet().iterator().next(); - assertNotNull(localFilesProvider.getName
() + " gives UpdateUnit.", units.get(id)); - UpdateUnit u = units.get(id); - assertNotNull(u, "unit is not installed."); - u.getInstalled(); - assertNotNull
("Unit has update.", 1, u.getAvailableUpdates().size()); - UpdateElement el = u.getAvailableUpdates().get(0); - assertEquals("org.yourorghere.depending",
el.getCodeName()); - assertEquals("1.0", el.getSpecificationVersion()); - assertEquals(0, el.getDownloadSize()); - } - - public static class MyProvider extends
AutoupdateCatalogProvider { - public MyProvider() { - super("test-updates-provider", "test-updates-provider", UpdateUnitFactoryTest.class.getResource
("data/catalog.xml")); - } - } - - diff --git a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/VerifyFileTest.java
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/VerifyFileTestDisabled.java similarity index 96% rename from
autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/VerifyFileTest.java rename to
autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/VerifyFileTestDisabled.java index d722d244d..5f62139f6 100644 ---
a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/VerifyFileTest.java +++
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/services/VerifyFileTestDisabled.java @@ -34,13 +34,13 @@ import
org.netbeans.api.autoupdate.TestUtils; import org.netbeans.junit.NbTestCase; -public class VerifyFileTest extends NbTestCase { +public class
VerifyFileTestDisabled extends NbTestCase { - private static final Logger LOG = Logger.getLogger(VerifyFileTest.class.getName()); + private static final Logger
LOG = Logger.getLogger(VerifyFileTestDisabled.class.getName()); private KeyStore ks; - public VerifyFileTest(String testName) { + public
VerifyFileTestDisabled(String testName) { super(testName); } diff --git
a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/AutoupdateInfoParserTest.java
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/AutoupdateInfoParserTestDisabled.java similarity index 91% rename from
autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/AutoupdateInfoParserTest.java rename to
autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/AutoupdateInfoParserTestDisabled.java index 2ae69d1b9..068f682df 100644 ---
a/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/AutoupdateInfoParserTest.java +++
b/autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/AutoupdateInfoParserTestDisabled.java @@ -33,9 +33,9 @@ @author
Jiri Rehtacek */ -public class AutoupdateInfoParserTest extends DefaultTestCase { +public class AutoupdateInfoParserTestDisabled extends DefaultTestCase { -
public AutoupdateInfoParserTest(String testName) { + public AutoupdateInfoParserTestDisabled(String testName) { super(testName); } @@ -45,7 +45,7 @@
public AutoupdateInfoParserTest(String testName) { @Override protected void setUp() throws Exception { super.setUp(); - URL urlToFile =
AutoupdateInfoParserTest.class.getResource("data/org-yourorghere-depending.nbm"); + URL urlToFile = AutoupdateInfoParserTestDisabled.class.getResource
("data/org-yourorghere-depending.nbm"); NBM_FILE = Utilities.toFile(urlToFile.toURI()); assertNotNull("data/org-yourorghere-depending.nbm file must
found.", NBM_FILE); } diff --git a/beans/110n.list b/beans/110n.list index 7ea5288cd..b0d0eb9ba 100644 --- a/beans/110n.list +++ b/beans/110n.list @@ -1,2 +1,19
@@ - /* * Licensed to the Apache Software Foundation (ASF) under one * or more contributor license agreements. See the NOTICE file * distributed with this
work for additional information * regarding copyright ownership. The ASF licenses this file * to you under the Apache License, Version 2.0 (the * "License");
you may not use this file except in compliance * with the License. You may obtain a copy of the License at * - * http://www.apache.org/licenses/LICENSE-2.0
* - * Unless required by applicable law or agreed to in writing, * software distributed under the License is distributed on an * "AS IS" BASIS, WITHOUT

```

```
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # beans/src/**/Bundle*.properties beans/src/**/**/*.html diff --git a/beans/test/qa-functional/data/projects/Beans/nbproject/project.properties b/beans/test/qa-functional/data/projects/Beans/nbproject/project.properties index 4f95663a0..2191f050f 100644 --- a/beans/test/qa-functional/data/projects/Beans/nbproject/project.properties +++ b/beans/test/qa-functional/data/projects/Beans/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # annotation.processing.enabled=true annotation.processing.enabled.in.editor=false annotation.processing.processors.list= diff --git a/beans/test/qa-functional/data/projects/Beans/nbproject/project.xml b/beans/test/qa-functional/data/projects/Beans/nbproject/project.xml index 330411588..abdd496b0 100644 --- a/beans/test/qa-functional/data/projects/Beans/nbproject/project.xml +++ b/beans/test/qa-functional/data/projects/Beans/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/core.kit/test/perf/src/META-INF/services/org.openide.ErrorManager /core.kit/test/perf/src/META-INF/services/org.openide.ErrorManager index e8d45cd0..a370e5806 100644 --- a/core.kit/test/perf/src/META-INF/services/org.openide.ErrorManager +++ b/core.kit/test/perf/src/META-INF/services/org.openide.ErrorManager @@ -1 +1,18 @@ - org.openide.ErrorManagerTest$EM + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # + # org.openide.ErrorManagerTest$EM \ No newline at end of file diff --git a/core.kit/test/unit/src/META-INF/services/org.openide.actions.ActionManager b/core.kit/test/unit/src/META-INF/services/org.openide.actions.ActionManager index c50281fde..f280303ae 100644 --- a/core.kit/test/unit/src/META-INF/services/org.openide.actions.ActionManager +++ b/core.kit/test/unit/src/META-INF/services/org.openide.actions.ActionManager @@ -1 +1,18 @@ - #org.netbeans.core.ModuleActions + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # + # org.netbeans.core.ModuleActions \ No newline at end of file diff --git a/core.netigso/test/unit/data/jars/activate/META-INF/services/java.util.concurrent.Callable b/core.netigso/test/unit/data/jars/activate/META-INF/services/java.util.concurrent.Callable index df1d6c18e..ed6852490 100644 --- a/core.netigso/test/unit/data/jars/activate/META-INF/services/java.util.concurrent.Callable +++ b/core.netigso/test/unit/data/jars/activate/META-INF/services/java.util.concurrent.Callable @@ -1 +1,18 @@ - #org.activate.Query + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # + # org.activate.Query \ No newline at end of file diff --git a/core.windows/110n.list b/core.windows/110n.list index 4c72e4ff8..ef2520ddd 100644 --- a/core.windows/110n.list +++ b/core.windows/110n.list @@ -1,44 +1,20 @@ - # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - # Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # http://www.apache.org/licenses/LICENSE-2.0 + # + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. You can obtain a copy of the License at + # http://www.netbeans.org/cddl-gplv2.html + # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + # specific language governing permissions and limitations under the + # License. When distributing the software, include this License Header + # Notice in each file and include the License file at + # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this + # particular file as subject to the "Classpath" exception as provided + # by Oracle in the GPL Version 2 section of the License file that + # accompanied this code. If applicable, add the following below the + # License Header, with the fields enclosed by brackets [] replaced by + # your own identifying information: + # "Portions Copyrighted [year] [name of copyright owner]" + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # + # Contributor(s): + # - # The Original Software is NetBeans. The Initial Developer of the Original + # Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun + # Microsystems, Inc. All Rights Reserved. + # + # If you wish your version of this file to be governed by only the CDDL + # or only the GPL Version 2, indicate your decision by adding + # "[Contributor] elects to include this software in this distribution + # under the [CDDL or GPL Version 2] license." If you do not indicate a + # single choice of license, a recipient has the option to distribute + # your version of this file under either the CDDL, the GPL Version 2 or + # to extend the choice of license to its licensees as provided above. + # However, if you add GPL Version 2 code and therefore, elected the GPL + # Version 2 license, then the option applies only if the new code is + # made subject to such option by the copyright holder. + # core/windows/readGlobal ${!110n-module}/src/org/netbeans/core/windows/view/ui/toolbars/*.gif diff --git a/csl.api/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter b/csl.api/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter index 2cb546b4a..43809ca71 100644 --- a/csl.api/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter +++ b/csl.api/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter @@ -1 +1,18 @@ - # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # org.netbeans.modules.csl.core.GsfEditorSettings \ No newline at end of file diff --git a/csl.api/src/META-INF/services/org.netbeans.spi.java.classpath.ClassPathProvider b/csl.api/src/META-INF/services/org.netbeans.spi.java.classpath.ClassPathProvider index 369624f68..94708a05a 100644 --- a/csl.api/src/META-INF/services/org.netbeans.spi.java.classpath.ClassPathProvider +++ b/csl.api/src/META-INF/services/org.netbeans.spi.java.classpath.ClassPathProvider @@ -1,2 +1,19 @@ - a/csl.api/src/META-INF/services/org.netbeans.spi.java.classpath.ClassPathProvider @@ -1,2 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # org.netbeans.modules.csl.core.ProjectClassPathProvider -#position=100 +#position=100 \ No newline at end of file diff --git a/csl.api/src/META-INF/services/org.netbeans.spi.jumpto.symbol.SymbolProvider b/csl.api/src/META-INF/services/org.netbeans.spi.jumpto.symbol.SymbolProvider index 1524cd7bd..3c37b4d25 100644 --- a/csl.api/src/META-INF/services/org.netbeans.spi.jumpto.symbol.SymbolProvider +++ b/csl.api/src/META-
```


INF/services/org.netbeans.spi.jumpton.symbol.SymbolProvider @@ -1 +1,18 @@ -org.netbeans.modules.csl.core.TypeAndSymbolProvider\$SymbolProviderImpl
+ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work
for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you
may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 +
+ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. + org.netbeans.modules.csl.core.TypeAndSymbolProvider\$SymbolProviderImpl \ No newline at end of file diff --git
a/csl.api/src/META-INF/services/org.netbeans.spi.jumpton.type.TypeProvider b/csl.api/src/META-INF/services/org.netbeans.spi.jumpton.type.TypeProvider index
1f27978ca..f5ffb4562 100644 --- a/csl.api/src/META-INF/services/org.netbeans.spi.jumpton.type.TypeProvider +++ b/csl.api/src/META-
INF/services/org.netbeans.spi.jumpton.type.TypeProvider @@ -1 +1,18 @@ -org.netbeans.modules.csl.core.TypeAndSymbolProvider\$TypeProviderImpl +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may
not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 +
+ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. + org.netbeans.modules.csl.core.TypeAndSymbolProvider\$TypeProviderImpl \ No newline at end of file diff --git
a/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.properties
b/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.properties index 5a4e39e52..e981c3165 100644 ---
a/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.properties +++
b/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.properties @@ -1,3 +1,20 @@ + Licensed to the Apache Software Foundation (ASF)
under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with
the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 +
+ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. + auxiliary.org.netbeans-modules-web-clientproject-api.js_2e_libs_2e_folder=js/libs config.folder=\${file.reference.testHtmlApplication-config} file.reference.testHtmlApplication-
config=config diff --git a/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.xml
b/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.xml index 711b2a004..7bb800fb6 100644 ---
a/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.xml +++ b/css.editor/test/unit/data/testfiles/testHtmlApplication/nbproject/project.xml
@@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor
license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to
you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the
License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the
License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for
the + specific language governing permissions and limitations + under the License. + --> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.web.clientproject</type> <configuration> diff --git a/css.lib/src/org/netbeans/modules/css/lib/antlrv4.patch
b/css.lib/src/org/netbeans/modules/css/lib/antlrv4.patch index 732e53a80..66a220077 100644 --- a/css.lib/src/org/netbeans/modules/css/lib/antlrv4.patch +++
b/css.lib/src/org/netbeans/modules/css/lib/antlrv4.patch @@ -1,3 +1,21 @@ + + Licensed to the Apache Software Foundation (ASF) under one + * or more
contributor license agreements. See the NOTICE file + * regarding copyright ownership. The ASF
licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You
may obtain a copy of the License at + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + *
software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express
or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ diff -r 63baafcd69f5 css.lib/build.xml --
- a/css.lib/build.xml Thu Feb 14 17:26:26 2013 +0100 +++ b/css.lib/build.xml Mon Feb 18 14:26:29 2013 +0100 diff --git
a/css.lib/src/org/netbeans/modules/css/lib/api/CssTokenId.java b/css.lib/src/org/netbeans/modules/css/lib/api/CssTokenId.java index b24c7b3fe..e88ef3fef 100644 -
-- a/css.lib/src/org/netbeans/modules/css/lib/api/CssTokenId.java +++ b/css.lib/src/org/netbeans/modules/css/lib/api/CssTokenId.java @@ -1,45 +1,20 @@ -/*
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - * - *
Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this
file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution
License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - *
http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and
limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - *
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2
section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets []
replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * Contributor(s): +/** + * Licensed to the
Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional
information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use
this file except in compliance + * with the License. You may obtain a copy of the License at - * The Original Software is NetBeans. The Initial Developer of the
Original - * Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun - * Microsystems, Inc. All Rights Reserved. + *
http://www.apache.org/licenses/LICENSE-2.0 - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version , indicate
your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate
a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the
choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the
option applies only if the new code is - * made subject to such option by the copyright holder. + * Unless required by applicable law or agreed to in writing, + *
software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express
or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package org.netbeans.modules.css.lib.api;
diff --git a/css.lib/src/org/netbeans/modules/css/lib/api/NodeType.java b/css.lib/src/org/netbeans/modules/css/lib/api/NodeType.java index 46f1d960f..61918bc4a
100644 --- a/css.lib/src/org/netbeans/modules/css/lib/api/NodeType.java +++ b/css.lib/src/org/netbeans/modules/css/lib/api/NodeType.java @@ -1,43 +1,20 @@ -/*
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 2011 Oracle and/or its affiliates. All rights reserved. - * - *
Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of
this file are subject to the terms of either the GNU - * General Public License Version 2 only (GPL) or the Common - * Development and Distribution
License(CDDL) (collectively, the - * License). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - *
http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and
limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - *
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the Classpath exception as provided - * by Oracle in the GPL Version 2
section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets []
replaced by - * your own identifying information: - * Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be
governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - *
under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file
under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code
and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/** +
Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work
for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you
may not use this file except in compliance + * with the License. You may obtain a copy of the License at - * Contributor(s): + *
http://www.apache.org/licenses/LICENSE-2.0 - * - * Portions Copyrighted 2011 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in
writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND,
either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package
org.netbeans.modules.css.lib.api; diff --git a/css.lib/test/unit/src/org/netbeans/modules/css/lib/api/properties/TokenAcceptorsTest.java

b/css.lib/test/unit/src/org/netbeans/modules/css/lib/api/properties/TokenAcceptorsTest.java index 1deff0f60..ef8e77721 100644 ---
a/css.lib/test/unit/src/org/netbeans/modules/css/lib/api/properties/TokenAcceptorsTest.java +++
b/css.lib/test/unit/src/org/netbeans/modules/css/lib/api/properties/TokenAcceptorsTest.java @@ -1,43 +1,20 @@ -/* - * DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 2011 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered
trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of
either the GNU - * General Public License Version 2 only (getToken("GPL") or the Common - * Development and Distribution License(getToken("CDDL")
(collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - *
http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and
limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - *
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2
section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets []
replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be
governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - *
under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file
under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code
and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/* +
* Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work
for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you
may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * Contributor(s): + *
http://www.apache.org/licenses/LICENSE-2.0 + * - * Portions Copyrighted 2011 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in
writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND,
either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package
org.netbeans.modules.css.lib.api.properties; diff --git a/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.less
b/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.less index d1233f5ae..72d73afdf 100644 ---
a/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.less +++ b/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.less @@ -1,41 +1,22 @@
<!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its
affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the
terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -
"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or
nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the
software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file
as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the
following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name
of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions
and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by
adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of
license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its
licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new
code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"> <#assign licensePrefix = ""> diff --git
a/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.scss b/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.scss index
d1233f5ae..72d73afdf 100644 --- a/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.scss +++
b/css.prep/src/org/netbeans/modules/css/prep/ui/resources/style.scss @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR
THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more
contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses
this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a
copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. +
http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL")
or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License.
You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific
language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include
the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the
GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by
brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or
agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version
of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this
distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of
this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code
and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"> <#assign licensePrefix = ""> diff --git
a/css.prep/test/qa-functional/data/css_prep/nbproject/project.properties
b/css.prep/test/qa-functional/data/css_prep/nbproject/project.properties index 120b0df98..79a5c9e91 100644 --- a/css.prep/test/qa-
functional/data/css_prep/nbproject/project.properties +++ b/css.prep/test/qa-functional/data/css_prep/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed
to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional
information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use
this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless
required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the
License. + auxiliary.org.netbeans-modules-css-prep.less_2e_compiler_2e_options= auxiliary.org.netbeans-modules-css-prep.less_2e_configured=true
auxiliary.org.netbeans-modules-css-prep.less_2e_enabled=false diff --git a/css.prep/test/qa-functional/data/css_prep/nbproject/project.xml b/css.prep/test/qa-
functional/data/css_prep/nbproject/project.xml index 99fd2a2c 100644 --- a/css.prep/test/qa-functional/data/css_prep/nbproject/project.xml +++
b/css.prep/test/qa-functional/data/css_prep/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the
Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.web.clientproject</type> <configuration> diff --git
a/css.prep/test/unit/data/testProject/nbproject/project.properties b/css.prep/test/unit/data/testProject/nbproject/project.properties index ab0fce407..765047da3
100644 --- a/css.prep/test/unit/data/testProject/nbproject/project.properties +++ b/css.prep/test/unit/data/testProject/nbproject/project.properties @@ -1,3 +1,20 @@
@@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this
work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License");
you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0
+ # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and

limitations + # under the License. + config.folder=\${file.reference.HTML5Application-config} file.reference.HTML5Application-config=config
file.reference.HTML5Application-public_html=public_html diff --git a/css.prep/test/unit/data/testProject/nbproject/project.xml
b/css.prep/test/unit/data/testProject/nbproject/project.xml index b7e65e804..def7ca524 100644 --- a/css.prep/test/unit/data/testProject/nbproject/project.xml +++
b/css.prep/test/unit/data/testProject/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project
xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.web.clientproject</type> <configuration> diff --git a/css.visual/test/qa-
functional/data/CSSTestProject/nbproject/project.properties b/css.visual/test/qa-functional/data/CSSTestProject/nbproject/project.properties index
8be9ed641..d2477161a 100644 --- a/css.visual/test/qa-functional/data/CSSTestProject/nbproject/project.properties +++ b/css.visual/test/qa-
functional/data/CSSTestProject/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more
contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses
this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a
copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. + build.classes.dir=\${build.web.dir}/WEB-
INF/classes build.classes.excludes=**/*.java,**/*.form build.dir=build diff --git a/css.visual/test/qa-functional/data/CSSTestProject/nbproject/project.xml
b/css.visual/test/qa-functional/data/CSSTestProject/nbproject/project.xml index 7af5d7fe..e782f6e91 100644 --- a/css.visual/test/qa-
functional/data/CSSTestProject/nbproject/project.xml +++ b/css.visual/test/qa-functional/data/CSSTestProject/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.web.project</type> <configuration> diff --git a/db/110n.list b/db/110n.list index cd5763be4..1a156be74 100644 --- a/db/110n.list +++
b/db/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE
file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License,
Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + #
http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is
distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + #
specific language governing permissions and limitations + # under the License. + # # db read global \${110n-module}/libsrc/**/Bundle.properties diff --git
a/debugger.jpda.ui/test/qa-functional/data/debugTestProject/build.xml b/debugger.jpda.ui/test/qa-functional/data/debugTestProject/build.xml index
e5721b927..4a40f5a0f 100644 --- a/debugger.jpda.ui/test/qa-functional/data/debugTestProject/build.xml +++ b/debugger.jpda.ui/test/qa-
functional/data/debugTestProject/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance
+ with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in
writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either
express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file.
See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) -->
diff --git a/debugger.jpda.ui/test/qa-functional/data/debugTestProject/src/examples/advanced/README.txt b/debugger.jpda.ui/test/qa-
functional/data/debugTestProject/src/examples/advanced/README.txt index f679845ef..6af3b174f 100644 --- a/debugger.jpda.ui/test/qa-
functional/data/debugTestProject/src/examples/advanced/README.txt +++ b/debugger.jpda.ui/test/qa-
functional/data/debugTestProject/src/examples/advanced/README.txt @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + #
or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. + This package contains the MemoryView
program, which displays a window displaying the current JVM memory and allows you to explicitly run garbage collection. diff --git a/debugger.jpda.ui/test/qa-
functional/data/debugTestProjectAnt/build.xml b/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/build.xml index 6c20a30dd..2d8edc814 100644 ---
a/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/build.xml +++ b/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/build.xml @@ -1,4
+1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +
specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!--
some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/debugger.jpda.ui/test/qa-
functional/data/debugTestProjectAnt/nbproject/project.properties b/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/nbproject/project.properties
index f4cfe8dcc..f36e2c1ed 100644 --- a/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/nbproject/project.properties +++ b/debugger.jpda.ui/test/qa-
functional/data/debugTestProjectAnt/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more
contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. + annotation.processing.enabled.in.editor=false
annotation.processing.processors.list= diff --git a/debugger.jpda.ui/test/qa-
functional/data/debugTestProjectAnt/nbproject/project.xml b/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/nbproject/project.xml index
3e5791219..540886e6e 100644 --- a/debugger.jpda.ui/test/qa-functional/data/debugTestProjectAnt/nbproject/project.xml +++ b/debugger.jpda.ui/test/qa-
functional/data/debugTestProjectAnt/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project
xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/diff/110n.list b/diff/110n.list
index 973af08b0..bb8e49e84 100644 --- a/diff/110n.list +++ b/diff/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + #
or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # diff read global \${110n-
module}/src/org/netbeans/modules/**/builtin/visualizer/*.gif diff --git a/dlight.nativeexecution/external/exchelp-1.0-license.txt
b/dlight.nativeexecution/external/exchelp-1.0-license.txt index d7145641f..01cfaab41 100644 --- a/dlight.nativeexecution/external/exchelp-1.0-license.txt +++

b/dlight.nativeexecution/external/excehlp-1.0-license.txt @@ -1,7 +1,7 @@ Name: excehlp Version: 1.0 Description: binaries that used by dlight.nativeexecution module -License: TBD +License: Apache License 2.0 OSR: - Origin: - Files: excehlp-1.0.zip contains killall process_start pty pty_open sigqueue stat unbuffer.so for different platforms @@ -15,5 +15,205 @@ unbuffer.so - used when unbuffering is required Use of excehlp version 1.0 is governed by the terms of the license below: -TBD + Apache License + Version 2.0, January 2004 + <http://www.apache.org/licenses/> + + TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION + + 1. Definitions. + + "License" shall mean the terms and conditions for use, reproduction, + and distribution as defined by Sections 1 through 9 of this document. + + "Licensor" shall mean the copyright owner or entity authorized by + the copyright owner that is granting the License. + + "Legal Entity" shall mean the union of the acting entity and all + other entities that control, are controlled by, or are under common + control with that entity. For the purposes of this definition, + "control" means (i) the power, direct or indirect, to cause the + direction or management of such entity, whether by contract or + otherwise, or (ii) ownership of fifty percent (50%) or more of the + outstanding shares, or (iii) beneficial ownership of such entity. + + "You" (or "Your") shall mean an individual or Legal Entity + exercising permissions granted by this License. + + "Source" form shall mean the preferred form for making modifications, + including but not limited to software source code, documentation + source, and configuration files. + + "Object" form shall mean any form resulting from mechanical + transformation or translation of a Source form, including but + not limited to compiled object code, generated documentation, + and conversions to other media types. + + "Work" shall mean the work of authorship, whether in Source or + Object form, made available under the License, as indicated by a + copyright notice that is included in or attached to the work + (an example is provided in the Appendix below). + + "Derivative Works" shall mean any work, whether in Source or Object + form, that is based on (or derived from) the Work and for which the + editorial revisions, annotations, elaborations, or other modifications + represent, as a whole, an original work of authorship. For the purposes + of this License, Derivative Works shall not include works that remain + separable from, or merely link (or bind by name) to the interfaces of, + the Work and Derivative Works thereof. + + "Contribution" shall mean any work of authorship, including + the original version of the Work and any modifications or additions + to that Work or Derivative Works thereof, that is intentionally + submitted to Licensor for inclusion in the Work by the copyright owner + or by an individual or Legal Entity authorized to submit on behalf of + the copyright owner. For the purposes of this definition, "submitted" + means any form of electronic, verbal, or written communication sent + to the Licensor or its representatives, including but not limited to + communication on electronic mailing lists, source code control systems, + and issue tracking systems that are managed by, or on behalf of, the + Licensor for the purpose of discussing and improving the Work, but + excluding communication that is conspicuously marked or otherwise + designated in writing by the copyright owner as "Not a Contribution." + + "Contributor" shall mean Licensor and any individual or Legal Entity + on behalf of whom a Contribution has been received by Licensor and + subsequently incorporated within the Work. + + 2. Grant of Copyright License. Subject to the terms and conditions of + this License, each Contributor hereby grants to You a perpetual, + worldwide, non-exclusive, no-charge, royalty-free, irrevocable + copyright license to reproduce, prepare Derivative Works of, + publicly display, publicly perform, sublicense, and distribute the + Work and such Derivative Works in Source or Object form. + + 3. Grant of Patent License. Subject to the terms and conditions of + this License, each Contributor hereby grants to You a perpetual, + worldwide, non-exclusive, no-charge, royalty-free, irrevocable + (except as stated in this section) patent license to make, have made, + use, offer to sell, sell, import, and otherwise transfer the Work, + where such license applies only to those patent claims licensable + by such Contributor that are necessarily infringed by their + Contribution(s) alone or by combination of their Contribution(s) + with the Work to which such Contribution(s) was submitted. If You + institute patent litigation against any entity (including a + cross-claim or counterclaim in a lawsuit) alleging that the Work + or a Contribution incorporated within the Work constitutes direct + or contributory patent infringement, then any patent licenses + granted to You under this License for that Work shall terminate + as of the date such litigation is filed. + + 4. Redistribution. You may reproduce and distribute copies of the + Work or Derivative Works thereof in any medium, with or without + modifications, and in Source or Object form, provided that You + meet the following conditions: + + (a) You must give any other recipients of the Work or + Derivative Works a copy of this License; and + + (b) You must cause any modified files to carry prominent notices + stating that You changed the files; and + + (c) You must retain, in the Source form of any Derivative Works + that You distribute, all copyright, patent, trademark, and + attribution notices from the Source form of the Work, + excluding those notices that do not pertain to any part of + the Derivative Works; and + + (d) If the Work includes a "NOTICE" text file as part of + its + distribution, then any Derivative Works that You distribute must + include a readable copy of the attribution notices contained + within such NOTICE file, excluding those notices that do not + pertain to any part of the Derivative Works, in at least one + of the following places: within a NOTICE text file distributed + as part of the Derivative Works; within the Source form or + documentation, if provided along with the Derivative Works; or, + within a display generated by the Derivative Works, if and + wherever such third-party notices normally appear. The contents + of the NOTICE file are for informational purposes only and + do not modify the License. You may add Your own attribution + notices within Derivative Works that You distribute, alongside + or as an addendum to the NOTICE text from the Work, provided + that such additional attribution notices cannot be construed + as modifying the License. + + You may add Your own copyright statement to Your modifications and + may provide additional or different license terms and conditions + for use, reproduction, or distribution of Your modifications, or + for any such Derivative Works as a whole, provided Your use, + reproduction, and distribution of the Work otherwise complies with + the conditions stated in this License. + + 5. Submission of Contributions. Unless You explicitly state otherwise, + any Contribution intentionally submitted for inclusion in the Work + by You to the Licensor shall be under the terms and conditions of + this License, without any additional terms or conditions. + Notwithstanding the above, nothing herein shall supersede or modify + the terms of any separate license agreement you may have executed + with Licensor regarding such Contributions. + + 6. Trademarks. This License does not grant permission to use the trade + names, trademarks, service marks, or product names of the Licensor, + except as required for reasonable and customary use in describing the + origin of the Work and reproducing the content of the NOTICE file. + + 7. Disclaimer of Warranty. Unless required by applicable law or + agreed to in writing, Licensor provides the Work (and each + Contributor provides its Contributions) on an "AS IS" BASIS, + WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or + implied, including, without limitation, any warranties or conditions + of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A + PARTICULAR PURPOSE. You are solely responsible for determining the + appropriateness of using or redistributing the Work and assume any + risks associated with Your exercise of permissions under this License. + + 8. Limitation of Liability. In no event and under no legal theory, + whether in tort (including negligence), contract, or otherwise, + unless required by applicable law (such as deliberate and grossly + negligent acts) or agreed to in writing, shall any Contributor be + liable to You for damages, including any direct, indirect, special, + incidental, or consequential damages of any character arising as a + result of this License or out of the use or inability to use the + Work (including but not limited to damages for loss of goodwill, + work stoppage, computer failure or malfunction, or any and all + other commercial damages or losses), even if such Contributor + has been advised of the possibility of such damages. + + 9. Accepting Warranty or Additional Liability. While redistributing + the Work or Derivative Works thereof, You may choose to offer, + and charge a fee for, acceptance of support, warranty, indemnity, + or other liability obligations and/or rights consistent with this + License. However, in accepting such obligations, You may act only + on Your own behalf and on Your sole responsibility, not on behalf + of any other Contributor, and only if You agree to indemnify, + defend, and hold each Contributor harmless for any liability + incurred by, or claims asserted against, such Contributor by reason + of your accepting any such warranty or additional liability. + + END OF TERMS AND CONDITIONS + + APPENDIX: How to apply the Apache License to your work. + + To apply the Apache License to your work, attach the following + boilerplate notice, with the fields enclosed by brackets "[]" + replaced with your own identifying information. (Don't include + the brackets!) The text should be enclosed in the appropriate + comment syntax for the file format. We also recommend that a + file or class name and description of purpose be included on the + same "printed page" as the copyright notice for easier + identification within third-party archives. + + Copyright [yyyy] [name of copyright owner] + + Licensed under the Apache License, Version 2.0 (the "License"); + you may not use this file except in compliance with the License. + You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, software + distributed under the License is distributed on an "AS IS" BASIS, + WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + See the License for the specific language governing permissions and + limitations under the License. diff --git a/dlight.nativeexecution/tools/buildall.sh b/dlight.nativeexecution/tools/buildall.sh index a7be89a1a..403a8caf8 100644 --- a/dlight.nativeexecution/tools/buildall.sh +++ b/dlight.nativeexecution/tools/buildall.sh @@ -1,41 +1,20 @@ #!/bin/bash -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. ## <http://www.apache.org/licenses/LICENSE-2.0> ## Oracle and Java are registered trademarks of Oracle and/or its affiliates. ## Other names may be trademarks of their respective owners. ## The contents of this file are subject to the terms of either the GNU ## General Public License Version 2 only ("GPL") or the Common ## Development and Distribution License("CDDL") (collectively, the ## "License"). You may not use this file except in compliance with the ## License. You can obtain a copy of the License at ## <http://www.netbeans.org/cddl-gplv2.html> ## or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the ## specific language governing permissions and limitations under the ## License. When distributing the software, include this License Header ## Notice in each file and include the License file at ## nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this ## particular file as subject to the "Classpath" exception as provided ## by Oracle in the GPL Version 2 section of the License file that ## accompanied this code. If applicable, add the following below the ## License Header, with the fields enclosed by brackets [] replaced by ## your own identifying information: ## "Portions Copyrighted [year] [name of copyright owner]" ## If you wish your version of this file to be governed by only the CDDL ## or only the GPL Version 2, indicate your decision by adding ## "[Contributor] elects to include this software in this distribution ## under the [CDDL or GPL Version 2] license." If you do not indicate a ## single choice of license, a recipient has the option to distribute ## your version of this file under either the CDDL, the GPL Version 2 or ## to extend the choice of license to its licensees as provided above. ## However, if you add GPL Version 2 code and therefore, elected the GPL ## Version 2 license, then the option applies only if the new code is ## made subject to such option by the copyright holder. ## Contributor(s): ## Unless required by applicable law or agreed to in

writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. # To build in debug mode export DEBUG=Y variable diff --git a/dlight.nativeexecution/tools/killall/make/Makefile.gmake b/dlight.nativeexecution/tools/killall/make/Makefile.gmake index d175ad8c8..329cfd16 100644 --- a/dlight.nativeexecution/tools/killall/make/Makefile.gmake +++ b/dlight.nativeexecution/tools/killall/make/Makefile.gmake @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + OBJJS := \$(SOURCES:\$(ROOT_DIR)/%.c=\$(OBJ_DIR)/%.o) OBJ_DIRS := \$(SRC_DIRS:\$(ROOT_DIR)/%=\$(OBJ_DIR)/%) DEPS := \$(OBJJS:%.o=%.d) diff --git a/dlight.nativeexecution/tools/killall/make/Makefile.gmake b/dlight.nativeexecution/tools/killall/make/Makefile.gmake index 51f4b190b..4a9027a68 100644 --- a/dlight.nativeexecution/tools/killall/make/Makefile.gmake +++ b/dlight.nativeexecution/tools/killall/make/Makefile.gmake @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + OBJJS = \$(SOURCES:\$(ROOT_DIR)/%.c=\$(OBJ_DIR)/%.o) OBJ_DIRS = \$(SRC_DIRS:\$(ROOT_DIR)/%=\$(OBJ_DIR)/%) \$(OBJJS) := DEP = \$(@:\$(OBJ_DIR)/%.o=\$(ROOT_DIR)/%.c) diff --git a/dlight.nativeexecution/tools/killall/make/line b/dlight.nativeexecution/tools/killall/make/line index ed7e2fb7d..674d08d34 100755 --- a/dlight.nativeexecution/tools/killall/make/line +++ b/dlight.nativeexecution/tools/killall/make/line @@ -1,5 +1,22 @@ #!/bin/sh ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + SYM=\${1:-} COLS=`(stty -a | sed -n "s/.*columns\[\^0-9\]*\(\[0-9\]*\).*\|1/p") 2>/dev/null` ; test -z "\${COLS}" && COLS=`(stty -a | sed -n "s/.*columns\[\^0-9\]*\(\[0-9\]*\).*\|1/p") 2>/dev/null` ; diff --git a/dlight.nativeexecution/tools/pty/.hgignore b/dlight.nativeexecution/tools/pty/.hgignore index 552d9ac6e..657c9d81f 100644 --- a/dlight.nativeexecution/tools/pty/.hgignore +++ b/dlight.nativeexecution/tools/pty/.hgignore @@ -1,3 +1,19 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. ^\.make.state.* ^build/ ^dist/ diff --git a/dlight.nativeexecution/tools/pty/make/Makefile.gmake b/dlight.nativeexecution/tools/pty/make/Makefile.gmake index d175ad8c8..329cfd16 100644 --- a/dlight.nativeexecution/tools/pty/make/Makefile.gmake +++ b/dlight.nativeexecution/tools/pty/make/Makefile.gmake @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + OBJJS := \$(SOURCES:\$(ROOT_DIR)/%.c=\$(OBJ_DIR)/%.o) OBJ_DIRS := \$(SRC_DIRS:\$(ROOT_DIR)/%=\$(OBJ_DIR)/%) DEPS := \$(OBJJS:%.o=%.d) diff --git a/dlight.nativeexecution/tools/pty/make/Makefile.gmake b/dlight.nativeexecution/tools/pty/make/Makefile.gmake index b3ad853e2..846b980e9 100644 --- a/dlight.nativeexecution/tools/pty/make/Makefile.gmake +++ b/dlight.nativeexecution/tools/pty/make/Makefile.gmake @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + SYM=\${1:-} COLS=`(stty -a | sed -n "s/.*columns\[\^0-9\]*\(\[0-9\]*\).*\|1/p") 2>/dev/null` ; test -z "\${COLS}" && COLS=`(stty -a | sed -n "s/.*columns\[\^0-9\]*\(\[0-9\]*\).*\|1/p") 2>/dev/null` ; diff --git a/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake b/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake index d175ad8c8..329cfd16 100644 --- a/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake +++ b/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + OBJJS := \$(SOURCES:\$(ROOT_DIR)/%.c=\$(OBJ_DIR)/%.o) OBJ_DIRS := \$(SRC_DIRS:\$(ROOT_DIR)/%=\$(OBJ_DIR)/%) DEPS := \$(OBJJS:%.o=%.d) diff --git a/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake b/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake index b3ad853e2..846b980e9 100644 --- a/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake +++ b/dlight.nativeexecution/tools/unbuffer/make/Makefile.gmake @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + SYM=\${1:-} COLS=`(stty -a | sed -n "s/.*columns\[\^0-9\]*\(\[0-9\]*\).*\|1/p") 2>/dev/null` ; test -z "\${COLS}" && COLS=`(stty -a | sed -n "s/.*columns\[\^0-9\]*\(\[0-9\]*\).*\|1/p") 2>/dev/null` ; diff --git a/editor.indent/test/unit/src/META-INF/services/org.netbeans.spi.lexer.LanguageProvider b/editor.indent/test/unit/src/META-INF/services/org.netbeans.spi.lexer.LanguageProvider index

```

7b3f656a5..50b650ff2 100644 --- a/editor.indent/test/unit/src/META-INF/services/org.netbeans.spi.lexer.LanguageProvider +++
b/editor.indent/test/unit/src/META-INF/services/org.netbeans.spi.lexer.LanguageProvider @@ -1 +1,18 @@ -org.netbeans.lib.lexer.test.TestLanguageProvider +#
Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for
additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may
not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + #
Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and
limitations + # under the License. + # +org.netbeans.lib.lexer.test.TestLanguageProvider \ No newline at end of file diff --git
a/editor.mimelookup/test/unit/src/META-INF/services/org.netbeans.spi.editor.mimelookup.MimeDataProvider b/editor.mimelookup/test/unit/src/META-
INF/services/org.netbeans.spi.editor.mimelookup.MimeDataProvider index e3597f0ed..b341b83d4 100644 --- a/editor.mimelookup/test/unit/src/META-
INF/services/org.netbeans.spi.editor.mimelookup.MimeDataProvider +++ b/editor.mimelookup/test/unit/src/META-
INF/services/org.netbeans.spi.editor.mimelookup.MimeDataProvider @@ -1 +1,18 @@ -org.netbeans.api.editor.mimelookup.test.MockMimeLookup +# Licensed
to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional
information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use
this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless
required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the
License. + # +org.netbeans.api.editor.mimelookup.test.MockMimeLookup \ No newline at end of file diff --git a/execution.process/external/binaries-list
b/execution.process/external/binaries-list index 5c27a052f..87de4d3d6 100644 --- a/execution.process/external/binaries-list +++
b/execution.process/external/binaries-list @@ -14,6 +14,10 @@ # KIND, either express or implied. See the License for the # specific language governing
permissions and limitations # under the License. + # + # winp-1.14-patcher.jar is a patched version of the maven artifact: + #
6A56E64B5F9E78D1F30F960425F7758D08B2A390 org.jvnet.winp:winp:1.1 C975FEFB2CFBA523A7375A78FA9ECFAF0D0AC505 winp-1.14-patched.jar
-2E07375E5CA3A45247F0E87FB33F243F7A5C08C libpam4j-1.1.jar +2E07375E5CA3A45247F0E87FB33F243F7A5C08C org.jvnet.libpam4j:libpam4j:1.1
+ # processtreekiller is not available in Maven, and its web page was hosted in Kenai, now extinct. 6819C79348FCF4F5125C834E7D3B742582DCA34D
processtreekiller-1.0.7.jar diff --git a/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_form
b/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_form index e51a45c08..575303418 100644 ---
a/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_form +++
b/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_form @@ -1,5 +1,21 @@ <?xml version="1.0" encoding="UTF-8" ?> +
<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work
for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may
not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, software + distributed under the License is distributed on an "AS IS" BASIS, + WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. + See the License for the specific language governing permissions and + limitations under the License.
+--> <Form version="1.4" type="org.netbeans.modules.form.forminfo.JPanelFormInfo"> <NonVisualComponents> <Component
class="javax.persistence.EntityManager" name="entityManager"> diff --git
a/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_java
b/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_java index 5b3a9a496..c1a4e2fff 100644 ---
a/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_java +++
b/form.j2ee/src/org/netbeans/modules/form/j2ee/resources/templates/MasterDetailForm_java @@ -1,41 +1,19 @@ <!-- -DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. - Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - Oracle and Java are registered trademarks
of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. - The contents of this file are subject to the terms of either the GNU
- General Public License Version 2 only ("GPL") or the Common - Development and Distribution License ("CDDL") (collectively, the "License"). You may not use
this file except in compliance with the - License. You can obtain a copy of the License at - http://www.netbeans.org/cddl-gplv2.html - or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the - specific language governing permissions and limitations under the - License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor]
elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has
the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above.
- However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such
option by the copyright holder. - Contributor(s): + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See
the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, software + distributed under the License is distributed
on an "AS IS" BASIS, + WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + See the License for the specific language
governing permissions and + limitations under the License. +--> <#assign licenseFirst = "/" * "> <#assign licensePrefix = " * "> diff --git a/form/I10n.list
b/form/I10n.list index 17f3fa1d2..df67c90b8 100644 --- a/form/I10n.list +++ b/form/I10n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation
(ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright
ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + #
with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to
in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND,
either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # form read global
${I10n-module}/src/org/netbeans/modules/form/beaninfo/awt/*.gif diff --git a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Applet_java
b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Applet_java index 70cab0c02..1c5bc7354 100644 ---
a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Applet_java +++
b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Applet_java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT
NOTICES OR THIS HEADER. - Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under
one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership.
The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks
of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public
License Version 2 only ("GPL") or the Common -Development and Distribution License ("CDDL") (collectively, the "License"). You may not use this file except
in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See
the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header
-Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath"
exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the
-License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" + Unless required by applicable law or
agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your
version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this
software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to
distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above.
-However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to
such option by the copyright holder. - - Contributor(s): --> <#assign licenseFirst = "/" * "> <#assign licensePrefix = " * "> diff --git
a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Dialog_java
b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Dialog_java index 95dd66285..1c6135240 100644 ---
a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Dialog_java +++

```


b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Dialog_java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -- Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Frame_java b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Frame_java index 9bbe1320b..d4b4d2567 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Frame_java +++ b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Frame_java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -- Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Panel_java b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Panel_java index cc3381c9..a27dea119 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Panel_java +++ b/form/src/org/netbeans/modules/form/resources/templates/AWTForms/Panel_java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -- Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/Dialogs/Application_java b/form/src/org/netbeans/modules/form/resources/templates/Dialogs/Application_java index dc56ecd33..c36b1218e 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/Dialogs/Application_java +++ b/form/src/org/netbeans/modules/form/resources/templates/Dialogs/Application_java @@ -1,41 +1,22 @@ <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. - -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --Contributor(s): ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ http://www.apache.org/licenses/LICENSE-2.0 ++ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. ++> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/Dialogs/MDIApplication_java b/form/src/org/netbeans/modules/form/resources/templates/Dialogs/MDIApplication_java index a37d68059..836057087 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/Dialogs/MDIApplication_java +++

b/form/src/org/netbeans/modules/form/resources/templates/Dialogs/MDIApplication_java @@ -1,41 +1,22 @@ <#-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - Oracle and Java are registered trademarks of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. - The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common - Development and Distribution License("CDDL") (collectively, the - "License"). You may not use this file except in compliance with the - License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. - However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/Dialogs/OkCancelDialog_java b/form/src/org/netbeans/modules/form/resources/templates/Dialogs/OkCancelDialog_java index e2cadb9e4..4d41792af 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/Dialogs/OkCancelDialog_java +++ b/form/src/org/netbeans/modules/form/resources/templates/Dialogs/OkCancelDialog_java @@ -1,41 +1,22 @@ <#-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - Oracle and Java are registered trademarks of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. - The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common - Development and Distribution License("CDDL") (collectively, the - "License"). You may not use this file except in compliance with the - License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. - However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - Contributor(s): + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/BeanForm_java b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/BeanForm_java index db38ea59f..23d6e7415 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/BeanForm_java +++ b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/BeanForm_java @@ -1,41 +1,22 @@ <#-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 - The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. - However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JApplet_java b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JApplet_java index 866836a7b..09d289e8c 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JApplet_java +++ b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JApplet_java @@ -1,41 +1,22 @@ <#-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 - The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. - However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JDialog_java b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JDialog_java index 53d739276..efb597eba 100644 --- a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JDialog_java +++

```

b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JDialog_java @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE COPYRIGHT
NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under
one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The
ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You
may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective
owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2
only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with
the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -
specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and
include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle
in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed
by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or
agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version
of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this
distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of
this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code
and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --
Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JFrame_java
b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JFrame_java index db0edab5d..8e2600ffe 100644 ---
a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JFrame_java +++
b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JFrame_java @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE COPYRIGHT
NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under
one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The
ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You
may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective
owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2
only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with
the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -
specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and
include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle
in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed
by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or
agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version
of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this
distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of
this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code
and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --
Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JInternalFrame_java
b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JInternalFrame_java index e37869a40..bb03e56d0 100644 ---
a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JInternalFrame_java +++
b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JInternalFrame_java @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of
their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public
License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except
in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the
License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice
in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as
provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header,
with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required
by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor]
elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient
has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided
above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to
such option by the copyright holder. -Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git
a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JPanel_java
b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JPanel_java index 41a5495b7..ef67e28e4 100644 ---
a/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JPanel_java +++
b/form/src/org/netbeans/modules/form/resources/templates/SwingForms/JPanel_java @@ -1,41 +1,22 @@ <!-- DO NOT ALTER OR REMOVE COPYRIGHT
NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under
one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The
ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You
may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective
owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2
only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with
the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -
specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and
include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle
in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed
by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or
agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version
of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this
distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of
this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code
and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --
Contributor(s): --> <#assign licenseFirst = "/"*> <#assign licensePrefix = " * "> diff --git a/form/test/qa-functional/data/SampleDesktopApplication/build.xml
b/form/test/qa-functional/data/SampleDesktopApplication/build.xml index 332e7a6ba..713817af2 100644 --- a/form/test/qa-
functional/data/SampleDesktopApplication/build.xml +++ b/form/test/qa-functional/data/SampleDesktopApplication/build.xml @@ -1,4 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the

```

NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.properties b/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.properties index b068baec..52f0679b4 100644 --- a/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.properties +++ b/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + application.desc=A simple java desktop application based on Swing Application Framework application.homepage=<http://appframework.dev.java.net> application.title=Basic Application Example diff --git a/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.xml b/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.xml index 1c3dd211d..38371ba4b 100644 --- a/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.xml +++ b/form/test/qa-functional/data/SampleDesktopApplication/nbproject/project.xml @@ -1,4 +1,24 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/form/test/qa-functional/data/SampleDesktopApplication/src/META-INF/services/org.jdesktop.application.Application b/form/test/qa-functional/data/SampleDesktopApplication/src/META-INF/services/org.jdesktop.application.Application index 299564290..aafb3473e 100644 --- a/form/test/qa-functional/data/SampleDesktopApplication/src/META-INF/services/org.jdesktop.application.Application +++ b/form/test/qa-functional/data/SampleDesktopApplication/src/META-INF/services/org.jdesktop.application.Application @@ -1 +1,18 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # sampledesktopapplication.SampleDesktopApplication \ No newline at end of file diff --git a/form/test/qa-functional/data/SampleProject/build.xml b/form/test/qa-functional/data/SampleProject/build.xml index 5c96d3588..9b0608d82 100644 --- a/form/test/qa-functional/data/SampleProject/build.xml +++ b/form/test/qa-functional/data/SampleProject/build.xml @@ -1,4 +1,24 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/form/test/qa-functional/data/SampleProject/nbproject/project.properties b/form/test/qa-functional/data/SampleProject/nbproject/project.properties index b581ae8ff..94941a719 100644 --- a/form/test/qa-functional/data/SampleProject/nbproject/project.properties +++ b/form/test/qa-functional/data/SampleProject/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + application.args= application.title=SampleProject application.vendor=Admin diff --git a/form/test/qa-functional/data/SampleProject/nbproject/project.xml b/form/test/qa-functional/data/SampleProject/nbproject/project.xml index 228eb21a9..2aea25cb0 100644 --- a/form/test/qa-functional/data/SampleProject/nbproject/project.xml +++ b/form/test/qa-functional/data/SampleProject/nbproject/project.xml @@ -1,4 +1,24 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/git/110n.list b/git/110n.list index 332ee0000..d334849b0 100644 --- a/git/110n.list +++ b/git/110n.list @@ -1,2 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # git/main read global diff --git a/hibernate/src/org/netbeans/modules/hibernate/hqleditor/ui/Bundle.properties b/hibernate/src/org/netbeans/modules/hibernate/hqleditor/ui/Bundle.properties index ca06806e6..b5344ae61 100644 --- a/hibernate/src/org/netbeans/modules/hibernate/hqleditor/ui/Bundle.properties +++ b/hibernate/src/org/netbeans/modules/hibernate/hqleditor/ui/Bundle.properties @@ -1,43 +1,19 @@ + # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Copyright 2010 Oracle and/or its affiliates. All rights reserved. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.netbeans.org/cddl-gplv2.html> + # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + # specific language governing permissions and limitations + # under the License. + # Development and Distribution License("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. You can obtain a copy of the License at + # <http://www.netbeans.org/cddl-gplv2.html> + # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + # specific language governing permissions and limitations + # under the License. + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. + # If you wish your version of this file to be governed by only the CDDL + # or only the GPL Version 2, indicate your decision by adding + # "[Contributor] elects to include this software in this distribution + # under the [CDDL or GPL Version 2] license." If you do not indicate a + # single choice of license, a recipient has the option to distribute + # your version of this file under either the CDDL, the GPL Version 2 or + # to extend the choice of license to its licensees as provided above. + # However, if you add GPL Version 2 code and therefore, elected the GPL + # Version 2 license, then the option applies only if the new code is + # made subject to such option by the copyright holder. + # Portions Copyrighted 2008 Sun Microsystems, Inc. + # <http://www.apache.org/licenses/LICENSE-2.0> + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. CTL_HQLEditorAction=Run HQL Query diff --git a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateConfig.xml

b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateConfig.xml index b25bcd301..f71fcae93 100644 ---
a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateConfig.xml +++
b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateConfig.xml @@ -1,24 +1,4 @@ @<?xml version='1.0' encoding='utf-8'?> <!-- -- Licensed to the Apache Software Foundation (ASF) under one - or more contributor license agreements. See the NOTICE file - distributed with this work for additional information - regarding copyright ownership. The ASF licenses this file - to you under the Apache License, Version 2.0 (the - "License"); you may not use this file except in compliance - with the License. You may obtain a copy of the License at - - http://www.apache.org/licenses/LICENSE-2.0 - - Unless required by applicable law or agreed to in writing, - software distributed under the License is distributed on an - "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - KIND, either express or implied. See the License for the - specific language governing permissions and limitations - under the License. - ---> <!DOCTYPE hibernate-configuration PUBLIC "-//Hibernate/Hibernate Configuration DTD 3.0//EN" "http://hibernate.sourceforge.net/hibernate-configuration-3.0.dtd"> diff --git a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateMapping.xml
b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateMapping.xml index 29a322b04..2879d649b 100644 ---
a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateMapping.xml +++
b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateMapping.xml @@ -1,25 +1,4 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- -- Licensed to the Apache Software Foundation (ASF) under one - or more contributor license agreements. See the NOTICE file - distributed with this work for additional information - regarding copyright ownership. The ASF licenses this file - to you under the Apache License, Version 2.0 (the - "License"); you may not use this file except in compliance - with the License. You may obtain a copy of the License at - - http://www.apache.org/licenses/LICENSE-2.0 - - Unless required by applicable law or agreed to in writing, - software distributed under the License is distributed on an - "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - KIND, either express or implied. See the License for the - specific language governing permissions and limitations - under the License. - ---> <!DOCTYPE hibernate-mapping PUBLIC "-//Hibernate/Hibernate Mapping DTD 3.0//EN" "http://hibernate.sourceforge.net/hibernate-mapping-3.0.dtd"> diff --git a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateReveng.xml
b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateReveng.xml index 209d83dca..8e0e4fbec 100644 ---
a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateReveng.xml +++
b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateReveng.xml @@ -1,25 +1,4 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- -- Licensed to the Apache Software Foundation (ASF) under one - or more contributor license agreements. See the NOTICE file - distributed with this work for additional information - regarding copyright ownership. The ASF licenses this file - to you under the Apache License, Version 2.0 (the - "License"); you may not use this file except in compliance - with the License. You may obtain a copy of the License at - - http://www.apache.org/licenses/LICENSE-2.0 - - Unless required by applicable law or agreed to in writing, - software distributed under the License is distributed on an - "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - KIND, either express or implied. See the License for the - specific language governing permissions and limitations - under the License. - ---> <!DOCTYPE hibernate-reverse-engineering PUBLIC "-//Hibernate/Hibernate Reverse Engineering DTD 3.0//EN" "http://hibernate.sourceforge.net/hibernate-reverse-engineering-3.0.dtd"> diff --git a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax
b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax index 67bbe3475..39a626402 100644 ---
a/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax +++ b/hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax
@@ -1,21 +1,3 @@ <!-- -- Licensed to the Apache Software Foundation (ASF) under one -or more contributor license agreements. See the NOTICE file - distributed with this work for additional information -regarding copyright ownership. The ASF licenses this file -to you under the Apache License, Version 2.0 (the - "License"); you may not use this file except in compliance -with the License. You may obtain a copy of the License at - - http://www.apache.org/licenses/LICENSE-2.0 - - Unless required by applicable law or agreed to in writing, -software distributed under the License is distributed on an - "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -KIND, either express or implied. See the License for the -specific language governing permissions and limitations -under the License. ---> <#assign licenseFirst = "/"> <#assign licensePrefix = " " "> <#assign licenseLast = " " "> diff --git a/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.properties b/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.properties index a70981bcc..2852f7ca4 100644 --- a/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.properties +++ b/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + auxiliary.org-netbeans-modules-web-clientproject-api.js_2e_libs_2e_folder=js/libs config.folder=\${file.reference.testHtmlApp-config} file.reference.testHtmlApp-config=config diff --git a/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.xml b/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.xml index 1c221a027..74bfd4496 100644 --- a/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.xml +++ b/html.custom/test/unit/data/testfiles/testHtmlApp/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.web.clientproject</type> <configuration> diff --git a/html.lexer/src/org/netbeans/lib/html/lexer/HtmlElements.java b/html.lexer/src/org/netbeans/lib/html/lexer/HtmlElements.java index 54a2ee806..d949c2888 100644 --- a/html.lexer/src/org/netbeans/lib/html/lexer/HtmlElements.java +++ b/html.lexer/src/org/netbeans/lib/html/lexer/HtmlElements.java @@ -1,45 +1,20 @@ @@ -1/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Oracle and Java are registered trademarks of Oracle and/or its affiliates. + * Other names may be trademarks of their respective owners. + * + * The contents of this file are subject to the terms of either the GNU + * General private License Version 2 only ("GPL") or the Common + * Development and Distribution License("CDDL") (collectively, the + * "License"). You may not use this file except in compliance with the + * License. You can obtain a copy of the License at + * http://www.netbeans.org/cddl-gplv2.html + * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + * specific language governing permissions and limitations under the + * License. When distributing the software, include this License Header + * Notice in each file and include the License file at + * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this + * particular file as subject to the "Classpath" exception as provided + * by Oracle in the GPL Version 2 section of the License file that + * accompanied this code. If applicable, add the following below the + * License Header, with the fields enclosed by brackets [] replaced by + * your own identifying information: + * "Portions Copyrighted [year] [name of copyright owner]" + * + * The Original Software is NetBeans. The Initial Developer of the Original + * Software is Sun Microsystems, Inc. Portions Copyright 1997-2007 Sun + * Microsystems, Inc. All Rights Reserved. + * + * If you wish your version of this file to be governed by only the CDDL + * or only the GPL Version 2, indicate your decision by adding + * "[Contributor] elects to include this software in this distribution + * under the [CDDL or GPL Version 2] license." If you do not indicate a + * single choice of license, a recipient has the option to distribute + * your version of this file under either the CDDL, the GPL Version 2 or + * to extend the choice of license to its licensees as provided above. + * However, if you add GPL Version 2 code and therefore, elected the GPL + * Version 2 license, then the option applies only if the new code is + * made subject to such option by the copyright holder. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + * package org.netbeans.lib.html.lexer; diff --git a/html.validation/nbproject/project.properties b/html.validation/nbproject/project.properties index 793f73be9..ff894cf8b 100644 --- a/html.validation/nbproject/project.properties +++ b/html.validation/nbproject/project.properties @@ -1,44 +1,19 @@ @@ -1/* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. You can obtain a copy of the License at + # http://www.netbeans.org/cddl-gplv2.html + # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + # specific language governing permissions and limitations under the + # License.

When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# partail file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# Contributor(s): -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 1997-2007 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# Unless required by applicable law or agreed to in writing, -# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. file.reference.iri.jar=external/iri.jar file.reference.jing.jar=external/jing.jar diff --git a/html/110n.list b/html/110n.list index ec2263f6d..b33745438 100644 - -- a/html/110n.list +++ b/html/110n.list @@ -1,3 +1,20 @@ -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# -# http://www.apache.org/licenses/LICENSE-2.0 -# -# Unless required by applicable law or agreed to in writing, -# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. -# -# diff read global \${110n-module}/src/org/netbeans/modules/html/**/*.*.html diff --git a/httpserver/external/binaries-list b/httpserver/external/binaries-list index 8f6e8ff64..7779f43f4 100644 --- a/httpserver/external/binaries-list +++ b/httpserver/external/binaries-list @@ -14,4 +14,4 @@ -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. -CD5B5996B46CB8D96C8F0F89A7A734B3C01F3DF7 tomcat-webserver-3.2.jar +FCE6D146C0B03EF115B9AF05FF2976F15308998C tomcat:webserver:3.2.4 diff --git a/httpserver/external/tomcat-webserver-3.2-license.txt b/httpserver/external/tomcat-webserver-3.2-license.txt deleted file mode 100644 index 06346338c..000000000 --- a/httpserver/external/tomcat-webserver-3.2-license.txt +++ /dev/null @@ -1,58 +0,0 @@ -Name: Apache Tomcat -Version: 3.2 -License: Apache-1.1 -OSR: 11714 -Description: Tomcat HTTP server (internal) -Origin: http://tomcat.apache.org - -The Apache Software License, Version 1.1 -Copyright (c) 2000 The Apache Software Foundation. All rights reserved. - -Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions - are met: - -1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. - -2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. - -3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: - "This product includes software developed by the Apache Software Foundation (http://www.apache.org/)." - Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear. - -4. The names "Apache" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org. - -5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation. - -THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. -

----- -This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>. diff --git a/httpserver/external/webserver-3.2.4-license.txt b/httpserver/external/webserver-3.2.4-license.txt new file mode 100644 index 000000000..dc8c60dcd --- /dev/null +++ b/httpserver/external/webserver-3.2.4-license.txt @@ -0,0 +1,207 @@ +Name: Apache Tomcat +Version: 3.2.4 +License: Apache-2.0 +Description: Tomcat HTTP server (internal) +Origin: http://tomcat.apache.org + + Apache License + Version 2.0, January 2004 + http://www.apache.org/licenses/ + + TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION + + 1. Definitions. + + "License" shall mean the terms and conditions for use, reproduction, + and distribution as defined by Sections 1 through 9 of this document. + + "Licensor" shall mean the copyright owner or entity authorized by + the copyright owner that is granting the License. + + "Legal Entity" shall mean the union of the acting entity and all + other entities that control, are controlled by, or are under common + control with that entity. For the purposes of this definition, + "control" means (i) the power, direct or indirect, to cause the + direction or management of such entity, whether by contract or + otherwise, or (ii) ownership of fifty percent (50%) or more of the + outstanding shares, or (iii) beneficial ownership of such entity. + + "You" (or "Your") shall mean an individual or Legal Entity + exercising permissions granted by this License. + + "Source" form shall mean the preferred form for making modifications, + including but not limited to software source code, documentation + source, and configuration files. + + "Object" form shall mean any form resulting from mechanical + transformation or translation of a Source form, including but + not limited to compiled object code, generated documentation, + and conversions to other media types. + + "Work" shall mean the work of authorship, whether in Source or + Object form, made available under the License, as indicated by a + copyright notice that is included in or attached to the work + (an example is provided in the Appendix below). + + "Derivative Works" shall mean any work, whether in Source or Object + form, that is based on (or derived from) the Work and for which the + editorial revisions, annotations, elaborations, or other modifications + represent, as a whole, an original work of authorship. For the purposes + of this License, Derivative Works shall not include works that remain + separable from, or merely link (or bind by name) to the interfaces of, + the Work and Derivative Works thereof. + + "Contribution" shall mean any work of authorship, including + the original version of the Work and any modifications or additions + to that Work or Derivative Works thereof, that is intentionally + submitted to Licensor for inclusion in the Work by the copyright owner + or by an individual or Legal Entity authorized to submit on behalf + of the copyright owner. For the purposes of this definition, "submitted" + means any form of electronic, verbal, or written communication sent + to the Licensor or its representatives, including but not limited to + communication on electronic mailing lists, source code control systems, + and issue tracking systems that are managed by, or on behalf of, the + Licensor for the purpose of discussing and improving the Work, but + excluding communication that is conspicuously marked or otherwise + designated in writing by the copyright owner as "Not a Contribution." + + "Contributor" shall mean Licensor and any individual or Legal Entity + on behalf of whom a Contribution has been received by Licensor and + subsequently incorporated within the Work. + + 2. Grant of Copyright License. Subject to the terms and conditions of + this License, each Contributor hereby grants to You a perpetual, + worldwide, non-exclusive, no-charge, royalty-free, irrevocable + copyright license to reproduce, prepare Derivative Works of, + publicly display, publicly perform, sublicense, and distribute the + Work and such Derivative Works in Source or Object form. + + 3. Grant of Patent License. Subject to the terms and conditions of + this License, each Contributor hereby grants to You a perpetual, + worldwide, non-exclusive, no-charge, royalty-free, irrevocable + (except as stated in this section) patent license to make, have made, + use, offer to sell, sell, import, and otherwise transfer the Work, + where such license applies only to those patent claims licensable + by such Contributor that are necessarily infringed by their + Contribution(s) alone or by combination of their Contribution(s) + with the Work to which such Contribution(s) was submitted. If You + institute patent litigation against any entity (including a + cross-claim or counterclaim in a lawsuit) alleging that the Work + or a Contribution incorporated within the Work constitutes direct + or contributory patent infringement, then any patent licenses + granted to You under this License for that Work shall terminate + as of the date such litigation is filed. + + 4. Redistribution. You may reproduce and distribute copies of the + Work or Derivative Works thereof in any medium, with or without + modifications, and in Source or Object form, provided that You + meet the following conditions: + + (a) You must give any other recipients of the Work or + Derivative Works a copy of this License; and + + (b) You must cause any modified files to carry prominent notices + stating that You changed the files; and + + (c) You must retain, in the Source form of any Derivative Works + that You distribute, all copyright, patent, trademark, and + attribution notices from the Source form of the Work, + excluding those notices that do not pertain to any part of + the Derivative Works; and + + (d) If the Work includes a "NOTICE" text file as part of + its distribution, then any Derivative Works that You distribute + must include a readable copy of the attribution notices contained + within such NOTICE file, excluding those notices that do not + pertain to any part of the Derivative Works, in at least one + of the following places: within a NOTICE text file distributed + as part of the Derivative Works; within the Source form or + documentation, if provided along with the Derivative Works; or, + within a display generated by the Derivative Works, if and + wherever such third-party notices normally appear. The contents + of the NOTICE file are for informational purposes only and + do not modify the License. You may add Your own attribution + notices within Derivative Works that You distribute, alongside + or as an addendum to the NOTICE text from the Work, provided + that such additional attribution notices cannot be construed + as modifying the License. + + You may add Your own copyright statement to Your modifications and + may provide additional or different license terms and conditions + for use, reproduction, or distribution of Your modifications, or + for any such Derivative Works as a whole, provided Your use, + reproduction, and distribution of the Work otherwise complies + with the conditions stated in this License. + + 5. Submission of Contributions. Unless You explicitly state otherwise, + any Contribution intentionally submitted for inclusion in the Work + by You to the Licensor shall be under the terms and conditions of + this License, without any additional terms or conditions. + Notwithstanding the above, nothing herein

shall supersede or modify + the terms of any separate license agreement you may have executed + with Licensor regarding such Contributions. + + 6. Trademarks. This License does not grant permission to use the trade + names, trademarks, service marks, or product names of the Licensor, + except as required for reasonable and customary use in describing the + origin of the Work and reproducing the content of the NOTICE file. + + 7. Disclaimer of Warranty. Unless required by applicable law or + agreed to in writing, Licensor provides the Work (and each + Contributor provides its Contributions) on an "AS IS" BASIS, + WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or + implied, including, without limitation, any warranties or conditions + of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A + PARTICULAR PURPOSE. You are solely responsible for determining the + appropriateness of using or redistributing the Work and assume any + risks associated with Your exercise of permissions under this License. + + 8. Limitation of Liability. In no event and under no legal theory, + whether in tort (including negligence), contract, or otherwise, + unless required by applicable law (such as deliberate and grossly + negligent acts) or agreed to in writing, shall any Contributor be + liable to You for damages, including any direct, indirect, special, + incidental, or consequential damages of any character arising as a + result of this License or out of the use or inability to use the + Work (including but not limited to damages for loss of goodwill, + work stoppage, computer failure or malfunction, or any and all + other commercial damages or losses), even if such Contributor + has been advised of the possibility of such damages. + + 9. Accepting Warranty or Additional Liability. While redistributing + the Work or Derivative Works thereof, You may choose to offer, + and charge a fee for, acceptance of support, warranty, indemnity, + or other liability obligations and/or rights consistent with this + License. However, in accepting such obligations, You may act only + on Your own behalf and on Your sole responsibility, not on behalf + of any other Contributor, and only if You agree to indemnify, + defend, and hold each Contributor harmless for any liability + incurred by, or claims asserted against, such Contributor by reason + of your accepting any such warranty or additional liability. + + END OF TERMS AND CONDITIONS + + APPENDIX: How to apply the Apache License to your work. + + To apply the Apache License to your work, attach the following + boilerplate notice, with the fields enclosed by brackets "[]" + replaced with your own identifying information. (Don't include + the brackets!) The text should be enclosed in the appropriate + comment syntax for the file format. We also recommend that a + file or class name and description of purpose be included on the + same "printed page" as the copyright notice for easier + identification within third-party archives. + + Copyright [yyyy] [name of copyright owner] + + Licensed under the Apache License, Version 2.0 (the "License"); + you may not use this file except in compliance with the License. + You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, software + distributed under the License is distributed on an "AS IS" BASIS, + WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + See the License for the specific language governing permissions and + limitations under the License. diff --git a/httpserver/nbproject/project.properties b/httpserver/nbproject/project.properties index ef7ef8456..6aff87b64 100644 --- a/httpserver/nbproject/project.properties +++ b/httpserver/nbproject/project.properties @@ -18,7 +18,7 @@ javac.compilerargs=-Xlint:unchecked javac.source=1.6 spec.version.base=2.37.0 - release.external/tomcat-webserver-3.2.jar=modules/ext/webserver.jar +release.external/webserver-3.2.4.jar=modules/ext/webserver.jar test-unit-sys-prop.xtest.data=\${nb_all}/httpserver/test/unit/testfs test.unit.data.dir=\${nb_all}/httpserver/test/unit/testfs disable.qa-functional.tests=true diff --git a/httpserver/nbproject/project.xml b/httpserver/nbproject/project.xml index 8dd36d93d..dd4137760 100644 --- a/httpserver/nbproject/project.xml +++ b/httpserver/nbproject/project.xml @@ -78,7 +78,7 @@ <build-prerequisite> <compile-dependency> <run-dependency> <specification-version>7.61</specification-version> <specification-version>7.61</specification-version> </run-dependency> </dependency> @@ -153,7 +153,7 @@ <public-packages> <class-path-extension> <runtime-relative-path>ext/webserver.jar</runtime-relative-path> <binary-origin>external/tomcat-webserver-3.2.jar</binary-origin> <binary-origin>external/webserver-3.2.4.jar</binary-origin> </class-path-extension> </data> </configuration> diff --git a/i18n/i10n.list b/i18n/i10n.list index 1e424f2a4..b14a176ca 100644 --- a/i18n/i10n.list +++ b/i18n/i10n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + diff read global \${i10n-module}/src/org/netbeans/modules/i18n/*.gif diff --git a/i18n/test/qa-functional/data/projects/ProjectI18n/build.xml b/i18n/test/qa-functional/data/projects/ProjectI18n/build.xml index 8626628db..3ba200f45 100644 --- a/i18n/test/qa-functional/data/projects/ProjectI18n/build.xml +++ b/i18n/test/qa-functional/data/projects/ProjectI18n/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + --> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.properties b/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.properties index 392f84414..e68c81885 100644 --- a/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.properties +++ b/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + diff --git a/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.xml b/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.xml index 779d1c2ee..6070e8a61 100644 --- a/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.xml +++ b/i18n/test/qa-functional/data/projects/ProjectI18n/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + --> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/ide.branding/i10n.list b/ide.branding/i10n.list index 15ee832cd..330a5a540 100644 --- a/ide.branding/i10n.list +++ b/ide.branding/i10n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + diff --git a/ide.branding/release-toplevel/CREDITS.html b/ide.branding/release-toplevel/CREDITS.html idex b18c5079e..90ff0839b 100644 --- a/ide.kit/release/VERSION.txt +++ b/ide.kit/release/VERSION.txt @@ -1,43 +1,18 @@ + # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - # Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # The contents of this file are subject to the terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the - # "License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # <http://www.netbeans.org/cddl-gplv2.html> or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # "Portions Copyrighted [year] [name of copyright owner]" - # - # Contributor(s): - # - # The Original Software is NetBeans. The Initial Developer of the Original - # Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun - # Microsystems, Inc. All Rights Reserved. - # - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this

```
# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your
version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL
Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright
holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and
limitations +# under the License. # cluster incompatible release version 22 diff --git a/ide.kit/test/qa-functional/data/BlacklistedClassesHandlerConfig.xml
b/ide.kit/test/qa-functional/data/BlacklistedClassesHandlerConfig.xml index 8a89fd61c..bd329fdd8 100644 --- a/ide.kit/test/qa-
functional/data/BlacklistedClassesHandlerConfig.xml +++ b/ide.kit/test/qa-functional/data/BlacklistedClassesHandlerConfig.xml @@ -1,5 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!-- Document : BlacklistedClassesHandlerConfig.xml Author : mrkam@netbeans.org diff --git
a/ide.kit/test/qa-functional/data/SampleProject/nbproject/project.properties b/ide.kit/test/qa-functional/data/SampleProject/nbproject/project.properties index
c70650afa...aa0b38dd2 100644 --- a/ide.kit/test/qa-functional/data/SampleProject/nbproject/project.properties +++ b/ide.kit/test/qa-
functional/data/SampleProject/nbproject/project.properties @@ -1,3 +1,20 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more
contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses
this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a
copy of the License at +# +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software
distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or
implied. See the License for the +# specific language governing permissions and limitations +# under the License. + application.args=
build.classes.dir=${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/ide.kit/test/qa-functional/data/SampleProject/nbproject/project.xml
b/ide.kit/test/qa-functional/data/SampleProject/nbproject/project.xml index 4c02c66d1..acc153caa 100644 --- a/ide.kit/test/qa-
functional/data/SampleProject/nbproject/project.xml +++ b/ide.kit/test/qa-functional/data/SampleProject/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/ide.kit/test/qa-functional/data/kits.properties b/ide.kit/test/qa-
functional/data/kits.properties index f3a51d79a..f83c15abd 100644 --- a/ide.kit/test/qa-functional/data/kits.properties +++ b/ide.kit/test/qa-
functional/data/kits.properties @@ -1,3 +1,20 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements.
See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the
Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +#
+ http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is
distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +#
specific language governing permissions and limitations +# under the License. + # --- BASE --- # org.netbeans.modules.mercurial=base
org.netbeans.modules.ide.kit=base diff --git a/image/110n.list b/image/110n.list index cbae24c22..207acdfe 100644 --- a/image/110n.list +++ b/image/110n.list
@@ -1,3 +1,20 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +#
distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0
(the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +#
http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is
distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +#
specific language governing permissions and limitations +# under the License. + # # diff read global ${110n-module}/src/**/*.image/*.gif diff --git
a/j2ee.core.utilities/test/unit/data/JavaApp/build.xml b/j2ee.core.utilities/test/unit/data/JavaApp/build.xml index d7f3d7c3b..b3fb4819a 100644 ---
a/j2ee.core.utilities/test/unit/data/JavaApp/build.xml +++ b/j2ee.core.utilities/test/unit/data/JavaApp/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of
how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git
a/j2ee.core.utilities/test/unit/data/JavaApp/nbproject/project.properties b/j2ee.core.utilities/test/unit/data/JavaApp/nbproject/project.properties index
3113782ef..1b4fcecf 100644 --- a/j2ee.core.utilities/test/unit/data/JavaApp/nbproject/project.properties +++
b/j2ee.core.utilities/test/unit/data/JavaApp/nbproject/project.properties @@ -1,3 +1,20 @@ +# Licensed to the Apache Software Foundation (ASF) under one +#
or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF
licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You
may obtain a copy of the License at +# +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software
distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or
implied. See the License for the +# specific language governing permissions and limitations +# under the License. + build.classes.dir=${build.dir}/classes
build.classes.excludes=**/*.java,**/*.form # This directory is removed when the project is cleaned: diff --git
a/j2ee.metadata/test/unit/data/projects/JavaApplication1/build.xml b/j2ee.metadata/test/unit/data/projects/JavaApplication1/build.xml index 716370b61..0d2eb1c4a
100644 --- a/j2ee.metadata/test/unit/data/projects/JavaApplication1/build.xml +++ b/j2ee.metadata/test/unit/data/projects/JavaApplication1/build.xml @@ -1,4
+1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!--
some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git
a/j2ee.metadata/test/unit/data/projects/JavaApplication1/nbproject/project.properties b/j2ee.metadata/test/unit/data/projects/JavaApplication1/nbproject/project.properties
index 4fe307281..91b9c656d 100644 ---
a/j2ee.metadata/test/unit/data/projects/JavaApplication1/nbproject/project.properties +++
b/j2ee.metadata/test/unit/data/projects/JavaApplication1/nbproject/project.properties @@ -1,3 +1,20 @@ +# Licensed to the Apache Software Foundation (ASF)
under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright
ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +#
with the License. You may obtain a copy of the License at +# +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to
in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND,
either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + application.args=
build.classes.dir=${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/j2ee.persistence/build.xml b/j2ee.persistence/build.xml index
bf05c8392..a61dc9bb6 100644 --- a/j2ee.persistence/build.xml +++ b/j2ee.persistence/build.xml @@ -22,10 +22,5 @@ <project basedir="." default="netbeans"
name="j2ee.persistence"> <import file="..\nbbuild/templates/projectized.xml"/> <property name="persistence.resources.dir"
value="..\src/org/netbeans/modules/j2ee/persistence/dd/resources"/> <target name="build-init" depends="projectized.build-init"> <unzip
src="external/j2ee.persistence-external-resources.zip" dest="${persistence.resources.dir}"/> </target> </project> diff --git
a/j2ee.persistence/external/j2ee.persistence-external-resources/orm 1 0.xsd b/j2ee.persistence/external/j2ee.persistence-external-resources/orm 1 0.xsd new file
```

mode 100644 index 000000000..0d65647c9 --- /dev/null +++ b/j2ee.persistence-external/j2ee.persistence-external-resources/orm_1_0.xsd @@ -0,0 +1,1564 @@

<?xml version="1.0" encoding="UTF-8"?> <!-- Java Persistence API object-relational mapping file schema --> <xsd:schema targetNamespace="http://java.sun.com/xml/ns/persistence/orm" + xmlns:orm="http://java.sun.com/xml/ns/persistence/orm" + xmlns:xsd="http://www.w3.org/2001/XMLSchema" + elementFormDefault="qualified" + attributeFormDefault="unqualified" + version="1.0"> + + <xsd:annotation> + <xsd:documentation> + (@#)orm_1_0.xsd 1.0 Feb 14 2006 + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + + Copyright 2005-2010 Oracle and/or its affiliates. All rights reserved. + + Oracle and Java are registered trademarks of Oracle and/or its affiliates. + Other names may be trademarks of their respective owners. + + The contents of this file are subject to the terms of either the + GNU General Public License Version 2 only ("GPL") or the Common + Development and Distribution License("CDDL") (collectively, the + "License"). You may not use this file except in compliance with + the License. You can obtain a copy of the License at + https://glassfish.dev.java.net/public/CDDL+GPL.html or + glassfish/bootstrap/legal/LICENSE.txt. See the License for the + specific language governing permissions and limitations under the + License. + + When distributing the software, include this License Header + Notice in each file and include the License file at + glassfish/bootstrap/legal/LICENSE.txt. Sun designates this + particular file as subject to the "Classpath" exception as + provided by Oracle in the GPL Version 2 section of the License file + that accompanied this code. If applicable, add the following + below the License Header, with the fields enclosed by brackets [] + replaced by your own identifying information: + "Portions Copyrighted [year] [name of copyright owner]" + + If you wish your version of this file to be governed by only the + CDDL or only the GPL Version 2, indicate your decision by adding + "[Contributor] elects to include this software in this + distribution under the [CDDL or GPL Version 2] license." If you + don't indicate a single choice of license, a recipient has the + option to distribute your version of this file under either the + CDDL, the GPL Version 2 or to extend the choice of license to its + licensees as provided above. However, if you add GPL Version 2 + code and therefore, elected the GPL Version 2 license, then the + option applies only if the new code is made subject to such + option by the copyright holder. + + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> <![CDATA[+ + This is the XML Schema for the persistence object-relational + mapping file. + The file may be named "META-INF/orm.xml" in the persistence + archive or it may be named some other name which would be + used to locate the file as resource on the classpath. + +]]> </xsd:documentation> + </xsd:annotation> + + <xsd:complexType name="emptyType"/> + + <xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> + <xsd:pattern value="[0-9]+(\.[0-9]+)*/"> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + + <xsd:element name="entity-mappings"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + The entity-mappings element is the root element of an mapping + file. It contains the following four types of elements: + + 1. The persistence-unit-metadata element contains metadata + for the entire persistence unit. It is undefined if this element + occurs in multiple mapping files within the same persistence unit. + + 2. The package, schema, catalog and access elements apply to all of + the entity, mapped-superclass and embeddable elements defined in + the same file in which they occur. + + 3. The sequence-generator, table-generator, named-query, + named-native-query and sql-result-set-mapping elements are global + to the persistence unit. It is undefined to have more than one + sequence-generator or table-generator of the same name in the same + or different mapping files in a persistence unit. It is also + undefined to have more than one named-query or named-native-query + of the same name in the same or different mapping files in a + persistence unit. + + 4. The entity, mapped-superclass and embeddable elements each define + the mapping information for a managed persistent class. The mapping + information contained in these elements may be complete or it may + be partial. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="persistence-unit-metadata" + type="orm:persistence-unit-metadata" + minOccurs="0"/> + <xsd:element name="package" type="xsd:string" + minOccurs="0"/> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-query" type="orm:named-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" + type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="mapped-superclass" type="orm:mapped-superclass" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="entity" type="orm:entity" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embeddable" type="orm:embeddable" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="version" type="orm:versionType" + fixed="1.0" use="required"/> + </xsd:complexType> + </xsd:element> + <!-- ***** --> + + <xsd:complexType name="persistence-unit-metadata"> + <xsd:annotation> + <xsd:documentation> + + Metadata that applies to the persistence unit and not just + to the mapping file in which it is contained. + + If the xml-mapping-metadata-complete element is specified then + the complete set of mapping metadata for the persistence unit + is contained in the XML mapping files for the persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="xml-mapping-metadata-complete" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="persistence-unit-defaults" + type="orm:persistence-unit-defaults" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="persistence-unit-defaults"> + <xsd:annotation> + <xsd:documentation> + + These defaults are applied to the persistence unit as a whole + unless they are overridden by local annotation or XML + element settings. + + schema - Used as the schema for all tables or secondary tables + that apply to the persistence unit + catalog - Used as the catalog for all tables or secondary tables + that apply to the persistence unit + access - Used as the access type for all managed classes in + the persistence unit + cascade-persist - Adds cascade-persist to the set of cascade options + in entity relationships of the persistence unit + entity-listeners - List of default entity listeners to be invoked + on each entity in the persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="entity"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for an entity. It is allowed to be + sparsely populated and used in conjunction with the annotations. + Alternatively, the metadata-complete attribute can be used to + indicate that no annotations on the entity class (and its fields + or properties) are to be processed. If this is the case then + the defaulting rules for the entity and its subelements will + be recursively applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface Entity { + String name() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="table" type="orm:table" + minOccurs="0"/> + <xsd:element name="secondary-table" type="orm:secondary-table" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-join-column" + type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="id-class" type="orm:id-class" + minOccurs="0"/> + <xsd:element name="inheritance" type="orm:inheritance" + minOccurs="0"/> + <xsd:element name="discriminator-value" type="orm:discriminator-value" + minOccurs="0"/> + <xsd:element name="discriminator-column" + type="orm:discriminator-column" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0"/> + <xsd:element name="named-query" type="orm:named-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" + type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist" + minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" + minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" + minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" + minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" + minOccurs="0"/> + <xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" + type="orm:association-override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="attributes" type="orm:attributes" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="attributes"> + <xsd:annotation> + <xsd:documentation> + + This element contains the entity field or property mappings. + It may be sparsely populated to include only a subset of the + fields or properties. If metadata-complete for the entity is true + then the remainder of the attributes will be defaulted according + to the default rules. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="id" type="orm:id" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded-id" type="orm:embedded-id" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="basic" type="orm:basic" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="version" type="orm:version" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-many" type="orm:one-to-many" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-to-one" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded" type="orm:embedded" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!--

```
***** --> + + <xsd:simpleType name="access-type"> + <xsd:annotation> + <xsd:documentation> + +
This element determines how the persistence provider accesses the + state of an entity or embedded object. + + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="PROPERTY"> + <xsd:enumeration value="FIELD"/> + </xsd:restriction> + </xsd:simpleType>
+ + <!-- ***** --> + + <xsd:complexType name="entity-listeners"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface EntityListeners { + Class[] value(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="entity-listener" type="orm:entity-listener" + minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="entity-
listener"> + <xsd:annotation> + <xsd:documentation> + + Defines an entity listener to be invoked at lifecycle events + for the entities that list this listener. + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element
name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element
name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element
name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="pre-persist"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PrePersist { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="post-persist"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PostPersist { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="pre-remove"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PreRemove { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="post-remove"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PostRemove { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="pre-update"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PreUpdate { + + </xsd:documentation> + </xsd:annotation> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="post-update"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PostUpdate { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="post-load"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PostLoad { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="query-hint"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface QueryHint { + String name(); + String value(); + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="value" type="xsd:string"
use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="named-
query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedQuery { + String name(); +
String query(); + QueryHint[] hints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="query"
type="xsd:string"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="named-native-query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface NamedNativeQuery { + String name(); + String query(); + QueryHint[] hints() default {}; + Class resultClass() default void.class; + String
resultSetMapping() default ""; //named SqlResultSetMapping + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="query"
type="xsd:string"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="result-class" type="xsd:string"/> + <xsd:attribute name="result-set-mapping"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="sql-
result-set-mapping"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SqlResultSetMapping { +
String name(); + EntityResult[] entities() default {}; + ColumnResult[] columns() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence>
+ <xsd:element name="entity-result" type="orm:entity-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="column-result"
type="orm:column-result" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="entity-result"> +
<xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface EntityResult { + Class entityClass(); + FieldResult[]
fields() default {}; + String discriminatorColumn() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="field-
result" type="orm:field-result" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="entity-class" type="xsd:string"
use="required"/> + <xsd:attribute name="discriminator-column" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="field-result"> +
<xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface FieldResult { + String name(); + String column(); + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="column" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="column-result"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ColumnResult { + String name(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="table"> +
<xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Table { + String name() default ""; + String catalog() default ""; + String schema() default ""; +
UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="unique-
constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="secondary-table"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SecondaryTable { + String name(); + String catalog() default ""; +
String schema() default ""; + PrimaryKeyJoinColumn[] pkJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="primary-key-join-column" type="orm:primary-key-join-column" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="unique-constraint"> +
<xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface UniqueConstraint { + String[] columnNames(); + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column-name" type="xsd:string" + maxOccurs="unbounded"/> +
</xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="column"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Column { + String name() default "";
+ boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; + String
columnDefinition() default ""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; //
decimal scale + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="unique"
type="xsd:boolean"/> + <xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute
name="updatable" type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> +
<xsd:attribute name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute name="scale" type="xsd:int"/> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="join-column"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinColumn { + String name() default
""; + String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean
updatable() default true; + String columnDefinition() default ""; + String table() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
```

```
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> +
+ <!-- ***** --> + <xsd:simpleType name="generation-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum GenerationType { TABLE, SEQUENCE, IDENTITY, AUTO }; + + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="TABLE"/> + <xsd:enumeration value="SEQUENCE"/> + <xsd:enumeration
value="IDENTITY"/> + <xsd:enumeration value="AUTO"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** --> + <xsd:complexType name="attribute-override"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AttributeOverride { + String name(); + Column
column(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="association-override"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD})
@Retention(RUNTIME) + public @interface AssociationOverride { + String name(); + JoinColumn[] joinColumns(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" + maxOccurs="unbounded"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="id-class"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
IdClass { + Class value(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="class" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="id"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Id { + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="column" type="orm:column" + minOccurs="0"/> + <xsd:element name="generated-value" type="orm:generated-value" +
minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator"
+ minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="embedded-id"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface EmbeddedId { + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-
override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="transient"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Transient { + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + <xsd:complexType name="version"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Version { + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + <xsd:complexType name="basic"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Basic { + FetchType fetch() default EAGER; + boolean optional() default true; + } +
+ </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> +
<xsd:element name="lob" type="orm:lob" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element
name="enumerated" type="orm:enumerated" minOccurs="0"/> + </xsd:choice> + <xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> + </xsd:complexType> + + <!--
***** --> + <xsd:simpleType name="fetch-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum FetchType { LAZY, EAGER }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="LAZY"/> + <xsd:enumeration value="EAGER"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** --> + <xsd:complexType name="lob"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Lob { + } + + </xsd:documentation> + </xsd:annotation> + </xsd:complexType> + +
<!-- ***** --> + <xsd:simpleType name="temporal"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Temporal { + TemporalType value(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="orm:temporal-type"/> + </xsd:simpleType> + + <!-- ***** --> + <xsd:simpleType name="temporal-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum TemporalType { + DATE, // java.sql.Date + TIME,
// java.sql.Time + TIMESTAMP // java.sql.Timestamp + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> +
<xsd:enumeration value="DATE"/> + <xsd:enumeration value="TIME"/> + <xsd:enumeration value="TIMESTAMP"/> + </xsd:restriction> + </xsd:simpleType>
+ + <!-- ***** --> + <xsd:simpleType name="enumerated"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Enumerated { + EnumType value() default ORDINAL; +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="orm:enum-type"/> + </xsd:simpleType> + + <!--
***** --> + <xsd:simpleType name="enum-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum EnumType { + ORDINAL, + STRING + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="ORDINAL"/> + <xsd:enumeration value="STRING"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** --> + <xsd:complexType name="many-to-one"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToOne { + Class targetEntity() default void.class; + CascadeType[] cascade()
default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:choice> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-table"
type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch"
type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> + </xsd:complexType> + + <!--
***** --> + <xsd:complexType name="cascade-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum CascadeType { ALL, PERSIST, MERGE, REMOVE, REFRESH; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="cascade-all" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="cascade-merge" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-remove"
type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-refresh" type="orm:emptyType" + minOccurs="0"/> + </xsd:sequence> +
</xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="one-to-one"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OneToOne { + Class targetEntity()
default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + String mappedBy() default ""; +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="primary-key-join-column" type="orm:primary-key-
join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> +
<xsd:attribute name="mapped-by" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="one-to-many"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OneToMany { + Class targetEntity() default void.class; + CascadeType[] cascade()
default {}; + FetchType fetch() default LAZY; + String mappedBy() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="order-by" type="orm:order-by" +
minOccurs="0"/> + <xsd:element name="map-key" type="orm:map-key" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="join-table" type="orm:join-table" +
minOccurs="0"/> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:element
name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
<xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="mapped-by"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="join-
table"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinTable { + String name()
default ""; + String catalog() default ""; + String schema() default ""; + JoinColumn[] joinColumns() default {}; + JoinColumn[] inverseJoinColumns() default {};
+ UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column"
type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="inverse-join-column" type="orm:join-column" + minOccurs="0"
```

```
maxOccurs="unbounded"/> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="many-to-many"> +
</xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToMany { + Class
targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy() default ""; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> + <xsd:element
name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + <xsd:element
name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
<xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="mapped-by"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="generated-value"> +
</xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface
GeneratedValue { + GenerationType strategy() default AUTO; + String generator() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="strategy" type="orm:generation-type"/> + <xsd:attribute name="generator" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="map-key"> + </xsd:complexType> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKey { + String name() default ""; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:simpleType name="order-by"> +
</xsd:simpleType> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OrderBy { + String value() default ""; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:complexType name="inheritance"> + </xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
Inheritance { + InheritanceType strategy() default SINGLE_TABLE; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy"
type="orm:inheritance-type"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:simpleType name="inheritance-type"> +
</xsd:simpleType> + <xsd:annotation> + <xsd:documentation> + + public enum InheritanceType { + SINGLE_TABLE, JOINED, TABLE_PER_CLASS;
+ } + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="SINGLE_TABLE"/> + <xsd:enumeration
value="JOINED"/> + <xsd:enumeration value="TABLE_PER_CLASS"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:simpleType name="discriminator-value"> + </xsd:simpleType> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorValue { + String value(); + } + + </xsd:documentation>
+ </xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:simpleType name="discriminator-type"> + </xsd:simpleType> + <xsd:annotation> + <xsd:documentation> + + public enum DiscriminatorType { + STRING, CHAR, INTEGER;
+ } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="STRING"/> + <xsd:enumeration
value="CHAR"/> + <xsd:enumeration value="INTEGER"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:complexType name="primary-key-join-column"> + </xsd:complexType> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface PrimaryKeyJoinColumn { + String name() default
""; + String referencedColumnName() default ""; + String columnDefinition() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="column-definition"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="discriminator-column"> +
</xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
DiscriminatorColumn { + String name() default "DTYPE"; + DiscriminatorType discriminatorType() default STRING; + String columnDefinition() default ""; +
int length() default 31; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="discriminator-type" type="orm:discriminator-type"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="length"
type="xsd:int"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="embeddable"> +
</xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for embeddable objects. Is + allowed to be sparsely
populated and used in conjunction with + the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no annotations are to be
processed + in the class. If this is the case then the defaulting rules will + be recursively applied. + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface Embeddable { + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + <xsd:element name="attributes" type="orm:embeddable-attributes" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="class"
type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/>
+ </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="embeddable-attributes"> +
</xsd:complexType> + <xsd:sequence> + <xsd:element name="basic" type="orm:basic" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient"
type="orm:transient" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="embedded"> + </xsd:complexType> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Embedded { + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="mapped-superclass"> + </xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for a mapped superclass. Is +
allowed to be sparsely populated and used in conjunction with + the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no
annotations are to be processed + If this is the case then the defaulting rules will be recursively + applied. + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface MappedSuperclass { + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + <xsd:element name="id-class" type="orm:id-class" minOccurs="0"/> + <xsd:element name="exclude-default-listeners"
type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element
name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> +
<xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> +
<xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> +
<xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> +
<xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> +
<xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + + <!-- ***** -->
+ + <xsd:complexType name="sequence-generator"> + </xsd:complexType> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface SequenceGenerator { + String name(); + String
sequenceName() default ""; + int initialValue() default 1; + int allocationSize() default 50; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="sequence-name" type="xsd:string"/> + <xsd:attribute name="initial-value"
type="xsd:int"/> + <xsd:attribute name="allocation-size" type="xsd:int"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="table-generator"> + </xsd:complexType> + <xsd:annotation> + <xsd:documentation>
+ + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface TableGenerator { + String name(); + String table() default ""; + String
catalog() default ""; + String schema() default ""; + String pkColumnName() default ""; + String valueColumnName() default ""; + String pkColumnValue()
default ""; + int initialValue() default 0; + int allocationSize() default 50; + UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation>
+ </xsd:annotation> + <xsd:sequence> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute
name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="pk-column-name" type="xsd:string"/> +
<xsd:attribute name="value-column-name" type="xsd:string"/> + <xsd:attribute name="pk-column-value" type="xsd:string"/> + <xsd:attribute name="initial-
value" type="xsd:int"/> + <xsd:attribute name="allocation-size" type="xsd:int"/> + </xsd:complexType> + + </xsd:schema> + + diff -git
a/j2ee.persistence/external/j2ee.persistence-external-resources/orm_2_0.xsd new file
mode 100644 index 00000000..984d48691 --- /dev/null +++ b/j2ee.persistence/external/j2ee.persistence-external-resources/orm_2_0.xsd @@ -0,0 +1,1939 @@
+<?xml version="1.0" encoding="UTF-8"?> +<!-- Java Persistence API object/relational mapping file schema --> +<xsd:schema
targetNamespace="http://java.sun.com/xml/ns/persistence/orm" + xmlns:orm="http://java.sun.com/xml/ns/persistence/orm" +
xmlns:xsd="http://www.w3.org/2001/XMLSchema" + elementFormDefault="qualified" + attributeFormDefault="unqualified" + version="2.0"> + +
<xsd:annotation> + <xsd:documentation> + @(#)orm_2_0.xsd 2.0 October 1 2009 + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> +
<xsd:documentation> + Copyright (c) 2008, 2009 Sun Microsystems. All rights reserved. + This program and the accompanying materials are made available
under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 + which accompanies this distribution. + The Eclipse Public License is
```


available at <http://www.eclipse.org/legal/epl-v10.html> + and the Eclipse Distribution License is available at + <http://www.eclipse.org/org/documents/edl-v10.php>. +
+ Contributors: + Linda DeMichiel - Java Persistence 2.0, Version 2.0 (October 1, 2009) + Specification available from <http://jcp.org/en/jsr/detail?id=317> + +
</xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation><![CDATA[+ + This is the XML Schema for the persistence
object/relational + mapping file. + The file may be named "META-INF/orm.xml" in the persistence + archive or it may be named some other name which would
be + used to locate the file as resource on the classpath. + + Object/relational mapping files must indicate the object/relational + mapping file schema by using the
persistence namespace: + + <http://java.sun.com/xml/ns/persistence/orm> + and indicate the version of the schema by + using the version element as shown below: + +
<entity-mappings xmlns="http://java.sun.com/xml/ns/persistence/orm" + xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" +
xsi:schemaLocation="http://java.sun.com/xml/ns/persistence/orm + http://java.sun.com/xml/ns/persistence/orm/orm_2_0.xsd + version="2.0"> + ... + </entity-
mappings> + +]> + </xsd:documentation> + </xsd:annotation> + + <xsd:complexType name="emptyType"/> + + <xsd:simpleType name="versionType"> +
<xsd:restriction base="xsd:token"> + <xsd:pattern value="[0-9](\.[0-9]+)*/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:element name="entity-mappings"> + <xsd:complexType> + <xsd:annotation> +
<xsd:documentation> + + The entity-mappings element is the root element of a mapping + file. It contains the following four types of elements: + + 1. The
persistence-unit-metadata element contains metadata + for the entire persistence unit. It is undefined if this element + occurs in multiple mapping files within the
same persistence unit. + + 2. The package, schema, catalog and access elements apply to all of + the entity, mapped-superclass and embeddable elements defined in
+ the same file in which they occur. + + 3. The sequence-generator, table-generator, named-query, + named-native-query and sql-result-set-mapping elements are
global + to the persistence unit. It is undefined to have more than one + sequence-generator or table-generator of the same name in the same + or different mapping
files in a persistence unit. It is also + undefined to have more than one named-query, named-native-query, or + result-set-mapping of the same name in the same or
different mapping + files in a persistence unit. + + 4. The entity, mapped-superclass and embeddable elements each define + the mapping information for a
managed persistent class. The mapping + information contained in these elements may be complete or it may + be partial. + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="persistence-unit-
metadata" + type="orm:persistence-unit-metadata" + minOccurs="0"/> + <xsd:element name="package" type="xsd:string" + minOccurs="0"/> + <xsd:element
name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="access"
type="orm:access-type" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="named-query" type="orm:named-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-
native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" + type="orm:sql-result-set-mapping" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="mapped-superclass" type="orm:mapped-superclass" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="entity" type="orm:entity" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embeddable"
type="orm:embeddable" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="version" type="orm:versionType" +
fixed="2.0" use="required"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="persistence-unit-metadata"> + <xsd:annotation> + <xsd:documentation> + + Metadata that applies to the persistence unit and not just
to + the mapping file in which it is contained. + + If the xml-mapping-metadata-complete element is specified, + the complete set of mapping metadata for the
persistence unit + is contained in the XML mapping files for the persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="xml-mapping-metadata-complete" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="persistence-unit-defaults" + type="orm:persistence-unit-defaults" + minOccurs="0"/> + </xsd:sequence> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="persistence-unit-defaults"> +
<xsd:annotation> + <xsd:documentation> + + These defaults are applied to the persistence unit as a whole + unless they are overridden by local annotation or
XML + element settings. + + schema - Used as the schema for all tables, secondary tables, join + tables, collection tables, sequence generators, and table +
generators that apply to the persistence unit + catalog - Used as the catalog for all tables, secondary tables, join + tables, collection tables, sequence generators, and
table + generators that apply to the persistence unit + delimited-identifiers - Used to treat database identifiers as + delimited identifiers. + access - Used as the
access type for all managed classes in + the persistence unit + cascade-persist - Adds cascade-persist to the set of cascade options + in all entity relationships of the
persistence unit + entity-listeners - List of default entity listeners to be invoked + on each entity in the persistence unit. + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="schema" type="xsd:string"
+ minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="delimited-identifiers" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="entity"> + <xsd:annotation> + <xsd:documentation> + +
Defines the settings and mappings for an entity. Is allowed to be + sparsely populated and used in conjunction with the annotations. + Alternatively, the metadata-
complete attribute can be used to + indicate that no annotations on the entity class (and its fields + or properties) are to be processed. If this is the case then + the
defaulting rules for the entity and its subelements will + be recursively applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface Entity { +
String name() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + <xsd:element name="table" type="orm:table" + minOccurs="0"/> + <xsd:element name="secondary-table" type="orm:secondary-table" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-join-column" + type="orm:primary-key-join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="id-class" type="orm:id-class" minOccurs="0"/> + <xsd:element name="inheritance" type="orm:inheritance"
minOccurs="0"/> + <xsd:element name="discriminator-value" type="orm:discriminator-value" + minOccurs="0"/> + <xsd:element name="discriminator-column"
+ type="orm:discriminator-column" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> +
<xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0"/> + <xsd:element name="named-query" type="orm:named-query" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" + type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-listeners"
type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element name="pre-
persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-
remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-
update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-
load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="association-override" + type="orm:association-override" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="cacheable"
type="xsd:boolean"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:simpleType name="access-type"> + <xsd:annotation> + <xsd:documentation> + +
This element determines how the persistence provider accesses the + state of an entity or embedded object. + + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="PROPERTY"/> + <xsd:enumeration value="FIELD"/> + </xsd:restriction> + </xsd:simpleType>
+ + <!-- ***** --> + + <xsd:complexType name="association-override"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AssociationOverride { + String name(); +
JoinColumn[] joinColumns() default {}; + JoinTable joinTable() default @JoinTable; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:choice> + <xsd:element name="join-column" type="orm:join-column" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="attribute-override"> +
<xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD})
@Retention(RUNTIME) + public @interface AttributeOverride { + String name(); + Column column(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="column" type="orm:column"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="attributes"> + <xsd:annotation> + <xsd:documentation> + +
This element contains the entity field or property mappings. + It may be sparsely populated to include only a subset of the + fields or properties. If metadata-
complete for the entity is true + then the remainder of the attributes will be defaulted according + to the default rules. + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:choice> + <xsd:element name="id"
type="orm:id" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded-id" type="orm:embedded-id" + minOccurs="0"/> + </xsd:choice> +
<xsd:element name="basic" type="orm:basic" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="version" type="orm:version" +

```
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="one-to-many" type="orm:one-to-many" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-
to-one" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="element-collection" type="orm:element-collection" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="embedded" type="orm:embedded" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** <xsd:complexType name="basic"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Basic { + FetchType fetch() default EAGER; + boolean optional() default true; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> + <xsd:element name="lob" type="orm:lob" minOccurs="0"/> +
<xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element name="enumerated" type="orm:enumerated" minOccurs="0"/> +
</xsd:choice> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> +
<xsd:attribute name="optional" type="xsd:boolean"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** <xsd:complexType name="cascade-type"> + <xsd:annotation> + <xsd:documentation> +
+ public enum CascadeType { ALL, PERSIST, MERGE, REMOVE, REFRESH, DETACH; } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="cascade-all" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="cascade-merge" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-remove"
type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-refresh" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-
detach" type="orm:emptyType" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!--
***** <xsd:complexType name="collection-table"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface CollectionTable { + String name() default ""; + String catalog() default ""; +
String schema() default ""; + JoinColumn[] joinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + } + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name"
type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
***** <xsd:complexType name="column"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Column { + String name() default ""; + boolean unique() default false; + boolean
nullable() default true; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default ""; + String table() default ""; +
int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; // decimal scale + } + </xsd:documentation> + </xsd:annotation>
+ <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable" type="xsd:boolean"/>
+ <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute name="column-definition"
type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> + <xsd:attribute name="precision"
type="xsd:int"/> + <xsd:attribute name="scale" type="xsd:int"/> + </xsd:complexType> + <!--
***** <xsd:complexType name="column-result"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface
ColumnResult { + String name(); + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
</xsd:complexType> + <!--
***** <xsd:complexType name="discriminator-column"> +
<xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorColumn { + String name() default
"DTYPE"; + DiscriminatorType discriminatorType() default STRING; + String columnDefinition() default ""; + int length() default 31; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="discriminator-type"
type="orm:discriminator-type"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> +
</xsd:complexType> + <!--
***** <xsd:simpleType name="discriminator-type"> +
<xsd:annotation> + <xsd:documentation> + + public enum DiscriminatorType { STRING, CHAR, INTEGER }; + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="STRING"/> + <xsd:enumeration value="CHAR"/> + <xsd:enumeration value="INTEGER"/> +
</xsd:restriction> + </xsd:simpleType> + <!--
***** <xsd:simpleType name="discriminator-
value"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorValue { + String value(); +
} + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!--
***** <xsd:complexType name="element-collection"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ElementCollection { + Class targetClass() default
void.class; + FetchType fetch() default LAZY; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element
name="order-by" type="orm:order-by" + minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + </xsd:choice>
+ <xsd:choice> + <xsd:element name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class"
type="orm:map-key-class" + minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" + minOccurs="0"/> +
<xsd:element name="map-key-enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:element name="map-key-attribute-override" +
type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key-column" +
type="orm:map-key-column" + minOccurs="0"/> + <xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:choice> + </xsd:sequence> + </xsd:choice> + <xsd:choice> + <xsd:sequence> + <xsd:element name="column"
type="orm:column" minOccurs="0"/> + <xsd:choice> + <xsd:element name="temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element
name="enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:element name="lob" type="orm:lob" + minOccurs="0"/> + </xsd:choice> +
</xsd:sequence> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="association-override" type="orm:association-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:choice>
+ <xsd:element name="collection-table" type="orm:collection-table" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="target-class" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** <xsd:complexType name="embeddable"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for embeddable objects. Is + allowed
to be sparsely populated and used in conjunction with + the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no
annotations are to be processed + in the class. If this is the case then the defaulting rules will + be recursively applied. + + @Target({TYPE})
@Retention(RUNTIME) + public @interface Embeddable { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="attributes" type="orm:embeddable-attributes" + minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute
name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + <!--
***** <xsd:simpleType name="embeddable-attributes"> + <xsd:sequence> + <xsd:element name="basic" type="orm:basic" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="one-to-many" type="orm:one-to-many" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-to-one" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="element-collection" type="orm:element-collection" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded"
type="orm:embedded" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!--
***** <xsd:complexType name="embedded"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Embedded { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-
override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access"
type="orm:access-type"/> + </xsd:complexType> + <!--
***** <xsd:complexType name="embedded-id"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface EmbeddedId { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-override" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** <xsd:complexType name="entity-listener"> + <xsd:annotation> + <xsd:documentation> + + Defines an entity listener to be invoked at lifecycle events + for the
entities that list this listener. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" +
```

```
minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove"
minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update"
minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="class" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="entity-
listeners"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface EntityListeners { + Class[] value(); +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="entity-listener" type="orm:entity-listener" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="entity-result"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface EntityResult
{ + Class entityClass(); + FieldResult[] fields() default {}; + String discriminatorColumn() default ""; + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="field-result" type="orm:field-result" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="entity-class" type="xsd:string" use="required"/> + <xsd:attribute name="discriminator-column" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:simpleType name="enum-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum EnumType { + ORDINAL, + STRING + } + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="ORDINAL"/> + <xsd:enumeration value="STRING"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="enumerated"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Enumerated { + EnumType value() default ORDINAL; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:restriction base="orm:enum-type"/> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="fetch-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum FetchType { LAZY, EAGER }; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="LAZY"/> + <xsd:enumeration value="EAGER"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType name="field-result"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface FieldResult { + String name(); + String column(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="column" type="xsd:string" use="required"/> + </xsd:complexType> + +
<!-- ***** --> + + <xsd:complexType name="generated-value"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface GeneratedValue { + GenerationType strategy() default
AUTO; + String generator() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy" type="orm:generation-type"/> +
<xsd:attribute name="generator" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:simpleType name="generation-type"> + <xsd:annotation> + <xsd:documentation> + + public enum GenerationType { TABLE, SEQUENCE, IDENTITY,
AUTO }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="TABLE"/> + <xsd:enumeration
value="SEQUENCE"/> + <xsd:enumeration value="IDENTITY"/> + <xsd:enumeration value="AUTO"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType name="id"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Id { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" + minOccurs="0"/> + <xsd:element name="generated-value" type="orm:generated-value" + minOccurs="0"/>
+ <xsd:element name="temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" +
minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="id-class"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface IdClass { + Class value(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="inheritance"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
Inheritance { + InheritanceType strategy() default SINGLE_TABLE; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy"
type="orm:inheritance-type"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:simpleType
name="inheritance-type"> + <xsd:annotation> + <xsd:documentation> + + public enum InheritanceType { + SINGLE_TABLE, JOINED, TABLE_PER_CLASS;
} + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="SINGLE_TABLE"/> + <xsd:enumeration
value="JOINED"/> + <xsd:enumeration value="TABLE_PER_CLASS"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType name="join-column"> + <xsd:annotation> + <xsd:documentation> + +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinColumn { + String name() default ""; + String referencedColumnName()
default ""; + boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; + String
columnDefinition() default ""; + String table() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable"
type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute
name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="join-table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinTable { + String name() default ""; + String catalog() default ""; + String
schema() default ""; + JoinColumn[] joinColumns() default {}; + JoinColumn[] inverseJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints()
default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="inverse-join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name"
type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="lob"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Lob { + } + </xsd:documentation> + </xsd:annotation> + </xsd:complexType> + +
<!-- ***** --> + + <xsd:simpleType name="lock-mode-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum LockModeType { READ, WRITE, OPTIMISTIC, OPTIMISTIC_FORCE_INCREMENT, PESSIMISTIC_READ,
PESSIMISTIC_WRITE, PESSIMISTIC_FORCE_INCREMENT, NONE }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> +
<xsd:enumeration value="READ"/> + <xsd:enumeration value="WRITE"/> + <xsd:enumeration value="OPTIMISTIC"/> + <xsd:enumeration
value="OPTIMISTIC_FORCE_INCREMENT"/> + <xsd:enumeration value="PESSIMISTIC_READ"/> + <xsd:enumeration value="PESSIMISTIC_WRITE"/>
+ <xsd:enumeration value="PESSIMISTIC_FORCE_INCREMENT"/> + <xsd:enumeration value="NONE"/> + + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType name="many-to-many"> + <xsd:annotation> + <xsd:documentation> + +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToMany { + Class targetEntity() default void.class; + CascadeType[]
cascade() default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:choice> + <xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" +
minOccurs="0"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element
name="map-key-class" type="orm:map-key-class" + minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" +
minOccurs="0"/> + <xsd:element name="map-key-enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:element name="map-key-attribute-
override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key-
column" type="orm:map-key-column" + minOccurs="0"/> + <xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:choice> + </xsd:sequence> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> +
<xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="many-to-one"> + <xsd:annotation> + <xsd:documentation> + +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToOne { + Class targetEntity() default void.class; + CascadeType[] cascade()
default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:choice> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-table"
type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch"
type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute
name="maps-id" type="xsd:string"/> + <xsd:attribute name="id" type="xsd:boolean"/> + </xsd:complexType> + <!--
```

```
***** --> + <xsd:complexType name="map-key"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKey { + String name() default ""; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="map-key-class"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyClass { + Class value(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="map-key-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyColumn { + String name() default ""; + boolean
unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default
""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; // decimal scale + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute
name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute name="scale" type="xsd:int"/> + </xsd:complexType> + +
<!-- ***** --> + <xsd:complexType name="map-key-join-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyJoinColumn { + String name() default ""; +
String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean
updatable() default true; + String columnDefinition() default ""; + String table() default ""; + } + + </xsd:documentation> + <xsd:attribute
name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> + +
<!-- ***** --> + <xsd:complexType name="mapped-superclass"> + <xsd:annotation> +
<xsd:documentation> + + Defines the settings and mappings for a mapped superclass. Is + allowed to be sparsely populated and used in conjunction with + the
annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no annotations are to be processed + If this is the case then the defaulting
rules will be recursively + applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface MappedSuperclass { + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="id-class" type="orm:id-
class" minOccurs="0"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-
listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element
name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element
name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element
name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element
name="post-load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-
complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType
name="named-native-query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
NamedNativeQuery { + String name(); + String query(); + QueryHint[] hints() default {}; + Class resultClass() default void.class; + String resultSetMapping()
default ""; //named SqlResultSetMapping + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + <xsd:element name="query" type="xsd:string"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="result-class"
type="xsd:string"/> + <xsd:attribute name="result-set-mapping" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="named-query"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface NamedQuery { + String name(); + String query(); + LockModeType lockMode() default
NONE; + QueryHint[] hints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + <xsd:element name="query" type="xsd:string"/> + <xsd:element name="lock-mode" type="orm:lock-mode-type"
minOccurs="0"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="one-to-many"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface OneToMany { + Class targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy()
default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="order-by" type="orm:order-by" +
minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + <xsd:choice> + <xsd:element
name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class" type="orm:map-key-class" +
minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="map-key-
enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:element name="map-key-attribute-override" type="orm:attribute-override" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" + minOccurs="0"/> +
<xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> +
</xsd:sequence> + </xsd:choice> + <xsd:choice> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + <xsd:element name="join-
column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:element name="cascade" type="orm:cascade-type" +
minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/>
+ <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by"
type="xsd:string"/> + <xsd:attribute name="orphan-removal" type="xsd:boolean"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="one-to-one"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OneToOne { + Class targetEntity() default void.class; + CascadeType[] cascade()
default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + String mappedBy() default ""; + boolean orphanRemoval() default false; + } +
+ </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="primary-key-join-column" type="orm:primary-key-join-
column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> +
<xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + <xsd:attribute name="orphan-removal"
type="xsd:boolean"/> + <xsd:attribute name="maps-id" type="xsd:string"/> + <xsd:attribute name="id" type="xsd:boolean"/> + </xsd:complexType> + <!--
***** --> + <xsd:simpleType name="order-by"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OrderBy { + String value() default ""; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!-- ***** --> + +
<xsd:complexType name="order-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface OrderColumn { + String name() default ""; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; +
String columnDefinition() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> +
<xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!-- ***** -->
+ <xsd:complexType name="post-load"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PostLoad { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="post-persist"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostPersist { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="post-
remove"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PostRemove { + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
```

```
***** --> + + <xsd:complexType name="post-update"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({METHOD}) @Retention(RUNTIME) + public @interface PostUpdate { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="pre-persist">
+ <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PrePersist { + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-
name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="pre-remove"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface
PreRemove { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="pre-update"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PreUpdate { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="primary-
key-join-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface
PrimaryKeyJoinColumn { + String name() default ""; + String referencedColumnName() default ""; + String columnDefinition() default ""; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name"
type="xsd:string"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="query-hint"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface QueryHint { + String name(); + String value(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="value" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="secondary-table"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SecondaryTable { + String name(); + String catalog() default ""; +
String schema() default ""; + PrimaryKeyJoinColumn[] pkJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="primary-key-join-column" + type="orm:primary-key-join-column" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="sequence-generator"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface SequenceGenerator { + String name(); + String
sequenceName() default ""; + String catalog() default ""; + String schema() default ""; + int initialValue() default 1; + int allocationSize() default 50; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="sequence-name" type="xsd:string"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute
name="allocation-size" type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="sql-result-set-mapping"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface SqlResultSetMapping { + String name(); + EntityResult[] entities() default {}; + ColumnResult[] columns() default {}; + } + + </xsd:documentation>
+ </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="entity-result"
type="orm:entity-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="column-result" type="orm:column-result" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Table { + String name() default ""; + String catalog() default ""; + String schema() default ""; +
UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="unique-
constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="table-generator"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface TableGenerator { + String name(); + String table() default ""; + String
catalog() default ""; + String schema() default ""; + String pkColumnName() default ""; + String valueColumnName() default ""; + String pkColumnValue()
default ""; + int initialValue() default 0; + int allocationSize() default 50; + UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="unique-constraint"
type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema"
type="xsd:string"/> + <xsd:attribute name="pk-column-name" type="xsd:string"/> + <xsd:attribute name="value-column-name" type="xsd:string"/> +
<xsd:attribute name="pk-column-value" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute name="allocation-size"
type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:simpleType name="temporal"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Temporal { + TemporalType value();
+ } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="orm:temporal-type"/> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="temporal-type"> + <xsd:annotation> + <xsd:documentation> +
+ public Enum TemporalType { + DATE, // java.sql.Date + TIME, // java.sql.Time + TIMESTAMP // java.sql.Timestamp + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="DATE"/> + <xsd:enumeration value="TIME"/> + <xsd:enumeration
value="TIMESTAMP"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + +
<xsd:complexType name="transient"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Transient { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType>
+ <!-- ***** --> + + <xsd:complexType name="unique-constraint"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface UniqueConstraint { + String name() default ""; + String[] columnNames(); +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column-name" type="xsd:string" + maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="version"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Version { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> +
</xsd:complexType> + </xsd:schema> diff -git a/j2ee.persistence-external-resources/external/j2ee.persistence-external-resources/orm_2_1.xsd
b/j2ee.persistence/external/j2ee.persistence-external-resources/orm_2_1.xsd new file mode 100644 index 0000000000..6aa624891 --- /dev/null +++
b/j2ee.persistence/external/j2ee.persistence-external-resources/orm_2_1.xsd @@ -0,0,1,2336 @@ +<?xml version="1.0" encoding="UTF-8"?> <!-- Java
Persistence API object/relational mapping file schema --> +<xsd:schema targetNamespace="http://xmlns.jcp.org/xml/ns/persistence/orm" +
xmlns:orm="http://xmlns.jcp.org/xml/ns/persistence/orm" + xmlns:xsd="http://www.w3.org/2001/XMLSchema" + elementFormDefault="qualified" +
attributeFormDefault="unqualified" + version="2.1"> + <xsd:annotation> + <xsd:documentation> + @(#)orm_2_1.xsd 2.1 February 15 2013 +
</xsd:documentation> + </xsd:annotation> + <xsd:annotation> + <xsd:documentation> + + Copyright (c) 2008 - 2013 Oracle Corporation. All rights reserved. +
+ This program and the accompanying materials are made available under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 +
which accompanies this distribution. + The Eclipse Public License is available at http://www.eclipse.org/legal/epl-v10.html + and the Eclipse Distribution License
is available at + http://www.eclipse.org/org/documents/edl-v10.php. + + Contributors: + Linda DeMichiel - Java Persistence 2.1, Version 2.1 (February 15, 2013) +
Specification available from http://jcp.org/en/jsr/detail?id=338 + + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation><![
CDATA[ + + This is the XML Schema for the persistence object/relational + mapping file. + The file may be named "META-INF/orm.xml" in the persistence +
archive or it may be named some other name which would be + used to locate the file as resource on the classpath. + + Object/relational mapping files must
indicate the object/relational + mapping file schema by using the persistence namespace: + + http://xmlns.jcp.org/xml/ns/persistence/orm + + and indicate the
version of the schema by + using the version element as shown below: + + <entity-mappings xmlns="http://xmlns.jcp.org/xml/ns/persistence/orm" +
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" + xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/persistence/orm +
```

http://xmlns.jcp.org/xml/ns/persistence/orm_2_1.xsd" + version="2.1"> + ... + </entity-mappings> + +]></xsd:documentation> + </xsd:annotation> + + <xsd:complexType name="emptyType"/> + + <xsd:simpleType name="versionType"/> + <xsd:restriction base="xsd:token"/> + <xsd:pattern value="[0-9]+(\.[0-9]+)*/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + + <xsd:element name="entity-mappings"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + The entity-mappings element is the root element of a mapping + file. It contains the following four types of elements: + + 1. The persistence-unit-metadata element contains metadata + for the entire persistence unit. It is undefined if this element + occurs in multiple mapping files within the same persistence unit. + + 2. The package, schema, catalog and access elements apply to all of + the entity, mapped-superclass and embeddable elements defined in + the same file in which they occur. + + 3. The sequence-generator, table-generator, converter, named-query, + named-native-query, named-stored-procedure-query, and + sql-result-set-mapping elements are global to the persistence + unit. It is undefined to have more than one sequence-generator + or table-generator of the same name in the same or different + mapping files in a persistence unit. It is undefined to have + more than one named-query, named-native-query, sql-result-set-mapping, + or named-stored-procedure-query of the same name in the same + or different mapping files in a persistence unit. It is also + undefined to have more than one converter for the same target + type in the same or different mapping files in a persistence unit. + + 4. The entity, mapped-superclass and embeddable elements each define + the mapping information for a managed persistent class. The mapping + information contained in these elements may be complete or it may + be partial. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="persistence-unit-metadata" + type="orm:persistence-unit-metadata" + minOccurs="0"/> + <xsd:element name="package" type="xsd:string" + minOccurs="0"/> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-query" type="orm:named-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-stored-procedure-query" type="orm:named-stored-procedure-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="mapped-superclass" type="orm:mapped-superclass" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="entity" type="orm:entity" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embeddable" type="orm:embeddable" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="converter" type="orm:converter" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="version" type="orm:versionType" + fixed="2.1" use="required"/> + </xsd:complexType> + </xsd:element> + + <!-- ***** --> + + <xsd:complexType name="persistence-unit-metadata"> + <xsd:annotation> + <xsd:documentation> + + Metadata that applies to the persistence unit and not just to + the mapping file in which it is contained. + + If the xml-mapping-metadata-complete element is specified, + the complete set of mapping metadata for the persistence unit + is contained in the XML mapping files for the persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="xml-mapping-metadata-complete" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="persistence-unit-defaults" + type="orm:persistence-unit-defaults" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="persistence-unit-defaults"> + <xsd:annotation> + <xsd:documentation> + + These defaults are applied to the persistence unit as a whole + unless they are overridden by local annotation or XML + element settings. + + schema - Used as the schema for all tables, secondary tables, join + tables, collection tables, sequence generators, and table + generators that apply to the persistence unit + catalog - Used as the catalog for all tables, secondary tables, join + tables, collection tables, sequence generators, and table + generators that apply to the persistence unit + delimited-identifiers - Used to treat database identifiers as + delimited identifiers. + access - Used as the access type for all managed classes in + the persistence unit + cascade-persist - Adds cascade-persist to the set of cascade options + in all entity relationships of the persistence unit + entity-listeners - List of default entity listeners to be invoked + on each entity in the persistence unit. + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="delimited-identifiers" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="entity"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for an entity. Is allowed to be + sparsely populated and used in conjunction with the annotations. + Alternatively, the metadata-complete attribute can be used to + indicate that no annotations on the entity class (and its fields + or properties) are to be processed. If this is the case then + the defaulting rules for the entity and its subelements will + be recursively applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface Entity { + String name() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="table" type="orm:table" + minOccurs="0"/> + <xsd:element name="secondary-table" type="orm:secondary-table" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:sequence> + <xsd:element name="primary-key-join-column" type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="id-class" type="orm:id-class" + minOccurs="0"/> + <xsd:element name="inheritance" type="orm:inheritance" + minOccurs="0"/> + <xsd:element name="discriminator-value" type="orm:discriminator-value" + minOccurs="0"/> + <xsd:element name="discriminator-column" type="orm:discriminator-column" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0"/> + <xsd:element name="named-query" type="orm:named-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-stored-procedure-query" type="orm:named-stored-procedure-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist" + minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" + minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" + minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" + minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" + minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" + minOccurs="0"/> + <xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="convert" type="orm:convert" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-entity-graph" type="orm:named-entity-graph" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="attributes" type="orm:attributes" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" type="class" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="cacheable" type="xsd:boolean"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:simpleType name="access-type"> + <xsd:annotation> + <xsd:documentation> + + This element determines how the persistence provider accesses the + state of an entity or embedded object. + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"/> + <xsd:enumeration value="PROPERTY"/> + <xsd:enumeration value="FIELD"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + + <xsd:complexType name="association-override"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AssociationOverride { + String name(); + JoinColumn[] joinColumns() default {}; + JoinTable joinTable() default @JoinTable; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:choice> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="attribute-override"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AttributeOverride { + String name(); + Column column(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="column" type="orm:column" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="attributes"> + <xsd:annotation> + <xsd:documentation> + + This element contains the entity field or property mappings. + It may be sparsely populated to include only a subset of the + fields or properties. If metadata-complete for the entity is true + then the remainder of the attributes will be defaulted according + to the default rules. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:choice> + <xsd:element name="id" type="orm:id" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded-id" type="orm:embedded-id" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="basic" type="orm:basic" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="version" type="orm:version" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" + minOccurs="0"


```
maxOccurs="unbounded"/> + <xsd:element name="one-to-many" type="orm:one-to-many" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="one-to-one" type="orm:one-to-one" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many"
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="element-collection" type="orm:element-collection" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="embedded" type="orm:embedded" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="transient" type="orm:transient" minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="basic"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Basic { + FetchType fetch() default EAGER; + boolean optional() default true; + } +
+ </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> +
<xsd:element name="lob" type="orm:lob" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element
name="enumerated" type="orm:enumerated" minOccurs="0"/> + <xsd:element name="convert" type="orm:convert" minOccurs="0"/> + </xsd:choice> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="optional" type="xsd:boolean"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="cascade-type"> + <xsd:annotation> + <xsd:documentation> + +
+ public enum CascadeType { ALL, PERSIST, MERGE, REMOVE, REFRESH, DETACH }; + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="cascade-all" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="cascade-merge" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-remove"
type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-refresh" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-
detach" type="orm:emptyType" minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="collection-table"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface CollectionTable { + String name() default ""; + String catalog() default ""; +
String schema() default ""; + JoinColumn[] joinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + Index[] indexes() default {}; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" minOccurs="0"/> + </xsd:sequence> + <xsd:element name="unique-
constraint" type="orm:unique-constraint" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="index" type="orm:index" minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> +
<xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Column { + String name() default ""; + boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean
updatable() default true; + String columnDefinition() default ""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal
precision + int scale() default 0; // decimal scale + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable"
type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute
name="table" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute
name="scale" type="xsd:int"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="column-result"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ColumnResult { + String
name(); + Class type() default void.class; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
<xsd:attribute name="class" type="xsd:string"/> + </xsd:complexType> + <!--
*****
--> + <xsd:simpleType name="constraint-mode"> + <xsd:annotation> + <xsd:documentation> + + public enum ConstraintMode { CONSTRAINT, NO_CONSTRAINT,
PROVIDER_DEFAULT }; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="CONSTRAINT"/> +
<xsd:enumeration value="NO_CONSTRAINT"/> + <xsd:enumeration value="PROVIDER_DEFAULT"/> + </xsd:restriction> + </xsd:simpleType> + <!--
*****
--> + <xsd:complexType name="constructor-result"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ConstructorResult { + Class targetClass(); + ColumnResult[] columns(); + }
+ </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column-result" maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="target-class" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="convert"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface Convert { + Class converter() default void.class; + String attributeName()
default ""; + boolean disableConversion() default false; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="converter" type="xsd:string"/> + <xsd:attribute name="attribute-name"
type="xsd:string"/> + <xsd:attribute name="disable-conversion" type="xsd:boolean"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="converter"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface Converter { + boolean autoApply() default false; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="auto-apply" type="xsd:boolean"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="discriminator-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorColumn { + String name() default "DTYPE"; +
DiscriminatorType discriminatorType() default STRING; + String columnDefinition() default ""; + int length() default 31; + } + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="discriminator-type" type="orm:discriminator-type"/> +
<xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> + </xsd:complexType> + <!--
*****
--> + <xsd:simpleType name="discriminator-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum DiscriminatorType { STRING, CHAR, INTEGER }; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction
base="xsd:token"> + <xsd:enumeration value="STRING"/> + <xsd:enumeration value="CHAR"/> + <xsd:enumeration value="INTEGER"/> + </xsd:restriction>
+ </xsd:simpleType> + <!--
*****
--> + <xsd:simpleType name="discriminator-value"> +
<xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorValue { + String value(); + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!--
*****
--> + <xsd:complexType name="element-collection"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ElementCollection { + Class targetClass() default
void.class; + FetchType fetch() default LAZY; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element
name="order-by" type="orm:order-by" minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" minOccurs="0"/> + </xsd:choice>
+ <xsd:choice> + <xsd:element name="map-key" type="orm:map-key" minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class"
type="orm:map-key-class" minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" minOccurs="0"/> +
<xsd:element name="map-key-enumerated" type="orm:enumerated" minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-attribute-override"
type="orm:attribute-override" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-key-convert" type="orm:convert" minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" +
minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-join-column" type="orm:map-key-join-column" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="map-key-foreign-key" type="orm:foreign-key" minOccurs="0"/> + </xsd:sequence> + </xsd:choice> +
</xsd:sequence> + </xsd:choice> + <xsd:sequence> + <xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> +
<xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element name="enumerated" type="orm:enumerated" minOccurs="0"/> +
<xsd:element name="lob" type="orm:lob" minOccurs="0"/> + </xsd:choice> + </xsd:sequence> + <xsd:element name="attribute-override"
type="orm:attribute-override" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="convert" type="orm:convert" minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + </xsd:choice> + <xsd:element name="collection-table" type="orm:collection-table" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-class" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-
type"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="embeddable"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for embeddable objects. Is +
allowed to be sparsely populated and used in conjunction with the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no
annotations are to be processed + in the class. If this is the case then the defaulting rules will + be recursively applied. + + @Target({TYPE})
@Retention(RUNTIME) + public @interface Embeddable { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="attributes" type="orm:embeddable-attributes" minOccurs="0"/> +
```

```
</xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute
name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="embeddable-attributes"> + <xsd:sequence> + <xsd:element name="basic" type="orm:basic" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="one-to-many" type="orm:one-to-many" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-to-one" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="element-collection" type="orm:element-collection" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded"
type="orm:embedded" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="embedded"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Embedded { } + </xsd:documentation> + <xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-
override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="convert" type="orm:convert" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="embedded-id"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface EmbeddedId { } + </xsd:documentation> + <xsd:annotation> + <xsd:sequence>
+ <xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="entity-listener"> + <xsd:annotation> + <xsd:documentation>
+ + Defines an entity listener to be invoked at lifecycle events + for the entities that list this listener. + </xsd:documentation> + <xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist"
minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove"
minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update"
minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load"
minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="entity-listeners"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({TYPE}) @Retention(RUNTIME) + public @interface EntityListeners { + Class[] value(); + } + </xsd:documentation> + <xsd:annotation> +
<xsd:sequence> + <xsd:element name="entity-listener" type="orm:entity-listener" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> +
</xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="entity-result"> +
<xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface EntityResult { + Class entityClass(); + FieldResult[]
fields() default {}; + String discriminatorColumn() default ""; + } + </xsd:documentation> + <xsd:annotation> + <xsd:sequence> + <xsd:element name="field-
result" type="orm:field-result" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="entity-class" type="xsd:string"
use="required"/> + <xsd:attribute name="discriminator-column" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:simpleType name="enum-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum EnumType { + ORDINAL, + STRING + } + </xsd:documentation> + <xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="ORDINAL"/> + <xsd:enumeration value="STRING"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="enumerated"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Enumerated { + EnumType value() default ORDINAL; + } + +
</xsd:documentation> + <xsd:annotation> + <xsd:restriction base="orm:enum-type"/> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="fetch-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum FetchType { LAZY, EAGER } + </xsd:documentation> + <xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="LAZY"/> + <xsd:enumeration value="EAGER"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType name="field-result"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface FieldResult { + String name(); + String column(); + } + </xsd:documentation> + <xsd:annotation> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="column" type="xsd:string" use="required"/> + </xsd:complexType> + +
<!-- ***** --> + + <xsd:complexType name="foreign-key"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ForeignKey { + String name() default ""; + ConstraintMode value() default
CONSTRAINT; + String foreign-key-definition() default ""; + + Note that the elements that embed the use of the annotation + default this use as
@ForeignKey(PROVIDER_DEFAULT). + } + </xsd:documentation> + <xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="constraint-mode"
type="orm:constraint-mode"/> + <xsd:attribute name="foreign-key-definition" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="generated-value"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface GeneratedValue { + GenerationType strategy() default
AUTO; + String generator() default ""; + } + </xsd:documentation> + <xsd:annotation> + <xsd:attribute name="strategy" type="orm:generation-type"/> +
<xsd:attribute name="generator" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:simpleType name="generation-type"> + <xsd:annotation> + <xsd:documentation> + + public enum GenerationType { TABLE, SEQUENCE, IDENTITY,
AUTO } + </xsd:documentation> + <xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="TABLE"/> + <xsd:enumeration
value="SEQUENCE"/> + <xsd:enumeration value="IDENTITY"/> + <xsd:enumeration value="AUTO"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType name="id"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Id { } + </xsd:documentation> + <xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" + minOccurs="0"/> + <xsd:element name="generated-value" type="orm:generated-value" + minOccurs="0"/>
+ <xsd:element name="temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" +
minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="id-class"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface IdClass { + Class value(); + } + </xsd:documentation> + <xsd:annotation> + <xsd:attribute
name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="index"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface Index { + String
name() default ""; + String columnNameList() + boolean unique() default false; + } + </xsd:documentation> + <xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="column-
list" type="xsd:string" use="required"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="inheritance"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Inheritance { + InheritanceType strategy() default SINGLE_TABLE; + } + +
</xsd:documentation> + <xsd:annotation> + <xsd:attribute name="strategy" type="orm:inheritance-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:simpleType name="inheritance-type"> + <xsd:annotation> + <xsd:documentation>
+ + public enum InheritanceType { + SINGLE_TABLE, JOINED, TABLE_PER_CLASS; + } + </xsd:documentation> + <xsd:annotation> + <xsd:restriction
base="xsd:token"> + <xsd:enumeration value="SINGLE_TABLE"/> + <xsd:enumeration value="JOINED"/> + <xsd:enumeration
value="TABLE_PER_CLASS"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + +
<xsd:complexType name="join-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface JoinColumn { + String name() default ""; + String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default
true; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default ""; + String table() default ""; + ForeignKey
foreignKey() default @ForeignKey(); + } + </xsd:documentation> + <xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable"
type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute
name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="join-table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinTable { + String name() default ""; + String catalog() default ""; + String
schema() default ""; + JoinColumn[] joinColumns() default {}; + JoinColumn[] inverseJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints()
```

```

default {}; + Index[] indexes() default {}; + + </xsd:documentation> + </xsd:annotation> + </xsd:sequence> + </xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:sequence> + </xsd:element name="inverse-join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:element name="inverse-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:element name="index" type="orm:index" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:attribute name="name" type="xsd:string"/> + </xsd:attribute name="catalog" type="xsd:string"/> + </xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="lob"> + </xsd:annotation> + </xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Lob {} + + </xsd:documentation> + </xsd:annotation> + </xsd:complexType> + <!-- ***** --> + + </xsd:simpleType name="lock-mode-type"> + </xsd:annotation> + </xsd:documentation> + + public enum LockModeType { READ, WRITE, OPTIMISTIC, OPTIMISTIC_FORCE_INCREMENT, PESSIMISTIC_READ, PESSIMISTIC_WRITE, PESSIMISTIC_FORCE_INCREMENT, NONE}; + + </xsd:documentation> + </xsd:annotation> + </xsd:restriction base="xsd:token"> + </xsd:enumeration value="READ"/> + </xsd:enumeration value="WRITE"/> + </xsd:enumeration value="OPTIMISTIC"/> + </xsd:enumeration value="OPTIMISTIC_FORCE_INCREMENT"/> + </xsd:enumeration value="PESSIMISTIC_READ"/> + </xsd:enumeration value="PESSIMISTIC_WRITE"/> + </xsd:enumeration value="PESSIMISTIC_FORCE_INCREMENT"/> + </xsd:enumeration value="NONE"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + + </xsd:complexType name="many-to-many"> + </xsd:annotation> + </xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToMany { + Class targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy() default ""; + } + + </xsd:documentation> + </xsd:annotation> + </xsd:sequence> + </xsd:choice> + </xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> + </xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + </xsd:choice> + </xsd:choice> + </xsd:element name="map-key" type="orm:map-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:element name="map-key-class" type="orm:map-key-class" + minOccurs="0"/> + </xsd:choice> + </xsd:element name="map-key-temporal" type="orm:temporal" + minOccurs="0"/> + </xsd:element name="map-key-enumerated" type="orm:enumerated" + minOccurs="0"/> + </xsd:sequence> + </xsd:element name="map-key-attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:element name="map-key-convert" type="orm:convert" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + </xsd:choice> + </xsd:element name="map-key-column" type="orm:map-key-column" + minOccurs="0"/> + </xsd:sequence> + </xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:element name="map-key-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:choice> + </xsd:sequence> + </xsd:choice> + </xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + </xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:attribute name="target-entity" type="xsd:string"/> + </xsd:attribute name="fetch" type="orm:fetch-type"/> + </xsd:attribute name="access" type="orm:access-type"/> + </xsd:attribute name="mapped-by" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="many-to-one"> + </xsd:annotation> + </xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToOne { + Class targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + } + + </xsd:documentation> + </xsd:annotation> + </xsd:sequence> + </xsd:choice> + </xsd:sequence> + </xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + </xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + </xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:attribute name="target-entity" type="xsd:string"/> + </xsd:attribute name="fetch" type="orm:fetch-type"/> + </xsd:attribute name="optional" type="xsd:boolean"/> + </xsd:attribute name="access" type="orm:access-type"/> + </xsd:attribute name="maps-id" type="xsd:string"/> + </xsd:attribute name="id" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="map-key"> + </xsd:annotation> + </xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKey { + String name() default ""; + } + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="map-key-class"> + </xsd:annotation> + </xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyClass { + Class value(); + } + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="map-key-column"> + </xsd:annotation> + </xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyColumn { + String name() default ""; + boolean unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default ""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; // decimal scale + } + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute name="name" type="xsd:string"/> + </xsd:attribute name="unique" type="xsd:boolean"/> + </xsd:attribute name="nullable" type="xsd:boolean"/> + </xsd:attribute name="insertable" type="xsd:boolean"/> + </xsd:attribute name="updatable" type="xsd:boolean"/> + </xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:attribute name="table" type="xsd:string"/> + </xsd:attribute name="length" type="xsd:int"/> + </xsd:attribute name="precision" type="xsd:int"/> + </xsd:attribute name="scale" type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="map-key-join-column"> + </xsd:annotation> + </xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyJoinColumn { + String name() default ""; + String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default ""; + String table() default ""; + } + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute name="name" type="xsd:string"/> + </xsd:attribute name="referenced-column-name" type="xsd:string"/> + </xsd:attribute name="unique" type="xsd:boolean"/> + </xsd:attribute name="nullable" type="xsd:boolean"/> + </xsd:attribute name="insertable" type="xsd:boolean"/> + </xsd:attribute name="updatable" type="xsd:boolean"/> + </xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="mapped-superclass"> + </xsd:annotation> + </xsd:documentation> + + Defines the settings and mappings for a mapped superclass. Is allowed to be sparsely populated and used in conjunction with the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no annotations are to be processed + If this is the case then the defaulting rules will be recursively + applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface MappedSuperclass {} + + </xsd:documentation> + </xsd:annotation> + </xsd:sequence> + </xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:element name="id-class" type="orm:id-class" minOccurs="0"/> + </xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + </xsd:element name="exclude-superclass-listeners" type="orm:emptyType" + minOccurs="0"/> + </xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + </xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + </xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + </xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + </xsd:element name="post-remove" type="orm:post-remove" + minOccurs="0"/> + </xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + </xsd:element name="post-update" type="orm:post-update" + minOccurs="0"/> + </xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> + </xsd:element name="attributes" type="orm:attributes" + minOccurs="0"/> + </xsd:sequence> + </xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:attribute name="access" type="orm:access-type"/> + </xsd:attribute name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="named-attribute-node"> + </xsd:annotation> + </xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface NamedAttributeNode { + String value(); + String subgraph() default ""; + String keySubgraph() default ""; + } + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:attribute name="subgraph" type="xsd:string"/> + </xsd:attribute name="key-subgraph" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="named-entity-graph"> + </xsd:annotation> + </xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedEntityGraph { + String name() default ""; + NamedAttributeNode[] attributeNodes() default {}; + boolean includeAllAttributes() default false; + NamedSubgraph[] subgraphs() default {}; + NamedSubGraph[] subclassSubgraphs() default {}; + } + + </xsd:documentation> + </xsd:annotation> + </xsd:sequence> + </xsd:element name="named-attribute-node" type="orm:named-attribute-node" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:element name="subgraph" type="orm:named-subgraph" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:attribute name="name" type="xsd:string"/> + </xsd:attribute name="include-all-attributes" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + + </xsd:complexType name="named-native-query"> + </xsd:annotation> + </xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedNativeQuery { + String name(); + String query(); + QueryHint[] hints() default {}; + Class resultClass() default void.class; + String resultSetMapping() default ""; //named SqlResultSetMapping + } + + </xsd:documentation> + </xsd:annotation> + </xsd:sequence> + </xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:element name="query" type="xsd:string"/> + </xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:attribute name="result-class" type="xsd:string" use="required
```

```
type="xsd:string"/> + <xsd:attribute name="result-set-mapping" type="xsd:string"/> + </xsd:complexType> + <!--
*****
+ @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedQuery { + String name(); + LockModeType lockMode() default
NONE; + QueryHint[] hints() default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + <xsd:element name="query" type="xsd:string"/> + <xsd:element name="lock-mode" type="orm:lock-mode-type"
minOccurs="0"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="named-stored-procedure-query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) +
public @interface NamedStoredProcedureQuery { + String name(); + String procedureName(); + StoredProcedureParameter[] parameters() default {}; + Class[]
resultClasses() default {}; + String[] resultSetMappings() default {}; + QueryHint[] hints() default {}; + } + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="parameter" + type="orm:stored-procedure-
parameter" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="result-class" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="result-set-mapping" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="hint" type="orm:query-hint" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="procedure-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
+ + <xsd:complexType name="named-subgraph"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface
NamedSubgraph { + String name(); + Class type() default void.class; + NamedAttributeNode[] attributeNodes(); + } + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="named-attribute-node" + type="orm:named-attribute-node" + minOccurs="0" +
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="class"
type="xsd:string"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="one-to-many"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface
OneToMany { + Class
targetEntity() default void.class; + CascadeType[] cascadeOf() default {}; + FetchType fetch() default LAZY; + String mappedBy() default ""; + } +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> +
<xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key"
type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class" type="orm:map-key-class" + minOccurs="0"/> +
<xsd:choice> + <xsd:element name="map-key-temporal" + type="orm:temporal" + minOccurs="0"/> + <xsd:element name="map-key-enumerated" +
type="orm:enumerated" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-attribute-override" + type="orm:attribute-override" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-key-convert" type="orm:convert" + minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" + minOccurs="0"/> + <xsd:sequence>
+ <xsd:element name="map-key-join-column" + type="orm:map-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-
key-foreign-key" + type="orm:foreign-key" + minOccurs="0"/> + <xsd:sequence> + </xsd:choice> + </xsd:choice> + <xsd:choice> +
<xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:choice>
+ <xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + <xsd:attribute name="orphan-removal"
type="xsd:boolean"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="one-to-one"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface
OneToOne { + Class
targetEntity() default void.class; + CascadeType[] cascadeOf() default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + String
mappedBy() default ""; + boolean orphanRemoval() default false; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> +
<xsd:sequence> + <xsd:element name="primary-key-join-column" + type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="primary-key-foreign-key" + type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + <xsd:sequence> + <xsd:element name="join-
column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/>
+ </xsd:sequence> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> +
<xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + <xsd:attribute name="orphan-removal"
type="xsd:boolean"/> + <xsd:attribute name="maps-id" type="xsd:string"/> + <xsd:attribute name="id" type="xsd:boolean"/> + </xsd:complexType> + <!--
*****
+ <xsd:simpleType name="order-by"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OrderBy { + String value() default ""; + } + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!-- *****
+ <xsd:complexType name="order-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface OrderColumn { + String name() default ""; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; +
String columnDefinition() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> +
<xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!-- *****
+ + <xsd:simpleType name="parameter-mode"> + <xsd:annotation> + <xsd:documentation> + + public enum ParameterMode { IN, INOUT, OUT,
REF_CURSOR}; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="IN"/> + <xsd:enumeration
value="INOUT"/> + <xsd:enumeration value="OUT"/> + <xsd:enumeration value="REF_CURSOR"/> + </xsd:restriction> + </xsd:simpleType> + <!--
*****
+ <xsd:complexType name="post-load"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostLoad { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="post-persist"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostPersist { + } +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="post-remove"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostRemove { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="post-update"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostUpdate { + } +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="pre-persist"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PrePersist { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="pre-remove"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PreRemove { + } +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="pre-update"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PreUpdate { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- *****
+ <xsd:complexType name="primary-key-join-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface
PrimaryJoinColumn { + String name() default ""; + String referencedColumnName() default ""; + String columnDefinition() default ""; + } +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name"
type="xsd:string"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!--
```

```
***** --> + + <xsd:complexType name="query-hint"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface QueryHint { + String name(); + String value(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="value" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="secondary-table"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SecondaryTable { + String name(); + String catalog() default ""; +
String schema() default ""; + PrimaryKeyJoinColumn[] pkJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + Index[] indexes()
default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:sequence> + <xsd:element name="primary-key-join-column" +
type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-foreign-key" + type="orm:foreign-key" +
minOccurs="0"/> + <xsd:sequence> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="index" type="orm:index" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="sequence-generator"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface SequenceGenerator { + String name(); + String
sequenceName() default ""; + String catalog() default ""; + String schema() default ""; + int initialValue() default 1; + int allocationSize() default 50; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="sequence-name" type="xsd:string"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute
name="allocation-size" type="xsd:int"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="sql-result-set-mapping"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface SqlResultSetMapping { + String name(); + EntityResult[] entities() default {}; + ConstructorResult[] classes() default {}; + ColumnResult[] columns()
default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> +
<xsd:element name="entity-result" type="orm:entity-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="constructor-result"
type="orm:constructor-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="column-result" type="orm:column-result" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="stored-procedure-parameter"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface StoredProcedureParameter { + String name() default ""; +
ParameterMode mode() default ParameterMode.IN; + Class type(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="class"
type="xsd:string" use="required"/> + <xsd:attribute name="mode" type="orm:parameter-mode"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Table { + String name() default ""; + String catalog() default ""; + String schema() default ""; +
UniqueConstraint[] uniqueConstraints() default {}; + Index[] indexes() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="index"
type="orm:index" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="table-generator"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface TableGenerator { + String name(); + String table() default ""; + String
catalog() default ""; + String schema() default ""; + String pkColumnName() default ""; + String valueColumnName() default ""; + String pkColumnValue()
default ""; + int initialValue() default 0; + int allocationSize() default 50; + UniqueConstraint[] uniqueConstraints() default {}; + Indexes[] indexes()
default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element
name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="index" type="orm:index" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="table"
type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="pk-
column-name" type="xsd:string"/> + <xsd:attribute name="value-column-name" type="xsd:string"/> + <xsd:attribute name="pk-column-value"
type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute name="allocation-size" type="xsd:int"/> + </xsd:complexType> + +
<!-- ***** --> + + <xsd:simpleType name="temporal"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Temporal { + TemporalType value(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="orm:temporal-type"/> + </xsd:simpleType> + + <!-- ***** -->
-> + + <xsd:simpleType name="temporal-type"> + <xsd:annotation> + <xsd:documentation> + + public enum TemporalType { + DATE, // java.sql.Date + TIME,
// java.sql.Time + TIMESTAMP // java.sql.Timestamp + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> +
<xsd:enumeration value="DATE"/> + <xsd:enumeration value="TIME"/> + <xsd:enumeration value="TIMESTAMP"/> + </xsd:restriction> + </xsd:simpleType>
+ + <!-- ***** --> + + <xsd:complexType name="transient"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Transient { + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="unique-constraint"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface UniqueConstraint { + String name() default ""; + String[] columnNames(); +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column-name" type="xsd:string" + maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="version"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Version { + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> +
</xsd:complexType> + + </xsd:schema> diff --git a/j2ee.persistence/external/j2ee.persistence-external-resources/persistence_1_0.xsd
b/j2ee.persistence/external/j2ee.persistence-external-resources/persistence_1_0.xsd new file mode 100644 index 000000000..9f3c2568c --- /dev/null +++
b/j2ee.persistence/external/j2ee.persistence-external-resources/persistence_1_0.xsd @@ -0,0 +1,308 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!--
persistence.xml schema --> + <xsd:schema targetNamespace="http://java.sun.com/xml/ns/persistence" + xmlns:xsd="http://www.w3.org/2001/XMLSchema" +
xmlns:persistence="http://java.sun.com/xml/ns/persistence" + elementFormDefault="qualified" + attributeFormDefault="unqualified" + version="1.0"> + +
<xsd:annotation> + <xsd:documentation> + + (@#persistence_1_0.xsd 1.0 Feb 9 2006 + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> +
<xsd:documentation> + + DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + + Copyright 2005-2010 Oracle and/or its affiliates.
All rights reserved. + + Oracle and Java are registered trademarks of Oracle and/or its affiliates. + Other names may be trademarks of their respective owners. + +
The contents of this file are subject to the terms of either the + GNU General Public License Version 2 only ("GPL") or the Common + Development and
Distribution License("CDDL") (collectively, the + "License"). You may not use this file except in compliance with + the License. You can obtain a copy of the
License at + https://glassfish.dev.java.net/public/CDDL+GPL.html or + glassfish/bootstrap/legal/LICENSE.txt. See the License for the + specific language
governing permissions and limitations under the + License. + + When distributing the software, include this License Header + Notice in each file and include the
License file at + glassfish/bootstrap/legal/LICENSE.txt. Sun designates this + particular file as subject to the "Classpath" exception as + provided by Oracle in the
GPL Version 2 section of the License file + that accompanied this code. If applicable, add the following + below the License Header, with the fields enclosed by
brackets [ ] + replaced by your own identifying information: + "Portions Copyrighted [year] [name of copyright owner]" + + Contributor(s): + + If you wish your
version of this file to be governed by only the + CDDL or only the GPL Version 2, indicate your decision by adding + "[Contributor] elects to include this software
in this + distribution under the [CDDL or GPL Version 2] license." If you + don't indicate a single choice of license, a recipient has the + option to distribute your
version of this file under either the + CDDL, the GPL Version 2 or to extend the choice of license to its + licensees as provided above. However, if you add GPL
Version 2 + code and therefore, elected the GPL Version 2 license, then the + option applies only if the new code is made subject to such + option by the copyright
holder. + + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + <![CDATA[ + + This is the XML Schema for the persistence
configuration file. + The file must be named "META-INF/persistence.xml" in the + persistence archive. + Persistence configuration files must indicate + the
persistence schema by using the persistence namespace: + + http://java.sun.com/xml/ns/persistence + + and indicate the version of the schema by + using the
version element as shown below: + + <persistence xmlns="http://java.sun.com/xml/ns/persistence" + xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
+ xsi:schemaLocation="http://java.sun.com/xml/ns/persistence + http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd" + version="1.0"> + ... +
</persistence> + + ]]> + </xsd:documentation> + </xsd:annotation> + + <xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> +
```

```
<xsd:pattern value="[0-9]+(\.[0-9]+)*"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> +
+ <xsd:element name="persistence"> + <xsd:complexType> + <xsd:sequence> + + <!-- ***** --> +
<xsd:element name="persistence-unit" minOccurs="0" maxOccurs="unbounded"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + +
Configuration of a persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + + <!--
***** --> + <xsd:element name="description" type="xsd:string" minOccurs="0"> +
<xsd:annotation> + <xsd:documentation> + + Textual description of this persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + +
<!-- ***** --> + <xsd:element name="provider" type="xsd:string" minOccurs="0"> +
<xsd:annotation> + <xsd:documentation> + + Provider class that supplies EntityManagers for this + persistence unit. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="jta-data-source"
type="xsd:string" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of the JTA datasource to use. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element
name="non-jta-data-source" type="xsd:string" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of a non-JTA
datasource to use. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** -->
+ <xsd:element name="mapping-file" type="xsd:string" minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + File
containing mapping information. Loaded as a resource + by the persistence provider. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + <xsd:element name="jar-file" type="xsd:string" minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Jar file that should be scanned for entities. + Not applicable to Java SE persistence
units. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> +
<xsd:element name="class" type="xsd:string" minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Class to scan for
annotations. It should be annotated + with either @Entity, @Embeddable or @MappedSuperclass. + + </xsd:documentation> + </xsd:annotation> +
</xsd:element> + + <!-- ***** --> + <xsd:element name="exclude-unlisted-classes"
type="xsd:boolean" + default="false" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + When set to true then only listed classes and jars will + be
scanned for persistent classes, otherwise the enclosing + jar or directory will also be scanned. Not applicable to + Java SE persistence units. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element
name="properties" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + A list of vendor-specific properties. + + </xsd:documentation> +
</xsd:annotation> + <xsd:complexType> + <xsd:sequence> + <xsd:element name="property" minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> +
<xsd:documentation> + + A name-value pair. + </xsd:documentation> + </xsd:annotation> + <xsd:complexType> + <xsd:attribute name="name" type="xsd:string"
+ use="required"/> + <xsd:attribute name="value" type="xsd:string" + use="required"/> + </xsd:complexType> + </xsd:element> + </xsd:sequence> +
</xsd:complexType> + </xsd:element> + + </xsd:sequence> + + <!-- ***** --> + <xsd:attribute
name="name" type="xsd:string" use="required"> + <xsd:annotation> + <xsd:documentation> + + Name used in code to reference this persistence unit. + +
</xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + <!-- ***** --> + <xsd:attribute
name="transaction-type" + type="persistence:persistence-unit-transaction-type"> + <xsd:annotation> + <xsd:documentation> + + Type of transactions used by
EntityManagers from this + persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + </xsd:complexType> + </xsd:element> +
</xsd:sequence> + <xsd:attribute name="version" type="persistence:versionType" + fixed="1.0" use="required"/> + </xsd:complexType> + </xsd:element> + +
<!-- ***** --> + <xsd:simpleType name="persistence-unit-transaction-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum TransactionType { JTA, RESOURCE_LOCAL }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction
base="xsd:token"> + <xsd:enumeration value="JTA"/> + <xsd:enumeration value="RESOURCE_LOCAL"/> + </xsd:restriction> + </xsd:simpleType> + +
</xsd:schema> + diff -git a/j2ee.persistence/external/j2ee.persistence-external-resources/persistence_2_0.xsd b/j2ee.persistence/external/j2ee.persistence-external-
resources/persistence_2_0.xsd new file mode 100644 index 0000000000..323bd8bc0 --- /dev/null +++ b/j2ee.persistence/external/j2ee.persistence-external-
resources/persistence_2_0.xsd @@ -0,0 +1,355 @@ +<?xml version="1.0" encoding="UTF-8"?> +<!-- persistence.xml schema --> +<xsd:schema
targetNamespace="http://java.sun.com/xml/ns/persistence" + xmlns="http://www.w3.org/2001/XMLSchema" +
xmlns:persistence="http://java.sun.com/xml/ns/persistence" + elementFormDefault="unqualified" + version="2.0"> + +
<xsd:annotation> + <xsd:documentation> + + @(#)persistence_2_0.xsd 1.0 October 1 2009 + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> +
<xsd:documentation> + + Copyright (c) 2008, 2009 Sun Microsystems. All rights reserved. + This program and the accompanying materials are made available
under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 + which accompanies this distribution. + The Eclipse Public License
is
available at http://www.eclipse.org/legal/epl-v10.html + and the Eclipse Distribution License is available at http://www.eclipse.org/org/documents/edl-v10.php. +
+ Contributors: + Linda DeMichiel - Java Persistence 2.0, Version 2.0 (October 1, 2009) + Specification available from http://jcp.org/en/jsr/detail?id=317 + +
</xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + <![CDATA[ + This is the XML Schema for the persistence
configuration file. + The file must be named "META-INF/persistence.xml" in the + persistence archive. + Persistence configuration files must indicate + the
persistence schema by using the persistence namespace: + + http://java.sun.com/xml/ns/persistence + + and indicate the version of the schema by + using the
version element as shown below: + + <persistence xmlns="http://java.sun.com/xml/ns/persistence" + xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
+ xsi:schemaLocation="http://java.sun.com/xml/ns/persistence + http://java.sun.com/xml/ns/persistence/persistence_2_0.xsd" + version="2.0"> + ... +
</persistence> + + ]]> + </xsd:documentation> + </xsd:annotation> + + <xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> +
<xsd:pattern value="[0-9]+(\.[0-9]+)*"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> +
+ <xsd:element name="persistence"> + <xsd:complexType> + <xsd:sequence> + + <!-- ***** --> +
<xsd:element name="persistence-unit" minOccurs="1" maxOccurs="unbounded"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + +
Configuration of a persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + + <!--
***** --> + <xsd:element name="description" type="xsd:string" minOccurs="0"> +
<xsd:annotation> + <xsd:documentation> + + Description of this persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + <xsd:element name="provider" type="xsd:string" minOccurs="0"> + <xsd:annotation>
+ <xsd:documentation> + + Provider class that supplies EntityManagers for this + persistence unit. + + </xsd:documentation> + </xsd:annotation> +
</xsd:element> + + <!-- ***** --> + <xsd:element name="jta-data-source" type="xsd:string"
+ minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of the JTA datasource to use. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="non-jta-data-source"
type="xsd:string" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of a non-JTA datasource to use. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element
name="mapping-file" type="xsd:string" minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + File containing mapping
information. Loaded as a resource + by the persistence provider. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + <xsd:element name="jar-file" type="xsd:string" minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Jar file that is to be scanned for managed classes. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="class"
type="xsd:string" minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Managed class to be included in the persistence
unit and + to scan for annotations. It should be annotated + with either @Entity, @Embeddable or @MappedSuperclass. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="exclude-unlisted-
classes" type="xsd:boolean" + default="true" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + When set to true then only listed classes and jars
will + be scanned for persistent classes, otherwise the + enclosing jar or directory will also be scanned. + Not applicable to Java SE persistence units. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element
name="shared-cache-mode" + type="persistence:persistence-unit-caching-type" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Defines
whether caching is enabled for the + persistence unit if caching is supported by the + persistence provider. When set to ALL, all entities + will be cached.
When set to NONE, no entities will + be cached. When set to ENABLE_SELECTIVE, only entities + specified as cacheable will be cached. When set to
DISABLE_SELECTIVE, entities specified as not cacheable + will not be cached. When not specified or when set to + UNSPECIFIED, provider defaults may
apply. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> +
<xsd:element name="validation-mode" + type="persistence:persistence-unit-validation-mode-type" minOccurs="0"> + <xsd:annotation> +
<xsd:documentation> + + The validation mode to be used for the persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + <xsd:element name="properties" minOccurs="0"> + <xsd:annotation> +
<xsd:documentation> + + A list of standard and vendor-specific properties + and hints. + + </xsd:documentation> + </xsd:annotation> + <xsd:complexType> +
<xsd:sequence> + <xsd:element name="property" minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + A name-value pair.
+ </xsd:documentation> + </xsd:annotation> + <xsd:complexType> + <xsd:attribute name="name" type="xsd:string" + use="required"/> + <xsd:attribute
```



```
name="value" type="xsd:string" use="required"/> + </xsd:complexType> + </xsd:sequence> + </xsd:complexType> + </xsd:element> + +
</xsd:sequence> + + <!-- ***** --> + + <xsd:attribute name="name" type="xsd:string" use="required"
+ <xsd:annotation> + <xsd:documentation> + + Name used in code to reference this persistence unit. + + </xsd:documentation> + </xsd:annotation> +
</xsd:attribute> + + <!-- ***** --> + + <xsd:attribute name="transaction-type" +
type="persistence:persistence-unit-transaction-type"> + <xsd:annotation> + <xsd:documentation> + + Type of transactions used by EntityManagers from this +
persistence unit. + + </xsd:documentation> + </xsd:annotation> + + </xsd:complexType> + </xsd:element> + </xsd:sequence> + <xsd:attribute
name="version" type="persistence:versionType" + fixed="2.0" use="required"/> + </xsd:complexType> + </xsd:element> + + <!--
***** --> + + <xsd:simpleType name="persistence-unit-transaction-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum PersistenceUnitTransactionType { JTA, RESOURCE_LOCAL }; + + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="JTA"/> + <xsd:enumeration value="RESOURCE_LOCAL"/> + </xsd:restriction> +
</xsd:simpleType> + + <!-- ***** --> + + <xsd:simpleType name="persistence-unit-caching-type"> +
<xsd:annotation> + <xsd:documentation> + + public enum SharedCacheMode { ALL, NONE, ENABLE_SELECTIVE, DISABLE_SELECTIVE,
UNSPECIFIED }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="ALL"/> + <xsd:enumeration
value="NONE"/> + <xsd:enumeration value="ENABLE_SELECTIVE"/> + <xsd:enumeration value="DISABLE_SELECTIVE"/> + <xsd:enumeration
value="UNSPECIFIED"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:simpleType name="persistence-unit-validation-mode-type"> + <xsd:annotation> + <xsd:documentation> + + public enum ValidationMode { AUTO,
CALLBACK, NONE }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="AUTO"/> +
<xsd:enumeration value="CALLBACK"/> + <xsd:enumeration value="NONE"/> + </xsd:restriction> + </xsd:simpleType> + + </xsd:schema> diff --git
a/j2ee.persistence/external/j2ee.persistence-external-resources/persistence_2_1.xsd b/j2ee.persistence/external/j2ee.persistence-external-
resources/persistence_2_1.xsd new file mode 100644 index 000000000..01d514902 --- /dev/null +++ b/j2ee.persistence/external/j2ee.persistence-external-
resources/persistence_2_1.xsd @@ -0,0 +1,354 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- persistence.xml schema --> + <xsd:schema
targetNamespace="http://xmlns.jcp.org/xml/ns/persistence" + xmlns:xsd="http://www.w3.org/2001/XMLSchema" +
xmlns:persistence="http://xmlns.jcp.org/xml/ns/persistence" + elementFormDefault="qualified" + attributeFormDefault="unqualified" + version="2.1"> + +
<xsd:annotation> + <xsd:documentation> + + @(#)persistence_2_1.xsd 2.1 February 4, 2013 + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> +
<xsd:documentation> + + Copyright (c) 2008 - 2013 Oracle Corporation. All rights reserved. + + This program and the accompanying materials are made
available under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 + which accompanies this distribution. + The Eclipse Public
License is available at http://www.eclipse.org/legal/epl-v10.html + and the Eclipse Distribution License is available at + http://www.eclipse.org/org/documents/edl-
v10.php. + + Contributors: + Linda DeMichiel - Java Persistence 2.1, Version 2.1 (February 4, 2013) + Specification available from http://jcp.org/en/jsr/detail?
id=338 + + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + <![CDATA[ + + This is the XML Schema for the persistence
configuration file. + The file must be named "META-INF/persistence.xml" in the + persistence archive. + + Persistence configuration files must indicate + the
persistence schema by using the persistence namespace: + + http://xmlns.jcp.org/xml/ns/persistence + + and indicate the version of the schema by + using the
version element as shown below: + + <persistence xmlns="http://xmlns.jcp.org/xml/ns/persistence" + xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
+ xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/persistence + http://xmlns.jcp.org/xml/ns/persistence/persistence_2_1.xsd" + version="2.1"> + ... +
</persistence> + + ]]> </xsd:documentation> + + <xsd:annotation> + + <xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> +
<xsd:pattern value="[0-9]+(\.[0-9]+)*"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
+ <xsd:element name="persistence"> + <xsd:complexType> + <xsd:sequence> + + <!-- ***** --> + +
+ <xsd:element name="persistence-unit" + minOccurs="1" maxOccurs="unbounded"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + +
Configuration of a persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + + <!--
***** --> + + <xsd:element name="description" type="xsd:string" + minOccurs="0"> +
<xsd:annotation> + <xsd:documentation> + + Description of this persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="provider" type="xsd:string" + minOccurs="0"> + <xsd:annotation>
+ <xsd:documentation> + + Provider class that supplies EntityManagers for this + persistence unit. + + </xsd:documentation> + </xsd:annotation> +
</xsd:element> + + <!-- ***** --> + + <xsd:element name="jta-data-source" type="xsd:string" +
minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of the JTA datasource to use. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="non-jta-data-source"
type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of a non-JTA datasource to use. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element
name="mapping-file" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + File containing mapping
information. Loaded as a resource + by the persistence provider. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="jar-file" type="xsd:string" + minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Jar file that is to be scanned for managed classes. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="class"
type="xsd:string" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Managed class to be included in the persistence
unit and + to scan for annotations. It should be annotated + with either @Entity, @Embeddable or @MappedSuperclass. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="exclude-unlisted-
classes" type="xsd:boolean" + default="true" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + When set to true then only listed classes and jars
will + be scanned for persistent classes, otherwise the + enclosing jar or directory will also be scanned. + Not applicable to Java SE persistence units. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element
name="shared-cache-mode" + type="persistence:persistence-unit-caching-type" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Defines
whether caching is enabled for the + persistence unit if caching is supported by the + persistence provider. When set to ALL, all entities + will be cached. When set
to NONE, no entities will + be cached. When set to ENABLE_SELECTIVE, only entities + specified as cacheable will be cached. When set to +
DISABLE_SELECTIVE, entities specified as not cacheable + will not be cached. When not specified or when set to UNSPECIFIED, provider defaults may
apply. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + +
<xsd:element name="validation-mode" + type="persistence:persistence-unit-validation-mode-type" + minOccurs="0"> + <xsd:annotation> +
<xsd:documentation> + + The validation mode to be used for the persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + + <!--
***** --> + + <xsd:element name="properties" minOccurs="0"> + <xsd:annotation> +
<xsd:documentation> + + A list of standard and vendor-specific properties + and hints. + + </xsd:documentation> + </xsd:annotation> + <xsd:complexType> +
<xsd:sequence> + <xsd:element name="property" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + A name-value pair.
+ </xsd:documentation> + </xsd:annotation> + <xsd:complexType> + <xsd:attribute name="name" type="xsd:string" + use="required"/> + <xsd:attribute
name="value" type="xsd:string" + use="required"/> + </xsd:complexType> + </xsd:element> + </xsd:sequence> + + <!-- ***** --> + + <xsd:attribute name="name" type="xsd:string" use="required"
> + <xsd:annotation> + <xsd:documentation> + + Name used in code to reference this persistence unit. + + </xsd:documentation> + </xsd:annotation> +
</xsd:attribute> + + <!-- ***** --> + + <xsd:attribute name="transaction-type" +
type="persistence:persistence-unit-transaction-type"> + <xsd:annotation> + <xsd:documentation> + + Type of transactions used by EntityManagers from this +
persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + </xsd:complexType> + </xsd:element> + </xsd:sequence> + <xsd:attribute
name="version" type="persistence:versionType" + fixed="2.1" use="required"/> + </xsd:complexType> + </xsd:element> + + <!--
***** --> + + <xsd:simpleType name="persistence-unit-transaction-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum PersistenceUnitTransactionType { JTA, RESOURCE_LOCAL }; + + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="JTA"/> + <xsd:enumeration value="RESOURCE_LOCAL"/> + </xsd:restriction> +
</xsd:simpleType> + + <!-- ***** --> + + <xsd:simpleType name="persistence-unit-caching-type"> +
<xsd:annotation> + <xsd:documentation> + + public enum SharedCacheMode { ALL, NONE, ENABLE_SELECTIVE, DISABLE_SELECTIVE,
UNSPECIFIED }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="ALL"/> + <xsd:enumeration
value="NONE"/> + <xsd:enumeration value="ENABLE_SELECTIVE"/> + <xsd:enumeration value="DISABLE_SELECTIVE"/> + <xsd:enumeration
value="UNSPECIFIED"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:simpleType name="persistence-unit-validation-mode-type"> + <xsd:annotation> + <xsd:documentation> + + public enum ValidationMode { AUTO,
CALLBACK, NONE }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="AUTO"/> +
<xsd:enumeration value="CALLBACK"/> + <xsd:enumeration value="NONE"/> + </xsd:restriction> + </xsd:simpleType> + + </xsd:schema> diff --git
a/j2ee.persistence/110n.list b/j2ee.persistence/110n.list index 413b7b15c..77443d1e7 100644 --- a/j2ee.persistence/110n.list +++ b/j2ee.persistence/110n.list @@
```

-1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## ## http://www.apache.org/licenses/LICENSE-2.0 ## ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. ## #j2ee/persistence read global \${!10n-module}/src/org/netbeans/modules/j2ee/persistence/wizard/dao/*.html diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/common/Bundle.properties b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/common/Bundle.properties index a577bf1a7..0fe84882b 100644 --- a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/common/Bundle.properties +++ b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/common/Bundle.properties @@ -1,46 +1,19 @@ ## DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. ## Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. ## Oracle and Java are registered trademarks of Oracle and/or its affiliates. ## Other names may be trademarks of their respective owners. ## The contents of this file are subject to the terms of either the GNU ## General Public License Version 2 only ("GPL") or the Common ## Development and Distribution License("CDDL") (collectively, the ## "License"). You may not use this file except in compliance with the ## License. You can obtain a copy of the License at ## http://www.netbeans.org/cddl-gplv2.html ## or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the ## specific language governing permissions and limitations under the ## License. When distributing the software, include this License Header ## Notice in each file and include the License file at ## nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this ## particular file as subject to the "Classpath" exception as provided ## by Oracle in the GPL Version 2 section of the License file that ## accompanied this code. If applicable, add the following below the ## License Header, with the fields enclosed by brackets [] replaced by ## your own identifying information: ## "Portions Copyrighted [year] [name of copyright owner]" ## ## Contributor(s): ## ## The Original Software is Forte for Java, Community Edition. The Initial ## Developer of the Original Software is Sun Microsystems, Inc. Portions ## Copyright 1997-2009 Sun Microsystems, Inc. All Rights Reserved. ## ## If you wish your version of this file to be governed by only the CDDL ## or only the GPL Version 2, indicate your decision by adding ## "[Contributor] elects to include this software in this distribution ## under the [CDDL or GPL Version 2] license." If you do not indicate a ## single choice of license, a recipient has the option to distribute ## your version of this file under either the CDDL, the GPL Version 2 or ## to extend the choice of license to its licensees as provided above. ## However, if you add GPL Version 2 code and therefore, elected the GPL ## Version 2 license, then the option applies only if the new code is ## made subject to such option by the copyright holder. ## ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## ## http://www.apache.org/licenses/LICENSE-2.0 ## ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. #ParseUtils MSG_cannotParse=Cannot parse deployment descriptor file: diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_1_0.xsd b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_1_0.xsd new file mode 100644 index 000000000..0d65647c9 --- /dev/null +++ b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_1_0.xsd @@ -0,0 +1,1564 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- Java Persistence API object-relational mapping file schema --> <xsd:schema targetNamespace="http://java.sun.com/xml/ns/persistence/orm" + xmlns:orm="http://java.sun.com/xml/ns/persistence/orm" + xmlns:xsd="http://www.w3.org/2001/XMLSchema" + elementFormDefault="qualified" + attributeFormDefault="unqualified" + version="1.0"> <xsd:annotation> <xsd:documentation> + @(#)orm_1_0.xsd 1.0 Feb 14 2006 + </xsd:documentation> + <xsd:annotation> + <xsd:documentation> + DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + Copyright 2005-2010 Oracle and/or its affiliates. All rights reserved. + Oracle and Java are registered trademarks of Oracle and/or its affiliates. + Other names may be trademarks of their respective owners. + The contents of this file are subject to the terms of either the + GNU General Public License Version 2 only ("GPL") or the Common + Development and Distribution License("CDDL") (collectively, the + "License"). You may not use this file except in compliance with the + License. You can obtain a copy of the License at + https://glassfish.dev.java.net/public/CDDL+GPL.html or + glassfish/bootstrap/legal/LICENSE.txt. See the License for the + specific language governing permissions and limitations under the + License. + When distributing the software, include this License Header + Notice in each file and include the License file at + glassfish/bootstrap/legal/LICENSE.txt. Sun designates this + particular file as subject to the "Classpath" exception as + provided by Oracle in the GPL Version 2 section of the License file + that accompanied this code. If applicable, add the following + below the License Header, with the fields enclosed by brackets [] + replaced by your own identifying information: + "Portions Copyrighted [year] [name of copyright owner]" + Contributor(s): + If you wish your version of this file to be governed by only the + CDDL or only the GPL Version 2, indicate your decision by adding + "[Contributor] elects to include this software in this + distribution under the [CDDL or GPL Version 2] license." If you + don't indicate a single choice of license, a recipient has the + option to distribute your version of this file under either the + CDDL, the GPL Version 2 or to extend the choice of license to its + licensees as provided above. However, if you add GPL Version 2 + code and therefore, elected the GPL Version 2 license, then the + option applies only if the new code is made subject to such + option by the copyright holder. + </xsd:documentation> + </xsd:annotation> + <xsd:annotation> <xsd:documentation><![CDATA[+ This is the XML Schema for the persistence object-relational + mapping file. + The file may be named "META-INF/orm.xml" in the persistence + archive or it may be named some other name which would be + used to locate the file as resource on the classpath. +]]></xsd:documentation> + <xsd:annotation> + <xsd:complexType name="emptyType"/> + <xsd:simpleType name="versionType"/> + <xsd:restriction base="xsd:token"> + <xsd:pattern value="[0-9](\.[0-9]+)*"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + <xsd:element name="entity-mappings"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + The entity-mappings element is the root element of an mapping + file. It contains the following four types of elements: + 1. The persistence-unit-metadata element contains metadata + for the entire persistence unit. It is undefined if this element + occurs in multiple mapping files within the same persistence unit. + 2. The package, schema, catalog and access elements apply to all of + the entity, mapped-superclass and embeddable elements defined in + the same file in which they occur. + 3. The sequence-generator, table-generator, named-query, + named-native-query and sql-result-set-mapping elements are global + to the persistence unit. It is undefined to have more than one + sequence-generator or table-generator of the same name in the same + or different mapping files in a persistence unit. It is also + undefined to have more than one named-query or named-native-query + of the same name in the same or different mapping files in a + persistence unit. + 4. The entity, mapped-superclass and embeddable elements each define + the mapping information for a managed persistent class. The mapping + information contained in these elements may be complete or it may + be partial. + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="persistence-unit-metadata" + type="orm:persistence-unit-metadata" + minOccurs="0"/> + <xsd:element name="package" type="xsd:string" + minOccurs="0"/> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-query" type="orm:named-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" + type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="mapped-superclass" type="orm:mapped-superclass" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="entity" type="orm:entity" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embeddable" type="orm:embeddable" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="version" type="orm:versionType" + fixed="1.0" use="required"/> + </xsd:complexType> + </xsd:element> + <!-- ***** --> + <xsd:complexType name="persistence-unit-metadata"> + <xsd:annotation> + <xsd:documentation> + Metadata that applies to the persistence unit and not just to + the mapping file in which it is contained. + If the xml-mapping-metadata-complete element is specified then + the complete set of mapping metadata for the persistence unit + is contained in the XML mapping files for the persistence unit. + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="xml-mapping-metadata-complete" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="persistence-unit-defaults" + type="orm:persistence-unit-defaults" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="persistence-unit-defaults"> + <xsd:annotation> + <xsd:documentation> + These defaults are applied to the persistence unit as a whole + unless they are overridden by local annotation or XML + element settings. + schema - Used as the schema for all tables or secondary tables + that apply to the persistence unit + catalog - Used as the catalog for all tables or secondary tables + that apply to the persistence unit + access - Used as the access type for all managed classes in + the persistence unit + cascade-persist - Adds cascade-persist to the set of cascade options + in entity relationships of the persistence unit + entity-listeners - List of default entity listeners to be invoked + on each entity in the persistence unit. + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!--

```
***** --> + + <xsd:complexType name="entity"> + <xsd:annotation> + <xsd:documentation> + +
Defines the settings and mappings for an entity. Is allowed to be + sparsely populated and used in conjunction with the annotations. + Alternatively, the metadata-
complete attribute can be used to + indicate that no annotations on the entity class (and its fields + or properties) are to be processed. If this is the case then + the
defaulting rules for the entity and its subelements will + be recursively applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface Entity { +
String name() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + <xsd:element name="table" type="orm:table" + minOccurs="0"/> + <xsd:element name="secondary-table" type="orm:secondary-table" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-join-column" + type="orm:primary-key-join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="id-class" type="orm:id-class" minOccurs="0"/> + <xsd:element name="inheritance" type="orm:inheritance"
minOccurs="0"/> + <xsd:element name="discriminator-value" type="orm:discriminator-value" + minOccurs="0"/> + <xsd:element name="discriminator-column"
+ type="orm:discriminator-column" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> +
<xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0"/> + <xsd:element name="named-query" type="orm:named-query" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" + type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-listeners"
type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element name="pre-
persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-
remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-
update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-
load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="association-override" + type="orm:association-override" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-complete"
type="xsd:boolean"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType
name="attributes"> + <xsd:annotation> + <xsd:documentation> + + This element contains the entity field or property mappings. + It may be sparsely populated to
include only a subset of the + fields or properties. If metadata-complete for the entity is true + then the remainder of the attributes will be defaulted according + to
the default rules. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="id" type="orm:id" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="embedded-id" type="orm:embedded-id" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="basic"
type="orm:basic" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="version" type="orm:version" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="one-to-many" type="orm:one-to-many" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-to-one" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="embedded" type="orm:embedded" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + + <xsd:simpleType name="access-type"> + <xsd:annotation> + <xsd:documentation> + + This element determines how the persistence provider accesses the
+ state of an entity or embedded object. + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="PROPERTY"/> + <xsd:enumeration value="FIELD"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + + <xsd:complexType name="entity-listeners"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({TYPE}) @Retention(RUNTIME) + public @interface EntityListeners { + Class[] value(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="entity-listener" type="orm:entity-listener" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="entity-listener"> +
<xsd:annotation> + <xsd:documentation> + + Defines an entity listener to be invoked at lifecycle events + for the entities that list this listener. + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element
name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element
name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element
name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="pre-persist"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PrePersist { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="post-persist"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PostPersist { + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="pre-remove"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PreRemove { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="post-remove"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostRemove { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="pre-update"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PreUpdate { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="post-update"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PostUpdate { + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="query-hint"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface QueryHint { + String name(); + String value(); + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="value" type="xsd:string"
use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="named-
query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedQuery { + String name(); +
String query(); + QueryHint[] hints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="query"
type="xsd:string"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="named-native-query"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedNativeQuery { + String name(); + String query(); + QueryHint[] hints() default {}; + Class resultSetClass() default void.class; + String
resultSetMapping() default ""; //named SqlResultSetMapping + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="query"
type="xsd:string"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="result-class" type="xsd:string"/> + <xsd:attribute name="result-set-mapping"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="sql-
result-set-mapping"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SqlResultSetMapping { +
String name(); + EntityResult[] entities() default {}; + ColumnResult[] columns() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence>
+ <xsd:element name="entity-result" type="orm:entity-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="column-result"
type="orm:column-result" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="entity-result"> +
<xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface EntityResult { + Class entityClass(); + FieldResult[]
fields() default {}; + String discriminatorColumn() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="field-
result" type="orm:field-result" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="entity-class" type="xsd:string"
use="required"/> + <xsd:attribute name="discriminator-column" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="field-result"> + <xsd:annotation> + <xsd:documentation> + +
```

```
@Target({}) @Retention(RUNTIME) + public @interface FieldResult { + String name(); + String column(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="column" type="xsd:string" use="required"/> + </xsd:complexType> + +
<!-- ***** <xsd:complexType name="column-result"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ColumnResult { + String name(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** <xsd:complexType name="table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Table { + String name() default ""; + String catalog() default ""; + String schema() default ""; +
UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="unique-
constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + + <!--
***** <xsd:complexType name="secondary-table"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SecondaryTable { + String name(); + String catalog() default ""; +
String schema() default ""; + PrimaryKeyJoinColumn[] pkJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="primary-key-join-column" + type="orm:primary-key-join-column" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + + <!--
***** <xsd:complexType name="unique-constraint"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface UniqueConstraint { + String[] columnNames(); + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column-name" type="xsd:string" + maxOccurs="unbounded"/> +
</xsd:sequence> + </xsd:complexType> + + <!-- ***** <xsd:complexType name="column"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Column { + String name() default "";
+ boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; + String
columnDefinition() default ""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; //
decimal scale + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="unique"
type="xsd:boolean"/> + <xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute
name="updatable" type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> +
<xsd:attribute name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute name="scale" type="xsd:int"/> +
</xsd:complexType> + + <!-- ***** <xsd:complexType name="join-column"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinColumn { + String name() default
""; + String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean
updatable() default true; + String columnDefinition() default ""; + String table() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> +
+ <!-- ***** <xsd:simpleType name="generation-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum GenerationType { TABLE, SEQUENCE, IDENTITY, AUTO }; + + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="TABLE"/> + <xsd:enumeration value="SEQUENCE"/> + <xsd:enumeration
value="IDENTITY"/> + <xsd:enumeration value="AUTO"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** <xsd:complexType name="attribute-override"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AttributeOverride { + String name(); + Column
column(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- *****
--> + + <xsd:complexType name="association-override"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD})
@Retention(RUNTIME) + public @interface AssociationOverride { + String name(); + JoinColumn[] joinColumns(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" + maxOccurs="unbounded"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- *****
--> + + <xsd:complexType name="id-class"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
IdClass { + Class value(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="class" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** <xsd:complexType name="id"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Id { + } + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="column" type="orm:column" + minOccurs="0"/> + <xsd:element name="generated-value" type="orm:generated-value" +
minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator"
+ minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="embedded-id"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface EmbeddedId { + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-
override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="transient"> + <xsd:annotation>
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Transient { + } + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** <xsd:complexType name="version"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Version { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** <xsd:complexType name="basic"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Basic { + FetchType fetch() default EAGER; + boolean optional() default true; + } +
+ </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> +
<xsd:element name="lob" type="orm:lob" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element
name="enumerated" type="orm:enumerated" minOccurs="0"/> + </xsd:choice> + <xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> + </xsd:complexType> + + <!--
***** <xsd:simpleType name="fetch-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum FetchType { LAZY, EAGER }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="LAZY"/> + <xsd:enumeration value="EAGER"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** <xsd:complexType name="lob"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Lob { + } + </xsd:documentation> + </xsd:annotation> + </xsd:complexType> + +
<!-- ***** <xsd:simpleType name="temporal"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Temporal { + TemporalType value(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="orm:temporal-type"/> + </xsd:simpleType> + + <!-- *****
--> + + <xsd:simpleType name="temporal-type"> + <xsd:annotation> + <xsd:documentation> + + public enum TemporalType { + DATE, // java.sql.Date + TIME,
// java.sql.Time + TIMESTAMP // java.sql.Timestamp + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> +
<xsd:enumeration value="DATE"/> + <xsd:enumeration value="TIME"/> + <xsd:enumeration value="TIMESTAMP"/> + </xsd:restriction> + </xsd:simpleType>
+ + <!-- ***** --> + + <xsd:simpleType name="enumerated"> + <xsd:annotation>
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Enumerated { + EnumType value() default ORDINAL; +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="orm:enum-type"/> + </xsd:simpleType> + + <!--
***** <xsd:simpleType name="enum-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum EnumType { + ORDINAL, + STRING + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="ORDINAL"/> + <xsd:enumeration value="STRING"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
```

```
***** --> + + <xsd:complexType name="many-to-one"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToOne { + Class targetEntity() default void.class; + CascadeType[] cascade()
default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:choice> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-table"
type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch"
type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="cascade-type"> + <xsd:annotation> + <xsd:documentation> +
+ public enum CascadeType { ALL, PERSIST, MERGE, REMOVE, REFRESH; } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="cascade-all" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="cascade-merge" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-remove"
type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="cascade-refresh" type="orm:emptyType" + minOccurs="0"/> + </xsd:sequence> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="one-to-one"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OneToOne { + Class targetEntity()
default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + String mappedBy() default ""; +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="primary-key-join-column" + type="orm:primary-key-
join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> +
<xsd:attribute name="mapped-by" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="one-to-many"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface OneToMany { + Class targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy()
default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> +
<xsd:element name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:choice> + <xsd:element name="join-table" type="orm:join-table" +
minOccurs="0"/> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:element
name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
<xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="mapped-by"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="join-
table"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinTable { + String name()
default ""; + String catalog() default ""; + String schema() default ""; + JoinColumn[] joinColumns() default {}; + JoinColumn[] inverseJoinColumns() default {};
+ UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column"
type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="inverse-join-column" type="orm:join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="many-to-
many"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToMany { + Class
targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy() default ""; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> + <xsd:element
name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + <xsd:element
name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
<xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="mapped-by"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType
name="generated-value"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface
GeneratedValue { + GenerationType strategy() default AUTO; + String generator() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="strategy" type="orm:generation-type"/> + <xsd:attribute name="generator" type="xsd:string"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="map-key"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKey { + String name() default ""; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:simpleType name="order-by"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OrderBy { + String value() default ""; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:complexType name="inheritance"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
Inheritance { + InheritanceType strategy() default SINGLE_TABLE; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy"
type="orm:inheritance-type"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:simpleType
name="inheritance-type"> + <xsd:annotation> + <xsd:documentation> + + public enum InheritanceType { SINGLE_TABLE, JOINED, TABLE_PER_CLASS; }
+ + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="SINGLE_TABLE"/> + <xsd:enumeration
value="JOINED"/> + <xsd:enumeration value="TABLE_PER_CLASS"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** --> + + <xsd:simpleType name="discriminator-value"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorValue { + String value(); + } + + </xsd:documentation>
+ </xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:simpleType name="discriminator-type"> + <xsd:annotation> + <xsd:documentation> + + public enum DiscriminatorType { STRING, CHAR, INTEGER; }
+ + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="STRING"/> + <xsd:enumeration
value="CHAR"/> + <xsd:enumeration value="INTEGER"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** --> + + <xsd:complexType name="primary-key-join-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface PrimaryKeyJoinColumn { + String name() default
""; + String referencedColumnName() default ""; + String columnDefinition() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="column-definition"
type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType
name="discriminator-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
DiscriminatorColumn { + String name() default "DTYPE"; + DiscriminatorType discriminatorType() default STRING; + String columnDefinition() default ""; +
int length() default 31; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="discriminator-type" type="orm:discriminator-type"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="length"
type="xsd:int"/> + </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType
name="embeddable"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for embeddable objects. Is + allowed to be sparsely
populated and used in conjunction with + the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no annotations are to be
processed + in the class. If this is the case then the defaulting rules will + be recursively applied. + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface Embeddable { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + <xsd:element name="attributes" type="orm:embeddable-attributes" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="class"
type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/>
+ </xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="embeddable-attributes"> +
<xsd:sequence> + <xsd:element name="basic" type="orm:basic" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient"
type="orm:transient" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="embedded"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Embedded { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="mapped-superclass"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for a mapped superclass. Is +
```

allowed to be sparsely populated and used in conjunction with + the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no annotations are to be processed + If this is the case then the defaulting rules will be recursively + applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface MappedSuperclass { } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="id-class" type="orm:id-class" minOccurs="0"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + <xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/> + <xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="sequence-generator"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface SequenceGenerator { + String name(); + String sequenceName() default ""; + int initialValue() default 1; + int allocationSize() default 50; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="sequence-name" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute name="allocation-size" type="xsd:int"/> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="table-generator"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface TableGenerator { + String name(); + String table() default ""; + String catalog() default ""; + String schema() default ""; + String pkColumnName() default ""; + String valueColumnName() default ""; + String pkColumnValue() default ""; + int initialValue() default 0; + int allocationSize() default 50; + UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="pk-column-name" type="xsd:string"/> + <xsd:attribute name="value-column-name" type="xsd:string"/> + <xsd:attribute name="pk-column-value" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute name="allocation-size" type="xsd:int"/> + </xsd:complexType> + + </xsd:schema> + + diff -git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_0.xsd b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_0.xsd new file mode 100644 index 000000000..984d48691 --- /dev/null +++ b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_0.xsd @@ -0,0,1,1939 @@ +<?xml version="1.0" encoding="UTF-8"?> +<!-- Java Persistence API object/relational mapping file schema --> +<xsd:schema targetNamespace="http://java.sun.com/xml/ns/persistence/orm" + xmlns:orm="http://java.sun.com/xml/ns/persistence/orm" + xmlns:xsd="http://www.w3.org/2001/XMLSchema" + elementFormDefault="qualified" + attributeFormDefault="unqualified" + version="2.0"> + <xsd:annotation> + <xsd:documentation> + @(#)orm_2_0.xsd 2.0 October 1 2009 + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + + Copyright (c) 2008, 2009 Sun Microsystems. All rights reserved. + + This program and the accompanying materials are made available under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 + which accompanies this distribution. + The Eclipse Public License is available at http://www.eclipse.org/legal/epl-v10.html + and the Eclipse Distribution License is available at + http://www.eclipse.org/org/documents/edl-v10.php. + + Contributors: + Linda DeMichiel - Java Persistence 2.0, Version 2.0 (October 1, 2009) + Specification available from http://jcp.org/en/jsr/detail?id=317 + + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> +<![CDATA[+ + This is the XML Schema for the persistence object/relational + mapping file. + The file may be named "META-INF/orm.xml" in the persistence + archive or it may be named some other name which would be + used to locate the file as resource on the classpath. + + Object/relational mapping files must indicate the object/relational + mapping file schema by using the persistence namespace: + + http://java.sun.com/xml/ns/persistence + + and indicate the version of the schema by + using the version element as shown below: + + <entity-mappings xmlns="http://java.sun.com/xml/ns/persistence/orm" + xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" + xsi:schemaLocation="http://java.sun.com/xml/ns/persistence/orm + http://java.sun.com/xml/ns/persistence/orm/orm_2_0.xsd" + version="2.0"> + ... + </entity-mappings> + +]]> + </xsd:documentation> + </xsd:annotation> + + <xsd:complexType name="emptyType"/> + + <xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> + <xsd:pattern value="[0-9]+(\.[0-9]+)*/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + + <xsd:element name="entity-mappings"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + The entity-mappings element is the root element of a mapping + file. It contains the following four types of elements: + + 1. The persistence-unit-metadata element contains metadata + for the entire persistence unit. It is undefined if this element + occurs in multiple mapping files within the same persistence unit. + + 2. The package, schema, catalog and access elements apply to all of + the entity, mapped-superclass and embeddable elements defined in + the same file in which they occur. + + 3. The sequence-generator, table-generator, named-query, + named-native-query and sql-result-set-mapping elements are global + to the persistence unit. It is undefined to have more than one + sequence-generator or table-generator of the same name in the same + or different mapping files in a persistence unit. It is also + undefined to have more than one named-query, named-native-query, + or + result-set-mapping of the same name in the same or different mapping + files in a persistence unit. + + 4. The entity, mapped-superclass and embeddable elements each define + the mapping information for a managed persistent class. The mapping + information contained in these elements may be complete or it may + be partial. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" + minOccurs="0"/> + <xsd:element name="persistence-unit-metadata" type="orm:persistence-unit-metadata" + minOccurs="0"/> + <xsd:element name="package" type="xsd:string" + minOccurs="0"/> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="mapped-superclass" type="orm:mapped-superclass" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="entity" type="orm:entity" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embeddable" type="orm:embeddable" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="version" type="orm:versionType" + fixed="2.0" use="required"/> + </xsd:complexType> + </xsd:element> + + <!-- ***** --> + <xsd:complexType name="persistence-unit-metadata"> + <xsd:annotation> + <xsd:documentation> + + Metadata that applies to the persistence unit and not just to + the mapping file in which it is contained. + + If the xml-mapping-metadata-complete element is specified, + the complete set of mapping metadata for the persistence unit + is contained in the XML mapping files for the persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="xml-mapping-metadata-complete" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="persistence-unit-defaults" type="orm:persistence-unit-defaults" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="persistence-unit-defaults"> + <xsd:documentation> + + These defaults are applied to the persistence unit as a whole + unless they are overridden by local annotation or XML + element settings. + + schema - Used as the schema for all tables, secondary tables, join + tables, collection tables, sequence generators, and table + generators that apply to the persistence unit + catalog - Used as the catalog for all tables, secondary tables, join + tables, collection tables, sequence generators, and table + generators that apply to the persistence unit + delimited-identifiers - Used to treat database identifiers as + delimited identifiers. + access - Used as the access type for all managed classes in + the persistence unit + cascade-persist - Adds cascade-persist to the set of cascade options + in all entity relationships of the persistence unit + entity-listeners - List of default entity listeners to be invoked + on each entity in the persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="schema" type="xsd:string" + minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" + minOccurs="0"/> + <xsd:element name="delimited-identifiers" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + + <!-- ***** --> + <xsd:complexType name="entity"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for an entity. It is allowed to be + sparsely populated and used in conjunction with the annotations. + Alternatively, the metadata-complete attribute can be used to + indicate that no annotations on the entity class (and its fields + or properties) are to be processed. If this is the case then + the defaulting rules for the entity and its subelements will + be recursively applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface Entity { + String name() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="table" type="orm:table" + minOccurs="0"/> + <xsd:element name="secondary-table" type="orm:secondary-table" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-join-column" type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="id-class" type="orm:id-class" minOccurs="0"/> + <xsd:element name="inheritance" type="orm:inheritance" minOccurs="0"/> + <xsd:element name="discriminator-value" type="orm:discriminator-value" +


```
minOccurs="0"/> + <xsd:element name="discriminator-column" type="orm:discriminator-column" minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" minOccurs="0"/> + <xsd:element name="named-query" type="orm:named-query" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" type="orm:sql-result-set-mapping" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="exclude-superclass-listeners" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attribute-override" type="orm:attribute-override" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="cacheable" type="xsd:boolean"/> + <xsd:attribute name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + <xsd:simpleType name="access-type" type="xsd:annotation" + <xsd:documentation> + + This element determines how the persistence provider accesses the + state of an entity or embedded object. + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="PROPERTY"/> + <xsd:enumeration value="FIELD"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + <xsd:complexType name="association-override" type="xsd:annotation" + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AssociationOverride { + String name(); + JoinColumn[] joinColumns() default {}; + JoinTable joinTable() default @JoinTable; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:choice> + <xsd:element name="join-column" type="orm:join-column" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-table" type="orm:join-table" minOccurs="0"/> + </xsd:choice> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="attribute-override" type="xsd:annotation" + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AttributeOverride { + String name(); + Column column(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="column" type="orm:column"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="attributes" type="xsd:annotation" + <xsd:documentation> + + This element contains the entity field or property mappings. + It may be sparsely populated to include only a subset of the + fields or properties. If metadata-complete for the entity is true + then the remainder of the attributes will be defaulted according + to the default rules. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:choice> + <xsd:element name="id" type="orm:id" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded-id" type="orm:embedded-id" minOccurs="0"/> + </xsd:choice> + <xsd:element name="basic" type="orm:basic" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="version" type="orm:version" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-many" type="orm:one-to-many" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-to-one" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="element-collection" type="orm:element-collection" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded" type="orm:embedded" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="basic" type="xsd:annotation" + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Basic { + FetchType fetch() default EAGER; + boolean optional() default true; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> + <xsd:element name="lob" type="orm:lob" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element name="enumerated" type="orm:enumerated" minOccurs="0"/> + </xsd:choice> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="cascade-type" type="xsd:annotation" + <xsd:documentation> + + public enum CascadeType { ALL, PERSIST, MERGE, REMOVE, REFRESH, DETACH }; + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="cascade-all" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-merge" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-remove" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-refresh" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-detach" type="orm:emptyType" minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="collection-table" type="xsd:annotation" + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface CollectionTable { + String name() default ""; + String catalog() default ""; + String schema() default ""; + JoinColumn[] joinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="unique-constraint" type="orm:unique-constraint" minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="column" type="xsd:annotation" + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Column { + String name() default ""; + boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default ""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; // decimal scale + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute name="scale" type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="column-result" type="xsd:annotation" + <xsd:documentation> + + @Retention(RUNTIME) + public @interface ColumnResult { + String name(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="discriminator-column" type="xsd:annotation" + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorColumn { + String name() default "DTYPE"; + DiscriminatorType discriminatorType() default STRING; + String columnDefinition() default ""; + int length() default 31; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="discriminator-type" type="orm:discriminator-type"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> + <xsd:simpleType name="discriminator-type" type="xsd:annotation" + <xsd:documentation> + + public enum DiscriminatorType { STRING, CHAR, INTEGER }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="STRING"/> + <xsd:enumeration value="CHAR"/> + <xsd:enumeration value="INTEGER"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + <xsd:simpleType name="discriminator-value" type="xsd:annotation" + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorValue { + String value(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!-- ***** --> + <xsd:complexType name="element-collection" type="xsd:annotation" + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ElementCollection { + Class targetClass() default void.class; + FetchType fetch() default LAZY; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="order-by" type="orm:order-by" minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" minOccurs="0"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key" type="orm:map-key" minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class" type="orm:map-key-class" minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element name="map-key-enumerated" type="orm:enumerated" minOccurs="0"/> + <xsd:element name="map-key-attribute-override" type="orm:attribute-override" minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-key-join-column" type="orm:map-key-join-column" minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + </xsd:sequence> + </xsd:choice> + <xsd:sequence> + <xsd:element name="column"
```

```
type="orm:column" minOccurs="0"/> + <xsd:choice> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element
name="enumerated" type="orm:enumerated" minOccurs="0"/> + <xsd:element name="lob" type="orm:lob" minOccurs="0"/> + </xsd:choice> +
</xsd:sequence> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-override" minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="association-override" type="orm:association-override" minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:choice>
+ <xsd:element name="collection-table" type="orm:collection-table" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="target-class" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="access" type="orm:access-type"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="embeddable"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for embeddable objects. Is + allowed
to be sparsely populated and used in conjunction with + the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no
annotations are to be processed + in the class. If this is the case then the defaulting rules will + be recursively applied. + + @Target({TYPE})
@Retention(RUNTIME) + public @interface Embeddable { } + </xsd:documentation> + <xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="attributes" type="orm:embeddable-attributes" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute
name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="embeddable-attributes"> + <xsd:sequence> + <xsd:element name="basic" type="orm:basic" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="one-to-many" type="orm:one-to-many" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-to-one" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="element-collection" type="orm:element-collection" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded"
type="orm:embedded" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="embedded"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Embedded { } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-
override" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access"
type="orm:access-type"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType
name="embedded-id"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface
EmbeddedId { } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-override" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="access" type="orm:access-type"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="entity-listener"> + <xsd:annotation> + <xsd:documentation> + + Defines an entity listener to be invoked at lifecycle events + for the
entities that list this listener. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" +
minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove"
minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update"
minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="class" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType
name="entity-listeners"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface EntityListeners { + Class[] value(); +
} + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="entity-listener" type="orm:entity-listener" minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="entity-result"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface EntityResult
{ + Class entityClass(); + FieldResult[] fields() default {}; + String discriminatorColumn() default ""; + } + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="field-result" type="orm:field-result" minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="entity-class" type="xsd:string" use="required"/> + <xsd:attribute name="discriminator-column" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:simpleType
name="enum-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum EnumType { + ORDINAL, + STRING + } + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="ORDINAL"/> + <xsd:enumeration value="STRING"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType
name="enumerated"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Enumerated { + EnumType value() default ORDINAL; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:restriction base="orm:enum-type"/> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType
name="fetch-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum FetchType { LAZY, EAGER }; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="LAZY"/> + <xsd:enumeration value="EAGER"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType
name="field-result"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface FieldResult { + String name(); + String column(); + } + </xsd:documentation> + </xsd:annotation> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="column" type="xsd:string" use="required"/> + </xsd:complexType> + +
<!-- ***** --> + + <xsd:complexType
name="generated-value"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface GeneratedValue { + GenerationType strategy() default
AUTO; + String generator() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy" type="orm:generation-type"/> +
<xsd:attribute name="generator" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:simpleType name="generation-type"> + <xsd:annotation> + <xsd:documentation> + + public enum GenerationType { TABLE, SEQUENCE, IDENTITY,
AUTO }; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="TABLE"/> + <xsd:enumeration
value="SEQUENCE"/> + <xsd:enumeration value="IDENTITY"/> + <xsd:enumeration value="AUTO"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType
name="id"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Id { } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:element name="generated-value" type="orm:generated-value" minOccurs="0"/>
+ <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" +
minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType
name="id-class"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface IdClass { + Class value(); + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="inheritance"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
Inheritance { + InheritanceType strategy() default SINGLE_TABLE; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy"
type="orm:inheritance-type"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:simpleType
name="inheritance-type"> + <xsd:annotation> + <xsd:documentation> + + public enum InheritanceType { + SINGLE_TABLE, JOINED, TABLE_PER_CLASS};
+ </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="SINGLE_TABLE"/> + <xsd:enumeration
value="JOINED"/> + <xsd:enumeration value="TABLE_PER_CLASS"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType
name="join-column"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinColumn { + String name() default ""; + String referencedColumnName()
default ""; + boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; + String
columnDefinition() default ""; + String table() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable"
type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute
name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType
name="join-table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinTable { + String name() default ""; + String catalog() default ""; + String
schema() default ""; + JoinColumn[] joinColumns() default {}; + JoinColumn[] inverseJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints()
```

```
default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="inverse-join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name"
type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="lob"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Lob {} + </xsd:documentation> + </xsd:annotation> + </xsd:complexType> + +
<!-- ***** --> + <xsd:simpleType name="lock-mode-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum LockModeType { READ, WRITE, OPTIMISTIC, OPTIMISTIC_FORCE_INCREMENT, PESSIMISTIC_READ,
PESSIMISTIC_WRITE, PESSIMISTIC_FORCE_INCREMENT, NONE}; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> +
<xsd:enumeration value="READ"/> + <xsd:enumeration value="WRITE"/> + <xsd:enumeration value="OPTIMISTIC"/> + <xsd:enumeration
value="OPTIMISTIC_FORCE_INCREMENT"/> + <xsd:enumeration value="PESSIMISTIC_READ"/> + <xsd:enumeration value="PESSIMISTIC_WRITE"/>
+ <xsd:enumeration value="PESSIMISTIC_FORCE_INCREMENT"/> + <xsd:enumeration value="NONE"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + <xsd:complexType name="many-to-many"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToMany { + Class targetEntity() default void.class; + CascadeType[]
cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:choice> + <xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" +
minOccurs="0"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element
name="map-key-class" type="orm:map-key-class" + minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" +
minOccurs="0"/> + <xsd:element name="map-key-enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:element name="map-key-attribute-
override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key-
column" type="orm:map-key-column" + minOccurs="0"/> + <xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:choice> + </xsd:sequence> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> +
<xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="many-to-one"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ManyToOne { + Class targetEntity() default void.class; + CascadeType[] cascade()
default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:choice> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-table"
type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch"
type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute
name="maps-id" type="xsd:string"/> + <xsd:attribute name="id" type="xsd:boolean"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="map-key"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKey { + String name() default ""; + } + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="map-key-class"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyClass { + Class value(); + } + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="map-key-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyColumn { + String name() default ""; + boolean
unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default
""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; // decimal scale + } +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute
name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute name="scale" type="xsd:int"/> + </xsd:complexType> +
<!-- ***** --> + <xsd:complexType name="map-key-join-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyJoinColumn { + String name() default ""; +
String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean
updatable() default true; + String columnDefinition() default ""; + String table() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> +
<!-- ***** --> + <xsd:complexType name="mapped-superclass"> + <xsd:annotation> +
<xsd:documentation> + + Defines the settings and mappings for a mapped superclass. Is + allowed to be sparsely populated and used in conjunction with + the
annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no annotations are to be processed + If this is the case then the defaulting
rules will be recursively + applied. + @Target(TYPE) @Retention(RUNTIME) + public @interface MappedSuperclass {} + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="id-class" type="orm:id-
class" minOccurs="0"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-
listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element
name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element
name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element
name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element
name="post-load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-
complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType
name="named-native-query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
NamedNativeQuery { + String name(); + String query(); + QueryHint[] hints() default {}; + Class resultClass() default void.class; + String resultSetMapping()
default ""; + /named SqlResultSetMapping + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + <xsd:element name="query" type="xsd:string"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="result-class"
type="xsd:string"/> + <xsd:attribute name="result-set-mapping" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="named-query"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedQuery { + String name(); + String query(); + LockModeType lockMode() default
NONE; + QueryHint[] hints() default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + <xsd:element name="query" type="xsd:string"/> + <xsd:element name="lock-mode" type="orm:lock-mode-type"
minOccurs="0"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> +
<xsd:complexType name="one-to-many"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface OneToMany { + Class targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy()
default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="order-by" type="orm:order-by" +
minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + </xsd:choice> + <xsd:choice> + <xsd:element
name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class" type="orm:map-key-class" +
minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="map-key-
enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:element name="map-key-attribute-override" type="orm:attribute-override" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" + minOccurs="0"/> +
<xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> +
```

```
</xsd:sequence> + </xsd:choice> + <xsd:choice> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + <xsd:element name="join-
column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:choice> + <xsd:element name="cascade" type="orm:cascade-type" +
minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/>
+ <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by"
type="xsd:string"/> + <xsd:attribute name="orphan-removal" type="xsd:boolean"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="one-to-one"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OneToOne { + Class targetEntity() default void.class; + CascadeType[] cascade()
default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + String mappedBy() default ""; + boolean orphanRemoval() default false; + } +
+ </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="primary-key-join-column" type="orm:primary-key-join-
column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="join-column" type="orm:join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> +
<xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + <xsd:attribute name="orphan-removal"
type="xsd:boolean"/> + <xsd:attribute name="maps-id" type="xsd:string"/> + <xsd:attribute name="id" type="xsd:boolean"/> + </xsd:complexType> + <!--
*****
--> + <xsd:simpleType name="order-by"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OrderBy { + String value() default ""; + } + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!-- *****
--> + <xsd:complexType name="order-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface OrderColumn { + String name() default ""; + boolean nullable() default true; + boolean insertable() default true; + boolean updatable() default true; +
String columnDefinition() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> +
<xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="post-load"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public
@interface PostLoad { } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string"
minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
*****
--> + <xsd:complexType name="post-persist"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostPersist { } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="post-remove"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PostRemove { } +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="pre-persist"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PrePersist { } + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-
name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="pre-remove"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface
PreRemove { } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="pre-update"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD}) @Retention(RUNTIME) + public @interface PreUpdate { } + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="primary-
key-join-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface
PrimaryKeyJoinColumn { + String name() default ""; + String referencedColumnName() default ""; + String columnDefinition() default ""; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name"
type="xsd:string"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="query-hint"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface QueryHint { + String name(); + String value(); + } + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="value" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="secondary-table"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SecondaryTable { + String name(); + String catalog() default ""; +
String schema() default ""; + PrimaryKeyJoinColumn[] pkJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="primary-key-join-column" type="orm:primary-key-join-column" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="sequence-generator"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface SequenceGenerator { + String name(); + String
sequenceName() default ""; + String catalog() default ""; + String schema() default ""; + int initialValue() default 1; + int allocationSize() default 50; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="sequence-name" type="xsd:string"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute
name="allocation-size" type="xsd:int"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="sql-result-set-mapping"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface SqlResultSetMapping { + String name(); + EntityResult[] entities() default {}; + ColumnResult[] columns() default {}; + } + </xsd:documentation>
+ </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="entity-result"
type="orm:entity-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="column-result" type="orm:column-result" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Table { + String name() default ""; + String catalog() default ""; + String schema() default ""; +
UniqueConstraint[] uniqueConstraints() default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="unique-
constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!-- *****
--> + <xsd:complexType name="table-generator"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface TableGenerator { + String name(); + String table() default ""; + String
catalog() default ""; + String schema() default ""; + String pkColumnName() default ""; + String valueColumnName() default ""; + String pkColumnValue()
default ""; + int initialValue() default 0; + int allocationSize() default 50; + UniqueConstraint[] uniqueConstraints() default {}; + } + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="unique-constraint"
type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema"
type="xsd:string"/> + <xsd:attribute name="pk-column-name" type="xsd:string"/> + <xsd:attribute name="value-column-name" type="xsd:string"/> +
<xsd:attribute name="pk-column-value" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute name="allocation-size"
```

```
type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:simpleType name="temporal"> +
<xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Temporal { + TemporalType value();
+ } + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="orm:temporal-type"/> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="temporal-type"> + <xsd:annotation> + <xsd:documentation> +
+ public enum TemporalType { + DATE, // java.sql.Date + TIME, // java.sql.Time + TIMESTAMP // java.sql.Timestamp + } + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="DATE"/> + <xsd:enumeration value="TIME"/> + <xsd:enumeration
value="TIMESTAMP"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + +
<xsd:complexType name="transient"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Transient { + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType>
+ <!-- ***** --> + + <xsd:complexType name="unique-constraint"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface UniqueConstraint { + String name() default ""; + String[] columnNames(); +
} + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column-name" type="xsd:string" maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="version"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Version { + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> +
</xsd:complexType> + </xsd:schema> diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_1.xsd
b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_1.xsd new file mode 100644 index 000000000..6aa624891 --- /dev/null +++
b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/orm_2_1.xsd @@ -0,0 +1,2336 @@ +<?xml version="1.0" encoding="UTF-8"?> +<!--
Java Persistence API object/relational mapping file schema --> +<xsd:schema targetNamespace="http://xmlns.jcp.org/xml/ns/persistence/orm" +
xmlns:orm="http://xmlns.jcp.org/xml/ns/persistence/orm" + xmlns:xsd="http://www.w3.org/2001/XMLSchema" + elementFormDefault="qualified" +
attributeFormDefault="unqualified" + version="2.1"> + <xsd:annotation> + <xsd:documentation> + @(#)orm_2_1.xsd 2.1 February 15 2013 +
</xsd:documentation> + </xsd:annotation> + <xsd:annotation> + <xsd:documentation> + Copyright (c) 2008 - 2013 Oracle Corporation. All rights reserved. +
+ This program and the accompanying materials are made available under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 +
which accompanies this distribution. + The Eclipse Public License is available at http://www.eclipse.org/legal/epl-v10.html + and the Eclipse Distribution License
is available at + http://www.eclipse.org/org/documents/edl-v10.php. + + Contributors: + Linda DeMichiel - Java Persistence 2.1, Version 2.1 (February 15, 2013) +
Specification available from http://jcp.org/en/jsr/detail?id=338 + + </xsd:documentation> + </xsd:annotation> + <xsd:annotation> + <xsd:documentation> +<
[CDATA[ + + This is the XML Schema for the persistence object/relational + mapping file. + The file may be named "META-INF/orm.xml" in the persistence +
archive or it may be named some other name which would be + used to locate the file as resource on the classpath. + + Object/relational mapping files must
indicate the object/relational + mapping file schema by using the persistence namespace: + + http://xmlns.jcp.org/xml/ns/persistence/orm + + and indicate the
version of the schema by + using the version element as shown below: + + <entity-mappings xmlns="http://xmlns.jcp.org/xml/ns/persistence/orm" +
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" + xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/persistence/orm +
http://xmlns.jcp.org/xml/ns/persistence/orm_2_1.xsd" + version="2.1"> + ... + </entity-mappings> + + ]></xsd:documentation> + </xsd:annotation> + +
<xsd:complexType name="emptyType"/> + + <xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> + <xsd:pattern value="[0-9]+(\.[0-9]+)*"/> +
</xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + + <xsd:element name="entity-
mappings"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + The entity-mappings element is the root element of a mapping + file. It
contains the following four types of elements: + + 1. The persistence-unit-metadata element contains metadata + for the entire persistence unit. It is undefined if
this element + occurs in multiple mapping files within the same persistence unit. + + 2. The package, schema, catalog and access elements apply to all of + the
entity, mapped-superclass and embeddable elements defined in + the same file in which they occur. + + 3. The sequence-generator, table-generator, converter,
named-query, + named-native-query, named-stored-procedure-query, and + sql-result-set-mapping elements are global to the persistence + unit. It is undefined to
have more than one sequence-generator + or table-generator of the same name in the same or different + mapping files in a persistence unit. It is undefined to have
+ more than one named-query, named-native-query, sql-result-set-mapping, + or named-stored-procedure-query of the same name in the same + or different
mapping files in a persistence unit. It is also + undefined to have more than one converter for the same target + type in the same or different mapping files in a
persistence unit. + + 4. The entity, mapped-superclass and embeddable elements each define + the mapping information for a managed persistent class. The
mapping + information contained in these elements may be complete or it may + be partial. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="persistence-unit-metadata" type="orm:persistence-unit-
metadata" + minOccurs="0"/> + <xsd:element name="package" type="xsd:string" minOccurs="0"/> + <xsd:element name="schema" type="xsd:string" +
minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" +
minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="table-generator" type="orm:table-generator" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-query" type="orm:named-
query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-native-query" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="named-stored-procedure-query" type="orm:named-stored-procedure-query" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" type="orm:sql-result-set-mapping" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="mapped-superclass" type="orm:mapped-superclass" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="entity"
type="orm:entity" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embeddable" type="orm:embeddable" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="converter" type="orm:converter" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> +
<xsd:attribute name="version" type="orm:versionType" + fixed="2.1" use="required"/> + </xsd:complexType> + </xsd:element> + <!--
***** --> + + <xsd:complexType name="persistence-unit-metadata"> + <xsd:annotation> +
<xsd:documentation> + + Metadata that applies to the persistence unit and not just to + the mapping file in which it is contained. + + If the xml-mapping-metadata-
complete element is specified, + the complete set of mapping metadata for the persistence unit + is contained in the XML mapping files for the persistence unit. +
+ </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element
name="xml-mapping-metadata-complete" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="persistence-unit-defaults" type="orm:persistence-
unit-defaults" + minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="persistence-unit-defaults"> + <xsd:annotation> + <xsd:documentation> + + These defaults are applied to the persistence unit as a
whole + unless they are overridden by local annotation or XML + element settings. + + schema - Used as the schema for all tables, secondary tables, join + tables,
collection tables, sequence generators, and table + generators that apply to the persistence unit + catalog - Used as the catalog for all tables, secondary tables, join +
tables, collection tables, sequence generators, and table + generators that apply to the persistence unit + delimited-identifiers - Used to treat database identifiers as
+ delimited identifiers. + access - Used as the access type for all managed classes in + the persistence unit + cascade-persist - Adds cascade-persist to the set of
cascade options + in all entity relationships of the persistence unit + entity-listeners - List of default entity listeners to be invoked + on each entity in the
persistence unit. + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> +
<xsd:element name="schema" type="xsd:string" minOccurs="0"/> + <xsd:element name="catalog" type="xsd:string" minOccurs="0"/> + <xsd:element
name="delimited-identifiers" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="access" type="orm:access-type" + minOccurs="0"/> +
<xsd:element name="cascade-persist" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" +
minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType
name="entity"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for an entity. Is allowed to be + sparsely populated and used in
conjunction with the annotations. + Alternatively, the metadata-complete attribute can be used to + indicate that no annotations on the entity class (and its fields +
or properties) are to be processed. If this is the case then + the defaulting rules for the entity and its subelements will + be recursively applied. + + @Target(TYPE)
@Retention(RUNTIME) + public @interface Entity { + String name() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="table" type="orm:table" + minOccurs="0"/> + <xsd:element
name="secondary-table" type="orm:secondary-table" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:sequence> + <xsd:element name="primary-key-join-
column" + type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-foreign-key" +
type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + <xsd:element name="id-class" type="orm:id-class" minOccurs="0"/> + <xsd:element
name="inheritance" type="orm:inheritance" minOccurs="0"/> + <xsd:element name="discriminator-value" type="orm:discriminator-value" + minOccurs="0"/> +
<xsd:element name="discriminator-column" type="orm:discriminator-column" + minOccurs="0"/> + <xsd:element name="sequence-generator"
type="orm:sequence-generator" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" + minOccurs="0"/> + <xsd:element
name="named-query" type="orm:named-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-native-query" type="orm:named-
native-query" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-stored-procedure-query" type="orm:named-stored-procedure-query"
+>
```

```
+ minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="sql-result-set-mapping" type="orm:sql-result-set-mapping" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="exclude-
superclass-listeners" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" minOccurs="0"/> +
<xsd:element name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" minOccurs="0"/> +
<xsd:element name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> +
<xsd:element name="pre-update" type="orm:pre-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> +
<xsd:element name="pre-load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attribute-override" type="orm:attribute-override" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="convert" type="orm:convert" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="named-
entity-graph" type="orm:named-entity-graph" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="attributes" type="orm:attributes"
minOccurs="0"/> + <xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="class" type="xsd:string" use="required"/> +
<xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="cacheable" type="xsd:boolean"/> + <xsd:attribute name="metadata-complete"
type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + <xsd:simpleType name="access-
type"> + <xsd:annotation> + <xsd:documentation> + + This element determines how the persistence provider accesses the + state of an entity or embedded object.
+ + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="PROPERTY"/> + <xsd:enumeration
value="FIELD"/> + </xsd:restriction> + </xsd:simpleType> + <!-- ***** --> + <xsd:complexType
name="association-override"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public
@interface AssociationOverride { + String name(); + JoinColumn[] joinColumns() default {}; + JoinTable joinTable() default @JoinTable; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:choice> +
<xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key"
type="orm:foreign-key" minOccurs="0"/> + </xsd:sequence> + <xsd:element name="join-table" type="orm:join-table" minOccurs="0"/> + </xsd:choice> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="attribute-override"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface AttributeOverride { + String name(); + Column
column(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> +
<xsd:element name="column" type="orm:column"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
</xsd:complexType> + <!-- ***** --> + <xsd:complexType name="attributes"> + <xsd:annotation>
+ <xsd:documentation> + + This element contains the entity field or property mappings. + It may be sparsely populated to include only a subset of the + fields or
properties. If metadata-complete for the entity is true + then the remainder of the attributes will be defaulted according + to the default rules. + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:choice> +
<xsd:element name="id" type="orm:id" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded-id" type="orm:embedded-id" +
minOccurs="0"/> + </xsd:choice> + <xsd:element name="basic" type="orm:basic" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="version"
type="orm:version" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="one-to-many" type="orm:one-to-many" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="one-to-one" type="orm:one-to-one" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="element-collection" type="orm:element-collection" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="embedded" type="orm:embedded" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="transient" type="orm:transient" minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="basic"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Basic { + FetchType fetch() default EAGER; + boolean optional() default true; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> +
<xsd:element name="lob" type="orm:lob" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> + <xsd:element
name="enumerated" type="orm:enumerated" minOccurs="0"/> + <xsd:element name="convert" type="orm:convert" minOccurs="0"/> + </xsd:choice> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="optional" type="xsd:boolean"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="cascade-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum CascadeType { ALL, PERSIST, MERGE, REMOVE, REFRESH, DETACH}; + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="cascade-all" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-persist" type="orm:emptyType" +
minOccurs="0"/> + <xsd:element name="cascade-merge" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-remove"
type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-refresh" type="orm:emptyType" minOccurs="0"/> + <xsd:element name="cascade-
detach" type="orm:emptyType" minOccurs="0"/> + </xsd:sequence> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="collection-table"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface CollectionTable { + String name() default ""; + String catalog() default ""; +
String schema() default ""; + JoinColumn[] joinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + Index[] indexes() default {}; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" minOccurs="0"/> + </xsd:sequence> + <xsd:element name="unique-
constraint" type="orm:unique-constraint" minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="index" type="orm:index" minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> +
<xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> +
<xsd:complexType name="column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Column { + String name() default ""; + boolean unique() default false; + boolean nullable() default true; + boolean insertable() default true; + boolean
updatable() default true; + String columnDefinition() default ""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal
precision + int scale() default 0; // decimal scale + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> +
<xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable"
type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute
name="table" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute
name="scale" type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType
name="column-result"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ColumnResult { + String
name(); + Class type() default void.class; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> +
<xsd:attribute name="class" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> +
<xsd:simpleType name="constraint-mode"> + <xsd:annotation> + <xsd:documentation> + + public enum ConstraintMode { CONSTRAINT, NO_CONSTRAINT,
PROVIDER_DEFAULT}; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="CONSTRAINT"/> +
<xsd:enumeration value="NO_CONSTRAINT"/> + <xsd:enumeration value="PROVIDER_DEFAULT"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + <xsd:complexType name="constructor-result"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ConstructorResult { + Class targetClass(); + ColumnResult[] columns(); + }
+ + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column" type="orm:column-result" maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="target-class" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="convert"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface Convert { + Class converter() default void.class; + String attributeName()
default ""; + boolean disableConversion() default false; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="converter" type="xsd:string"/> + <xsd:attribute name="attribute-name"
type="xsd:string"/> + <xsd:attribute name="disable-conversion" type="xsd:boolean"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="converter"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface Converter { + boolean autoApply() default false; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="auto-apply" type="xsd:boolean"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="discriminator-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorColumn { + String name() default "DTYPE"; +
```



```

DiscriminatorType discriminatorType() default STRING; + String columnDefinition() default ""; + int length() default 31; + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="discriminator-type" type="orm:discriminator-type"/> +
<xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="length" type="xsd:int"/> + </xsd:complexType> + <!--
***** --> + <xsd:simpleType name="discriminator-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum DiscriminatorType { STRING, CHAR, INTEGER }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction
base="xsd:token"> + <xsd:enumeration value="STRING"/> + <xsd:enumeration value="CHAR"/> + <xsd:enumeration value="INTEGER"/> + </xsd:restriction>
+ </xsd:simpleType> + <!-- ***** --> + <xsd:simpleType name="discriminator-value"> +
<xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface DiscriminatorValue { + String value(); + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!--
***** --> + <xsd:complexType name="element-collection"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface ElementCollection { + Class targetClass() default
void.class; + FetchType fetch() default LAZY; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element
name="order-by" type="orm:order-by" + minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + </xsd:choice>
+ <xsd:choice> + <xsd:element name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class"
type="orm:map-key-class" + minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" + minOccurs="0"/> +
<xsd:element name="map-key-enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-attribute-override"
+ type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-key-convert" type="orm:convert" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" +
minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="map-key-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:choice> +
</xsd:sequence> + </xsd:choice> + <xsd:choice> + <xsd:sequence> + <xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:choice> +
<xsd:element name="temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="enumerated" type="orm:enumerated" + minOccurs="0"/> +
<xsd:element name="lob" type="orm:lob" + minOccurs="0"/> + </xsd:choice> + </xsd:sequence> + <xsd:element name="attribute-override"
+ type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="convert" type="orm:convert" + minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + </xsd:choice> + <xsd:element name="collection-table" type="orm:collection-table" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="target-class" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-
type"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="embeddable"> + <xsd:annotation> + <xsd:documentation> + + Defines the settings and mappings for embeddable objects. Is +
allowed to be sparsely populated and used in conjunction with the annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no
annotations are to be processed + in the class. If this is the case then the defaulting rules will + be recursively applied. + + @Target({TYPE})
@Retention(RUNTIME) + public @interface Embeddable { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="attributes" type="orm:embeddable-attributes" + minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute
name="metadata-complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="embeddable-attributes"> + <xsd:sequence> + <xsd:element name="basic" type="orm:basic" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="many-to-one" type="orm:many-to-one" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element
name="one-to-many" type="orm:one-to-many" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="one-to-one" type="orm:one-to-one" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="many-to-many" type="orm:many-to-many" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="element-collection" type="orm:element-collection" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="embedded"
type="orm:embedded" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="transient" type="orm:transient" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:complexType> + <!-- ***** --> + +
<xsd:complexType name="embedded"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface Embedded { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="attribute-override" type="orm:attribute-
override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="association-override" type="orm:association-override" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="convert" type="orm:convert" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="embedded-id"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface EmbeddedId { + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence>
+ <xsd:element name="attribute-override" type="orm:attribute-override" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="entity-listener"> + <xsd:annotation> + <xsd:documentation>
+ + Defines an entity listener to be invoked at lifecycle events + for the entities that list this listener. + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="pre-persist" type="orm:pre-persist"
minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element name="pre-remove" type="orm:pre-remove"
minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" + minOccurs="0"/> + <xsd:element name="pre-update" type="orm:pre-update"
minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" + minOccurs="0"/> + <xsd:element name="post-load" type="orm:post-load"
minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="entity-listeners"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({TYPE}) @Retention(RUNTIME) + public @interface EntityListeners { + Class[] value(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="entity-listener" type="orm:entity-listener" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> +
</xsd:complexType> + <!-- ***** --> + + <xsd:complexType name="entity-result"> +
<xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface EntityResult { + Class entityClass(); + FieldResult[]
fields() default {}; + String discriminatorColumn() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="field-
result" type="orm:field-result" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="entity-class" type="xsd:string"
use="required"/> + <xsd:attribute name="discriminator-column" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:simpleType name="enum-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum EnumType { + ORDINAL, + STRING + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="ORDINAL"/> + <xsd:enumeration value="STRING"/> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="enumerated"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Enumerated { + EnumType value() default ORDINAL; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:restriction base="orm:enum-type"/> + </xsd:simpleType> + <!--
***** --> + + <xsd:simpleType name="fetch-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum FetchType { + LAZY, + EAGER + } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration
value="LAZY"/> + <xsd:enumeration value="EAGER"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + + <xsd:complexType name="field-result"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface FieldResult { + String name(); + String column(); + } + + </xsd:documentation> + </xsd:annotation> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="column" type="xsd:string" use="required"/> + </xsd:complexType> +
<!-- ***** --> + + <xsd:complexType name="foreign-key"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface ForeignKey { + String name() default ""; + ConstraintMode value() default
CONSTRAINT; + String foreign-key-definition() default ""; + Note that the elements that embed the use of the annotation + default this use as
@ForeignKey(PROVIDER_DEFAULT). + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="constraint-mode"
type="orm:constraint-mode"/> + <xsd:attribute name="foreign-key-definition" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + + <xsd:complexType name="generated-value"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface GeneratedValue { + GenerationType strategy() default
AUTO; + String generator() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy" type="orm:generation-type"/> +
<xsd:attribute name="generator" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + +

```

```
<xsd:simpleType name="generation-type"> + <xsd:annotation> + <xsd:documentation> + + public enum GenerationType { TABLE, SEQUENCE, IDENTITY,
AUTO }; + + </xsd:annotation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="TABLE"/> + <xsd:enumeration
value="SEQUENCE"/> + <xsd:enumeration value="IDENTITY"/> + <xsd:enumeration value="AUTO"/> + </xsd:restriction> + </xsd:simpleType> + + <!--
***** --> + + <xsd:complexType name="id"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Id { } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" + minOccurs="0"/> + <xsd:element name="generated-value" type="orm:generated-value" + minOccurs="0"/>
+ <xsd:element name="temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="table-generator" type="orm:table-generator" +
minOccurs="0"/> + <xsd:element name="sequence-generator" type="orm:sequence-generator" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="id-class"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface IdClass { + Class value(); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="class" type="xsd:string" use="required"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="index"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface Index { + String
name() default ""; + String columnList(); + boolean unique() default false; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="column-
list" type="xsd:string" use="required"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="inheritance"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Inheritance { + InheritanceType strategy() default SINGLE_TABLE; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="strategy" type="orm:inheritance-type"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:simpleType name="inheritance-type"> + <xsd:annotation> + <xsd:documentation>
+ + public enum InheritanceType { + SINGLE_TABLE, JOINED, TABLE_PER_CLASS; } + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction
base="xsd:token"> + <xsd:enumeration value="SINGLE_TABLE"/> + <xsd:enumeration value="JOINED"/> + <xsd:enumeration
value="TABLE_PER_CLASS"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:complexType name="join-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface JoinColumn { + String name() default ""; + String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default
true; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default ""; + String table() default ""; + ForeignKey
foreignKey() default @ForeignKey(true); + } + + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> + <xsd:attribute name="nullable"
type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable" type="xsd:boolean"/> + <xsd:attribute
name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="join-table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface JoinTable { + String name() default ""; + String catalog() default ""; + String
schema() default ""; + JoinColumn[] joinColumns() default {}; + JoinColumn[] inverseJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints()
default {}; + Index[] indexes() default {}; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="join-
column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/>
+ </xsd:sequence> + <xsd:sequence> + <xsd:element name="inverse-join-column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="inverse-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + <xsd:element name="unique-constraint"
type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="index" type="orm:index" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> +
<xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="lob"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface
Lob { + } + + </xsd:documentation> + </xsd:annotation> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:simpleType name="lock-mode-type"> + <xsd:annotation> + <xsd:documentation> + + public enum LockModeType { READ, WRITE, OPTIMISTIC,
OPTIMISTIC_FORCE_INCREMENT, PESSIMISTIC_READ, PESSIMISTIC_WRITE, PESSIMISTIC_FORCE_INCREMENT, NONE; } + +
</xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="READ"/> + <xsd:enumeration value="WRITE"/>
+ <xsd:enumeration value="OPTIMISTIC"/> + <xsd:enumeration value="OPTIMISTIC_FORCE_INCREMENT"/> + <xsd:enumeration
value="PESSIMISTIC_READ"/> + <xsd:enumeration value="PESSIMISTIC_WRITE"/> + <xsd:enumeration value="PESSIMISTIC_FORCE_INCREMENT"/>
+ <xsd:enumeration value="NONE"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:complexType name="many-to-many"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface ManyToMany { + Class targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String
mappedBy() default ""; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="order-by" type="orm:order-
by" + minOccurs="0"/> + <xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + </xsd:choice> + <xsd:choice> + <xsd:element
name="map-key" type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class" type="orm:map-key-class" +
minOccurs="0"/> + <xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="map-key-
enumerated" type="orm:enumerated" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-attribute-override" type="orm:attribute-
override" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-key-convert" type="orm:convert" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" +
minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0"
maxOccurs="unbounded"/> + <xsd:element name="map-key-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:choice> +
</xsd:sequence> + </xsd:choice> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="access" type="orm:access-type"/> +
<xsd:attribute name="mapped-by" type="xsd:string"/> + </xsd:complexType> + + <!-- ***** --> + +
<xsd:complexType name="many-to-one"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface ManyToOne { + Class targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default EAGER; + boolean
optional() default true; + } + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="join-
column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/>
+ </xsd:sequence> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> +
<xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="maps-id" type="xsd:string"/> + <xsd:attribute name="id" type="xsd:boolean"/> +
</xsd:complexType> + + <!-- ***** --> + + <xsd:complexType name="map-key"> + <xsd:annotation>
+ <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKey { + String name() default ""; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="map-key-class"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyClass { + Class value(); + } + + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="class" type="xsd:string" use="required"/> + </xsd:complexType> + + <!--
***** --> + + <xsd:complexType name="map-key-column"> + <xsd:annotation> + <xsd:documentation>
+ + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyColumn { + String name() default ""; + boolean
unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean updatable() default true; + String columnDefinition() default
""; + String table() default ""; + int length() default 255; + int precision() default 0; // decimal precision + int scale() default 0; // decimal scale + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updatable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + <xsd:attribute
name="length" type="xsd:int"/> + <xsd:attribute name="precision" type="xsd:int"/> + <xsd:attribute name="scale" type="xsd:int"/> + </xsd:complexType> + +
<!-- ***** --> + + <xsd:complexType name="map-key-join-column"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface MapKeyJoinColumn { + String name() default ""; +
String referencedColumnName() default ""; + boolean unique() default false; + boolean nullable() default false; + boolean insertable() default true; + boolean
```

```
updateable() default true; + String columnDefinition() default ""; + String table() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name" type="xsd:string"/> + <xsd:attribute name="unique" type="xsd:boolean"/> +
<xsd:attribute name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updateable"
type="xsd:boolean"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + <xsd:attribute name="table" type="xsd:string"/> + </xsd:complexType> +
+ <!-- ***** --> + <xsd:complexType name="mapped-superclass"> + <xsd:annotation> +
<xsd:documentation> + + Defines the settings and mappings for a mapped superclass. Is + allowed to be sparsely populated and used in conjunction with + the
annotations. Alternatively, the metadata-complete attribute + can be used to indicate that no annotations are to be processed + If this is the case then the defaulting
rules will be recursively + applied. + + @Target(TYPE) @Retention(RUNTIME) + public @interface MappedSuperclass{ + + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="id-class" type="orm:id-
class" minOccurs="0"/> + <xsd:element name="exclude-default-listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="exclude-superclass-
listeners" type="orm:emptyType" + minOccurs="0"/> + <xsd:element name="entity-listeners" type="orm:entity-listeners" + minOccurs="0"/> + <xsd:element
name="pre-persist" type="orm:pre-persist" minOccurs="0"/> + <xsd:element name="post-persist" type="orm:post-persist" + minOccurs="0"/> + <xsd:element
name="pre-remove" type="orm:pre-remove" minOccurs="0"/> + <xsd:element name="post-remove" type="orm:post-remove" minOccurs="0"/> + <xsd:element
name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element name="post-update" type="orm:post-update" minOccurs="0"/> + <xsd:element
name="post-load" type="orm:post-load" minOccurs="0"/> + <xsd:element name="attributes" type="orm:attributes" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="class" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="metadata-
complete" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType
name="named-attribute-node"> + <xsd:annotation> + + @Target({}) @Retention(RUNTIME) + public @interface NamedAttributeNode
{ + String value(); + String subgraph() default ""; + String keySubgraph() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + <xsd:attribute name="subgraph" type="xsd:string"/> + <xsd:attribute name="key-subgraph"
type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="named-
entity-graph"> + <xsd:annotation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedEntityGraph { + String
name() default ""; + NamedAttributeNode[] attributeNodes() default {}; + boolean includeAllAttributes() default false; + NamedSubgraph[] subgraphs() default
{}; + NamedSubGraph[] subclassSubgraphs() default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="named-
attribute-node" type="orm:named-attribute-node" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="subgraph" type="orm:named-
subgraph" + minOccurs="0" + maxOccurs="unbounded"/> + <xsd:element name="subclass-subgraph" type="orm:named-subgraph" + minOccurs="0" +
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="include-all-attributes"
type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType
name="named-native-query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface
NamedNativeQuery { + String name(); + String query(); + QueryHint[] hints() default {}; + Class resultClass() default void.class; + String resultSetMapping()
default ""; + /named SqlResultSetMapping + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + <xsd:element name="query" type="xsd:string"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="result-class"
type="xsd:string"/> + <xsd:attribute name="result-set-mapping" type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="named-query"> + <xsd:annotation> + <xsd:documentation> +
+ @Target({TYPE}) @Retention(RUNTIME) + public @interface NamedQuery { + String name(); + String query(); + LockModeType lockMode() default
NONE; + QueryHint[] hints() default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description"
type="xsd:string" minOccurs="0"/> + <xsd:element name="query" type="xsd:string"/> + <xsd:element name="lock-mode" type="orm:lock-mode-type"
minOccurs="0"/> + <xsd:element name="hint" type="orm:query-hint" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute
name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> +
<xsd:complexType name="named-stored-procedure-query"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) +
public @interface NamedStoredProcedureQuery { + String name(); + String procedureName(); + StoredProcedureParameter[] parameters() default {}; + Class[]
resultClasses() default {}; + String[] resultSetMappings() default {}; + QueryHint[] hints() default {}; + } + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element name="parameter" type="orm:stored-procedure-
parameter" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="result-class" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="result-set-mapping" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="hint" type="orm:query-hint" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="procedure-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!-- ***** --> +
<xsd:complexType name="named-subgraph"> + <xsd:annotation> + <xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface
NamedSubgraph { + String name(); + Class type() default void.class; + NamedAttributeNode[] attributeNodes(); + } + </xsd:documentation> +
</xsd:annotation> + <xsd:sequence> + <xsd:element name="named-attribute-node" type="orm:named-attribute-node" + minOccurs="0" +
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="class"
type="xsd:string"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="one-to-
many"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OneToMany { + Class
targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default LAZY; + String mappedBy() default ""; + } +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> + <xsd:element name="order-by" type="orm:order-by" + minOccurs="0"/> +
<xsd:element name="order-column" type="orm:order-column" + minOccurs="0"/> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key"
type="orm:map-key" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-class" type="orm:map-key-class" + minOccurs="0"/> +
<xsd:choice> + <xsd:element name="map-key-temporal" type="orm:temporal" + minOccurs="0"/> + <xsd:element name="map-key-enumerated" +
type="orm:enumerated" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="map-key-attribute-override" type="orm:attribute-override" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-key-convert" type="orm:convert" + minOccurs="0" maxOccurs="unbounded"/> +
</xsd:sequence> + </xsd:choice> + <xsd:choice> + <xsd:element name="map-key-column" type="orm:map-key-column" + minOccurs="0"/> + <xsd:sequence>
+ <xsd:element name="map-key-join-column" type="orm:map-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="map-
key-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:choice> + </xsd:choice> + <xsd:choice> +
<xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + <xsd:sequence> + <xsd:element name="join-column" type="orm:join-column" +
minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + </xsd:choice>
+ <xsd:element name="cascade" type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute
name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + <xsd:attribute name="orphan-removal"
type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="one-to-
one"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OneToOne { + Class
targetEntity() default void.class; + CascadeType[] cascade() default {}; + FetchType fetch() default EAGER; + boolean optional() default true; + String
mappedBy() default ""; + boolean orphanRemoval() default false; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:choice> +
<xsd:sequence> + <xsd:element name="primary-key-join-column" type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="primary-key-foreign-key" type="orm:foreign-key" + minOccurs="0"/> + </xsd:sequence> + <xsd:sequence> + <xsd:element name="join-
column" type="orm:join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="foreign-key" type="orm:foreign-key" + minOccurs="0"/>
+ </xsd:sequence> + <xsd:element name="join-table" type="orm:join-table" + minOccurs="0"/> + </xsd:choice> + <xsd:element name="cascade"
type="orm:cascade-type" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute
name="target-entity" type="xsd:string"/> + <xsd:attribute name="fetch" type="orm:fetch-type"/> + <xsd:attribute name="optional" type="xsd:boolean"/> +
<xsd:attribute name="access" type="orm:access-type"/> + <xsd:attribute name="mapped-by" type="xsd:string"/> + <xsd:attribute name="orphan-removal"
type="xsd:boolean"/> + <xsd:attribute name="maps-id" type="xsd:string"/> + <xsd:attribute name="id" type="xsd:boolean"/> + </xsd:complexType> + <!-- ***** -->
+ <xsd:simpleType name="order-by"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface OrderBy { + String value() default ""; + } + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="xsd:string"/> + </xsd:simpleType> + <!-- ***** --> +
<xsd:complexType name="order-column"> + <xsd:annotation> + <xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public
@interface OrderColumn { + String name() default ""; + boolean nullable() default true; + boolean insertable() default true; + boolean updateable() default true; +
String columnDefinition() default ""; + } + </xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="nullable" type="xsd:boolean"/> + <xsd:attribute name="insertable" type="xsd:boolean"/> + <xsd:attribute name="updateable" type="xsd:boolean"/> +
```

```
<xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!-- ***** -->
+ + <xsd:simpleType name="parameter-mode"> + <xsd:annotation> + <xsd:documentation> + + public enum ParameterMode { IN, INOUT, OUT,
REF_CURSOR }; + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="IN"/> + <xsd:enumeration
value="INOUT"/> + <xsd:enumeration value="OUT"/> + <xsd:enumeration value="REF_CURSOR"/> + </xsd:restriction> + </xsd:simpleType> + <!--
***** --> + <xsd:complexType name="post-load"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostLoad {} + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="post-persist"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostPersist {} + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="post-remove"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostRemove {} + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="post-update"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PostUpdate {} + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="pre-persist"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PrePersist {} + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="pre-remove"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PreRemove {} + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="method-name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="pre-update"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD}) @Retention(RUNTIME) + public @interface PreUpdate {} + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="method-name" type="xsd:string"
use="required"/> + </xsd:complexType> + <!-- ***** --> + <xsd:complexType name="primary-key-join-column"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface
PrimaryKeyJoinColumn { + String name() default ""; + String referencedColumnName() default ""; + String columnDefinition() default ""; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="referenced-column-name"
type="xsd:string"/> + <xsd:attribute name="column-definition" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="query-hint"> + <xsd:annotation> + <xsd:documentation> + +
@Target({}) @Retention(RUNTIME) + public @interface QueryHint { + String name(); + String value(); + } + </xsd:documentation> + </xsd:annotation> +
<xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="value" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="secondary-table"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface SecondaryTable { + String name(); + String catalog() default ""; +
String schema() default ""; + PrimaryKeyJoinColumn[] pkJoinColumns() default {}; + UniqueConstraint[] uniqueConstraints() default {}; + Index[] indexes()
default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:sequence> + <xsd:element name="primary-key-join-column"
type="orm:primary-key-join-column" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="primary-key-foreign-key" type="orm:foreign-key"
+ minOccurs="0"/> + </xsd:sequence> + <xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> +
<xsd:element name="index" type="orm:index" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"
use="required"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="sequence-generator"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface SequenceGenerator { + String name(); + String
sequenceName() default ""; + String catalog() default ""; + String schema() default ""; + int initialValue() default 1; + int allocationSize() default 50; + } + +
</xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + </xsd:sequence> +
<xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="sequence-name" type="xsd:string"/> + <xsd:attribute name="catalog"
type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute
name="allocation-size" type="xsd:int"/> + </xsd:complexType> + <!-- ***** --> +
<xsd:complexType name="sql-result-set-mapping"> + <xsd:annotation> + <xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public
@interface SqlResultSetMapping { + String name(); + EntityResult[] entities() default {}; + ConstructorResult[] classes() default {}; + ColumnResult[] columns()
default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> +
<xsd:element name="entity-result" type="orm:entity-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="constructor-result"
type="orm:constructor-result" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="column-result" type="orm:column-result" + minOccurs="0"
maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="stored-procedure-parameter"> + <xsd:annotation> +
<xsd:documentation> + + @Target({TYPE}) @Retention(RUNTIME) + public @interface StoredProcedureParameter { + String name() default ""; +
ParameterMode mode() default ParameterMode.IN; + Class type(); + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element
name="description" type="xsd:string" + minOccurs="0"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute name="class"
type="xsd:string" use="required"/> + <xsd:attribute name="mode" type="orm:parameter-mode"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="table"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE}) @Retention(RUNTIME) + public @interface Table { + String name() default ""; + String catalog() default ""; + String schema() default ""; +
UniqueConstraint[] uniqueConstraints() default {}; + Index[] indexes() default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="index"
type="orm:index" + minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + <xsd:attribute
name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="table-generator"> + <xsd:annotation> + <xsd:documentation> + +
@Target({TYPE, METHOD, FIELD}) @Retention(RUNTIME) + public @interface TableGenerator { + String name(); + String table() default ""; + String
catalog() default ""; + String schema() default ""; + String pkColumnName() default ""; + String valueColumnName() default ""; + String pkColumnValue()
default ""; + int initialValue() default 0; + int allocationSize() default 50; + UniqueConstraint[] uniqueConstraints() default {}; + Indexes[] indexes()
default {}; + } + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="description" type="xsd:string" minOccurs="0"/> + <xsd:element
name="unique-constraint" type="orm:unique-constraint" + minOccurs="0" maxOccurs="unbounded"/> + <xsd:element name="index" type="orm:index" +
minOccurs="0" maxOccurs="unbounded"/> + </xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="table"
type="xsd:string"/> + <xsd:attribute name="catalog" type="xsd:string"/> + <xsd:attribute name="schema" type="xsd:string"/> + <xsd:attribute name="pk-
column-name" type="xsd:string"/> + <xsd:attribute name="value-column-name" type="xsd:string"/> + <xsd:attribute name="pk-column-value"
type="xsd:string"/> + <xsd:attribute name="initial-value" type="xsd:int"/> + <xsd:attribute name="allocation-size" type="xsd:int"/> + </xsd:complexType> +
<!-- ***** --> + <xsd:simpleType name="temporal"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Temporal { + TemporalType value(); + } + </xsd:documentation> +
</xsd:annotation> + <xsd:restriction base="orm:temporal-type"> + </xsd:simpleType> + <!-- ***** -->
-> + <xsd:simpleType name="temporal-type"> + <xsd:annotation> + <xsd:documentation> + + public enum TemporalType { + DATE, // java.sql.Date + TIME,
// java.sql.Time + TIMESTAMP // java.sql.Timestamp + } + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> +
<xsd:enumeration value="DATE"/> + <xsd:enumeration value="TIME"/> + <xsd:enumeration value="TIMESTAMP"/> + </xsd:restriction> + </xsd:simpleType>
+ <!-- ***** --> + <xsd:complexType name="transient"> + <xsd:annotation> +
<xsd:documentation> + + @Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Transient { + } + </xsd:documentation> +
</xsd:annotation> + <xsd:attribute name="name" type="xsd:string" use="required"/> + </xsd:complexType> + <!--
```

```

***** --> + <xsd:complexType name="unique-constraint"> + <xsd:annotation> +
<xsd:documentation> + + @Target({}) @Retention(RUNTIME) + public @interface UniqueConstraint { + String name() default ""; + String[] columnNames(); +
} + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + <xsd:element name="column-name" type="xsd:string" + maxOccurs="unbounded"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string"/> + </xsd:complexType> + <!--
***** --> + <xsd:complexType name="version"> + <xsd:annotation> + <xsd:documentation> + +
@Target({METHOD, FIELD}) @Retention(RUNTIME) + public @interface Version { + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> +
<xsd:element name="column" type="orm:column" minOccurs="0"/> + <xsd:element name="temporal" type="orm:temporal" minOccurs="0"/> +
</xsd:sequence> + <xsd:attribute name="name" type="xsd:string" use="required"/> + <xsd:attribute name="access" type="orm:access-type"/> +
</xsd:complexType> + </xsd:schema> diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_1_0.xsd
b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_1_0.xsd new file mode 100644 index 000000000..9f3c2568c --- /dev/null
+++ b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_1_0.xsd @@ -0,0 +1,308 @@ +<?xml version="1.0" encoding="UTF-
8"?> +<!-- persistence.xml schema --> +<xsd:schema targetNamespace="http://java.sun.com/xml/ns/persistence" +
xmlns:xsd="http://www.w3.org/2001/XMLSchema" + xmlns:persistence="http://java.sun.com/xml/ns/persistence" + elementFormDefault="qualified" +
attributeFormDefault="unqualified" + version="1.0"> + + <xsd:annotation> + <xsd:documentation> + @(#persistence_1_0.xsd 1.0 Feb 9 2006 +
</xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + + DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR
THIS HEADER. + + Copyright 2005-2010 Oracle and/or its affiliates. All rights reserved. + + Oracle and Java are registered trademarks of Oracle and/or its
affiliates. + Other names may be trademarks of their respective owners. + + The contents of this file are subject to the terms of either the + GNU General Public
License Version 2 only ("GPL") or the Common + Development and Distribution License("CDDL") (collectively, the + "License"). You may not use this file
except in compliance with + the License. You can obtain a copy of the License at + https://glassfish.dev.java.net/public/CDDL+GPL.html or +
glassfish/bootstrap/legal/LICENSE.txt. See the License for the + specific language governing permissions and limitations under the + License. + + When
distributing the software, include this License Header + Notice in each file and include the License file at + glassfish/bootstrap/legal/LICENSE.txt. Sun designates
this + particular file as subject to the "Classpath" exception as + provided by Oracle in the GPL Version 2 section of the License file + that accompanied this code.
If applicable, add the following + below the License Header, with the fields enclosed by brackets [] + replaced by your own identifying information: + "Portions
Copyrighted [year] [name of copyright owner]" + + Contributor(s): + + If you wish your version of this file to be governed by only the + CDDL or only the GPL
Version 2, indicate your decision by adding + "[Contributor] elects to include this software in this + distribution under the [CDDL or GPL Version 2] license." If
you + don't indicate a single choice of license, a recipient has the + option to distribute your version of this file under either the + CDDL, the GPL Version 2 or to
extend the choice of license to its + licensees as provided above. However, if you add GPL Version 2 + code and therefore, elected the GPL Version 2 license, then
the + option applies only if the new code is made subject to such + option by the copyright holder. + + </xsd:documentation> + </xsd:annotation> + +
<xsd:annotation> + <xsd:documentation><![CDATA[ + + This is the XML Schema for the persistence configuration file. + The file must be named "META-
INF/persistence.xml" in the + persistence archive. + Persistence configuration files must indicate + the persistence schema by using the persistence namespace: + +
http://java.sun.com/xml/ns/persistence + + and indicate the version of the schema by + using the version element as shown below: + + <persistence
xmlns="http://java.sun.com/xml/ns/persistence" + xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" +
xsi:schemaLocation="http://java.sun.com/xml/ns/persistence + http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd" + version="1.0"> + ... +
</persistence> + + ]]></xsd:documentation> + </xsd:annotation> + <xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> +
<xsd:pattern value="[0-9]+(\.[0-9]+)*"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:element name="persistence"> + <xsd:complexType> + <xsd:sequence> + + <!-- ***** --> + +
<xsd:element name="persistence-unit" + minOccurs="0" maxOccurs="unbounded"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + +
Configuration of a persistence unit. + + </xsd:documentation> + </xsd:annotation> + <xsd:sequence> + + <!--
***** --> + + <xsd:element name="description" type="xsd:string" + minOccurs="0"> +
<xsd:annotation> + <xsd:documentation> + + Textual description of this persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + +
<!-- ***** --> + + <xsd:element name="provider" type="xsd:string" + minOccurs="0"> +
<xsd:annotation> + <xsd:documentation> + + Provider class that supplies EntityManager for this + persistence unit. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="jta-data-source"
type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of the JTA datasource to use. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element
name="non-jta-data-source" type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of a non-JTA
datasource to use. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + +
<xsd:element name="mapping-file" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + File
containing mapping information. Loaded as a resource + by the persistence provider. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="jar-file" type="xsd:string" + minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Jar file that should be scanned for entities. + Not applicable to Java SE persistence
units. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + +
<xsd:element name="class" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Class to scan for
annotations. It should be annotated + with either @Entity, @Embeddable or @MappedSuperclass. + + </xsd:documentation> + </xsd:annotation> +
</xsd:element> + + <!-- ***** --> + + <xsd:element name="exclude-unlisted-classes"
type="xsd:boolean" + default="false" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + When set to true then only listed classes and jars will +
be scanned for persistent classes, otherwise the enclosing + jar or directory will also be scanned. Not applicable to + Java SE persistence units. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element
name="properties" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + A list of vendor-specific properties. + + </xsd:documentation> +
</xsd:annotation> + <xsd:complexType> + <xsd:sequence> + <xsd:element name="property" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> +
<xsd:documentation> + + A name-value pair. + </xsd:documentation> + </xsd:annotation> + <xsd:complexType> + <xsd:attribute name="name" type="xsd:string"
+ use="required"/> + <xsd:attribute name="value" type="xsd:string" + use="required"/> + </xsd:complexType> + </xsd:element> + </xsd:sequence> +
</xsd:complexType> + </xsd:element> + + <!-- ***** --> + + <xsd:attribute
name="name" type="xsd:string" use="required"> + <xsd:annotation> + <xsd:documentation> + + Name used in code to reference this persistence unit. + +
</xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + <!-- ***** --> + + <xsd:attribute
name="transaction-type" + type="persistence:persistence-unit-transaction-type"> + <xsd:annotation> + <xsd:documentation> + + Type of transactions used by
EntityManager from this + persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + </xsd:complexType> + </xsd:element> +
</xsd:sequence> + <xsd:attribute name="version" type="persistence:versionType" + fixed="1.0" use="required"/> + </xsd:complexType> + </xsd:element> +
<!-- ***** --> + + <xsd:simpleType name="persistence-unit-transaction-type"> + <xsd:annotation> + <xsd:documentation> + +
public enum TransactionType { JTA, RESOURCE_LOCAL }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction
base="xsd:token"> + <xsd:enumeration value="JTA"/> + <xsd:enumeration value="RESOURCE_LOCAL"/> + </xsd:restriction> + </xsd:simpleType> + +
</xsd:schema> + diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_0.xsd
b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_0.xsd new file mode 100644 index 000000000..323bd8bc0 --- /dev/null
+++ b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_0.xsd @@ -0,0 +1,355 @@ +<?xml version="1.0" encoding="UTF-
8"?> +<!-- persistence.xml schema --> +<xsd:schema targetNamespace="http://java.sun.com/xml/ns/persistence" +
xmlns:xsd="http://www.w3.org/2001/XMLSchema" + xmlns:persistence="http://java.sun.com/xml/ns/persistence" + elementFormDefault="qualified" +
attributeFormDefault="unqualified" + version="2.0"> + + <xsd:annotation> + <xsd:documentation> + @(#persistence_2_0.xsd 1.0 October 1 2009 +
</xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + + Copyright (c) 2008, 2009 Sun Microsystems. All rights reserved. +
+ This program and the accompanying materials are made available under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 +
which accompanies this distribution. + The Eclipse Public License is available at http://www.eclipse.org/legal/epl-v10.html + and the Eclipse Distribution License
is available at + http://www.eclipse.org/org/documents/edl-v10.php. + + Contributors: + Linda DeMichiel - Java Persistence 2.0, Version 2.0 (October 1, 2009) +
Specification available from http://jcp.org/en/jsr/detail?id=317 + + </xsd:documentation> + </xsd:annotation> + <xsd:annotation> + <xsd:documentation><![
CDATA[ + + This is the XML Schema for the persistence configuration file. + The file must be named "META-INF/persistence.xml" in the + persistence archive.
+ + Persistence configuration files must indicate + the persistence schema by using the persistence namespace: + + http://java.sun.com/xml/ns/persistence + + and
indicate the version of the schema by + using the version element as shown below: + + <persistence xmlns="http://java.sun.com/xml/ns/persistence" +
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" + xsi:schemaLocation="http://java.sun.com/xml/ns/persistence +
http://java.sun.com/xml/ns/persistence/persistence_2_0.xsd" + version="2.0"> + ... + </persistence> + + ]]></xsd:documentation> + </xsd:annotation> + +
<xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> + <xsd:pattern value="[0-9]+(\.[0-9]+)*"/> + </xsd:restriction> +

```

```
</xsd:simpleType> + + <!-- ***** --> + + <xsd:element name="persistence"> + <xsd:complexType> +
<xsd:sequence> + + <!-- ***** --> + + <xsd:element name="persistence-unit" + minOccurs="1"
maxOccurs="unbounded"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + Configuration of a persistence unit. + + </xsd:documentation>
+ </xsd:annotation> + <xsd:sequence> + + <!-- ***** --> + + <xsd:element name="description"
type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Description of this persistence unit. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="provider"
type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Provider class that supplies EntityManager for this + persistence unit. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element
name="jta-data-source" type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of the JTA datasource
to use. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + +
<xsd:element name="non-jta-data-source" type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of a
non-JTA datasource to use. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="mapping-file" type="xsd:string" + minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + File containing mapping information. Loaded as a resource + by the persistence
provider. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + +
<xsd:element name="jar-file" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Jar file that is to be
scanned for managed classes. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="class" type="xsd:string" + minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Managed class to be included in the persistence unit and + to scan for annotations. It
should be annotated + with either @Entity, @Embeddable or @MappedSuperclass. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="exclude-unlisted-classes" type="xsd:boolean" + default="true"
minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + When set to true then only listed classes and jars will + be scanned for persistent classes,
otherwise the + enclosing jar or directory will also be scanned. + Not applicable to Java SE persistence units. + + </xsd:documentation> + </xsd:annotation> +
</xsd:element> + + <!-- ***** --> + + <xsd:element name="shared-cache-mode" +
type="persistence:persistence-unit-caching-type" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Defines whether caching is enabled for the +
persistence unit if caching is supported by the + persistence provider. When set to ALL, all entities + will be cached. When set to NONE, no entities will + be
cached. When set to ENABLE_SELECTIVE, only entities + specified as cacheable will be cached. When set to + DISABLE_SELECTIVE, entities specified as
not cacheable + will not be cached. When not specified or when set to + UNSPECIFIED, provider defaults may apply. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="validation-mode" +
type="persistence:persistence-unit-validation-mode-type" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The validation mode to be used for
the persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="properties" minOccurs="0"> +
<xsd:annotation> + <xsd:documentation> + + A list of standard and vendor-specific properties + and
hints. + + </xsd:documentation> + </xsd:annotation> + <xsd:complexType> + <xsd:sequence> + <xsd:element name="property" + minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + A name-value pair. + </xsd:documentation> + </xsd:annotation> + <xsd:complexType>
+ <xsd:attribute name="name" type="xsd:string" + use="required"/> + <xsd:attribute name="value" type="xsd:string" + use="required"/> + </xsd:complexType>
+ </xsd:element> + </xsd:sequence> + </xsd:complexType> + </xsd:element> + + </xsd:sequence> + + <!--
***** --> + + <xsd:attribute name="name" type="xsd:string" use="required"> + <xsd:annotation> +
<xsd:documentation> + + Name used in code to reference this persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + <!--
***** --> + + <xsd:attribute name="transaction-type" type="persistence:persistence-unit-transaction-
type"> + <xsd:annotation> + <xsd:documentation> + + Type of transactions used by EntityManager from this + persistence unit. + + </xsd:documentation> +
</xsd:annotation> + </xsd:attribute> + + </xsd:complexType> + </xsd:element> + </xsd:sequence> + <xsd:attribute name="version"
type="persistence:versionType" + fixed="2.0" use="required"/> + </xsd:complexType> + </xsd:element> + + <!--
***** --> + + <xsd:simpleType name="persistence-unit-transaction-type"> + <xsd:annotation> +
<xsd:documentation> + + public enum PersistenceUnitTransactionType { JTA, RESOURCE_LOCAL }; + + </xsd:documentation> + </xsd:annotation> +
<xsd:restriction base="xsd:token"> + <xsd:enumeration value="JTA"/> + <xsd:enumeration value="RESOURCE_LOCAL"/> + </xsd:restriction> +
</xsd:simpleType> + + <!-- ***** --> + + <xsd:simpleType name="persistence-unit-caching-type"> +
<xsd:annotation> + <xsd:documentation> + + public enum SharedCacheMode { ALL, NONE, ENABLE_SELECTIVE, DISABLE_SELECTIVE,
UNSPECIFIED }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="ALL"/> + <xsd:enumeration
value="NONE"/> + <xsd:enumeration value="ENABLE_SELECTIVE"/> + <xsd:enumeration value="DISABLE_SELECTIVE"/> + <xsd:enumeration
value="UNSPECIFIED"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + +
<xsd:simpleType name="persistence-unit-validation-mode-type"> + <xsd:annotation> + <xsd:documentation> + + public enum ValidationMode { AUTO,
CALLBACK, NONE }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="AUTO"/> +
<xsd:enumeration value="CALLBACK"/> + <xsd:enumeration value="NONE"/> + </xsd:restriction> + </xsd:simpleType> + + </xsd:schema> diff --git
a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_1.xsd
b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_1.xsd new file mode 100644 index 000000000..01d514902 --- /dev/null
+++ b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/persistence_2_1.xsd @@ -0,0 +1,354 @@ +<?xml version="1.0" encoding="UTF-
8"?> +<!-- persistence.xml schema --> +<xsd:schema targetNamespace="http://xmlns.jcp.org/xml/ns/persistence" +
xmlns:xsd="http://www.w3.org/2001/XMLSchema" + xmlns:persistence="http://xmlns.jcp.org/xml/ns/persistence" + elementFormDefault="qualified" +
attributeFormDefault="unqualified" + version="2.1"> + + <xsd:annotation> + <xsd:documentation> + + @(#)persistence_2_1.xsd 2.1 February 4, 2013 +
</xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + + Copyright (c) 2008 - 2013 Oracle Corporation. All rights reserved. +
+ This program and the accompanying materials are made available under the + terms of the Eclipse Public License v1.0 and Eclipse Distribution License v. 1.0 +
which accompanies this distribution. + The Eclipse Public License is available at http://www.eclipse.org/legal/epl-v10.html + and the Eclipse Distribution License
is available at + http://www.eclipse.org/org/documents/edl-v10.php. + + Contributors: + Linda DeMichiel - Java Persistence 2.1, Version 2.1 (February 4, 2013) +
Specification available from http://jcp.org/en/jsr/detail?id=338 + + </xsd:documentation> + </xsd:annotation> + + <xsd:annotation> + <xsd:documentation> + <
[CDATA[ + + This is the XML Schema for the persistence configuration file. + The file must be named "META-INF/persistence.xml" in the + persistence archive.
+ + Persistence configuration files must indicate + the persistence schema by using the persistence namespace: + + http://xmlns.jcp.org/xml/ns/persistence + + and
indicate the version of the schema by + using the version element as shown below: + + <persistence xmlns="http://xmlns.jcp.org/xml/ns/persistence" +
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" + xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/persistence +
http://xmlns.jcp.org/xml/ns/persistence/persistence_2_1.xsd" + version="2.1"> + ... + </persistence> + + ]></xsd:documentation> + </xsd:annotation> + +
<xsd:simpleType name="versionType"> + <xsd:restriction base="xsd:token"> + <xsd:pattern value="[0-9]+(\.[0-9]+)*/> + </xsd:restriction> +
</xsd:simpleType> + + <!-- ***** --> + + <xsd:element name="persistence"> + <xsd:complexType> +
<xsd:sequence> + + <!-- ***** --> + + <xsd:element name="persistence-unit" + minOccurs="1"
maxOccurs="unbounded"> + <xsd:complexType> + <xsd:annotation> + <xsd:documentation> + + Configuration of a persistence unit. + + </xsd:documentation>
+ </xsd:annotation> + <xsd:sequence> + + <!-- ***** --> + + <xsd:element name="description"
type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Description of this persistence unit. + + </xsd:documentation> +
</xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element name="provider"
type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Provider class that supplies EntityManager for this + persistence unit. + +
</xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + + <xsd:element
name="jta-data-source" type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of the JTA datasource
to use. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + +
<xsd:element name="non-jta-data-source" type="xsd:string" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The container-specific name of a
non-JTA datasource to use. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="mapping-file" type="xsd:string" + minOccurs="0"
maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + File containing mapping information. Loaded as a resource + by the persistence
provider. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + +
<xsd:element name="jar-file" type="xsd:string" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Jar file that is to be
scanned for managed classes. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!--
***** --> + + <xsd:element name="class" type="xsd:string" + minOccurs="0"
```


maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + Managed class to be included in the persistence unit and + to scan for annotations. It should be annotated + with either @Entity, @Embeddable or @MappedSuperclass. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="exclude-unlisted-classes" type="xsd:boolean" + default="true" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + When set to true then only listed classes and jars will + be scanned for persistent classes, otherwise the + enclosing jar or directory will also be scanned. + Not applicable to Java SE persistence units. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="shared-cache-mode" + type="persistence:persistence-unit-caching-type" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + Defines whether caching is enabled for the + persistence unit if caching is supported by the + persistence provider. When set to ALL, all entities + will be cached. When set to NONE, no entities will + be cached. When set to ENABLE_SELECTIVE, only entities + specified as cacheable will be cached. When set to + DISABLE_SELECTIVE, entities specified as not cacheable + will not be cached. When not specified or when set to + UNSPECIFIED, provider defaults may apply. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="validation-mode" + type="persistence:persistence-unit-validation-mode-type" + minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + The validation mode to be used for the persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:element> + + <!-- ***** --> + <xsd:element name="properties" minOccurs="0"> + <xsd:annotation> + <xsd:documentation> + + A list of standard and vendor-specific properties + and hints. + + </xsd:documentation> + </xsd:annotation> + <xsd:complexType> + <xsd:sequence> + <xsd:element name="property" + minOccurs="0" maxOccurs="unbounded"> + <xsd:annotation> + <xsd:documentation> + + A name-value pair. + </xsd:documentation> + </xsd:annotation> + <xsd:complexType> + <xsd:attribute name="name" type="xsd:string" + use="required"/> + <xsd:attribute name="value" type="xsd:string" + use="required"/> + </xsd:complexType> + </xsd:element> + </xsd:sequence> + </xsd:element> + + </xsd:sequence> + + <!-- ***** --> + <xsd:attribute name="name" type="xsd:string" use="required"> + <xsd:annotation> + <xsd:documentation> + + Name used in code to reference this persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + <!-- ***** --> + <xsd:attribute name="transaction-type" + type="persistence:persistence-unit-transaction-type"> + <xsd:annotation> + <xsd:documentation> + + Type of transactions used by EntityManager from this + persistence unit. + + </xsd:documentation> + </xsd:annotation> + </xsd:attribute> + + </xsd:complexType> + </xsd:element> + </xsd:sequence> + <xsd:attribute name="version" type="persistence:versionType" + fixed="2.1" use="required"/> + </xsd:complexType> + </xsd:element> + + <!-- ***** --> + <xsd:simpleType name="persistence-unit-transaction-type"> + <xsd:annotation> + <xsd:documentation> + + public enum PersistenceUnitTransactionType { JTA, RESOURCE_LOCAL }; + + </xsd:documentation> + </xsd:annotation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="JTA"/> + <xsd:enumeration value="RESOURCE_LOCAL"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + <xsd:simpleType name="persistence-unit-caching-type"> + <xsd:annotation> + <xsd:documentation> + + public enum SharedCacheMode { ALL, NONE, ENABLE_SELECTIVE, DISABLE_SELECTIVE, UNSPECIFIED }; + + </xsd:documentation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="ALL"/> + <xsd:enumeration value="NONE"/> + <xsd:enumeration value="ENABLE_SELECTIVE"/> + <xsd:enumeration value="DISABLE_SELECTIVE"/> + <xsd:enumeration value="UNSPECIFIED"/> + </xsd:restriction> + </xsd:simpleType> + + <!-- ***** --> + <xsd:simpleType name="persistence-unit-validation-mode-type"> + <xsd:annotation> + <xsd:documentation> + + public enum ValidationMode { AUTO, CALLBACK, NONE }; + + </xsd:documentation> + <xsd:restriction base="xsd:token"> + <xsd:enumeration value="AUTO"/> + <xsd:enumeration value="CALLBACK"/> + <xsd:enumeration value="NONE"/> + </xsd:restriction> + </xsd:simpleType> + + </xsd:schema> diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/jpqleditor/JPQLEditorController.java b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/jpqleditor/JPQLEditorController.java index cbbf278e9..c2b61dc92 100644 --- a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/jpqleditor/JPQLEditorController.java +++ b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/jpqleditor/JPQLEditorController.java @@ -1,43 +1,20 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. * * Copyright 2010 Oracle and/or its affiliates. All rights reserved. * * Oracle and Java are registered trademarks of Oracle and/or its affiliates. * * Other names may be trademarks of their respective owners. * * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License ("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the1 - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" * * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * http://www.apache.org/licenses/LICENSE-2.0 + * Portions Copyrighted 2008 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package org.netbeans.modules.j2ee.persistence.jpqleditor; diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-1.0.xml b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-1.0.xml index f71245174..0f076909a 100644 --- a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-1.0.xml +++ a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-1.0.xml @@ -1,5 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> - <persistence xmlns="http://java.sun.com/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_1_0.xsd" version="1.0"> + <persistence xmlns="http://java.sun.com/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.0.xml b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.0.xml index 808d35803..e558de2b8 100644 --- a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.0.xml +++ a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.0.xml @@ -1,5 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> - <persistence xmlns="http://java.sun.com/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/persistence http://java.sun.com/xml/ns/persistence/persistence_2_0.xsd" version="2.0"> + <persistence xmlns="http://java.sun.com/xml/ns/persistence" diff --git a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.1.xml b/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.1.xml index 1069b3abf..2bf6f0705 100644 --- a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.1.xml +++ a/j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/persistence-2.1.xml @@ -1,5 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> - <persistence xmlns="http://xmlns.jcp.org/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/persistence http://xmlns.jcp.org/xml/ns/persistence/persistence_2_1.xsd" version="2.1"> + <persistence xmlns="http://xmlns.jcp.org/xml/ns/persistence" diff --git a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenWithExistingEM.pass b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenWithExistingEM.pass index 6687474f1..7d429184a 100644 --- a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenWithExistingEM.pass +++ a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenWithExistingEM.pass @@ -1,4 +1,4 @@ public class Test { myEm.getTransaction().rollback(); } } - \ No newline at end of file + } diff --git a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenerate.pass b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenerate.pass index 49f3cc3cf..667a0973a 100644 --- a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenerate.pass +++ a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjEJBTest/testGenerate.pass @@ -1,4 +1,4 @@ -32,4 +32,4 @@

```

public class Test { em.getTransaction().rollback(); } } \ No newline at end of file +} diff --git
a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenWithExistingEMF.pass
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenWithExistingEMF.pass index
49964b978..dc32fcb01 100644 ---
a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenWithExistingEMF.pass +++
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenWithExistingEMF.pass @@ -23,4
+23,4 @@ @ public class Test { em.close(); } } \ No newline at end of file +} diff --git
a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenerate.pass
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenerate.pass index
680704943..1c547dc40 100644 ---
a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenerate.pass +++
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxInjWebTest/testGenerate.pass @@ -24,4 +24,4 @@
public class Test { em.close(); } } \ No newline at end of file +} diff --git
a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenWithExistingEMF.pass
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenWithExistingEMF.pass index
1157a09dc..80e243dc2 100644 ---
a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenWithExistingEMF.pass +++
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenWithExistingEMF.pass @@ -21,4 +21,4
@@ @ public class Test { em.close(); } } \ No newline at end of file +} diff --git
a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenerate.pass
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenerate.pass index 8a47526a7..5f826d95f
100644 --- a/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenerate.pass +++
b/j2ee.persistence/test/unit/data/goldenfiles/org/netbeans/modules/j2ee/persistence/action/AppMgdResTxJ2SETest/testGenerate.pass @@ -21,4 +21,4 @@ @ public
class Test { em.close(); } } \ No newline at end of file +} diff --git a/j2ee.persistence/test/unit/data/invalid_persistence.xml
b/j2ee.persistence/test/unit/data/invalid_persistence.xml index 2aa8cfcfb4..7f81b2030 100644 --- a/j2ee.persistence/test/unit/data/invalid_persistence.xml +++
b/j2ee.persistence/test/unit/data/invalid_persistence.xml @@ -1,6 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <persistence-unit name="JavaApplication10PU"
transaction-type="RESOURCE_LOCAL"> diff --git a/j2ee.persistence/test/unit/data/persistence.xml
b/j2ee.persistence/test/unit/data/persistence.xml index e3572737c..00f05fcdc 100644 --- a/j2ee.persistence/test/unit/data/persistence.xml +++
b/j2ee.persistence/test/unit/data/persistence.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + --> <persistence-unit name="em" transaction-type="JTA"> <jta-data-source>jdbc/___default</jta-data-source> diff --
git a/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/entitygenerator/Issue92031.dbschema
b/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/entitygenerator/Issue92031.dbschema index 7f9a408ae..d987f4a0c 100644 ---
a/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/entitygenerator/Issue92031.dbschema +++
b/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/entitygenerator/Issue92031.dbschema @@ -1,5 +1,24 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at +
http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + --> <OBJECT CLASS="com.sun.orte4j.modules.dbmodel.SchemaElement"
ID="org.netbeans.modules.dbschema.SchemaElement-729775034"> <impl> <OBJECT
CLASS="com.sun.orte4j.modules.dbmodel.jdbcimpl.SchemaElementImpl" ID="org.netbeans.modules.dbschema.jdbcimpl.SchemaElementImpl6016694"> diff --
git a/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/wizard/fromdb/sampledbs.dbschema
b/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/wizard/fromdb/sampledbs.dbschema index 1dc686863..47ba8aa5c 100644 ---
a/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/wizard/fromdb/sampledbs.dbschema +++
b/j2ee.persistence/test/unit/src/org/netbeans/modules/j2ee/persistence/wizard/fromdb/sampledbs.dbschema @@ -1,5 +1,24 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at +
http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + --> <OBJECT CLASS="com.sun.orte4j.modules.dbmodel.SchemaElement"
ID="org.netbeans.modules.dbschema.SchemaElement1975566248"> <impl> <OBJECT
CLASS="com.sun.orte4j.modules.dbmodel.jdbcimpl.SchemaElementImpl" ID="org.netbeans.modules.dbschema.jdbcimpl.SchemaElementImpl5527342"> diff --
git a/java.api.common/test/unit/src/org/netbeans/modules/java/api/common/queries/MultiModuleGroupQueryImplTest.java
b/java.api.common/test/unit/src/org/netbeans/modules/java/api/common/queries/MultiModuleGroupQueryImplTest.java index eefb11303..2885eaeaf 100644 ---
a/java.api.common/test/unit/src/org/netbeans/modules/java/api/common/queries/MultiModuleGroupQueryImplTest.java +++
b/java.api.common/test/unit/src/org/netbeans/modules/java/api/common/queries/MultiModuleGroupQueryImplTest.java @@ -1,3 +1,21 @@ @ +/** + * Licensed to
the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional
information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use
this file except in compliance + * with the License. You may obtain a copy of the License at + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless
required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under
the License. + */ package org.netbeans.modules.java.api.common.queries; import static junit.framework.TestCase.assertTrue; @@ -18,47 +36,6 @@ import
org.openide.filesystems.FileUtil; import org.openide.util.test.MockLookup; /* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS
HEADER. - * - * Copyright 2017 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - *
Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License
Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in
compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP.
See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License
Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the
"Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following
below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of
copyright owner]" - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - *
"[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of
license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its

```

licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. - * - * Contributor(s): - * - * Portions Copyrighted 2017 Sun Microsystems, Inc. - */ /** diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/AdvancedMethodBody.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/AdvancedMethodBody.java index 5f6897145..fa182c684 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/AdvancedMethodBody.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/AdvancedMethodBody.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ + package test; public class Test { diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorNonDefaultConstructor.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorNonDefaultConstructor.java index 0cefc11c0..2f051e5d0 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorNonDefaultConstructor.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorNonDefaultConstructor.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ + package org.netbeans.modules.java.editor.completion.ElementCreatingJavaCompletionProviderTest; import java.util.HashMap; diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorTest.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorTest.java index 73ff1d24b..cc00663ee 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorTest.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorTest.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ + package test; import java.util.HashMap; diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithConstructors.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithConstructors.java index e073838fb..4f8368901 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithConstructors.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithConstructors.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ + package org.netbeans.modules.java.editor.completion.ElementCreatingJavaCompletionProviderTest; import java.util.HashMap; diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithDefaultConstructor.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithDefaultConstructor.java index 9d44ea381..3f25031e5 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithDefaultConstructor.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/CreateConstructorWithDefaultConstructor.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Empty.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Empty.java index e69de29bb..51da6c0f2 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Empty.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Empty.java @@ -0,0 +1,18 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Field.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Field.java index 08df4f372..6eefac6d9 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Field.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/Field.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/FieldNoInit.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/FieldNoInit.java index c56d131f7..f253eb8ed 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/FieldNoInit.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/FieldNoInit.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ + package test; public class Test { diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/For.java b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/For.java index b65d33ce1..c5d7931ff 100644 --- a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/For.java +++ b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/For.java @@ -1,3 +1,22 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the

[illegible]

[illegible]

[illegible]


```
License. + */ + package test; import java.io.File; diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/TWRStart.java
b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/TWRStart.java index 8a9fadd4c..96cbd5641 100644 ---
a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/TWRStart.java +++
b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/TWRStart.java @@ -1,3 +1,22 @@ +/* + * Licensed to the Apache Software
Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + *
regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in
compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by
applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the
License. + */ + package test; import java.io.File; diff --git a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/UnimplementedMethod.java
b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/UnimplementedMethod.java index 4ce75901f..6e79e0d05 100644 ---
a/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/UnimplementedMethod.java +++
b/java.completion/test/unit/data/org/netbeans/modules/java/completion/data/UnimplementedMethod.java @@ -1,3 +1,22 @@ +/* + * Licensed to the Apache
Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + *
regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except
in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by
applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the
License. + */ + package test; public class Test implements Runnable { diff --git
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask15FeaturesTest.java
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask15FeaturesTest.java index c93a198aa..afc422b4f 100644 ---
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask15FeaturesTest.java +++
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask15FeaturesTest.java @@ -32,218 +32,218 @@ public
JavaCompletionTask15FeaturesTest(String testName) { // Java 1.5 generics tests ----- public void
testEmptyFileBeforeTypingFirstTypeParam() throws Exception { - performTest("GenericsStart", 32, "<", "empty.pass"); + performTest("GenericsStart", 842, "<",
"empty.pass"); + public void testBeforeTypingFirstTypeParam() throws Exception { - performTest("GenericsNoTypeParams", 32, "<", "empty.pass"); +
performTest("GenericsNoTypeParams", 842, "<", "empty.pass"); + public void testBeforeFirstTypeParam() throws Exception { - performTest("Generics", 33, null,
"empty.pass"); + performTest("Generics", 843, null, "empty.pass"); + public void testEmptyFileTypingFirstTypeParam() throws Exception { -
performTest("GenericsStart", 32, "<X", "empty.pass"); + performTest("GenericsStart", 842, "<X", "empty.pass"); + public void testTypingFirstTypeParam() throws
Exception { - performTest("GenericsNoTypeParams", 32, "<X", "empty.pass"); + performTest("GenericsNoTypeParams", 842, "<X", "empty.pass"); + public void
testOnFirstTypeParam() throws Exception { - performTest("Generics", 34, null, "empty.pass"); + performTest("Generics", 844, null, "empty.pass"); + public void
testEmptyFileAfterTypingFirstTypeParamAndSpace() throws Exception { - performTest("GenericsStart", 32, "<X ", "extendsKeyword.pass"); +
performTest("GenericsStart", 842, "<X ", "extendsKeyword.pass"); + public void testAfterTypingFirstTypeParamAndSpace() throws Exception { -
performTest("GenericsNoTypeParams", 32, "<X ", "extendsKeyword.pass"); + performTest("GenericsNoTypeParams", 842, "<X ", "extendsKeyword.pass"); + public void
testAfterFirstTypeParamAndSpace() throws Exception { - performTest("Generics", 35, null, "extendsKeyword.pass"); + performTest("Generics", 845, null,
"extendsKeyword.pass"); + public void testEmptyFileTypingExtendsInFirstTypeParam() throws Exception { - performTest("GenericsStart", 32, "<X e",
"extendsKeyword.pass"); + performTest("GenericsStart", 842, "<X e", "extendsKeyword.pass"); + public void testTypingExtendsInFirstTypeParam() throws
Exception { - performTest("GenericsNoTypeParams", 32, "<X e", "extendsKeyword.pass"); + performTest("GenericsNoTypeParams", 842, "<X e",
"extendsKeyword.pass"); + public void testOnExtendsInFirstTypeParam() throws Exception { - performTest("Generics", 36, null, "extendsKeyword.pass"); +
performTest("Generics", 846, null, "extendsKeyword.pass"); + public void testEmptyFileAfterTypingExtendsInFirstTypeParam() throws Exception { -
performTest("GenericsStart", 32, "<X extends", "extendsKeyword.pass"); + performTest("GenericsStart", 842, "<X extends", "extendsKeyword.pass"); + public void
testAfterTypingExtendsInFirstTypeParam() throws Exception { - performTest("GenericsNoTypeParams", 32, "<X extends", "extendsKeyword.pass"); +
performTest("GenericsNoTypeParams", 842, "<X extends", "extendsKeyword.pass"); + public void testAfterExtendsInFirstTypeParam() throws Exception { -
performTest("Generics", 42, null, "extendsKeyword.pass"); + performTest("Generics", 852, null, "extendsKeyword.pass"); + public void
testEmptyFileAfterTypingExtendsAndSpaceInFirstTypeParam() throws Exception { - performTest("GenericsStart", 32, "<X extends ",
"javaLangContentAndTestClass.pass"); + performTest("GenericsStart", 842, "<X extends ", "javaLangContentAndTestClass.pass"); + public void
testAfterTypingExtendsAndSpaceInFirstTypeParam() throws Exception { - performTest("GenericsNoTypeParams", 32, "<X extends ",
"javaLangContentAndTestClass.pass"); + performTest("GenericsNoTypeParams", 842, "<X extends ", "javaLangContentAndTestClass.pass"); + public void
testAfterExtendsAndSpaceInFirstTypeParam() throws Exception { - performTest("Generics", 43, null, "javaLangContentAndTestClass.pass"); +
performTest("Generics", 853, null, "javaLangContentAndTestClass.pass"); + public void testEmptyFileAfterTypingBoundedFirstTypeParamAndSpace() throws
Exception { - performTest("GenericsStart", 32, "<X extends Number ", "empty.pass"); + performTest("GenericsStart", 842, "<X extends Number ",
"empty.pass"); + public void testAfterTypingBoundedFirstTypeParamAndSpace() throws Exception { - performTest("GenericsNoTypeParams", 32, "<X extends Number ",
"empty.pass"); + performTest("GenericsNoTypeParams", 842, "<X extends Number ", "empty.pass"); + public void testAfterBoundedFirstTypeParamAndSpace()
throws Exception { - performTest("Generics", 49, " ", "empty.pass"); + performTest("Generics", 859, " ", "empty.pass"); + public void
testEmptyFileAfterTypingFirstTypeParam() throws Exception { - performTest("GenericsStart", 32, "<X extends Number", "empty.pass"); +
performTest("GenericsStart", 842, "<X extends Number", "empty.pass"); + public void testAfterTypingFirstTypeParam() throws Exception { -
performTest("GenericsNoTypeParams", 32, "<X extends Number", "empty.pass"); + performTest("GenericsNoTypeParams", 842, "<X extends Number",
"empty.pass"); + public void testAfterFirstTypeParam() throws Exception { - performTest("Generics", 50, null, "empty.pass"); + performTest("Generics", 860, null,
"empty.pass"); + public void testEmptyFileAfterTypingTypeParams() throws Exception { - performTest("GenericsStart", 32, "<X extends Number, Y extends
RuntimeException>", "extendsAndImplementsKeywords.pass"); + performTest("GenericsStart", 842, "<X extends Number, Y extends RuntimeException>",
"extendsAndImplementsKeywords.pass"); + public void testAfterTypingTypeParams() throws Exception { - performTest("GenericsNoTypeParams", 32, "<X
extends Number, Y extends RuntimeException>", "extendsAndImplementsKeywords.pass"); + performTest("GenericsNoTypeParams", 842, "<X extends Number,
Y extends RuntimeException>", "extendsAndImplementsKeywords.pass"); + public void testAfterTypeParams() throws Exception { - performTest("Generics", 78,
null, "extendsAndImplementsKeywords.pass"); + performTest("Generics", 888, null, "extendsAndImplementsKeywords.pass"); + public void
testEmptyFileBeforeTypingFirstMethodTypeParam() throws Exception { - performTest("MethodStart", 40, "public <", "empty.pass"); +
performTest("MethodStart", 850, "public <", "empty.pass"); + public void testBeforeTypingFirstMethodTypeParam() throws Exception { -
performTest("GenericsMethodNoTypeParams", 47, "<", "empty.pass"); + performTest("GenericsMethodNoTypeParams", 857, "<", "empty.pass"); + public void
testBeforeFirstMethodTypeParam() throws Exception { - performTest("GenericsMethod", 48, null, "empty.pass"); + performTest("GenericsMethod", 858, null,
"empty.pass"); + public void testEmptyFileTypingFirstMethodTypeParam() throws Exception { - performTest("MethodStart", 40, "public <X", "empty.pass"); +
performTest("MethodStart", 850, "public <X", "empty.pass"); + public void testTypingFirstMethodTypeParam() throws Exception { -
performTest("GenericsMethodNoTypeParams", 47, "<X", "empty.pass"); + performTest("GenericsMethodNoTypeParams", 857, "<X", "empty.pass"); + public void
testOnFirstMethodTypeParam() throws Exception { - performTest("GenericsMethod", 49, null, "empty.pass"); + performTest("GenericsMethod", 859, null,
"empty.pass"); + public void testEmptyFileAfterTypingFirstMethodTypeParamAndSpace() throws Exception { - performTest("MethodStart", 40, "public <X ",
"extendsKeyword.pass"); + performTest("MethodStart", 850, "public <X ", "extendsKeyword.pass"); + public void
testAfterTypingFirstMethodTypeParamAndSpace() throws Exception { - performTest("GenericsMethodNoTypeParams", 47, "<X ", "extendsKeyword.pass"); +
performTest("GenericsMethodNoTypeParams", 857, "<X ", "extendsKeyword.pass"); + public void testAfterFirstMethodTypeParamAndSpace() throws Exception { -
performTest("GenericsMethod", 50, null, "extendsKeyword.pass"); + performTest("GenericsMethod", 860, null, "extendsKeyword.pass"); + public void
testEmptyFileTypingExtendsInFirstMethodTypeParam() throws Exception { - performTest("MethodStart", 40, "public <X e", "extendsKeyword.pass"); +
performTest("MethodStart", 850, "public <X e", "extendsKeyword.pass"); + public void testTypingExtendsInFirstMethodTypeParam() throws Exception { -
performTest("GenericsMethodNoTypeParams", 47, "<X e", "extendsKeyword.pass"); + performTest("GenericsMethodNoTypeParams", 857, "<X e",
"extendsKeyword.pass"); + public void testOnExtendsInFirstMethodTypeParam() throws Exception { - performTest("GenericsMethod", 51, null,
"extendsKeyword.pass"); + performTest("GenericsMethod", 861, null, "extendsKeyword.pass"); + public void
testEmptyFileAfterTypingExtendsInFirstMethodTypeParam() throws Exception { - performTest("MethodStart", 40, "public <X extends", "extendsKeyword.pass"); +
performTest("MethodStart", 850, "public <X extends", "extendsKeyword.pass"); + public void testAfterTypingExtendsInFirstMethodTypeParam() throws
Exception { - performTest("GenericsMethodNoTypeParams", 47, "<X extends", "extendsKeyword.pass"); + performTest("GenericsMethodNoTypeParams", 857, "<X
extends", "extendsKeyword.pass"); + public void testAfterExtendsInFirstMethodTypeParam() throws Exception { - performTest("GenericsMethod", 57, null,
"extendsKeyword.pass"); + performTest("GenericsMethod", 867, null, "extendsKeyword.pass"); + public void
testEmptyFileAfterTypingExtendsAndSpaceInFirstMethodTypeParam() throws Exception { - performTest("MethodStart", 40, "public <X extends ",
"extendsKeyword.pass"); + performTest("MethodStart", 40, "public <X extends ",
```

```

"javaLangContentAndTestClass.pass"); + performTest("MethodStart", 850, "public <X extends ", "javaLangContentAndTestClass.pass"); } public void
testAfterTypingExtendsAndSpaceInFirstMethodTypeParam() throws Exception { - performTest("GenericsMethodNoTypeParams", 47, "<X extends ",
"javaLangContentAndTestClass.pass"); + performTest("GenericsMethodNoTypeParams", 857, "<X extends ", "javaLangContentAndTestClass.pass"); } public
void testAfterExtendsAndSpaceInFirstMethodTypeParam() throws Exception { - performTest("GenericsMethod", 58, null, "javaLangContentAndTestClass.pass");
+ performTest("GenericsMethod", 868, null, "javaLangContentAndTestClass.pass"); } public void
testEmptyFileAfterTypingBoundedFirstMethodTypeParamAndSpace() throws Exception { - performTest("MethodStart", 40, "public <X extends Number ",
"empty.pass"); + performTest("MethodStart", 850, "public <X extends Number ", "empty.pass"); } public void
testAfterTypingBoundedFirstMethodTypeParamAndSpace() throws Exception { - performTest("GenericsMethodNoTypeParams", 47, "<X extends Number ",
"empty.pass"); + performTest("GenericsMethodNoTypeParams", 857, "<X extends Number ", "empty.pass"); } public void
testAfterBoundedFirstMethodTypeParamAndSpace() throws Exception { - performTest("Generics", 64, " ", "empty.pass"); + performTest("Generics", 874, " ",
"empty.pass"); } public void testEmptyFileAfterTypingFirstMethodTypeParam() throws Exception { - performTest("MethodStart", 40, "public <X extends
Number,", "empty.pass"); + performTest("MethodStart", 850, "public <X extends Number,", "empty.pass"); } public void testAfterTypingFirstMethodTypeParam()
throws Exception { - performTest("GenericsMethodNoTypeParams", 47, "<X extends Number,", "empty.pass"); + performTest("GenericsMethodNoTypeParams",
857, "<X extends Number,", "empty.pass"); } public void testAfterFirstMethodTypeParam() throws Exception { - performTest("GenericsMethod", 65, null,
"empty.pass"); + performTest("GenericsMethod", 875, null, "empty.pass"); } public void testEmptyFileAfterTypingMethodTypeParams() throws Exception { -
performTest("MethodStart", 40, "public <X extends Number, Y extends RuntimeException>", "returnTypes.pass"); + performTest("MethodStart", 850, "public <X
extends Number, Y extends RuntimeException>", "returnTypes.pass"); } public void testAfterTypingMethodTypeParams() throws Exception { -
performTest("GenericsMethodNoTypeParams", 47, "<X extends Number, Y extends RuntimeException>", "returnTypes.pass"); +
performTest("GenericsMethodNoTypeParams", 857, "<X extends Number, Y extends RuntimeException>", "returnTypes.pass"); } public void
testAfterMethodTypeParams() throws Exception { - performTest("GenericsMethod", 93, null, "returnTypes.pass"); + performTest("GenericsMethod", 903, null,
"returnTypes.pass"); } } diff --git a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask17FeaturesTest.java
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask17FeaturesTest.java index a8eed7006..0c85835a2 100644 ---
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask17FeaturesTest.java +++
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask17FeaturesTest.java @@ -33,87 +33,87 @@ public
JavaCompletionTask17FeaturesTest(String testName) { // Java 1.7 try-with-resources tests ----- public void
testEmptyFileBeforeTypingVarResource() throws Exception { - performTest("TWRStart", 114, "try (", "finalAndAutoCloseables.pass", "1.7"); +
performTest("TWRStart", 924, "try (", "finalAndAutoCloseables.pass", "1.7"); } public void testBeforeTypingVarResource() throws Exception { -
performTest("TWRNoRes", 127, null, "finalAndAutoCloseables.pass", "1.7"); + performTest("TWRNoRes", 937, null, "finalAndAutoCloseables.pass", "1.7"); }
public void testBeforeVarResource() throws Exception { - performTest("TWR", 127, null, "finalAndAutoCloseables.pass", "1.7"); + performTest("TWR", 937, null,
"finalAndAutoCloseables.pass", "1.7"); } public void testEmptyFileTypingVarResource() throws Exception { - performTest("TWRStart", 114, "try (f",
"finalKeyword.pass", "1.7"); + performTest("TWRStart", 924, "try (f", "finalKeyword.pass", "1.7"); } public void testTypingVarResource() throws Exception { -
performTest("TWRNoRes", 127, "f", "finalKeyword.pass", "1.7"); + performTest("TWRNoRes", 937, "f", "finalKeyword.pass", "1.7"); } public void
testOnVarResource() throws Exception { - performTest("TWR", 128, null, "finalKeyword.pass", "1.7"); + performTest("TWR", 938, null, "finalKeyword.pass",
"1.7"); } public void testEmptyFileAfterFinalInResource() throws Exception { - performTest("TWRStart", 114, "try (final ", "autoCloseables.pass", "1.7"); +
performTest("TWRStart", 924, "try (final ", "autoCloseables.pass", "1.7"); } public void testTypingAfterFinalInResource() throws Exception { -
performTest("TWRNoRes", 127, "final ", "autoCloseables.pass", "1.7"); + performTest("TWRNoRes", 937, "final ", "autoCloseables.pass", "1.7"); } public void
testAfterFinalInResource() throws Exception { - performTest("TWR", 133, null, "autoCloseables.pass", "1.7"); + performTest("TWR", 943, null,
"autoCloseables.pass", "1.7"); } public void testEmptyFileTypingTypeInVarResource() throws Exception { - performTest("TWRStart", 114, "try (final F",
"autoCloseablesStartingWithF.pass", "1.7"); + performTest("TWRStart", 924, "try (final F", "autoCloseablesStartingWithF.pass", "1.7"); } public void
testTypingTypeInVarResource() throws Exception { - performTest("TWRNoRes", 127, "final F", "autoCloseablesStartingWithF.pass", "1.7"); +
performTest("TWRNoRes", 937, "final F", "autoCloseablesStartingWithF.pass", "1.7"); } public void testOnTypeInVarResource() throws Exception { -
performTest("TWR", 134, null, "autoCloseablesStartingWithF.pass", "1.7"); + performTest("TWR", 944, null, "autoCloseablesStartingWithF.pass", "1.7"); } public
void testEmptyFileBeforeTypingNameInVarResource() throws Exception { - performTest("TWRStart", 114, "try (final FileWriter ", "resourceNames.pass", "1.7");
+ performTest("TWRStart", 924, "try (final FileWriter ", "resourceNames.pass", "1.7"); } public void testBeforeTypingNameInVarResource() throws Exception { -
performTest("TWRNoRes", 127, "final FileWriter ", "resourceNames.pass", "1.7"); + performTest("TWRNoRes", 937, "final FileWriter ", "resourceNames.pass",
"1.7"); } public void testBeforeNameInVarResource() throws Exception { - performTest("TWR", 144, null, "resourceNames.pass", "1.7"); + performTest("TWR",
954, null, "resourceNames.pass", "1.7"); } public void testEmptyFileAfterTypingNameInVarResource() throws Exception { - performTest("TWRStart", 114, "try
(final FileWriter fw ", "empty.pass", "1.7"); + performTest("TWRStart", 924, "try (final FileWriter fw ", "empty.pass", "1.7"); } public void
testAfterTypingNameInVarResource() throws Exception { - performTest("TWRNoRes", 127, "final FileWriter fw ", "empty.pass", "1.7"); +
performTest("TWRNoRes", 937, "final FileWriter fw ", "empty.pass", "1.7"); } public void testAfterNameInVarResource() throws Exception { -
performTest("TWR", 147, null, "empty.pass", "1.7"); + performTest("TWR", 957, null, "empty.pass", "1.7"); } public void testEmptyFileBeforeVarResourceInit()
throws Exception { - performTest("TWRStart", 114, "try (final FileWriter fw = ", "resourceInit.pass", "1.7"); + performTest("TWRStart", 924, "try (final
FileWriter fw = ", "resourceInit.pass", "1.7"); } public void testBeforeTypingVarResourceInit() throws Exception { - performTest("TWRNoRes", 127, "final
FileWriter fw = ", "resourceInit.pass", "1.7"); + performTest("TWRNoRes", 937, "final FileWriter fw = ", "resourceInit.pass", "1.7"); } public void
testBeforeVarResourceInit() throws Exception { - performTest("TWR", 149, null, "resourceInit.pass", "1.7"); + performTest("TWR", 959, null, "resourceInit.pass",
"1.7"); } static { diff --git a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask18FeaturesTest.java
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask18FeaturesTest.java index c8f61800e..516ca8c84 100644 ---
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask18FeaturesTest.java +++
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask18FeaturesTest.java @@ -33,305 +33,305 @@ public
JavaCompletionTask18FeaturesTest(String testName) { // Java 1.8 default method tests ----- public void
testEmptyFileBeforeTypingDefaultModifier() throws Exception { - performTest("Empty", 0, "package test;\ninterface Test {",
"interfaceMemberModifiersAndTypes.pass", "1.8"); + performTest("Empty", 809, "package test;\ninterface Test {", "interfaceMemberModifiersAndTypes.pass",
"1.8"); } public void testBeforeTypingDefaultModifier() throws Exception { - performTest("SimpleInterfaceNoExtends", 31, null,
"interfaceMemberModifiersAndTypes.pass", "1.8"); + performTest("SimpleInterfaceNoExtends", 841, null, "interfaceMemberModifiersAndTypes.pass", "1.8"); }
public void testBeforeDefaultModifier() throws Exception { - performTest("Interface", 37, null, "interfaceMemberModifiersAndTypes.pass", "1.8"); +
performTest("Interface", 847, null, "interfaceMemberModifiersAndTypes.pass", "1.8"); } public void testEmptyFileTypingDefaultModifier() throws Exception { -
performTest("Empty", 0, "package test;\ninterface Test {\nde", "defaultKeyword.pass", "1.8"); + performTest("Empty", 809, "package test;\ninterface Test {\nde",
"defaultKeyword.pass", "1.8"); } public void testTypingDefaultModifier() throws Exception { - performTest("SimpleInterfaceNoExtends", 31, "\nde",
"defaultKeyword.pass", "1.8"); + performTest("SimpleInterfaceNoExtends", 841, "\nde", "defaultKeyword.pass", "1.8"); } public void testOnDefaultModifier()
throws Exception { - performTest("Interface", 39, null, "defaultKeyword.pass", "1.8"); + performTest("Interface", 849, null, "defaultKeyword.pass", "1.8"); }
public void testEmptyFileAfterTypingDefaultModifier() throws Exception { - performTest("Empty", 0, "package test;\ninterface Test {\ndefault ",
"interfaceMemberModifiersAndTypesWithoutDefaultAbstractAndStatic.pass", "1.8"); + performTest("Empty", 809, "package test;\ninterface Test {\ndefault ",
"interfaceMemberModifiersAndTypesWithoutDefaultAbstractAndStatic.pass", "1.8"); } public void testAfterTypingDefaultModifier() throws Exception { -
performTest("SimpleInterfaceNoExtends", 31, "\ndefault ", "interfaceMemberModifiersAndTypesWithoutDefaultAbstractAndStatic.pass", "1.8"); +
performTest("SimpleInterfaceNoExtends", 841, "\ndefault ", "interfaceMemberModifiersAndTypesWithoutDefaultAbstractAndStatic.pass", "1.8"); } public void
testAfterDefaultModifier() throws Exception { - performTest("Interface", 45, null, "interfaceMemberModifiersAndTypesWithoutDefaultAbstractAndStatic.pass",
"1.8"); + performTest("Interface", 855, null, "interfaceMemberModifiersAndTypesWithoutDefaultAbstractAndStatic.pass", "1.8"); } public void
testEmptyFileAfterTypingStaticModifier() throws Exception { - performTest("Empty", 0, "package test;\ninterface Test {\nstatic ",
"memberModifiersAndTypesWithoutStatic.pass", "1.8"); + performTest("Empty", 809, "package test;\ninterface Test {\nstatic ",
"memberModifiersAndTypesWithoutStatic.pass", "1.8"); } public void testAfterTypingStaticModifier() throws Exception { -
performTest("SimpleInterfaceNoExtends", 31, "\nstatic ", "memberModifiersAndTypesWithoutStatic.pass", "1.8"); + performTest("SimpleInterfaceNoExtends",
841, "\nstatic ", "memberModifiersAndTypesWithoutStatic.pass", "1.8"); } public void testAfterStaticModifier() throws Exception { - performTest("Interface",
102, null, "memberModifiersAndTypesWithoutStatic.pass", "1.8"); + performTest("Interface", 912, null, "memberModifiersAndTypesWithoutStatic.pass", "1.8"); }
public void testEmptyFileTypingDefaultMethodBody() throws Exception { - performTest("Empty", 0, "package test;\ninterface Test {\ndefault String name() {",
"typesInterfaceMembersAndVars1.pass", "1.8"); + performTest("Empty", 809, "package test;\ninterface Test {\ndefault String name() {",
"typesInterfaceMembersAndVars1.pass", "1.8"); } public void testTypingDefaultMethodBody() throws Exception { - performTest("SimpleInterfaceNoExtends",
31, "\ndefault String name() {", "typesInterfaceMembersAndVars1.pass", "1.8"); + performTest("SimpleInterfaceNoExtends", 841, "\ndefault String name() {",
"typesInterfaceMembersAndVars1.pass", "1.8"); } public void testInsideDefaultMethodBody() throws Exception { - performTest("Interface", 69, null,

```



```

"lambdaBodyContentWithLocalVar.pass", "1.8"); + performTest("SimpleLambdaExpressionEmptyMethodBody", 1005, "t.test(s -> {int i; ",
"lambdaBodyContentWithLocalVar.pass", "1.8"); } public void testAfterLocalVarInLambdaBlock() throws Exception { -
performTest("SimpleLambdaExpression", 272, "int i; ", "lambdaBodyContentWithLocalVar.pass", "1.8"); + performTest("SimpleLambdaExpression", 1082, "int i;
", "lambdaBodyContentWithLocalVar.pass", "1.8"); } public void testEmptyFileTypingReturnFromLambdaBlock() throws Exception { -
performTest("SimpleLambdaExpressionStart", 195, "t.test(s -> {return ", "lambdaSmartInt.pass", "1.8"); + performTest("SimpleLambdaExpressionStart", 1005,
"t.test(s -> {return ", "lambdaSmartInt.pass", "1.8"); } public void testTypingReturnFromLambdaBlock() throws Exception { -
performTest("SimpleLambdaExpressionEmptyMethodBody", 195, "t.test(s -> {return ", "lambdaSmartInt.pass", "1.8"); +
performTest("SimpleLambdaExpressionEmptyMethodBody", 1005, "t.test(s -> {return ", "lambdaSmartInt.pass", "1.8"); } public void
testAfterReturnFromLambdaBlock() throws Exception { - performTest("SimpleLambdaExpression", 315, null, "lambdaSmartInt.pass", "1.8"); +
performTest("SimpleLambdaExpression", 1125, null, "lambdaSmartInt.pass", "1.8"); } public void testEmptyFileTypingReturnFromTypedLambdaBlock() throws
Exception { - performTest("SimpleLambdaExpressionStart", 195, "t.test((String s) -> {return ", "lambdaSmartInt.pass", "1.8"); +
performTest("SimpleLambdaExpressionStart", 1005, "t.test((String s) -> {return ", "lambdaSmartInt.pass", "1.8"); } public void
testTypingReturnFromTypedLambdaBlock() throws Exception { - performTest("SimpleLambdaExpressionEmptyMethodBody", 195, "t.test((String s) -> {return ",
"lambdaSmartInt.pass", "1.8"); + performTest("SimpleLambdaExpressionEmptyMethodBody", 1005, "t.test((String s) -> {return ", "lambdaSmartInt.pass", "1.8");
} public void testAfterReturnFromTypedLambdaBlock() throws Exception { - performTest("SimpleLambdaExpression", 279, null, "lambdaSmartInt.pass", "1.8");
+ performTest("SimpleLambdaExpression", 1089, null, "lambdaSmartInt.pass", "1.8"); } public void testMoreCandidatesEmptyFileAfterTypingLambdaArrow()
throws Exception { - performTest("LambdaExpressionStart", 293, "t.test(s -> ", "lambdaExpression.pass", "1.8"); + performTest("LambdaExpressionStart", 1103,
"t.test(s -> ", "lambdaExpression.pass", "1.8"); } public void testMoreCandidatesAfterTypingLambdaArrow() throws Exception { -
performTest("LambdaExpressionEmptyMethodBody", 293, "t.test(s -> ", "lambdaExpression.pass", "1.8"); +
performTest("LambdaExpressionEmptyMethodBody", 1103, "t.test(s -> ", "lambdaExpression.pass", "1.8"); } public void
testMoreCandidatesAfterLambdaArrow() throws Exception { - performTest("LambdaExpression", 313, null, "lambdaSmartInt2.pass", "1.8"); +
performTest("LambdaExpression", 1123, null, "lambdaSmartInt2.pass", "1.8"); } public void testMoreCandidatesEmptyFileTypingReturnFromLambdaBlock()
throws Exception { - performTest("LambdaExpressionStart", 293, "t.test(s -> {return ", "lambdaExpression.pass", "1.8"); + performTest("LambdaExpressionStart",
1103, "t.test(s -> {return ", "lambdaExpression.pass", "1.8"); } public void testMoreCandidatesTypingReturnFromLambdaBlock() throws Exception { -
performTest("LambdaExpressionEmptyMethodBody", 293, "t.test(s -> {return ", "lambdaExpression.pass", "1.8"); +
performTest("LambdaExpressionEmptyMethodBody", 1103, "t.test(s -> {return ", "lambdaExpression.pass", "1.8"); } public void
testMoreCandidatesAfterReturnFromLambdaBlock() throws Exception { - performTest("LambdaExpression", 350, null, "lambdaSmartInt2.pass", "1.8"); +
performTest("LambdaExpression", 1160, null, "lambdaSmartInt2.pass", "1.8"); } static { diff --git
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask19FeaturesTest.java
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask19FeaturesTest.java index 319022406..a8ed34e6e 100644 ---
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask19FeaturesTest.java +++
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTask19FeaturesTest.java @@ -33,51 +33,51 @@ public
JavaCompletionTask19FeaturesTest(String testName) { // Java 1.9 try-with-resources tests ----- public void
testEmptyFileBeforeTypingExistingVarResource() throws Exception { - performTest("SimpleTWRStart", 139, "try (", "resourcesAndAutoCloseables.pass", "1.9");
+ performTest("SimpleTWRStart", 949, "try (", "resourcesAndAutoCloseables.pass", "1.9"); } public void testBeforeTypingExistingVarResource() throws
Exception { - performTest("SimpleTWRNoRes", 144, null, "resourcesAndAutoCloseables.pass", "1.9"); + performTest("SimpleTWRNoRes", 954, null,
"resourcesAndAutoCloseables.pass", "1.9"); } public void testBeforeExistingVarResource() throws Exception { - performTest("SimpleTWR", 172, null,
"resourcesAndAutoCloseables.pass", "1.9"); + performTest("SimpleTWR", 982, null, "resourcesAndAutoCloseables.pass", "1.9"); } public void
testEmptyFileTypingExistingVarResource() throws Exception { - performTest("SimpleTWRStart", 139, "try (f", "finalKeyword.pass", "1.9"); +
performTest("SimpleTWRStart", 949, "try (f", "finalKeyword.pass", "1.9"); } public void testTypingExistingVarResource() throws Exception { -
performTest("SimpleTWRNoRes", 144, "f", "finalKeyword.pass", "1.9"); + performTest("SimpleTWRNoRes", 954, "f", "finalKeyword.pass", "1.9"); } public
void testOnExistingVarResource() throws Exception { - performTest("SimpleTWR", 173, null, "finalKeyword.pass", "1.9"); + performTest("SimpleTWR", 983,
null, "finalKeyword.pass", "1.9"); } public void testEmptyFileAfterTypingExistingVarResource() throws Exception { - performTest("SimpleTWRStart", 139, "try
(fw ", "empty.pass", "1.9"); + performTest("SimpleTWRStart", 949, "try (fw ", "empty.pass", "1.9"); } public void testAfterTypingExistingVarResource() throws
Exception { - performTest("SimpleTWRNoRes", 144, "fw ", "empty.pass", "1.9"); + performTest("SimpleTWRNoRes", 954, "fw ", "empty.pass", "1.9"); } public
void testAfterExistingVarResource() throws Exception { - performTest("SimpleTWR", 174, "", "empty.pass", "1.9"); + performTest("SimpleTWR", 984, "",
"empty.pass", "1.9"); } public void testEmptyFileBeforeTypingNewVarResource() throws Exception { - performTest("SimpleTWRStart", 139, "try (fw;",
"resourcesAndAutoCloseables.pass", "1.9"); + performTest("SimpleTWRStart", 949, "try (fw;", "resourcesAndAutoCloseables.pass", "1.9"); } public void
testBeforeTypingNewVarResource() throws Exception { - performTest("SimpleTWRNoRes", 144, "fw;", "resourcesAndAutoCloseables.pass", "1.9"); +
performTest("SimpleTWRNoRes", 954, "fw;", "resourcesAndAutoCloseables.pass", "1.9"); } public void testBeforeNewVarResource() throws Exception { -
performTest("SimpleTWR", 175, null, "resourcesAndAutoCloseables.pass", "1.9"); + performTest("SimpleTWR", 985, null, "resourcesAndAutoCloseables.pass",
"1.9"); } static { diff --git a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskAdvancedTest.java
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskAdvancedTest.java index d09756cb6..038a45a16 100644 ---
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskAdvancedTest.java +++
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskAdvancedTest.java @@ -32,918 +32,918 @@ public
JavaCompletionTaskAdvancedTest(String testName) { // constructor tests ----- public void
testEmptyFileAfterTypingNew() throws Exception { - performTest("SimpleMethodBodyStart", 89, "boolean b;\nnew ", "declaredTypes.pass"); +
performTest("SimpleMethodBodyStart", 899, "boolean b;\nnew ", "declaredTypes.pass"); } public void testAfterTypingNew() throws Exception { -
performTest("SimpleEmptyMethodBody", 89, "boolean b;\nnew ", "declaredTypes.pass"); + performTest("SimpleEmptyMethodBody", 899, "boolean b;\nnew ",
"declaredTypes.pass"); } public void testAfterNew() throws Exception { - performTest("AdvancedMethodBody", 121, null, "declaredTypes.pass"); +
performTest("AdvancedMethodBody", 931, null, "declaredTypes.pass"); } public void testEmptyFileTypingConstructorName() throws Exception { -
performTest("SimpleMethodBodyStart", 89, "boolean b;\nnew Str", "declaredTypesStartingWithStr.pass"); + performTest("SimpleMethodBodyStart", 899,
"boolean b;\nnew Str", "declaredTypesStartingWithStr.pass"); } public void testTypingConstructorName() throws Exception { -
performTest("SimpleEmptyMethodBody", 89, "boolean b;\nnew Str", "declaredTypesStartingWithStr.pass"); + performTest("SimpleEmptyMethodBody", 899,
"boolean b;\nnew Str", "declaredTypesStartingWithStr.pass"); } public void testOnConstructorName() throws Exception { - performTest("AdvancedMethodBody",
124, null, "declaredTypesStartingWithStr.pass"); + performTest("AdvancedMethodBody", 934, null, "declaredTypesStartingWithStr.pass"); } public void
testEmptyFileAfterTypingConstructorName() throws Exception { - performTest("SimpleMethodBodyStart", 89, "boolean b;\nnew String",
"stringConstructors.pass"); + performTest("SimpleMethodBodyStart", 899, "boolean b;\nnew String", "stringConstructors.pass"); } public void
testAfterTypingConstructorName() throws Exception { - performTest("SimpleEmptyMethodBody", 89, "boolean b;\nnew String", "stringConstructors.pass"); +
performTest("SimpleEmptyMethodBody", 899, "boolean b;\nnew String", "stringConstructors.pass"); } public void testAfterConstructorName() throws Exception
{ - performTest("AdvancedMethodBody", 127, null, "stringConstructors.pass"); + performTest("AdvancedMethodBody", 937, null, "stringConstructors.pass"); }
public void testEmptyFileBeforeTypingConstructorParam() throws Exception { - performTest("SimpleMethodBodyStart", 89, "boolean b;\nnew String(",
"typesLocalMembersVarsAndSmartString.pass"); + performTest("SimpleMethodBodyStart", 899, "boolean b;\nnew String(",
"typesLocalMembersVarsAndSmartString.pass"); } public void testBeforeTypingConstructorParam() throws Exception { -
performTest("SimpleEmptyMethodBody", 89, "boolean b;\nnew String(", "typesLocalMembersVarsAndSmartString.pass"); +
performTest("SimpleEmptyMethodBody", 899, "boolean b;\nnew String(", "typesLocalMembersVarsAndSmartString.pass"); } public void
testBeforeConstructorParam() throws Exception { - performTest("AdvancedMethodBody", 128, null, "typesLocalMembersVarsAndSmartString.pass"); +
performTest("AdvancedMethodBody", 938, null, "typesLocalMembersVarsAndSmartString.pass"); } public void testEmptyFileTypingConstructorParam() throws
Exception { - performTest("SimpleMethodBodyStart", 89, "boolean b;\nnew String(fie", "field.pass"); + performTest("SimpleMethodBodyStart", 899, "boolean
b;\nnew String(fie", "field.pass"); } public void testTypingConstructorParam() throws Exception { - performTest("SimpleEmptyMethodBody", 89, "boolean
b;\nnew String(fie", "field.pass"); + performTest("SimpleEmptyMethodBody", 899, "boolean b;\nnew String(fie", "field.pass"); } public void
testOnConstructorParam() throws Exception { - performTest("AdvancedMethodBody", 132, null, "field.pass"); + performTest("AdvancedMethodBody", 942, null,
"field.pass"); } public void testEmptyFileAfterTypingConstructorParam() throws Exception { - performTest("SimpleMethodBodyStart", 89, "boolean b;\nnew
String(field", "field.pass"); + performTest("SimpleMethodBodyStart", 899, "boolean b;\nnew String(field", "field.pass"); } public void
testAfterTypingConstructorParam() throws Exception { - performTest("SimpleEmptyMethodBody", 89, "boolean b;\nnew String(field", "field.pass"); +
performTest("SimpleEmptyMethodBody", 899, "boolean b;\nnew String(field", "field.pass"); } public void testAfterConstructorParam() throws Exception { -
performTest("AdvancedMethodBody", 133, null, "field.pass"); + performTest("AdvancedMethodBody", 943, null, "field.pass"); } public void
testEmptyFileAfterTypingConstructorParamAndSpace() throws Exception { - performTest("SimpleMethodBodyStart", 89, "boolean b;\nnew String(field ",

```



```

220, "{\nboolean b1 = b", "initBlockContentStartingWithB.pass"); + performTest("Field", 1030, "{\nboolean b1 = b", "initBlockContentStartingWithB.pass"); }
public void testOnVarInitInInitializerBlockBody() throws Exception { - performTest("Initializers", 300, null, "initBlockContentStartingWithB.pass"); +
performTest("Initializers", 1110, null, "initBlockContentStartingWithB.pass"); } } diff --git
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskBasicTest.java
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskBasicTest.java index d17c1edf3..38afe93c4 100644 ---
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskBasicTest.java +++
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskBasicTest.java @@ -32,1270 +32,1270 @@ public
JavaCompletionTaskBasicTest(String testName) { // file beginning tests ----- public void testEmptyFile() throws Exception
{ - performTest("Empty", 0, null, "topLevelKeywords.pass"); + performTest("Empty", 809, null, "topLevelKeywords.pass"); } public void testFileBeginning()
throws Exception { - performTest("Simple", 0, null, "topLevelKeywords.pass"); + performTest("Simple", 809, null, "topLevelKeywords.pass"); } // package
declaration tests ----- public void testEmptyFileTypingPackageKeyword() throws Exception { - performTest("Empty", 0, "p",
"topLevelKeywordsStartingWithP.pass"); + performTest("Empty", 809, "p", "topLevelKeywordsStartingWithP.pass"); } public void testTypingPackageKeyword()
throws Exception { - performTest("SimpleNoPackage", 0, "p", "topLevelKeywordsStartingWithP.pass"); + performTest("SimpleNoPackage", 809, "p",
"topLevelKeywordsStartingWithP.pass"); } public void testOnPackageKeyword() throws Exception { - performTest("Simple", 1, null,
"topLevelKeywordsStartingWithP.pass"); + performTest("Simple", 811, null, "topLevelKeywordsStartingWithP.pass"); } public void
testEmptyFileAfterTypingPackageKeyword() throws Exception { - performTest("Empty", 0, "package", "packageKeyword.pass"); + performTest("Empty", 809,
"package", "packageKeyword.pass"); } public void testAfterTypingPackageKeyword() throws Exception { - performTest("SimpleNoPackage", 0, "package",
"packageKeyword.pass"); + performTest("SimpleNoPackage", 809, "package", "packageKeyword.pass"); } public void testAfterPackageKeyword() throws
Exception { - performTest("Simple", 7, null, "packageKeyword.pass"); + performTest("Simple", 817, null, "packageKeyword.pass"); } public void
testEmptyFileBeforeTypingPackageId() throws Exception { - performTest("Empty", 0, "package ", "empty.pass"); + performTest("Empty", 809, "package ",
"empty.pass"); } public void testBeforeTypingPackageId() throws Exception { - performTest("SimpleNoPackage", 0, "package ", "empty.pass"); +
performTest("SimpleNoPackage", 809, "package ", "empty.pass"); } public void testBeforePackageId() throws Exception { - performTest("Simple", 8, null,
"empty.pass"); + performTest("Simple", 818, null, "empty.pass"); } public void testEmptyFileTypingPackageId() throws Exception { - performTest("Empty", 0,
"package t", "empty.pass"); + performTest("Empty", 809, "package t", "empty.pass"); } public void testTypingPackageId() throws Exception { -
performTest("SimpleNoPackage", 0, "package t", "empty.pass"); + performTest("SimpleNoPackage", 809, "package t", "empty.pass"); } public void
testOnPackageId() throws Exception { - performTest("Simple", 9, null, "empty.pass"); + performTest("Simple", 819, null, "empty.pass"); } public void
testEmptyFileAfterTypingPackageId() throws Exception { - performTest("Empty", 0, "package test", "empty.pass"); + performTest("Empty", 809, "package test",
"empty.pass"); } public void testAfterTypingPackageId() throws Exception { - performTest("SimpleNoPackage", 0, "package test", "empty.pass"); +
performTest("SimpleNoPackage", 809, "package test", "empty.pass"); } public void testAfterPackageId() throws Exception { - performTest("Simple", 12, null,
"empty.pass"); + performTest("Simple", 822, null, "empty.pass"); } public void testEmptyFileAfterTypingPackageIdAndSpace() throws Exception { -
performTest("Empty", 0, "package test ", "empty.pass"); + performTest("Empty", 809, "package test ", "empty.pass"); } public void
testAfterTypingPackageIdAndSpace() throws Exception { - performTest("SimpleNoPackage", 0, "package test ", "empty.pass"); +
performTest("SimpleNoPackage", 809, "package test ", "empty.pass"); } public void testAfterPackageIdAndSpace() throws Exception { - performTest("Simple",
12, " ", "empty.pass"); + performTest("Simple", 822, " ", "empty.pass"); } public void testEmptyFileAfterTypingPackageDecl() throws Exception { -
performTest("Empty", 0, "package test;", "topLevelKeywordsWithoutPackage.pass"); + performTest("Empty", 809, "package test;",
"topLevelKeywordsWithoutPackage.pass"); } public void testAfterTypingPackageDecl() throws Exception { - performTest("SimpleNoPackage", 0, "package
test;", "topLevelKeywordsWithoutPackage.pass"); + performTest("SimpleNoPackage", 809, "package test;", "topLevelKeywordsWithoutPackage.pass"); } public
void testAfterPackageDecl() throws Exception { - performTest("Simple", 13, null, "topLevelKeywordsWithoutPackage.pass"); + performTest("Simple", 823, null,
"topLevelKeywordsWithoutPackage.pass"); } // import declaration tests ----- public void
testEmptyFileAfterTypingImportKeyword() throws Exception { - performTest("Empty", 0, "import", "importKeyword.pass"); + performTest("Empty", 809,
"import", "importKeyword.pass"); } public void testAfterTypingImportKeyword() throws Exception { - performTest("Simple", 14, "import",
"importKeyword.pass"); + performTest("Simple", 824, "import", "importKeyword.pass"); } public void testAfterImportKeyword() throws Exception { -
performTest("Import", 21, null, "importKeyword.pass"); + performTest("Import", 831, null, "importKeyword.pass"); } public void
testEmptyFileBeforeTypingImportedPackage() throws Exception { - performTest("Empty", 0, "import ", "staticKeywordAndAllPackages.pass"); +
performTest("Empty", 809, "import ", "staticKeywordAndAllPackages.pass"); } public void testBeforeTypingImportedPackage() throws Exception { -
performTest("Simple", 14, "import ", "staticKeywordAndAllPackages.pass"); + performTest("Simple", 824, "import ", "staticKeywordAndAllPackages.pass"); }
public void testBeforeImportedPackage() throws Exception { - performTest("Import", 22, null, "staticKeywordAndAllPackages.pass"); + performTest("Import",
832, null, "staticKeywordAndAllPackages.pass"); } public void testEmptyFileTypingImportedPackage() throws Exception { - performTest("Empty", 0, "import j",
"packagesStartingWithJ.pass"); + performTest("Empty", 809, "import j", "packagesStartingWithJ.pass"); } public void testTypingImportedPackage() throws
Exception { - performTest("Simple", 14, "import j", "packagesStartingWithJ.pass"); + performTest("Simple", 824, "import j", "packagesStartingWithJ.pass"); }
public void testOnImportedPackage() throws Exception { - performTest("Import", 23, null, "packagesStartingWithJ.pass"); + performTest("Import", 833, null,
"packagesStartingWithJ.pass"); } public void testEmptyFileTypingImportedPackageBeforeStar() throws Exception { - performTest("Empty", 0, "import java.util.",
"javaUtilContent.pass"); + performTest("Empty", 809, "import java.util.", "javaUtilContent.pass"); } public void testTypingImportedPackageBeforeStar()
throws Exception { - performTest("Simple", 14, "import java.util.", "javaUtilContent.pass"); + performTest("Simple", 824, "import java.util.", "javaUtilContent.pass"); }
public void testOnImportedPackageBeforeStar() throws Exception { - performTest("Import", 54, null, "javaUtilContent.pass"); + performTest("Import", 864, null,
"javaUtilContent.pass"); } public void testEmptyFileAfterTypingImportedPackage() throws Exception { - performTest("Empty", 0, "import java.util.*",
"empty.pass"); + performTest("Empty", 809, "import java.util.*", "empty.pass"); } public void testAfterTypingImportedPackage() throws Exception { -
performTest("Simple", 14, "import java.util.*", "empty.pass"); + performTest("Simple", 824, "import java.util.*", "empty.pass"); } public void
testAfterImportedPackage() throws Exception { - performTest("Import", 55, null, "empty.pass"); + performTest("Import", 865, null, "empty.pass"); } public void
testEmptyFileAfterTypingImportedClass() throws Exception { - performTest("Empty", 0, "import java.awt.List", "list.pass"); + performTest("Empty", 809, "import
java.awt.List", "list.pass"); } public void testAfterTypingImportedClass() throws Exception { - performTest("Simple", 14, "import java.awt.List", "list.pass");
+ performTest("Simple", 824, "import java.awt.List", "list.pass"); } public void testAfterImportedClass() throws Exception { - performTest("Import", 35, null,
"list.pass"); + performTest("Import", 845, null, "list.pass"); } public void testEmptyFileAfterTypingImportedClassAndSpace() throws Exception { -
performTest("Empty", 0, "import java.awt.List ", "empty.pass"); + performTest("Empty", 809, "import java.awt.List ", "empty.pass"); } public void
testAfterTypingImportedClassAndSpace() throws Exception { - performTest("Simple", 14, "import java.awt.List ", "empty.pass"); + performTest("Simple", 824,
"import java.awt.List ", "empty.pass"); } public void testAfterImportedClassAndSpace() throws Exception { - performTest("Import", 35, " ", "empty.pass"); +
performTest("Import", 845, " ", "empty.pass"); } public void testEmptyFileAfterTypingImportStatement() throws Exception { - performTest("Empty", 0, "import
java.awt.List;", "topLevelKeywordsWithoutPackage.pass"); + performTest("Empty", 809, "import java.awt.List;", "topLevelKeywordsWithoutPackage.pass"); }
public void testAfterTypingImportStatement() throws Exception { - performTest("Simple", 14, "import java.awt.List;", "topLevelKeywordsWithoutPackage.pass");
+ performTest("Simple", 824, "import java.awt.List;", "topLevelKeywordsWithoutPackage.pass"); } public void testAfterImportStatement() throws Exception { -
performTest("Import", 36, null, "topLevelKeywordsWithoutPackage.pass"); + performTest("Import", 846, null, "topLevelKeywordsWithoutPackage.pass"); }
public void testEmptyFileTypingStaticImportKeyword() throws Exception { - performTest("Empty", 0, "import st", "staticKeyword.pass"); +
performTest("Empty", 809, "import st", "staticKeyword.pass"); } public void testTypingStaticImportKeyword() throws Exception { - performTest("Simple", 14,
"import st", "staticKeyword.pass"); + performTest("Simple", 824, "import st", "staticKeyword.pass"); } public void testOnStaticImportKeyword() throws
Exception { - performTest("Import", 66, null, "staticKeyword.pass"); + performTest("Import", 876, null, "staticKeyword.pass"); } public void
testEmptyFileAfterTypingStaticImportKeyword() throws Exception { - performTest("Empty", 0, "import static", "staticKeyword.pass"); + performTest("Empty",
809, "import static", "staticKeyword.pass"); } public void testAfterTypingStaticImportKeyword() throws Exception { - performTest("Simple", 14, "import static",
"staticKeyword.pass"); + performTest("Simple", 824, "import static", "staticKeyword.pass"); } public void testAfterStaticImportKeyword() throws Exception { -
performTest("Import", 70, null, "staticKeyword.pass"); + performTest("Import", 880, null, "staticKeyword.pass"); } public void
testEmptyFileBeforeTypingStaticallyImportedClass() throws Exception { - performTest("Empty", 0, "import static ", "allPackages.pass"); + performTest("Empty",
809, "import static ", "allPackages.pass"); } public void testBeforeTypingStaticallyImportedClass() throws Exception { - performTest("Simple", 14, "import static
", "allPackages.pass"); + performTest("Simple", 824, "import static ", "allPackages.pass"); } public void testBeforeStaticallyImportedClass() throws Exception { -
performTest("Import", 71, null, "allPackages.pass"); + performTest("Import", 881, null, "allPackages.pass"); } public void
testEmptyFileTypingImportedPackageAfterErrorInPackageDeclaration() throws Exception { - performTest("Empty", 0, "package \nimport j",
"packagesStartingWithJ.pass"); + performTest("Empty", 809, "package \nimport j", "packagesStartingWithJ.pass"); } public void
testTypingStaticImportAfterErrorInPackageDeclaration() throws Exception { - performTest("SimpleNoPackage", 0, "package \nimport ",
"staticKeywordAndAllPackages.pass"); + performTest("SimpleNoPackage", 809, "package \nimport ", "staticKeywordAndAllPackages.pass"); } public void
testTypingStaticImportAfterErrorInPreviousImportDeclaration() throws Exception { - performTest("Simple", 14, "im\nimport ",

```



```
Cloneable, R", "javaLangInterfacesStartingWithR.pass"); + performTest("Empty", 809, "package test;\npublic class Test extends Object implements Cloneable, R",
"javaLangInterfacesStartingWithR.pass"); + public void testTypingSecondImplementedInterface() throws Exception { -
performTest("SimpleNoExtendsAndImplements", 33, "implements Cloneable, R", "javaLangInterfacesStartingWithR.pass"); +
performTest("SimpleNoExtendsAndImplements", 843, "implements Cloneable, R", "javaLangInterfacesStartingWithR.pass"); } public void
testOnSecondImplementedInterface() throws Exception { - performTest("Simple", 71, null, "javaLangInterfacesStartingWithR.pass"); + performTest("Simple",
881, null, "javaLangInterfacesStartingWithR.pass"); } public void testEmptyFileTypingClassBody() throws Exception { - performTest("Empty", 0, "package
test;\npublic class Test {", "memberModifiersTypesAndGenElements.pass"); + performTest("Empty", 809, "package test;\npublic class Test {",
"memberModifiersTypesAndGenElements.pass"); } public void testInClassBody() throws Exception { - performTest("Simple", 80, null,
"memberModifiersTypesAndGenElements2.pass"); + performTest("Simple", 890, null, "memberModifiersTypesAndGenElements2.pass"); } public void
testEmptyFileAfterTypingClassBody() throws Exception { - performTest("Empty", 0, "package test;\npublic class Test {\n",
"classModifiersWithoutPublic.pass"); + performTest("Empty", 809, "package test;\npublic class Test {\n", "classModifiersWithoutPublic.pass"); } public void
testAfterClassBody() throws Exception { - performTest("Simple", 82, null, "classModifiersWithoutPublic.pass"); + performTest("Simple", 892, null,
"classModifiersWithoutPublic.pass"); } public void testEmptyFileAfterTypingIncompleteClassBodyAndSecondClassKeyword() throws Exception { -
performTest("Empty", 0, "package test;\npublic class Test {\n", "classKeyword.pass"); + performTest("Empty", 809, "package test;\npublic class Test
{\n", "classKeyword.pass"); } // interface declaration tests ----- public void testEmptyFileAfterTypingInterfaceName() throws
Exception { - performTest("Empty", 0, "package test;\ninterface Test ", "extendsKeyword.pass"); + performTest("Empty", 809, "package test;\ninterface Test ",
"extendsKeyword.pass"); } public void testAfterTypingInterfaceName() throws Exception { - performTest("SimpleInterfaceNoExtends", 30, null,
"extendsKeyword.pass"); + performTest("SimpleInterfaceNoExtends", 840, null, "extendsKeyword.pass"); } public void testAfterInterfaceName() throws
Exception { - performTest("SimpleInterface", 30, null, "extendsKeyword.pass"); + performTest("SimpleInterface", 840, null, "extendsKeyword.pass"); } public
void testEmptyFileAfterTypingExtendsInInterface() throws Exception { - performTest("Empty", 0, "package test;\ninterface Test extends ",
"javaLangInterfaces.pass"); + performTest("Empty", 809, "package test;\ninterface Test extends ", "javaLangInterfaces.pass"); } public void
testAfterTypingExtendsInInterface() throws Exception { - performTest("SimpleInterfaceNoExtends", 30, "extends ", "javaLangInterfaces.pass"); +
performTest("SimpleInterfaceNoExtends", 840, "extends ", "javaLangInterfaces.pass"); } public void testAfterExtendsInInterface() throws Exception { -
performTest("SimpleInterface", 38, null, "javaLangInterfaces.pass"); + performTest("SimpleInterface", 848, null, "javaLangInterfaces.pass"); } // enum declaration
tests ----- public void testEmptyFileAfterTypingEnumName() throws Exception { - performTest("Empty", 0, "package
test;\npublic enum Test ", "implementsKeyword.pass"); + performTest("Empty", 809, "package test;\npublic enum Test ", "implementsKeyword.pass"); } public
void testAfterTypingEnumName() throws Exception { - performTest("SimpleEnumNoImplements", 32, null, "implementsKeyword.pass"); +
performTest("SimpleEnumNoImplements", 842, null, "implementsKeyword.pass"); } public void testAfterEnumName() throws Exception { -
performTest("SimpleEnum", 32, null, "implementsKeyword.pass"); + performTest("SimpleEnum", 842, null, "implementsKeyword.pass"); } public void
testEmptyFileAfterTypingImplementsInEnum() throws Exception { - performTest("Empty", 0, "package test;\npublic enum Test implements ",
"javaLangInterfaces.pass"); + performTest("Empty", 809, "package test;\npublic enum Test implements ", "javaLangInterfaces.pass"); } public void
testAfterTypingImplementsInEnum() throws Exception { - performTest("SimpleEnumNoImplements", 43, null, "javaLangInterfaces.pass"); +
performTest("SimpleEnumNoImplements", 853, null, "javaLangInterfaces.pass"); } public void testAfterImplementsInEnum() throws Exception { -
performTest("SimpleEnum", 43, null, "javaLangInterfaces.pass"); + performTest("SimpleEnum", 853, null, "javaLangInterfaces.pass"); } // method declaration
tests ----- public void testEmptyFileTypingPublicKeywordInMethodDecl() throws Exception { - performTest("MethodStart",
40, "p", "memberModifiersStartingWithP.pass"); + performTest("MethodStart", 850, "p", "memberModifiersStartingWithP.pass"); } public void
testOnPublicKeywordInMethodDecl() throws Exception { - performTest("Method", 41, null, "memberModifiersStartingWithP.pass"); + performTest("Method",
851, null, "memberModifiersStartingWithP.pass"); } public void testEmptyFileAfterTypingPublicKeywordInMethodDecl() throws Exception { -
performTest("MethodStart", 40, "public", "publicKeyword.pass"); + performTest("MethodStart", 850, "public", "publicKeyword.pass"); } public void
testAfterPublicKeywordInMethodDecl() throws Exception { - performTest("Method", 46, null, "publicKeyword.pass"); + performTest("Method", 856, null,
"publicKeyword.pass"); } public void testTypingStaticMethodDecl() throws Exception { - performTest("Method", 46, "sta", "staticKeyword.pass"); +
performTest("Method", 856, "sta", "staticKeyword.pass"); } public void testAfterTypingStaticMethodDecl() throws Exception { - performTest("Method", 46, "static",
"staticKeyword.pass"); + performTest("Method", 856, "static", "staticKeyword.pass"); } public void testEmptyFileBeforeTypingReturnValue() throws
Exception { - performTest("MethodStart", 40, "public ", "memberModifiersAndTypesWithoutPublic.pass"); + performTest("MethodStart", 850, "public ",
"memberModifiersAndTypesWithoutPublic.pass"); } public void testBeforeReturnValue() throws Exception { - performTest("Method", 47, null,
"memberModifiersAndTypesWithoutPublic.pass"); + performTest("Method", 857, null, "memberModifiersAndTypesWithoutPublic.pass"); } public void
testEmptyFileTypingReturnValue() throws Exception { - performTest("MethodStart", 40, "public voi", "voidKeyword.pass"); + performTest("MethodStart", 850,
"public voi", "voidKeyword.pass"); } public void testOnReturnValue() throws Exception { - performTest("Method", 50, null, "voidKeyword.pass"); +
performTest("Method", 860, null, "voidKeyword.pass"); } public void testEmptyFileAfterTypingReturnValue() throws Exception { - performTest("MethodStart",
40, "public void", "voidKeyword.pass"); + performTest("MethodStart", 850, "public void", "voidKeyword.pass"); } public void testAfterReturnValue() throws
Exception { - performTest("Method", 51, null, "voidKeyword.pass"); + performTest("Method", 861, null, "voidKeyword.pass"); } public void
testEmptyFileBeforeTypingMethodName() throws Exception { - performTest("MethodStart", 40, "public void ", "empty.pass"); + performTest("MethodStart", 850,
"public void ", "empty.pass"); } public void testBeforeMethodName() throws Exception { - performTest("Method", 52, null, "empty.pass"); +
performTest("Method", 862, null, "empty.pass"); } public void testEmptyFileTypingMethodName() throws Exception { - performTest("MethodStart", 40, "public
void o", "empty.pass"); + performTest("MethodStart", 850, "public void o", "empty.pass"); } public void testOnMethodName() throws Exception { -
performTest("Method", 53, null, "empty.pass"); + performTest("Method", 863, null, "empty.pass"); } public void testEmptyFileAfterTypingMethodName() throws
Exception { - performTest("MethodStart", 40, "public void op", "empty.pass"); + performTest("MethodStart", 850, "public void op", "empty.pass"); } public void
testAfterMethodName() throws Exception { - performTest("Method", 54, null, "empty.pass"); + performTest("Method", 864, null, "empty.pass"); } public void
testEmptyFileBeforeTypingFirstParameter() throws Exception { - performTest("MethodStart", 40, "public void op(", "parameterTypes.pass"); +
performTest("MethodStart", 850, "public void op(", "parameterTypes.pass"); } public void testBeforeTypingFirstParameter() throws Exception { -
performTest("MethodNoParamsAndThrows", 55, null, "parameterTypes.pass"); + performTest("MethodNoParamsAndThrows", 865, null, "parameterTypes.pass"); }
public void testBeforeFirstParameter() throws Exception { - performTest("Method", 55, null, "parameterTypes.pass"); + performTest("Method", 865, null,
"parameterTypes.pass"); } public void testEmptyFileTypingFirstParameterType() throws Exception { - performTest("MethodStart", 40, "public void op(i",
"intKeyword.pass"); + performTest("MethodStart", 850, "public void op(i", "intKeyword.pass"); } public void testTypingFirstParameterType() throws Exception { -
performTest("MethodNoParamsAndThrows", 55, "i", "intKeyword.pass"); + performTest("MethodNoParamsAndThrows", 865, "i", "intKeyword.pass"); } public
void testOnFirstParameterType() throws Exception { - performTest("Method", 56, null, "intKeyword.pass"); + performTest("Method", 866, null,
"intKeyword.pass"); } public void testEmptyFileAfterTypingFirstParameterType() throws Exception { - performTest("MethodStart", 40, "public void op(int",
"intKeyword.pass"); + performTest("MethodStart", 850, "public void op(int", "intKeyword.pass"); } public void testAfterTypingFirstParameterType() throws
Exception { - performTest("MethodNoParamsAndThrows", 55, "int", "intKeyword.pass"); + performTest("MethodNoParamsAndThrows", 865, "int",
"intKeyword.pass"); } public void testAfterFirstParameterType() throws Exception { - performTest("Method", 58, null, "intKeyword.pass"); +
performTest("Method", 868, null, "intKeyword.pass"); } public void testEmptyFileBeforeTypingFirstParameterName() throws Exception { -
performTest("MethodStart", 40, "public void op(int ", "intVarName.pass"); + performTest("MethodStart", 850, "public void op(int ", "intVarName.pass"); } public
void testBeforeTypingFirstParameterName() throws Exception { - performTest("MethodNoParamsAndThrows", 55, "int ", "intVarName.pass"); +
performTest("MethodNoParamsAndThrows", 865, "int ", "intVarName.pass"); } public void testBeforeFirstParameterName() throws Exception { -
performTest("Method", 59, null, "intVarName.pass"); + performTest("Method", 869, null, "intVarName.pass"); } public void
testEmptyFileTypingFirstParameterName() throws Exception { - performTest("MethodStart", 40, "public void op(int a", "empty.pass"); +
performTest("MethodStart", 850, "public void op(int a", "empty.pass"); } public void testTypingFirstParameterName() throws Exception { -
performTest("MethodNoParamsAndThrows", 55, "int a", "empty.pass"); + performTest("MethodNoParamsAndThrows", 865, "int a", "empty.pass"); } public void
testOnFirstParameterName() throws Exception { - performTest("Method", 60, null, "empty.pass"); + performTest("Method", 870, null, "empty.pass"); } public
void testEmptyFileAfterTypingFirstParameterNameAndSpace() throws Exception { - performTest("MethodStart", 40, "public void op(int a ", "empty.pass"); +
performTest("MethodStart", 850, "public void op(int a ", "empty.pass"); } public void testAfterTypingFirstParameterNameAndSpace() throws Exception { -
performTest("MethodNoParamsAndThrows", 55, "int a ", "empty.pass"); + performTest("MethodNoParamsAndThrows", 865, "int a ", "empty.pass"); } public
void testAfterFirstParameterNameAndSpace() throws Exception { - performTest("Method", 60, " ", "empty.pass"); + performTest("Method", 870, " ",
"empty.pass"); } public void testEmptyFileBeforeTypingSecondParameter() throws Exception { - performTest("MethodStart", 40, "public void op(int a,",
"parameterTypes.pass"); + performTest("MethodStart", 850, "public void op(int a,", "parameterTypes.pass"); } public void testBeforeTypingSecondParameter()
throws Exception { - performTest("MethodNoParamsAndThrows", 55, "int a,", "parameterTypes.pass"); + performTest("MethodNoParamsAndThrows", 865, "int
a,", "parameterTypes.pass"); } public void testBeforeSecondParameter() throws Exception { - performTest("Method", 61, null, "parameterTypes.pass"); +
performTest("Method", 871, null, "parameterTypes.pass"); } public void testEmptyFileTypingSecondParameterType() throws Exception { -
```

[illegible]

[illegible]

```

performTest("SimpleMethodBodyStart", 98, "System.out", "systemOut.pass"); + performTest("SimpleMethodBodyStart", 908, "System.out", "systemOut.pass"); }
public void testAfterTypingFieldAccessInMethodBody() throws Exception { - performTest("SimpleEmptyMethodBody", 98, "System.out", "systemOut.pass"); +
performTest("SimpleEmptyMethodBody", 908, "System.out", "systemOut.pass"); } public void testAfterFieldAccessInMethodBody() throws Exception { -
performTest("SimpleMethodBody", 120, null, "systemOut.pass"); + performTest("SimpleMethodBody", 930, null, "systemOut.pass"); } public void
testEmptyFileAfterTypingFieldAccessAndSpaceInMethodBody() throws Exception { - performTest("SimpleMethodBodyStart", 98, "System.out",
"instanceOf.pass"); + performTest("SimpleMethodBodyStart", 908, "System.out", "instanceOf.pass"); } public void
testAfterTypingFieldAccessAndSpaceInMethodBody() throws Exception { - performTest("SimpleEmptyMethodBody", 98, "System.out", "instanceOf.pass"); +
performTest("SimpleEmptyMethodBody", 908, "System.out", "instanceOf.pass"); } public void testAfterFieldAccessAndSpaceInMethodBody() throws Exception
{ - performTest("SimpleMethodBody", 120, "", "instanceOf.pass"); + performTest("SimpleMethodBody", 930, "", "instanceOf.pass"); } public void
testEmptyFileAfterTypingFieldAccessAndDotInMethodBody() throws Exception { - performTest("SimpleMethodBodyStart", 98, "System.out",
"systemOutContent.pass"); + performTest("SimpleMethodBodyStart", 908, "System.out", "systemOutContent.pass"); } public void
testAfterTypingFieldAccessAndDotInMethodBody() throws Exception { - performTest("SimpleEmptyMethodBody", 98, "System.out",
"systemOutContent.pass"); + performTest("SimpleEmptyMethodBody", 908, "System.out", "systemOutContent.pass"); } public void
testAfterFieldAccessAndDotInMethodBody() throws Exception { - performTest("SimpleMethodBody", 121, null, "systemOutContent.pass"); +
performTest("SimpleMethodBody", 931, null, "systemOutContent.pass"); } public void testEmptyFileTypingMethodInvocationInMethodBody() throws Exception
{ - performTest("SimpleMethodBodyStart", 98, "boolean b;\nSystem.out.println(", "typesLocalMembersVarsAndSmarts.pass"); +
performTest("SimpleMethodBodyStart", 908, "boolean b;\nSystem.out.println(", "typesLocalMembersVarsAndSmarts.pass"); } public void
testTypingMethodInvocationInMethodBody() throws Exception { - performTest("SimpleEmptyMethodBody", 98, "boolean b;\nSystem.out.println(",
"typesLocalMembersVarsAndSmarts.pass"); + performTest("SimpleEmptyMethodBody", 908, "boolean b;\nSystem.out.println(",
"typesLocalMembersVarsAndSmarts.pass"); } public void testMethodInvocationInMethodBody() throws Exception { - performTest("SimpleMethodBody", 129,
null, "typesLocalMembersVarsAndSmarts.pass"); + performTest("SimpleMethodBody", 939, null, "typesLocalMembersVarsAndSmarts.pass"); } public void
testEmptyFileTypingMethodInvocationParameterInMethodBody() throws Exception { - performTest("SimpleMethodBodyStart", 98, "boolean
b;\nSystem.out.println(b", "typesLocalMembersVarsAndSmartsStartingWithB.pass"); + performTest("SimpleMethodBodyStart", 908, "boolean
b;\nSystem.out.println(b", "typesLocalMembersVarsAndSmartsStartingWithB.pass"); } public void testTypingMethodInvocationParameterInMethodBody() throws
Exception { - performTest("SimpleEmptyMethodBody", 98, "boolean b;\nSystem.out.println(b", "typesLocalMembersVarsAndSmartsStartingWithB.pass"); +
performTest("SimpleEmptyMethodBody", 908, "boolean b;\nSystem.out.println(b", "typesLocalMembersVarsAndSmartsStartingWithB.pass"); } public void
testOnMethodInvocationParameterInMethodBody() throws Exception { - performTest("SimpleMethodBody", 130, null,
"typesLocalMembersVarsAndSmartsStartingWithB.pass"); + performTest("SimpleMethodBody", 940, null,
"typesLocalMembersVarsAndSmartsStartingWithB.pass"); } public void testEmptyFileTypingMethodInvocationParameterAndSpaceInMethodBody() throws
Exception { - performTest("SimpleMethodBodyStart", 98, "System.out.println(b ", "empty.pass"); + performTest("SimpleMethodBodyStart", 908,
"System.out.println(b ", "empty.pass"); } public void testTypingMethodInvocationParameterAndSpaceInMethodBody() throws Exception { -
performTest("SimpleEmptyMethodBody", 98, "System.out.println(b ", "empty.pass"); + performTest("SimpleEmptyMethodBody", 908, "System.out.println(b ",
"empty.pass"); } public void testAfterMethodInvocationParameterAndSpaceInMethodBody() throws Exception { - performTest("SimpleMethodBody", 130, "",
"empty.pass"); + performTest("SimpleMethodBody", 940, "", "empty.pass"); } public void
testEmptyFileBeforeTypingSecondMethodInvocationParameterInMethodBody() throws Exception { - performTest("SimpleMethodBodyStart", 98, "boolean
b;\nSystem.out.println(b, ", "typesLocalMembersAndVars.pass"); + performTest("SimpleMethodBodyStart", 908, "boolean b;\nSystem.out.println(b, ",
"typesLocalMembersAndVars.pass"); } public void testBeforeTypingSecondMethodInvocationParameterInMethodBody() throws Exception { -
performTest("SimpleEmptyMethodBody", 98, "boolean b;\nSystem.out.println(b, ", "typesLocalMembersAndVars.pass"); +
performTest("SimpleEmptyMethodBody", 908, "boolean b;\nSystem.out.println(b, ", "typesLocalMembersAndVars.pass"); } public void
testBeforeSecondMethodInvocationParameterInMethodBody() throws Exception { - performTest("SimpleMethodBody", 130, "",
"typesLocalMembersAndVars.pass"); + performTest("SimpleMethodBody", 940, "", "typesLocalMembersAndVars.pass"); } public void
testEmptyFileTypingSecondMethodInvocationParameterInMethodBody() throws Exception { - performTest("SimpleMethodBodyStart", 98, "boolean
b;\nSystem.out.println(b, b", "typesLocalMembersAndVarsStartingWithB.pass"); + performTest("SimpleMethodBodyStart", 908, "boolean
b;\nSystem.out.println(b, b", "typesLocalMembersAndVarsStartingWithB.pass"); } public void testTypingSecondMethodInvocationParameterInMethodBody()
throws Exception { - performTest("SimpleEmptyMethodBody", 98, "boolean b;\nSystem.out.println(b, b", "typesLocalMembersAndVarsStartingWithB.pass"); +
performTest("SimpleEmptyMethodBody", 908, "boolean b;\nSystem.out.println(b, b", "typesLocalMembersAndVarsStartingWithB.pass"); } public void
testOnSecondMethodInvocationParameterInMethodBody() throws Exception { - performTest("SimpleMethodBody", 130, "", b",
"typesLocalMembersAndVarsStartingWithB.pass"); + performTest("SimpleMethodBody", 940, "", b", "typesLocalMembersAndVarsStartingWithB.pass"); } public
void testEmptyFileAfterTypingMethodInvocationParametersInMethodBody() throws Exception { - performTest("SimpleMethodBodyStart", 98, "boolean
b;\nSystem.out.println(b)", "empty.pass"); + performTest("SimpleMethodBodyStart", 908, "boolean b;\nSystem.out.println(b)", "empty.pass"); } public void
testAfterTypingMethodInvocationParametersInMethodBody() throws Exception { - performTest("SimpleEmptyMethodBody", 98, "boolean
b;\nSystem.out.println(b)", "empty.pass"); + performTest("SimpleEmptyMethodBody", 908, "boolean b;\nSystem.out.println(b)", "empty.pass"); } public void
testAfterMethodInvocationParametersInMethodBody() throws Exception { - performTest("SimpleMethodBody", 131, null, "empty.pass"); +
performTest("SimpleMethodBody", 941, null, "empty.pass"); } public void testEmptyFileAfterTypingMethodInvocationParametersAndSpaceInMethodBody()
throws Exception { - performTest("SimpleMethodBodyStart", 98, "boolean b;\nSystem.out.println(b)", "empty.pass"); + performTest("SimpleMethodBodyStart",
908, "boolean b;\nSystem.out.println(b)", "empty.pass"); } public void testAfterTypingMethodInvocationParametersAndSpaceInMethodBody() throws Exception
{ - performTest("SimpleEmptyMethodBody", 98, "boolean b;\nSystem.out.println(b)", "empty.pass"); + performTest("SimpleEmptyMethodBody", 908, "boolean
b;\nSystem.out.println(b)", "empty.pass"); } public void testAfterTypingMethodInvocationParametersAndSpaceInMethodBody() throws Exception { -
performTest("SimpleMethodBody", 131, "", "empty.pass"); + performTest("SimpleMethodBody", 941, "", "empty.pass"); } public void
testEmptyFileAfterTypingMethodInvocationInMethodBody() throws Exception { - performTest("SimpleMethodBodyStart", 98, "boolean
b;\nSystem.out.println(b);", "methodBodyContentAndLocalVar.pass"); + performTest("SimpleMethodBodyStart", 908, "boolean b;\nSystem.out.println(b);",
"methodBodyContentAndLocalVar.pass"); } public void testAfterTypingMethodInvocationInMethodBody() throws Exception { -
performTest("SimpleEmptyMethodBody", 98, "boolean b;\nSystem.out.println(b);", "methodBodyContentAndLocalVar.pass"); +
performTest("SimpleEmptyMethodBody", 908, "boolean b;\nSystem.out.println(b);", "methodBodyContentAndLocalVar.pass"); } public void
testAfterMethodInvocationInMethodBody() throws Exception { - performTest("SimpleMethodBody", 132, null, "methodBodyContentAndLocalVar.pass"); +
performTest("SimpleMethodBody", 942, null, "methodBodyContentAndLocalVar.pass"); } } diff --git
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskElementCreatingTest.java
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskElementCreatingTest.java index 771107df9..c079a0cc6 100644 ---
a/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskElementCreatingTest.java +++
b/java.completion/test/unit/src/org/netbeans/modules/java/completion/JavaCompletionTaskElementCreatingTest.java @@ -30,99 +30,99 @@ public
JavaCompletionTaskElementCreatingTest(String testName) { } public void testUnimplementedMethod() throws Exception { -
performTest("UnimplementedMethod", 85, "", "UnimplementedMethod.pass"); + performTest("UnimplementedMethod", 895, "", "UnimplementedMethod.pass"); }
public void testOverrideAbstractList() throws Exception { - performTest("OverrideAbstractList", 118, "", "OverrideAbstractList.pass"); +
performTest("OverrideAbstractList", 928, "", "OverrideAbstractList.pass"); } /** Checks that cc: offers just one size() for override, but offers size() for both
implement AND override. */ public void testOverrideAbstractListAbstract() throws Exception { - performTest("OverrideAbstractListAbstract", 126, "",
"OverrideAbstractListAbstract.pass"); + performTest("OverrideAbstractListAbstract", 936, "", "OverrideAbstractListAbstract.pass"); } /** CC should not offer
overriding private method from superclass */ public void testOverridePrivateMethod() throws Exception { - performTest("OverridePrivateMethod", 89, "cl",
"OverridePrivateMethod.pass"); + performTest("OverridePrivateMethod", 899, "cl", "OverridePrivateMethod.pass"); } /** CC should not offer overriding package
private method from superclass in a different package */ public void testOverridePackagePrivateMethod() throws Exception { -
performTest("OverridePackagePrivateMethod", 108, "add", "OverridePackagePrivateMethod.pass"); + performTest("OverridePackagePrivateMethod", 918, "add",
"OverridePackagePrivateMethod.pass"); } public void testOverrideAbstractListWithPrefix() throws Exception { - performTest("OverrideAbstractList", 118, "to",
"OverrideAbstractListWithPrefix.pass"); + performTest("OverrideAbstractList", 928, "to", "OverrideAbstractListWithPrefix.pass"); } public void
testOverrideFinalize() throws Exception { - performTest("OverrideAbstractList", 118, "fin", "OverrideFinalize.pass"); + performTest("OverrideAbstractList", 928,
"fin", "OverrideFinalize.pass"); } public void testOverrideAbstractList2a() throws Exception { - performTest("OverrideAbstractList2", 139, "ad",
"OverrideAbstractList2a.pass"); + performTest("OverrideAbstractList2", 949, "ad", "OverrideAbstractList2a.pass"); } public void testOverrideAbstractList2b()
throws Exception { - performTest("OverrideAbstractList2", 139, "ge", "OverrideAbstractList2b.pass"); + performTest("OverrideAbstractList2", 949, "ge",
"OverrideAbstractList2b.pass"); } public void testOverrideAbstractList3a() throws Exception { - performTest("OverrideAbstractList3", 126, "ad",
"OverrideAbstractList3a.pass"); + performTest("OverrideAbstractList3", 936, "ad", "OverrideAbstractList3a.pass"); } public void testOverrideAbstractList3b()

```

```

throws Exception { - performTest("OverrideAbstractList3", 126, "ge", "OverrideAbstractList3b.pass"); + performTest("OverrideAbstractList3", 936, "ge",
"OverrideAbstractList3b.pass"); } public void testOverrideTypedException1() throws Exception { - performTest("OverrideTypedException", 209, "tes",
"OverrideTypedException.pass"); + performTest("OverrideTypedException", 1019, "tes", "OverrideTypedException.pass"); } public void
testOverrideTypedException2() throws Exception { - performTest("OverrideTypedException", 305, "tes", "OverrideTypedException.pass"); +
performTest("OverrideTypedException", 1115, "tes", "OverrideTypedException.pass"); } public void testOverrideInInnerClass() throws Exception { -
performTest("OverrideInInnerClass", 185, "pai", "OverrideInInnerClass.pass"); + performTest("OverrideInInnerClass", 995, "pai", "OverrideInInnerClass.pass"); }
public void testOverrideInInnerClassUnresolvable() throws Exception { - performTest("OverrideInInnerClassUnresolvable", 157, "pai", "empty.pass"); +
performTest("OverrideInInnerClassUnresolvable", 967, "pai", "empty.pass"); } public void testCreateConstructorTest() throws Exception { -
performTest("CreateConstructorTest", 249, "", "CreateConstructorTest.pass"); + performTest("CreateConstructorTest", 1059, "", "CreateConstructorTest.pass"); }
public void testCreateConstructorTestInnerClass() throws Exception { - performTest("CreateConstructorTest", 434, "", "CreateConstructorTestInnerClass.pass"); +
performTest("CreateConstructorTest", 1244, "", "CreateConstructorTestInnerClass.pass"); } public void testCreateConstructorWithConstructors() throws Exception
{ - performTest("CreateConstructorWithConstructors", 400, "", "CreateConstructorWithConstructors.pass"); + performTest("CreateConstructorWithConstructors",
1210, "", "CreateConstructorWithConstructors.pass"); } public void testCreateConstructorWithConstructorsInnerClass() throws Exception { -
performTest("CreateConstructorWithConstructors", 667, "", "CreateConstructorWithConstructorsInnerClass.pass"); +
performTest("CreateConstructorWithConstructors", 1477, "", "CreateConstructorWithConstructorsInnerClass.pass"); } public void
testCreateConstructorWithDefaultConstructor() throws Exception { - performTest("CreateConstructorWithDefaultConstructor", 352, "",
"CreateConstructorWithDefaultConstructor.pass"); + performTest("CreateConstructorWithDefaultConstructor", 1162, "",
"CreateConstructorWithDefaultConstructor.pass"); } public void testCreateConstructorWithDefaultConstructorInnerClass() throws Exception { -
performTest("CreateConstructorWithDefaultConstructor", 560, "", "CreateConstructorWithDefaultConstructorInnerClass.pass"); +
performTest("CreateConstructorWithDefaultConstructor", 1370, "", "CreateConstructorWithDefaultConstructorInnerClass.pass"); } public void
testCreateConstructorNonDefaultConstructor() throws Exception { - performTest("CreateConstructorNonDefaultConstructor", 379, "",
"CreateConstructorNonDefaultConstructor.pass"); + performTest("CreateConstructorNonDefaultConstructor", 1189, "",
"CreateConstructorNonDefaultConstructor.pass"); } public void testCreateConstructorNonDefaultConstructorInnerClass() throws Exception { -
performTest("CreateConstructorNonDefaultConstructor", 624, "", "CreateConstructorNonDefaultConstructorInnerClass.pass"); +
performTest("CreateConstructorNonDefaultConstructor", 1434, "", "CreateConstructorNonDefaultConstructorInnerClass.pass"); } } diff --git a/java.editor/test/qa-
functional/data/CC15Tests/build.xml b/java.editor/test/qa-functional/data/CC15Tests/build.xml index 7f6432097..4933ba062 100644 --- a/java.editor/test/qa-
functional/data/CC15Tests/build.xml +++ b/java.editor/test/qa-functional/data/CC15Tests/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-
8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. + +> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. -
-> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/java.editor/test/qa-functional/data/CC15Tests/nbproject/project.properties
b/java.editor/test/qa-functional/data/CC15Tests/nbproject/project.properties index f9123bfd4..365d7fcf0 100644 --- a/java.editor/test/qa-
functional/data/CC15Tests/nbproject/project.properties +++ b/java.editor/test/qa-functional/data/CC15Tests/nbproject/project.properties @@ -1,3 +1,20 @@ + #
Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for
additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may
not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + http://www.apache.org/licenses/LICENSE-2.0 + # + #
Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and
limitations + # under the License. + application.args= build.classes.dir=${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git
a/java.editor/test/qa-functional/data/CC15Tests/nbproject/project.xml b/java.editor/test/qa-functional/data/CC15Tests/nbproject/project.xml index
5a1791100..e07421e18 100644 --- a/java.editor/test/qa-functional/data/CC15Tests/nbproject/project.xml +++ b/java.editor/test/qa-
functional/data/CC15Tests/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance
+ with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in
writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either
express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <!-- You may freely edit this
file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it
and reopen the project it will be recreated.) --> diff --git a/java.editor/test/qa-functional/data/cp-prj-1/nbproject/project.properties b/java.editor/test/qa-
functional/data/cp-prj-1/nbproject/project.properties index e0e106e44..4e33cee6c 100644 --- a/java.editor/test/qa-functional/data/cp-prj-
1/nbproject/project.properties +++ b/java.editor/test/qa-functional/data/cp-prj-1/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache
Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + #
regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in
compliance + # with the License. You may obtain a copy of the License at + # + http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by
applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the
License. + application.args= build.classes.dir=${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/java.editor/test/qa-functional/data/cp-prj-
1/nbproject/project.xml b/java.editor/test/qa-functional/data/cp-prj-1/nbproject/project.xml index 43c9eeefc..733578c32 100644 --- a/java.editor/test/qa-
functional/data/cp-prj-1/nbproject/project.xml +++ b/java.editor/test/qa-functional/data/cp-prj-1/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0"
encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it
and reopen the project it will be recreated.) --> diff --git a/java.editor/test/qa-functional/data/projects/Formatting/build.xml b/java.editor/test/qa-
functional/data/projects/Formatting/build.xml index 481f315a6..46ad2eeb0 100644 --- a/java.editor/test/qa-
functional/data/projects/Formatting/build.xml +++ b/java.editor/test/qa-functional/data/projects/Formatting/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0"
encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it
and reopen the project it will be recreated.) --> diff --git a/java.editor/test/qa-functional/data/projects/Formatting/nbproject/project.properties b/java.editor/test/qa-
functional/data/projects/Formatting/nbproject/project.properties index 8fddb58a6..5cd75225f 100644 --- a/java.editor/test/qa-functional/data/projects/Formatting/nbproject/project.properties
+++ b/java.editor/test/qa-

```

functional/data/projects/Formatting/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + annotation.processing.enabled.in.editor=false annotation.processing.processors.list= diff --git a/java.editor/test/qa-functional/data/projects/Formatting/nbproject/project.xml b/java.editor/test/qa-functional/data/projects/Formatting/nbproject/project.xml index 0c024d660..ec646aa73 100644 --- a/java.editor/test/qa-functional/data/projects/Formatting/nbproject/project.xml +++ b/java.editor/test/qa-functional/data/projects/Formatting/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/java.editor/test/qa-functional/data/projects/java_editor_test/build.xml b/java.editor/test/qa-functional/data/projects/java_editor_test/build.xml index 79bfd327e..1e0f71e85 100644 --- a/java.editor/test/qa-functional/data/projects/java_editor_test/build.xml +++ b/java.editor/test/qa-functional/data/projects/java_editor_test/build.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.properties b/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.properties index 46e5a06e4..a09f70203 100644 --- a/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.properties +++ b/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + application.args= build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.xml b/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.xml index 52765dbb0..1ae225f57 100644 --- a/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.xml +++ b/java.editor/test/qa-functional/data/projects/java_editor_test/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/java.editor/test/qa-functional/src/org/netbeans/test/java/editor/completion/config.cfg b/java.editor/test/qa-functional/src/org/netbeans/test/java/editor/completion/config.cfg index 608513d10..06ec0483d 100644 --- a/java.editor/test/qa-functional/src/org/netbeans/test/java/editor/completion/config.cfg +++ b/java.editor/test/qa-functional/src/org/netbeans/test/java/editor/completion/config.cfg @@ -1,45 +1,19 @@ -<!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. --> -<!-- Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. --> -<!-- Oracle and Java are registered trademarks of Oracle and/or its affiliates. --> -<!-- Other names may be trademarks of their respective owners. --> -<!-- The contents of this file are subject to the terms of either the GNU --> -<!-- General Public License Version 2 only ("GPL") or the Common --> -<!-- Development and Distribution License ("CDDL") (collectively, the --> -<!-- "License"). You may not use this file except in compliance with the --> -<!-- License. You can obtain a copy of the License at --> -<!-- http://www.netbeans.org/cddl-gplv2.html --> -<!-- or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the --> -<!-- specific language governing permissions and limitations under the --> -<!-- License. When distributing the software, include this License Header --> -<!-- Notice in each file and include the License file at --> -<!-- nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this --> -<!-- particular file as subject to the "Classpath" exception as provided --> -<!-- by Oracle in the GPL Version 2 section of the License file that --> -<!-- accompanied this code. If applicable, add the following below the --> -<!-- License Header, with the fields enclosed by brackets [] replaced by --> -<!-- your own identifying information: --> -<!-- "Portions Copyrighted [year] [name of copyright owner]" --> -<!-- Contributor(s): --> -<!-- The Original Software is NetBeans. The Initial Developer of the Original --> -<!-- Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun --> -<!-- Microsystems, Inc. All Rights Reserved. --> -<!-- If you wish your version of this file to be governed by only the CDDL --> -<!-- or only the GPL Version 2, indicate your decision by adding --> -<!-- "[Contributor] elects to include this software in this distribution --> -<!-- under the [CDDL or GPL Version 2] license." If you do not indicate a --> -<!-- single choice of license, a recipient has the option to distribute --> -<!-- your version of this file under either the CDDL, the GPL Version 2 or --> -<!-- to extend the choice of license to its licensees as provided above. --> -<!-- However, if you add GPL Version 2 code and therefore, elected the GPL --> -<!-- Version 2 license, then the option applies only if the new code is --> -<!-- made subject to such option by the copyright holder. --> + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # The file format is as follows: #test name:code to insert:whether to sort result:golden file to use (@ goldenfile according to name):project to open:which file to open:line to jump diff --git a/java.editor/test/qa-functional/src/org/netbeans/test/java/editor/completion/create b/java.editor/test/qa-functional/src/org/netbeans/test/java/editor/completion/create +++ b/java.editor/test/qa-functional/src/org/netbeans/test/java/editor/completion/create @@ -1,17 +1,23 @@ +52,23 @@ @ go() touch \$output; cat >>\$output <<END_OF_SOURCE //This class is automatically generated - DO NOT MODIFY (ever) -/* - * Sun Public License Notice - * - * The contents of this file are subject to the Sun Public License - * Version 1.0 (the "License"). You may not use this file except in - * compliance with the License. A copy of the License is available at - * http://www.sun.com/ - * - * The Original Code is NetBeans. The Initial Developer of the Original - * Code is Sun Microsystems, Inc. Portions Copyright 1997-2001 Sun - * Microsystems, Inc. All Rights Reserved. +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * http://www.apache.org/licenses/LICENSE-2.0 + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. +*/ package org.netbeans.test.java.editor.completion; import java.io.PrintWriter; diff --git a/java.examples/110n.list b/java.examples/110n.list index 9e23b8432..1c36c9354 100644 --- a/java.examples/110n.list +++ b/java.examples/110n.list @@ -1,2 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # usersguide/j2seexamples read global diff --git a/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/queries/Bundle.properties b/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/queries/Bundle.properties index a6a660808..336b8df85 100644 --- a/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/queries/Bundle.properties +++ a/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/queries/Bundle.properties + +

b/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/queries/Bundle.properties @@ -1,40 +1,20 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # Copyright (c) 2011, 2016 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # # Contributor(s): # {0} - the root to attach Javadoc to TXT_AttachJavadocTo=Attach Javadoc to "{0}" # {0} - the root to attach Sources to diff --git a/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/resources/templates/defaultPlatform.xml b/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/resources/templates/defaultPlatform.xml index 3a87e2779..bf0172dd8 100644 --- a/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/resources/templates/defaultPlatform.xml +++ b/java.j2seplatform/src/org/netbeans/modules/java/j2seplatform/resources/templates/defaultPlatform.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE platform PUBLIC "-//NetBeans/DTD Java PlatformDefinition 1.0/EN" 'http://www.netbeans.org/dtds/java-platformdefinition-1_0.dtd'> <platform default="yes"> </platform> diff --git a/java.j2seproject/110n.list b/java.j2seproject/110n.list index 90d2c4179..5a97fe280 100644 --- a/java.j2seproject/110n.list +++ b/java.j2seproject/110n.list @@ -1,3 +1,20 @@ # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # http://www.apache.org/licenses/LICENSE-2.0 # # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # java/j2seproject.read.global # include copylibtask submodule diff --git a/java.j2seproject/test/unit/src/META-INF/services/org.apache.tools.ant.module.spi.AntLogger b/java.j2seproject/test/unit/src/META-INF/services/org.apache.tools.ant.module.spi.AntLogger index a3675acb2..280fe9ea6 100644 --- a/java.j2seproject/test/unit/src/META-INF/services/org.apache.tools.ant.module.spi.AntLogger +++ b/java.j2seproject/test/unit/src/META-INF/services/org.apache.tools.ant.module.spi.AntLogger @@ -1 +1,18 @@ # org.netbeans.modules.junit.output.JUnitAntLogger # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # http://www.apache.org/licenses/LICENSE-2.0 # # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # org.netbeans.modules.junit.output.JUnitAntLogger \ No newline at end of file diff --git a/java.project.ui/test/unit/data/simple-app/build.xml b/java.project.ui/test/unit/data/simple-app/build.xml index 04ab4be52..2a2d38a54 100644 --- a/java.project.ui/test/unit/data/simple-app/build.xml +++ b/java.project.ui/test/unit/data/simple-app/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/java.project.ui/test/unit/data/simple-app/nbproject/project.properties b/java.project.ui/test/unit/data/simple-app/nbproject/project.properties index 870bb245f..83924376b 100644 --- a/java.project.ui/test/unit/data/simple-app/nbproject/project.properties +++ b/java.project.ui/test/unit/data/simple-app/nbproject/project.properties @@ -1,3 +1,20 @@ @/ # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # http://www.apache.org/licenses/LICENSE-2.0 # # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. + application.args= build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/java.source.base/nbproject/project.properties b/java.source.base/nbproject/project.properties index 85952e9d2..1e5933bb0 100644 --- a/java.source.base/nbproject/project.properties +++ b/java.source.base/nbproject/project.properties @@ -1,4 +1,20 @@ @/ -1,44 +1,20 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # Contributor(s): # # The Original Software is NetBeans. The Initial Developer of the Original # Software is Sun Microsystems, Inc. Portions Copyright 1997-2010 Sun # Microsystems, Inc. All Rights Reserved. # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. + # javac.compilerargs=-Xlint:unchecked nbroot=../. is.autoload=true diff --git a/java.source/nbproject/project.properties b/java.source/nbproject/project.properties index 510f6c357..0bd7f9794 100644 --- a/java.source/nbproject/project.properties +++ b/java.source/nbproject/project.properties @@ -1,44 +1,20 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed

to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> or <http://www.netbeans.org/cddl-gplv2.html> or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the specific language governing permissions and limitations under the License. When distributing the software, include this License Header in each file and include the License file at nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code. If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: Portions Copyright [year] [name of copyright owner] Contributor(s): The Original Software is NetBeans. The Initial Developer of the Original Software is Sun Microsystems, Inc. Portions Copyright 1997-2010 Sun Microsystems, Inc. All Rights Reserved. If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you do not indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

nbroot=... javac.source=1.8 diff --git a/java.source/test/qa-functional/data/projects/default/build.xml b/java.source/test/qa-functional/data/projects/default/build.xml index a48d6ba24..5b31ada81 100644 --- a/java.source/test/qa-functional/data/projects/default/build.xml +++ b/java.source/test/qa-functional/data/projects/default/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/java.source/test/qa-functional/data/projects/default/nbproject/project.properties b/java.source/test/qa-functional/data/projects/default/nbproject/project.properties index f2c612177..1824a07e2 100644 --- a/java.source/test/qa-functional/data/projects/default/nbproject/project.properties +++ b/java.source/test/qa-functional/data/projects/default/nbproject/project.properties @@ -1,3 +1,20 @@ + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/javaafx2.editor/test/unit/data/org/netbeans/modules/javafx2/editor/actions/FieldsWithTypeParams.java b/javaafx2.editor/test/unit/data/org/netbeans/modules/javafx2/editor/actions/FieldsWithTypeParams.java index 5d67e7bac..9239c3d9c 100644 --- a/javaafx2.editor/test/unit/data/org/netbeans/modules/javafx2/editor/actions/FieldsWithTypeParams.java +++ b/javaafx2.editor/test/unit/data/org/netbeans/modules/javafx2/editor/actions/FieldsWithTypeParams.java @@ -1,4 +1,21 @@ - +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + http://www.apache.org/licenses/LICENSE-2.0 + * + Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ package org.netbeans.modules.javafx2.editor.actions; import java.util.HashMap; diff --git a/javaafx2.samples/AdvancedMedia/nbproject/genfiles.properties b/javaafx2.samples/AdvancedMedia/nbproject/genfiles.properties index 71e45ee7f..c43ae2630 100644 --- a/javaafx2.samples/AdvancedMedia/nbproject/genfiles.properties +++ b/javaafx2.samples/AdvancedMedia/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=74871d7d build.xml.script.CRC32=78c129cf build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javaafx2.samples/AdvancedMedia/nbproject/jfx-impl.xml b/javaafx2.samples/AdvancedMedia/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javaafx2.samples/AdvancedMedia/nbproject/jfx-impl.xml +++ b/javaafx2.samples/AdvancedMedia/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** EDIT ../build.xml INSTEAD *** --> diff --git a/javaafx2.samples/AudioVisualizer3D/nbproject/genfiles.properties b/javaafx2.samples/AudioVisualizer3D/nbproject/genfiles.properties index d8b39fbfbf..b3103b67d 100644 --- a/javaafx2.samples/AudioVisualizer3D/nbproject/genfiles.properties +++ b/javaafx2.samples/AudioVisualizer3D/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=28fc8bbb build.xml.script.CRC32=4fcccc57 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javaafx2.samples/AudioVisualizer3D/nbproject/jfx-impl.xml b/javaafx2.samples/AudioVisualizer3D/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 - -- a/javaafx2.samples/AudioVisualizer3D/nbproject/jfx-impl.xml +++ b/javaafx2.samples/AudioVisualizer3D/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language

[illegible]

```

or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=d0407cc2 build.xml.script.CRC32=b1af2d11 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javaafx2.samples/ChartAdvancedScatter/nbproject/jfx-impl.xml b/javaafx2.samples/ChartAdvancedScatter/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javaafx2.samples/ChartAdvancedScatter/nbproject/jfx-impl.xml +++ b/javaafx2.samples/ChartAdvancedScatter/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javaafx2.samples/ChartAdvancedScatterLive/nbproject/genfiles.properties b/javaafx2.samples/ChartAdvancedScatterLive/nbproject/genfiles.properties index a0efa1711..7eb8e567a 100644 --- a/javaafx2.samples/ChartAdvancedScatterLive/nbproject/genfiles.properties +++ b/javaafx2.samples/ChartAdvancedScatterLive/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javaafx2.samples/ChartAdvancedStockLine/nbproject/genfiles.properties b/javaafx2.samples/ChartAdvancedStockLine/nbproject/genfiles.properties index ee5638438..3a75057c6 100644 --- a/javaafx2.samples/ChartAdvancedStockLine/nbproject/genfiles.properties +++ b/javaafx2.samples/ChartAdvancedStockLine/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javaafx2.samples/ChartAudioArea/nbproject/genfiles.properties b/javaafx2.samples/ChartAudioArea/nbproject/genfiles.properties index faad3b7ee..d9221c827 100644 --- a/javaafx2.samples/ChartAudioArea/nbproject/genfiles.properties +++ b/javaafx2.samples/ChartAudioArea/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javaafx2.samples/ChartAudioBar/nbproject/genfiles.properties b/javaafx2.samples/ChartAudioBar/nbproject/genfiles.properties index 130819bef..9710cfb31 100644 --- a/javaafx2.samples/ChartAudioBar/nbproject/genfiles.properties +++ b/javaafx2.samples/ChartAudioBar/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javaafx2.samples/ChartLine/nbproject/genfiles.properties b/javaafx2.samples/ChartLine/nbproject/genfiles.properties index 70623cc05..96f09ab1d 100644 --- a/javaafx2.samples/ChartLine/nbproject/genfiles.properties +++ b/javaafx2.samples/ChartLine/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is

```

```

distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + #
specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=91360212 build.xml.script.CRC32=1afb5f74
build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javaafx2.samples/ChartLine/nbproject/jfx-impl.xml b/javaafx2.samples/ChartLine/nbproject/jfx-
impl.xml index df73304cf..bc99a7944 100644 --- a/javaafx2.samples/ChartLine/nbproject/jfx-impl.xml +++ b/javaafx2.samples/ChartLine/nbproject/jfx-impl.xml
@@ -1,5 +1,25 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor
license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to
you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the
License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the
License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +
specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***
EDIT ../build.xml INSTEAD *** --> diff --git a/javaafx2.samples/ColorPicker/nbproject/genfiles.properties
b/javaafx2.samples/ColorPicker/nbproject/genfiles.properties index 961636035..3f9a35725 100644 --- a/javaafx2.samples/ColorPicker/nbproject/genfiles.properties
+++ b/javaafx2.samples/ColorPicker/nbproject/genfiles.properties @@ -1,3 +1,19 @@ @ + # Licensed to the Apache Software Foundation (ASF) under one + # or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=7d4b03aa
build.xml.script.CRC32=566b8eb8 build.xml.stylesheet.CRC32=28e38971@1.50.1.46 diff --git a/javaafx2.samples/ColorPicker/nbproject/jfx-impl.xml
b/javaafx2.samples/ColorPicker/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javaafx2.samples/ColorPicker/nbproject/jfx-impl.xml +++
a/javaafx2.samples/ColorPicker/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance
+ with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in
writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either
express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM
TEMPLATE - DO NOT EDIT *** *** EDIT ../build.xml INSTEAD *** --> diff --git a/javaafx2.samples/ColorfulCircles/nbproject/genfiles.properties
b/javaafx2.samples/ColorfulCircles/nbproject/genfiles.properties index b11b78469..96f18c3b3 100644 ---
a/javaafx2.samples/ColorfulCircles/nbproject/genfiles.properties +++ b/javaafx2.samples/ColorfulCircles/nbproject/genfiles.properties @@ -1,3 +1,19 @@ @ + #
Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may
not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + #
Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and
limitations + # under the License. build.xml.data.CRC32=7fab2abb build.xml.script.CRC32=62a5603c build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git
a/javaafx2.samples/ColorfulCircles/nbproject/jfx-impl.xml b/javaafx2.samples/ColorfulCircles/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 ---
a/javaafx2.samples/ColorfulCircles/nbproject/jfx-impl.xml +++ b/javaafx2.samples/ColorfulCircles/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ @<?xml
version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** *** EDIT ../build.xml
INSTEAD *** --> diff --git a/javaafx2.samples/CreateAdvancedStage/nbproject/genfiles.properties
b/javaafx2.samples/CreateAdvancedStage/nbproject/genfiles.properties index a157cbdbd..415082aa7 100644 ---
a/javaafx2.samples/CreateAdvancedStage/nbproject/genfiles.properties +++ b/javaafx2.samples/CreateAdvancedStage/nbproject/genfiles.properties @@ -1,3 +1,19
@@ @ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with this
work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0
+ # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and
limitations + # under the License. build.xml.data.CRC32=bd7fd3d7 build.xml.script.CRC32=29286ed9 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --
git a/javaafx2.samples/CreateAdvancedStage/nbproject/jfx-impl.xml b/javaafx2.samples/CreateAdvancedStage/nbproject/jfx-impl.xml index df73304cf..bc99a7944
100644 --- a/javaafx2.samples/CreateAdvancedStage/nbproject/jfx-impl.xml +++ b/javaafx2.samples/CreateAdvancedStage/nbproject/jfx-impl.xml @@ -1,5 +1,25
@@ @<?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** *** EDIT ../build.xml
INSTEAD *** --> diff --git a/javaafx2.samples/Cube3D/nbproject/genfiles.properties b/javaafx2.samples/Cube3D/nbproject/genfiles.properties index
af03e85d4..f25e313fa 100644 --- a/javaafx2.samples/Cube3D/nbproject/genfiles.properties +++ b/javaafx2.samples/Cube3D/nbproject/genfiles.properties @@ -1,3
+1,19 @@ @ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + #
"License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/
LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + # under the License. build.xml.data.CRC32=ee20a4c1 build.xml.script.CRC32=e88c0a5d
build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javaafx2.samples/Cube3D/nbproject/jfx-impl.xml b/javaafx2.samples/Cube3D/nbproject/jfx-impl.xml
index df73304cf..bc99a7944 100644 --- a/javaafx2.samples/Cube3D/nbproject/jfx-impl.xml +++ b/javaafx2.samples/Cube3D/nbproject/jfx-impl.xml @@ -1,5 +1,25
@@ @<?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** *** EDIT ../build.xml
INSTEAD *** --> diff --git a/javaafx2.samples/CubeSystem3D/nbproject/genfiles.properties b/javaafx2.samples/CubeSystem3D/nbproject/genfiles.properties index
77fa2815e..c24f1d57a 100644 --- a/javaafx2.samples/CubeSystem3D/nbproject/genfiles.properties +++
b/javaafx2.samples/CubeSystem3D/nbproject/genfiles.properties @@ -1,3 +1,19 @@ @ + # Licensed to the Apache Software Foundation (ASF) under one + # or more
contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses
this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + # with the License. You may
obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=d6e2bfff4
build.xml.script.CRC32=0ceaf520 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javaafx2.samples/CubeSystem3D/nbproject/jfx-impl.xml
b/javaafx2.samples/CubeSystem3D/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javaafx2.samples/CubeSystem3D/nbproject/jfx-impl.xml +++
b/javaafx2.samples/CubeSystem3D/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ @<?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +

```

regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/

EDIT ../build.xml INSTEAD *** --> diff --git a/java2.samples/DigitalClock/nbproject/genfiles.properties b/java2.samples/DigitalClock/nbproject/genfiles.properties index 153057525..bf19ab705 100644 -- a/java2.samples/DigitalClock/nbproject/genfiles.properties +++ b/java2.samples/DigitalClock/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=f8009899 build.xml.script.CRC32=b6634440 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/java2.samples/DigitalClock/nbproject/jfx-impl.xml b/java2.samples/DigitalClock/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/java2.samples/DigitalClock/nbproject/jfx-impl.xml +++ b/java2.samples/DigitalClock/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/

EDIT ../build.xml INSTEAD *** --> diff --git a/java2.samples/DisplayShelf/nbproject/genfiles.properties b/java2.samples/DisplayShelf/nbproject/genfiles.properties index 2e7d3d5f5..2d4b43bbb 100644 --- a/java2.samples/DisplayShelf/nbproject/genfiles.properties +++ b/java2.samples/DisplayShelf/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=1a89b0a1 build.xml.script.CRC32=b0b3c706 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/java2.samples/DisplayShelf/nbproject/jfx-impl.xml b/java2.samples/DisplayShelf/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/java2.samples/DisplayShelf/nbproject/jfx-impl.xml +++ b/java2.samples/DisplayShelf/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/

EDIT ../build.xml INSTEAD *** --> diff --git a/java2.samples/FXML-LoginDemo/nbproject/genfiles.properties b/java2.samples/FXML-LoginDemo/nbproject/genfiles.properties index 84f845930..8c61d5bac 100644 --- a/java2.samples/FXML-LoginDemo/nbproject/genfiles.properties +++ b/java2.samples/FXML-LoginDemo/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=2d55b990 build.xml.script.CRC32=6073ea12 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/java2.samples/FXML-LoginDemo/nbproject/jfx-impl.xml b/java2.samples/FXML-LoginDemo/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/java2.samples/FXML-LoginDemo/nbproject/jfx-impl.xml +++ b/java2.samples/FXML-LoginDemo/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/

EDIT ../build.xml INSTEAD *** --> diff --git a/java2.samples/FXML-LoginDemo/src/demo/profile.fxml b/java2.samples/FXML-LoginDemo/src/demo/profile.fxml index 910e96f86..2ea9a043e 100644 --- a/java2.samples/FXML-LoginDemo/src/demo/profile.fxml +++ b/java2.samples/FXML-LoginDemo/src/demo/profile.fxml @@ -1,34 +1,23 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + * Copyright (c) 2008, 2012 Oracle and/or its affiliates. + * All rights reserved. Use is subject to license terms. + * + * This file is available and licensed under the following license: + * - * Redistribution and use in source and binary forms, with or without + * modification, are permitted provided that the following conditions + * are met: + * - * - * Redistributions of source code must retain the above copyright + * notice, this list of conditions and the following disclaimer. + * - * Redistributions in binary form must reproduce the above copyright + * notice, this list of conditions and the following disclaimer in + * the documentation and/or other materials provided with the distribution. + * - * Neither the name of Oracle Corporation nor the names of its + * contributors may be used to endorse or promote products derived + * from this software without specific prior written permission. + * - * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS + * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT + * NOT + * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR + * A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT + * OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, + * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT + * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, + * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY + * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT + * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE + * USE + * OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/

EDIT ../build.xml INSTEAD *** --> diff --git a/java2.samples/Fireworks/nbproject/genfiles.properties b/java2.samples/Fireworks/nbproject/genfiles.properties index 7aa5f0032..1d72b0983 100644 --- a/java2.samples/Fireworks/nbproject/genfiles.properties +++ b/java2.samples/Fireworks/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=7d4b03aa build.xml.script.CRC32=566b8eb8 build.xml.stylesheet.CRC32=28e38971@1.50.1.46 diff --git a/java2.samples/Fireworks/nbproject/jfx-impl.xml b/java2.samples/Fireworks/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/java2.samples/Fireworks/nbproject/jfx-impl.xml +++ b/java2.samples/Fireworks/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ + <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed


```
on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/build.xml  
INSTEAD *** --> diff --git a/javafx2.samples/HTMLEditorApp/nbproject/genfiles.properties b/javafx2.samples/HTMLEditorApp/nbproject/genfiles.properties index 9b5c42f97..e4dfef016 100644 --- a/javafx2.samples/HTMLEditorApp/nbproject/genfiles.properties +++  
b/javafx2.samples/HTMLEditorApp/nbproject/genfiles.properties @@ -1,3 +1,19 @@ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=c1fb0672  
build.xml.script.CRC32=04e222d4 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javafx2.samples/HTMLEditorApp/nbproject/jfx-impl.xml b/javafx2.samples/HTMLEditorApp/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/HTMLEditorApp/nbproject/jfx-impl.xml +++ b/javafx2.samples/HTMLEditorApp/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/build.xml INSTEAD *** --> diff --git a/javafx2.samples/KeyStrokeMotion/nbproject/genfiles.properties b/javafx2.samples/KeyStrokeMotion/nbproject/genfiles.properties index d169b07cf..6d721da22 100644 --- a/javafx2.samples/KeyStrokeMotion/nbproject/genfiles.properties +++ b/javafx2.samples/KeyStrokeMotion/nbproject/genfiles.properties @@ -1,3 +1,19 @@ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=ed55cdcc build.xml.script.CRC32=591ca624  
build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javafx2.samples/KeyStrokeMotion/nbproject/jfx-impl.xml b/javafx2.samples/KeyStrokeMotion/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/KeyStrokeMotion/nbproject/jfx-impl.xml +++ b/javafx2.samples/KeyStrokeMotion/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/build.xml INSTEAD *** --> diff --git a/javafx2.samples/MouseEvents/nbproject/genfiles.properties b/javafx2.samples/MouseEvents/nbproject/genfiles.properties index 20904f1ef..1066794ad 100644 --- a/javafx2.samples/MouseEvents/nbproject/genfiles.properties +++ b/javafx2.samples/MouseEvents/nbproject/genfiles.properties @@ -1,3 +1,19 @@ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=724cb2eb build.xml.script.CRC32=0548481c build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javafx2.samples/MouseEvents/nbproject/jfx-impl.xml b/javafx2.samples/MouseEvents/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/MouseEvents/nbproject/jfx-impl.xml +++ b/javafx2.samples/MouseEvents/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/build.xml INSTEAD *** --> diff --git a/javafx2.samples/PaginationDemo/nbproject/genfiles.properties b/javafx2.samples/PaginationDemo/nbproject/genfiles.properties index 3a749e9b7..5c89182a8 100644 --- a/javafx2.samples/PaginationDemo/nbproject/genfiles.properties +++ b/javafx2.samples/PaginationDemo/nbproject/genfiles.properties @@ -1,3 +1,19 @@ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=7d4db03aa  
build.xml.script.CRC32=566b8eb8 build.xml.stylesheet.CRC32=28e38971@1.50.1.46 diff --git a/javafx2.samples/PaginationDemo/nbproject/jfx-impl.xml b/javafx2.samples/PaginationDemo/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/PaginationDemo/nbproject/jfx-impl.xml +++ b/javafx2.samples/PaginationDemo/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/build.xml INSTEAD *** --> diff --git a/javafx2.samples/PuzzlePieces/nbproject/genfiles.properties b/javafx2.samples/PuzzlePieces/nbproject/genfiles.properties index bfa60ad42..dc9d0876d 100644 --- a/javafx2.samples/PuzzlePieces/nbproject/genfiles.properties +++ b/javafx2.samples/PuzzlePieces/nbproject/genfiles.properties @@ -1,3 +1,19 @@ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. build.xml.data.CRC32=628f1499 build.xml.script.CRC32=dc7addfa build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javafx2.samples/PuzzlePieces/nbproject/jfx-impl.xml b/javafx2.samples/PuzzlePieces/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/PuzzlePieces/nbproject/jfx-impl.xml +++ b/javafx2.samples/PuzzlePieces/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/build.xml INSTEAD *** --> diff --git a/javafx2.samples/StopWatch/nbproject/genfiles.properties b/javafx2.samples/StopWatch/nbproject/genfiles.properties index f42e81e26..704ea4df0 100644 --- a/javafx2.samples/StopWatch/nbproject/genfiles.properties +++ b/javafx2.samples/StopWatch/nbproject/genfiles.properties @@ -1,3 +1,19 @@ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + distributed
```

[illegible]

build.xml.script.CRC32=236e1144 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javafx2.samples/TransitionRotate/nbproject/jfx-impl.xml b/javafx2.samples/TransitionRotate/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/TransitionRotate/nbproject/jfx-impl.xml +++ b/javafx2.samples/TransitionRotate/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javafx2.samples/WebViewBrowser/nbproject/genfiles.properties b/javafx2.samples/WebViewBrowser/nbproject/genfiles.properties index 131a2f436..a7e2b2c2f 100644 --- a/javafx2.samples/WebViewBrowser/nbproject/genfiles.properties +++ b/javafx2.samples/WebViewBrowser/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=a6535181 build.xml.script.CRC32=00335096 build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javafx2.samples/WebViewBrowser/nbproject/jfx-impl.xml b/javafx2.samples/WebViewBrowser/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/WebViewBrowser/nbproject/jfx-impl.xml +++ b/javafx2.samples/WebViewBrowser/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javafx2.samples/Xylophone/nbproject/genfiles.properties b/javafx2.samples/Xylophone/nbproject/genfiles.properties index d4318d997..ef70b747d 100644 --- a/javafx2.samples/Xylophone/nbproject/genfiles.properties +++ b/javafx2.samples/Xylophone/nbproject/genfiles.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. build.xml.data.CRC32=f105f76f build.xml.script.CRC32=94793a6d build.xml.stylesheet.CRC32=28e38971@1.50.0.46 diff --git a/javafx2.samples/Xylophone/nbproject/jfx-impl.xml b/javafx2.samples/Xylophone/nbproject/jfx-impl.xml index df73304cf..bc99a7944 100644 --- a/javafx2.samples/Xylophone/nbproject/jfx-impl.xml +++ b/javafx2.samples/Xylophone/nbproject/jfx-impl.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<!-- *** GENERATED FROM TEMPLATE - DO NOT EDIT *** ***/ build.xml INSTEAD *** --> diff --git a/javafx2.samples/110n.list b/javafx2.samples/110n.list index 6f51f89e7..4913a6141 100644 --- a/javafx2.samples/110n.list +++ b/javafx2.samples/110n.list @@ -1,2 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # javafx2/samples read global diff --git a/javahelp/110n.list b/javahelp/110n.list index 8c44400b4..d1b0e520c 100644 --- a/javahelp/110n.list +++ b/javahelp/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # core/javahelp read global \${110n-module}/src/**/resources/*.xml diff --git a/javawebstart/AntTasks/nbproject/project.properties b/javawebstart/AntTasks/nbproject/project.properties index d50b4a9e6..ba2a717e2 100644 --- a/javawebstart/AntTasks/nbproject/project.properties +++ b/javawebstart/AntTasks/nbproject/project.properties @@ -1,44 +1,25 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # annotation.processing.enabled=true annotation.processing.enabled.in.editor=false annotation.processing.processors.list= annotation.processing.run.all.processors=true -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# -# Copyright (c) 2008, 2016 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License ("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# -# Contributor(s): + application.title=AntTasks application.vendor=NetBeans.org build.classes.dir=\${build.dir}/classes diff --git a/jellytools.ide/test/qa-functional/data/SampleProject/build.xml b/jellytools.ide/test/qa-functional/data/SampleProject/build.xml index 5c96d3588..9b0608d82 100644 --- a/jellytools.ide/test/qa-functional/data/SampleProject/build.xml +++ b/jellytools.ide/test/qa-functional/data/SampleProject/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/jellytools.ide/test/qa-functional/data/SampleProject/nbproject/project.properties b/jellytools.ide/test/qa-functional/data/SampleProject/nbproject/project.properties index 6b089b3ab..c67268146 100644 --- a/jellytools.ide/test/qa-

functional/data/SampleProject/nbproject/project.properties +++ b/jellytools.id/test/qa-functional/data/SampleProject/nbproject/project.properties @@ -1,3 +1,20 @@
+ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + annotation.processing.enabled=true annotation.processing.enabled.in.editor=false annotation.processing.run.all.processors=true diff --git a/jellytools.id/test/qa-functional/data/SampleProject/nbproject/project.xml b/jellytools.id/test/qa-functional/data/SampleProject/nbproject/project.xml index 8036c4e1a..20fd71016 100644 --- a/jellytools.id/test/qa-functional/data/SampleProject/nbproject/project.xml +++ b/jellytools.id/test/qa-functional/data/SampleProject/nbproject/project.xml @@ -1,4 +1,24 @@
+ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/jellytools.java/test/qa-functional/data/SampleProject/build.xml b/jellytools.java/test/qa-functional/data/SampleProject/build.xml index 5c96d3588..9b0608d82 100644 --- a/jellytools.java/test/qa-functional/data/SampleProject/build.xml +++ b/jellytools.java/test/qa-functional/data/SampleProject/build.xml @@ -1,4 +1,24 @@
+ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.properties b/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.properties index 6b089b3ab..c67268146 100644 --- a/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.properties +++ b/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.properties @@ -1,3 +1,20 @@
+ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + annotation.processing.enabled=true annotation.processing.enabled.in.editor=false annotation.processing.run.all.processors=true diff --git a/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.xml b/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.xml index 8036c4e1a..20fd71016 100644 --- a/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.xml +++ b/jellytools.java/test/qa-functional/data/SampleProject/nbproject/project.xml @@ -1,4 +1,24 @@
+ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.properties b/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.properties index f306d090c..c7e450bb2 100644 --- a/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.properties +++ b/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.properties @@ -1,3 +1,20 @@
+ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + application.args=application.title=SampleProject application.vendor=shura diff --git a/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.xml b/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.xml index 8036c4e1a..20fd71016 100644 --- a/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.xml +++ b/jellytools.platform/test/qa-functional/data/SampleProject/nbproject/project.xml @@ -1,4 +1,24 @@
+ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/jumtpo/build.xml b/jumtpo/build.xml index 1ddc56b06..9b243d007 100644 --- a/jumtpo/build.xml +++ b/jumtpo/build.xml @@ -1,4 +1,22 @@
+ <?xml version="1.0" encoding="UTF-8"?> +<!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -Contributor(s): - -The Original Software is the Accelerators module. -The Initial Developer of the Original Software is Andrei Badea. -Portions Copyright 2005-2006 Andrei Badea. -All Rights Reserved. - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. --> <project basedir="." default="netbeans" name="jumtpo"> diff --git a/jumtpo/nbproject/project.properties b/jumtpo/nbproject/project.properties index 1e7e32f0c..34a65dbb6 100644 --- a/jumtpo/nbproject/project.properties +++ b/jumtpo/nbproject/project.properties @@ -1,45 +1,19 @@
+ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL")

or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# Contributor(s): -# -# The Original Software is the Accelerators module. -# The Initial Developer of the Original Software is Andrei Badea. -# Portions Copyright 2005-2006 Andrei Badea. -# All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. javac.compilerargs=-Xlint:unchecked javac.source=1.8 diff --git a/jumptonbproject/project.xml b/jumptonbproject/project.xml index 7359d8aa9..ff9ec269d 100644 --- a/jumptonbproject/project.xml +++ b/jumptonbproject/project.xml @@ -1,5 +1,25 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. diff --git a/junit110n.list b/junit110n.list index d3dce9c2d..9560aee4f 100644 --- a/junit110n.list +++ b/junit110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + # under the License. + # junit read global \${110n-module}/src/org/netbeans/modules/junit/output/res/*.gif diff --git a/junit/test/qa-functional/data/JunitTestProject/build.xml b/junit/test/qa-functional/data/JunitTestProject/build.xml index a700d7ce1..4902a30a0 100644 --- a/junit/test/qa-functional/data/JunitTestProject/build.xml +++ b/junit/test/qa-functional/data/JunitTestProject/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/junit/test/qa-functional/data/JunitTestProject/project.properties b/junit/test/qa-functional/data/JunitTestProject/project.properties index e097674be..8c6b7eee4 100644 --- a/junit/test/qa-functional/data/JunitTestProject/project.properties +++ b/junit/test/qa-functional/data/JunitTestProject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + # under the License. + #Mon Jun 22 14:48:40 CEST 2015 excludes=javac.deprecation=false diff --git a/junit/test/qa-functional/data/JunitTestProject/nbproject/project.xml b/junit/test/qa-functional/data/JunitTestProject/nbproject/project.xml index 4d0ef53da..b7b27c98b 100644 --- a/junit/test/qa-functional/data/JunitTestProject/nbproject/project.xml +++ b/junit/test/qa-functional/data/JunitTestProject/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/junitlib/external/binaries-list b/junitlib/external/binaries-list index b3f890074..9932bc778 100644 --- a/junitlib/external/binaries-list +++ b/junitlib/external/binaries-list @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -A6C32B40BF3D76ECA54E3C601E5D1470C86FCDEFA junit-4.12-sources.jar -941A8BE4506C65F0A9001C08812FB7DA1E505E21 junit-4.12-javadoc.jar +A6C32B40BF3D76ECA54E3C601E5D1470C86FCDEFA junit:junit:4.12:sources +941A8BE4506C65F0A9001C08812FB7DA1E505E21 junit:junit:4.12:javadoc diff --git a/junitlib/external/junit-3.8.2-license.txt b/junitlib/external/junit-3.8.2-license.txt deleted file mode 100644 index 75e380c8f..000000000 --- a/junitlib/external/junit-3.8.2-license.txt +++ /dev/null @@ -1,220 +0,0 @@ -Name: JUnit -Version: 3.8.2 -License: CPL-1.0 -OSR: 1221 -Origin: <http://www.junit.org/index.htm> -Description: JUnit is a regression testing framework -Files: junit-3.8.2-api.zip, junit-3.8.2.jar - -THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM -CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT. - -1. DEFINITIONS - -"Contribution" means: - - a) in the case of the initial Contributor, the initial code and - documentation distributed under this Agreement, and -b) in the case of each subsequent Contributor: - -i) changes to the Program, and - -ii) additions to the Program; - - where such changes and/or additions to the Program originate from and are -distributed by that particular Contributor. A Contribution 'originates' from a -Contributor if it was added to the Program by such Contributor itself or anyone -acting on such Contributor's behalf. Contributions do not include additions to -the Program which: (i) are separate modules of software distributed in -conjunction with the Program under their own license agreement, and (ii) are not -derivative works of the Program. - -"Contributor" means any person or entity that distributes the Program. - -"Licensed Patents " mean patent claims licensable by a Contributor which are -necessarily infringed by the use or sale of its Contribution alone or when -combined with the Program. - -"Program" means the Contributions distributed in accordance with this Agreement. - -"Recipient" means anyone who receives the Program under this Agreement, -including all Contributors. - -2. GRANT OF RIGHTS - -a) Subject to the terms of this Agreement, each Contributor hereby grants -Recipient a non-exclusive, worldwide, royalty-free copyright license to -reproduce, prepare derivative works of, publicly display, publicly perform, -distribute and sublicense the Contribution of such Contributor, if any, and such -derivative works, in source code and object code form. - -b) Subject to the terms of this Agreement, each Contributor hereby grants -Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed -Patents to make, use, sell, offer to sell, import and otherwise transfer the -Contribution of such Contributor, if any, in source code and object code form. -This patent license shall apply to the combination of the Contribution and the -Program if, at the time the Contribution is added by the Contributor, such -addition of the Contribution causes such combination to be covered by the -Licensed Patents. The patent license shall not apply to any other combinations -which include the Contribution. No hardware per se is licensed hereunder. - -c) Recipient understands that although each Contributor grants the licenses to -its Contributions set forth herein, no assurances are provided by any -Contributor that the Program does not infringe the patent or other intellectual -property rights of any other entity. Each Contributor disclaims any liability to -Recipient for claims brought by any other entity based on infringement of -intellectual property rights or otherwise. As a condition to exercising the -rights and licenses granted hereunder, each Recipient hereby assumes sole -responsibility to secure any other intellectual property rights needed, if any. -For example, if a third party patent license is required to allow Recipient to -distribute the Program, it is Recipient's responsibility to acquire that license -before distributing the Program. - -d) Each Contributor represents that to its knowledge it has sufficient copyright -rights in its Contribution, if any, to grant the copyright license set forth in -this Agreement. - -3. REQUIREMENTS - -A Contributor may choose to distribute the Program in object code form under its -own license agreement, provided that: - -a) it complies with the terms and conditions of this Agreement; and - -b) its license agreement: - -i) effectively disclaims on behalf of all Contributors all warranties and -conditions, express and implied, including warranties or conditions of title and -non-infringement, and implied warranties or conditions of merchantability and -fitness for a particular purpose; - -ii) effectively excludes on behalf of all Contributors all liability for -damages, including direct, indirect, special, incidental and

consequential -damages, such as lost profits; - -iii) states that any provisions which differ from this Agreement are offered by -that Contributor alone and not by any other party; and - -iv) states that source code for the Program is available from such Contributor, -and informs licensees how to obtain it in a reasonable manner on or through a -medium customarily used for software exchange. - -When the Program is made available in source code form: - -a) it must be made available under this Agreement; and - -b) a copy of this Agreement must be included with each copy of the Program. - -Contributors may not remove or alter any copyright notices contained within the -Program. - -Each Contributor must identify itself as the originator of its Contribution, if -any, in a manner that reasonably allows subsequent Recipients to identify the -originator of the Contribution. - -4. COMMERCIAL DISTRIBUTION - -Commercial distributors of software may accept certain responsibilities with -respect to end users, business partners and the like. While this license is -intended to facilitate the commercial use of the Program, the Contributor who -includes the Program in a commercial product offering should do so in a manner -which does not create potential liability for other Contributors. Therefore, if -a Contributor includes the Program in a commercial product offering, such -Contributor ("Commercial Contributor") hereby agrees to defend and indemnify -every other Contributor ("Indemnified Contributor") against any losses, damages -and costs (collectively "Losses") arising from claims, lawsuits and other legal -actions brought by a third party against the Indemnified Contributor to the -extent caused by the acts or omissions of such Commercial Contributor in -connection with its distribution of the Program in a commercial product -offering. The obligations in this section do not apply to any claims or Losses -relating to any actual or alleged intellectual property infringement. In order -to qualify, an Indemnified Contributor must: a) promptly notify the Commercial -Contributor in writing of such claim, and b) allow the Commercial Contributor to -control, and cooperate with the Commercial Contributor in, the defense and any -related settlement negotiations. The Indemnified Contributor may participate in -any such claim at its own expense. - -For example, a Contributor might include the Program in a commercial product -offering, Product X. That Contributor is then a Commercial Contributor. If that -Commercial Contributor then makes performance claims, or offers warranties -related to Product X, those performance claims and warranties are such -Commercial Contributor's responsibility alone. Under this section, the -Commercial Contributor would have to defend claims against the other -Contributors related to those performance claims and warranties, and if a court -requires any other Contributor to pay any damages as a result, the Commercial -Contributor must pay those damages. - -5. NO WARRANTY - -EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN -"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR -IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, -NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each -Recipient is solely responsible for determining the appropriateness of using and -distributing the Program and assumes all risks associated with its exercise of -rights under this Agreement, including but not limited to the risks and costs of -program errors, compliance with applicable laws, damage to or loss of data, -programs or equipment, and unavailability or interruption of operations. - -6. DISCLAIMER OF LIABILITY - -EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY -CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, -SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST -PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, -STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY -OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS -GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. - -7. GENERAL - -If any provision of this Agreement is invalid or unenforceable under applicable -law, it shall not affect the validity or enforceability of the remainder of the -terms of this Agreement, and without further action by the parties hereto, such -provision shall be reformed to the minimum extent necessary to make such -provision valid and enforceable. - -If Recipient institutes patent litigation against a Contributor with respect to -a patent applicable to software (including a cross-claim or counterclaim in a -lawsuit), then any patent licenses granted by that Contributor to such Recipient -under this Agreement shall terminate as of the date such litigation is filed. In -addition, if Recipient institutes patent litigation against any entity -(including a cross-claim or counterclaim in a lawsuit) alleging that the Program -itself (excluding combinations of the Program with other software or hardware) -infringes such Recipient's patent(s), then such Recipient's rights granted under -Section 2(b) shall terminate as of the date such litigation is filed. - -All Recipient's rights under this Agreement shall terminate if it fails to -comply with any of the material terms or conditions of this Agreement and does -not cure such failure in a reasonable period of time after becoming aware of -such noncompliance. If all Recipient's rights under this Agreement terminate, -Recipient agrees to cease use and distribution of the Program as soon as -reasonably practicable. However, Recipient's obligations under this Agreement -and any licenses granted by Recipient relating to the Program shall continue and -survive. - -Everyone is permitted to copy and distribute copies of this Agreement, but in -order to avoid inconsistency the Agreement is copyrighted and may only be -modified in the following manner. The Agreement Steward reserves the right to -publish new versions (including revisions) of this Agreement from time to time. -No one other than the Agreement Steward has the right to modify this Agreement. -IBM is the initial Agreement Steward. IBM may assign the responsibility to serve -as the Agreement Steward to a suitable separate entity. Each new version of the -Agreement will be given a distinguishing version number. The Program (including -Contributions) may always be distributed subject to the version of the Agreement -under which it was received. In addition, after a new version of the Agreement -is published, Contributor may elect to distribute the Program (including its -Contributions) under the new version. Except as expressly stated in Sections -2(a) and 2(b) above, Recipient receives no rights or licenses to the -intellectual property of any Contributor under this Agreement, whether -expressly, by implication, estoppel or otherwise. All rights in the Program not -expressly granted under this Agreement are reserved. - -This Agreement is governed by the laws of the State of New York and the -intellectual property laws of the United States of America. No party to this -Agreement will bring a legal action under this Agreement more than one year -after the cause of action arose. Each party waives its rights to a jury trial in -any resulting litigation. diff --git a/junitlib/external/junit-4.12-notice.txt b/junitlib/external/junit-4.12-notice.txt new file mode 100644 index 000000000..952103043 --- /dev/null +++ b/junitlib/external/junit-4.12-notice.txt @@ -0,0 +1,2 @@ +JUnit 4.12 is licensed under EPL-v10. +See <https://www.eclipse.org/legal/epl-v10.html>. diff --git a/languages/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter b/languages/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter index b722103a4..17801106e 100644 --- a/languages/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter +++ b/languages/src/META-INF/services/org.netbeans.modules.editor.settings.storage.spi.StorageFilter @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# The contents of this file are subject to the terms of either the GNU +# General Public License Version 2 only ("GPL") or the Common +# Development and Distribution License("CDDL") (collectively, the +# "License"). You may not use this file except in compliance with the +# License. You can obtain a copy of the License at +# <http://www.netbeans.org/cddl-gplv2.html> +# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the +# specific language governing permissions and limitations under the +# License. When distributing the software, include this License Header +# Notice in each file and include the License file at +# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this +# particular file as subject to the "Classpath" exception as provided +# by Oracle in the GPL Version 2 section of the License file that +# accompanied this code. If applicable, add the following below the +# License Header, with the fields enclosed by brackets [] replaced by +# your own identifying information: +# "Portions Copyrighted [year] [name of copyright owner]" +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +# Contributor(s): +# The Original Software is NetBeans. The Initial Developer of the Original +# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun +# Microsystems, Inc. All Rights Reserved. +# If you wish your version of this file to be governed by only the CDDL +# or only the GPL Version 2, indicate your decision by adding +# "[Contributor] elects to include this software in this distribution +# under the [CDDL or GPL Version 2] license." If you do not indicate a +# single choice of license, a recipient has the option to distribute +# your version of this file under either the CDDL, the GPL Version 2 or +# to extend the choice of license to its licensees as provided above. +# However, if you add GPL Version 2 code and therefore, elected the GPL +# Version 2 license, then the option applies only if the new code is +# made subject to such option by the copyright holder. org.netbeans.modules.languages.dataobject.LanguagesEditorKit\$EditorSettings \ No newline at end of file diff --git a/languages/src/META-INF/services/org.netbeans.spi.editor.mimelookup.MimeLookupInitializer b/languages/src/META-INF/services/org.netbeans.spi.editor.mimelookup.MimeLookupInitializer index fec1f9517..861bd0567 100644 --- a/languages/src/META-INF/services/org.netbeans.spi.editor.mimelookup.MimeLookupInitializer +++ b/languages/src/META-INF/services/org.netbeans.spi.editor.mimelookup.MimeLookupInitializer @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# The contents of this file are subject to the terms of either the GNU +# General Public License Version 2 only ("GPL") or the Common +# Development and Distribution License("CDDL") (collectively, the +# "License"). You may not use this file except in compliance with the +# License. You can obtain a copy of the License at +# <http://www.netbeans.org/cddl-gplv2.html> +# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the +# specific language governing permissions and limitations under the +# License. When distributing the software, include this License Header +# Notice in each file and include the License file at +# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this +# particular file as subject to the "Classpath" exception as provided +# by Oracle in the GPL Version 2 section of the License file that +# accompanied this code. If applicable, add the following below the +# License Header, with the fields enclosed by brackets [] replaced by +# your own identifying information: +# "Portions Copyrighted [year] [name of copyright owner]" +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +# Contributor(s): +# The Original Software is NetBeans. The Initial Developer of the Original +# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun +# Microsystems, Inc. All Rights Reserved. +# If you wish your version of this file to be governed by only the CDDL +# or only the GPL Version 2, indicate your decision by adding +# "[Contributor] elects to include this software in this distribution +# under the [CDDL or GPL Version 2] license." If you do not indicate a +# single choice of license, a recipient has the option to distribute +# your version of this file under either the CDDL, the GPL Version 2 or +# to extend the choice of license to its licensees as provided above. +# However, if you add GPL Version 2 code and therefore, elected the GPL +# Version 2 license, then the option applies only if the new code is +# made subject to such option by the copyright holder.

exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. -# -# Contributor(s): -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder.

org.netbeans.modules.languages.dataobject.MimeLookupInitializerImpl \ No newline at end of file diff --git a/languages/src/META-INF/services/org.netbeans.spi.lexers.LanguageProvider b/languages/src/META-INF/services/org.netbeans.spi.lexers.LanguageProvider index 4af99faa2..3a2d2c95e 100644 --- a/languages/src/META-INF/services/org.netbeans.spi.lexers.LanguageProvider +++ b/languages/src/META-INF/services/org.netbeans.spi.lexers.LanguageProvider @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## The contents of this file are subject to the terms of either the GNU ## General Public License Version 2 only ("GPL") or the Common ## Development and Distribution License("CDDL") (collectively, the ## "License"). You may not use this file except in compliance with the ## License. You can obtain a copy of the License at ## http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the ## specific language governing permissions and limitations under the ## License. When distributing the software, include this License Header ## Notice in each file and include the License file at ## nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this ## particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. ## Contributor(s): -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder.

org.netbeans.modules.languages.lexers.SLanguageProvider \ No newline at end of file diff --git a/languages/test/qa-functional/data/OpenFileProj/build.xml b/languages/test/qa-functional/data/OpenFileProj/build.xml index 95ebb0d64..7756710be 100644 --- a/languages/test/qa-functional/data/OpenFileProj/build.xml +++ b/languages/test/qa-functional/data/OpenFileProj/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/languages/test/qa-functional/data/OpenFileProj/nbproject/project.properties b/languages/test/qa-functional/data/OpenFileProj/nbproject/project.properties index 526758f51..69d80327d 100644 --- a/languages/test/qa-functional/data/OpenFileProj/nbproject/project.properties +++ b/languages/test/qa-functional/data/OpenFileProj/nbproject/project.properties @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form # This directory is removed when the project is cleaned: diff --git a/languages/test/qa-functional/data/OpenFileProj/nbproject/project.xml b/languages/test/qa-functional/data/OpenFileProj/nbproject/project.xml index ca395e437..56f5b931c 100644 --- a/languages/test/qa-functional/data/OpenFileProj/nbproject/project.xml +++ b/languages/test/qa-functional/data/OpenFileProj/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/lib.netbeans9/build.xml b/lib.netbeans9/build.xml index b75f3cb71..2e1b9226a 100644 --- a/lib.netbeans9/build.xml +++ b/lib.netbeans9/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project basedir="." default="netbeans" name="lib.netbeans9"> <description>Builds, tests, and runs the project org.netbeans.lib.netbeans9</description> <import file="..nbbuild/templates/projectized.xml"/> diff --git a/lib.netbeans9/nbproject/project.properties b/lib.netbeans9/nbproject/project.properties index 1ab7c178b..3a3208dca 100644 --- a/lib.netbeans9/nbproject/project.properties +++ b/lib.netbeans9/nbproject/project.properties @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. + javac.source=1.8 javac.compilerargs=-Xlint -Xlint:-serial is.autoload=true diff --git a/lib.netbeans9/nbproject/project.xml b/lib.netbeans9/nbproject/project.xml index 404dac975..3804030d6 100644 --- a/lib.netbeans9/nbproject/project.xml +++ b/lib.netbeans9/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.apisupport.project</type> <configuration> diff --git a/lib.profiler.ui/src/META-INF/services/org.netbeans.lib.profiler.ui.cpu.statistics.StatisticalModuleContainer b/lib.profiler.ui/src/META-INF/services/org.netbeans.lib.profiler.ui.cpu.statistics.StatisticalModuleContainer index 1c48e4873..03d49523b 100644 --- a/lib.profiler.ui/src/META-INF/services/org.netbeans.lib.profiler.ui.cpu.statistics.StatisticalModuleContainer +++ b/lib.profiler.ui/src/META-INF/services/org.netbeans.lib.profiler.ui.cpu.statistics.StatisticalModuleContainer @@ -1 +1,18 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership.

[illegible]

ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

org.netbeans.lib.profiler.results.memory.MemoryCallGraphBuilder -org.netbeans.lib.profiler.results.locks.LockGraphBuilder\$MemoryLockGraphBuilder +org.netbeans.lib.profiler.results.locks.LockGraphBuilder\$MemoryLockGraphBuilder \ No newline at end of file diff --git a/lib.profiler/test/qa-functional/data/projects/j2se-simple/build.xml b/lib.profiler/test/qa-functional/data/projects/j2se-simple/build.xml index 93e129e04..40874ecc0 100644 --- a/lib.profiler/test/qa-functional/data/projects/j2se-simple/build.xml +++ b/lib.profiler/test/qa-functional/data/projects/j2se-simple/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.properties b/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.properties index 1c53b62ed..ee74f1c13 100644 --- a/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.properties +++ b/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.properties @@ -1,3 +1,20 @@ + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + application.args= application.title=j2se-simple application.vendor=jb198685 diff --git a/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.xml b/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.xml index 47b8a8b98..165530fb3 100644 --- a/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.xml +++ b/lib.profiler/test/qa-functional/data/projects/j2se-simple/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/lib.termialemulator/ReleaseNotes.ivan.txt b/lib.termialemulator/ReleaseNotes.ivan.txt index 68d7d35d3..ffb1f4ce3 100644 --- a/lib.termialemulator/ReleaseNotes.ivan.txt +++ b/lib.termialemulator/ReleaseNotes.ivan.txt @@ -1,3 +1,5 @@ + + Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. + 242273 PARTFIX Please support 256 Colors in Terminal xterm-16color @@ -2554,3 +2556,4 @@ tag: term_aug2001_ivan_1 Per NB folks' request. You should be able to get rid of expandTabs() in org.netbeans/core/output/OutputTabTerm.java. + diff --git a/lib.termialemulator/doc-files/keyboard b/lib.termialemulator/doc-files/keyboard index b9fb4e314..d824380c0 100644 --- a/lib.termialemulator/doc-files/keyboard +++ b/lib.termialemulator/doc-files/keyboard @@ -1,3 +1,5 @@ + + Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. + 6 key editing group ----- Insert Insert VK_INSERT ESC[2~ @@ -93,3 +95,5 @@ Tab Modifier parameters? ----- Yup, it's real ... + + diff --git a/lib.termialemulator/doc-files/sequences b/lib.termialemulator/doc-files/sequences index 33648b880..24dbfb02f 100644 --- a/lib.termialemulator/doc-files/sequences +++ b/lib.termialemulator/doc-files/sequences @@ -1,3 +1,5 @@ + + Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. + infocmp -C termcap Compatibility -1 1 entry per line @@ -340,3 +342,5 @@ ACS_STERLING '}' '}' ansi+protoansix ACS_BULLET '~' '376 '~ '~' ansi+protoansix ----- sequence mnemonic termcap op terminfo numbers margin ansi dterm xterm Term + + diff --git a/lib.termialemulator/examples/README b/lib.termialemulator/examples/README index c6feaa157..8b9396adc 100644 --- a/lib.termialemulator/examples/README +++ b/lib.termialemulator/examples/README @@ -1,3 +1,5 @@ + + Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. + "README" Current examples @@ -27,3 +29,4 @@ buildtool telnet An old telnet application that depends on an external (not supplied) Java telnet library. + diff --git a/lib.termialemulator/examples/TermApp/release/nbterm b/lib.termialemulator/examples/TermApp/release/nbterm index 42d9ad741..7583fe687 100755 --- a/lib.termialemulator/examples/TermApp/release/nbterm +++ b/lib.termialemulator/examples/TermApp/release/nbterm @@ -1,47 +1,22 @@ @#!/bin/bash # nterm -- A simple Java based ANSI terminal emulator -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + # <http://www.apache.org/licenses/LICENSE-2.0> + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License ("CDDL") (collectively, the + "License"). You may not use this file except in compliance with the + License. You can obtain a copy of the License at + # <http://www.netbeans.org/cddl-gplv2.html> + # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + specific language governing permissions and limitations under the + License. When distributing the software, include this License Header + Notice in each file and include the License file at + nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this + particular file as subject to the "Classpath" exception as provided + by Oracle in the GPL Version 2 section of the License file that + accompanied this code. If applicable, add the following below the + License Header, with the fields enclosed by brackets [] replaced by + your own identifying information: + "Portions Copyrighted [year] [name of copyright owner]" + # Contributor(s): + # The Original Software is NetBeans. The Initial Developer of the Original + Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun + Microsystems, Inc. All Rights Reserved. + # If you wish your version of this file to be governed by only the CDDL + # or only the GPL Version 2, indicate your decision by adding + # "[Contributor] elects to include this software in this distribution + # under the [CDDL or GPL Version 2] license." If you do not indicate a + single choice of license, a recipient has the option to distribute + your version of this file under either the CDDL, the GPL Version 2 or + to extend the choice of license to its licensees as provided above. + However, if you add GPL Version 2 code and therefore, elected the GPL + Version 2 license, then the option applies only if the new code is + made subject to such option by the copyright holder. + # Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. if [-h \$0] diff --git a/lib.termialemulator/examples/TermApp/release/nbterm64 b/lib.termialemulator/examples/TermApp/release/nbterm64 index 5363bf4f5..96e6d58b3 100644 --- a/lib.termialemulator/examples/TermApp/release/nbterm64 +++ b/lib.termialemulator/examples/TermApp/release/nbterm64 @@ -1,48 +1,22 @@ @#!/bin/bash # nterm -- A simple Java based ANSI terminal emulator -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + # <http://www.apache.org/licenses/LICENSE-2.0> + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License ("CDDL") (collectively, the + "License"). You may not use this file except in compliance with the + License. You can obtain a copy of the License at + # <http://www.netbeans.org/cddl-gplv2.html> + # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + specific language governing permissions and limitations under the + License. When distributing the software, include this License Header + Notice in each file and include the License file at + nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this + particular file as subject to the "Classpath" exception as provided + by Oracle in the GPL Version 2 section of the License file that + accompanied this code. If applicable, add the following below the + License Header, with the fields enclosed by brackets [] replaced by + your own identifying information: + "Portions Copyrighted [year] [name of copyright owner]" + # Contributor(s): + # The Original Software is NetBeans. The Initial Developer of the Original + Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun + Microsystems, Inc. All Rights Reserved. + # If you wish your version of this file to be governed by only the CDDL + # or only the GPL Version 2, indicate your decision by adding + # "[Contributor] elects to include this software in this distribution + # under the [CDDL or GPL Version 2] license." If you do not indicate a +

single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. - # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. if [-h \$0] then diff --git a/lib.termalemulator/examples/TermExample/make_filter.awk b/lib.termalemulator/examples/TermExample/make_filter.awk index 5597a0fea..c75bcf6be 100644 --- a/lib.termalemulator/examples/TermExample/make_filter.awk +++ b/lib.termalemulator/examples/TermExample/make_filter.awk @@ -1,6 +1,24 @@ @ # "make_filter.awk" # Convert errors and warnings to Term hyperlinks + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # + / *:[:digit:]]+: warning: / { printf "]10;WARNING;" printf \$0 diff --git a/lib.termalemulator/examples/TermTester/nbproject/project.properties b/lib.termalemulator/examples/TermTester/nbproject/project.properties index bb84ab499..87df27e4f 100644 --- a/lib.termalemulator/examples/TermTester/nbproject/project.properties +++ b/lib.termalemulator/examples/TermTester/nbproject/project.properties @@ -1,40 +1,20 @@ - # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # Copyright (c) 2014, 2016 Oracle and/or its affiliates. All rights reserved. + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the - # "License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # "Portions Copyrighted [year] [name of copyright owner]" - # - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2] license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - # Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # Mon Aug 01 23:29:35 PDT 2016 javadoc.splitindex=true build.classes.excludes=**/*.java,**/*.form diff --git a/lib.termalemulator/examples/buildtool/README b/lib.termalemulator/examples/buildtool/README index 88f8d91e4..2f909814f 100644 --- a/lib.termalemulator/examples/buildtool/README +++ b/lib.termalemulator/examples/buildtool/README @@ -1,3 +1,21 @@ @ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + A simple build tool application ===== diff --git a/lib.termalemulator/examples/buildtool/buildtool b/lib.termalemulator/examples/buildtool/buildtool index cf234f9fc..20a5bf4e4 100644 --- a/lib.termalemulator/examples/buildtool/buildtool +++ b/lib.termalemulator/examples/buildtool/buildtool @@ -1,3 +1,21 @@ @ #!/bin/ksh + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + TERM=../build/classes java -classpath "classes:\$TERM" BuildTool \$* diff --git a/lib.termalemulator/examples/lib.richexecution/maintainers.properties b/lib.termalemulator/examples/lib.richexecution/maintainers.properties index 70f180c5f..4f2b6bf1 100644 --- a/lib.termalemulator/examples/lib.richexecution/maintainers.properties +++ b/lib.termalemulator/examples/lib.richexecution/maintainers.properties @@ -1,40 +1,20 @@ - # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # Copyright (c) 2012, 2016 Oracle and/or its affiliates. All rights reserved. + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. - # - # The contents of this file are subject to the terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the - # "License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # "Portions Copyrighted [year] [name of copyright owner]" - # - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2] license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - # Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): + # "maintainers.properties" -- Define the maintainers property + # Builds work differently for maintainers of this project. diff --git a/lib.termalemulator/examples/lib.richexecution/process_start.cat b/lib.termalemulator/examples/lib.richexecution/process_start.cat index 8485725b5..9b7258780 100644 --- a/lib.termalemulator/examples/lib.richexecution/process_start.cat +++ b/lib.termalemulator/examples/lib.richexecution/process_start.cat @@ -1,3 +1,5 @@ @ + Licensed to the Apache Software Foundation (ASF) under one + # or more contributor + license agreements; and to You under the Apache License, Version 2.0. process_start(1) process_start(1) @@ -54,3 +56,17 @@ DESCRIPTION which is inherited by children processes. process_start.sh cannot do this. + + LICENSE + + Licensed under the Apache License, Version 2.0 (the "License"); you may not use + this file except in compliance with the License. You may obtain a copy of the + License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, software distributed + under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR + CONDITIONS OF ANY KIND, either express or implied. See the License for the + specific language governing permissions and limitations under the License. + diff --git a/lib.termalemulator/examples/telnet/README b/lib.termalemulator/examples/telnet/README index 4ec5a2943..5009a3ee0 100644 --- a/lib.termalemulator/examples/telnet/README +++ b/lib.termalemulator/examples/telnet/README @@ -1,3 +1,21 @@ @ + Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + A simple telnet application ===== diff --git a/lib.termalemulator/examples/telnet/telnet

WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. -> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/localhistory/test/qa-functional/data/JavaApp/nbproject/project.properties b/localhistory/test/qa-functional/data/JavaApp/nbproject/project.properties index 3113782ef..1b4fcccff 100644 --- a/localhistory/test/qa-functional/data/JavaApp/nbproject/project.properties +++ b/localhistory/test/qa-functional/data/JavaApp/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form # This directory is removed when the project is cleaned: diff --git a/localhistory/test/qa-functional/data/JavaApp/nbproject/project.xml b/localhistory/test/qa-functional/data/JavaApp/nbproject/project.xml index 63c24754b..214d73868 100644 --- a/localhistory/test/qa-functional/data/JavaApp/nbproject/project.xml +++ b/localhistory/test/qa-functional/data/JavaApp/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + --> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/maven.embedder/external/binaries-list b/maven.embedder/external/binaries-list index 67ae6595c..ecfe9375b 100644 --- a/maven.embedder/external/binaries-list +++ b/maven.embedder/external/binaries-list @@ -14,6 +14,6 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -A2AC1CD690AB4C80DEF7F9BCE14D35934C35CEC jdom-1.0.jar -BF206C4AA93C74A739FBAF1F1C78E3AD5F167245 maven-dependency-tree-2.0.jar -2DDF9BB8C3B41BC2891832A6D6FC25F8BF41D77F apache-maven-3.3.9-bin.zip +A2AC1CD690AB4C80DEF7F9BCE14D35934C35CEC jdom:jdom:1.0 +BF206C4AA93C74A739FBAF1F1C78E3AD5F167245 org.apache.maven.shared:maven-dependency-tree:2.0 +2DDF9BB8C3B41BC2891832A6D6FC25F8BF41D77F org.apache.maven:apache-maven:3.3.9:bin@zip diff --git a/maven.embedder/external/jdom-1.0-notice.txt b/maven.embedder/external/jdom-1.0-notice.txt new file mode 100644 index 000000000..c12ab305b --- /dev/null +++ b/maven.embedder/external/jdom-1.0-notice.txt @@ -0,0 +1,49 @@ +Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin. +All rights reserved. + +Redistribution and use in source and binary forms, with or without +modification, are permitted provided that the following conditions +are met: + +1. Redistributions of source code must retain the above copyright + notice, this list of conditions, and the disclaimer that follows + these conditions in the documentation and/or other materials + provided with the distribution. + +3. The name "JDOM" must not be used to endorse or promote products + derived from this software without prior written permission. For + written permission, please contact <request_AT_jdom_DOT_org>. + +4. Products derived from this software may not be called "JDOM", nor + may "JDOM" appear in their name, without prior written permission + from the JDOM Project Management <request_AT_jdom_DOT_org>. + +In addition, we request (but do not require) that you include in the +end-user documentation provided with the redistribution and/or in the +software itself an acknowledgement equivalent to the following: + "This product includes software developed by the + JDOM Project (http://www.jdom.org)."+ +Alternatively, the acknowledgment may be graphical using the logos +available at http://www.jdom.org/images/logos. + +THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED +WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES +OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE +DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT +CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, +SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT +LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF +USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND +ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, +OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT +OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF +SUCH DAMAGE. + +This software consists of voluntary contributions made by many +individuals on behalf of the JDOM Project and was originally +created by Jason Hunter <jhunter_AT_jdom_DOT_org> and +Brett McLaughlin <brett_AT_jdom_DOT_org>. For more information +on the JDOM Project, please see <http://www.jdom.org/>. diff --git a/maven.model/test/unit/src/profiles.xml b/maven.model/test/unit/src/profiles.xml index 2f7eb3008..1ae4dcdd 100644 --- a/maven.model/test/unit/src/profiles.xml +++ b/maven.model/test/unit/src/profiles.xml @@ -1,5 +1,25 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + --> <profilesXml xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" diff --git a/maven.model/test/unit/src/settings.xml b/maven.model/test/unit/src/settings.xml index 8e16bfd39..b23c97986 100644 --- a/maven.model/test/unit/src/settings.xml +++ b/maven.model/test/unit/src/settings.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + --> <settings> <servers> <server> diff --git a/mercurial/110n.list b/mercurial/110n.list index e7f9a9bf6..11cf688b6 100644 --- a/mercurial/110n.list +++ b/mercurial/110n.list @@ -1,2 +1,18 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # mercurial/main read global diff --git a/nbbuild/antsrc/org/netbeans/nbbuild/RatReportTask.java b/nbbuild/antsrc/org/netbeans/nbbuild/RatReportTask.java new file mode 100644 index 000000000..b22b2fea7 --- /dev/null +++ b/nbbuild/antsrc/org/netbeans/nbbuild/RatReportTask.java @@ -0,0 +1,319 @@ +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * http://www.apache.org/licenses/LICENSE-2.0 + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ +package org.netbeans.nbbuild; +import java.io.BufferedReader; +import java.io.File; +import java.io.FileInputStream; +import java.io.FileNotFoundException; +import java.io.FileReader; +import java.io.IOException; +import java.io.InputStream; +import java.io.InputStreamReader; +import java.util.ArrayList; +import java.util.HashSet; +import java.util.LinkedHashMap; +import java.util.List; +import java.util.Map; +import java.util.Set; +import java.util.TreeMap; +import java.util.TreeSet; +import java.util.logging.Level; +import java.util.logging.Logger; +import javax.xml.parsers.DocumentBuilder; +import javax.xml.parsers.DocumentBuilderFactory; +import javax.xml.parsers.ParserConfigurationException; +import javax.xml.xpath.XPath; +import javax.xml.xpath.XPathConstants; +import javax.xml.xpath.XPathExpressionException; +import javax.xml.xpath.XPathFactory; +import org.apache.tools.ant.BuildException; +import org.apache.tools.ant.Task; +import org.w3c.dom.Document; +import org.w3c.dom.Element; +import org.w3c.dom.NodeList; +import org.xml.sax.InputSource; +import org.xml.sax.SAXException; + +/** + * Build JUnit report from Apache Ant Report XXX + * + * @author skygo + */ +public class RatReportTask extends Task { + private File sourceFile; + private File root; + + // not nice but to be last + private static final String OTHERS_AREA = "not cluster"; + private static final String NOT_CLUSTER = "not under cluster"; + private File reportFile; + + /** + * source file Apache Rat xml report + * + * @param sourceFile + */ + public void setSourceFile(File sourceFile) { + this.sourceFile = sourceFile; + } + + /** + * Folder to put the rat reports in + * + * @param report + */ + public void setReport(File report) { + this.reportFile = report; + } + + @Override + public void execute() throws BuildException { + root = sourceFile.getParentFile().getParentFile().getParentFile(); + File[] modulesFolder = root.listFiles(); + String repository = ""; + // get repository information from


```

git + //try { + List<String> commandAndArgs = new ArrayList<>(); + commandAndArgs.add("git"); + commandAndArgs.add("config"); +
commandAndArgs.add("--get"); + commandAndArgs.add("remote.origin.url"); + try { + Process p = new
ProcessBuilder(commandAndArgs).directory(root).start(); + try (BufferedReader r = new BufferedReader(new InputStreamReader(p.getInputStream()))) { +
String line; + while ((line = r.readLine()) != null) { + if (line.startsWith("http")) { + repository = line.replace("git", ""); + } + } + } catch (IOException ex) { +
throw new BuildException("Cannot evaluate git information", ex); + } + } catch (IOException ex) { + throw new BuildException("git process issue", ex); + } + //
map module and report + Map<String, ModuleInfo> moduleRATInfo = new TreeMap<>(); + + // build map to get cluster and module related from
cluster.properties + Set<String> moduleDB = new HashSet<>(); + Map<String, Set<String>> modulebycluster = new TreeMap<>(); + for (File module :
modulesFolder) { + if (module.isDirectory() && !module.isHidden()) { + moduleDB.add(module.getName()); + moduleRATInfo.put(module.getName(), new
ModuleInfo(module)); + } + } + Set<String> clusterList = new TreeSet<>(); + for (String key : getProject().getProperties().keySet()) { + if
(key.startsWith("nb.cluster.")) { + String simplifiedKey = key.replaceAll("nb.cluster.", ""); + simplifiedKey = simplifiedKey.replaceAll(".dir", ""); + simplifiedKey =
simplifiedKey.replaceAll(".depends", ""); + clusterList.add(simplifiedKey); + modulebycluster.put(simplifiedKey, new HashSet<String>()); + } + } + for (String
clusterName : clusterList) { + String property = getProject().getProperty("nb.cluster." + clusterName); + String[] split = property.split(","); + for (String amo :
split) { + moduleDB.remove(amo); + modulebycluster.get(clusterName).add(amo); + } + } + modulebycluster.put(OTHERS_AREA, new HashSet<String>()); +
for (String k : moduleDB) { + modulebycluster.get(OTHERS_AREA).add(k); + } + // remaining module sorted in others +
modulebycluster.get(OTHERS_AREA).add(NOT_CLUSTER); + clusterList.add(OTHERS_AREA); + moduleRATInfo.put(NOT_CLUSTER, new
ModuleInfo(root)); + //read XML + try { + DocumentBuilder dBuilder = DocumentBuilderFactory.newInstance().newDocumentBuilder(); + InputStream
inputstream = new FileInputStream(sourceFile); + InputStreamReader reader = new InputStreamReader(inputstream); + InputSource inputSource = new
InputSource(reader); + Document doc = dBuilder.parse(inputSource); // open xml source + XPathFactory xpf = XPathFactory.newInstance(); + XPath path =
xpf.newXPath(); + Element rootElement = doc.getDocumentElement(); + doPopulateUnapproved(moduleRATInfo, rootElement, path); +
doPopulateApproved(moduleRATInfo, rootElement, path); + } catch (ParserConfigurationException | SAXException | IOException | XPathExpressionException
ex) { + throw new BuildException("Cannot parse Rat report ", ex); + } + doCheckExternal(moduleRATInfo); + for (String clusterName : clusterList) { + //
create a report file by cluster + File file = new File(reportFile, clusterName + ".xml"); + if (!file.exists()) { + try { + reportFile.mkdirs(); + file.createNewFile(); + }
catch (IOException ex) { + throw new BuildException("Impossible to create junit rat report for cluster " + clusterName, ex); + } + } + Map<String, String>
pseudoTests = new LinkedHashMap<>(); + for (String moduleName : modulebycluster.get(clusterName)) { + ModuleInfo amoduleInfo =
moduleRATInfo.get(moduleName); + if (amoduleInfo != null) { + if (!amoduleInfo.getUnapproved().isEmpty()) { + pseudoTests.put(" module " + moduleName +
" has " + amoduleInfo.getUnapproved().size() + " unapproved license(s)", "Unapproved license in " + amoduleInfo.getUnapproved().size() + " file(s) " +
writeFiles(amoduleInfo.getUnapproved(), repository)); + } + if (!amoduleInfo.getInvalidExternal().isEmpty()) { + pseudoTests.put(" module " + moduleName +
" has " + amoduleInfo.getInvalidExternal().size() + " suspicious external binaries file(s)", "List of file " + amoduleInfo.getInvalidExternal().size() + " file(s) " +
writeFiles(amoduleInfo.getInvalidExternal(), null)); + } + } else { + // XXX if a moduleInfo is null folder is not present source base incomplete + } + } +
JUnitReportWriter.writeReport(this, "Cluster: " + clusterName, file, pseudoTests); + } + } + private static String writeFiles(Set<String> listFile, String repo) { +
StringBuilder sb = new StringBuilder(); + for (String fileentry : listFile) { + sb.append("\n"); + if (repo != null) { + sb.append(repo).append("/tree/master/"); + } +
sb.append(fileentry.replaceAll(" ", "%20")); + } + return sb.toString(); + } + } + private void doPopulateUnapproved(Map<String, ModuleInfo> moduleRATInfo,
Element rootElement, XPath path) throws XPathExpressionException { + NodeList evaluate = (NodeList) path.evaluate("descendant::resource[license-
approval/@name!='false']", rootElement, XPathConstants.NODESET); + for (int i = 0; i < evaluate.getLength(); i++) { + String resources =
evaluate.item(i).getAttributes().getNamedItem("name").getTextContent().replaceFirst(root.getPath() + File.separator, ""); + String moduleName =
getModuleName(resources); + if (!moduleRATInfo.containsKey(moduleName)) { + moduleRATInfo.get(NOT_CLUSTER).addUnapproved(resources); + } else { +
moduleRATInfo.get(moduleName).addUnapproved(resources); + } + } + private void doPopulateApproved(Map<String, ModuleInfo> moduleRATInfo,
Element rootElement, XPath path) throws XPathExpressionException { + NodeList evaluate = (NodeList) path.evaluate("descendant::resource[license-
approval/@name='true']", rootElement, XPathConstants.NODESET); + for (int i = 0; i < evaluate.getLength(); i++) { + String resources =
evaluate.item(i).getAttributes().getNamedItem("name").getTextContent().replaceFirst(root.getPath() + File.separator, ""); + String moduleName =
getModuleName(resources); + if (!moduleRATInfo.containsKey(moduleName)) { + moduleRATInfo.get(NOT_CLUSTER).addApproved(resources); + } else { +
moduleRATInfo.get(moduleName).addApproved(resources); + } + } + private void doCheckExternal(Map<String, ModuleInfo> moduleRATInfo) { + for
(Map.Entry<String, ModuleInfo> minfo : moduleRATInfo.entrySet()) { + File binaryList = new File(minfo.getValue().getFolder(), File.separator + "external" +
File.separator + "binaries-list"); + if (binaryList.exists()) { + try (BufferedReader br = new BufferedReader(new FileReader(binaryList))) { + String line =
br.readLine(); + while (line != null) { + if (line.trim().startsWith("#")) || line.trim().isEmpty() { + // comment + } else { + String[] splittedExternalInfo = line.split("
"); + + String[] mavenizedExternal = splittedExternalInfo[1].split(":"); + if (mavenizedExternal.length != 3) { +
minfo.getValue().addInvalidExternal(splittedExternalInfo[1]); + } + line = br.readLine(); + } + } catch (FileNotFoundException ex) { +
Logger.getLogger(RatReportTask.class.getName()).log(Level.SEVERE, null, ex); + } catch (IOException ex) { +
Logger.getLogger(RatReportTask.class.getName()).log(Level.SEVERE, null, ex); + } + } + private String getModuleName(String resource) { + String
moduleName; + if (!resource.contains(File.separator)) { + moduleName = NOT_CLUSTER; + } else { + moduleName = resource.substring(0,
resource.indexOf(File.separator)); + } + return moduleName; + } + } + class ModuleInfo { + // approved resource list + // very simple string for now. + private final
Set<String> approved = new HashSet<>(); + // unapproved resource list + private final Set<String> unapproved = new HashSet<>(); + private final Set<String>
external = new HashSet<>(); + private final File folder; + private ModuleInfo(File moduleFolder) { + this.folder = moduleFolder; + } + private File
getFolder() { + return folder; + } + private void addApproved(String resources) { + approved.add(resources); + } + private void addInvalidExternal(String
resources) { + external.add(resources); + } + private void addUnapproved(String resources) { + unapproved.add(resources); + } + private Set<String>
getUnapproved() { + return unapproved; + } + private Set<String> getInvalidExternal() { + return external; + } + } + } + diff --git a/nbbuild/build.xml
b/nbbuild/build.xml index fe1c439a3..d00436d00 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -151,11 +151,11 @@ Set up automatic all-*
targets: --> <taskdef name="insert-module-all-targets" classname="org.netbeans.nbbuild.InsertModuleAllTargets" classpath="${nbantext.jar}"/> - <property
name="verify.checkout" value="true"/> - <property name="init.use.clusters" value="true"/> + <property name="verify.checkout" value="true"/> + <property
name="init.use.clusters" value="true"/> - <insert-module-all-targets checkModules="${verify.checkout}" useclusters="${init.use.clusters}"/> - <target> - + <target
name="all-installer" description="Dummy target for build system compatibility"/> - <target name="update" depends="init" description="Downloads binaries from
an update center"> @@ -208,10 +208,10 @@ <property name="jnlplib.signjar.alias" value="jnlplib" /> - <property name="jnlplib.signjar.password" value="netbeans" />
+ <property name="jnlplib.signjar.vendor" value="CN=NetBeans, OU=NetBeans, O=netbeans.org, C=US" /> - + <mkdir dir="${jnlplib.signjar.keystore}/.." /> - <echo
message="Going to create default keystore in ${jnlplib.signjar.keystore}" /> - <genkey + <genkey alias="${jnlplib.signjar.alias}" keystore="${jnlplib.signjar.keystore}"
storepass="${jnlplib.signjar.password}" @@ -246,7 +246,7 @@ <fileset dir="${jnlplib.dest.dir}" includes="*.jnlplib" /> - </verifyjnlplib> - <target name="build-
javadooc"> - <echo message="Deprecated, use nbbuild/javadootools/build.xml directly"/> - <ant dir="javadooc" /> @@ -255,13 +255,13 @@ @@ <!-- build source
zips for selected modules - useful for populating maven repository only--> - <target name="build-source-zips" depends="init"
description="Builds source zips for maven repository inclusion."> - <property name="netbeans.zipped.sources.dir" location="${nb.build.dir}/source-zips" /> - +
<subant-junit target="sources-zip" failonerror="true"> - <buildpath path="${modules.sorted}"/> - </subant-junit> - + <target name="check-javahelpbin"
depends="init" description="Validate intermodule links in helpsets."> - <taskdef name="checkhelpsetsbin" classname="org.netbeans.nbbuild.CheckHelpSetsBin">
<classpath> @@ -284,7 +284,7 @@ <echo message="OS: ${os.name} ${os.version} Locale: ${user.language}_${user.region}"/> - <echo message="Java:
${nbjdk.home}"/> - <!-- Use of nbmerge target has the effect of automatically depending on all-X for every module. --> - <!-- It also runs
sdrtree(dir=wherever) and copydir(src=../X/netbeans,dest=wherever) to create the IDE install. --> @@ -311,8 +311,8 @@ <fixCrLf eol="lf"
--> - <include name="bin/netbeans" /> - <include name="${nb.cluster.platform.dir}/lib/nbexec" /> - </fixCrLf> - <mkdir dir="${nb.build.dir}"/> - <hgId
property="hg.id" file=".." /> @@ -369,21 +369,21 @@ Hg ID: ${hg.id} <antcall target="zip-cluster-config"
inheritall="true"/> - <target name="delete-and-merge" depends="merge-delete,merge" /> - <target name="delete-and-merge" depends="merge-
delete,merge" /> - <target name="merge-delete" depends="init" /> - <delete dir="${netbeans.dest}" /> - <target name="merge" depends="build-
messaging"> - <mkdir dir="${netbeans.dest.dir}"/> - <nbmerge failonerror="${stop.when.broken.modules}" - dest="${netbeans.dest}" - topdir=".." -
fixedmodules="${fixedmodules}" + <nbmerge failonerror="${stop.when.broken.modules}" + dest="${netbeans.dest}" + topdir=".." +
fixedmodules="${fixedmodules}" modules="${modules}" - buildmodulesproperty="${build.modules.property}" - targetprefix="all" - +
buildmodulesproperty="${build.modules.property}" + targetprefix="all" - mergedependentmodules="${merge.dependent.modules}" -> - </nbmerge> - </target> @@
-394,7 +394,7 @@ Hg ID: ${hg.id} <delete file="${netbeans.dest.dir}/nb.cluster.harness.built"/> - <run-depend-build clusters-to-
build="nb.cluster.platform,nb.cluster.harness"/> - <target name="build-platform" description="Build the NetBeans Platform (platform and harness
clusters)."> - <mkdir dir="${netbeans.dest.dir}"/> - <ant dir=".." target="build-platform" inheritAll="false"> @@ -410,7 +410,7 @@ Hg ID: ${hg.id} <property
name="test-unit-sys-prop.ignore.random.failures" value="true"/> - <ant> - <target> - + <target name="build-cluster" depends="init"> - <run-depend-build clusters-
to-build="${cluster-name}"/> - </target> @@ -418,12 +418,12 @@ Hg ID: ${hg.id} <macrodef name="run-depend-build"> - <attribute name="clusters-to-build"/>
- <sequential> - <repeat target="build-one-cluster" name="one.cluster.name" values="@{clusters-to-build}" /> - </repeat target="build-one-cluster"

```

```

name="one.cluster.name" values="@{clusters-to-build}" /> </sequential> </macrodef> <target name="build-clusters" depends="init"> - <run-depend-build
clusters-to-build="${nb.clusters.list}" /> + <run-depend-build clusters-to-build="${nb.clusters.list}" /> </target> <target name="build-one-cluster-dependencies-
check"> @@ -433,10 +433,10 @@ @ Hg ID: ${hg.id} <resolve name="test.prop" value="${one.cluster.name}" hasNoDependencies"/> </target> - <target
name="build-one-cluster-dependencies" + <target name="build-one-cluster-dependencies" depends="build-one-cluster-dependencies-check"
unless="${one.cluster.name} hasNoDependencies"> - <run-depend-build clusters-to-build="${one.cluster.dependencies}" /> + <run-depend-build clusters-to-
build="${one.cluster.dependencies}" /> </target> <target name="build-one-cluster-check"> @@ -459,12 +459,12 @@ @ Hg ID: ${hg.id} <param
name="ext.binaries.downloaded" value="true"/> <antcall> <mkdir dir="${netbeans.dest.dir}" /> - <nbmerge failonerror="${stop.when.broken.modules}" -
dest="${netbeans.dest.dir}" - topdir="${nb_all}" + <nbmerge failonerror="${stop.when.broken.modules}" + dest="${netbeans.dest.dir}" + topdir="${nb_all}"
fixedmodules="${one.cluster.modules}" - builtmodulesproperty="${built.modules.property}" - targetprefix="all-" +
builtmodulesproperty="${built.modules.property}" + targetprefix="all-" mergedependentmodules="false"> </nbmerge> <touch
file="${netbeans.dest.dir}/${one.cluster.name}.build" /> @@ -506,7 +506,7 @@ @ Hg ID: ${hg.id} <property name="netbeans.dest.dir"
value="${netbeans.dest.dir}" /> </subant> </target> - + <target name="build-zip-ml" depends="bootstrap,set-buildnumber,check-locales-set,build-nozip-ml"
description="Create a complete multilanguage build including a ZIP distributions"> <fail message="Property locales must be set to reasonable value"
unless="locales.is.set" /> @@ -516,7 +516,7 @@ @ Hg ID: ${hg.id} <property name="buildnum" value="dev-${buildnumber}" /> <repeat target="pack-one-cluster-
ml" name="one.cluster.name.ml" values="${nb.clusters.list}" /> </target> - + <target name="pack-one-cluster-ml" if="one.cluster.name.ml"> <resolve
name="one.cluster.dir.ml.pre" value="${one.cluster.name.ml}.dir" /> <pathconvert property="one.cluster.dir.ml" setonempty="false"> @@ -544,7 +544,7 @@ @ Hg
ID: ${hg.id} <zipfileset dir="${netbeans.dest.dir}/${one.cluster.dir.ml.pre}" prefix="${netbeans.dest}" /> <include name="**/locale/*" ${one.locale}.*"/>
</zipfileset> - </zip> + </zip> </target> <target name="check-locales-set"> @@ -622,13 +622,13 @@ @ Hg ID: ${hg.id} </and> </condition> </target> - + <target
name="unpack-cluster-ml-zipfile" unless="is.kit"> <unzip dest="${netbeans.dest.dir.ml}"
src="${nb.build.dir}/ml/NetBeans-${cluster.package.dir}-${buildnum}.zip"> <mapper type="glob" from="netbeans/*" to="${one.cluster.dir.ml}/*"/> </unzip>
</target> - + <target name="create-cluster-ml-nbm-metadata" unless="is.kit"> <echo file="${nb.build.dir}/ml/nbms/tmp/manifest.mf">OpenIDE-Module:
${code.name} OpenIDE-Module-Localizing-Bundle: ${code.name.base.slashes}/Bundle.properties @@ -641,7 +641,7 @@ @ OpenIDE-Module-Short-
Description=NetBeans 6.0 ${one.cluster.dir.ml} cluster loca OpenIDE-Module-Long-Description=Delivers ${locales} localization for all modules in
${one.cluster.dir.ml} cluster of NetBeans 6.0 </echo> </target> - + <target name="create-kit-ml-nbm-metadata" if="is.kit"> <echo
file="${nb.build.dir}/ml/nbms/tmp/manifest.mf">OpenIDE-Module: ${code.name} OpenIDE-Module-Localizing-Bundle:
${code.name.base.slashes}/Bundle.properties @@ -725,8 +725,8 @@ @ OpenIDE-Module-Long-Description=Delivers ${locales} localization of whole NetBea
<property name="module.jar" value="modules/${code.name.base.dashes}.jar"/> <mkdir dir="${cluster}/modules"/> <jarwithmoduleattributes
jarfile="${cluster}/${module.jar}" - compress="${build.package.compress}" - index="${build.package.index}" + compress="${build.package.compress}" +
index="${build.package.index}" manifest="${nb.build.dir}/ml/nbms/tmp/manifest.mf"> <fileset dir="${nb.build.dir}/ml/nbms/classes"/>
</jarwithmoduleattributes> @@ -797,16 +797,16 @@ @ OpenIDE-Module-Long-Description=Delivers ${locales} localization of whole NetBea <target
name="create-rpms-proto"> <mkdir dir="${nb.build.dir}/rpms"/> - <repeat target="create-one-rpm-proto" name="one.cluster.name" values="${clusters.list}" /> +
<repeat target="create-one-rpm-proto" name="one.cluster.name" values="${clusters.list}" /> </target> - + <target name="create-one-rpm-proto"> <taskdef
name="setcluster" classname="org.netbeans.nbbuild.SetCluster" classpath="${nbantext.jar}" /> <loadproperties srcFile="cluster.properties" /> <loadproperties
srcFile="cluster-description.properties" /> <setcluster cluster="${one.cluster.name}" name="one.cluster.dir" /> <mkdir dir="${nb.build.dir}/rpms"/> - + <resolve
name="pkg.name" value="${one.cluster.name}.pkg.name"/> <resolve name="pkg.version" value="${one.cluster.name}.pkg.version"/> <resolve name="pkg.desc"
value="${one.cluster.name}.pkg.desc"/> @@ -819,7 +819,7 @@ @ OpenIDE-Module-Long-Description=Delivers ${locales} localization of whole NetBea <resolve
name="pkg.rpm.copyright" value="${one.cluster.name}.pkg.rpm.copyright"/> <resolve name="pkg.rpm.map" value="${one.cluster.name}.pkg.rpm.map"/>
<resolve name="pkg.rpm.prefix" value="${one.cluster.name}.pkg.rpm.prefix"/> - + <echo file="${nb.build.dir}/rpms/${one.cluster.name}.spec"> %define
global_product_version ${pkg.version} %define global_product_release 00 @@ -834,7 +834,7 @@ @ Prefix: %_prefix AutoReqProv: no Name: ${pkg.rpm.name}
Summary: ${pkg.name} -%description +%description ${pkg.desc} %files @@ -848,7 +848,7 @@ @ ${pkg.rpm.map}/${one.cluster.dir}</echo> <target
name="create-svr4s-proto"> <mkdir dir="${nb.build.dir}/rpms"/> - <repeat target="create-one-svr4-proto" name="one.cluster.name" values="${clusters.list}" />
+ <repeat target="create-one-svr4-proto" name="one.cluster.name" values="${clusters.list}" /> </target> <target name="create-one-svr4-proto"> @@ -857,7
+857,7 @@ @ ${pkg.rpm.map}/${one.cluster.dir}</echo> <loadproperties srcFile="cluster-description.properties" /> <setcluster cluster="${one.cluster.name}"
name="one.cluster.dir" /> <mkdir dir="${nb.build.dir}/svr4s"/> - + <resolve name="pkg.name" value="${one.cluster.name}.pkg.name"/> <resolve
name="pkg.version" value="${one.cluster.name}.pkg.version"/> <resolve name="pkg.desc" value="${one.cluster.name}.pkg.desc"/> @@ -887,7 +887,7 @@ @
CLASSES=${pkg.svr4.classes} BASEDIR=${pkg.svr4.basedir} PKGINST=${pkg.svr4.pkginst}</echo> </target> - + <target name="testuserdir-delete-init"
depends="-load-build-properties"> <property name="test.user.dir.lock" location="${test.user.dir}/lock"/> <available property="app.running"
file="${test.user.dir.lock}" /> @@ -913,7 +913,7 @@ @ PKGINST=${pkg.svr4.pkginst}</echo> <property name="debug.server" value="y" /> <property
name="tryme.debug.args" value="-J-agentlib:jdwp=transport=dt_socket,suspend=${debug.pause},server=${debug.server},address=${debug.port}" /> </target> -
+ <target name="tryme-debug" depends="jdk-presetdef-nbjpdastart" description="Start IDE in debugger. May only be called from within IDE.">
<echo>Searching for JARs in ${netbeans.dest.dir}, this may take a moment...</echo> <nbjpdastart name="NetBeans" addressproperty="debug.port"
transport="dt_socket"> @@ -935,15 +935,15 @@ @ PKGINST=${pkg.svr4.pkginst}</echo> </or> </condition> </target> - + <target name="tryme-profile-pre72"
depends="-jdk-presetdef-nbprofiledirect" if="profiler.info.jvmargs.agent" description="Start IDE in profiler (pre72 compatibility mode). May only be called from
within IDE."> <property name="profiler.roots.path" value="profiler.roots.all" /> <fileset id="profiler.roots.all" dir="${netbeans.dest.dir}" /> <include
name="**/*.jar" /> </fileset> - <nbprofiledirect - jvmargsprefix="-J" - jvmargsproperty="profiler.jvmargs" + <nbprofiledirect + jvmargsprefix="-J" +
jvmargsproperty="profiler.jvmargs" mainclass="org.netbeans.Main" > <classpath> @@ -956,16 +956,16 @@ @ PKGINST=${pkg.svr4.pkginst}</echo>
</rootspath> </nbprofiledirect> </target> - + <target name="tryme-profile" depends="-profile-check,tryme-profile-pre72" if="profiler.configured"
unless="profiler.info.jvmargs.agent" description="Start IDE in profiler. May only be called from within IDE."> <startprofiler/> <property
name="tryme.debug.args" value="-J-Dorg.osgi.framework.bootdelegation=org.netbeans.lib.profiler,org.netbeans.lib.profiler.*" /> <antcall target="tryme"/>
</target> - + <target name="tryme" depends="-load-build-properties,tryme-setup-debug-args,jdk-init" description="Try running the IDE interactively. -It is
possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in debug mode" -It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the
system in debug mode"> <script language="javascript"> v = " @@ -984,12 +984,12 @@ @ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the
system in d <condition property="run.env.display" value="${env.NBDISPLAY}" else="${env.DISPLAY}"> <isset property="env.NBDISPLAY"/> </condition> -
+ <!-- architecture of jvm on which app will run --> <condition property="jvm.arch.string" value="64" else=""> <available file="${nbjdk.home}/jre/lib/amd64" />
</condition> - + </condition> + <property name="run.args.id" value=""> <exec osfamily="windows"
executable="${netbeans.dest.dir}/bin/netbeans${jvm.arch.string}.exe" failonerror="yes" dir="${java.io.tmpdir}"> <arg value="-jdkhome"/> @@ -1035,10
+1035,10 @@ @ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d </fileset> </move> </target> - + <target name="all-l10n-kits"
depends="l10n-kit"> </target> - + <target name="l10n-kit" depends="bootstrap,set-buildnumber,init-tasks" description="Builds the L10N kit"> <taskdef
name="l10n" classname="org.netbeans.nbbuild.L10nTask" classpath="${nbantext.jar}" /> @@ -1047,7 +1047,7 @@ @ It is possible to use -Ddebug.port=3234 -
Ddebug.pause=y to start the system in d <property name="locales" value=""> <l10n nbmsdir="${nbms.location}" tmpdir="tmp" patternsFile="l10n.patterns"
kitFile="${l10n.kit}" locales="${locales}" /> </target> - + <target name="hg-l10n-kit"> <property name="l10n.kit" location="${nb.build.dir}/l10n.zip" /> <zip
destfile="${l10n.kit}"> @@ -1069,8 +1069,8 @@ @ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <target name="cleanall"
depends="init-module-list,init-tasks"> <taskdef name="cleanall" classname="org.netbeans.nbbuild.CleanAll" classpath="${nbantext.jar}" /> - <cleanall topdir=".."
- modules="${allmodules}" + <cleanall topdir=".." + modules="${allmodules}" targetname="clean" resolvedependencies="${resolve.clean.dependencies}"
deptargetprefix="all-" @@ -1305,7 +1305,7 @@ @ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <arg value="-rf"/> <arg
value="${solpkg-proto-file}" /> </exec> - <exec executable="${solpkg-pkgproto}" output="${solpkg-proto-file}" + <exec executable="${solpkg-pkgproto}"
output="${solpkg-proto-file}" failonerror="yes"> <arg value="${solpkg-actual-dir}"> <solpkg-pkg-dir"/> </exec> @@ -1334,7 +1334,7 @@ @ It is possible to use
-Ddebug.port=3234 -Ddebug.pause=y to start the system in d <target name="all-russian" depends="set-russian-locale.all"/> <target name="all-french"
depends="set-french-locale.all"/> <target name="all-ja-zh" depends="set-ja-zh_CN-locales.all"/> - + <target name="set-ja-zh_CN-locales"> <property
name="locales" value="ja_zh_CN"/> <property name="locjar.locales" value="${locales}" /> @@ -1342,7 +1342,7 @@ @ It is possible to use -Ddebug.port=3234 -
Ddebug.pause=y to start the system in d <property name="locjindexer.locales" value="${locales}" /> <property name="localized.build.locales"
value="${locales}" /> </target> - + <target name="set-dutch-locale"> <property name="locales" value="nl"/> <property name="locjar.locales"
value="${locales}" /> @@ -1366,7 +1366,7 @@ @ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <property
name="locjindexer.locales" value="${locales}" /> <property name="localized.build.locales" value="${locales}" /> </target> - + <!-- end of localized builds -->
@@ -1386,15 +1386,15 @@ @ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d </and> </condition> </target> - - <target -
name="commit-validation" - depends="commitValidation,no-commit-validation" + + <target + name="commit-validation" + depends="commitValidation,no-
commit-validation" description="Runs tests to validate IDE before commit." /> <target name="all-commitValidation" description="dummy target for build error
recognition facility"/> - + <!-- keep this target name at least for a while for backward compat -jglick --> <target name="commitValidation" depends="all-

```

commitValidation,check-commit-validation" if="run.validation"><property name="build.test.results.dir" location="\${nb.build.dir}/test/commit-validation/results"/> @@ -1406,7 +1406,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <resolverlist list="\${nb.clusters.list}" name="nb.clusters.validation.list"/> <mapper type="regex" from="(*)" to="validation.1"/> </resolverlist> - + <subant target="\${test.type}"> <property name="test.config" value="commit"/> <property name="continue.after.failing.tests" value="true"/> @@ -1416,7 +1416,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <property name="test-qa-functional-sys-prop.ignore.random.failures" value="true"/> <dirset dir=".." includes="\${nb.clusters.validation.list}" /> </subant> - + <pathconvert property="failed.tests" pathsep="\${line.separator}"> <fileset dir="\${build.test.results.dir}"> <include name="TEST-*.xml"/> @@ -1477,7 +1477,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <echo message="Packaging sources of \${cluster.config} modules"/> <resolve name="harness-modules" value="nb.cluster.harness"/> - + <mkdir dir="\${nb.build.dir}" /> <dirset id="source.dirset" dir="\${nb_all}" includes="\${allmodules},\${harness-modules},nbbuild,ide,nbi,libs,antlr3,devel,libs,junit4" @@ -1508,9 +1508,9 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d </target> <target name="generate-golden-files" depends="generate-golden-files-init" description="Generate summaries of module dependencies."> <property name="deps.max.friends" value="20"/> - + <taskdef name="deps" classname="org.netbeans.nbbuild.ModuleDependencies" classpath="\${nbantext.jar}" /> - + <deps> <inputpattern dir="\${netbeans.dest.dir}" /> <output type="group-dependencies" file="\${generated.files.dir}/cluster-deps.txt" /> @@ -1532,11 +1532,11 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <taskdef name="test-deps" classname="org.netbeans.nbbuild.ModuleTestDependencies" classpath="\${nbantext.jar}" /> <test-deps output="\${generated.files.dir}/test-deps.txt" reverseOutput="\${generated.files.dir}/reverse-test-deps.txt" /> </target> - + <target name="generate-files-layout" depends="generate-golden-files-init" description="Generate summary of installed files."> <taskdef name="generate-files-layout" classname="org.netbeans.nbbuild.GenerateFilesLayout" classpath="\${nbantext.jar}" /> <property name="check.files.layout.generated" location="\${generated.files.dir}/files-layout.txt" /> - + <property name="check-file-layout-root" location="\${netbeans.dest.dir}" /> <generate-files-layout output="\${check.files.layout.generated}"> <files dir="\${check-file-layout-root}" casesensitive="yes" /> @@ -1587,7 +1587,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <fileset dir="\${nbroot}" includesfile="\${listfile}" /> </apply> </target> - + <target name="increment-spec-versions" depends="bootstrap,init-module-list" description="Increment all standard module specification versions. Pass -Dbranch=true if not on the trunk."> <property name="branch" value="false"/> <taskdef name="incrspecvers" classname="org.netbeans.nbbuild.IncrementSpecificationVersions" classpath="\${nbantext.jar}" /> @@ -1615,7 +1615,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d </fileset> </jar> <zip basedir="\${test.dist.dir}" destfile="\${nb.build.dir}/testdist.zip" /> - </target> + </target> <target name="gen-sigtests" depends="init-module-list" description="Generates snapshost of API of all modules" /> @@ -1623,7 +1623,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <echo message="Generating signature files for \${cluster.config} modules"/> <property name="sigtest.basedir" location="\${nb.build.dir}/sigtest/snapshot"/> <property name="sigtest.output.dir" location="\${nb.build.dir}/sigtest/generate"/> - + <subant target="gen-sigtest" buildpath="\${modules.fullpath}" failonerror="false"> <property name="sigtest.basedir" value="\${sigtest.basedir}" /> <property name="sigtest.output.dir" location="\${sigtest.output.dir}" /> @@ -1641,15 +1641,15 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d </path> <mapper type="identity" /> </pathconvert> - + <subant target="gen-sigtest" buildpath="\${modules.fullpath}" /> </target> - + <target name="check-sigtests-release" depends="bootstrap" description="Checks signature files of stable API modules"> <echo message="Checking signature files of stable API modules"/> - + <property name="sigtest.output.dir" location="\${nb.build.dir}/sigtest/check-release"/> <property name="fail.on.error" value="true"/> <delete dir="\${sigtest.output.dir}" /> @@ -1683,17 +1683,17 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <target name="check-sigtests-version"> <echo message="Checking version of signature files for \${cluster.config} modules"/> - + <property name="sigtest.previous.url" value="http://deadlock.netbeans.org/job/nbms-and-javadoc/lastStableBuild/artifact/nbbuild/build/sigtest/snapshot/zip*/snapshot.zip"/> <property name="sigtest.prev.dir" location="\${nb.build.dir}/sigtest/prev-snapshot"/> <property name="sigtest.output.dir" location="\${nb.build.dir}/sigtest/versioncheck"/> - <mkdir dir="\${sigtest.prev.dir}" /> + <mkdir dir="\${sigtest.prev.dir}" /> <get src="\${sigtest.previous.url}" dest="\${sigtest.prev.dir}/snapshot.zip" /> <unzip src="\${sigtest.prev.dir}/snapshot.zip" dest="\${sigtest.prev.dir}" /> <mapper type="flatten" /> <unzip /> - + <antcall target="do-check-sigtests" /> <param name="sigtest.check.type" value="versioncheck" /> <param name="sigtest.basedir" location="\${sigtest.prev.dir}" /> @@ -1707,14 +1707,14 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <junitreport> <echo message="Report generated to \${sigtest.output.dir}/html/index.html"/> </target> - + <target name="do-check-sigtests" depends="init-module-list"> <fail unless="sigtest.check.type" /> <fail unless="sigtest.output.dir" /> <property name="sigtest.basedir" location="\${nb.build.dir}/sigtest/snapshot"/> <property name="sigtest.fail.on.error" value="false"/> - + <mkdir dir="\${sigtest.basedir}" /> <delete dir="\${sigtest.output.dir}" /> <mkdir dir="\${sigtest.output.dir}" /> @@ -1738,7 +1738,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d </subant> </target> - + <target name="generate-uc-catalog" depends="bootstrap"> <taskdef name="makeupdatedesc" classname="org.netbeans.nbbuild.MakeUpdateDesc" /> @@ -1946,61 +1946,61 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <pathelement location="external/apache-rat-0.12.jar" /> </classpath> </taskdef> <patternset id="non.rat"> <exclude name="*/build/**" /> + <exclude name="nbbuild/netbeans/**" /> + <exclude name="**/*.mf" /> <!--do not natively support comments--> + <exclude name="**/nbproject/*.sig" /> <!--generated signatures for past versions--> + <exclude name="**/nbproject/build-impl.xml" /> <!--generated, no degree of creativity --> + <exclude name="**/nbproject/jfx-impl.xml" /> <!--generated, no degree of creativity --> + <exclude name="**/nbproject/genfiles.properties" /> <!--generated, no degree of creativity --> + <exclude name="**/nbproject/private/**" /> <!--user-specific files --> + <exclude name="**/external/*.license.txt" /> <!--licenses for external dependencies--> + <exclude name="**/external/*.notice.txt" /> <!--notices for external dependencies--> + <exclude name="**/*.pass" /> <!--generated test files--> + <exclude name="**/*.pass2" /> <!--generated test files--> + <exclude name="**/*.ref" /> <!--would cause tests to fail--> + <exclude name="**/*.palette_item" /> <!--no degree of creativity--> + <exclude name="**/src/META-INF/**" /> <!--no degree of creativity--> + <exclude name="form/test/unit/data/goldenfiles/**" /> <!--test data--> + <exclude name="diff/test/unit/data/**" /> <!--test data--> + <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!--test data--> + <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!--test data--> + <exclude name="javadoc/test/unit/data/docs_jdk14_ja/api/index-files/**" /> <!--test data--> + <exclude name="javafx2.project/src/org/netbeans/modules/javafx2/project/templates/**" /> <!--license would be visible when users edit the templates inside their IDE--> + <exclude name="utilities/test/unit/src/org/netbeans/modules/openfile/resources/recent_files/**" /> <!--test data--> + <exclude name="**/*.url" /> <!--no degree of creativity--> + <exclude name="spi.navigator/test/unit/src/org/netbeans/modules/navigator/resources/lastsel/file.lastsel_mime1" /> <!--empty file--> + <exclude name="xml/test/unit/src/org/netbeans/modules/xml/resources/**" /> <!-- test data --> + <exclude name="xml/src/org/netbeans/modules/xml/resources/templates/**" /> <!-- template files - tracked by https://issues.apache.org/jira/browse/NETBEANS-85 --> + <exclude name="xml.axi/test/unit/src/org/netbeans/modules/xml/axi/resources/**" /> <!-- test data --> + <exclude name="xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/resources/**" /> <!-- test data --> + <exclude name="xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/**/*.*.wsdl" /> <!-- test data --> + <exclude name="xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/**/*.*.xml" /> <!-- test data --> + <exclude name="xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/**/*.*.xsd" /> <!-- test data --> + <exclude name="xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/**/*.*.bpel" /> <!-- test data --> + <exclude name="xml.lexer/test/unit/src/org/netbeans/api/xml/lexer/resources/*.*.dtd" /> <!-- test data --> + <exclude name="xml.lexer/test/unit/src/org/netbeans/api/xml/lexer/resources/*.*.xml" /> <!-- test data --> + <exclude name="xml.tools/test/qa-functional/src/org/netbeans/modules/**/*.*.xml" /> <!-- test data --> + <exclude name="xml.tools/test/qa-functional/src/org/netbeans/modules/**/*.*.txt" /> <!-- test data --> + <exclude name="xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/resources/*.*.xsd" /> <!-- test data --> + <exclude name="xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/resources/*.*.xml" /> <!-- test data --> + <exclude name="xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/resources/dummyProject/nbproject/private/tmpfile" /> <!-- test data --> + <exclude name="xml.wsdl.model/test/unit/src/org/netbeans/modules/xml/wsdl/**/*.*.wsdl" /> <!-- test data --> + <exclude name="xml.wsdl.model/test/unit/src/org/netbeans/modules/xml/wsdl/**/*.*.xsd" /> <!-- test data --> + <exclude name="xml.wsdl.model/test/unit/src/org/netbeans/modules/xml/wsdl/**/*.*.xml" /> <!-- test data --> + <exclude name="xml.text/src/org/netbeans/modules/xml/text/resources/DTDEsample" /> <!-- GUI sample file to demonstrate syntax highlighting --> + <exclude name="xml.text/src/org/netbeans/modules/xml/text/resources/XMLExample" /> <!-- GUI sample file to demonstrate syntax highlighting --> + <exclude name="xml.text/test/qa-functional/src/org/netbeans/modules/xml/text/**/*.*.data/**" /> <!-- test data --> + <exclude name="xsl/src/org/netbeans/modules/xsl/resources/templates/stylesheet.xsl" /> <!-- Template for user - very limited degree of creativity --> + <exclude name="xsl/test/unit/src/org/netbeans/modules/xsl/utls/data/**" /> <!--test data--> + <exclude name="spi.navigator/test/unit/src/org/netbeans/modules/navigator/resources/lastsel/file.lastsel_mime1" /> <!--empty file--> + <exclude name="templates/src/org/netbeans/modules/templates/resources/userproptxt" /> <!--no degree of creativity--> + <exclude name="api.search/test/unit/data/textFiles/utf8file.txt" /> <!--test data--> + <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!--test data--> + <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> + <exclude name="css.lib/test/unit/data/**" /> <!--test data--> + <exclude

name="extbrowser/test/unit/src/org/netbeans/modules/extbrowser/data/mac_defaults_*/" /> <!--test data--> + <exclude name="spring.beans/src/org/netbeans/modules/spring/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> + <exclude name="debugger.jpda/test/unit/src/org/netbeans/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data --> + <exclude name="editor.settings.storage/test/unit/src/org/netbeans/modules/editor/settings/storage/compatibility/p1/**" /> <!--test data--> + <exclude name="editor.plain/src/org/netbeans/modules/editor/plain/resources/PlainTextExample" /> <!--license would be visible to users in the Fonts/Colors settings--> + <exclude name="editor.fold/test/unit/data/goldenfiles/hierarchy/update-hierarchy.folds" /> <!--test data--> + <exclude name="editor.fold/test/unit/data/hierarchy/update-hierarchy.folds" /> <!--test data--> + <exclude name="editor.fold/test/unit/src/org/netbeans/modules/editor/fold/FoldContentReader.txt" /> <!--test data--> + <exclude name="libs.freemarker/test/unit/data/**" /> <!--test data--> + <exclude name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.yaml" /> <!--Files used in GUI as sample/starting point--> + <exclude name="languages.yaml/test/unit/data/testfiles/**" /> <!--test data--> + <exclude name="versioning.core/test/unit/data/workdir/root/a.txt" /> <!--test data--> + <exclude name="versioning.core/test/unit/data/workdir/root-test-versioned/**" /> <!--test data--> + <exclude name="versioning.core/test/unit/data/workdir/root-with-exclusions/**" /> <!--test data--> + <exclude name="websvc.saas.kit/release/VERSION.txt" /> <!--generated file--> + <exclude name="versioning/test/unit/data/workdir/root/a.txt" /> <!--test data--> + <exclude name="versioning/test/unit/data/workdir/root-test-versioned/**" /> <!--test data--> + <exclude name="versioning/test/unit/data/workdir/root-with-exclusions/**" /> <!--test data--> + <exclude name="testng.ui/src/org/netbeans/modules/testng/ui/resources/*.template" /> <!--template files--> + <exclude name="languages.diff/src/org/netbeans/modules/languages/diff/DiffExample.diff" /> <!--license would be visible to users in the Fonts/Colors settings--> + <exclude name="versioning.util/test/unit/data/historycache/**" /> <!--test data--> + <exclude name="java.lexer/test/unit/data/testfiles/**" /> <!--test data--> + <exclude name="spellchecker.dictionary_en/release/modules/dict/*.description" /> <!--Description Files--> + <exclude name="selenium2.java/src/org/netbeans/modules/selenium2/java/SeleneseIT.java.template" /> <!--template file--> + <exclude name="projectuiapi/test/unit/data/*.txt" /> <!--test data--> + <exclude name="projectuiapi/test/unit/src/org/netbeans/modules/project/uiapi/data/*.txt" /> <!--test data--> + <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/license-default.txt" /> <!--licenses--> + <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/project/ui/resources/*.license.txt" /> <!--licenses--> + <exclude name="hudson.subversion/test/unit/src/org/netbeans/modules/hudson/subversion/sample-entries-file" /> <!--test data--> + <exclude name="java.editor/src/org/netbeans/modules/java/editor/resources/JavaExample" /> <!--no degree of creativity--> + <exclude name="java.editor/test/qa-functional/data/**" /> <!--test data--> + <exclude name="java.editor/test/unit/data/**" /> <!--test data--> + <exclude name="java.editor.base/test/unit/data/**" /> <!--test data--> + <exclude name="ide.kit/test/qa-functional/**.txt" /> <!-- test data --> + <exclude name="mercurial/src/org/netbeans/modules/mercurial/util/log*/" /> <!-- user templates for mercurial commits, etc. --> + <exclude name="mercurial/test/qa-functional/data/files/**" /> <!-- qa test data --> + <exclude name="mercurial/test/unit/data/**" /> <!-- unit test data --> + <exclude name="css.prep/test/qa-functional/data/css_prep/public_html/**" /> <!--simple files for testing--> + <exclude name="css.prep/test/unit/data/testFiles/test.less" /> <!--simple file forss testing--> + <exclude name="css.prep/test/unit/data/testFiles/testFiles/testIssue227676.scss" /> <!--simple file for testing--> + <exclude name="css.prep/test/unit/data/testProject/public_html/**" /> <!--simple files for testing--> + <exclude name="junit.ui/src/org/netbeans/modules/junit/ui/resources/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> + <exclude name="java.api.common/src/org/netbeans/modules/java/api/common/project/ui/customizer/vmo/gen/CommandLine.tokens" /> <!--generated by ANTLR--> + <exclude name="javafx2.editor/test/unit/data/org/netbeans/modules/javafx2/editor/**.fxml" /> + <exclude name="javafx2.editor/test/unit/data/goldenfiles/org/netbeans/modules/javafx2/editor/completion/impl/**.out" /> + <exclude name="javawebstart/AntTasks/build/**" /> <!-- generated build files --> + <exclude name="projectimport.eclipse.core/test/unit/data/**" /> <!--test data--> + <exclude name="html.lexer/test/unit/data/testfiles/**" /> <!--test data--> + <exclude name="o.apache.tools.ant.module/release/VERSION.txt" /> <!--generated file--> + <exclude name="o.apache.tools.ant.module/test/unit/data/**.xml" /> <!--test data--> + <exclude name="o.apache.tools.ant.module/test/unit/data/**.properties" /> <!--test data--> + <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java" /> <!-- user visible file template --> + <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml_ " /> <!-- user visible file template --> + <exclude name="javafx2.kit/release/VERSION.txt" /> <!--generated file--> + <exclude name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> + <exclude name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!--no degree of creativity--> + <exclude name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!--no degree of creativity--> + <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/Hibernate*.xml" /> <!--template files--> + <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax" /> <!--template file--> + <exclude name="java.j2semodule/src/org/netbeans/modules/java/j2semodule/ui/resources/module-info.java.template" /> <!--template file--> + <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/*.xsd" /> <!-- XSDs for usage at runtime and code generation - the XSDs are not modified, so covered by https://www.apache.org/legal/resolved.html#category-b --> + <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/*.xml" /> <!-- user visible file template --> + <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/resources/*.txt" /> <!-- user visible file template --> + </patternset> <rat:report xmlns:rat="http://maven.apache.org/rat/anttasks" reportfile="build/rat-report.txt"> - <fileset dir="\${nb_all}"> - <exclude name="*/build/**" /> - <exclude name="*/nbbuild/netbeans/**" /> - <exclude name="*/*.mf" /> <!--do not natively support comments--> - <exclude name="*/nbproject/*.sig" /> <!--generated signatures for past versions--> - <exclude name="*/nbproject/build-impl.xml" /> <!--generated, no degree of creativity --> - <exclude name="*/nbproject/jfx-impl.xml" /> <!--generated, no degree of creativity --> - <exclude name="*/nbproject/genfiles.properties" /> <!--generated, no degree of creativity --> - <exclude name="*/nbproject/private/**" /> <!--user-specific files --> - <exclude name="*/external/*.license.txt" /> <!--licenses for external dependencies--> - <exclude name="*/external/*.notice.txt" /> <!--notices for external dependencies--> - <exclude name="*/*.pass" /> <!--generated test files--> - <exclude name="*/*.pass2" /> <!--generated test files--> - <exclude name="*/*.ref" /> <!--would cause tests to fail--> - <exclude name="*/.list" /> <!--no degree of creativity--> - <exclude name="*/src/META-INF/**" /> <!--no degree of creativity--> - <exclude name="form/test/unit/data/goldenfiles/**" /> <!--test data--> - <exclude name="diff/test/unit/data/**" /> <!--test data--> - <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!--test data--> - <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!--test data--> - <exclude name="javadoc/test/unit/data/docs_jdk14_ja/api/index-files/**" /> <!--test data--> - <exclude name="javafx2.project/src/org/netbeans/modules/javafx2/project/templates/**" /> <!--license would be visible when users edit the templates inside their IDE--> - <exclude name="utilities/test/unit/src/org/netbeans/modules/openfile/resources/recent_files/**" /> <!--test data--> - <exclude name="*/*.url" /> <!--no degree of creativity--> - <exclude name="spi.navigator/test/unit/src/org/netbeans/modules/navigator/resources/lastsel/file.lastsel_mime1" /> <!--empty file--> - <exclude name="templates/src/org/netbeans/modules/templates/resources/userprop.txt" /> <!--no degree of creativity--> - <exclude name="api.search/test/unit/data/textFiles/utf8file.txt" /> <!--test data--> - <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!--test data--> - <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> - <exclude name="extbrowser/test/unit/src/org/netbeans/modules/extbrowser/data/mac_defaults_*/" /> <!--test data--> - <exclude name="spring.beans/src/org/netbeans/modules/spring/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> - <exclude name="editor.settings.storage/test/unit/src/org/netbeans/modules/editor/settings/storage/compatibility/p1/**" /> <!--test data--> - <exclude name="editor.plain/src/org/netbeans/modules/editor/plain/resources/PlainTextExample" /> <!--license would be visible to users in the Fonts/Colors settings--> - <exclude name="editor.fold/test/unit/data/goldenfiles/hierarchy/update-hierarchy.folds" /> <!--test data--> - <exclude name="editor.fold/test/unit/data/hierarchy/update-hierarchy.folds" /> <!--test data--> - <exclude name="editor.fold/test/unit/src/org/netbeans/modules/editor/fold/FoldContentReader.txt" /> <!--test data--> - <exclude name="libs.freemarker/test/unit/data/**" /> <!--test data--> - <exclude name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.yaml" /> <!--Files used in GUI as sample/starting point--> - <exclude name="languages.yaml/test/unit/data/testfiles/**" /> <!--test data--> - <exclude name="versioning.core/test/unit/data/workdir/root/a.txt" /> <!--test data--> - <exclude name="versioning.core/test/unit/data/workdir/root-test-versioned/**" /> <!--test data--> - <exclude name="versioning.core/test/unit/data/workdir/root-with-exclusions/**" /> <!--test data--> - <exclude name="websvc.saas.kit/release/VERSION.txt" /> <!--generated file--> - <exclude name="versioning/test/unit/data/workdir/root/a.txt" /> <!--test data--> - <exclude name="versioning/test/unit/data/workdir/root-test-versioned/**" /> <!--test data--> - <exclude name="versioning/test/unit/data/workdir/root-with-exclusions/**" /> <!--test data--> - <exclude name="testng.ui/src/org/netbeans/modules/testng/ui/resources/*.template" /> <!--template files--> - <exclude name="versioning.util/test/unit/data/historycache/**" /> <!--test data--> - <exclude name="java.lexer/test/unit/data/testfiles/**" /> <!--test data--> - <exclude name="projectuiapi/test/unit/data/*.txt" /> <!--test data--> - <exclude name="projectuiapi/test/unit/src/org/netbeans/modules/project/uiapi/data/*.txt" /> <!--test data--> + <rat:substringMatcher licenseFamilyCategory="w3c2" licenseFamilyName="W3C Software and Document Notice and License"> + <pattern substring="W3C Software and Document

```

Content and License"/> + <rat:substringMatcher> + <rat:substringMatcher licenseFamilyCategory="oasis" licenseFamilyName="OASIS"> + <pattern substring="
[OASIS]"/> + </rat:substringMatcher> + <rat:fullTextMatcher licenseFamilyCategory="wsdl" licenseFamilyName="WSDL Schema Files"> + International
Business Machines Corporation and Microsoft Corporation + All Rights Reserved + License for WSDL Schema Files + </rat:fullTextMatcher> +
<rat:approvedLicense familyName="W3C Software and Document Notice and License"/> + <rat:approvedLicense familyName="OASIS"/> +
<rat:approvedLicense familyName="WSDL Schema Files" /> + <fileset dir="${nb_all}"> + <patternset refid="non.rat" /> + </fileset> + </rat:report> +
<rat:report xmlns:rat="antib:org.apache.rat.anttasks" format="xml" reportfile="build/rat-report.xml"> + <rat:substringMatcher licenseFamilyCategory="w3c2"
licenseFamilyName="W3C Software and Document Notice and License"> + <pattern substring="W3C Software and Document Notice and License"/> +
</rat:substringMatcher> + <rat:substringMatcher licenseFamilyCategory="oasis" licenseFamilyName="OASIS"/> + <pattern substring="[OASIS]"/> +
</rat:substringMatcher> + <rat:fullTextMatcher licenseFamilyCategory="wsdl" licenseFamilyName="WSDL Schema Files"> + International Business Machines
Corporation and Microsoft Corporation + All Rights Reserved + License for WSDL Schema Files + </rat:fullTextMatcher> + <rat:approvedLicense
familyName="W3C Software and Document Notice and License"/> + <rat:approvedLicense familyName="OASIS"/> + <rat:approvedLicense
familyName="WSDL Schema Files" /> + <fileset dir="${nb_all}"> + <patternset refid="non.rat" /> + </fileset> + <taskdef name="rattohtml"
classname="org.netbeans.nbbuild.RatReportTask" classpath="${build.ant.classes.dir}"/> + <loadproperties srcFile="cluster.properties" /> + <rattohtml
source="build/rat-report.xml" report="${nb.build.dir}/rat/" /> </target> </project> diff --git a/nbbuild/javadoctools/template.xml
b/nbbuild/javadoctools/template.xml index a0d67936b..0c223cfd5 100644 --- a/nbbuild/javadoctools/template.xml +++ b/nbbuild/javadoctools/template.xml @@
-276,7 +276,7 @@ cause it to fail. </target> <target name="javadoc-exec-packages" depends="javadoc-init,javadoc-generate-references,javadoc-generate-
overview,javadoc-exec-condition,javadoc-check-timestamps,javadoc-make-plain-title,javadoc-make-hyperlinked-title,javadoc-exec-condition,javadoc-set-footer"
unless="javadoc.exec.packages"> - <javadoc source="${javac.source}" author="false" destdir="${javadoc.out.dir}" packageNames="${javadoc.packages}"
stylesheetfile="${javadoc.css.main}" windowtitle="${javadoc.title}" overview="${javadoc.overview}" splitindex="true" use="true" version="false"
encoding="UTF-8"> + <javadoc source="${javac.source}" author="false" destdir="${javadoc.out.dir}" packageNames="${javadoc.packages}"
stylesheetfile="${javadoc.css.main}" windowtitle="${javadoc.title}" overview="${javadoc.overview}" splitindex="true" use="true" version="false"
useexternalfile="true" encoding="UTF-8"> <sourcepath> <pathelement location="${javadoc.docfiles}"/> <pathelement location="${javadoc.src}"/> diff --git
a/nbbuild/nbproject/project.xml b/nbbuild/nbproject/project.xml index a3474954f..bcccf0792 100644 --- a/nbbuild/nbproject/project.xml +++
b/nbbuild/nbproject/project.xml @@ -202,14 +202,14 @@ <subprojects> <project license="cdll-netbeans-sun</project-license> <general-data> - <java-data
xmlns="http://www.netbeans.org/ns/freeform-project-java/2"> + <java-data xmlns="http://www.netbeans.org/ns/freeform-project-java/4"> <compilation-unit>
<package-root> antsrc</package-root> <classpath mode="compile"> ${ant.core.lib}; ${nb_all}/java/help/external/jhall-2.0_05.jar</classpath> <classpath
mode="boot"> ${nbjdk.bootclasspath}</classpath> <built-to> ${nb.build.dir}/antclasses</built-to> <built-to> ${nbantext.jar}</built-to> - <source-
level> 1.5</source-level> + <source-level> 1.8</source-level> <compilation-unit> <package-root> test/unit/src</package-root> @@ -217,7
+217,7 @@ <classpath mode="compile"> ${test.unit.cp}</classpath> <classpath mode="boot"> ${nbjdk.bootclasspath}</classpath> <built-
to> ${nb.build.dir}/test/unit/classes</built-to> - <source-level> 1.5</source-level> + <source-level> 1.8</source-level> </compilation-unit> </java-data>
</configuration> diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml
index 12fccabb9..b221e805e 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml +++
b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml @@ -
<convert token="\n" /> *DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.' replace='AhojnJardo' prefix='true'/> - <convert
token='*DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.'> + <convert token="\n" /> *Licensed to the Apache Software
Foundation (ASF) under one' replace='AhojnJardo' prefix='true'/> + <convert token='*Licensed to the Apache Software Foundation (ASF) under one'> <line
text='Ahoj'> <line text='Jardo'> </convert> - <convert token='*Oracle and Java.*are.*registered.*trademarks.*of.*Oracle.*and.*or.*its.* affiliates.' + <convert
token='*or more contributor.*license.*agreements.*.See.*the NOTICE file'> <line text='New'> <line text='Warning'> diff --git
a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseHtmlExample.xml b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseHtmlExample.xml index
55847d0eb..966c9300b 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseHtmlExample.xml +++
b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseHtmlExample.xml @@ -1,22 +1,20 @@ <!-- - - - Licensed to the Apache Software Foundation (ASF)
under one - or more contributor license agreements. See the NOTICE file - distributed with this work for additional information - regarding copyright ownership.
The ASF licenses this file - to you under the Apache License, Version 2.0 (the - "License"); you may not use this file except in compliance - with the License.
You may obtain a copy of the License at - - http://www.apache.org/licenses/LICENSE-2.0 - - Unless required by applicable law or agreed to in writing, - software
distributed under the License is distributed on an - "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - KIND, either express or implied.
See the License for the - specific language governing permissions and limitations - under the License. - - - Licensed to the Apache Software Foundation (ASF)
under one + - or more contributor license agreements. See the NOTICE file + - distributed with this work for additional information + - regarding copyright
ownership. The ASF licenses this file + - to you under the Apache License, Version 2.0 (the + - "License"); you may not use this file except in compliance + - with
the License. You may obtain a copy of the License at + - + - http://www.apache.org/licenses/LICENSE-2.0 + - + - Unless required by applicable law or agreed to in
writing, + - software distributed under the License is distributed on an + - "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + - KIND,
either express or implied. See the License for the + - specific language governing permissions and limitations + - under the License. --> <HTML><BODY> diff --
git a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicensePropertiesExample.properties
b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicensePropertiesExample.properties index b589d9d04..b71966116 100644 ---
a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicensePropertiesExample.properties +++
b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicensePropertiesExample.properties @@ -14,7 +14,6 @@ # KIND, either express or implied. See the License
for the # specific language governing permissions and limitations # under the License. - OpenIDE-Module-Name=Settings API OpenIDE-Module-Short-
Description=A library for storing settings in custom formats. OpenIDE-Module-Long-Description=\ diff --git
a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseTest.java b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseTest.java index
72c2e6f4a..826dd5b32 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseTest.java +++
b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseTest.java @@
public void testTheTaskFailsIfItsMissing() throws Exception {
public void testReplaceJavaLicense() throws Exception { java.io.File tmp = extractString( "/" + "\n" + "-" * DO NOT ALTER OR REMOVE COPYRIGHT
NOTICES OR THIS HEADER.\n" + + "/" + "\n" + + "-" * Licensed to the Apache Software Foundation (ASF) under one\n" + + "-" * or more contributor license
agreements. See the NOTICE file\n" + + "-" * distributed with this work for additional information\n" + + "-" * regarding copyright ownership. The ASF licenses this
file\n" + + "-" * to you under the Apache License, Version 2.0 (the\n" + + "-" * "License"); you may not use this file except in compliance\n" + + "-" * with the License.
You may obtain a copy of the License at\n" + + "-" * "\n" + + "-" * Copyright 2012 Oracle and/or its affiliates. All rights reserved.\n" + + "-" *
http://www.apache.org/licenses/LICENSE-2.0\n" + + "-" * "\n" + + "-" * Oracle and Java are registered trademarks of Oracle and/or its affiliates.\n" + + "-" * Other names
may be trademarks of their respective owners.\n" + + "-" * "\n" + + "-" * The contents of this file are subject to the terms of either the GNU\n" + + "-" * General Public
License Version 2 only ("GPL") or the Common\n" + + "-" * Development and Distribution License("CDDL") (collectively, the\n" + + "-" * "License"). You may
not use this file except in compliance with the\n" + + "-" * License. You can obtain a copy of the License at\n" + + "-" * http://www.netbeans.org/cddl-gplv2.html\n" + +
-" * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the\n" + + "-" * specific language governing permissions and limitations under the\n" + + "-" * License.
When distributing the software, include this License Header\n" + + "-" * Notice in each file and include the License file at\n" + + "-" * nbbuild/licenses/CDDL-GPL-2-
CP. Oracle designates this\n" + + "-" * particular file as subject to the "Classpath" exception as provided\n" + + "-" * by Oracle in the GPL Version 2 section of
the License file that\n" + + "-" * accompanied this code. If applicable, add the following below the\n" + + "-" * License Header, with the fields enclosed by brackets []
replaced by\n" + + "-" * your own identifying information:\n" + + "-" * "\n" + + "-" * Portions Copyrighted [year] [name of copyright owner]\n" + + "-" * Unless required by
applicable law or agreed to in writing,\n" + + "-" * software distributed under the License is distributed on an\n" + + "-" * "\n" + + "-" * "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY\n" + + "-" * KIND, either express or implied. See the License for the\n" + + "-" * specific language governing
permissions and limitations\n" + + "-" * under the License.\n" + + "-" * "/> File java = new File(tmp.getParentFile(), "MyTest.java"); @@ -630,15 +622,6 @@ public
void testReplacePropertiesLicense() throws Exception { } } } - - - if (content.indexOf("2002") != -1) { - fail("No reference to year 2002:\n" + content); - } - if
(content.indexOf("2006") == -1) { - fail("There should be a ref to 2006:\n" + content); - } - } private static boolean isWindows() { @@ -688,15 +671,6 @@ @@
public void testReplaceXMLLicense() throws Exception { fail("warning shall be there:\n" + content); } } - - - if (content.indexOf("2002") != -1) { - fail("No
reference to year 2002:\n" + content); - } - if (content.indexOf("2006") == -1) { - fail("There should be a ref to 2006:\n" + content); - } - } } public void
testProblemsWithTermEmulator() throws Exception { diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseXmlExample.xml
b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseXmlExample.xml index d75ec6073..12147d2d5 100644 ---
a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseXmlExample.xml +++
b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseXmlExample.xml @@
-1,6 +1,5 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- - Licensed to the Apache Software Foundation (ASF) under one or more contributor license
agreements. See the NOTICE file distributed with this work for additional information @@ -17,7 +16,6 @@ KIND, either express or implied. See the License for
the specific language governing permissions and limitations under the License. - --> <project basedir="." default="netbeans" name="javacvs/libmodule"> <import
file=".../nbbuild/templates/projectized.xml"/> diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/ModuleListParserTest.java

```

```

b/nbbuild/test/unit/src/org/netbeans/nbbuild/ModuleListParserTest.java index a1392eae1..e7764059d 100644 ---
a/nbbuild/test/unit/src/org/netbeans/nbbuild/ModuleListParserTest.java +++ b/nbbuild/test/unit/src/org/netbeans/nbbuild/ModuleListParserTest.java @@ -236,23
+236,24 @@ public void buildFinished(BuildEvent buildEvent) { } ModuleListParser.Entry e = p.findByCodeNameBase(cnb); assertNotNull("found netigso
module", e); } - public void testScanSourcesAndBinariesForExternalStandaloneModule() throws Exception { - Hashtable<String, Object> properties = new
Hashtable<String, Object>(); - properties.put("cluster.path.final", filePath(nball, "apisupport.ant/test/unit/data/example-external-
projects/suite3/nbplatform/platform5")) + - File.pathSeparator + filePath(nball, "apisupport.ant/test/unit/data/example-external-
projects/suite3/nbplatform/random")); - properties.put("basedir", filePath(nball, "apisupport.ant/test/unit/data/example-external-projects/suite3/dummy-project")); -
properties.put("project", filePath(nball, "apisupport.ant/test/unit/data/example-external-projects/suite3/dummy-project")); - ModuleListParser p = new
ModuleListParser(properties, ModuleType.STANDALONE, null); - ModuleListParser.Entry e =
p.findByCodeNameBase("org.netbeans.examples.modules.dummy"); - assertEquals("org.netbeans.examples.modules.dummy",
e.getCnb()); - assertEquals(file(nball, "apisupport.ant/test/unit/data/example-external-projects/suite3/dummy-project/build/cluster/modules/org-netbeans-examples-
modules-dummy.jar"), e.getJar()); - assertEquals(Collections.EMPTY_LIST, Arrays.asList(e.getClassPathExtensions())); - e =
p.findByCodeNameBase("org.netbeans.modules.classfile"); - assertEquals("found (fake) netbeans.org module by its binary", e); -
assertEquals("org.netbeans.modules.classfile", e.getCnb()); - } + +// Disabled test - referenced project files were not donated to apache +// public void
testScanSourcesAndBinariesForExternalStandaloneModule() throws Exception { +// Hashtable<String, Object> properties = new Hashtable<String, Object>(); +//
properties.put("cluster.path.final", filePath(nball, "apisupport.ant/test/unit/data/example-external-projects/suite3/nbplatform/platform5")) + +// File.pathSeparator +
filePath(nball, "apisupport.ant/test/unit/data/example-external-projects/suite3/nbplatform/random")); +// properties.put("basedir", filePath(nball,
"apisupport.ant/test/unit/data/example-external-projects/suite3/dummy-project")); +// properties.put("project", filePath(nball,
"apisupport.ant/test/unit/data/example-external-projects/suite3/dummy-project")); +// ModuleListParser p = new ModuleListParser(properties,
ModuleType.STANDALONE, null); +// ModuleListParser.Entry e = p.findByCodeNameBase("org.netbeans.examples.modules.dummy"); +//
assertNotNull("found myself", e); +// assertEquals("org.netbeans.examples.modules.dummy", e.getCnb()); +// assertEquals(file(nball,
"apisupport.ant/test/unit/data/example-external-projects/suite3/dummy-project/build/cluster/modules/org-netbeans-examples-modules-dummy.jar"), e.getJar()); +//
assertEquals(Collections.EMPTY_LIST, Arrays.asList(e.getClassPathExtensions())); +// e = p.findByCodeNameBase("org.netbeans.modules.classfile"); +//
assertNotNull("found (fake) netbeans.org module by its binary", e); +// assertEquals("org.netbeans.modules.classfile", e.getCnb()); +// } private File generateJar
(File f, String[] content, Manifest manifest) throws IOException { JarOutputStream os = new JarOutputStream (new FileOutputStream (f), manifest); diff --git
a/nbbuild/test/unit/src/org/netbeans/nbbuild/extlibs/DownloadBinariesTest.java b/nbbuild/test/unit/src/org/netbeans/nbbuild/extlibs/DownloadBinariesTest.java
index 75e9ff81e..79501ca97 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/extlibs/DownloadBinariesTest.java +++
b/nbbuild/test/unit/src/org/netbeans/nbbuild/extlibs/DownloadBinariesTest.java @@ -27,6 +27,7 @@ import org.apache.tools.ant.Project; import
org.apache.tools.ant.types.FileSet; import org.netbeans.junit.NbTestCase; +import org.netbeans.nbbuild.extlibs.DownloadBinaries.MavenCoordinate; public class
DownloadBinariesTest extends NbTestCase { @@ -84,15 +85,15 @@ @ public void testUpdatingBinary() throws Exception { } public void
testIsNormalDownload() { - boolean is = DownloadBinaries.isMavenFile("5C372AB96C721258C5C12BB8EAD291BBBA5DACE6", "hello"); + boolean is =
MavenCoordinate.isMavenFile("hello"); assertFalse("This is hg.netbeans.org hashed file", is); } public void testIsMavenDownload() { - final String[] hashAndId =
new String[] { "CEC2829EC391CB404AD32EB2D08F79C418B745B", "org.netbeans.html:xhr4j:1.3" }; - boolean is =
DownloadBinaries.isMavenFile(hashAndId); + final String id = "org.netbeans.html:xhr4j:1.3"; + boolean is = MavenCoordinate.isMavenFile(id);
assertTrue("Contains co-ordinates", is); - String targetName = DownloadBinaries.mavenFileName(hashAndId); + String targetName =
MavenCoordinate.fromGradleFormat(id).toArtifactFilename(); assertEquals("xhr4j-1.3.jar", targetName); } diff --git a/nbi/110n.list b/nbi/110n.list index
547330e0d..43409db5c 100644 --- a/nbi/110n.list +++ b/nbi/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or
more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # #18n bundles for NBI installers
nbi/engine/src/**/Bundle*.properties nbi/engine/src/data/engine*.properties diff --git a/nbjunit/src/org/netbeans/junit/internal/FakeMetaInf.txt
b/nbjunit/src/org/netbeans/junit/internal/FakeMetaInf.txt index d5d79ca1e..25f5f5ab2 100644 --- a/nbjunit/src/org/netbeans/junit/internal/FakeMetaInf.txt +++
b/nbjunit/src/org/netbeans/junit/internal/FakeMetaInf.txt @@ -1 +1,17 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more
contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses
this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain
a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software + #
distributed under the License is distributed on an + # "AS IS" BASIS, + # WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
+ # See the License for the specific language governing permissions and limitations + # under the License. + org.netbeans.junit.internal.NbModuleLogHandler diff -
git a/o.apache.tools.ant.module/110n.list b/o.apache.tools.ant.module/110n.list index 767a226fb..f2ed692f5 100644 --- a/o.apache.tools.ant.module/110n.list +++
b/o.apache.tools.ant.module/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license
agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you
under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the
License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the
License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the
+ # specific language governing permissions and limitations + # under the License. + # # ant read global ${110n-module}/src-bridge/**/Bundle.properties diff --
git a/o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java
b/o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java index 51439603b..be23fee2f 100644 ---
a/o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java +++
b/o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java @@ -1,42 +1,3 @@ -<!-- DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. - Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. - Oracle and Java are registered trademarks
of Oracle and/or its affiliates. - Other names may be trademarks of their respective owners. - The contents of this file are subject to the terms of either the GNU -
General Public License Version 2 only ("GPL") or the Common - Development and Distribution License("CDDL") (collectively, the "License"). You may not use
this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-
GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this
License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the
"Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below
the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright
owner]" - If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor]
elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has
the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -
However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such
option by the copyright holder. - Contributor(s): ---> <assign licenseFirst = ""*> <assign licensePrefix = " * "> <assign licenseLast = " * "> diff --git
a/o.apache.ws.commons.util/external/binaries-list b/o.apache.ws.commons.util/external/binaries-list index a51067637..5ec47d828 100644 ---
a/o.apache.ws.commons.util/external/binaries-list +++ b/o.apache.ws.commons.util/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied.
See the License for the # specific language governing permissions and limitations # under the License. -52BEF8900248E7AB86C5743ED14A48AD787BF457
ws-commons-util-1.0.1.jar +126E80FF798FECE634BC94E61F8BE8A8DA00BE60 org.apache.ws.commons.ws-commons-util:1.0.1 diff --git
a/o.apache.xml.resolver/build.xml b/o.apache.xml.resolver/build.xml index e29604107..40143e1fb 100644 --- a/o.apache.xml.resolver/build.xml +++
b/o.apache.xml.resolver/build.xml @@ -20,5 +20,43 @@ -<project name="o.apache.xml.resolver" default="netbeans" basedir="."> +<import
file="..nbbuild/templates/projectized.xml"/> + +<!-- A task to check if the binary 'external/resolver-1.2.jar' exists --> +<target name="check-requires-patching-
maven-sources"> + <available file="external/resolver-1.2.jar" property="sources-already-patched"/> + +<!-- + 'javac-init' task is invoked after
maven sources have been downloaded + to 'external/xml-resolver-1.2-sources.jar' + (see external/binaries-list). + Then if 'external/resolver-1.2.jar' does NOT
exist... + --> +<target name="prepare-patched-binary" depends="check-requires-patching-maven-sources" unless="sources-already-patched"> + <echo
message="Patching xml-resolver-1.2-sources.jar for Netbeans..." /> + +<!-- ... 1. Prepares a 'build/external-patch/[sources/classes]' working directories --> +<delete
dir="build/external-patch" /> +<mkdir dir="build/external-patch/sources" /> + +<!-- ... 2. Unzips maven sources --> +<unzip src="external/xml-resolver-1.2-
sources.jar" dest="build/external-patch/sources" /> + +<!-- ... 3. Applies patch 'external/xml-resolver-1.2-netbeans.patch' --> +<patch dir="build/external-
patch/sources" + patchfile="external/xml-resolver-1.2-netbeans.patch" + strip="0" /> + +<!-- ... 4. Compiles sources to build/external-patch/classes --> +<mkdir

```



```
dir="build/external-patch/classes" /> + < javac srcdir="build/external-patch/sources" + destdir="build/external-patch/classes" > + < exclude
name="org/apache/xml/resolver/tests/*" /> + < /javac> + <!-- ... 5. Creates a jar in 'external/resolver-1.2.jar' --> + < jar destfile="external/resolver-1.2.jar"> +
< fileset dir="build/external-patch/classes" /> + < /jar> + < /target> + <!-- Hook into harness "basic-init" task --> + < target name="javac-init" depends="prepare-
patched-binary, projectized-common-javac-init" /> < /project> diff --git a/o.apache.xml.resolver/external/README-xml-resolver-1.2-netbeans.patch
b/o.apache.xml.resolver/external/README-xml-resolver-1.2-netbeans.patch new file mode 100644 index 0000000000..20f283751 --- /dev/null +++
b/o.apache.xml.resolver/external/README-xml-resolver-1.2-netbeans.patch @@ -0,0 +1,23 @@ +The "xml-resolver-1.2-netbeans.patch" was created in 2017 for
the donation of NetBeans to the Apache Foundation. + +The patch is licensed under the Apache 2.0 License. See [1] for license information. + +The patch is to be
applied to the Apache XML Commons Resolver version 1.2 sources as downloaded from Maven Central [2] + +The patch contains the modifications detailed in
"readme.txt", i.e.: + - The method "getPublicIDs()" in org/apache/xml/resolver/Catalog.java + - The special "if" clause in
org/apache/xml/resolver/CatalogManager.java#readProperties() + - The org/apache/xml/resolver/NbCatalogManager.java new class. + - The
org/apache/xml/resolver/tools/NbCatalogResolver.java new class. + +Note that for historic reasons the sources from Maven Central contain +MS-DOS/Windows
line endings, so the patch also uses these line endings, that +must be preserved. + + + +[1] http://mail-archives.apache.org/mod_mbox/incubator-netbeans-
dev/201710.mbox/browser+[2] http://repo1.maven.org/maven2/xml-resolver/xml-resolver/1.2/xml-resolver-1.2-sources.jar +[3]
https://netbeans.org/bugzilla/show_bug.cgi?id=128678#c17 + + diff --git a/o.apache.xml.resolver/external/binaries-list b/o.apache.xml.resolver/external/binaries-
list index 4db0e8a1f..34aab9888 100644 --- a/o.apache.xml.resolver/external/binaries-list +++ b/o.apache.xml.resolver/external/binaries-list @@ -14,4 +14,5 @@
# KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -
B0D0FCBAC68826D2AFA3C7C89FC4D57B95A000C3 resolver-1.2.jar + # 6B72432EA1C5296783007365BB7C9A6B39DFB730 xml-resolver:xml-
resolver:1.2:sources diff --git a/o.apache.xml.resolver/external/resolver-1.2-notice.txt b/o.apache.xml.resolver/external/resolver-1.2-notice.txt new file mode
100644 index 0000000000..214dadd56 --- /dev/null +++ b/o.apache.xml.resolver/external/resolver-1.2-notice.txt @@ -0,0 +1,9 @@ +Apache XML Commons
Resolver +Copyright 2006 The Apache Software Foundation. + +This product includes software developed at +The Apache Software Foundation
http://www.apache.org/ + +Portions of this code are derived from classes placed in the +public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm diff --git a/o.apache.xml.resolver/external/xml-resolver-
1.2-netbeans.patch b/o.apache.xml.resolver/external/xml-resolver-1.2-netbeans.patch new file mode 100644 index 0000000000..5dd98b55b --- /dev/null +++
b/o.apache.xml.resolver/external/xml-resolver-1.2-netbeans.patch @@ -0,0 +1,874 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or
more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may
obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. + + diff -ruN
org/apache/xml/resolver/Catalog.java patched-org/apache/xml/resolver/Catalog.java --- org/apache/xml/resolver/Catalog.java 2006-11-20 15:23:08.000000000
+0100 +++ patched-org/apache/xml/resolver/Catalog.java 2017-10-21 08:26:49.650587000 +0200 @@ -393,6 +393,26 @@ + + /** + * Return all
registered public IDs. + * This method added for solving the following issues in NetBeans codebase: + * http://www.netbeans.org/issues/show_bug.cgi?
id=98212 + * and + * http://www.netbeans.org/issues/show_bug.cgi?id=112679 + * + public java.util.Iterator getPublicIDs() { + Vector v = new Vector();
+ Enumeration enumeration = catalogEntries.elements(); + while (enumeration.hasMoreElements()) { + CatalogEntry e = (CatalogEntry)
enumeration.nextElement(); + if (e.getEntryType() == PUBLIC) { + v.add(e.getEntryArg()); + } + } + return v.iterator(); + } + + /** + * Setup
readers. + */ + public void setupReaders() { + diff -ruN org/apache/xml/resolver/CatalogManager.java patched-org/apache/xml/resolver/CatalogManager.java ---
org/apache/xml/resolver/CatalogManager.java 2006-11-20 15:23:08.000000000 +0100 +++ patched-org/apache/xml/resolver/CatalogManager.java 2017-10-21
08:27:26.850588000 +0200 @@ -239,6 +239,9 @@ + + * resources from it. + */ + private synchronized void readProperties() { + if (propertyFile == null) { +
return; + } + try { + propertyFileURI = CatalogManager.class.getResource("/") + propertyFile; + InputStream in = + diff -ruN
org/apache/xml/resolver/NbCatalogManager.java patched-org/apache/xml/resolver/NbCatalogManager.java --- org/apache/xml/resolver/NbCatalogManager.java
1970-01-01 01:00:00.000000000 +0100 +++ patched-org/apache/xml/resolver/NbCatalogManager.java 2017-10-22 15:12:38.608007524 +0200 @@ -0,0
+1,570 @@ + + /** + * Licensed to the Apache Software Foundation (ASF) under one or more + * contributor license agreements. See the NOTICE file
distributed with + * this work for additional information regarding copyright ownership. + * The ASF licenses this file to You under the Apache License,
Version 2.0 + * (the "License"); you may not use this file except in compliance with + * the License. You may obtain a copy of the License at + + *
http://www.apache.org/licenses/LICENSE-2.0 + + * Unless required by applicable law or agreed to in writing, software + * distributed under the License is
distributed on an "AS IS" BASIS, + * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + * See the License for the
specific language governing permissions and + * limitations under the License. + */ + package org.apache.xml.resolver; + + import java.io.IOException;
+ import java.io.InputStream; + import java.io.OutputStream; + import java.net.MalformedURLException; + import java.net.URL; + import
java.util.MissingResourceException; + import java.util.PropertyResourceBundle; + import java.util.ResourceBundle; + import java.util.StringTokenizer;
+ import java.util.Vector; + import org.apache.xml.resolver.helpers.BootstrapResolver; + import org.apache.xml.resolver.helpers.Debug; + + public class
NbCatalogManager + extends CatalogManager + { + private static String pFiles = "xml.catalog.files"; + private static String pVerbosity =
"xml.catalog.verbosity"; + private static String pPrefer = "xml.catalog.prefer"; + private static String pStatic = "xml.catalog.staticCatalog"; + private static
String pAllowPI = "xml.catalog.allowPI"; + private static String pClassname = "xml.catalog.className"; + private static String pIgnoreMissing =
"xml.catalog.ignoreMissing"; + private static NbCatalogManager staticManager = new NbCatalogManager(); + private BootstrapResolver bResolver = new
BootstrapResolver(); + private boolean ignoreMissingProperties = (System.getProperty(pIgnoreMissing) != null) || (System.getProperty(pFiles) != null); +
private ResourceBundle resources; + private String propertyFile = "CatalogManager.properties"; + private URL propertyFileURI = null; + private String
defaultCatalogFiles = ".xcatlog"; + private String catalogFiles = null; + private boolean fromPropertiesFile = false; + private int defaultVerbosity = 1; +
private Integer verbosity = null; + private boolean defaultPreferPublic = true; + private Boolean preferPublic = null; + private boolean defaultUseStaticCatalog
= true; + private Boolean useStaticCatalog = null; + private static Catalog staticCatalog = null; + private boolean defaultOasisXMLCatalogPI = true; +
private Boolean oasisXMLCatalogPI = null; + private boolean defaultRelativeCatalogs = true; + private Boolean relativeCatalogs = null; + private String
catalogClassName = null; + + public Debug debug = null; + + public NbCatalogManager() { + this.debug = new Debug(); + } + + public
NbCatalogManager(String propertyFile) { + this.propertyFile = propertyFile; + this.debug = new Debug(); + } + + public void
setBootstrapResolver(BootstrapResolver resolver) { + this.bResolver = resolver; + } + + public BootstrapResolver getBootstrapResolver() { + return
this.bResolver; + } + + private synchronized void readProperties() { + if (this.propertyFile == null) { + return; + } + try { + this.propertyFileURI
= NbCatalogManager.class.getResource("/") + this.propertyFile; + InputStream in = NbCatalogManager.class.getResourceAsStream("/") + this.propertyFile; +
if (in == null) { + if (this.ignoreMissingProperties) { + this.debug.message(2, "Cannot find " + this.propertyFile); + this.ignoreMissingProperties =
true; + } + return; + } + this.resources = new PropertyResourceBundle(in); + } catch (MissingResourceException mre) { + if
(!this.ignoreMissingProperties) { + System.err.println("Cannot read " + this.propertyFile); + } + } catch (IOException e) { + if
(!this.ignoreMissingProperties) { + System.err.println("Failure trying to read " + this.propertyFile); + } + } + if (this.verbosity == null) { + try { +
String verbStr = this.resources.getString("verbosity"); + int verb = Integer.parseInt(verbStr.trim()); + this.debug.setDebug(verb); + this.verbosity = new
Integer(verb); + } catch (Exception e) { + } + } + public static CatalogManager getStaticManager() { + return staticManager; + } + + public
boolean getIgnoreMissingProperties() { + return this.ignoreMissingProperties; + } + + public void setIgnoreMissingProperties(boolean ignore) { +
this.ignoreMissingProperties = ignore; + } + + /** + * @deprecated + */ + public void ignoreMissingProperties(boolean ignore) { +
setIgnoreMissingProperties(ignore); + } + + private int queryVerbosity() { + String defaultVerbStr = Integer.toString(this.defaultVerbosity); + String
verbStr = System.getProperty(pVerbosity); + if (verbStr == null) { + if (this.resources == null) { + readProperties(); + } + if (this.resources != null) { +
try { + verbStr = this.resources.getString("verbosity"); + } catch (MissingResourceException e) { + verbStr = defaultVerbStr; + } + } else { +
verbStr = defaultVerbStr; + } + } + int verb = this.defaultVerbosity; + try { + verb = Integer.parseInt(verbStr.trim()); + } catch (Exception e) { +
System.err.println("Cannot parse verbosity: " + verbStr + ""); + } + if (this.verbosity == null) { + this.debug.setDebug(verb); + this.verbosity =
new Integer(verb); + } + return verb; + } + + public int getVerbosity() { + if (this.verbosity == null) { + this.verbosity = new
Integer(queryVerbosity()); + } + return this.verbosity.intValue(); + } + + public void setVerbosity(int verbosity) { + this.verbosity = new
Integer(verbosity); + this.debug.setDebug(verbosity); + } + + /** + * @deprecated + */ + public int verbosity() { + return getVerbosity(); + } + +
private boolean queryRelativeCatalogs() { + if (this.resources == null) { + readProperties(); + } + if (this.resources == null) { + return
this.defaultRelativeCatalogs; + } + try { + String allow = this.resources.getString("relative-catalogs"); + return (allow.equalsIgnoreCase("true")) ||
(allow.equalsIgnoreCase("yes")) || (allow.equalsIgnoreCase("1")); + } catch (MissingResourceException e) { + return this.defaultRelativeCatalogs; + } +
+ public boolean getRelativeCatalogs() { + if (this.relativeCatalogs == null) { + this.relativeCatalogs = new Boolean(queryRelativeCatalogs()); + } +
return this.relativeCatalogs.booleanValue(); + } + + public void setRelativeCatalogs(boolean relative) { + this.relativeCatalogs = new Boolean(relative);
+ } + + /** + * @deprecated + */ + public boolean relativeCatalogs() { + return getRelativeCatalogs(); + } + + private String queryCatalogFiles()
{ + String catalogList = System.getProperty(pFiles); + this.fromPropertiesFile = false; + if (catalogList == null) { + if (this.resources == null) { +
```

```

readProperties(); ++ } ++ if (this.resources != null) { ++ try ++ { ++ catalogList = this.resources.getString("catalogs"); ++ this.fromPropertiesFile = true; ++ } ++
catch (MissingResourceException e) ++ { ++ System.err.println(this.propertyFile + ": catalogs not found."); ++ catalogList = null; ++ } ++ } ++ if
(catalogList == null) { ++ catalogList = this.defaultCatalogFiles; ++ } ++ return catalogList; ++ } ++ public Vector getCatalogFiles() ++ { ++ if
(this.catalogFiles == null) { ++ this.catalogFiles = queryCatalogFiles(); ++ } ++ StringTokenizer files = new StringTokenizer(this.catalogFiles, ","); ++ Vector
catalogs = new Vector(); ++ while (files.hasMoreTokens()) ++ { ++ String catalogFile = files.nextToken(); ++ URL absURI = null; ++ if ((this.fromPropertiesFile)
&& (!relativeCatalogs())) ++ try ++ { ++ absURI = new URL(this.propertyFileURI, catalogFile); ++ catalogFile = absURI.toString(); ++ } ++ catch
(MalformedURLException mue) ++ { ++ absURI = null; ++ } ++ } ++ catalogs.add(catalogFile); ++ } ++ return catalogs; ++ } ++ public void
setCatalogFiles(String fileList) ++ { ++ this.catalogFiles = fileList; ++ this.fromPropertiesFile = false; ++ } ++ /** ++ * @deprecated ++ */ ++ public Vector
catalogFiles() ++ { ++ return getCatalogFiles(); ++ } ++ private boolean queryPreferPublic() ++ { ++ String prefer = System.getProperty(pPrefer); ++ if (prefer
== null) ++ { ++ if (this.resources == null) { ++ readProperties(); ++ } ++ if (this.resources == null) { ++ return this.defaultPreferPublic; ++ } ++ try ++ { ++
prefer = this.resources.getString("prefer"); ++ } ++ catch (MissingResourceException e) ++ { ++ return this.defaultPreferPublic; ++ } ++ } ++ if (prefer == null) {
++ return this.defaultPreferPublic; ++ } ++ return prefer.equalsIgnoreCase("public"); ++ } ++ public boolean getPreferPublic() ++ { ++ if (this.preferPublic ==
null) { ++ this.preferPublic = new Boolean(queryPreferPublic()); ++ } ++ return this.preferPublic.booleanValue(); ++ } ++ public void setPreferPublic(boolean
preferPublic) ++ { ++ this.preferPublic = new Boolean(preferPublic); ++ } ++ /** ++ * @deprecated ++ */ ++ public boolean preferPublic() ++ { ++ return
getPreferPublic(); ++ } ++ private boolean queryUseStaticCatalog() ++ { ++ String staticCatalog = System.getProperty(pStatic); ++ if (staticCatalog == null)
++ { ++ if (this.resources == null) { ++ readProperties(); ++ } ++ if (this.resources == null) { ++ return this.defaultUseStaticCatalog; ++ } ++ try ++ { ++
staticCatalog = this.resources.getString("static-catalog"); ++ } ++ catch (MissingResourceException e) ++ { ++ return this.defaultUseStaticCatalog; ++ } ++ } ++
if (staticCatalog == null) { ++ return this.defaultUseStaticCatalog; ++ } ++ return (staticCatalog.equalsIgnoreCase("true")) ||
(staticCatalog.equalsIgnoreCase("yes")) || (staticCatalog.equalsIgnoreCase("1")); ++ } ++ public boolean getUseStaticCatalog() ++ { ++ if
(this.useStaticCatalog == null) { ++ this.useStaticCatalog = new Boolean(queryUseStaticCatalog()); ++ } ++ return this.useStaticCatalog.booleanValue(); ++ } ++
public void setUseStaticCatalog(boolean useStatic) ++ { ++ this.useStaticCatalog = new Boolean(useStatic); ++ } ++ /** ++ * @deprecated ++ */ ++ public
boolean staticCatalog() ++ { ++ return getUseStaticCatalog(); ++ } ++ public Catalog getPrivateCatalog() ++ { ++ Catalog catalog = staticCatalog; ++ if
(this.useStaticCatalog == null) { ++ this.useStaticCatalog = new Boolean(getUseStaticCatalog()); ++ } ++ if ((catalog == null) ||
(!this.useStaticCatalog.booleanValue())) ++ { ++ try ++ { ++ String catalogClassName = getCatalogClassName(); ++ if (catalogClassName == null) { ++ catalog
= new Catalog(); ++ } ++ else { ++ try ++ { ++ catalog = (Catalog)Class.forName(catalogClassName).newInstance(); ++ } ++ catch (ClassNotFoundException cnfe)
++ { ++ this.debug.message(1, "Catalog class named '" + catalogClassName + "' could not be found. Using default."); ++ catalog = new Catalog(); ++ } ++
catch (ClassCastException cnfe) ++ { ++ this.debug.message(1, "Class named '" + catalogClassName + "' is not a Catalog. Using default."); ++ catalog = new
Catalog(); ++ } ++ } ++ catalog.setCatalogManager(this); ++ catalog.setupReaders(); ++ catalog.loadSystemCatalogs(); ++ } ++ catch (Exception ex) ++ { ++
ex.printStackTrace(); ++ } ++ if (this.useStaticCatalog.booleanValue()) { ++ staticCatalog = catalog; ++ } ++ } ++ return catalog; ++ } ++ public Catalog
getCatalog() ++ { ++ Catalog catalog = staticCatalog; ++ if (this.useStaticCatalog == null) { ++ this.useStaticCatalog = new Boolean(getUseStaticCatalog()); ++ }
++ if ((catalog == null) || (!this.useStaticCatalog.booleanValue())) ++ { ++ catalog = getPrivateCatalog(); ++ if (this.useStaticCatalog.booleanValue()) { ++
staticCatalog = catalog; ++ } ++ } ++ return catalog; ++ } ++ public boolean queryAllowOasisXMLCatalogPI() ++ { ++ String allow =
System.getProperty(pAllowPI); ++ if (allow == null) ++ { ++ if (this.resources == null) { ++ readProperties(); ++ } ++ if (this.resources == null) { ++ return
this.defaultOasisXMLCatalogPI; ++ } ++ try ++ { ++ allow = this.resources.getString("allow-oasis-xml-catalog-pi"); ++ } ++ catch (MissingResourceException e)
++ { ++ return this.defaultOasisXMLCatalogPI; ++ } ++ } ++ if (allow == null) { ++ return this.defaultOasisXMLCatalogPI; ++ } ++ return
(allow.equalsIgnoreCase("true")) || (allow.equalsIgnoreCase("yes")) || (allow.equalsIgnoreCase("1")); ++ } ++ public boolean getAllowOasisXMLCatalogPI()
++ { ++ if (this.oasisXMLCatalogPI == null) { ++ this.oasisXMLCatalogPI = new Boolean(queryAllowOasisXMLCatalogPI()); ++ } ++ return
this.oasisXMLCatalogPI.booleanValue(); ++ } ++ public void setAllowOasisXMLCatalogPI(boolean allowPI) ++ { ++ this.oasisXMLCatalogPI = new
Boolean(allowPI); ++ } ++ /** ++ * @deprecated ++ */ ++ public boolean allowOasisXMLCatalogPI() ++ { ++ return getAllowOasisXMLCatalogPI(); ++ }
++ public String queryCatalogClassName() ++ { ++ String className = System.getProperty(pClassname); ++ if (className == null) ++ { ++ if (this.resources
== null) { ++ readProperties(); ++ } ++ if (this.resources == null) { ++ return null; ++ } ++ try ++ { ++ return this.resources.getString("catalog-class-name"); ++ }
++ catch (MissingResourceException e) ++ { ++ return null; ++ } ++ } ++ return className; ++ } ++ public String getCatalogClassName() ++ { ++ if
(this.catalogClassName == null) { ++ this.catalogClassName = queryCatalogClassName(); ++ } ++ return this.catalogClassName; ++ } ++ public void
setCatalogClassName(String className) ++ { ++ this.catalogClassName = className; ++ } ++ /** ++ * @deprecated ++ */ ++ public String
catalogClassName() ++ { ++ return getCatalogClassName(); ++ } ++ +Los ficheros binarios org/apache/xml/resolver/NbCatalogResolver.java.swp y patched-
org/apache/xml/resolver/NbCatalogManager.java.swp son distintos +diff -ruN org/apache/xml/resolver/tools/NbCatalogResolver.java patched-
org/apache/xml/resolver/tools/NbCatalogResolver.java +--- org/apache/xml/resolver/tools/NbCatalogResolver.java 1970-01-01 01:00:00.000000000 +0100 +++++
patched-org/apache/xml/resolver/tools/NbCatalogResolver.java 2017-10-22 15:12:54.716007923 +0200 +@@ -0,0 +1,233 @@ +++++ * Licensed to the Apache
Software Foundation (ASF) under one or more ++ * contributor license agreements. See the NOTICE file distributed with ++ * this work for additional
information regarding copyright ownership. ++ * The ASF licenses this file to You under the Apache License, Version 2.0 ++ * (the "License"); you may not use
this file except in compliance with ++ * the License. You may obtain a copy of the License at ++ * ++ * http://www.apache.org/licenses/LICENSE-2.0 ++ * ++ *
Unless required by applicable law or agreed to in writing, software ++ * distributed under the License is distributed on an "AS IS" BASIS, ++ * WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. ++ * See the License for the specific language governing permissions and ++ *
limitations under the License. ++ */ ++package org.apache.xml.resolver.tools; ++import java.io.IOException; ++import java.net.MalformedURLException; ++import
java.net.URL; ++import javax.xml.parsers.ParserConfigurationException; ++import javax.xml.parsers.SAXParser; ++import
javax.xml.parsers.SAXParserFactory; ++import javax.xml.transform.Source; ++import javax.xml.transform.TransformerException; ++import
javax.xml.transform.URIResolver; ++import javax.xml.transform.sax.SAXSource; ++import org.apache.xml.resolver.Catalog; ++import
org.apache.xml.resolver.CatalogManager; ++import org.apache.xml.resolver.NbCatalogManager; ++import org.apache.xml.resolver.helpers.Debug; ++import
org.apache.xml.resolver.helpers.FileURL; ++import org.xml.sax.EntityResolver; ++import org.xml.sax.InputSource; ++import org.xml.sax.SAXException;
++import org.xml.sax.XMLReader; ++ ++public class NbCatalogResolver ++ implements EntityResolver, URIResolver ++{ ++ public boolean namespaceAware
= true; ++ public boolean validating = false; ++ private Catalog catalog = null; ++ private CatalogManager catalogManager =
NbCatalogManager.getStaticManager(); ++ ++ public NbCatalogResolver() ++ { ++ initializeCatalogs(false); ++ } ++ public NbCatalogResolver(boolean
privateCatalog) ++ { ++ initializeCatalogs(privateCatalog); ++ } ++ public NbCatalogResolver(NbCatalogManager manager) ++ { ++ this.catalogManager =
manager; ++ initializeCatalogs(!this.catalogManager.getUseStaticCatalog()); ++ } ++ private void initializeCatalogs(boolean privateCatalog) ++ { ++
this.catalog = this.catalogManager.getCatalog(); ++ } ++ public Catalog getCatalog() ++ { ++ return this.catalog; ++ } ++ public String
getResolvedEntity(String publicId, String systemId) ++ { ++ String resolved = null; ++ if (this.catalog == null) ++ { ++ this.catalogManager.debug.message(1,
"Catalog resolution attempted with null catalog; ignored"); ++ return null; ++ } ++ if (systemId != null) { ++ try ++ { ++ resolved =
this.catalog.resolveSystem(systemId); ++ } ++ catch (MalformedURLException me) ++ { ++ this.catalogManager.debug.message(1, "Malformed URL exception
trying to resolve", publicId); ++ resolved = null; ++ } ++ catch (IOException ie) ++ { ++ this.catalogManager.debug.message(1, "I/O exception trying to
resolve", publicId); ++ resolved = null; ++ } ++ if (resolved == null) ++ { ++ if (publicId != null) { ++ try ++ { ++ resolved =
this.catalog.resolvePublic(publicId, systemId); ++ } ++ catch (MalformedURLException me) ++ { ++ this.catalogManager.debug.message(1, "Malformed URL
exception trying to resolve", publicId); ++ } ++ catch (IOException ie) ++ { ++ this.catalogManager.debug.message(1, "I/O exception trying to resolve",
publicId); ++ } ++ } ++ if (resolved != null) { ++ this.catalogManager.debug.message(2, "Resolved public", publicId, resolved); ++ } ++ else ++ { ++
this.catalogManager.debug.message(2, "Resolved system", systemId, resolved); ++ } ++ return resolved; ++ } ++ public InputSource resolveEntity(String
publicId, String systemId) ++ { ++ String resolved = getResolvedEntity(publicId, systemId); ++ if (resolved != null) ++ { ++ InputSource iSource = new
InputSource(resolved); ++ iSource.setPublicId(publicId); ++ return iSource; ++ } ++ return null; ++ } ++ public Source resolve(String href, String base) ++
throws TransformerException ++ { ++ String uri = href; ++ String fragment = null; ++ int hashPos = href.indexOf("#"); ++ if (hashPos >= 0) ++ { ++ uri =
href.substring(0, hashPos); ++ fragment = href.substring(hashPos + 1); ++ } ++ String result = null; ++ try ++ { ++ result = this.catalog.resolveURI(href); ++ }
++ catch (Exception e) {} ++ if (result == null) { ++ try ++ { ++ URL url = null; ++ if (base == null) ++ { ++ url = new URL(uri); ++ result = url.toString(); ++ }
++ else ++ { ++ URL baseURL = new URL(base); ++ url = href.length() == 0 ? baseURL : new URL(baseURL, uri); ++ result = url.toString(); ++ } ++ } ++ catch
(MalformedURLException mue) ++ { ++ String absBase = makeAbsolute(base); ++ if (absBase.equals(base)) { ++ return resolve(href, absBase); ++ } ++ throw
new TransformerException("Malformed URL " + href + " (" + base + " (" + base + ")", mue); ++ } ++ } ++ this.catalogManager.debug.message(2, "Resolved URI", href,
result); ++ ++ SAXSource source = new SAXSource(); ++ source.setInputSource(new InputSource(result)); ++ setEntityResolver(source); ++ return source; ++ }
++ private void setEntityResolver(SAXSource source) ++ throws TransformerException ++ { ++ XMLReader reader = source.getXMLReader(); ++ if (reader
== null) ++ { ++ SAXParserFactory spFactory = SAXParserFactory.newInstance(); ++ spFactory.setNamespaceAware(true); ++ try ++ { ++ reader =
spFactory.newSAXParser().getXMLReader(); ++ } ++ catch (ParserConfigurationException ex) ++ { ++ throw new TransformerException(ex); ++ } ++ catch
(SAXException ex) ++ { ++ throw new TransformerException(ex); ++ } ++ } ++ reader.setEntityResolver(this); ++ source.setXMLReader(reader); ++ } ++
private String makeAbsolute(String uri) ++ { ++ if (uri == null) { ++ uri = ""; ++ } ++ try ++ { ++ URL url = new URL(uri); ++ return url.toString(); ++ } ++

```

```
catch (MalformedURLException mue) ++ { ++ try ++ { ++ URL fileURL = FileURL.makeURL(uri); ++ return fileURL.toString(); ++ } ++ catch
(MalformedURLException mue2) {} ++ } ++ return uri; ++ } ++ } ++ +Los ficheros binarios org/apache/xml/resolver/tools/.NbCatalogResolver.java.swp y patched-
org/apache/xml/resolver/tools/.NbCatalogResolver.java.swp son distintos +Los ficheros binarios org/apache/xml/resolver/.Version.java.swp y patched-
org/apache/xml/resolver/.Version.java.swp son distintos diff --git a/o.apache.xmlrpc/external/binaries-list b/o.apache.xmlrpc/external/binaries-list index
37ee4e783..bec111eab 100644 --- a/o.apache.xmlrpc/external/binaries-list +++ b/o.apache.xmlrpc/external/binaries-list @@ -14,6 +14,7 @@ # KIND, either
express or implied. See the License for the # specific language governing permissions and limitations # under the License.
-64F5BEEADD2A239C4BC354B8DFDB97CF7FDD9983 xmlrpc-client-3.0.jar -8FA16AD28B5E79A7CD52B8B72985B0AE8CCD6ADF xmlrpc-common-
3.0.jar -D6917BF718583002CBE44E773EE21E2DF08ADC71 xmlrpc-server-3.0.jar +64F5BEEADD2A239C4BC354B8DFDB97CF7FDD9983
org.apache.xmlrpc.xmlrpc-client:3.0 +8FA16AD28B5E79A7CD52B8B72985B0AE8CCD6ADF org.apache.xmlrpc.xmlrpc-common:3.0
+D6917BF718583002CBE44E773EE21E2DF08ADC71 org.eclipse.xmlrpc.xmlrpc-server:3.0 + diff --git a/o.eclipse.core.contenttype/external/binaries-list
b/o.eclipse.core.contenttype/external/binaries-list index 5844e6363..bed0711d0 100644 --- a/o.eclipse.core.contenttype/external/binaries-list +++
b/o.eclipse.core.contenttype/external/binaries-list @@ -14,4 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing
permissions and limitations # under the License. -AA2671239EBB762FEEEB8B908E9F35473A72AFE1B org.eclipse.core.contenttype_3.4.100.v20110423-
0524_nosignature.jar + # AA2671239EBB762FEEEB8B908E9F35473A72AFE1B org.eclipse.core.contenttype_3.4.100.v20110423-0524_nosignature.jar
+1232EFBDE2930D21D106850BD166C9B27F743BA8 org.jbix.config.3rdparty.org.eclipse.org.eclipse.core.contenttype:3.4.100.v20110423-0524 diff --git
a/o.eclipse.core.contenttype/nbproject/project.properties b/o.eclipse.core.contenttype/nbproject/project.properties index 63d4653b7..fc8b43bf5 100644 ---
a/o.eclipse.core.contenttype/nbproject/project.properties +++ b/o.eclipse.core.contenttype/nbproject/project.properties @@ -14,6 +14,6 @@ # KIND, either
express or implied. See the License for the # specific language governing permissions and limitations # under the License. -
release.external/org.eclipse.core.contenttype_3.4.100.v20110423-0524_nosignature.jar=modules/org-eclipse-core-contenttype.jar
+release.external/org.eclipse.core.contenttype-3.4.100.v20110423-0524.jar=modules/org-eclipse-core-contenttype.jar is.autoload=true -nbm.module.author=Tomas
Stupka \ No newline at end of file +nbm.module.author=Tomas Stupka diff --git a/o.eclipse.core.contenttype/nbproject/project.xml
b/o.eclipse.core.contenttype/nbproject/project.xml index 79dc71786..c50b0bdd5 100644 --- a/o.eclipse.core.contenttype/nbproject/project.xml +++
b/o.eclipse.core.contenttype/nbproject/project.xml @@ -28,8 +28,8 @@ <public-packages> <class-path-extension> <runtime-relative-path>org-eclipse-core-
contenttype.jar</runtime-relative-path> - <binary-origin>external/org.eclipse.core.contenttype_3.4.100.v20110423-0524_nosignature.jar</binary-origin> +
<binary-origin>external/org.eclipse.core contenttype_3.4.100.v20110423-0524.jar</binary-origin> </class-path-extension> </data> </configuration> </project> \
No newline at end of file +</project> diff --git a/o.eclipse.core.jobs/external/binaries-list b/o.eclipse.core.jobs/external/binaries-list index 399b8ea65..d1d4f5841
100644 --- a/o.eclipse.core.jobs/external/binaries-list +++ b/o.eclipse.core.jobs/external/binaries-list @@ -14,4 +14,5 @@ # KIND, either express or implied. See
the License for the # specific language governing permissions and limitations # under the License. -1605B38BB28EAE32C11EAB8F9E238A497754A5B8
org.eclipse.core.jobs-3.5.101_nosignature.jar + #1605B38BB28EAE32C11EAB8F9E238A497754A5B8 org.eclipse.core.jobs-3.5.101_nosignature.jar
+7E99E30A7F23423A250744AF33009FC2FBCDF241 org.eclipse.core.org.eclipse.core.jobs:3.5.100 diff --git a/o.eclipse.core.jobs/nbproject/project.properties
b/o.eclipse.core.jobs/nbproject/project.properties index 109b505fe..8b30f1bb6 100644 --- a/o.eclipse.core.jobs/nbproject/project.properties +++
b/o.eclipse.core.jobs/nbproject/project.properties @@ -14,6 +14,6 @@ # KIND, either express or implied. See the License for the # specific language governing
permissions and limitations # under the License. -release.external/org.eclipse.core.jobs-3.5.101_nosignature.jar=modules/org-eclipse-core-jobs.jar
+release.external/org.eclipse.core.jobs-3.5.100.jar=modules/org-eclipse-core-jobs.jar is.autoload=true nbm.module.author=Tomas Stupka diff --git
a/o.eclipse.core.jobs/nbproject/project.xml b/o.eclipse.core.jobs/nbproject/project.xml index 090b57e60..5447781e8 100644 ---
a/o.eclipse.core.jobs/nbproject/project.xml +++ b/o.eclipse.core.jobs/nbproject/project.xml @@ -36,7 +36,7 @@ <public-packages> <class-path-extension>
<runtime-relative-path>org-eclipse-core-jobs.jar</runtime-relative-path> - <binary-origin>external/org.eclipse.core.jobs-3.5.101_nosignature.jar</binary-origin>
+ <binary-origin>external/org.eclipse.core.jobs-3.5.100.jar</binary-origin> </class-path-extension> </data> </configuration> diff --git
a/o.eclipse.jgit.java7/external/binaries-list b/o.eclipse.jgit.java7/external/binaries-list index ed0d3dc7b..575511cc0 100644 ---
a/o.eclipse.jgit.java7/external/binaries-list +++ b/o.eclipse.jgit.java7/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the
License for the # specific language governing permissions and limitations # under the License. -244560B99152F3F9BC75DF2D6FAFA8A5216B06B6
org.eclipse.jgit.java7-3.6.2.201501210735-r_nosignature.jar +D613D2ED86455CC8686A45B9B65215A9652E2943
org.eclipse.jgit.org.eclipse.jgit.java7:3.6.2.201501210735-r diff --git a/o.eclipse.jgit.java7/nbproject/project.properties
b/o.eclipse.jgit.java7/nbproject/project.properties index 58f408ecf..3d6d8a4b0 100644 --- a/o.eclipse.jgit.java7/nbproject/project.properties +++
b/o.eclipse.jgit.java7/nbproject/project.properties @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing
permissions and limitations # under the License. -release.external/org.eclipse.jgit.java7-3.6.2.201501210735-r_nosignature.jar=modules/org-eclipse-jgit-java7.jar
+release.external/org.eclipse.jgit.java7-3.6.2.201501210735-r.jar=modules/org-eclipse-jgit-java7.jar is.autoload=true diff --git
a/o.eclipse.jgit.java7/nbproject/project.xml b/o.eclipse.jgit.java7/nbproject/project.xml index 42b292ac5..a23b2b817 100644 ---
a/o.eclipse.jgit.java7/nbproject/project.xml +++ b/o.eclipse.jgit.java7/nbproject/project.xml @@ -28,7 +28,7 @@ <public-packages> <class-path-extension>
<runtime-relative-path>org-eclipse-jgit-java7.jar</runtime-relative-path> - <binary-origin>external/org.eclipse.jgit.java7-3.6.2.201501210735-
r_nosignature.jar</binary-origin> + <binary-origin>external/org.eclipse.jgit.java7-3.6.2.201501210735-r.jar</binary-origin> </class-path-extension> </data>
</configuration> diff --git a/o.eclipse.jgit/external/binaries-list b/o.eclipse.jgit/external/binaries-list index e39ad483f..3e2ad617d 100644 ---
a/o.eclipse.jgit/external/binaries-list +++ b/o.eclipse.jgit/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the #
specific language governing permissions and limitations # under the License. -B580EA446B543A8DD2F5AA368B07F9C4C9C2E7029 org.eclipse.jgit-
3.6.2.201501210735-r_nosignature.jar +47D59DFFB5F02470CCFB6C1A5A31B6040A1636E5 org.eclipse.jgit.org.eclipse.jgit:3.6.2.201501210735-r diff --git
a/o.eclipse.jgit/nbproject/project.properties b/o.eclipse.jgit/nbproject/project.properties index 72e2d0f12..de1e85e82 100644 ---
a/o.eclipse.jgit/nbproject/project.properties +++ b/o.eclipse.jgit/nbproject/project.properties @@ -14,5 +14,5 @@ # KIND, either express or implied. See the
License for the # specific language governing permissions and limitations # under the License. -release.external/org.eclipse.jgit-3.6.2.201501210735-
r_nosignature.jar=modules/org-eclipse-jgit.jar +release.external/org.eclipse.jgit-3.6.2.201501210735-r.jar=modules/org-eclipse-jgit.jar is.autoload=true diff --git
a/o.eclipse.jgit/nbproject/project.xml b/o.eclipse.jgit/nbproject/project.xml index de9629dea..b3b7a7365 100644 --- a/o.eclipse.jgit/nbproject/project.xml +++
b/o.eclipse.jgit/nbproject/project.xml @@ -41,7 +41,7 @@ <public-packages> <class-path-extension> <runtime-relative-path>org-eclipse-jgit.jar</runtime-
relative-path> - <binary-origin>external/org.eclipse.jgit-3.6.2.201501210735-r_nosignature.jar</binary-origin> + <binary-origin>external/org.eclipse.jgit-
3.6.2.201501210735-r.jar</binary-origin> </class-path-extension> </data> </configuration> diff --git a/o.n.bootstrap/launcher/unix/nbexec
b/o.n.bootstrap/launcher/unix/nbexec index acd0b0eec..df47fa01e 100644 --- a/o.n.bootstrap/launcher/unix/nbexec +++ b/o.n.bootstrap/launcher/unix/nbexec @@
-81,6 +81,10 @@ EOF nosplash="nosplash"; args="$Sargs --nosplash" ;; + --nogui) + nogui="nogui"; + args="$Sargs --nogui" + ;; -jdkhome) shift; if [ $# -gt 0 ];
then jdkhome=$1; fi ;; # this has to be here for purposes of updater.jar, but it should be @ -356,7 +360,7 @@ @ J2D_PIXMAPS=shared export J2D_PIXMAPS #
Check DISPLAY variable on non-Mac -if [ "no$DISPLAY" = "no" -a `uname` != Darwin ]; then +if [ "no$DISPLAY" = "no" -a `uname` != Darwin -a -z "$nogui"
]; then echo "$0: WARNING: environment variable DISPLAY is not set" fi diff --git a/o.n.core/110n.list b/o.n.core/110n.list index e97c35aad..abef6c2e 100644 ---
a/o.n.core/110n.list +++ b/o.n.core/110n.list @@ -1,3 +1,20 @@ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license
agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you
under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the
License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the
License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + #
specific language governing permissions and limitations + # under the License. + # # core # explicit exclude for core/javahelp, what is regular module
${110n-module}/src/**/Bundle*.properties diff --git a/o.n.core/test/qa-functional/data/SampleProject/build.xml b/o.n.core/test/qa-
functional/data/SampleProject/build.xml index 2c7ac9fbd..3d23542ba 100644 --- a/o.n.core/test/qa-functional/data/SampleProject/build.xml +++
b/o.n.core/test/qa-functional/data/SampleProject/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either
express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> +<!-- You may
freely edit this file. See commented blocks below for --> +<!-- some examples of how to customize the build. --> +<!-- (If you delete it and reopen the project it will
be recreated.) --> diff --git a/o.n.core/test/qa-functional/data/SampleProject/nbproject/project.properties b/o.n.core/test/qa-
functional/data/SampleProject/nbproject/project.properties index 42e333887..8eb8615f0 100644 --- a/o.n.core/test/qa-
functional/data/SampleProject/nbproject/project.properties +++ b/o.n.core/test/qa-functional/data/SampleProject/nbproject/project.properties @@ -1,3 +1,20 @@
+ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work
for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you
```

may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

+ application.args= build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/o.n.core/test/qa-functional/data/SampleProject/nbproject/project.xml b/o.n.core/test/qa-functional/data/SampleProject/nbproject/project.xml index 3843ea27c..25e575b57 100644

-- a/o.n.core/test/qa-functional/data/SampleProject/nbproject/project.xml +++ b/o.n.core/test/qa-functional/data/SampleProject/nbproject/project.xml @@ -1,4 +1,24 @@

<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <project xmlns="http://www.netbeans.org/ns/project/1">

<type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/o.n.core/test/unit/data/lookup/services-jar-1/META-INF/services/org.foo.Interface b/o.n.core/test/unit/data/lookup/services-jar-1/META-INF/services/org.foo.Interface index cefec66c4..95d3d2346 100644

--- a/o.n.core/test/unit/data/lookup/services-jar-1/META-INF/services/org.foo.Interface +++ b/o.n.core/test/unit/data/lookup/services-jar-1/META-INF/services/org.foo.Interface @@ -1,3 +1,21 @@

+ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + Some header info, maybe. # Our first impl here: diff --git a/o.n.core/test/unit/data/lookup/services-jar-2/META-INF/services/org.foo.Interface b/o.n.core/test/unit/data/lookup/services-jar-2/META-INF/services/org.foo.Interface index f3601a6f9..cc6abd26a 100644

--- a/o.n.core/test/unit/data/lookup/services-jar-2/META-INF/services/org.foo.Interface +++ b/o.n.core/test/unit/data/lookup/services-jar-2/META-INF/services/org.foo.Interface @@ -1 +1,18 @@

-org.bar.Implementation2 + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + No newline at end of file diff --git a/o.n.swing.plaf/110n.list b/o.n.swing.plaf/110n.list index fb0899312..5bf631ba6 100644

--- a/o.n.swing.plaf/110n.list +++ b/o.n.swing.plaf/110n.list @@ -1,3 +1,20 @@

+ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + core/swing/plaf read global \${110n-module}/src/org/netbeans/swing/plaf/aqua/*.png diff --git a/o.openide.util/test/unit/data/projects/Project1/build.xml b/o.openide.util/test/unit/data/projects/Project1/build.xml index 1aee56f2..11db0cb1a 100644

--- a/o.openide.util/test/unit/data/projects/Project1/build.xml +++ b/o.openide.util/test/unit/data/projects/Project1/build.xml @@ -1,4 +1,24 @@

<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + application.args= build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/o.openide.util/test/unit/data/projects/Project1/nbproject/project.xml b/o.openide.util/test/unit/data/projects/Project1/nbproject/project.xml index d4cb35305..d0f81fdb6 100644

--- a/o.openide.util/test/unit/data/projects/Project1/nbproject/project.xml +++ b/o.openide.util/test/unit/data/projects/Project1/nbproject/project.xml @@ -1,4 +1,24 @@

<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + application.args= build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/o.openide.util/test/unit/data/projects/Project1/nbproject/project.xml b/o.openide.util/test/unit/data/projects/Project1/nbproject/project.xml index da83f2d22..52ed7bf72 100644

--- a/openide.loaders/110n.list +++ b/openide.loaders/110n.list @@ -1,44 +1,20 @@

-DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> <project xmlns="http://www.netbeans.org/ns/project/1">

<type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/openide.loaders/110n.list b/openide.loaders/110n.list index da83f2d22..52ed7bf72 100644

--- a/openide.loaders/110n.list +++ b/openide.loaders/110n.list @@ -1,44 +1,20 @@

-DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The contents of this file are subject to the terms of either the GNU -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. #

openide/loaders read global exclude \${110n-module}/test/**/*.*.url diff --git a/openide.util.lookup/src/META-INF/services/javafx.annotation.processing.Processor b/openide.util.lookup/src/META-INF/services/javafx.annotation.processing.Processor index 1a1806cd..18fd20a47 100644

--- a/openide.util.lookup/src/META-INF/services/javafx.annotation.processing.Processor +++ b/openide.util.lookup/src/META-INF/services/javafx.annotation.processing.Processor @@ -1,2 +1,19 @@

+ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this

work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. ++ org.netbeans.modules.openide.util.ServiceProviderProcessor org.netbeans.modules.openide.util.NamedServiceProcessor \ No newline at end of file diff --git a/performance.java/test/qa-functional/data/PerformanceTestData/build.xml b/performance.java/test/qa-functional/data/PerformanceTestData/build.xml index 09356be55..71bec87b5 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestData/build.xml +++ b/performance.java/test/qa-functional/data/PerformanceTestData/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.properties b/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.properties index 84d78e838..6c4128159 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.properties +++ b/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.properties @@ -1,3 +1,20 @@ ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. + application.args=application.title=PerformanceTestData application.vendor=tester diff --git a/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.xml b/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.xml index 0886f04a4..4503ee252 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.xml +++ b/performance.java/test/qa-functional/data/PerformanceTestData/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/build.xml b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/build.xml index 1e0d15b08..abdb1a4e1 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/build.xml +++ b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.properties b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.properties index 6229f476e..078aa993e 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.properties +++ b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.properties @@ -1,3 +1,20 @@ ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. + application.args=application.title=PerformanceTestFoldersData application.vendor=tester diff --git a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.xml b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.xml index 3d57cc88b..f5fd7fe51 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.xml +++ b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/src/folders/xmlFolder100/build.xml b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/src/folders/xmlFolder100/build.xml index ae2ab11e0..a25f6ab69 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestFoldersData/src/folders/xmlFolder100/build.xml +++ b/performance.java/test/qa-functional/data/PerformanceTestFoldersData/src/folders/xmlFolder100/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- You may freely edit this file. See harness/README in the NetBeans platform --> <!-- for some information on what you could do (e.g. targets to override). --> <!-- If you delete this file and reopen the project it will be recreated. --> diff --git a/performance.java/test/qa-functional/data/SystemProperties/build.xml b/performance.java/test/qa-functional/data/SystemProperties/build.xml index 0e04e8731..3edc962d9 100644 --- a/performance.java/test/qa-functional/data/SystemProperties/build.xml +++ b/performance.java/test/qa-functional/data/SystemProperties/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- You may freely edit this file. See harness/README in the NetBeans platform --> <!-- for some information on what you could do (e.g. targets to override). --> <!-- If you delete this file and reopen the project it will be recreated. --> diff --git a/performance.java/test/qa-functional/data/SystemProperties/nbproject/platform.properties b/performance.java/test/qa-functional/data/SystemProperties/nbproject/platform.properties index 108fac5ef..cab50891d 100644 --- a/performance.java/test/qa-functional/data/SystemProperties/nbproject/platform.properties +++ b/performance.java/test/qa-functional/data/SystemProperties/nbproject/platform.properties @@ -1,1 +1,18 @@ ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++ <http://www.apache.org/licenses/LICENSE-2.0> ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is

distributed on an `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `KIND`, either express or implied. See the License for the `specific language governing permissions and limitations` under the License. `nbplatform.active=default diff --git a/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.properties b/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.properties index e69de29bb..245692337 100644 --- a/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.properties +++ b/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.properties @@ -0,0 +1,17 @@` `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `KIND`, either express or implied. See the License for the `specific language governing permissions and limitations` under the License. `diff --git a/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.xml b/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.xml index 526ae9b26..2f11970c9 100644 --- a/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.xml +++ b/performance.java/test/qa-functional/data/SystemProperties/nbproject/project.xml @@ -1,4 +1,24 @@` `<?xml version="1.0" encoding="UTF-8"?>` `<!--` `++` Licensed to the Apache Software Foundation (ASF) under one `+` or more contributor license agreements. See the NOTICE file `+` distributed with this work for additional information `+` regarding copyright ownership. The ASF licenses this file `+` to you under the Apache License, Version 2.0 (the `+` "License"); you may not use this file except in compliance `+` with the License. You may obtain a copy of the License at `++` `http://www.apache.org/licenses/LICENSE-2.0` `++` Unless required by applicable law or agreed to in writing, `++` software distributed under the License is distributed on an `+` `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `+` `KIND`, either express or implied. See the License for the `+` `specific language governing permissions and limitations` `+` under the License. `++` `<project xmlns="http://www.netbeans.org/ns/project/1">` `<type>`org.netbeans.modules.apisupport.project`</type>` `<configuration>` diff --git a/performance/enterprise/test/qa-functional/data/BPELTestProject/build.xml b/performance/enterprise/test/qa-functional/data/BPELTestProject/build.xml index 98a84dc84..9bdac94f6 100644 --- a/performance/enterprise/test/qa-functional/data/BPELTestProject/build.xml +++ b/performance/enterprise/test/qa-functional/data/BPELTestProject/build.xml @@ -1,21 +1,23 @@ `<?xml version="1.0" encoding="UTF-8"?>` `<!--` The contents of this file are subject to the terms of the Common Development - and Distribution License (the License). You may not use this file except in - compliance with the License. - - You can obtain a copy of the License at `http://www.netbeans.org/cddl.html` - or `http://www.netbeans.org/cddl.txt`. - - When distributing Covered Code, include this CDDL Header Notice in each file - and include the License file at `http://www.netbeans.org/cddl.txt`. - If applicable, add the following below the CDDL Header, with the fields - enclosed by brackets `[]` replaced by your own identifying information: - "Portions Copyrighted [year] [name of copyright owner]" - - The Original Software is NetBeans. The Initial Developer of the Original - Software is Sun Microsystems, Inc. Portions Copyright 1997-2007 Sun - Microsystems, Inc. All Rights Reserved. `++` Licensed to the Apache Software Foundation (ASF) under one `+` or more contributor license agreements. See the NOTICE file `+` distributed with this work for additional information `+` regarding copyright ownership. The ASF licenses this file `+` to you under the Apache License, Version 2.0 (the `+` "License"); you may not use this file except in compliance `+` with the License. You may obtain a copy of the License at `++` `http://www.apache.org/licenses/LICENSE-2.0` `++` Unless required by applicable law or agreed to in writing, `++` software distributed under the License is distributed on an `+` `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `+` `KIND`, either express or implied. See the License for the `+` `specific language governing permissions and limitations` `+` under the License. `++` `<project name="" default="default" basedir="." xmlns:web="http://www.netbeans.org/ns/2ee-ejbjarproject/1">` `<description>`Builds, tests, and runs the project `</description>` diff --git a/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.properties b/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.properties index 985dd3d13..f1b49cda1 100644 --- a/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.properties +++ b/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.properties @@ -1,21 +1,19 @@ `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `++` `KIND`, either express or implied. See the License for the `++` `specific language governing permissions and limitations` under the License. `++` `<!--` The contents of this file are subject to the terms of the Common Development - and Distribution License (the License). You may not use this file except in - compliance with the License. - - You can obtain a copy of the License at `http://www.netbeans.org/cddl.html` - or `http://www.netbeans.org/cddl.txt`. - - When distributing Covered Code, include this CDDL Header Notice in each file - and include the License file at `http://www.netbeans.org/cddl.txt`. - If applicable, add the following below the CDDL Header, with the fields - enclosed by brackets `[]` replaced by your own identifying information: - "Portions Copyrighted [year] [name of copyright owner]" - - The Original Software is NetBeans. The Initial Developer of the Original - Software is Sun Microsystems, Inc. Portions Copyright 1997-2007 Sun - Microsystems, Inc. All Rights Reserved. `++` `http://www.apache.org/licenses/LICENSE-2.0` `++` Unless required by applicable law or agreed to in writing, `++` software distributed under the License is distributed on an `++` `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `++` `KIND`, either express or implied. See the License for the `++` `specific language governing permissions and limitations` under the License. `bcdeployment.jar=${build.dir}/BCDeployment.jar build.classes.dir=${build.dir}/jar diff --git a/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.xml b/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.xml index 9bd48d2a4..6380429a2 100644 --- a/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.xml +++ b/performance/enterprise/test/qa-functional/data/BPELTestProject/nbproject/project.xml @@ -1,21 +1,23 @@` `<?xml version="1.0" encoding="UTF-8"?>` `<!--` The contents of this file are subject to the terms of the Common Development - and Distribution License (the License). You may not use this file except in - compliance with the License. - - You can obtain a copy of the License at `http://www.netbeans.org/cddl.html` - or `http://www.netbeans.org/cddl.txt`. - - When distributing Covered Code, include this CDDL Header Notice in each file - and include the License file at `http://www.netbeans.org/cddl.txt`. - If applicable, add the following below the CDDL Header, with the fields - enclosed by brackets `[]` replaced by your own identifying information: - "Portions Copyrighted [year] [name of copyright owner]" - - The Original Software is NetBeans. The Initial Developer of the Original - Software is Sun Microsystems, Inc. Portions Copyright 1997-2007 Sun - Microsystems, Inc. All Rights Reserved. `++` Licensed to the Apache Software Foundation (ASF) under one `+` or more contributor license agreements. See the NOTICE file `+` distributed with this work for additional information `+` regarding copyright ownership. The ASF licenses this file `+` to you under the Apache License, Version 2.0 (the `+` "License"); you may not use this file except in compliance `+` with the License. You may obtain a copy of the License at `++` `http://www.apache.org/licenses/LICENSE-2.0` `++` Unless required by applicable law or agreed to in writing, `++` software distributed under the License is distributed on an `+` `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `+` `KIND`, either express or implied. See the License for the `+` `specific language governing permissions and limitations` `+` under the License. `++` `<project xmlns="http://www.netbeans.org/ns/project/1">` `<type>`org.netbeans.modules.bpel.project`</type>` diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/build.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/build.xml index 880140128..7227dcfba 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/build.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/build.xml @@ -1,4 +1,24 @@ `<?xml version="1.0" encoding="UTF-8"?>` `<!--` `++` Licensed to the Apache Software Foundation (ASF) under one `+` or more contributor license agreements. See the NOTICE file `+` distributed with this work for additional information `+` regarding copyright ownership. The ASF licenses this file `+` to you under the Apache License, Version 2.0 (the `+` "License"); you may not use this file except in compliance `+` with the License. You may obtain a copy of the License at `++` `http://www.apache.org/licenses/LICENSE-2.0` `++` Unless required by applicable law or agreed to in writing, `++` software distributed under the License is distributed on an `++` `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `++` `KIND`, either express or implied. See the License for the `++` `specific language governing permissions and limitations` `++` under the License. `++` `<!--` You may freely edit this file. See commented blocks below for `-->` `<!--` some examples of how to customize the build. `-->` `<!--` (If you delete it and reopen the project it will be recreated.) `-->` diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.properties b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.properties index f9e926335..6564d2bb6 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.properties +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.properties @@ -1,3 +1,20 @@ `AS IS` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `++` `KIND`, either express or implied. See the License for the `++` `specific language governing permissions and limitations` under the License. `++` `annotation.processing.enabled=false` `annotation.processing.enabled.in.editor=false` `annotation.processing.processors.list=` diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.xml index bd1452cca..8a4f178a6 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/project.xml @@ -1,4 +1,24 @@ `<?xml`


```

version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.j2ee.ejbjarproject</type> <configuration> diff --git a/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/build.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/build.xml index 912fb108c..4277a97d5 100644 --- a/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/build.xml +++ b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed
to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it
and reopen the project it will be recreated.) --> diff --git a/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/nbproject/project.properties b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/nbproject/project.properties index 6571b9499..176764f78 100644 ---
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationService/nbproject/project.properties +++
b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationService/nbproject/project.properties @@ -1,3 +1,20 @@ + #
Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for
additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may
not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + #
Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and
limitations + # under the License. + allow.build.with.error=false bcdeployment.jar=${build.dir}/BCDeployment.jar build.classes.dir=${build.dir}/jar diff --git
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationService/nbproject/project.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/nbproject/project.xml index 0818681b9..cc9a712df 100644 ---
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationService/nbproject/project.xml +++ b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationService/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!--
+ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.bpel.project</type> <configuration> diff --git
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/build.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/build.xml index 41ddf53c3..d29b046f9 100644 ---
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/build.xml +++ b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!--
+ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it
and reopen the project it will be recreated.) --> diff --git a/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.properties b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.properties index 15a8a00aa..7af8230b2 100644 ---
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.properties +++
b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.properties @@ -1,3 +1,20 @@
+ # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work
for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you
may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + #
+ # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and
limitations + # under the License. + build.classes.dir=${build.dir}/jar build.classes.excludes=**/*.java,**/*.form,**/*.nbattrs build.dir=build diff --git
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.xml
b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.xml index
406fa4a96..2c690057b 100644 --- a/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.xml +++ b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-
8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and
limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.compapp.projects.jbi</type>
<configuration> diff --git a/performance/mobility/test/qa-functional/data/MobileApplicationSwitchConfiguration/build.xml b/performance/mobility/test/qa-
functional/data/MobileApplicationSwitchConfiguration/build.xml index 57e438ff8..84cb6f692 100644 --- a/performance/mobility/test/qa-
functional/data/MobileApplicationSwitchConfiguration/build.xml +++ b/performance/mobility/test/qa-
functional/data/MobileApplicationSwitchConfiguration/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the
Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it
and reopen the project it will be recreated.) --> diff --git a/performance/mobility/test/qa-
functional/data/MobileApplicationSwitchConfiguration/nbproject/project.properties b/performance/mobility/test/qa-
functional/data/MobileApplicationSwitchConfiguration/nbproject/project.properties index a4e4f2960..f127b6de1 100644 --- a/performance/mobility/test/qa-
functional/data/MobileApplicationSwitchConfiguration/nbproject/project.properties +++ b/performance/mobility/test/qa-
functional/data/MobileApplicationSwitchConfiguration/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF)
under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright
ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + #
with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or
agreed to in

```

writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + abilities=MMAPI=1.1,CLDC=1.1,ColorScreen,JSR82=1.0,JSR184=1.0,ScreenHeight=320,ScreenColorDepth=8,WMA=2.0,ScreenWidth=240,JSR172=1.0,MIDP=, all.configurations=, NotDefaultConfiguration application.args= diff --git a/performance/mobility/test/qa-functional/data/MobileApplicationSwitchConfiguration/nbproject/project.xml b/performance/mobility/test/qa-functional/data/MobileApplicationSwitchConfiguration/nbproject/project.xml index fe082e8a2..220543d8f 100644 --- a/performance/mobility/test/qa-functional/data/MobileApplicationSwitchConfiguration/nbproject/project.xml +++ b/performance/mobility/test/qa-functional/data/MobileApplicationSwitchConfiguration/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> </--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/build.xml b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/build.xml index e29d7b0a4..068843ffc 100644 --- a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/build.xml +++ b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/build.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> </--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.properties b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.properties index bb8d7ed2b..e88621442 100644 --- a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.properties +++ b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + abilities=MMAPI=1.1,CLDC=1.1,ColorScreen,JSR82=1.0,JSR184=1.0,ScreenHeight=320,ScreenColorDepth=8,WMA=2.0,ScreenWidth=240,JSR172=1.0,MIDP=, all.configurations= application.args= diff --git a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.xml b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.xml index e5bece200..758943463 100644 --- a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.xml +++ b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> </--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/profiler.j2se/test/unit/data/JavaApp/build.xml b/profiler.j2se/test/unit/data/JavaApp/build.xml index d7f3d7c3b..b3fb4819a 100644 --- a/profiler.j2se/test/unit/data/JavaApp/build.xml +++ b/profiler.j2se/test/unit/data/JavaApp/build.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> </--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/profiler.j2se/test/unit/data/JavaApp/nbproject/project.properties b/profiler.j2se/test/unit/data/JavaApp/nbproject/project.properties index 2b515aefb..b005f38ab 100644 --- a/profiler.j2se/test/unit/data/JavaApp/nbproject/project.properties +++ b/profiler.j2se/test/unit/data/JavaApp/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form # This directory is removed when the project is cleaned: diff --git a/profiler.j2se/test/unit/data/JavaApp/nbproject/project.xml b/profiler.j2se/test/unit/data/JavaApp/nbproject/project.xml index 63c24754b..214d73868 100644 --- a/profiler.j2se/test/unit/data/JavaApp/nbproject/project.xml +++ b/profiler.j2se/test/unit/data/JavaApp/nbproject/project.xml @@ -1,4 +1,24 @@ @<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> </--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.properties b/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.properties index 36e86e72a..2ccb2f6ea 100644 --- a/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.properties +++ b/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form # This directory is removed when the project is cleaned: diff --git a/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.xml b/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.xml index 63c24754b..214d73868 100644

--- a/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.xml +++ b/profiler.nbimpl/test/unit/data/JavaApp/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/profiler/110n.list b/profiler/110n.list index b91ae6d4c..065d75583 100644 --- a/profiler/110n.list +++ b/profiler/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # profiler/modules/main read global \${110n-module}/src/org/netbeans/modules/profiler/heapwalk/oqlqueries-default.xml diff --git a/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.properties b/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.properties index 7bba10468..bd835b2ee 100644 --- a/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.properties +++ b/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # shared.prop=value1 overridden.prop=value3 derived.prop=\${private.prop}:\${shared.prop}:\${undefined.prop} diff --git a/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.xml b/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.xml index 2d29e4231..ed590eb29 100644 --- a/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.xml +++ b/project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>test</type> <configuration> diff --git a/projectimport.eclipse.core/test/createWorkspace.sh b/projectimport.eclipse.core/test/createWorkspace.sh index 3589dab45..e697cc984 100644 --- a/projectimport.eclipse.core/test/createWorkspace.sh +++ b/projectimport.eclipse.core/test/createWorkspace.sh @@ -1,45 +1,222 @@ #!/bin/bash -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # Copyright 2013 Oracle and/or its affiliates. All rights reserved. + # + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. You can obtain a copy of the License at + # http://www.netbeans.org/cddl-gplv2.html + # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + # specific language governing permissions and limitations under the + # License. When distributing the software, include this License Header + # Notice in each file and include the License file at + # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this + # particular file as subject to the "Classpath" exception as provided + # by Oracle in the GPL Version 2 section of the License file that + # accompanied this code. If applicable, add the following below the + # License Header, with the fields enclosed by brackets [] replaced by + # your own identifying information: + # "Portions Copyrighted [year] [name of copyright owner]" + # + # If you wish your version of this file to be governed by only the CDDL + # or only the GPL Version 2, indicate your decision by adding + # "[Contributor] elects to include this software in this distribution + # under the [CDDL or GPL Version 2] license." If you do not indicate a + # single choice of license, a recipient has the option to distribute + # your version of this file under either the CDDL, the GPL Version 2 or + # to extend the choice of license to its licensees as provided above. + # However, if you add GPL Version 2 code and therefore, elected the GPL + # Version 2 license, then the option applies only if the new code is + # made subject to such option by the copyright holder. + # + # Contributor(s): + # + # Portions Copyrighted 2012 Sun Microsystems, Inc. + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # Script: createWorkspace.sh + # + # Convenient script for generating workspace with metadata we needs for tests. diff --git a/properties/110n.list b/properties/110n.list index 731e29493..a7b982b11 100644 --- a/properties/110n.list +++ b/properties/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # properties read global \${110n-module}/src/org/netbeans/modules/properties/*.gif diff --git a/properties/test/qa-functional/data/projects/properties_test/build.xml b/properties/test/qa-functional/data/projects/properties_test/build.xml index 0dab3c9f3..180c253ab 100644 --- a/properties/test/qa-functional/data/projects/properties_test/build.xml +++ b/properties/test/qa-functional/data/projects/properties_test/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/properties/test/qa-functional/data/projects/properties_test/nbproject/project.properties b/properties/test/qa-functional/data/projects/properties_test/nbproject/project.properties index 4c9e42d35..3a81924fe 100644 --- a/properties/test/qa-functional/data/projects/properties_test/nbproject/project.properties +++ b/properties/test/qa-functional/data/projects/properties_test/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # application.args= build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/properties/test/qa-functional/data/projects/properties_test/nbproject/project.xml b/properties/test/qa-functional/data/projects/properties_test/nbproject/project.xml +++ b/properties/test/qa-functional/data/projects/properties_test/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +

```

specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/properties/test/qa-functional/data/projects/properties_test2/build.xml
b/properties/test/qa-functional/data/projects/properties_test2/build.xml index 5a030a1c9..4a2b2b2d5 100644 --- a/properties/test/qa-
functional/data/projects/properties_test2/build.xml +++ b/properties/test/qa-functional/data/projects/properties_test2/build.xml @@ -1,4 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of
how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/properties/test/qa-
functional/data/projects/properties_test2/nbproject/project.properties b/properties/test/qa-functional/data/projects/properties_test2/nbproject/project.properties
index f9305d4b6..6a2c89135 100644 --- a/properties/test/qa-functional/data/projects/properties_test2/nbproject/project.properties +++ b/properties/test/qa-
functional/data/projects/properties_test2/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or
more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License.
You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing,
+ # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. + application.args=
build.classes.dir=${build.dir}/classes build.classes.excludes=**/*.java,**/*.form diff --git a/properties/test/qa-
functional/data/projects/properties_test2/nbproject/project.xml b/properties/test/qa-functional/data/projects/properties_test2/nbproject/project.xml index
8ef3069e1..acc7295cb 100644 --- a/properties/test/qa-functional/data/projects/properties_test2/nbproject/project.xml +++ b/properties/test/qa-
functional/data/projects/properties_test2/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project
xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/refactoring.api/src/META-
INF/netbeans/translate.names b/refactoring.api/src/META-INF/netbeans/translate.names index 7a713d126..fa04ed049 100644 --- a/refactoring.api/src/META-
INF/netbeans/translate.names +++ b/refactoring.api/src/META-INF/netbeans/translate.names @@ -1,39 +1,17 @@ - # DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See
the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache
License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + #
Copyright (c) 2012, 2016 Oracle and/or its affiliates. All rights reserved. + # http://www.apache.org/licenses/LICENSE-2.0 + # - # Oracle and Java are registered
trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the terms of
either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License ("CDDL") (collectively, the - #
"License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-
gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License.
When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle
designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - #
accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying
information: - # "Portions Copyrighted [year] [name of copyright owner]" - # - # If you wish your version of this file to be governed by only the CDDL - # or only
the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2]
license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL
Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - #
Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): - # Changed filename
of actions + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions
and limitations + # under the License. Actions/Refactoring/RefactoringWhereUsed.instance=Actions/Refactoring/org.netbeans-modules-refactoring-api-ui-
WhereUsedAction.instance diff --git a/refactoring.java/test/qa-functional/data/projects/RefactoringTest/build.xml b/refactoring.java/test/qa-
functional/data/projects/RefactoringTest/build.xml index 4e7470555..2ab9db089 100644 --- a/refactoring.java/test/qa-
functional/data/projects/RefactoringTest/build.xml +++ b/refactoring.java/test/qa-functional/data/projects/RefactoringTest/build.xml @@ -1,4 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of
how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/refactoring.java/test/qa-
functional/data/projects/RefactoringTest/nbproject/project.properties b/refactoring.java/test/qa-functional/data/projects/RefactoringTest/nbproject/project.properties
index 37ac6e89f..1295d7d19 100644 --- a/refactoring.java/test/qa-functional/data/projects/RefactoringTest/nbproject/project.properties +++
b/refactoring.java/test/qa-functional/data/projects/RefactoringTest/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software
Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + #
regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in
compliance + # with the License. You may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by
applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the
License. + annotation.processing.enabled=true annotation.processing.enabled.in.editor=false annotation.processing.processors.list= diff --git
a/refactoring.java/test/qa-functional/data/projects/RefactoringTest/nbproject/project.xml b/refactoring.java/test/qa-
functional/data/projects/RefactoringTest/nbproject/project.xml index e48e006e7..db1681ae2 100644 --- a/refactoring.java/test/qa-
functional/data/projects/RefactoringTest/nbproject/project.xml +++ b/refactoring.java/test/qa-functional/data/projects/RefactoringTest/nbproject/project.xml @@
-1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/refactoring.java/test/unit/data/SimpleJ2SEApp/build.xml
b/refactoring.java/test/unit/data/SimpleJ2SEApp/build.xml index 418aa6700..933b4da2c 100644 --- a/refactoring.java/test/unit/data/SimpleJ2SEApp/build.xml
+++ b/refactoring.java/test/unit/data/SimpleJ2SEApp/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may
freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it
will be recreated.) --> diff --git a/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.properties

```

b/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.properties index 605674c10..dfcbca9fb 100644 ---
a/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.properties +++ b/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.properties
@@ -1,3 +1,20 @@
@@ ++ Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + build.classes.dir=\${build.dir}/classes build.classes.excludes=**/*.java,**/*.form
This directory is removed when the project is cleaned: diff --git a/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.xml
b/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.xml index db90815b1..835bb1d62 100644 ---
a/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.xml +++ b/refactoring.java/test/unit/data/SimpleJ2SEApp/nbproject/project.xml @@ -1,4 +1,24
@@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1">
<type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git a/refactoring.java/test/unit/data/SimpleJ2SEAppChild/build.xml
b/refactoring.java/test/unit/data/SimpleJ2SEAppChild/build.xml index 5c564e1e8..fbd77f641 100644 ---
a/refactoring.java/test/unit/data/SimpleJ2SEAppChild/build.xml +++ b/refactoring.java/test/unit/data/SimpleJ2SEAppChild/build.xml @@ -1,4 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of
how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git
a/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.properties
b/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.properties index 05fe48036..98b2fe5ee 100644 ---
a/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.properties +++
b/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.properties @@ -1,3 +1,20 @@
@@ ++ Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + annotation.processing.enabled=true annotation.processing.enabled.in.editor=false annotation.processor.options= diff --git
a/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.xml b/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.xml index
c696877c4..1057d4567 100644 --- a/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.xml +++
b/refactoring.java/test/unit/data/SimpleJ2SEAppChild/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed
to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.java.j2seproject</type> <configuration> diff --git
a/spellchecker.bindings.htmlxml/src/org/netbeans/modules/spellchecker/bindings/htmlxml/HtmlXmlTokenListProvider.java
b/spellchecker.bindings.htmlxml/src/org/netbeans/modules/spellchecker/bindings/htmlxml/HtmlXmlTokenListProvider.java index 357a53df2..9ae3e8d1b 100644 -
-- a/spellchecker.bindings.htmlxml/src/org/netbeans/modules/spellchecker/bindings/htmlxml/HtmlXmlTokenListProvider.java +++
b/spellchecker.bindings.htmlxml/src/org/netbeans/modules/spellchecker/bindings/htmlxml/HtmlXmlTokenListProvider.java @@ -1,36 +1,20 @@
-/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle
and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file
are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL")
(collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - *
http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and
limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - *
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2
section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets []
replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" +/* + * Licensed to the Apache Software
Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + *
regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in
compliance + * with the License. You may obtain a copy of the License at + * - * Contributor(s): + * http://www.apache.org/licenses/LICENSE-2.0 + * - * The
Original Software is NetBeans. The Initial Developer of the Original - * Software is Sun Microsystems, Inc. Portions Copyright 1997-2008 Sun - * Microsystems,
Inc. All Rights Reserved. - * - * Portions Copyrighted 2007-2008 Stefan Riha, Roland Poppenreiter + * Unless required by applicable law or agreed to in writing,
+ * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either
express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package
org.netbeans.modules.spellchecker.bindings.htmlxml; diff --git
a/spellchecker.bindings.properties/src/org/netbeans/modules/spellchecker/bindings/properties/PropertiesTokenListProvider.java
b/spellchecker.bindings.properties/src/org/netbeans/modules/spellchecker/bindings/properties/PropertiesTokenListProvider.java index 2220f85e5..336a18122
100644 --- a/spellchecker.bindings.properties/src/org/netbeans/modules/spellchecker/bindings/properties/PropertiesTokenListProvider.java +++
b/spellchecker.bindings.properties/src/org/netbeans/modules/spellchecker/bindings/properties/PropertiesTokenListProvider.java @@ -1,47 +1,20 @@
-/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle
and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this
file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution
License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - *
http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and
limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - *
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2
section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets []
replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * Contributor(s): +/* + * Licensed to the
Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional
information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use
this file except in compliance + * with the License. You may obtain a copy of the License at + * - * The Original Software is NetBeans. The Initial Developer of the
Original - * Software is Sun Microsystems, Inc. Portions Copyright 1997-2008 Sun - * Microsystems, Inc. All Rights Reserved. - * - * Portions Copyrighted 2007-
2008 Stefan Riha, Roland Poppenreiter + * http://www.apache.org/licenses/LICENSE-2.0 + * - * If you wish your version of this file to be governed by only the
CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or
GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the
CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore,

elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package org.netbeans.modules.spellchecker.bindings.properties; diff --git a/spi.debugger.ui/110n.list b/spi.debugger.ui/110n.list index ba422cb61..ef35b8936 100644 --- a/spi.debugger.ui/110n.list +++ b/spi.debugger.ui/110n.list @@ -1,3 +1,20 @@ ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++ http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. + # apisupport/samples read global \${110n-module}/src/**/*.*.gif diff --git a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.ColumnModel b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.ColumnModel index ffc14989b..1bc17912d 100644 --- a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.ColumnModel +++ b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.ColumnModel @@ -1,42 +1,18 @@ -- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - # Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. - # - # Oracle and Java are registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the - # "License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # "Portions Copyrighted [year] [name of copyright owner]" + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # - # Contributor(s): + # http://www.apache.org/licenses/LICENSE-2.0 + # - # The Original Software is NetBeans. The Initial Developer of the Original - # Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun - # Microsystems, Inc. All Rights Reserved. - # - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2] license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - # Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + org.netbeans.modules.debugger.ui.models.ColumnModels.createDefaultBreakpointsColumn() diff --git a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeActionsProvider b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeActionsProvider index 773ff5c64..9b764acb2 100644 --- a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeActionsProvider +++ b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeActionsProvider @@ -1,42 +1,18 @@ -- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - # Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. - # - # Oracle and Java are registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the - # "License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # "Portions Copyrighted [year] [name of copyright owner]" + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # - # Contributor(s): + # http://www.apache.org/licenses/LICENSE-2.0 + # - # The Original Software is NetBeans. The Initial Developer of the Original - # Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun - # Microsystems, Inc. All Rights Reserved. - # - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2] license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - # Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + org.netbeans.modules.debugger.ui.models.BreakpointsActionsProvider diff --git a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeModel b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeModel index 08ec61dd1..f20a3a33a 100644 --- a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeModel +++ b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.NodeModel @@ -1,42 +1,18 @@ -- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - # Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. - # - # Oracle and Java are registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the - # "License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # "Portions Copyrighted [year] [name of copyright owner]" + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # - # Contributor(s): + # http://www.apache.org/licenses/LICENSE-2.0 + # - # The Original Software is NetBeans. The Initial Developer of the Original - # Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun - # Microsystems, Inc. All Rights Reserved. - # - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2] license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - # Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - org.netbeans.modules.debugger.ui.models.BreakpointsNodeModel \ No newline at end of file + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + +org.netbeans.modules.debugger.ui.models.BreakpointsNodeModel diff --git a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeExpansionModelFilter b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeExpansionModelFilter index 3d1a66390..38589c352 100644 --- a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeExpansionModelFilter +++ b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeExpansionModelFilter @@ -1,42 +1,18 @@ -- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - # Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. - # - # Oracle and Java are registered trademarks of Oracle

and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + org.netbeans.modules.debugger.ui.models.BreakpointsGroupExpansionFilter diff --git a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeModel b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeModel index 8a70168bc..b56d0652b 100644 --- a/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeModel +++ b/spi.debugger.ui/src/META-INF/debugger/BreakpointsView/org.netbeans.spi.viewmodel.TreeModel @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + org.netbeans.modules.debugger.ui.models.BreakpointsTreeModel diff --git a/spi.debugger.ui/src/META-INF/debugger/CallStackView/org.netbeans.spi.viewmodel.ColumnModel b/spi.debugger.ui/src/META-INF/debugger/CallStackView/org.netbeans.spi.viewmodel.ColumnModel index 72d27391c..02cea92a7 100644 --- a/spi.debugger.ui/src/META-INF/debugger/CallStackView/org.netbeans.spi.viewmodel.ColumnModel +++ b/spi.debugger.ui/src/META-INF/debugger/CallStackView/org.netbeans.spi.viewmodel.ColumnModel @@ -1,43 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + org.netbeans.modules.debugger.ui.models.ColumnModels.createCallStackLocationColumn() org.netbeans.modules.debugger.ui.models.ColumnModels.createDefaultCallStackColumn() diff --git a/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.ColumnModel b/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.ColumnModel index be6c37376..0696e6a31 100644 --- a/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.ColumnModel +++ b/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.ColumnModel @@ -1,44 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -#

Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +

```
org.netbeans.modules.debugger.ui.models.ColumnModels.createLocalsTypeColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createLocalsValueColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createLocalsToStringColumn() diff --git a/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.NodeActionsProvider b/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.NodeActionsProvider index 586359495..0ed1f345a 100644 --- a/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.NodeActionsProvider +++ b/spi.debugger.ui/src/META-INF/debugger/LocalsView/org.netbeans.spi.viewmodel.NodeActionsProvider @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +
```

```
org.netbeans.modules.debugger.ui.models.VariablesActionsProvider diff --git a/spi.debugger.ui/src/META-INF/debugger/ResultsView/org.netbeans.spi.viewmodel.ColumnModel b/spi.debugger.ui/src/META-INF/debugger/ResultsView/org.netbeans.spi.viewmodel.ColumnModel index be6c37376..0696e6a31 100644 --- a/spi.debugger.ui/src/META-INF/debugger/ResultsView/org.netbeans.spi.viewmodel.ColumnModel +++ b/spi.debugger.ui/src/META-INF/debugger/ResultsView/org.netbeans.spi.viewmodel.ColumnModel @@ -1,44 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +
```

```
org.netbeans.modules.debugger.ui.models.ColumnModels.createLocalsTypeColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createLocalsValueColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createLocalsToStringColumn() diff --git a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.ColumnModel b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.ColumnModel index 504de452a..565ba96d8 100644 --- a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.ColumnModel +++ b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.ColumnModel @@ -1,44 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +
```

```
org.netbeans.modules.debugger.ui.models.ColumnModels.createSessionStateColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createSessionLanguageColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createSessionHostNameColumn() diff --git a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeActionsProvider b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeActionsProvider index ce72f9e0c..6b33a01a0 100644 --- a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeActionsProvider +++ b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeActionsProvider @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -#
```

General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# Unless required by applicable law or agreed to in writing, -# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. + org.netbeans.modules.debugger.ui.models.SessionsActionsProvider diff --git a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeModel b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeModel index e6be79df1..3e1fc3e0c 100644 --- a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeModel +++ b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.NodeModel @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. - org.netbeans.modules.debugger.ui.models.SessionsNodeModel \ No newline at end of file +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. + org.netbeans.modules.debugger.ui.models.SessionsNodeModel diff --git a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TableModel b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TableModel index e406a00a0..3c6b38d3e 100644 --- a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TableModel +++ b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TableModel @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. - org.netbeans.modules.debugger.ui.models.SessionsTableModel \ No newline at end of file +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. + org.netbeans.modules.debugger.ui.models.SessionsTableModel diff --git a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TreeModel b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TreeModel index c4752e680..2679687c2 100644 --- a/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TreeModel +++ b/spi.debugger.ui/src/META-INF/debugger/SessionsView/org.netbeans.spi.viewmodel.TreeModel @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one -# or more contributor license agreements. See the NOTICE file -# distributed with this work for additional information -# regarding copyright ownership. The ASF licenses this file -# to you under the Apache License, Version 2.0 (the -# "License"); you may not use this file except in compliance -# with the License. You may obtain a copy of the License at -# <http://www.apache.org/licenses/LICENSE-2.0> -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -#

Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +

org.netbeans.modules.debugger.ui.models.SessionsTreeModel diff --git a/spi.debugger.ui/src/META-INF/debugger/ThreadsView/org.netbeans.spi.viewmodel.ColumnModel b/spi.debugger.ui/src/META-INF/debugger/ThreadsView/org.netbeans.spi.viewmodel.ColumnModel index fe600cb8f..096dad46b 100644 --- a/spi.debugger.ui/src/META-INF/debugger/ThreadsView/org.netbeans.spi.viewmodel.ColumnModel +++ b/spi.debugger.ui/src/META-INF/debugger/ThreadsView/org.netbeans.spi.viewmodel.ColumnModel @@ -1,44 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +

org.netbeans.modules.debugger.ui.models.ColumnModels.createThreadStateColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createThreadSuspendedColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createDefaultThreadColumn() diff --git a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.ColumnModel b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.ColumnModel index 74ec7ac06..84522a4b9 100644 --- a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.ColumnModel +++ b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.ColumnModel @@ -1,44 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +

org.netbeans.modules.debugger.ui.models.ColumnModels.createWatchTypeColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createWatchValueColumn()
org.netbeans.modules.debugger.ui.models.ColumnModels.createWatchToStringColumn() diff --git a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeActionsProvider b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeActionsProvider index dc1707828..d21f57b26 100644 --- a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeActionsProvider +++ b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeActionsProvider @@ -1,42 +1,18 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +

org.netbeans.modules.debugger.ui.models.WatchesActionsProvider diff --git a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeModel b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeModel index bab54844d..cf63cf0a 100644 --- a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeModel +++ b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.NodeModel @@ -1,42 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0

2-CP. See the License for the `#` specific language governing permissions and limitations under the `#` License. When distributing the software, include this License Header `#` Notice in each file and include the License file at `# nbbuild/licenses/CDDL-GPL-2-CP`. Oracle designates this `#` particular file as subject to the "Classpath" exception as provided `#` by Oracle in the GPL Version 2 section of the License file that `#` accompanied this code. If applicable, add the following below the `#` License Header, with the fields enclosed by brackets `[]` replaced by `#` your own identifying information: `# "Portions Copyrighted [year] [name of copyright owner]"` `#` Licensed to the Apache Software Foundation (ASF) under one `#` or more contributor license agreements. See the NOTICE file `#` distributed with this work for additional information `##` regarding copyright ownership. The ASF licenses this file `##` to you under the Apache License, Version 2.0 (the `##` "License"); you may not use this file except in compliance `##` with the License. You may obtain a copy of the License at `##` `#` Contributor(s): `##` <http://www.apache.org/licenses/LICENSE-2.0> `##` The Original Software is NetBeans. The Initial Developer of the Original `#` Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun `#` Microsystems, Inc. All Rights Reserved. `##` `#` If you wish your version of this file to be governed by only the CDDL `#` or only the GPL Version 2, indicate your decision by adding `##` `"[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license."` If you do not indicate a `#` single choice of license, a recipient has the option to distribute `#` your version of this file under either the CDDL, the GPL Version 2 or `#` to extend the choice of license to its licensees as provided above. `#` However, if you add GPL Version 2 code and therefore, elected the GPL `#` Version 2 license, then the option applies only if the new code is `#` made subject to such option by the copyright holder. `##`

`org.netbeans.modules.debugger.ui.models.WatchesTableModel` \ No newline at end of file `##` Unless required by applicable law or agreed to in writing, `##` software distributed under the License is distributed on an `##` "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `##` KIND, either express or implied. See the License for the `##` specific language governing permissions and limitations `##` under the License. `##`

`+org.netbeans.modules.debugger.ui.models.WatchesTableModel diff --git a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TableModel b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TableModel index d7c977d03..5fd3c9e3f 100644 --- a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TableModel +++ b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TableModel @@ -1,42 +1,18 @@` `#` DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. `##` Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. `##` `#` Oracle and Java are registered trademarks of Oracle and/or its affiliates. `#` Other names may be trademarks of their respective owners. `##` `#` The contents of this file are subject to the terms of either the GNU `#` General Public License Version 2 only ("GPL") or the Common `#` Development and Distribution License("CDDL") (collectively, the `#` "License"). You may not use this file except in compliance with the `#` License. You can obtain a copy of the License at `#` <http://www.netbeans.org/cddl-gplv2.html> `#` or `nbbuild/licenses/CDDL-GPL-2-CP`. See the License for the `#` specific language governing permissions and limitations under the `#` License. When distributing the software, include this License Header `#` Notice in each file and include the License file at `#` `nbbuild/licenses/CDDL-GPL-2-CP`. Oracle designates this `#` particular file as subject to the "Classpath" exception as provided `#` by Oracle in the GPL Version 2 section of the License file that `#` accompanied this code. If applicable, add the following below the `#` License Header, with the fields enclosed by brackets `[]` replaced by `#` your own identifying information: `#` "Portions Copyrighted [year] [name of copyright owner]" `#` Licensed to the Apache Software Foundation (ASF) under one `#` or more contributor license agreements. See the NOTICE file `#` distributed with this work for additional information `##` regarding copyright ownership. The ASF licenses this file `##` to you under the Apache License, Version 2.0 (the `##` "License"); you may not use this file except in compliance `##` with the License. You may obtain a copy of the License at `##` `#` Contributor(s): `##` <http://www.apache.org/licenses/LICENSE-2.0> `##` The Original Software is NetBeans. The Initial Developer of the Original `#` Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun `#` Microsystems, Inc. All Rights Reserved. `##` `#` If you wish your version of this file to be governed by only the CDDL `#` or only the GPL Version 2, indicate your decision by adding `##` `"[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license."` If you do not indicate a `#` single choice of license, a recipient has the option to distribute `#` your version of this file under either the CDDL, the GPL Version 2 or `#` to extend the choice of license to its licensees as provided above. `#` However, if you add GPL Version 2 code and therefore, elected the GPL `#` Version 2 license, then the option applies only if the new code is `#` made subject to such option by the copyright holder. `##`

`org.netbeans.modules.debugger.ui.models.WatchesTableModel` \ No newline at end of file `##` Unless required by applicable law or agreed to in writing, `##` software distributed under the License is distributed on an `##` "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `##` KIND, either express or implied. See the License for the `##` specific language governing permissions and limitations `##` under the License. `##`

`+org.netbeans.modules.debugger.ui.models.WatchesTableModel diff --git a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TreeModel b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TreeModel index e6af906a7..44638257c 100644 --- a/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TreeModel +++ b/spi.debugger.ui/src/META-INF/debugger/WatchesView/org.netbeans.spi.viewmodel.TreeModel @@ -1,42 +1,18 @@` `#` DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. `##` Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. `##` `#` Oracle and Java are registered trademarks of Oracle and/or its affiliates. `#` Other names may be trademarks of their respective owners. `##` `#` The contents of this file are subject to the terms of either the GNU `#` General Public License Version 2 only ("GPL") or the Common `#` Development and Distribution License("CDDL") (collectively, the `#` "License"). You may not use this file except in compliance with the `#` License. You can obtain a copy of the License at `#` <http://www.netbeans.org/cddl-gplv2.html> `#` or `nbbuild/licenses/CDDL-GPL-2-CP`. See the License for the `#` specific language governing permissions and limitations under the `#` License. When distributing the software, include this License Header `#` Notice in each file and include the License file at `#` `nbbuild/licenses/CDDL-GPL-2-CP`. Oracle designates this `#` particular file as subject to the "Classpath" exception as provided `#` by Oracle in the GPL Version 2 section of the License file that `#` accompanied this code. If applicable, add the following below the `#` License Header, with the fields enclosed by brackets `[]` replaced by `#` your own identifying information: `#` "Portions Copyrighted [year] [name of copyright owner]" `#` Licensed to the Apache Software Foundation (ASF) under one `#` or more contributor license agreements. See the NOTICE file `#` distributed with this work for additional information `##` regarding copyright ownership. The ASF licenses this file `##` to you under the Apache License, Version 2.0 (the `##` "License"); you may not use this file except in compliance `##` with the License. You may obtain a copy of the License at `##` `#` Contributor(s): `##` <http://www.apache.org/licenses/LICENSE-2.0> `##` The Original Software is NetBeans. The Initial Developer of the Original `#` Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun `#` Microsystems, Inc. All Rights Reserved. `##` `#` If you wish your version of this file to be governed by only the CDDL `#` or only the GPL Version 2, indicate your decision by adding `##` `"[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license."` If you do not indicate a `#` single choice of license, a recipient has the option to distribute `#` your version of this file under either the CDDL, the GPL Version 2 or `#` to extend the choice of license to its licensees as provided above. `#` However, if you add GPL Version 2 code and therefore, elected the GPL `#` Version 2 license, then the option applies only if the new code is `#` made subject to such option by the copyright holder. `##` Unless required by applicable law or agreed to in writing, `##` software distributed under the License is distributed on an `##` "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `##` KIND, either express or implied. See the License for the `##` specific language governing permissions and limitations `##` under the License. `##`

`org.netbeans.modules.debugger.ui.models.WatchesTreeModel diff --git a/spi.debugger.ui/src/META-INF/debugger/org.netbeans.api.debugger.LazyDebuggerManagerListener b/spi.debugger.ui/src/META-INF/debugger/org.netbeans.api.debugger.LazyDebuggerManagerListener index 1d7176446..8b86c9c6a 100644 --- a/spi.debugger.ui/src/META-INF/debugger/org.netbeans.api.debugger.LazyDebuggerManagerListener +++ b/spi.debugger.ui/src/META-INF/debugger/org.netbeans.api.debugger.LazyDebuggerManagerListener @@ -1,43 +1,19 @@` `#` DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. `##` Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. `##` `#` Oracle and Java are registered trademarks of Oracle and/or its affiliates. `#` Other names may be trademarks of their respective owners. `##` `#` The contents of this file are subject to the terms of either the GNU `#` General Public License Version 2 only ("GPL") or the Common `#` Development and Distribution License("CDDL") (collectively, the `#` "License"). You may not use this file except in compliance with the `#` License. You can obtain a copy of the License at `#` <http://www.netbeans.org/cddl-gplv2.html> `#` or `nbbuild/licenses/CDDL-GPL-2-CP`. See the License for the `#` specific language governing permissions and limitations under the `#` License. When distributing the software, include this License Header `#` Notice in each file and include the License file at `#` `nbbuild/licenses/CDDL-GPL-2-CP`. Oracle designates this `#` particular file as subject to the "Classpath" exception as provided `#` by Oracle in the GPL Version 2 section of the License file that `#` accompanied this code. If applicable, add the following below the `#` License Header, with the fields enclosed by brackets `[]` replaced by `#` your own identifying information: `#` "Portions Copyrighted [year] [name of copyright owner]" `#` Licensed to the Apache Software Foundation (ASF) under one `#` or more contributor license agreements. See the NOTICE file `#` distributed with this work for additional information `##` regarding copyright ownership. The ASF licenses this file `##` to you under the Apache License, Version 2.0 (the `##` "License"); you may not use this file except in compliance `##` with the License. You may obtain a copy of the License at `##` `#` Contributor(s): `##` <http://www.apache.org/licenses/LICENSE-2.0> `##` The Original Software is NetBeans. The Initial Developer of the Original `#` Software is Sun Microsystems, Inc. Portions Copyright 2009-2010 Sun `#` Microsystems, Inc. All Rights Reserved. `##` `#` If you wish your version of this file to be governed by only the CDDL `#` or only the GPL Version 2, indicate your decision by adding `##` `"[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license."` If you do not indicate a `#` single choice of license, a recipient has the option to distribute `#` your version of this file under either the CDDL, the GPL Version 2 or `#` to extend the choice of license to its licensees as provided above. `#` However, if you add GPL Version 2 code and therefore, elected the GPL `#` Version 2 license, then the option applies only if the new code is `#` made subject to such option by the copyright holder. `##` Unless required by applicable law or agreed to in writing, `##` software distributed under the License is distributed on an `##` "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

[illegible]

one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # comment 1 # comment 2 diff --git a/spi.debugger.ui/test/unit/src/META-INF/debugger/unittest/org.netbeans.api.debugger.test.TestLookupServiceInterface b/spi.debugger.ui/test/unit/src/META-INF/debugger/unittest/org.netbeans.api.debugger.test.TestLookupServiceInterface index af36b4492..7c58377ec 100644 --- a/spi.debugger.ui/test/unit/src/META-INF/debugger/unittest/org.netbeans.api.debugger.test.TestLookupServiceInterface +++ b/spi.debugger.ui/test/unit/src/META-INF/debugger/unittest/org.netbeans.api.debugger.test.TestLookupServiceInterface @@ -1,18 @@ -org.netbeans.api.debugger.test.TestLookupServiceSecond \ No newline at end of file + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # org.netbeans.api.debugger.test.TestLookupServiceSecond diff --git a/spi.viewmodel/110n.list b/spi.viewmodel/110n.list index ebe66e4b5..b5e3f6e02 100644 --- a/spi.viewmodel/110n.list +++ b/spi.viewmodel/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # core/javahelp read global \${{110n-module}}/src/**/*.*.gif diff --git a/subversion/110n.list b/subversion/110n.list index 5ce37b371..4421d98e2 100644 --- a/subversion/110n.list +++ b/subversion/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # subversion/main read global \${{110n-module}}/src/org.netbeans/modules/subversion/ui/browser/wait.gif diff --git a/testng.ant/nbproject/project.properties b/testng.ant/nbproject/project.properties index e967f977e..8aeb9dd55 100644 --- a/testng.ant/nbproject/project.properties +++ b/testng.ant/nbproject/project.properties @@ -1,50 +1,20 @@ - # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. + # - # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License ("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. You can obtain a copy of the License at + # <http://www.netbeans.org/cddl-gplv2.html> or + # nbbuild/licenses/CDDL-GPL-2-CP. See the License for the specific + # language governing permissions and limitations under the License. + # When distributing the software, include this License Header + # Notice in each file and include the License file at + # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this particular file + # as subject to the "Classpath" exception as provided by Oracle in the + # GPL Version 2 section of the License file that accompanied this code. If + # applicable, add the following below the License Header, with the fields + # enclosed by brackets [] replaced by your own identifying information: + # "Portions Copyrighted [year] [name of copyright owner]" + # - # Contributor(s): + # - # The original software is NetBeans. The initial developer of the original + # software was Sun Microsystems, Inc.; portions copyright 1997-2006 Sun + # Microsystems, Inc. All rights reserved. + # - # If you wish your version of this file to be governed by only the CDDL or + # only the GPL Version 2, indicate your decision by adding "[Contributor] + # elects to include this software in this distribution under the [CDDL or + # GPL Version 2] license." If you do not indicate a single choice of license, + # a recipient has the option to distribute your version of this file under + # either the CDDL, the GPL Version 2 or to extend the choice of license to + # its licensees as provided above. However, if you add GPL Version 2 code + # and therefore, elected the GPL Version 2 license, then the option applies + # only if the new code is made subject to such option by the copyright holder. + # - # Oracle is not responsible for the availability of third-party Web sites + # mentioned in this document. Oracle does not endorse and is not + # responsible or liable for any content, advertising, products, or other + # materials on or available from such sites or resources. Oracle will not be + # responsible or liable for any damage or loss caused or alleged to be + # caused by or in connection with use of or reliance on any such content, + # goods, or services available on or through any such sites or resources. + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # javac.source=1.6 javac.compilerargs=-Xlint -Xlint:-serial nbm.homepage=<http://wiki.netbeans.org/TestNG> diff --git a/testng.maven/nbproject/project.properties b/testng.maven/nbproject/project.properties index 2eed9234c..91364b9a8 100644 --- a/testng.maven/nbproject/project.properties +++ b/testng.maven/nbproject/project.properties @@ -1,50 +1,20 @@ - # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. + # - # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License ("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. You can obtain a copy of the License at + # <http://www.netbeans.org/cddl-gplv2.html> or + # nbbuild/licenses/CDDL-GPL-2-CP. See the License for the specific + # language governing permissions and limitations under the License. + # When distributing the software, include this License Header + # Notice in each file and include the License file at + # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this particular file + # as subject to the "Classpath" exception as provided by Oracle in the + # GPL Version 2 section of the License file that accompanied this code. If + # applicable, add the following below the License Header, with the fields + # enclosed by brackets [] replaced by your own identifying information: + # "Portions Copyrighted [year] [name of copyright owner]" + # - # Contributor(s): + # - # The original software is NetBeans. The initial developer of the original + # software was Sun Microsystems, Inc.; portions copyright 1997-2006 Sun + # Microsystems, Inc. All rights reserved. + # - # If you wish your version of this file to be governed by only the CDDL or + # only the GPL Version 2, indicate your decision by adding "[Contributor] + # elects to include this software in this distribution under the [CDDL or + # GPL Version 2] license." If you do not indicate a single choice of license, + # a recipient has the option to distribute your version of this file under + # either the CDDL, the GPL Version 2 or to extend the choice of license to + # its licensees as provided above. However, if you add GPL Version 2 code + # and therefore, elected the GPL Version 2 license, then the option applies + # only if the new code is made subject to such option by the copyright holder. + # - # Oracle is not responsible for the availability of third-party Web sites + # mentioned in this document. Oracle does not endorse and is not + # responsible or liable for any content, advertising, products, or other + # materials on or available from such sites or resources. Oracle will not be + # responsible or liable for any damage or loss caused or alleged to be + # caused by or in connection with use of or reliance on any such content, + # goods, or services available on or through any such sites or resources. + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # javac.source=1.5 javac.compilerargs=-Xlint -Xlint:-serial nbm.homepage=<http://wiki.netbeans.org/TestNG> diff --git a/testng/nbproject/project.properties b/testng/nbproject/project.properties index 64c18ef69..df4aebfa9 100644 --- a/testng/nbproject/project.properties +++ b/testng/nbproject/project.properties @@ -1,50 +1,20 @@ - # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # The contents of this file are subject to the terms of either the GNU + # General Public License Version 2 only ("GPL") or the Common + # Development and Distribution License ("CDDL") (collectively, the + # "License"). You may not use this file except in compliance with the + # License. You can obtain a copy of the License at + # <http://www.netbeans.org/cddl-gplv2.html> or + # nbbuild/licenses/CDDL-GPL-2-CP. See the License for the + # specific language governing permissions and limitations under the + # License. When distributing the software, include this License Header + # Notice in each

file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# Contributor(s): -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 1997-2008 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + javac.source=1.5 javac.compilerargs=-Xlint -Xlint:-serial nbm.homepage=http://wiki.netbeans.org/TestNG diff --git a/testng/test/unit/data/projects/tngTestProject/nbproject/project.properties b/testng/test/unit/data/projects/tngTestProject/nbproject/project.properties index 72451cb03..3d2119ec8 100644 --- a/testng/test/unit/data/projects/tngTestProject/nbproject/project.properties +++ b/testng/test/unit/data/projects/tngTestProject/nbproject/project.properties @@ -1,3 +1,20 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + annotation.processing.enabled=true annotation.processing.enabled.in.editor=false annotation.processing.run.all.processors=true diff --git a/uihandler/110n.list b/uihandler/110n.list index 3375672ca..a12c13d50 100644 --- a/uihandler/110n.list +++ b/uihandler/110n.list @@ -1,3 +1,20 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + # logger/uihandler read global \${110n-module}/src/org/netbeans/modules/uihandler/Connecting.html diff --git a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor.htm index 48721b049..c7dad932a 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor.htm +++ b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor.htm @@ -1,5 +1,25 @@ +<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional/EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> +<head> +<title>Using the CSS Source Editor</title> diff --git a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor001.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor001.htm index 07bbb1011..b742f03a8 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor001.htm +++ b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor001.htm @@ -1,5 +1,25 @@ +<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional/EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> +<head> +<title>CSS Source Editor</title> diff --git a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor002.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor002.htm index b7ef3039f..25cb44f9f 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor002.htm +++ b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor002.htm @@ -1,5 +1,25 @@ +<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional/EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> +<head> +<title>Add CSS Property Dialog Box</title> diff --git a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor003.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor003.htm index 7740a2d6d..8e6e8bd40 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor003.htm +++ b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor003.htm @@ -1,5 +1,25 @@ +<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional/EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> +<head> +<title>Edit CSS Rules Dialog Box</title> diff --git a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor004.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor004.htm index 48f429324..97876d8f6 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor004.htm +++ b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor004.htm @@ -1,5 +1,25 @@ +<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional/EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> +<head> +<title>CSS Styles Window</title> diff --git a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor005.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor005.htm index 06d5457f0..c815c051a 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor005.htm +++ b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor005.htm @@ -1,5 +1,25 @@ +<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional/EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> +<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> +<head> +<title>New Sass File</title> diff --git a/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor006.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_css_editor006.htm index d91d54975..9ce5623f5 100755 ---

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```

Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>New Java Project with Existing Sources Wizard: Existing Sources</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project005.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project005.htm
index aa4278851..e04ade732 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project005.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project005.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>New Java Project with Existing Sources Wizard: Includes & Excludes</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project006.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project006.htm
index 4309a58f9..3ee762d1 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project006.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project006.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>Free-Form Project Properties Dialog Box: Build and Run</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project007.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project007.htm
index 36f1b5948..a598a5c8e 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project007.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project007.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>Free-Form Project Properties Dialog Box: Java Sources Classpath</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project008.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project008.htm
index b46f4eb2b..d64ee87e1 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project008.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project008.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>Free-Form Project Properties Dialog Box: Output</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project009.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project009.htm
index 953fb9b3a..63299eaf3 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project009.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project009.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>Free-Form Project Properties Dialog Box: Java Sources</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project010.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project010.htm
index c83369f47..3baaeeca 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project010.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project010.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>New Free-form Project Wizard: Name and Location</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project011.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project011.htm
index fa5477c84..31a3fe5eb 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project011.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project011.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. + +> <html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en" lang="en" dir="ltr"> <head> <title>New Free-Form Project Wizard: Source Package Folders</title> diff --git
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project013.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_java_project013.htm

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Options Window: PHP: Hudson</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php039.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php039.htm index 427297041..1bbc1b110 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php039.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php039.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Options Window: PHP: Frameworks & Tools: Twig</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php040.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php040.htm index 8ba4772b7..bea90c160 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php040.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php040.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Options Window: PHP: Frameworks & Tools: Zend2</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php041.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php041.htm index e33247203..6a08626ee 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php041.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php041.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Options Window: PHP: Frameworks & Tools: Composer</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php042.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php042.htm index 20bb98d69..9e58efdc0 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php042.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php042.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Options Window: PHP: Frameworks & Tools: Atoum</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php043.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php043.htm index 67d99307d..9d1ca01a9 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php043.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_php043.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Options Window: PHP: Frameworks & Tools: Nette Tester</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler.htm index 781386534..e8ff2b561 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Attach Profiler: Attach Settings Dialog Box</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler002.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler002.htm index 16163ba24..33e901ac9 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler002.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler002.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Choose Heap Dump Destination Dialog Box</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler003.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_profiler003.htm index 486f045e0..fe492dd0 100755 ---

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Notifications Window</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm index c8b129b00..0b4e9956f 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Tasks Window</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm index faeeb1fb4..febe032c5 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Javadoc Index Search Window</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm index 7a397d532..faeaa906e 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Using XML</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm index fa305e9fa..5e5419618 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>About the XML Source Editor</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm index 95d02fbec..8ab1895fd 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Add Catalog Dialog Box</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm index f6981c347..74089a77c 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>XSL Transformation Dialog Box</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml004.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml004.htm index 82423ad5e..c118e7342 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml004.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml004.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>XML Editor Toolbar</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/ide-toc.xml b/usersguide/javahelp/org/netbeans/modules/usersguide/ide-toc.xml index 52744643b..65b3f003f 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/ide-toc.xml +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/ide-toc.xml @@ -1,10 +1,23 @@ <?xml version='1.0' encoding='ISO-8859-1' ?> +<!-- * Copyright 1997, 2017, Oracle and/or its affiliates. All rights reserved. -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. -* Use is subject to license terms. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!DOCTYPE toc diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/ide.css b/usersguide/javahelp/org/netbeans/modules/usersguide/ide.css index 42ff7a663..b7b60b266 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/ide.css +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/ide.css @@ -1,8 +1,19 @@ <!-- * Copyright 1997, 2017, Oracle and/or its affiliates. All rights reserved. -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. -* Use is subject to license terms. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + -->

08/13/2004 + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * Copyright © 1997, 2011, Oracle and/or its affiliates. All rights reserved. - * Use is subject to license terms. + * <http://www.apache.org/licenses/LICENSE-2.0> + * + * Unless required by applicable law or agreed to in writing, software + * distributed under the License is distributed on an "AS IS" BASIS, + * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. + * See the License for the specific language governing permissions and + * limitations under the License. + * Changes from NetBeans ide.css: * Oct. 2003 diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/ide.hs b/usersguide/javahelp/org/netbeans/modules/usersguide/ide.hs index fdc9fdbb0..e848dcc5e 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/ide.hs +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/ide.hs @@ -1,10 +1,23 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> <!-- * Copyright (c) 2013, 2017 Oracle and/or its affiliates. All rights reserved. -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - * Use is subject to license terms. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!DOCTYPE helpset PUBLIC "-//Sun Microsystems Inc./DTD JavaHelp HelpSet Version 2.0/EN" diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/legal_notice.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/legal_notice.htm index 14fb46410..049a175fb 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/legal_notice.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/legal_notice.htm @@ -3,38 +3,186 @@ <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en"> <head> <meta http-equiv="content-type" content="text/html; charset=utf-8" /> <title>Oracle Legal Notices</title> <title>Apache Legal Notices</title> <link rel="stylesheet" href="ide.css" type="text/css" /> </head> <body> - <h1>Oracle Legal Notices </h1> - <h3>Copyright Notice </h3> - <p>Copyright © 2017, Oracle and/or its affiliates. All rights reserved. </p> - <h3>Trademark Notice </h3> - <p>Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.</p> - <p>Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.</p> - <h3>License Restrictions Warranty/Consequential Damages Disclaimer </h3> - <p>This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.</p> - <p></p> - <h3>Warranty Disclaimer </h3> - <p>The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing. </p> - <h3>Restricted Rights Notice </h3> - <p>If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:</p> - <p>U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "as is" and "as available" without warranty, and the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.
 </p> - <h3>Hazardous Applications Notice </h3> - <p>This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.
 </p> - <h3>Third-Party Content, Products, and Services Disclaimer </h3> - <p>This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.</p> - <h3>Alpha and Beta Draft Documentation Notice </h3> - <p>If this document is in prerelease status:</p> - <p>This documentation is in preproduction status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.</p> </p> </p> - <h3>Documentation Accessibility </h3> - <p>For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.</p> - <h3>Access to Oracle Support </h3> - <p>Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.</p> </p> </p> <h1>Apache Legal Notices </h1> <p>Apache License
Version 2.0, January 2004

 http://www.apache.org/licenses/ </p> <p>TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION</p> <p>1. Definitions</p> <p>"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.</p> <p>"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.</p> <p>"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.</p> <p>"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.</p> <p>"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.</p> <p>"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.</p> <p>"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).</p> <p>"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.</p> <p>"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."</p> <p>"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.</p> <p>2. Grant of Copyright License</p> <p>Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.</p> <p>3. Grant of Patent License</p> <p>Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.</p> <p>4. Redistribution</p> <p>You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:</p> <ol style="list-style-type: lower-latin;"> You must give any other recipients of the Work or Derivative Works a copy of this License; and You must cause any modified files to carry prominent notices stating that You changed the files; and You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any

part of the Derivative Works; and + If the Work includes a "NOTICE" text file as part of its distribution, +then any Derivative Works that You distribute must include a readable copy +of the attribution notices contained within such NOTICE file, excluding +those notices that do not pertain to any part of the Derivative Works, in +at least one of the following places: within a NOTICE text file distributed +as part of the Derivative Works; within the Source form or documentation, +if provided along with the Derivative Works; or, within a display generated +by the Derivative Works, if and wherever such third-party notices normally +appear. The contents of the NOTICE file are for informational purposes only +and do not modify the License. You may add Your own attribution notices +within Derivative Works that You distribute, alongside or as an addendum to +the NOTICE text from the Work, provided that such additional attribution +notices cannot be construed as modifying the License. +
 +
 +You may add Your own copyright statement to Your modifications and may +provide additional or different license terms and conditions for use, +reproduction, or distribution of Your modifications, or for any such +Derivative Works as a whole, provided Your use, reproduction, and +distribution of the Work otherwise complies with the conditions stated in +this License. + + + <p>5. Submission of Contributions. Unless You +explicitly state otherwise, any Contribution intentionally submitted for +inclusion in the Work by You to the Licensor shall be under the terms and +conditions of this License, without any additional terms or conditions. +Notwithstanding the above, nothing herein shall supersede or modify the +terms of any separate license agreement you may have executed with Licensor +regarding such Contributions.</p> +<p>6. Trademarks. This License does not grant +permission to use the trade names, trademarks, service marks, or product +names of the Licensor, except as required for reasonable and customary use +in describing the origin of the Work and reproducing the content of the +NOTICE file.</p> +<p>7. Disclaimer of Warranty. Unless required by +applicable law or agreed to in writing, Licensor provides the Work (and +each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT +WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, +without limitation, any warranties or conditions of TITLE, +NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You +are solely responsible for determining the appropriateness of using or +redistributing the Work and assume any risks associated with Your exercise +of permissions under this License.</p> +<p>8. Limitation of Liability. In no event and +under no legal theory, whether in tort (including negligence), contract, or +otherwise, unless required by applicable law (such as deliberate and +grossly negligent acts) or agreed to in writing, shall any Contributor be +liable to You for damages, including any direct, indirect, special, +incidental, or consequential damages of any character arising as a result +of this License or out of the use or inability to use the Work (including +but not limited to damages for loss of goodwill, work stoppage, computer +failure or malfunction, or any and all other commercial damages or losses), +even if such Contributor has been advised of the possibility of such +damages.</p> +<p>9. Accepting Warranty or Additional Liability. +While redistributing the Work or Derivative Works thereof, You may choose +to offer, and charge a fee for, acceptance of support, warranty, indemnity, +or other liability obligations and/or rights consistent with this License. +However, in accepting such obligations, You may act only on Your own behalf +and on Your sole responsibility, not on behalf of any other Contributor, +and only if You agree to indemnify, defend, and hold each Contributor +harmless for any liability incurred by, or claims asserted against, such +Contributor by reason of your accepting any such warranty or additional +liability.</p> +<p>END OF TERMS AND CONDITIONS</p> +<h1 id="apply">APPENDIX: How to apply the Apache License to your work¶</h1> +<p>To apply the Apache License to your work, attach the following boilerplate +notice, with the fields enclosed by brackets "[]" replaced with your own +identifying information. (Don't include the brackets!) The text should be +enclosed in the appropriate comment syntax for the file format. We also +recommend that a file or class name and description of purpose be included +on the same "printed page" as the copyright notice for easier +identification within third-party archives.</p> +<div class="codehilite"><pre>Copyright [yyyy] [name of copyright owner] +Licensed under the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, software +distributed under the License is distributed on an "AS IS" BASIS, +WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. +See the License for the specific language governing permissions and +limitations under the License.</pre></div> </body> </html> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/map.xml b/usersguide/javahelp/org/netbeans/modules/usersguide/map.xml index 0fee99807..65323eec7 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/map.xml +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/map.xml @@ -1,24 @@ <?xml version="1.0" encoding="utf-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <map version="2.0"> <mapID target="titlehelp.htm" url="titlehelp.htm" /> +<!-- "NetBeans IDE Online Help"> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/prefacehelp.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/prefacehelp.htm index 35d09e4c9..c32c49c9d 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/prefacehelp.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/prefacehelp.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>Preface</title> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/titlehelp.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/titlehelp.htm index d259b4216..ec54fa931 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/titlehelp.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/titlehelp.htm @@ -1,5 +1,25 @@ <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr"> <head> <title>NetBeans IDE Online Help</title> diff --git a/usersguide/110n.list b/usersguide/110n.list index ce9162167..8a8561d7a 100644 --- a/usersguide/110n.list +++ b/usersguide/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # usersguide read global \${110n-module}/pdf_source/shortcuts.sxw diff --git a/utilities/110n.list b/utilities/110n.list index eaa1f6417..7e25a334b 100644 --- a/utilities/110n.list +++ b/utilities/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # utilities read global \${110n-module}/src/org/netbeans/modules/openfile/*.gif diff --git a/versioning.core/110n.list b/versioning.core/110n.list index a2e9072f6..0e6edd8ae 100644 --- a/versioning.core/110n.list +++ b/versioning.core/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # # versioncontrol read global \${110n-module}/src/org/netbeans/modules/versioning/diff/*.png diff --git a/versioning.ui/110n.list b/versioning.ui/110n.list index a2e9072f6..0e6edd8ae 100644 --- a/versioning.ui/110n.list +++ b/versioning.ui/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses

this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## ## http://www.apache.org/licenses/LICENSE-2.0 ## ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. ## ## versioncontrol read global \${110n-module}/src/org/netbeans/modules/versioning/diff/*.png diff --git a/versioning/110n.list b/versioning/110n.list index a2e9072f6..0e6edd8ae 100644 --- a/versioning/110n.list +++ b/versioning/110n.list @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## ## http://www.apache.org/licenses/LICENSE-2.0 ## ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. ## ## versioncontrol read global \${110n-module}/src/org/netbeans/modules/versioning/diff/*.png diff --git a/welcome/110n.list b/welcome/110n.list index 90d947456..5b49a4595 100644 --- a/welcome/110n.list +++ b/welcome/110n.list @@ -1,3 +1,20 @@ ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## ## http://www.apache.org/licenses/LICENSE-2.0 ## ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. ## ## diff read global \${110n-module}/release/docs/images/*.png diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelExTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelExTest.java index c92e34eab..4e2627680 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelExTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelExTest.java @@ -52,7 +52,9 @@ public AXIModelExTest(String testName) { } public static Test suite() { - TestSuite suite = new TestSuite(AXIModelExTest.class); + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(AXIModelExTest.class); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelPerfTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelPerfTest.java index 01b37fd3b..067e2177c 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelPerfTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelPerfTest.java @@ -47,8 +47,9 @@ public AXIModelPerfTest(String testName) { } public static Test suite() { - TestSuite suite = new TestSuite(AXIModelPerfTest.class); - + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(AXIModelPerfTest.class); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelTest.java index 3a0d74471..875fa173b 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/AXIModelTest.java @@ -57,11 +57,12 @@ public AXIModelTest(String testName, String schemaFile, String elementName) { public static Test suite() { TestSuite suite = new TestSuite(); - suite.addTest(new AXIModelTest("testAXIModel")); - suite.addTest(new AXIModelTest("testAXIModelForMetaSchema")); - suite.addTest(new AXIModelTest("testRecursiveResolve1")); - suite.addTest(new AXIModelTest("testRecursiveResolve2")); - suite.addTest(new AXIModelTest("testSubstitutionGroup")); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new AXIModelTest("testAXIModel")); +// suite.addTest(new AXIModelTest("testAXIModelForMetaSchema")); +// suite.addTest(new AXIModelTest("testRecursiveResolve1")); +// suite.addTest(new AXIModelTest("testRecursiveResolve2")); +// suite.addTest(new AXIModelTest("testSubstitutionGroup")); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/CheckParentTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/CheckParentTest.java index 4777ae243..113f90fe7 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/CheckParentTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/CheckParentTest.java @@ -37,7 +37,9 @@ public CheckParentTest(String testName) { } public static Test suite() { - TestSuite suite = new TestSuite(CheckParentTest.class); + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(CheckParentTest.class); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ContentModelTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ContentModelTest.java index acdc6f8da..5c70c308f 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ContentModelTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ContentModelTest.java @@ -37,7 +37,9 @@ public ContentModelTest(String testName) { } public static Test suite() { - TestSuite suite = new TestSuite(ContentModelTest.class); + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(ContentModelTest.class); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ProxyComponentTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ProxyComponentTest.java index 276e50448..230d3d000 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ProxyComponentTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/ProxyComponentTest.java @@ -39,7 +39,9 @@ public ProxyComponentTest(String testName) { } public static Test suite() { - TestSuite suite = new TestSuite(ProxyComponentTest.class); + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(ProxyComponentTest.class); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaGeneratorDatatypesTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaGeneratorDatatypesTest.java index 38fe94233..b455e8376 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaGeneratorDatatypesTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaGeneratorDatatypesTest.java @@ -46,8 +46,9 @@ protected void setUp() throws Exception { } public static Test suite() { - TestSuite suite = new TestSuite(SchemaGeneratorDatatypesTest.class); - + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(SchemaGeneratorDatatypesTest.class); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaTransformTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaTransformTest.java index a7d49a48f..a2c92b457 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaTransformTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/SchemaTransformTest.java @@ -78,13 +78,14 @@ public static Test suite() { suite.addTest(new SchemaTransformTest("testLineSalamSlice")); suite.addTest(new SchemaTransformTest("testLineVenetianBlind")); suite.addTest(new SchemaTransformTest("testLineRussianDoll")); - suite.addTest(new SchemaTransformTest("testTypes")); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new SchemaTransformTest("testTypes")); +//FIXME suite.addTest(new SchemaTransformTest("testLoanApp")); suite.addTest(new SchemaTransformTest("testAnnotation")); - suite.addTest(new SchemaTransformTest("testPurchaseOrder")); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new SchemaTransformTest("testPurchaseOrder")); +//FIXME suite.addTest(new SchemaTransformTest("testDiscardTransform")); suite.addTest(new SchemaTransformTest("testRenameAfterTransform")); - suite.addTest(new SchemaTransformTest("testNewApproach")); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new SchemaTransformTest("testNewApproach")); suite.addTest(new SchemaTransformTest("testMultiSchemaInclude")); suite.addTest(new SchemaTransformTest("testMultiSchemaImport")); suite.addTest(new SchemaTransformTest("testGlobalElementReuse")); @@ -533,7 +533,7 @@ public void testTypes() { assertTrue("Should not be here", false); } validateSchema(axiModel.getSchemaModel()); - + // printDocument(); assertEquals("global complex types",0,getSchemaModel().getSchema().getComplexTypes().size()); assertEquals("global simple types",0,getSchemaModel().getSchema().getSimpleTypes().size()); @@ -801,7 +801,7 @@ public void testNewApproach() { assertTrue("Should not be here", false); } validateSchema(axiModel.getSchemaModel()); - + // printDocument(); assertEquals("global complex types",3,getSchemaModel().getSchema().getComplexTypes().size()); // assertEquals("global simple types",2,getSchemaModel().getSchema().getSimpleTypes().size()); diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeFactoryTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeFactoryTest.java index 5751126bd..f71ba0bf0 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeFactoryTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeFactoryTest.java @@ -52,8 +52,9 @@ protected void setUp() throws Exception { } public static Test suite() { - TestSuite suite = new TestSuite(DatatypeFactoryTest.class); - + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(DatatypeFactoryTest.class); return suite; } diff --git a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypePerfTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypePerfTest.java index 8d025c11a..7916cad19 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypePerfTest.java +++ b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypePerfTest.java @@ -47,8 +47,9 @@ protected void setUp() throws Exception { } public static Test suite() { - TestSuite suite = new TestSuite(DatatypePerfTest.class); - + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(DatatypePerfTest.class); return suite; } diff --git

```

a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeTest.java
index d6a0436ff..c1e793ba9 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeTest.java +++
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/datatype/DatatypeTest.java @@ -50,8 +50,9 @@ protected void setUp() throws Exception { public static
Test suite() { TestSuite suite = new TestSuite(); - suite.addTest(new DatatypeTest("testDatatypeEnumerations")); - suite.addTest(new
DatatypeTest("testCreateDatatype")); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new
DatatypeTest("testDatatypeEnumerations")); +// suite.addTest(new DatatypeTest("testCreateDatatype")); return suite; } diff --git
a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/MultiFileSyncTest.java
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/MultiFileSyncTest.java index 512fb4236..3e6e83f76 100644 ---
a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/MultiFileSyncTest.java +++
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/MultiFileSyncTest.java @@ -59,7 +59,9 @@ public MultiFileSyncTest(String testName) { } public
static Test suite() { - TestSuite suite = new TestSuite(MultiFileSyncTest.class); + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly
not donated by oracle to apache +// suite.addTestSuite(MultiFileSyncTest.class); return suite; } diff --git
a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/StateChangeTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/StateChangeTest.java
index 84cf79ff7..0152c56ce 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/StateChangeTest.java +++
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/StateChangeTest.java @@ -66,7 +66,9 @@ protected void setUp() throws Exception { } public static
Test suite() { - TestSuite suite = new TestSuite(StateChangeTest.class); + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly
not donated by oracle to apache +// suite.addTestSuite(StateChangeTest.class); return suite; } diff --git
a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncDeadlockTest.java
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncDeadlockTest.java index 927a167ec..87b7b0c1c 100644 ---
a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncDeadlockTest.java +++
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncDeadlockTest.java @@ -48,7 +48,9 @@ public SyncDeadlockTest(String testName) { } public
static Test suite() { - TestSuite suite = new TestSuite(SyncDeadlockTest.class); + TestSuite suite = new TestSuite(); +// Disabled as referenced XSD file were partly
not donated by oracle to apache +// suite.addTestSuite(SyncDeadlockTest.class); return suite; } diff --git
a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncElementTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncElementTest.java
index 2710047be..ee644a1f5 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncElementTest.java +++
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncElementTest.java @@ -70,16 +70,17 @@ public SyncElementTest(String testName) { public static
Test suite() { TestSuite suite = new TestSuite(); - suite.addTest(new SyncElementTest("testRemoveElementFromType")); - suite.addTest(new
SyncElementTest("testRemoveAttributeFromAttrGroup")); - suite.addTest(new SyncElementTest("testChangeType")); - suite.addTest(new
SyncElementTest("testChangeAttributeRef")); - suite.addTest(new SyncElementTest("testChangeTypeContent")); - suite.addTest(new
SyncElementTest("testChangeNameOfElement")); - suite.addTest(new SyncElementTest("testRemoveGlobalElement")); - suite.addTest(new
SyncElementTest("testAddGlobalElement")); - suite.addTest(new SyncElementTest("testChangeElementRef")); - suite.addTest(new
SyncElementTest("testChangeBase")); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new
SyncElementTest("testRemoveElementFromType")); +// suite.addTest(new SyncElementTest("testRemoveAttributeFromAttrGroup")); +// suite.addTest(new
SyncElementTest("testChangeType")); +// suite.addTest(new SyncElementTest("testChangeAttributeRef")); +// suite.addTest(new
SyncElementTest("testChangeTypeContent")); +// suite.addTest(new SyncElementTest("testChangeNameOfElement")); +// suite.addTest(new
SyncElementTest("testRemoveGlobalElement")); +// suite.addTest(new SyncElementTest("testAddGlobalElement")); +// suite.addTest(new
SyncElementTest("testChangeElementRef")); +// suite.addTest(new SyncElementTest("testChangeBase")); return suite; } diff --git
a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncTest.java b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncTest.java index
d608ac5a1..340dbee80 100644 --- a/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncTest.java +++
b/xml.axi/test/unit/src/org/netbeans/modules/xml/axi/sync/SyncTest.java @@ -50,9 +50,10 @@ public SyncTest(String testName) { public static Test suite() {
TestSuite suite = new TestSuite(); - suite.addTest(new SyncTest("testSync")); - suite.addTest(new SyncTest("testOTASyncPerformance")); - //suite.addTest(new
SyncPerfTest("testHealthcareSchemaSyncPerformance")); +// Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new
SyncTest("testSync")); +// suite.addTest(new SyncTest("testOTASyncPerformance")); +// //suite.addTest(new
SyncPerfTest("testHealthcareSchemaSyncPerformance")); return suite; } diff --git a/xml.catalog/build.xml b/xml.catalog/build.xml index 73da46f61..5c1bf5bad
100644 --- a/xml.catalog/build.xml +++ b/xml.catalog/build.xml @@ -22,7 +22,5 @@ <project name="xml.catalog" default="netbeans" basedir="."> <import
file="..\\nbbuild\\templates\\projectized.xml" /> <target name="build-init" depends="projectized.build-init"> <unzip src="external/xml-catalog-external-
resources.zip" dest="src/org/netbeans/modules/xml/catalog/resources" /> </target> + </project> diff --git a/xml.catalog/external/binaries-list
b/xml.catalog/external/binaries-list deleted file mode 100644 index c56e52265..000000000 --- a/xml.catalog/external/binaries-list +++ /dev/null @@ -1,17 +0,0
@@ -# Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this
work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License");
you may not use this file except in compliance # with the License. You may obtain a copy of the License at # http://www.apache.org/licenses/LICENSE-2.0 #
-# Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and
limitations # under the License. -52C8264EBDCB2782BA610463196832DC377814C3 xml-catalog-external-resources.zip diff --git a/xml.catalog/external/xml-
catalog-resources-license.txt b/xml.catalog/external/xml-catalog-resources-license.txt deleted file mode 100644 index 4a344ab54..000000000 ---
a/xml.catalog/external/xml-catalog-resources-license.txt +++ /dev/null @@ -1 +0,0 @@ -https://www.w3.org/Consortium/Legal/2015/copyright-software-and-
document diff --git a/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLNamespace.xsd new file mode 100644 index 000000000..3dd72c104 --- /dev/null +++
b/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLNamespace.xsd @@ -0,0 +1,334 @@ <?xml version='1.0'?> <!-- + W3C Software and
Document Notice and License + + This work is being provided by the copyright holders under the following license. + + License + + By obtaining and/or copying
this work, you (the licensee) agree that you have +read, understood, and will comply with the following terms and conditions. + + Permission to copy, modify, and
distribute this work, with or without +modification, for any purpose and without fee or royalty is hereby granted, +provided that you include the following on ALL
copies of the work or portions +thereof, including modifications: + +- The full text of this NOTICE in a location viewable to users of the + redistributed or
derivative work. +- Any pre-existing intellectual property disclaimers, notices, or terms and + conditions. If none exist, the W3C Software and Document Short
Notice should +be included. +- Notice of any changes or modifications, through a copyright statement on the + new code or document such as "This software or
document includes material + copied from or derived from [title and URI of the W3C document]. + Copyright © [YEAR] W3C® (MIT, ERCIM, Keio, Beihang)."
+ + Disclaimers + + THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR + WARRANTIES, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF + MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR
THAT THE USE OF THE + SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, + TRADEMARKS OR
OTHER RIGHTS. + + COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR + CONSEQUENTIAL DAMAGES
ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT. + + The name and trademarks of copyright holders may NOT be used in advertising or
+ publicity pertaining to the work without specific, written prior permission. + + Title to copyright in this work will at all times remain with copyright +holders. +
+ Changes: + +- Added license header + + --> <?xml-stylesheet href="..\\2008/09/xsd.xsl" type="text/xsl"?> <xs:schema
targetNamespace="http://www.w3.org/XML/1998/namespace" + xmlns:xs="http://www.w3.org/2001/XMLSchema" + xmlns="http://www.w3.org/1999/xhtml" +
xml:lang="en"> + + <xs:annotation> + <xs:documentation> + <div> + <h1>About the XML namespace</h1> + + <div class="bodytext"> + <p> + This schema
document describes the XML namespace, in a form + suitable for import by other schema documents. + </p> + <p> + See <a
href="http://www.w3.org/XML/1998/namespace.html"> + http://www.w3.org/XML/1998/namespace.html</a> and + <a href="http://www.w3.org/TR/REC-xml">
+ http://www.w3.org/TR/REC-xml</a> for information + about this namespace. + </p> + <p> + Note that local names in this namespace are intended to be +
defined only by the World Wide Web Consortium or its subgroups. + The names currently defined in this namespace are listed below. + They should not be used
with conflicting semantics by any Working + Group, specification, or document instance. + </p> + <p> + See further below in this document for more information
about <a href="#usage">how to refer to this schema document from your own + XSD schema documents</a> and about <a href="#nsversioning">the +
namespace-versioning policy governing this schema document</a>. + </p> + <div> + <div> + <xs:documentation> + + <xs:attribute
name="lang"> + <xs:annotation> + <xs:documentation> + <div> + + <h3>lang (as an attribute name)</h3> + <p> + denotes an attribute whose value + is a
language code for the natural language of the content of + any element; its value is inherited. This name is reserved + by virtue of its definition in the XML
specification.</p> + + </div> + <div> + <h4>Notes</h4> + <p> + Attempting to install the relevant ISO 2- and 3-letter + codes as the enumerated possible values
is probably never + going to be a realistic possibility. + </p> + <p> + See BCP 47 at <a href="http://www.rfc-editor.org/rfc/bcp/bcp47.txt"> +
http://www.rfc-editor.org/rfc/bcp/bcp47.txt</a> + and the IANA language subtag registry at + <a href="http://www.iana.org/assignments/language-subtag-registry"> +
http://www.iana.org/assignments/language-subtag-registry</a> + for further information. + </p> + <p> + The union allows for the 'un-declaration' of xml:lang with

```

+ the empty string. + </p> + </div> + </xs:documentation> + </xs:annotation> + <xs:simpleType> + <xs:union memberTypes="xs:language"> + <xs:simpleType> + <xs:restriction base="xs:string"> + <xs:enumeration value=""> + </xs:restriction> + </xs:simpleType> + </xs:union> + </xs:simpleType> + </xs:attribute> + + <xs:attribute name="space"> + <xs:annotation> + <xs:documentation> + <div> + + <h3>space (as an attribute name)</h3> + <p> + denotes an attribute whose + value is a keyword indicating what whitespace processing + discipline is intended for the content of the element; its + value is inherited. This name is reserved by virtue of its + definition in the XML specification.</p> + + </div> + </xs:documentation> + </xs:annotation> + <xs:simpleType> + <xs:restriction base="xs:NCName"> + <xs:enumeration value="default"> + <xs:enumeration value="preserve"> + </xs:restriction> + </xs:simpleType> + </xs:attribute> + + <xs:attribute name="base" type="xs:anyURI"> + <xs:annotation> + <xs:documentation> + <div> + + <h3>base (as an attribute name)</h3> + <p> + denotes an attribute whose value + provides a URI to be used as the base for interpreting any + relative URIs in the scope of the element on which it + appears; its value is inherited. This name is reserved + by virtue of its definition in the XML Base specification.</p> + + <p> + See <a + href="http://www.w3.org/TR/xmlbase/">http://www.w3.org/TR/xmlbase/ + for information about this attribute. + </p> + </div> + </xs:documentation> + </xs:annotation> + </xs:attribute> + + <xs:attribute name="id" type="xs:ID"> + <xs:annotation> + <xs:documentation> + <div> + + <h3>id (as an attribute name)</h3> + <p> + denotes an attribute whose value + should be interpreted as if declared to be of type ID. + This name is reserved by virtue of its definition in the + xml:id specification.</p> + + <p> + See <a + href="http://www.w3.org/TR/xml-id/">http://www.w3.org/TR/xml-id/ + for information about this attribute. + </p> + </div> + </xs:documentation> + </xs:annotation> + + <xs:attribute ref="xml:lang"> + <xs:attribute ref="xml:space"> + <xs:attribute ref="xml:id"> + </xs:attributeGroup> + + <xs:annotation> + <xs:documentation> + <div> + + <h3>Father (in any context at all)</h3> + + <div class="bodytext"> + <p> + denotes Jon Bosak, the chair of + the original XML Working Group. This name is reserved by + the following decision of the W3C XML Plenary and + XML Coordination groups: + </p> + <blockquote> + <p> + In appreciation for his vision, leadership and + dedication the W3C XML Plenary on this 10th day of + February, 2000, reserves for Jon Bosak in perpetuity + the XML name "xml:Father". + </p> + </blockquote> + </div> + </div> + </xs:documentation> + </xs:annotation> + + <xs:annotation> + <xs:documentation> + <div xml:id="usage" id="usage"> + <h2>About this schema document</h2> + + <div class="bodytext"> + <p> + This schema defines attributes and an attribute group suitable + for use by schemas wishing to allow <code>xml:base</code>, + <code>xml:lang</code>, <code>xml:space</code> or + <code>xml:id</code> attributes on elements they define. + </p> + <p> + To enable this, such a schema must import this schema for + the XML namespace, e.g. as follows: + </p> + <pre> + <?xml version="1.0"> + <?import namespace="http://www.w3.org/XML/1998/namespace" + schemaLocation="http://www.w3.org/2001/xml.xsd"/> + </pre> + <p> + or + </p> + <pre> + <?import namespace="http://www.w3.org/XML/1998/namespace" + schemaLocation="http://www.w3.org/2009/01/xml.xsd"/> + </pre> + <p> + Subsequently, qualified reference to any of the attributes or the + group defined below will have the desired effect, e.g. + </p> + <pre> + <?type . . . + <?attributeGroup ref="xml:specialAttrs"/> + </pre> + <p> + will define a type which will schema-validate an instance element + with any of those attributes. + </p> + </div> + </div> + </xs:documentation> + </xs:annotation> + + <xs:annotation> + <xs:documentation> + <div id="nsversioning" xml:id="nsversioning"> + <h2>Versioning policy for this schema document</h2> + <div class="bodytext"> + <p> + In keeping with the XML Schema WG's standard versioning + policy, this schema document will persist at + http://www.w3.org/2009/01/xml.xsd. + </p> + <p> + At the date of issue it can also be found at + http://www.w3.org/2001/xml.xsd. + </p> + <p> + The schema document at that URI may however change in the future, + in order to remain compatible with the latest version of XML + Schema itself, or with the XML namespace itself. In other words, + if the XML Schema or XML namespaces change, the version of this + document at http://www.w3.org/2001/xml.xsd + + will change accordingly; the version at + http://www.w3.org/2009/01/xml.xsd + + will not change. + </p> + <p> + Previous dated (and unchanging) versions of this schema + document are at: + </p> + + http://www.w3.org/2009/01/xml.xsd + http://www.w3.org/2007/08/xml.xsd + http://www.w3.org/2004/10/xml.xsd + http://www.w3.org/2001/03/xml.xsd + + </div> + </div> + </xs:documentation> + </xs:annotation> + + </xs:schema> + diff --git a/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema-instance.xsd b/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema-instance.xsd new file mode 100644 index 0000000000..7afdcdf0b --- /dev/null +++ b/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema-instance.xsd @@ -0,0 +1,84 @@ +<?xml version='1.0'?> +<!-- +W3C Software and Document Notice and License + +This work is being provided by the copyright holders under the following license. + +License + +By obtaining and/or copying this work, you (the licensee) agree that you have +read, understood, and will comply with the following terms and conditions. + +Permission to copy, modify, and distribute this work, with or without +modification, for any purpose and without fee or royalty is hereby granted, +provided that you include the following on ALL copies of the work or portions +thereof, including modifications: + +The full text of this NOTICE in a location viewable to users of the +redistributed or derivative work. + +Any pre-existing intellectual property disclaimers, notices, or terms and +conditions. If none exist, the W3C Software and Document Short Notice should +be included. + +Notice of any changes or modifications, through a copyright statement on the +new code or document such as "This software or document includes material +copied from or derived from [title and URI of the W3C document]. +Copyright © [YEAR] W3C® (MIT, ERCIM, Keio, Beihang)." + +Disclaimers + +THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR +WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF +MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE +SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, +TRADEMARKS OR OTHER RIGHTS. + +COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR +CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT. + +The name and trademarks of copyright holders may NOT be used in advertising or +publicity pertaining to the work without specific, written prior permission. + +Title to copyright in this work will at all times remain with copyright +holders. + +Changes: + +Added license header + +--> +<!DOCTYPE xs:schema SYSTEM "XMLSchema.dtd" [+<!ELEMENT p ANY> +<!ELEMENT a ANY> +<!ATTLIST a href CDATA #IMPLIED> +<!ELEMENT hr ANY> +<!ELEMENT h1 ANY> +<!ELEMENT br ANY> +]> +<xs:schema targetNamespace="http://www.w3.org/2001/XMLSchema-instance" +xmlns:xs="http://www.w3.org/2001/XMLSchema" +xmlns="http://www.w3.org/1999/xhtml"> +<xs:annotation> +<xs:documentation> +<h1>XML Schema instance namespace</h1> +<p>See the XML Schema +Recommendation for an introduction</p> + +<hr /> + \$Date: 2001/03/16 20:25:57 \$
 + \$Id: XMLSchema-instance.xsd,v 1.4 2001/03/16 20:25:57 ht Exp \$ + </xs:documentation> + </xs:annotation> + <xs:annotation> + <xs:documentation> + <p>This schema should never be used as such: + the XML + Schema Recommendation forbids the declaration of + attributes in this namespace</p> + </xs:documentation> + </xs:annotation> + + <xs:attribute name="nil"/> + <xs:attribute name="type"/> + <xs:attribute name="schemaLocation"/> + <xs:attribute name="noNamespaceSchemaLocation"/> + </xs:schema> diff --git a/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.dtd b/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.dtd new file mode 100644 index 0000000000..8b3a72687 --- /dev/null +++ b/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.dtd @@ -0,0 +1,449 @@ +<!-- +W3C Software and Document Notice and License + +This work is being provided by the copyright holders under the following license. + +License + +By obtaining and/or copying this work, you (the licensee) agree that you have +read, understood, and will comply with the following terms and conditions. + +Permission to copy, modify, and distribute this work, with or without +modification, for any purpose and without fee or royalty is hereby granted, +provided that you include the following on ALL copies of the work or portions +thereof, including modifications: + +The full text of this NOTICE in a location viewable to users of the +redistributed or derivative work. + +Any pre-existing intellectual property disclaimers, notices, or terms and +conditions. If none exist, the W3C Software and Document Short Notice should +be included. + +Notice of any changes or modifications, through a copyright statement on the +new code or document such as "This software or document includes material +copied from or derived from [title and URI of the W3C document]. +Copyright © [YEAR] W3C® (MIT, ERCIM, Keio, Beihang)." + +Disclaimers + +THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR +WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF +MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE +SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, +TRADEMARKS OR OTHER RIGHTS. + +COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR +CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT. + +The name and trademarks of copyright holders may NOT be used in advertising or +publicity pertaining to the work without specific, written prior permission. + +Title to copyright in this work will at all times remain with copyright +holders. + +Changes: + +Added license header + +--> +<!-- DTD for XML Schemas: Part 1: Structures + Public Identifier: "-//W3C//DTD XMLSCHEMA 200102/EN" + Official Location: http://www.w3.org/2001/XMLSchema.dtd --> +<!-- \$Id\$ --> +<!-- Note this DTD is NOT normative, or even definitive. --> +<!-- prose copy in the structures REC is the definitive version --> +<!-- --> +<!-- (which shouldn't differ from this one except for this --> +<!-- --> +<!-- comment and entity expansions, but just in case) --> +<!-- --> +<!-- With the exception of cases with multiple namespace + prefixes for the XML Schema namespace, any XML document which is + not valid per this DTD given redefinitions in its internal subset of the + 'p' and 's' parameter entities below appropriate to its namespace + declaration of the XML Schema namespace is almost certainly not + a valid schema. --> +<!-- The simpleType element and its constituent parts + are defined in XML Schema: Part 2: Datatypes --> +<!-- ENTITY % xs-datatypes PUBLIC 'datatypes' 'datatypes.dtd' --> +<!-- ENTITY % p 'xs:' --> +<!-- can be overridden in the internal subset of a + schema document to establish a different + namespace prefix --> +<!-- ENTITY % s 'xs:' --> +<!-- if %p is defined (e.g. as foo:) then you must + also define %s as the suffix for the appropriate + namespace declaration (e.g. :foo) --> +<!-- ENTITY % nds 'xmlns:gs;' --> +<!-- Define all the element names, with optional prefix --> +<!-- ENTITY % schema "%p;schema" --> +<!-- ENTITY % complexType

"%p;complexType"> +<!ENTITY % complexContent "%p;complexContent"> +<!ENTITY % simpleContent "%p:simpleContent"> +<!ENTITY % extension "%p;extension"> +<!ENTITY % element "%p;element"> +<!ENTITY % unique "%p:unique"> +<!ENTITY % key "%p:key"> +<!ENTITY % keyref "%p:keyref"> +<!ENTITY % selector "%p:selector"> +<!ENTITY % field "%p:field"> +<!ENTITY % group "%p:group"> +<!ENTITY % all "%p:all"> +<!ENTITY % choice "%p:choice"> +<!ENTITY % sequence "%p:sequence"> +<!ENTITY % any "%p:any"> +<!ENTITY % anyAttribute "%p:anyAttribute"> +<!ENTITY % attribute "%p:attribute"> +<!ENTITY % attributeGroup "%p:attributeGroup"> +<!ENTITY % include "%p:include"> +<!ENTITY % import "%p:import"> +<!ENTITY % redefine "%p:redefine"> +<!ENTITY % notation "%p:notation"> + +<!-- annotation elements --> +<!ENTITY % annotation "%p:annotation"> +<!ENTITY % appinfo "%p:appinfo"> +<!ENTITY % documentation "%p:documentation"> + +<!-- Customisation entities for the ATTLIST of each element type. + Define one of these if your schema takes advantage of the + anyAttribute=##other' in the schema for schemas --> + +<!ENTITY % schemaAttrs "> +<!ENTITY % complexTypeAttrs "> +<!ENTITY % complexContentAttrs "> +<!ENTITY % simpleContentAttrs "> +<!ENTITY % extensionAttrs "> +<!ENTITY % elementAttrs "> +<!ENTITY % groupAttrs "> +<!ENTITY % allAttrs "> +<!ENTITY % choiceAttrs "> +<!ENTITY % sequenceAttrs "> +<!ENTITY % anyAttrs "> +<!ENTITY % anyAttributeAttrs "> +<!ENTITY % attributeAttrs "> +<!ENTITY % attributeGroupAttrs "> +<!ENTITY % uniqueAttrs "> +<!ENTITY % keyAttrs "> +<!ENTITY % keyrefAttrs "> +<!ENTITY % selectorAttrs "> +<!ENTITY % fieldAttrs "> +<!ENTITY % includeAttrs "> +<!ENTITY % importAttrs "> +<!ENTITY % redefineAttrs "> +<!ENTITY % notationAttrs "> +<!ENTITY % annotationAttrs "> +<!ENTITY % appinfoAttrs "> +<!ENTITY % documentationAttrs "> + +<!ENTITY % complexDerivationSet "CDATA"> +<!-- #all or space-separated list drawn from + derivationChoice + 'substitution' --> + +<!ENTITY % mgs "%all; | %choice; | %sequence;> +<!ENTITY % cs "%choice; | %sequence;> +<!ENTITY % formValues '(qualified|unqualified)> + +<!ENTITY % attrDecls '(%attribute; | %attributeGroup;)*,(%anyAttribute;)?> +<!ENTITY % particleAndAttrs '(%mgs; | %group;)?, %attrDecls;> + +<!-- This is used in part2 --> +<!ENTITY % restriction1 '(%mgs; | %group;)?> + +%xs-datatypes; + +<!-- the duplication below is to produce an unambiguous content model + which allows annotation everywhere --> +<!ELEMENT %schema; ((%include; | %import; | %redefine; | %annotation;)*, + ((%simpleType; | %complexType; + | %element; | %attribute; + | %attributeGroup; | %group; + | %notation;), + (%annotation;)*)*)> +<ATTLIST %schema; + targetNamespace %URIref; #IMPLIED + version CDATA #IMPLIED + %nds; %URIref; #FIXED 'http://www.w3.org/2001/XMLSchema' + xmlns CDATA #IMPLIED + finalDefault %complexDerivationSet; + blockDefault %blockSet; + id ID #IMPLIED + elementFormDefault %formValues; 'unqualified' + attributeFormDefault %formValues; 'unqualified' + xml:lang CDATA #IMPLIED + %schemaAttrs;> +<!-- Note the xmlns declaration is NOT in the Schema for Schemas, + because at the Infoset level where schemas operate, + xmlns:(prefix) is NOT an attribute! --> +<!-- The declaration of xmlns is a convenience for schema authors --> + +<!-- The id attribute here and below is for use in external references + from non-schemas using simple fragment identifiers. + It is NOT used for schema-to-schema reference, internal or + external. --> + +<!-- a type is a named content type specification which allows attribute + declarations--> +<!-- --> + +<!ELEMENT %complexType; ((%annotation;)?, + (%simpleContent;%complexContent;| + %particleAndAttrs;))> +<ATTLIST %complexType; + name %NCName; #IMPLIED + id ID #IMPLIED + abstract %boolean; #IMPLIED + final %complexDerivationSet; #IMPLIED + block %complexDerivationSet; #IMPLIED + mixed (true|false) 'false' + %complexTypeAttrs;> + +<!-- particleAndAttrs is shorthand for a root type --> +<!-- mixed is disallowed if simpleContent, overridden if complexContent + has one too. --> + +<!-- If anyAttribute appears in one or more referenced attributeGroups + and/or explicitly, the intersection of the permissions is used --> + +<!ELEMENT %complexContent; ((%annotation;)?, (%restriction;%extension;))> +<ATTLIST %complexContent; + mixed (true|false) #IMPLIED + id ID #IMPLIED + %complexContentAttrs;> + +<!-- restriction should use the branch defined above, not the simple + one from part2; extension should use the full model --> + +<!ELEMENT %simpleContent; ((%annotation;)?, (%restriction;%extension;))> +<ATTLIST %simpleContent; + id ID #IMPLIED + %simpleContentAttrs;> + +<!-- restriction should use the simple branch from part2, not the + one defined above; extension should have no particle --> + +<!ELEMENT %extension; ((%annotation;)?, (%particleAndAttrs;))> +<ATTLIST %extension; + base %QName; #REQUIRED + id ID #IMPLIED + %extensionAttrs;> + +<!-- an element is declared by either: + a name and a type (either nested or referenced via the type attribute) + or a ref to an existing element declaration --> + +<!ELEMENT %element; ((%annotation;)?, (%complexType; | %simpleType;)?, + (%unique; | %key; | %keyref;)*)> +<!-- simpleType or complexType only if no type|ref attribute --> + +<!-- ref not allowed at top level --> + +<ATTLIST %element; + name %NCName; #IMPLIED + id ID #IMPLIED + ref %QName; #IMPLIED + type %QName; #IMPLIED + minOccurs %nonNegativeInteger; #IMPLIED + maxOccurs CDATA #IMPLIED + nillable %boolean; #IMPLIED + substitutionGroup %QName; #IMPLIED + abstract %boolean; #IMPLIED + final %complexDerivationSet; #IMPLIED + block %blockSet; #IMPLIED + default CDATA #IMPLIED + fixed CDATA #IMPLIED + form %formValues; #IMPLIED + %elementAttrs;> + +<!-- type and ref are mutually exclusive. + name and ref are mutually exclusive, one is required --> + +<!-- In the absence of type AND ref, type defaults to type of + substitutionGroup, if any, else the ur-type, i.e. unconstrained --> + +<!-- default and fixed are mutually exclusive --> + +<!ELEMENT %group; ((%annotation;)?,(%mgs;))> +<ATTLIST %group; + name %NCName; #IMPLIED + ref %QName; #IMPLIED + minOccurs %nonNegativeInteger; #IMPLIED + maxOccurs CDATA #IMPLIED + id ID #IMPLIED + %groupAttrs;> + +<!ELEMENT %all; ((%annotation;)?, (%element;)*)> +<ATTLIST %all; + minOccurs (1) #IMPLIED + maxOccurs (1) #IMPLIED + id ID #IMPLIED + %allAttrs;> + +<!ELEMENT %choice; ((%annotation;)?, (%element;| %group;| %cs; | %any;)*)> +<ATTLIST %choice; + minOccurs %nonNegativeInteger; #IMPLIED + maxOccurs CDATA #IMPLIED + id ID #IMPLIED + %choiceAttrs;> + +<!ELEMENT %sequence; ((%annotation;)?, (%element;| %group;| %cs; | %any;)*)> +<ATTLIST %sequence; + minOccurs %nonNegativeInteger; #IMPLIED + maxOccurs CDATA #IMPLIED + id ID #IMPLIED + %sequenceAttrs;> + +<!-- an anonymous grouping in a model, or + a top-level named group definition, or a reference to same --> + +<!-- Note that if order is 'all', group is not allowed inside. + If order is 'all' THIS group must be alone (or referenced alone) at + the top level of a content model --> + +<!-- If order is 'all', minOccurs==maxOccurs==1 on element/any inside --> + +<!-- Should allow minOccurs=0 inside order='all' . . . --> + +<!ELEMENT %any; ((%annotation;)?> +<ATTLIST %any; + namespace CDATA '##any' + processContents (skip| lax|strict) 'strict' + minOccurs %nonNegativeInteger; '1' + maxOccurs CDATA '1' + id ID #IMPLIED + %anyAttrs;> + +<!-- namespace is interpreted as follows: + ##any - any non-conflicting WFXML at all + + ##other - any non-conflicting WFXML from namespace other + than targetNamespace + + ##local - any unqualified non-conflicting WFXML/attribute + one or - any non-conflicting WFXML from + more URI the listed namespaces + references + + ##targetNamespace ##local may appear in the above list, + with the obvious meaning --> + +<!ELEMENT %anyAttribute; ((%annotation;)?> +<ATTLIST %anyAttribute; + namespace CDATA '##any' + processContents (skip| lax|strict) 'strict' + id ID #IMPLIED + %anyAttributeAttrs;> + +<!-- namespace is interpreted as for 'any' above --> + +<!-- simpleType only if no type|ref attribute --> + +<!-- ref not allowed at top level, name iff at top level --> + +<!ELEMENT %attribute; ((%annotation;)?, (%simpleType;))> +<ATTLIST %attribute; + name %NCName; #IMPLIED + id ID #IMPLIED + ref %QName; #IMPLIED + type %QName; #IMPLIED + use (prohibited|optional|required) #IMPLIED + default CDATA #IMPLIED + fixed CDATA #IMPLIED + form %formValues; #IMPLIED + %attributeAttrs;> +<!-- type and ref are mutually exclusive. + name and ref are mutually exclusive, one is required --> + +<!-- default for use is optional when nested, none otherwise --> + +<!-- default and fixed are mutually exclusive --> + +<!-- type attr and simpleType content are mutually exclusive --> + +<!-- an attributeGroup is a named collection of attribute decls, or a + reference thereto --> +<!ELEMENT %attributeGroup; ((%annotation;)?, + (%attribute; | %attributeGroup;)*, + (%anyAttribute;)?> +<ATTLIST %attributeGroup; + name %NCName; #IMPLIED + id ID #IMPLIED + ref %QName; #IMPLIED + %attributeGroupAttrs;> + +<!-- ref iff no content, no name. ref iff not top level --> + +<!-- better reference mechanisms --> +<!ELEMENT %unique; ((%annotation;)?, %selector;, (%field;)+> +<ATTLIST %unique; + name %NCName; #REQUIRED + id ID #IMPLIED + %uniqueAttrs;> + +<!ELEMENT %key; ((%annotation;)?, %selector;, (%field;)+> +<ATTLIST %key; + name %NCName; #REQUIRED + id ID #IMPLIED + %keyAttrs;> + +<!ELEMENT %keyref; ((%annotation;)?, %selector;, (%field;)+> +<ATTLIST %keyref; + name %NCName; #REQUIRED + refer %QName; #REQUIRED + id ID #IMPLIED + %keyrefAttrs;> + +<!ELEMENT %selector; ((%annotation;)?> +<ATTLIST %selector; + xpath %XPathExpr; #REQUIRED + id ID #IMPLIED + %selectorAttrs;> +<!ELEMENT %field; ((%annotation;)?> +<ATTLIST %field; + xpath %XPathExpr; #REQUIRED + id ID #IMPLIED + %fieldAttrs;> + +<!-- Schema combination mechanisms --> +<!ELEMENT %include; ((%annotation;)?> +<ATTLIST %include; + schemaLocation %URIref; #REQUIRED + id ID #IMPLIED + %includeAttrs;> + +<!ELEMENT %import; ((%annotation;)?> +<ATTLIST %import; + namespace %URIref; #IMPLIED + schemaLocation %URIref; #IMPLIED + id ID #IMPLIED + %importAttrs;> + +<!-- ELEMENT %redefine; (%annotation; | %simpleType; | %complexType; | %attributeGroup; | %group;)*> +<ATTLIST %redefine; + schemaLocation %URIref; #REQUIRED + id ID #IMPLIED + %redefineAttrs;> + +<!ELEMENT %notation; ((%annotation;)?> +<ATTLIST %notation; + name %NCName; #REQUIRED + id ID #IMPLIED + public CDATA #REQUIRED + system %URIref; #IMPLIED + %notationAttrs;> + +<!-- Annotation is either application information or documentation --> + +<!-- By having these here they are available for datatypes as well + as all the structures elements --> + +<!ELEMENT %annotation; (%appinfo; | %documentation;)*> +<ATTLIST %annotation; %annotationAttrs;> + +<!-- User must define annotation elements in internal subset for this + to work --> + +<!ELEMENT %appinfo; ANY> +<!-- too restrictive --> +<ATTLIST %appinfo; + source %URIref; #IMPLIED + id ID #IMPLIED + %appinfoAttrs;> + +<!ELEMENT %documentation; ANY> +<!-- too restrictive --> +<ATTLIST %documentation; + source %URIref; #IMPLIED + id ID #IMPLIED + %documentationAttrs;> + +<NOTATION XMLSchemaStructures PUBLIC + 'structures' 'http://www.w3.org/2001/XMLSchema.xsd'> +<NOTATION XML PUBLIC + 'REC-xml-1998-0210' 'http://www.w3.org/TR/1998/REC-xml-19980210'> diff --git a/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.xsd b/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.xsd new file mode 100644 index 000000000..fbb0c4433 --- /dev/null +++ b/xml.catalog/src/org/netbeans/modules/xml/catalog/resources/XMLSchema.xsd @@ -0,0 +1,2581 @@ +<?xml version='1.0' encoding='UTF-8'?> +<!-- + W3C Software and Document Notice and License + +This work is being provided by the copyright holders under the following license. + +License + +By obtaining and/or copying this work, you (the licensee) agree that you have +read, understood, and will comply with the following terms and conditions. + +Permission to copy, modify, and distribute this work, with or without +modification, for any purpose and without fee or royalty is hereby granted, +provided that you include the following on ALL copies of the work or portions +thereof, including modifications: + + - The full text of this NOTICE in a location viewable to users of the +

redistributed or derivative work. +- Any pre-existing intellectual property disclaimers, notices, or terms and + conditions. If none exist, the W3C Software and Document Short Notice should + be included. +- Notice of any changes or modifications, through a copyright statement on the + new code or document such as "This software or document includes material + copied from or derived from [title and URI of the W3C document]. + Copyright © [YEAR] W3C® (MIT, ERCIM, Keio, Beihang)." + +Disclaimers + +THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR + WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF +MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE +SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, +TRADEMARKS OR OTHER RIGHTS. + +COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR +CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT. + +The name and trademarks of copyright holders may NOT be used in advertising or +publicity pertaining to the work without specific, written prior permission. +Title to copyright in this work will at all times remain with copyright +holders. + +Changes: + + Added license header + +--> +<!-- XML Schema schema for XML Schemas: Part 1: Structures --> +<!-- Note this schema is NOT the normative structures schema. --> +<!-- The prose copy in the structures REC is the normative --> +<!-- version (which shouldn't differ from this one except for --> +<!-- this comment and entity expansions, but just in case --> +<!-- DOCTYPE xs:schema PUBLIC "-//W3C//DTD XMLSCHEMA 200102/EN" "XMLSchema.dtd" [+ +<!-- provide ID type information even for parsers which only read the + internal subset --> +<!-- ATTLIST xs:schema id ID #IMPLIED> +<!-- ATTLIST xs:complexType id ID #IMPLIED> +<!-- ATTLIST xs:complexContent id ID #IMPLIED> +<!-- ATTLIST xs:simpleContent id ID #IMPLIED> +<!-- ATTLIST xs:extension id ID #IMPLIED> +<!-- ATTLIST xs:element id ID #IMPLIED> +<!-- ATTLIST xs:group id ID #IMPLIED> +<!-- ATTLIST xs:all id ID #IMPLIED> +<!-- ATTLIST xs:choice id ID #IMPLIED> +<!-- ATTLIST xs:sequence id ID #IMPLIED> +<!-- ATTLIST xs:any id ID #IMPLIED> +<!-- ATTLIST xs:anyAttribute id ID #IMPLIED> +<!-- ATTLIST xs:attribute id ID #IMPLIED> +<!-- ATTLIST xs:attributeGroup id ID #IMPLIED> +<!-- ATTLIST xs:unique id ID #IMPLIED> +<!-- ATTLIST xs:key id ID #IMPLIED> +<!-- ATTLIST xs:keyref id ID #IMPLIED> +<!-- ATTLIST xs:selector id ID #IMPLIED> +<!-- ATTLIST xs:field id ID #IMPLIED> +<!-- ATTLIST xs:include id ID #IMPLIED> +<!-- ATTLIST xs:import id ID #IMPLIED> +<!-- ATTLIST xs:redefine id ID #IMPLIED> +<!-- ATTLIST xs:notation id ID #IMPLIED> +<!-- + keep this schema XML1.0 DTD valid + --> +<!-- ENTITY % schemaAttrs 'xmlns:hfp CDATA #IMPLIED'> + +<!-- ELEMENT hfp:hasFacet EMPTY> +<!-- ATTLIST hfp:hasFacet + name NMTOKEN #REQUIRED> + +<!-- ELEMENT hfp:hasProperty EMPTY> +<!-- ATTLIST hfp:hasProperty + name NMTOKEN #REQUIRED + value CDATA #REQUIRED> +<!-- + Make sure that processors that do not read the external + subset will know about the various IDs we declare + --> +<!-- ATTLIST xs:simpleType id ID #IMPLIED> +<!-- ATTLIST xs:maxExclusive id ID #IMPLIED> +<!-- ATTLIST xs:minExclusive id ID #IMPLIED> +<!-- ATTLIST xs:maxInclusive id ID #IMPLIED> +<!-- ATTLIST xs:minInclusive id ID #IMPLIED> +<!-- ATTLIST xs:totalDigits id ID #IMPLIED> +<!-- ATTLIST xs:fractionDigits id ID #IMPLIED> +<!-- ATTLIST xs:length id ID #IMPLIED> +<!-- ATTLIST xs:minLength id ID #IMPLIED> +<!-- ATTLIST xs:maxLength id ID #IMPLIED> +<!-- ATTLIST xs:enumeration id ID #IMPLIED> +<!-- ATTLIST xs:pattern id ID #IMPLIED> +<!-- ATTLIST xs:appinfo id ID #IMPLIED> +<!-- ATTLIST xs:documentation id ID #IMPLIED> +<!-- ATTLIST xs:list id ID #IMPLIED> +<!-- ATTLIST xs:union id ID #IMPLIED> +> +<xs:schema targetNamespace="http://www.w3.org/2001/XMLSchema" blockDefault="#all" elementFormDefault="qualified" version="1.0" xmlns:xs="http://www.w3.org/2001/XMLSchema" xml:lang="EN" xmlns:hfp="http://www.w3.org/2001/XMLSchema-hasFacetAndProperty"> +<xs:documentation> + Part 1 version: Id: structures.xsd,v 1.2 2004/01/15 11:34:25 ht Exp + Part 2 version: Id: datatypes.xsd,v 1.3 2004/01/23 18:11:13 ht Exp +</xs:documentation> +<xs:annotation> +<xs:documentation source="http://www.w3.org/TR/2004/PER-xmlschema-1-20040318/structures.html"> + The schema corresponding to this document is normative, + with respect to the syntactic constraints it expresses in the + XML Schema language. The documentation (within <documentation> elements) + below, is not normative, but rather highlights important aspects of + the W3C Recommendation of which this is a part</xs:documentation> +</xs:annotation> +<xs:annotation> +<xs:documentation> + The simpleType element and all of its members are defined + towards the end of this schema document</xs:documentation> +</xs:annotation> +<xs:import namespace="http://www.w3.org/XML/1998/namespace" schemaLocation="http://www.w3.org/2001/xml.xsd"> +<xs:annotation> +<xs:documentation> + Get access to the xml: attribute groups for xml:lang + as declared on 'schema' and 'documentation' below +</xs:documentation> +</xs:annotation> +<xs:import> +<xs:complexType name="openAttrs"> +<xs:annotation> +<xs:documentation> + This type is extended by almost all schema types + to allow attributes from other namespaces to be + added to user schemas. +</xs:documentation> +</xs:annotation> +<xs:complexContent> +<xs:restriction base="xs:anyType"> +<xs:anyAttribute namespace="##other" processContents="lax"/> +</xs:restriction> +</xs:complexContent> +</xs:complexType> +<xs:complexType name="annotated"> +<xs:annotation> +<xs:documentation> + This type is extended by all types which allow annotation + other than <schema> itself +</xs:documentation> +</xs:annotation> +<xs:complexContent> +<xs:extension base="xs:openAttrs"> +<xs:sequence> +<xs:element ref="xs:annotation" minOccurs="0"/> +</xs:sequence> +<xs:attribute name="id" type="xs:ID"/> +</xs:extension> +</xs:complexContent> +</xs:complexType> +<xs:group name="schemaTop"> +<xs:annotation> +<xs:documentation> + This group is for the + elements which occur freely at the top level of schemas. + All of their types are based on the "annotated" type by extension.</xs:documentation> +</xs:annotation> +<xs:choice> +<xs:group ref="xs:redefinable"/> +<xs:element ref="xs:element"/> +<xs:element ref="xs:attribute"/> +<xs:element ref="xs:notation"/> +</xs:choice> +</xs:group> +<xs:group name="redefinable"> +<xs:annotation> +<xs:documentation> + This group is for the + elements which can self-redefine (see <redefine> below).</xs:documentation> +</xs:annotation> +<xs:choice> +<xs:element ref="xs:simpleType"/> +<xs:element ref="xs:complexType"/> +<xs:element ref="xs:group"/> +<xs:element ref="xs:attributeGroup"/> +</xs:choice> +</xs:group> +<xs:simpleType name="formChoice"> +<xs:annotation> +<xs:documentation> + A utility type, not for public use</xs:documentation> +</xs:annotation> +<xs:restriction base="xs:NMTOKEN"> +<xs:enumeration value="qualified"/> +<xs:enumeration value="unqualified"/> +</xs:restriction> +</xs:simpleType> +<xs:simpleType name="reducedDerivationControl"> +<xs:annotation> +<xs:documentation> + A utility type, not for public use</xs:documentation> +</xs:annotation> +<xs:restriction base="xs:derivationControl"> +<xs:enumeration value="extension"/> +<xs:enumeration value="restriction"/> +</xs:restriction> +</xs:simpleType> +<xs:simpleType name="derivationSet"> +<xs:annotation> +<xs:documentation> + A utility type, not for public use</xs:documentation> +</xs:annotation> +<xs:restriction base="xs:token"> +<xs:enumeration value="#all"/> +</xs:restriction> +</xs:simpleType> +<xs:simpleType> +<xs:list itemType="xs:reducedDerivationControl"/> +</xs:simpleType> +</xs:union> +</xs:simpleType> +<xs:simpleType name="typeDerivationControl"> +<xs:annotation> +<xs:documentation> + A utility type, not for public use</xs:documentation> +</xs:annotation> +<xs:restriction base="xs:derivationControl"> +<xs:enumeration value="extension"/> +<xs:enumeration value="restriction"/> +<xs:enumeration value="list"/> +<xs:enumeration value="union"/> +</xs:restriction> +</xs:simpleType> +<xs:simpleType name="fullDerivationSet"> +<xs:annotation> +<xs:documentation> + A utility type, not for public use</xs:documentation> +</xs:annotation> +<xs:restriction base="xs:token"> +<xs:enumeration value="#all"/> +</xs:restriction> +</xs:simpleType> +<xs:simpleType> +<xs:list itemType="xs:typeDerivationControl"/> +</xs:simpleType> +</xs:union> +</xs:simpleType> +<xs:element name="schema" id="schema"> +<xs:annotation> +<xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-schema"> +</xs:annotation> +<xs:complexType> +<xs:complexContent> +<xs:extension base="xs:openAttrs"> +<xs:sequence> +<xs:choice minOccurs="0" maxOccurs="unbounded"> +<xs:element ref="xs:include"/> +<xs:element ref="xs:import"/> +<xs:element ref="xs:redefine"/> +<xs:element ref="xs:annotation"/> +</xs:choice> +<xs:sequence minOccurs="0" maxOccurs="unbounded"> +<xs:group ref="xs:schemaTop"/> +<xs:element ref="xs:annotation" minOccurs="0" maxOccurs="unbounded"/> +</xs:sequence> +</xs:sequence> +<xs:attribute name="targetNamespace" type="xs:anyURI"/> +<xs:attribute name="version" type="xs:token"/> +<xs:attribute name="finalDefault" type="xs:fullDerivationSet" use="optional" default=""/> +<xs:attribute name="blockDefault" type="xs:blockSet" use="optional" default=""/> +<xs:attribute name="attributeFormDefault" type="xs:formChoice" use="optional" default="unqualified"/> +<xs:attribute name="elementFormDefault" type="xs:formChoice" use="optional" default="unqualified"/> +<xs:attribute name="id" type="xs:ID"/> +<xs:attribute ref="xml:lang"/> +</xs:extension> +</xs:complexContent> +</xs:complexType> +<xs:key name="element"> +<xs:selector xpath="xs:element"/> +<xs:field xpath="@name"/> +</xs:key> +<xs:key name="group"> +<xs:selector xpath="xs:group"/> +<xs:field xpath="@name"/> +</xs:key> +<xs:key name="attributeGroup"> +<xs:selector xpath="xs:attributeGroup"/> +<xs:field xpath="@name"/> +</xs:key> +<xs:key name="notation"> +<xs:selector xpath="xs:notation"/> +<xs:field xpath="@name"/> +</xs:key> +<xs:key name="identityConstraint"> +<xs:selector xpath="//xs:key[./xs:unique,./xs:keyref]"/> +<xs:field xpath="@name"/> +</xs:key> +<xs:simpleType name="allNNI"> +<xs:annotation> +<xs:documentation> + for maxOccurs</xs:documentation> +</xs:annotation> +<xs:union memberTypes="xs:nonNegativeInteger"> +<xs:simpleType> +<xs:restriction base="xs:NMTOKEN"> +<xs:enumeration value="unbounded"/> +</xs:restriction> +</xs:simpleType> +</xs:union> +</xs:simpleType> +<xs:attributeGroup name="occurs"> +<xs:annotation> +<xs:documentation> + for all particles</xs:documentation> +</xs:annotation> +<xs:attribute name="minOccurs" type="xs:nonNegativeInteger" use="optional" default="1"/> +<xs:attribute name="maxOccurs" type="xs:allNNI" use="optional" default="1"/> +</xs:attributeGroup> +<xs:attributeGroup name="defRef"> +<xs:annotation> +<xs:documentation> + for element, group and attributeGroup, + which both define and reference</xs:documentation> +</xs:annotation> +<xs:attribute name="name" type="xs:NCName"/> +<xs:attribute name="ref" type="xs:QName"/> +</xs:attributeGroup> +<xs:group name="typeDefParticle"> +<xs:annotation> +<xs:documentation> + 'complexType' uses this</xs:documentation> +</xs:annotation> +<xs:choice> +<xs:element name="group" type="xs:groupRef"/> +<xs:element ref="xs:all"/> +<xs:element ref="xs:choice"/> +<xs:element ref="xs:sequence"/> +</xs:choice> +</xs:group> +<xs:group name="nestedParticle"> +<xs:choice> +<xs:element name="element" type="xs:localElement"/> +<xs:element name="group" type="xs:groupRef"/>

+ <xs:element ref="xs:choice"/> + <xs:element ref="xs:sequence"/> + <xs:element ref="xs:any"/> + </xs:choice> + </xs:group> + + <xs:group name="particle"> + <xs:choice> + <xs:element name="element" type="xs:localElement"/> + <xs:element name="group" type="xs:groupRef"/> + <xs:element ref="xs:all"/> + <xs:element ref="xs:choice"/> + <xs:element ref="xs:sequence"/> + <xs:element ref="xs:any"/> + </xs:choice> + </xs:group> + + <xs:complexType name="attribute"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:sequence> + <xs:element name="simpleType" minOccurs="0" type="xs:localSimpleType"/> + </xs:sequence> + <xs:attributeGroup ref="xs:defRef"/> + <xs:attribute name="type" type="xs:QName"/> + <xs:attribute name="use" use="optional" default="optional"/> + <xs:simpleType> + <xs:restriction base="xs:NMTOKEN"/> + <xs:enumeration value="prohibited"/> + <xs:enumeration value="optional"/> + <xs:enumeration value="required"/> + </xs:restriction> + </xs:simpleType> + <xs:attribute> + <xs:attribute name="default" type="xs:string"/> + <xs:attribute name="fixed" type="xs:string"/> + <xs:attribute name="form" type="xs:formChoice"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="topLevelAttribute"> + <xs:complexContent> + <xs:restriction base="xs:attribute"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:element name="simpleType" minOccurs="0" type="xs:localSimpleType"/> + </xs:sequence> + <xs:attribute name="ref" use="prohibited"/> + <xs:attribute name="form" use="prohibited"/> + <xs:attribute name="use" use="prohibited"/> + <xs:attribute name="name" use="required" type="xs:NCName"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + + <xs:group name="attrDecls"> + <xs:sequence> + <xs:choice minOccurs="0" maxOccurs="unbounded"> + <xs:element name="attribute" type="xs:attribute"/> + <xs:element name="attributeGroup" type="xs:attributeGroupRef"/> + </xs:choice> + <xs:element ref="xs:anyAttribute" minOccurs="0"/> + </xs:sequence> + </xs:group> + + <xs:element name="anyAttribute" type="xs:wildcard" id="anyAttribute"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-anyAttribute"/> + </xs:annotation> + </xs:element> + + <xs:group name="complexTypeModel"> + <xs:choice> + <xs:element ref="xs:simpleContent"/> + <xs:element ref="xs:complexContent"/> + <xs:sequence> + <xs:annotation> + <xs:documentation> + This branch is short for + <complexContent> + <restriction base="xs:anyType"> + ... + </restriction> + </complexContent></xs:documentation> + </xs:annotation> + <xs:group ref="xs:typeDefParticle" minOccurs="0"/> + <xs:group ref="xs:attrDecls"/> + </xs:sequence> + </xs:choice> + </xs:group> + + <xs:complexType name="complexType" abstract="true"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:group ref="xs:complexTypeModel"/> + <xs:attribute name="name" type="xs:NCName"> + <xs:annotation> + <xs:documentation> + Will be restricted to required or forbidden</xs:documentation> + </xs:annotation> + </xs:attribute> + <xs:attribute name="mixed" type="xs:boolean" use="optional" default="false"/> + <xs:annotation> + <xs:documentation> + Not allowed if simpleContent child is chosen. + May be overridden by setting on complexContent child.</xs:documentation> + </xs:annotation> + </xs:attribute> + <xs:attribute name="abstract" type="xs:boolean" use="optional" default="false"/> + <xs:attribute name="final" type="xs:derivationSet"/> + <xs:attribute name="block" type="xs:derivationSet"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="topLevelComplexType"> + <xs:complexContent> + <xs:restriction base="xs:complexType"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:complexTypeModel"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="localComplexType"> + <xs:complexContent> + <xs:restriction base="xs:complexType"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:complexTypeModel"/> + </xs:sequence> + <xs:attribute name="name" use="prohibited"/> + <xs:attribute name="abstract" use="prohibited"/> + <xs:attribute name="final" use="prohibited"/> + <xs:attribute name="block" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="restrictionType"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:sequence> + <xs:choice minOccurs="0"/> + <xs:group ref="xs:typeDefParticle"/> + <xs:group ref="xs:simpleRestrictionModel"/> + </xs:choice> + <xs:group ref="xs:attrDecls"/> + </xs:sequence> + <xs:attribute name="base" type="xs:QName" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="complexRestrictionType"> + <xs:complexContent> + <xs:restriction base="xs:restrictionType"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"> + <xs:annotation> + <xs:documentation>This choice is added simply to + make this a valid restriction per the REC</xs:documentation> + </xs:annotation> + <xs:group ref="xs:simpleRestrictionModel"/> + </xs:choice> + <xs:group ref="xs:attrDecls"/> + </xs:sequence> + <xs:attribute name="base" type="xs:QName" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="extensionType"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:sequence> + <xs:group ref="xs:typeDefParticle" minOccurs="0"/> + <xs:group ref="xs:attrDecls"/> + </xs:sequence> + <xs:attribute name="base" type="xs:QName" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + + <xs:element name="complexContent" id="complexContent"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-complexContent"/> + </xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:choice> + <xs:element name="restriction" type="xs:complexRestrictionType"/> + <xs:element name="extension" type="xs:extensionType"/> + </xs:choice> + <xs:attribute name="mixed" type="xs:boolean"> + <xs:annotation> + <xs:documentation> + Overrides any setting on complexType parent.</xs:documentation> + </xs:annotation> + </xs:attribute> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + + <xs:complexType name="simpleRestrictionType"> + <xs:complexContent> + <xs:restriction base="xs:restrictionType"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"> + <xs:annotation> + <xs:documentation>This choice is added simply to + make this a valid restriction per the REC</xs:documentation> + </xs:annotation> + <xs:group ref="xs:simpleRestrictionModel"/> + </xs:choice> + <xs:group ref="xs:attrDecls"/> + </xs:sequence> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="simpleExtensionType"> + <xs:complexContent> + <xs:restriction base="xs:extensionType"> + <xs:sequence> + <xs:annotation> + <xs:documentation> + No typeDefParticle group reference</xs:documentation> + </xs:annotation> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:attrDecls"/> + </xs:sequence> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + + <xs:element name="simpleContent" id="simpleContent"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-simpleContent"/> + </xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:choice> + <xs:element name="restriction" type="xs:simpleRestrictionType"/> + <xs:element name="extension" type="xs:simpleExtensionType"/> + </xs:choice> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + + <xs:element name="complexType" type="xs:topLevelComplexType" id="complexType"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-complexType"/> + </xs:annotation> + </xs:element> + + <xs:simpleType name="blockSet"> + <xs:annotation> + <xs:documentation> + A utility type, not for public use</xs:documentation> + <xs:documentation> + #all or (possibly empty) subset of {substitution, extension, + restriction}</xs:documentation> + </xs:annotation> + <xs:union> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="##all"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType> + <xs:list> + <xs:simpleType> + <xs:restriction base="xs:derivationControl"/> + <xs:enumeration value="extension"/> + <xs:enumeration value="restriction"/> + <xs:enumeration value="substitution"/> + </xs:restriction> + </xs:simpleType> + </xs:list> + </xs:simpleType> + </xs:union> + </xs:simpleType> + + <xs:complexType name="element" abstract="true"> + <xs:annotation> + <xs:documentation> + The element element can be used either + at the top level to define an element-type binding globally, + or within a content model to either reference a globally-defined + element or type or declare an element-type binding locally. + The ref form is not allowed at the top level.</xs:documentation> + </xs:annotation> + + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:sequence> + <xs:choice minOccurs="0"> + <xs:element name="simpleType" type="xs:localSimpleType"/> + <xs:element name="complexType" type="xs:localComplexType"/> + </xs:choice> + <xs:group ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attributeGroup ref="xs:defRef"/> + <xs:attribute name="type" type="xs:QName"/> + <xs:attribute name="substitutionGroup" type="xs:QName"/> + <xs:attributeGroup ref="xs:occurs"/> + <xs:attribute name="default" type="xs:string"/> + <xs:attribute name="fixed" type="xs:string"/> + <xs:attribute name="nillable" type="xs:boolean" use="optional" default="false"/> + <xs:attribute name="abstract" type="xs:boolean" use="optional" default="false"/> + <xs:attribute name="final" type="xs:derivationSet"/> + <xs:attribute name="block" type="xs:blockSet"/> + <xs:attribute name="form" type="xs:formChoice"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="topLevelElement"> + <xs:complexContent> + <xs:restriction base="xs:element"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"> + <xs:element name="simpleType" type="xs:localSimpleType"/> + <xs:element name="complexType" type="xs:localComplexType"/> + </xs:choice> + <xs:group ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="ref" use="prohibited"/> + <xs:attribute name="form" use="prohibited"/> + <xs:attribute name="minOccurs" use="prohibited"/> + <xs:attribute name="maxOccurs" use="prohibited"/> + <xs:attribute name="name" use="required" type="xs:NCName"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + + <xs:complexType name="localElement"> + <xs:complexContent> + <xs:restriction base="xs:element"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"> + <xs:element name="simpleType" type="xs:localSimpleType"/> + <xs:element name="complexType" type="xs:localComplexType"/> + </xs:choice> + <xs:group ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="substitutionGroup" use="prohibited"/> + <xs:attribute name="final" use="prohibited"/> + <xs:attribute name="abstract" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + + <xs:element name="element" type="xs:topLevelElement" id="element"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-element"/> + </xs:annotation> + </xs:element> + + <xs:complexType name="group" abstract="true"> + <xs:annotation> + <xs:documentation> + group type for explicit groups, named top-level groups + and group references</xs:documentation> + </xs:annotation> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:group ref="xs:particle" minOccurs="0" maxOccurs="unbounded"/> + <xs:attributeGroup ref="xs:defRef"/> + <xs:attributeGroup ref="xs:occurs"/> + </xs:extension> +

[illegible]

2/#NMTOKEN"/> + </xs:annotation> + <xs:restriction base="xs:token"> + <xs:pattern value="\c+" id="NMTOKEN.pattern"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/REC-xml#NT-Nmtoken"> + pattern matches production 7 from the XML spec + </xs:documentation> + </xs:annotation> + </xs:pattern> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="NMTOKENS" id="NMTOKENS"> + <xs:annotation> + <xs:appinfo> + <hfp:hasFacet name="length"/> + <hfp:hasFacet name="minLength"/> + <hfp:hasFacet name="maxLength"/> + <hfp:hasFacet name="enumeration"/> + <hfp:hasFacet name="whiteSpace"/> + <hfp:hasFacet name="pattern"/> + <hfp:hasProperty name="ordered" value="false"/> + <hfp:hasProperty name="bounded" value="false"/> + <hfp:hasProperty name="cardinality" value="countably infinite"/> + <hfp:hasProperty name="numeric" value="false"/> + </xs:appinfo> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#NMTOKENS"/> + </xs:annotation> + </xs:restriction> + </xs:simpleType> + <xs:list itemType="xs:NMTOKEN"/> + </xs:simpleType> + <xs:minLength value="1" id="NMTOKENS.minLength"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="Name" id="Name"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#Name"/> + </xs:annotation> + </xs:restriction base="xs:token"> + <xs:pattern value="\i\c*" id="Name.pattern"/> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/REC-xml#NT-Name"> + pattern matches production 5 from the XML spec + </xs:documentation> + </xs:annotation> + </xs:pattern> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="NCName" id="NCName"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#NCName"/> + </xs:annotation> + </xs:restriction base="xs:Name"> + <xs:pattern value="[i-:]][\c-:]" id="NCName.pattern"/> + </xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/REC-xml-names/#NT-NCName"> + pattern matches production 4 from the Namespaces in XML spec + </xs:documentation> + </xs:annotation> + </xs:pattern> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="ID" id="ID"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#ID"/> + </xs:annotation> + </xs:restriction base="xs:NCName"/> + </xs:simpleType> + <xs:simpleType name="IDREF" id="IDREF"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#IDREF"/> + </xs:annotation> + </xs:restriction base="xs:NCName"/> + </xs:simpleType> + <xs:simpleType name="ENTITY" id="ENTITY"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#ENTITY"/> + </xs:annotation> + </xs:restriction base="xs:NCName"/> + </xs:simpleType> + <xs:simpleType name="integer" id="integer"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#integer"/> + </xs:annotation> + </xs:restriction base="xs:decimal"> + <xs:fractionDigits value="0" fixed="true" id="integer.fractionDigits"/> + <xs:pattern value="[-+]?[0-9]*/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="nonPositiveInteger" id="nonPositiveInteger"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#nonPositiveInteger"/> + </xs:annotation> + </xs:restriction base="xs:integer"> + <xs:maxInclusive value="0" id="nonPositiveInteger.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="negativeInteger" id="negativeInteger"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#negativeInteger"/> + </xs:annotation> + </xs:restriction base="xs:nonPositiveInteger"> + <xs:maxInclusive value="-1" id="negativeInteger.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="long" id="long"> + <xs:annotation> + <xs:appinfo> + <hfp:hasProperty name="bounded" value="true"/> + <hfp:hasProperty name="cardinality" value="finite"/> + </xs:appinfo> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#long"/> + </xs:annotation> + </xs:restriction base="xs:integer"> + <xs:minInclusive value="-9223372036854775807" id="long.minInclusive"/> + <xs:maxInclusive value="9223372036854775807" id="long.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="int" id="int"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#int"/> + </xs:annotation> + </xs:restriction base="xs:long"> + <xs:minInclusive value="-2147483648" id="int.minInclusive"/> + <xs:maxInclusive value="2147483647" id="int.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="short" id="short"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#short"/> + </xs:annotation> + </xs:restriction base="xs:int"> + <xs:minInclusive value="-32768" id="short.minInclusive"/> + <xs:maxInclusive value="32767" id="short.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="byte" id="byte"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#byte"/> + </xs:annotation> + </xs:restriction base="xs:short"> + <xs:minInclusive value="-128" id="byte.minInclusive"/> + <xs:maxInclusive value="127" id="byte.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="nonNegativeInteger" id="nonNegativeInteger"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#nonNegativeInteger"/> + </xs:annotation> + </xs:restriction base="xs:integer"> + <xs:minInclusive value="0" id="nonNegativeInteger.minInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="unsignedLong" id="unsignedLong"> + <xs:annotation> + <xs:appinfo> + <hfp:hasProperty name="bounded" value="true"/> + <hfp:hasProperty name="cardinality" value="finite"/> + </xs:appinfo> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#unsignedLong"/> + </xs:annotation> + </xs:restriction base="xs:nonNegativeInteger"> + <xs:maxInclusive value="18446744073709551615" id="unsignedLong.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="unsignedInt" id="unsignedInt"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#unsignedInt"/> + </xs:annotation> + </xs:restriction base="xs:unsignedLong"> + <xs:maxInclusive value="4294967295" id="unsignedInt.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="unsignedShort" id="unsignedShort"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#unsignedShort"/> + </xs:annotation> + </xs:restriction base="xs:unsignedInt"> + <xs:maxInclusive value="65535" id="unsignedShort.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="unsignedByte" id="unsignedByte"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#unsignedByte"/> + </xs:annotation> + </xs:restriction base="xs:unsignedShort"> + <xs:maxInclusive value="255" id="unsignedByte.maxInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="positiveInteger" id="positiveInteger"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#positiveInteger"/> + </xs:annotation> + </xs:restriction base="xs:nonNegativeInteger"> + <xs:minInclusive value="1" id="positiveInteger.minInclusive"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType name="derivationControl"> + <xs:annotation> + <xs:documentation> + A utility type, not for public use</xs:documentation> + </xs:annotation> + </xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="substitution"/> + <xs:enumeration value="extension"/> + <xs:enumeration value="restriction"/> + <xs:enumeration value="list"/> + <xs:enumeration value="union"/> + </xs:restriction> + </xs:simpleType> + <xs:group name="simpleDerivation"> + <xs:choice> + <xs:element ref="xs:restriction"/> + <xs:element ref="xs:list"/> + <xs:element ref="xs:union"/> + </xs:choice> + </xs:group> + <xs:simpleType name="simpleDerivationSet"> + <xs:annotation> + <xs:documentation> + #all or (possibly empty) subset of {restriction, union, list} + </xs:documentation> + <xs:documentation> + A utility type, not for public use</xs:documentation> + </xs:annotation> + </xs:restriction base="xs:union"> + </xs:simpleType> + </xs:restriction base="xs:token"> + <xs:enumeration value="#all"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType> + <xs:list> + <xs:simpleType> + <xs:restriction base="xs:derivationControl"> + <xs:enumeration value="list"/> + <xs:enumeration value="union"/> + <xs:enumeration value="restriction"/> + </xs:restriction> + </xs:simpleType> + </xs:list> + </xs:simpleType> + </xs:union> + </xs:simpleType> + <xs:complexType name="simpleType" abstract="true"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:group ref="xs:simpleDerivation"/> + <xs:attribute name="final" type="xs:simpleDerivationSet"/> + <xs:attribute name="name" type="xs:NCName"> + <xs:annotation> + <xs:documentation> + Can be restricted to required or forbidden + </xs:documentation> + </xs:annotation> + </xs:attribute> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="topLevelSimpleType"> + <xs:complexContent> + <xs:restriction base="xs:simpleType"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:simpleDerivation"/> + <xs:sequence> + <xs:attribute name="name" use="required" type="xs:NCName"> + <xs:annotation> + <xs:documentation> + Required at the top level + </xs:documentation> + </xs:annotation> + </xs:attribute> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="localSimpleType"> + <xs:complexContent> + <xs:restriction base="xs:simpleType"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:simpleDerivation"/> + </xs:sequence> + <xs:attribute name="name" use="prohibited"/> + <xs:annotation> + <xs:documentation> + Forbidden when nested + </xs:documentation> + </xs:annotation> + </xs:attribute> + <xs:attribute name="final" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:element name="simpleType" type="xs:topLevelSimpleType" id="simpleType"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#element-simpleType"/> + </xs:annotation> + </xs:element> + </xs:group name="facets"> + <xs:annotation> + <xs:documentation> + We should use a substitution group for facets, but + that's ruled out because it would allow users to + add their own, which we're not ready for yet. + </xs:documentation> + </xs:annotation> + <xs:choice> + <xs:element ref="xs:minExclusive"/> + <xs:element ref="xs:minInclusive"/> + <xs:element ref="xs:maxExclusive"/> + <xs:element ref="xs:maxInclusive"/> + <xs:element ref="xs:totalDigits"/> + <xs:element ref="xs:fractionDigits"/> + <xs:element ref="xs:length"/> + <xs:element ref="xs:minLength"/> + <xs:element ref="xs:maxLength"/> + <xs:element ref="xs:enumeration"/> + <xs:element ref="xs:whiteSpace"/> + <xs:element ref="xs:pattern"/> + </xs:choice> + </xs:group> + <xs:group name="simpleRestrictionModel"> + <xs:sequence> + <xs:element name="simpleType" type="xs:localSimpleType" minOccurs="0"/> + <xs:group ref="xs:facets" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + </xs:group> + <xs:element name="restriction" id="restriction"> + <xs:complexType> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#element-restriction"> + base attribute and simpleType child are mutually + exclusive, but one or other is required + </xs:documentation> + </xs:annotation> + </xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:group ref="xs:simpleRestrictionModel"/> + <xs:attribute name="base" type="xs:QName" use="optional"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="list" id="list"> + <xs:complexType> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-2/#element-list"> + itemType attribute and simpleType child are mutually + exclusive, but one or other is required + </xs:documentation> + </xs:annotation> + </xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:sequence> + <xs:element name="simpleType" type="xs:localSimpleType" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="itemType" type="xs:QName" use="optional"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="union" id="union"> +

express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- EMPTY --> diff --git
a/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/catalog.xml
b/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/catalog.xml index f2b88e223..4e72c018d 100644 ---
a/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/catalog.xml +++
b/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/catalog.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + Unless required
by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!-- Tests treating of spaces in catalog paths. Three URL space syntaxes are supported: diff --git
a/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/empty.dtd
b/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/empty.dtd index e126f849e..7a6f992cc 100644 ---
a/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/empty.dtd +++
b/xml.catalog/test/unit/src/org/netbeans/modules/xml/catalog/impl/sun/data/empty.dtd @@ -1 +1,21 @@ +<!-- + + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing,
+ software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express
or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- EMPTY --> diff --git
a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/data.properties b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/data.properties index
ec60222cf..dd5c49660 100644 --- a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/data.properties +++
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/data.properties @@ -1,3 +1,19 @@ @ + # Licensed to the Apache Software Foundation (ASF) under one
+ # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The
ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + #
software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express
or implied. See the License for the + # specific language governing permissions and limitations + # under the License. short_encoding.xml=ISO-8859-1
long_encoding.xml=ISO-8859-2 short_no_encoding.xml=<null> diff --git a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/illegal_encoding.xml
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/illegal_encoding.xml index f78722e62..3efeac605 100644 ---
a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/illegal_encoding.xml +++
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/illegal_encoding.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="\$\$\$" ?> +<!-- + + Licensed
to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <root> Short XML file test. </root> diff --git a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_encoding.xml
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_encoding.xml index 7747d8559..8ed6e2b5d 100644 ---
a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_encoding.xml +++ b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_encoding.xml
@@ -1,5 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-2"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more
contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses
this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a
copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under
the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License
for the + specific language governing permissions and limitations + under the License. + +--> <!-- Document : long_encoding.xml.xml Created on : October 8,
2007, 6:03 PM diff --git a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_no_encoding.xml
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_no_encoding.xml index a1003f7b9..921917082 100644 ---
a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_no_encoding.xml +++
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/long_no_encoding.xml @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing,
+ software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express
or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- Document : long_encoding.xml.xml
diff --git a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_encoding.xml
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_encoding.xml index aba0581ff..51fcbf79e 100644 ---
a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_encoding.xml +++
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_encoding.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> +<!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <root> Short XML file test. </root> diff --git a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_no_encoding.xml
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_no_encoding.xml index 1a36aad17..7274fa0cd 100644 ---
a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_no_encoding.xml +++
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/short_no_encoding.xml @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing,
+ software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express
or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root> Short XML file test. </root> diff
--git a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/unsupported_encoding.xml
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/unsupported_encoding.xml index d409ed446..b3af87595 100644 ---
a/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/unsupported_encoding.xml +++
b/xml.core/test/unit/src/org/netbeans/modules/xml/api/data/unsupported_encoding.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding='unknown'?> +<!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <root> Short XML file test. </root> diff --git a/xml.core/test/unit/src/org/netbeans/modules/xml/dtd/grammar/email.xml
b/xml.core/test/unit/src/org/netbeans/modules/xml/dtd/grammar/email.xml index dcce61693..b6ccce802 100644 ---
a/xml.core/test/unit/src/org/netbeans/modules/xml/dtd/grammar/email.xml +++ b/xml.core/test/unit/src/org/netbeans/modules/xml/dtd/grammar/email.xml @@
-1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License

at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE email SYSTEM "email.dtd" [<!ELEMENT testANYElement ANY> <!NOTATION testNotation PUBLIC "not-pub" "not-sys"> diff --git a/xml.jaxb.api/external/binaries-list b/xml.jaxb.api/external/binaries-list index 443aec376..7b95e38c7 100644 --- a/xml.jaxb.api/external/binaries-list +++ b/xml.jaxb.api/external/binaries-list @@ -14,6 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. - E1233CB9A6101F5CC1098AC26AD6D11ADB1ABFA2 activation.jar -71F434378F822B09A57174AF6C75D37408687C57 jaxb-api.jar -3BD00A1595529E6A43F2118B551A9CA906BE4CF3 jsr173_1.0_api.jar +485DE3A253E23F645037828C07F1D7F1AF40763A javax.activation:activation:1.1.1 +71F434378F822B09A57174AF6C75D37408687C57 javax.xml.bind:jaxb-api:2.2.6 diff --git a/xml.jaxb.api/external/jaxb-2.2.5-license.txt b/xml.jaxb.api/external/jaxb-2.2.6-license.txt index 6204f5666..80792e7da 100644 --- a/xml.jaxb.api/external/jaxb-2.2.5-license.txt +++ b/xml.jaxb.api/external/jaxb-2.2.6-license.txt @@ -1,10 +1,10 @@ Name: JAXB -Version: 2.2.5 +Version: 2.2.6 Description: JAXB Reference Implementation License: CDDL-1.1, GPLv2 OSR: 4116 Origin: https://jaxb.java.net/ -Files: activation.jar jaxb-api.jar jsr173_api.jar +Files: activation-1.1.1.jar jaxb-api-2.2.6.jar COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1 @@ -304,7 +304,7 @@ COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1 The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer - software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) + software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government diff --git a/xml.jaxb.api/nbproject/project.properties b/xml.jaxb.api/nbproject/project.properties index ec5f39db8..6b59ee426 100644 --- a/xml.jaxb.api/nbproject/project.properties +++ b/xml.jaxb.api/nbproject/project.properties @@ -19,11 +19,9 @@ is.autoload=true jnlp.indirect.jar=\ modules/ext/jaxb/activation.jar,\ - modules/ext/jaxb/api/jaxb-api.jar,\ - modules/ext/jaxb/api/jsr173_1.0_api.jar + modules/ext/jaxb/api/jaxb-api.jar - release.external/activation.jar=modules/ext/jaxb/activation.jar -release.external/jaxb-api.jar=modules/ext/jaxb/api/jaxb-api.jar - release.external/jsr173_1.0_api.jar=modules/ext/jaxb/api/jsr173_1.0_api.jar +release.external/activation-1.1.1.jar=modules/ext/jaxb/activation.jar +release.external/jaxb-api-2.2.6.jar=modules/ext/jaxb/api/jaxb-api.jar sigtest.gen.fail.on.error=false diff --git a/xml.jaxb.api/src/org/netbeans/modules/xml/jaxb/api/Bundle.properties b/xml.jaxb.api/src/org/netbeans/modules/xml/jaxb/api/Bundle.properties index 70bc42a0d..42eb7fa57 100644 --- a/xml.jaxb.api/src/org/netbeans/modules/xml/jaxb/api/Bundle.properties +++ b/xml.jaxb.api/src/org/netbeans/modules/xml/jaxb/api/Bundle.properties @@ -1,45 +1,45 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Oracle and Java are registered trademarks of Oracle and/or its affiliates. ## Other names may be trademarks of their respective owners. ## The contents of this file are subject to the terms of either the GNU ## General Public License Version 2 only ("GPL") or the Common ## Development and Distribution License ("CDDL") (collectively, the ## "License"). You may not use this file except in compliance with the ## License. You can obtain a copy of the License at ## http://www.netbeans.org/cddl-gplv2.html ## or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the ## specific language governing permissions and limitations under the ## License. When distributing the software, include this License Header ## Notice in each file and include the License file at ## nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this ## particular file as subject to the "Classpath" exception as provided ## by Oracle in the GPL Version 2 section of the License file that ## accompanied this code. If applicable, add the following below the ## License Header, with the fields enclosed by brackets [] replaced by ## your own identifying information: ## "Portions Copyrighted [year] [name of copyright owner]" ## Contributor(s): ## The Original Software is NetBeans. The Initial Developer of the Original ## Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun ## Microsystems, Inc. All Rights Reserved. ## If you wish your version of this file to be governed by only the CDDL ## or only the GPL Version 2, indicate your decision by adding ## "[Contributor] elects to include this software in this distribution ## under the [CDDL or GPL Version 2] license." If you do not indicate a ## single choice of license, a recipient has the option to distribute ## your version of this file under either the CDDL, the GPL Version 2 or ## to extend the choice of license to its licensees as provided above. ## However, if you add GPL Version 2 code and therefore, elected the GPL ## Version 2 license, then the option applies only if the new code is ## made subject to such option by the copyright holder. ## Sample ResourceBundle properties file ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. OpenIDE-Module-Name=JAXB API diff --git a/xml.lexer/test/unit/src/org/netbeans/api/xml/lexer/XMLTokenIdTest.java b/xml.lexer/test/unit/src/org/netbeans/api/xml/lexer/XMLTokenIdTest.java index 6d1f4275d..829a7ceff 100644 --- a/xml.lexer/test/unit/src/org/netbeans/api/xml/lexer/XMLTokenIdTest.java +++ b/xml.lexer/test/unit/src/org/netbeans/api/xml/lexer/XMLTokenIdTest.java @@ -35,11 +35,13 @@ public static Test suite() { TestSuite suite = new TestSuite(); suite.addTest(new XMLTokenIdTest("testTokens")); //regression tests on XMLLexer - suite.addTest(new XMLTokenIdTest("testParse1")); // Disabled as referenced files were partly not donated by oracle to apache // suite.addTest(new XMLTokenIdTest("testParse1")); suite.addTest(new XMLTokenIdTest("testParse2")); suite.addTest(new XMLTokenIdTest("testParse3")); //measure performance - suite.addTest(new XMLTokenIdTest("testParsePerformance")); // Disabled as referenced files were partly not donated by oracle to apache // suite.addTest(new XMLTokenIdTest("testParsePerformance")); return suite; } diff --git a/xml.multiview/src/org/netbeans/modules/xml/multiview/Bundle.properties b/xml.multiview/src/org/netbeans/modules/xml/multiview/Bundle.properties index 25df3979a..d6b2c87de 100644 --- a/xml.multiview/src/org/netbeans/modules/xml/multiview/Bundle.properties +++ b/xml.multiview/src/org/netbeans/modules/xml/multiview/Bundle.properties @@ -1,44 +1,44 @@ -1,44 +1,19 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Oracle and Java are registered trademarks of Oracle and/or its affiliates. ## Other names may be trademarks of their respective owners. ## The contents of this file are subject to the terms of either the GNU ## General Public License Version 2 only ("GPL") or the Common ## Development and Distribution License ("CDDL") (collectively, the ## "License"). You may not use this file except in compliance with the ## License. You can obtain a copy of the License at ## http://www.netbeans.org/cddl-gplv2.html ## or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the ## specific language governing permissions and limitations under the ## License. When distributing the software, include this License Header ## Notice in each file and include the License file at ## nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this ## particular file as subject to the "Classpath" exception as provided ## by Oracle in the GPL Version 2 section of the License file that ## accompanied this code. If applicable, add the following below the ## License Header, with the fields enclosed by brackets [] replaced by ## your own identifying information: ## "Portions Copyrighted [year] [name of copyright owner]" ## Contributor(s): ## The Original Software is Forte for Java, Community Edition. The Initial ## Developer of the Original Software is Sun Microsystems, Inc. Portions ## Copyright 1997-2009 Sun Microsystems, Inc. All Rights Reserved. ## If you wish your version of this file to be governed by only the CDDL ## or only the GPL Version 2, indicate your decision by adding ## "[Contributor] elects to include this software in this distribution ## under the [CDDL or GPL Version 2] license." If you do not indicate a ## single choice of license, a recipient has the option to distribute ## your version of this file under either the CDDL, the GPL Version 2 or ## to extend the choice of license to its licensees as provided above. ## However, if you add GPL Version 2 code and therefore, elected the GPL ## Version 2 license, then the option applies only if the new code is ## made subject to such option by the copyright holder. ## Unless required by applicable law or agreed to in writing, ## software distributed under the License is distributed on an ## "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ## KIND, either express or implied. See the License for the ## specific language governing permissions and limitations ## under the License. # Module manifest localization OpenIDE-Module-Name=XML Multiview Editor diff --git a/xml.multiview/src/org/netbeans/modules/xml/multiview/ui/Bundle.properties b/xml.multiview/src/org/netbeans/modules/xml/multiview/ui/Bundle.properties index 86b76a7cb..e37b3de2d 100644 --- a/xml.multiview/src/org/netbeans/modules/xml/multiview/ui/Bundle.properties +++ b/xml.multiview/src/org/netbeans/modules/xml/multiview/ui/Bundle.properties @@ -1,46 +1,46 @@ -1,46 +1,19 @@ # Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at ## http://www.apache.org/licenses/LICENSE-2.0 ## Oracle and Java are registered trademarks of Oracle and/or its affiliates. ## Other names may be trademarks of their respective owners. ## The contents of this file are subject to the terms of either the GNU ## General Public License Version 2 only ("GPL") or the Common ## Development and Distribution License ("CDDL") (collectively, the ## "License"). You may not use this file except in compliance with the ## License. You can obtain a copy of the License at ## http://www.netbeans.org/cddl-gplv2.html ## or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the ## specific language governing permissions and limitations under the ## License. When distributing the software, include this License Header ## Notice in each file

and include the License file at `-$ nbbuild/licenses/CDDL-GPL-2-CP`. Oracle designates this `-$` particular file as subject to the "Classpath" exception as provided `-$` by Oracle in the GPL Version 2 section of the License file that `-$` accompanied this code. If applicable, add the following below the `-$` License Header, with the fields enclosed by brackets `[]` replaced by `-$` your own identifying information: `-$ "Portions Copyrighted [year] [name of copyright owner]"` `-$` `-$ Contributor(s):` `-$` `-$ The Original Software is Forte for Java, Community Edition. The Initial` `-$` `-$ Developer of the Original Software is Sun Microsystems, Inc. Portions` `-$` `-$ Copyright 1997-2009 Sun Microsystems, Inc. All Rights Reserved.` `-$` `-$` `-$` If you wish your version of this file to be governed by only the CDDL `-$` or only the GPL Version 2, indicate your decision by adding `-$` `-$ "[Contributor] elects to include this software in this distribution` `-$` `-$` under the `[CDDL or GPL Version 2]` license." If you do not indicate a `-$` single choice of license, a recipient has the option to distribute `-$` your version of this file under either the CDDL, the GPL Version 2 or `-$` to extend the choice of license to its licensees as provided above. `-$` However, if you add GPL Version 2 code and therefore, elected the GPL `-$` Version 2 license, then the option applies only if the new code is `-$` made subject to such option by the copyright holder. `+$` `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, `+$` software distributed under the License is distributed on an `+$` `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY `+$` `+$` KIND, either express or implied. See the License for the `+$` specific language governing permissions and limitations `+$` under the License. LBL_Add=&Add... HINT_Add=Add diff --git

`a/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterLength.pass`
`b/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterLength.pass index`
`0450fe19a..e3c7d2738 100644 ---`
`a/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterLength.pass +++`
`b/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterLength.pass @@ -1,4 +1,24 @@`
`<?xml version="1.0" encoding="UTF-8"?> <!--` `+$` `+$` Licensed to the Apache Software Foundation (ASF) under one `+$` or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. `+$` `+$` `<!DOCTYPE book PUBLIC "-//BookCompany//Entity ID//EN" "file://book.dtd">` `<book instock="yes">` `<title lang="en">`A bean on the beach`</title>` diff --git

`a/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterTitle.pass`
`b/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterTitle.pass index`
`480a29080..6b625864a 100644 ---`
`a/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterTitle.pass +++`
`b/xml.multiview/test/unit/data/goldenfiles/org/netbeans/modules/xml/multiview/test/XmlMultiViewEditorTest/ChangedChapterTitle.pass @@ -1,4 +1,24 @@`
`<?xml version="1.0" encoding="UTF-8"?> <!--` `+$` `+$` Licensed to the Apache Software Foundation (ASF) under one `+$` or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. `+$` `+$` `<!DOCTYPE book PUBLIC "-//BookCompany//Entity ID//EN" "file://book.dtd">` `<book instock="yes">` `<title lang="en">`A bean on the beach`</title>` diff --git

`a/xml.multiview/test/unit/data/sample.book` `b/xml.multiview/test/unit/data/sample.book index`
`798e811ed..fe9ea96f0 100644 ---` `a/xml.multiview/test/unit/data/sample.book +++` `b/xml.multiview/test/unit/data/sample.book @@ -1,4 +1,24 @@`
`<?xml version="1.0" encoding="UTF-8"?> <!--` `+$` `+$` Licensed to the Apache Software Foundation (ASF) under one `+$` or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. `+$` `+$` `<!DOCTYPE book PUBLIC "-//BookCompany//Entity ID//EN" "file://sample.dtd">` `<book instock="yes">` `<title lang="en">`A bean on the beach`</title>` diff --git

`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/catalog.xml`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/catalog.xml index`
`cc84b1e68..70a741909 100644 ---`
`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/catalog.xml +++`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/catalog.xml @@ -1,4 +1,24 @@`
`<?xml version="1.0" encoding="UTF-8" standalone="no"?> <!--` `+$` `+$` Licensed to the Apache Software Foundation (ASF) under one `+$` or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. `+$` `+$` `<catalog xmlns="urn:oasis:names:tc:entity:xmlns:xml:catalog" prefer="system">` `<system referencingFile="refFileAttr" systemId="sysIDAttr" uri="uriAttr" xprojectCatalogFileLocation="xprojCatRefAttr"/>` `<nextCatalog catalog="catalogAttr"/>` diff --git

`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/dummyFile.txt`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/dummyFile.txt index`
`e69de29bb..b65e1dada 100644 ---`
`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/dummyFile.txt +++`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/impl/dummyFile.txt @@ -0,0 +1,21 @@`
`<!--` `+$` `+$` Licensed to the Apache Software Foundation (ASF) under one `+$` or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. `+$` `+$` `+Dummy File \ No newline at end of file` diff --git

`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/catalog.xml`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/catalog.xml index`
`cc84b1e68..70a741909 100644 ---`
`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/catalog.xml +++`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/catalog.xml @@ -1,4 +1,24 @@`
`<?xml version="1.0" encoding="UTF-8" standalone="no"?> <!--` `+$` `+$` Licensed to the Apache Software Foundation (ASF) under one `+$` or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. `+$` `+$` `<catalog xmlns="urn:oasis:names:tc:entity:xmlns:xml:catalog" prefer="system">` `<system referencingFile="refFileAttr" systemId="sysIDAttr" uri="uriAttr" xprojectCatalogFileLocation="xprojCatRefAttr"/>` `<nextCatalog catalog="catalogAttr"/>` diff --git

`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/empty.xml`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/empty.xml index`
`da480cf3b..82087b93d 100644 ---`
`a/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/empty.xml +++`
`b/xml.retriever/test/unit/src/org/netbeans/modules/xml/retriever/catalog/model/empty.xml @@ -1,4 +1,24 @@`
`<?xml version="1.0" encoding="UTF-8" standalone="no"?> <!--` `+$` `+$` Licensed to the Apache Software Foundation (ASF) under one `+$` or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + `http://www.apache.org/licenses/LICENSE-2.0` `+$` `+$` Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + `"AS IS"` BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. `+$` `+$` `<catalog xmlns="urn:oasis:names:tc:entity:xmlns:xml:catalog" prefer="system">` `<system systemId="dummy/dummy" uri="file:/D:/workspace/release551/xml/retriever/build/test/unit/classes/org/netbeans/modules/xml/retriever/catalog/impl/dummyFile.txt"/>` `</catalog>` diff --git

`a/xml.schema.completion/src/org/netbeans/modules/xml/schema/completion/util/XMLSchema.xsd`
`b/xml.schema.completion/src/org/netbeans/modules/xml/schema/completion/util/XMLSchema.xsd index`
`608a24d3b..7430b637d 100644 ---`

a/xml.schema.completion/src/org/netbeans/modules/xml/schema/completion/util/XMLSchema.xsd +++
b/xml.schema.completion/src/org/netbeans/modules/xml/schema/completion/util/XMLSchema.xsd @@ -1,2163 +1,1605 @@ -<?xml version='1.0'
encoding='UTF-8'?> -<xs:schema targetNamespace="http://www.w3.org/2001/XMLSchema" -blockDefault="#all" -elementFormDefault="qualified"
version="1.0" -xmlns:xs="http://www.w3.org/2001/XMLSchema" -xml:lang="EN" xmlns:hfp="http://www.w3.org/2001/XMLSchema-hasFacetAndProperty"> +
<!-- + W3C Software and Document Notice and License + + This work is being provided by the copyright holders under the following license. + + License + + By
obtaining and/or copying this work, you (the licensee) agree that you have +read, understood, and will comply with the following terms and conditions. +
+Permission to copy, modify, and distribute this work, with or without +modification, for any purpose and without fee or royalty is hereby granted, +provided that
you include the following on ALL copies of the work or portions +thereof, including modifications: + + The full text of this NOTICE in a location viewable to
users of the + redistributed or derivative work. + - Any pre-existing intellectual property disclaimers, notices, or terms and + conditions. If none exist, the W3C
Software and Document Short Notice should + be included. + - Notice of any changes or modifications, through a copyright statement on the + new code or
document such as "This software or document includes material + copied from or derived from [title and URI of the W3C document]. + Copyright © [YEAR]
W3C® (MIT, ERCIM, Keio, Beihang)." + + Disclaimers + + THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO
REPRESENTATIONS OR + WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF +MERCHANTABILITY
OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE +SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD
PARTY PATENTS, COPYRIGHTS, +TRADEMARKS OR OTHER RIGHTS. + + COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT,
INDIRECT, SPECIAL OR +CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT. + + The name and
trademarks of copyright holders may NOT be used in advertising or +publicity pertaining to the work without specific, written prior permission. +Title to copyright
in this work will at all times remain with copyright +holders. + + Changes: + + File fetched from https://www.w3.org/2009/XMLSchema/XMLSchema.xsd + +
Added license header + +--> +<!DOCTYPE xs:schema PUBLIC "-//W3C//DTD XSD 1.1//EN" "XMLSchema.dtd" [+ +<!-- provide ID type information even for
parsers which only read the + internal subset --> +<!ATTLIST xs:schema id ID #IMPLIED> +<!ATTLIST xs:complexType id ID #IMPLIED> +<!ATTLIST
xs:complexContent id ID #IMPLIED> +<!ATTLIST xs:simpleContent id ID #IMPLIED> +<!ATTLIST xs:extension id ID #IMPLIED> +<!ATTLIST xs:element
id ID #IMPLIED> +<!ATTLIST xs:group id ID #IMPLIED> +<!ATTLIST xs:all id ID #IMPLIED> +<!ATTLIST xs:choice id ID #IMPLIED> +<!ATTLIST
xs:sequence id ID #IMPLIED> +<!ATTLIST xs:any id ID #IMPLIED> +<!ATTLIST xs:anyAttribute id ID #IMPLIED> +<!ATTLIST xs:attribute id
ID #IMPLIED> +<!ATTLIST xs:attributeGroup id ID #IMPLIED> +<!ATTLIST xs:unique id ID #IMPLIED> +<!ATTLIST xs:key id ID #IMPLIED> +<!ATTLIST
xs:keyref id ID #IMPLIED> +<!ATTLIST xs:selector id ID #IMPLIED> +<!ATTLIST xs:field id ID #IMPLIED> +<!ATTLIST xs:assert id ID #IMPLIED> +
<!ATTLIST xs:include id ID #IMPLIED> +<!ATTLIST xs:import id ID #IMPLIED> +<!ATTLIST xs:redefine id ID #IMPLIED> +<!ATTLIST xs:override id ID
#IMPLIED> +<!ATTLIST xs:notation id ID #IMPLIED> +<!-- + Make sure that processors that do not read the external + subset will know about the various IDs
we declare + --> +<!ATTLIST xs:simpleType id ID #IMPLIED> +<!ATTLIST xs:maxExclusive id ID #IMPLIED> +<!ATTLIST xs:minExclusive id ID
#IMPLIED> +<!ATTLIST xs:maxInclusive id ID #IMPLIED> +<!ATTLIST xs:minInclusive id ID #IMPLIED> +<!ATTLIST xs:totalDigits id ID #IMPLIED> +
<!ATTLIST xs:fractionDigits id ID #IMPLIED> +<!ATTLIST xs:length id ID #IMPLIED> +<!ATTLIST xs:minLength id ID #IMPLIED> +<!ATTLIST
xs:maxLength id ID #IMPLIED> +<!ATTLIST xs:enumeration id ID #IMPLIED> +<!ATTLIST xs:pattern id ID #IMPLIED> +<!ATTLIST xs:assertion id ID
#IMPLIED> +<!ATTLIST xs:explicitTimezone id ID #IMPLIED> +<!ATTLIST xs:appinfo id ID #IMPLIED> +<!ATTLIST xs:documentation id ID
#IMPLIED> +<!ATTLIST xs:list id ID #IMPLIED> +<!ATTLIST xs:union id ID #IMPLIED> +]> + +<xs:schema
xmlns:xs="http://www.w3.org/2001/XMLSchema" + elementFormDefault="qualified" xml:lang="EN" + +
targetNamespace="http://www.w3.org/2001/XMLSchema" + version="1.0"> <xs:annotation> <xs:documentation> - Part 1 version: Id: structures.xsd,v 1.2
2004/01/15 11:34:25 ht Exp - Part 2 version: Id: datatypes.xsd,v 1.3 2004/01/23 18:11:13 ht Exp + Part 1 version: structures.xsd (rec-20120405) + Part 2 version:
datatypes.xsd (rec-20120405) </xs:documentation> </xs:annotation> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/2004/PER-
xmlschema-1-20040318/structures.html"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/2004/PER-xmlschema-1-20040318/structures.html"> The schema corresponding to this
document is normative, with respect to the syntactic constraints it expresses in the - XML Schema language. The documentation (within <documentation>
elements) + XML Schema Definition Language. The documentation (within 'documentation' elements) below, is not normative, but rather highlights important
aspects of - the W3C Recommendation of which this is a part</xs:documentation> - </xs:annotation> + the W3C Recommendation of which this is a part. -
<xs:annotation> - <xs:documentation> + See below (at the bottom of this document) for information about + the revision and namespace-versioning policy
governing this + schema document. + + </xs:documentation> + </xs:annotation> + <xs:annotation> + <xs:documentation> The simpleType element and all of its
members are defined - towards the end of this schema document</xs:documentation> + towards the end of this schema document.</xs:documentation>
</xs:annotation> - - <xs:import namespace="http://www.w3.org/XML/1998/namespace" schemaLocation="http://www.w3.org/2001/xml.xsd"> - <xs:annotation>
- <xs:documentation> + <xs:import namespace="http://www.w3.org/XML/1998/namespace" + schemaLocation="http://www.w3.org/2001/xml.xsd"> +
<xs:annotation> + <xs:documentation> Get access to the xml: attribute groups for xml:lang as declared on 'schema' and 'documentation' below
</xs:documentation> - </xs:annotation> - </xs:import> - - <xs:complexType name="openAttrs"> - <xs:annotation> - <xs:documentation> + </xs:annotation> +
</xs:import> + <xs:complexType name="openAttrs"> + <xs:annotation> + <xs:documentation> This type is extended by almost all schema types to allow
attributes from other namespaces to be added to user schemas. </xs:documentation> - </xs:annotation> - <xs:complexContent> - <xs:restriction
base="xs:anyType"> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - -
<xs:complexType name="annotated"> - <xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:complexContent> + <xs:restriction base="xs:anyType"> +
<xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:complexType
name="annotated"> + <xs:annotation> + <xs:documentation> This type is extended by all types which allow annotation - other than <schema> itself + other
than <schema> itself </xs:documentation> - </xs:annotation> - <xs:complexContent> - <xs:extension base="xs:openAttrs"> - <xs:sequence> - <xs:element
ref="xs:annotation" minOccurs="0"/> - </xs:sequence> - <xs:attribute name="id" type="xs:ID"/> - </xs:extension> - </xs:complexContent> - </xs:complexType>
- - <xs:group name="schemaTop"> - <xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:complexContent> + <xs:extension base="xs:openAttrs"> +
</xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="id" type="xs:ID"/> + </xs:extension> +
</xs:complexContent> + </xs:complexType> + <xs:group name="composition"> + <xs:choice> + <xs:element ref="xs:include"/> + <xs:element
ref="xs:import"/> + <xs:element ref="xs:redefine"/> + <xs:element ref="xs:override"/> + <xs:element ref="xs:annotation"/> + </xs:choice> + </xs:group> +
<xs:group name="schemaTop"> + <xs:annotation> + <xs:documentation> This group is for the elements which occur freely at the top level of schemas. All of
their types are based on the "annotated" type by extension.</xs:documentation> - </xs:annotation> - <xs:choice> - <xs:group ref="xs:redefinable"/> - <xs:element
ref="xs:element"/> - <xs:element ref="xs:attribute"/> - <xs:element ref="xs:notation"/> - </xs:choice> - </xs:group> - - <xs:group name="redefinable"> -
<xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:choice> + <xs:group ref="xs:redefinable"/> + <xs:element ref="xs:element"/> + <xs:element
ref="xs:attribute"/> + <xs:element ref="xs:notation"/> + </xs:choice> + </xs:group> + <xs:group name="redefinable"> + <xs:annotation> + <xs:documentation>
This group is for the elements which can self-redefine (see <redefine> below).</xs:documentation> - </xs:annotation> - <xs:choice> - <xs:element
ref="xs:simpleType"/> - <xs:element ref="xs:complexType"/> - <xs:element ref="xs:group"/> - <xs:element ref="xs:attributeGroup"/> - </xs:choice> -
</xs:group> - - <xs:simpleType name="formChoice"> - <xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:choice> + <xs:element
ref="xs:simpleType"/> + <xs:element ref="xs:complexType"/> + <xs:element ref="xs:group"/> + <xs:element ref="xs:attributeGroup"/> + </xs:choice> +
</xs:group> + <xs:simpleType name="formChoice"> + <xs:annotation> + <xs:documentation> A utility type, not for public use</xs:documentation> -
</xs:annotation> - <xs:restriction base="xs:NMTOKEN"> - <xs:enumeration value="qualified"/> - <xs:enumeration value="unqualified"/> - </xs:restriction> -
</xs:simpleType> - - <xs:simpleType name="reducedDerivationControl"> - <xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:restriction
base="xs:NMTOKEN"> + <xs:enumeration value="qualified"/> + <xs:enumeration value="unqualified"/> + </xs:restriction> + </xs:simpleType> +
<xs:simpleType name="reducedDerivationControl"> + <xs:annotation> + <xs:documentation> A utility type, not for public use</xs:documentation> -
</xs:annotation> - <xs:restriction base="xs:derivationControl"> - <xs:enumeration value="extension"/> - <xs:enumeration value="restriction"/> - </xs:restriction>
- </xs:simpleType> - - <xs:simpleType name="derivationSet"> - <xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:restriction
base="xs:derivationControl"> + <xs:enumeration value="extension"/> + <xs:enumeration value="restriction"/> + </xs:restriction> + </xs:simpleType> +
<xs:simpleType name="derivationSet"> + <xs:annotation> + <xs:documentation> A utility type, not for public use</xs:documentation> - <xs:documentation> +
<xs:documentation> #all or (possibly empty) subset of {extension, restriction}</xs:documentation> - </xs:annotation> - <xs:union> - <xs:simpleType> -
<xs:restriction base="xs:token"> - <xs:enumeration value="#all"/> - </xs:restriction> - </xs:simpleType> - </xs:simpleType> - <xs:list
itemType="xs:reducedDerivationControl"/> - </xs:simpleType> - </xs:union> - </xs:simpleType name="typeDerivationControl"> -
<xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:union> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="#all"/>
+ </xs:restriction> + </xs:simpleType> + <xs:simpleType> + <xs:list itemType="xs:reducedDerivationControl"/> + </xs:simpleType> + </xs:union> +
</xs:simpleType> + <xs:simpleType name="typeDerivationControl"> + <xs:annotation> + <xs:documentation> A utility type, not for public
use</xs:documentation> - </xs:annotation> - <xs:restriction base="xs:derivationControl"> - <xs:enumeration value="extension"/> - <xs:enumeration
value="restriction"/> - <xs:enumeration value="list"/> - </xs:restriction> - </xs:simpleType> - </xs:annotation> +
<xs:restriction base="xs:derivationControl"> + <xs:enumeration value="extension"/> + <xs:enumeration value="restriction"/> + <xs:enumeration value="list"/> +
<xs:enumeration value="union"/> + </xs:restriction> + </xs:simpleType> <xs:simpleType name="fullDerivationSet"> - <xs:annotation> - <xs:documentation> +

<xs:annotation> + <xs:documentation> A utility type, not for public use</xs:documentation> - <xs:documentation> + <xs:documentation> #all or (possibly empty) subset of {extension, restriction, list, union}</xs:documentation> - </xs:annotation> - <xs:union> - <xs:simpleType> - <xs:restriction base="xs:token"> - <xs:enumeration value="#all"/> - </xs:restriction> - </xs:simpleType> - </xs:simpleType> - <xs:list itemType="xs:typeDerivationControl"/> - </xs:simpleType> - </xs:union> - </xs:simpleType> - - <xs:element name="schema" id="schema"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-schema"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> - <xs:extension base="xs:openAttrs"> - <xs:sequence> - <xs:choice minOccurs="0" maxOccurs="unbounded"> - <xs:element ref="xs:include"/> - <xs:element ref="xs:import"/> - <xs:element ref="xs:redefine"/> - <xs:element ref="xs:annotation"/> - </xs:choice> - <xs:sequence minOccurs="0" maxOccurs="unbounded"> - <xs:group ref="xs:schemaTop"/> - <xs:element ref="xs:annotation" minOccurs="0" maxOccurs="unbounded"/> - </xs:sequence> - </xs:sequence> - <xs:attribute name="targetNamespace" type="xs:anyURI"/> - <xs:attribute name="version" type="xs:token"/> - <xs:attribute name="finalDefault" type="xs:fullDerivationSet" use="optional" default=""> - <xs:attribute name="blockDefault" type="xs:blockSet" use="optional" default=""> - <xs:attribute name="attributeFormDefault" type="xs:formChoice" use="optional" default="unqualified"/> - <xs:attribute name="elementFormDefault" type="xs:formChoice" use="optional" default="unqualified"/> - <xs:attribute name="id" type="xs:ID"/> - <xs:attribute ref="xml:lang"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:key name="element"> - <xs:selector xpath="xs:element"/> - <xs:field xpath="@name"/> - </xs:key> - - <xs:key name="attribute"> - <xs:selector xpath="xs:attribute"/> - <xs:field xpath="@name"/> - </xs:key> - - <xs:key name="type"> - <xs:selector xpath="xs:complexType|xs:simpleType"/> - <xs:field xpath="@name"/> - </xs:key> - - <xs:key name="group"> - <xs:selector xpath="xs:group"/> - <xs:field xpath="@name"/> - </xs:key> - - <xs:key name="attributeGroup"> - <xs:selector xpath="xs:attributeGroup"/> - <xs:field xpath="@name"/> - </xs:key> - - <xs:key name="notation"> - <xs:selector xpath="xs:notation"/> - <xs:field xpath="@name"/> - </xs:key> - - <xs:key name="identityConstraint"> - <xs:selector xpath="//xs:key|//xs:unique|//xs:keyref"/> - <xs:field xpath="@name"/> - </xs:key> - - </xs:element> - - </xs:simpleType name="allNNI"> - <xs:annotation> <xs:documentation> - for maxOccurs</xs:documentation> </xs:annotation> - <xs:union memberTypes="xs:nonNegativeInteger"> - <xs:simpleType> - <xs:restriction base="xs:NMTOKEN"> - <xs:enumeration value="unbounded"/> - </xs:restriction> - </xs:simpleType> - </xs:union> - </xs:simpleType> - - <xs:attributeGroup name="occurs"> - <xs:annotation> <xs:documentation> - for all particles</xs:documentation> </xs:annotation> - <xs:attribute name="minOccurs" type="xs:nonNegativeInteger" use="optional" default="1"/> - <xs:attribute name="maxOccurs" type="xs:allNNI" use="optional" default="1"/> - </xs:attributeGroup> - - <xs:attributeGroup name="defRef"> - <xs:annotation> <xs:documentation> + </xs:annotation> + <xs:union> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="#all"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType> + <xs:list itemType="xs:typeDerivationControl"/> + </xs:simpleType> + </xs:union> + </xs:simpleType> + <xs:element name="schema" id="schema"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-1/#element-schema"/> + </xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:openAttrs"> + <xs:sequence> + <xs:group ref="xs:composition" minOccurs="0" maxOccurs="unbounded"/> + <xs:sequence minOccurs="0"/> + <xs:element ref="xs:defaultOpenContent"/> + <xs:element ref="xs:annotation" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:sequence minOccurs="0" maxOccurs="unbounded"> + <xs:group ref="xs:schemaTop"/> + <xs:element ref="xs:annotation" minOccurs="0" maxOccurs="unbounded"> + </xs:sequence> + </xs:sequence> + <xs:attribute name="targetNamespace" type="xs:anyURI"/> + <xs:attribute name="version" type="xs:token"/> + <xs:attribute name="finalDefault" type="xs:fullDerivationSet" + default=""> + <xs:attribute name="blockDefault" type="xs:blockSet" default="" + use="optional"/> + <xs:attribute name="attributeFormDefault" type="xs:formChoice" + default="unqualified" use="optional"/> + <xs:attribute name="elementFormDefault" type="xs:formChoice" + default="unqualified" use="optional"/> + <xs:attribute name="defaultAttributes" type="xs:QName"/> + <xs:attribute name="xpathDefaultNamespace" type="xs:xpathDefaultNamespace" + default="#local" use="optional"/> + <xs:attribute name="id" type="xs:ID"/> + <xs:attribute ref="xml:lang"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:key name="element"> + <xs:selector xpath="xs:element"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="attribute"> + <xs:selector xpath="xs:attribute"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="type"> + <xs:selector xpath="xs:complexType|xs:simpleType"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="group"> + <xs:selector xpath="xs:group"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="attributeGroup"> + <xs:selector xpath="xs:attributeGroup"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="notation"> + <xs:selector xpath="xs:notation"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="identityConstraint"> + <xs:selector xpath="//xs:key|//xs:unique|//xs:keyref"/> + <xs:field xpath="@name"/> + </xs:key> + </xs:element> + <xs:simpleType name="allNNI"> + <xs:annotation> + <xs:documentation> + for maxOccurs</xs:documentation> + <xs:annotation> + <xs:union memberTypes="xs:nonNegativeInteger"> + <xs:simpleType> + <xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="unbounded"/> + </xs:restriction> + </xs:simpleType> + </xs:union> + </xs:simpleType> + <xs:attributeGroup name="occurs"> + <xs:annotation> + <xs:documentation> + for all particles</xs:documentation> + </xs:annotation> + <xs:attribute name="minOccurs" type="xs:nonNegativeInteger" default="1" + use="optional"/> + <xs:attribute name="maxOccurs" type="xs:allNNI" default="1" use="optional"/> + </xs:attributeGroup> + <xs:attributeGroup name="defRef"> + <xs:annotation> + <xs:documentation> for element, group and attributeGroup, - which both define and reference</xs:documentation> </xs:annotation> - <xs:attribute name="name" type="xs:NCName"/> - <xs:attribute name="ref" type="xs:QName"/> - </xs:attributeGroup> - - <xs:group name="typeDefParticle"> - <xs:annotation> - <xs:documentation> - 'complexType' uses this</xs:documentation> </xs:annotation> - <xs:choice> - <xs:element name="group" type="xs:groupRef"/> - <xs:element ref="xs:all"/> - <xs:element ref="xs:choice"/> - <xs:element ref="xs:sequence"/> - </xs:choice> - </xs:group> - - - <xs:group name="nestedParticle"> - <xs:choice> - <xs:element name="element" type="xs:localElement"/> - <xs:element name="group" type="xs:groupRef"/> - <xs:element ref="xs:choice"/> - <xs:element ref="xs:sequence"/> - <xs:element ref="xs:any"/> - </xs:choice> - </xs:group> - - <xs:group name="particle"> - <xs:choice> - <xs:element name="element" type="xs:localElement"/> - <xs:element name="group" type="xs:groupRef"/> - <xs:element ref="xs:all"/> - <xs:element ref="xs:choice"/> - <xs:element ref="xs:sequence"/> - <xs:element ref="xs:any"/> - </xs:choice> - </xs:group> - - <xs:complexType name="attribute"> - <xs:complexContent> - <xs:extension base="xs:annotated"> + <xs:sequence> + <xs:element name="simpleType" type="xs:localSimpleType" minOccurs="0"/> + </xs:sequence> + <xs:attributeGroup ref="xs:defRef"/> + <xs:attribute name="type" type="xs:QName"/> + <xs:attribute name="use" default="optional" use="optional"/> + <xs:simpleType> + <xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="prohibited"/> + <xs:enumeration value="optional"/> + <xs:enumeration value="required"/> + </xs:restriction> + </xs:simpleType> + <xs:attribute name="default" type="xs:string"/> + <xs:attribute name="fixed" type="xs:string"/> + <xs:attribute name="form" type="xs:formChoice"/> + <xs:attribute name="targetNamespace" type="xs:anyURI"/> + <xs:attribute name="inheritable" type="xs:boolean"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="topLevelAttribute"> + <xs:complexContent> + <xs:restriction base="xs:attribute"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:element name="simpleType" type="xs:localSimpleType" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="ref" use="prohibited"/> + <xs:attribute name="form" use="prohibited"/> + <xs:attribute name="use" use="prohibited"/> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:attribute name="inheritable" type="xs:boolean"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:group name="attrDecls"> <xs:sequence> - <xs:element name="simpleType" minOccurs="0" type="xs:localSimpleType"/> + <xs:choice minOccurs="0" maxOccurs="unbounded"> - <xs:element name="attribute" type="xs:attribute"/> + <xs:element name="attributeGroup" type="xs:attributeGroupRef"/> + </xs:choice> + <xs:element ref="xs:anyAttribute" minOccurs="0"/> </xs:sequence> - <xs:attributeGroup ref="xs:defRef"/> - <xs:attribute name="type" type="xs:QName"/> - <xs:attribute name="use" use="optional" default="optional"/> - </xs:simpleType> - <xs:restriction base="xs:NMTOKEN"> - <xs:enumeration value="prohibited"/> - <xs:enumeration value="optional"/> - <xs:enumeration value="required"/> - </xs:restriction> - </xs:simpleType> - </xs:attribute> - <xs:attribute name="default" type="xs:string"/> - <xs:attribute name="fixed" type="xs:string"/> - <xs:attribute name="form" type="xs:formChoice"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="topLevelAttribute"> - <xs:complexContent> - <xs:restriction base="xs:attribute"> + <xs:group> + <xs:element name="anyAttribute" id="anyAttribute"> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema-1/#element-anyAttribute"/> + </xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:wildcard"> + <xs:attribute name="notQName" type="xs:qnameListA" + use="optional"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:group name="assertions"> <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:element name="simpleType" minOccurs="0" type="xs:localSimpleType"/> + <xs:element name="assert" type="xs:assertion" + minOccurs="0" maxOccurs="unbounded"/> </xs:sequence> - <xs:attribute name="ref" use="prohibited"/> - <xs:attribute name="form" use="prohibited"/> - <xs:attribute name="use" use="prohibited"/> - <xs:attribute name="name" type="xs:NCName"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:group name="attrDecls"> - <xs:sequence> - <xs:choice minOccurs="0" maxOccurs="unbounded"> - <xs:element name="attribute" type="xs:attribute"/> - <xs:element name="attributeGroup"

type="xs:attributeGroupRef"/> - </xs:choice> - <xs:element ref="xs:anyAttribute" minOccurs="0"/> - </xs:sequence> - </xs:group> - - <xs:element name="anyAttribute" type="xs:wildcard" id="anyAttribute"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-anyAttribute"/> - </xs:annotation> - - </xs:element> - - <xs:group name="complexTypeModel"> - <xs:choice> + </xs:group> + <xs:complexType name="assertion"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:attribute name="test" type="xs:string"/> + <xs:attribute name="xpathDefaultNamespace" type="xs:xpathDefaultNamespace"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:group name="complexTypeModel"> + <xs:choice> <xs:element ref="xs:simpleContent"/> <xs:element ref="xs:complexContent"/> </xs:sequence> - <xs:annotation> - <xs:documentation> + <xs:annotation> + <xs:documentation> This branch is short for <complexType> <restriction base="xs:anyType"> ... </restriction> </complexType></xs:documentation> - </xs:annotation> - <xs:group ref="xs:typeDefParticle" minOccurs="0"/> - <xs:group ref="xs:attrDecls"/> + </xs:annotation> + <xs:element ref="xs:openContent" minOccurs="0"/> + <xs:group ref="xs:typeDefParticle" minOccurs="0"/> + <xs:group ref="xs:attrDecls"/> + <xs:group ref="xs:assertions"/> </xs:sequence> - </xs:choice> - </xs:group> - - <xs:complexType name="complexType" abstract="true"/> - <xs:complexContent> - <xs:extension base="xs:annotated"/> - <xs:group ref="xs:complexTypeModel"/> - <xs:attribute name="name" type="xs:NCName"> - <xs:annotation> - <xs:documentation> - Will be restricted to required or forbidden</xs:documentation> - </xs:annotation> - </xs:attribute> - <xs:attribute name="mixed" type="xs:boolean" use="optional" default="false"/> - <xs:annotation> - <xs:documentation> + </xs:choice> + </xs:group> + <xs:complexType name="complexType" abstract="true"/> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:group ref="xs:complexTypeModel"/> + <xs:attribute name="name" type="xs:NCName"> + <xs:annotation> + <xs:documentation> + Will be restricted to required or prohibited</xs:documentation> + </xs:annotation> + </xs:attribute> + <xs:attribute name="mixed" type="xs:boolean" use="optional"> + <xs:annotation> + <xs:documentation> Not allowed if simpleContent child is chosen. - May be overridden by setting on complexContent child.</xs:documentation> - </xs:annotation> - </xs:attribute> - <xs:attribute name="abstract" type="xs:boolean" use="optional" default="false"/> - <xs:attribute name="final" type="xs:derivationSet"/> - <xs:attribute name="block" type="xs:derivationSet"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="topLevelComplexType"> - <xs:complexContent> - <xs:restriction base="xs:complexType"> - </xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:group ref="xs:complexTypeModel"/> - </xs:sequence> - <xs:attribute name="name" type="xs:NCName" use="required"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="localComplexType"> - <xs:complexContent> - <xs:restriction base="xs:complexType"> - </xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:group ref="xs:complexTypeModel"/> - </xs:sequence> - <xs:attribute name="name" use="prohibited"/> - <xs:attribute name="abstract" use="prohibited"/> - <xs:attribute name="final" use="prohibited"/> - <xs:attribute name="block" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="restrictionType"> - <xs:complexContent> - <xs:extension base="xs:annotated"/> - </xs:sequence> - <xs:choice minOccurs="0"/> - <xs:group ref="xs:typeDefParticle"/> - <xs:group ref="xs:attrDecls"/> - </xs:sequence> - <xs:attribute name="base" type="xs:QName" use="required"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="complexRestrictionType"> - <xs:complexContent> - <xs:restriction base="xs:restrictionType"> - </xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:choice minOccurs="0"/> - <xs:annotation> - <xs:documentation> This choice is added simply to - make this a valid restriction per the REC</xs:documentation> - </xs:annotation> - <xs:group ref="xs:typeDefParticle"/> - </xs:choice> - <xs:group ref="xs:attrDecls"/> - </xs:sequence> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="extensionType"> - <xs:complexContent> - <xs:extension base="xs:annotated"/> - </xs:sequence> - <xs:group ref="xs:typeDefParticle" minOccurs="0"/> - <xs:group ref="xs:attrDecls"/> - </xs:sequence> - <xs:attribute name="base" type="xs:QName" use="required"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:element name="complexContent" id="complexContent"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-complexContent"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> - <xs:extension base="xs:annotated"/> - </xs:choice> - <xs:element name="restriction" type="xs:complexRestrictionType"/> - <xs:element name="extension" type="xs:extensionType"/> - </xs:choice> - <xs:attribute name="mixed" type="xs:boolean"> - <xs:annotation> - <xs:documentation> - Overrides any setting on complexType parent.</xs:documentation> - </xs:annotation> - </xs:attribute> - </xs:extension> - </xs:complexContent> + May be overridden by setting on complexContent child.</xs:documentation> + </xs:annotation> + </xs:attribute> + <xs:attribute name="abstract" type="xs:boolean" default="false" + use="optional"/> + <xs:attribute name="final" type="xs:derivationSet"/> + <xs:attribute name="block" type="xs:derivationSet"/> + <xs:attribute name="defaultAttributesApply" type="xs:boolean" + default="true" use="optional"/> + </xs:extension> + </xs:complexContent> </xs:complexType> - </xs:element> - - <xs:complexType name="simpleRestrictionType"> - <xs:complexContent> - <xs:restriction base="xs:restrictionType"> - </xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:choice minOccurs="0"/> - <xs:annotation> - <xs:documentation> This choice is added simply to - make this a valid restriction per the REC</xs:documentation> - </xs:annotation> - <xs:group ref="xs:simpleRestrictionModel"/> - </xs:choice> - <xs:group ref="xs:attrDecls"/> - </xs:sequence> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="simpleExtensionType"> - <xs:complexContent> - <xs:restriction base="xs:extensionType"> - </xs:sequence> - <xs:annotation> - <xs:documentation> + <xs:complexType name="topLevelComplexType"> + <xs:complexContent> + <xs:restriction base="xs:complexType"> + </xs:sequence> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:complexTypeModel"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="localComplexType"> + <xs:complexContent> + <xs:restriction base="xs:complexType"> + </xs:sequence> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:complexTypeModel"/> + </xs:sequence> + <xs:attribute name="name" type="xs:QName" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="complexRestrictionType"> + <xs:complexContent> + <xs:restriction base="xs:restrictionType"> + </xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"/> + <xs:annotation> + <xs:documentation> This choice is added simply to + make this a valid restriction per the REC</xs:documentation> + </xs:annotation> + <xs:sequence> + <xs:element ref="xs:openContent" minOccurs="0"/> + <xs:group ref="xs:typeDefParticle"/> + </xs:sequence> + </xs:choice> + <xs:group ref="xs:attrDecls"/> + <xs:group ref="xs:assertions"/> + </xs:sequence> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="extensionType"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + </xs:sequence> + <xs:element ref="xs:openContent" minOccurs="0"/> + <xs:group ref="xs:typeDefParticle" minOccurs="0"/> + <xs:group ref="xs:attrDecls"/> + <xs:group ref="xs:assertions"/> + </xs:sequence> + <xs:attribute name="base" type="xs:QName" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:element name="complexContent" id="complexContent"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-complexContent"/> + </xs:annotation> + </xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + </xs:choice> + <xs:element name="restriction" type="xs:complexRestrictionType"/> + <xs:element name="extension" type="xs:extensionType"/> + </xs:choice> + <xs:attribute name="mixed" type="xs:boolean"> + <xs:annotation> + <xs:documentation> + Overrides any setting on complexType parent.</xs:documentation> + </xs:annotation> + </xs:attribute> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="openContent" id="openContent"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-openContent"/> + </xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + </xs:sequence> + <xs:element name="any" minOccurs="0" type="xs:wildcard"/> + </xs:sequence> + <xs:attribute name="mode" default="interleave" use="optional"> + </xs:simpleType> + <xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="none"/> + <xs:enumeration value="interleave"/> + <xs:enumeration value="suffix"/> + </xs:restriction> + </xs:simpleType> + </xs:attribute> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="defaultOpenContent" id="defaultOpenContent"> + <xs:annotation> + <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-defaultOpenContent"/> + </xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + </xs:sequence> + <xs:element name="any" type="xs:wildcard"/> + </xs:sequence> + <xs:attribute name="appliesToEmpty" type="xs:boolean" + default="false" use="optional"/> + <xs:attribute name="mode" default="interleave" use="optional"> + </xs:simpleType> + <xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="interleave"/> + <xs:enumeration value="suffix"/> + </xs:restriction> + </xs:simpleType> + </xs:attribute> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:complexType name="simpleRestrictionType"> + </xs:sequence> + <xs:complexType name="restrictionType"> + </xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"/> + <xs:annotation> + <xs:documentation> This choice is added simply to + make this a valid restriction per the REC</xs:documentation> + </xs:annotation> + <xs:group ref="xs:simpleRestrictionModel"/> + </xs:choice> + <xs:group ref="xs:attrDecls"/> + <xs:group ref="xs:assertions"/> + </xs:sequence> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="simpleExtensionType"> + <xs:complexContent> + <xs:restriction base="xs:extensionType"> + </xs:sequence> + <xs:annotation> + <xs:documentation> No typeDefParticle group reference</xs:documentation> - </xs:annotation> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:group ref="xs:attrDecls"/> -


```
</xs:sequence> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - -
<xs:element name="simpleContent" id="simpleContent"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-
simpleContent"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> - <xs:extension base="xs:annotated"/> - <xs:choice> - <xs:element
name="restriction" type="xs:simpleRestrictionType"/> - <xs:element name="extension" type="xs:simpleExtensionType"/> - </xs:choice> - </xs:extension> -
</xs:complexContent> + </xs:annotation> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:attrDecls"/> + <xs:group
ref="xs:assertions"/> + </xs:sequence> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent>
</xs:complexType> - </xs:element> - - <xs:element name="complexType" type="xs:topLevelComplexType" id="complexType"> - <xs:annotation> -
<xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-complexType"/> - </xs:annotation> - </xs:element> - - + <xs:element
name="simpleContent" id="simpleContent"> + <xs:annotation> + <xs:documentation + source="..structures/structures.html#element-simpleContent"/> +
</xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:choice> + <xs:element name="restriction"
type="xs:simpleRestrictionType"/> + <xs:element name="extension" type="xs:simpleExtensionType"/> + </xs:choice> + </xs:extension> +
</xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="complexType" type="xs:topLevelComplexType" id="complexType"> +
<xs:annotation> + <xs:documentation + source="..structures/structures.html#element-complexType"/> + </xs:annotation> + </xs:element> <xs:simpleType
name="blockSet"> - <xs:annotation> - <xs:documentation> + <xs:annotation> + <xs:documentation> A utility type, not for public use</xs:documentation> -
<xs:documentation> + <xs:documentation> #all or (possibly empty) subset of {substitution, extension, restriction}</xs:documentation> - </xs:annotation> -
<xs:union> - <xs:simpleType> - <xs:restriction base="xs:token"> - <xs:enumeration value="#all"/> - </xs:restriction> - </xs:simpleType> - <xs:simpleType> -
<xs:list> + </xs:annotation> + <xs:union> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="#all"/> + </xs:restriction> +
</xs:simpleType> <xs:simpleType> - <xs:restriction base="xs:derivationControl"> - <xs:enumeration value="extension"/> - <xs:enumeration
value="restriction"/> - <xs:enumeration value="substitution"/> - </xs:restriction> + <xs:list> + <xs:simpleType> + <xs:restriction base="xs:derivationControl"> +
<xs:enumeration value="extension"/> + <xs:enumeration value="restriction"/> + <xs:enumeration value="substitution"/> + </xs:restriction> + </xs:simpleType>
+ </xs:list> </xs:simpleType> - </xs:list> - </xs:simpleType> - </xs:union> + </xs:union> </xs:simpleType> - - <xs:complexType name="element"
abstract="true"> - <xs:annotation> - <xs:documentation> - <xs:complexType name="element" abstract="true"> + <xs:annotation> + <xs:documentation> The
element element can be used either at the top level to define an element-type binding globally, or within a content model to either reference a globally-defined
element or type or declare an element-type binding locally. The ref form is not allowed at the top level.</xs:documentation> - </xs:annotation> - -
<xs:complexContent> - <xs:extension base="xs:annotated"> - <xs:sequence> - <xs:choice minOccurs="0"> - <xs:element name="simpleType"
type="xs:localSimpleType"/> - <xs:element name="complexType" type="xs:localComplexType"/> - </xs:choice> - <xs:group ref="xs:identityConstraint"
minOccurs="0" maxOccurs="unbounded"/> - </xs:sequence> - <xs:attributeGroup ref="xs:defRef"/> - <xs:attribute name="type" type="xs:QName"/> -
<xs:attribute name="substitutionGroup" type="xs:QName"/> - <xs:attributeGroup ref="xs:occurs"/> - <xs:attribute name="default" type="xs:string"/> -
<xs:attribute name="fixed" type="xs:string"/> - <xs:attribute name="nillable" type="xs:boolean" use="optional" default="false"/> - <xs:attribute name="abstract"
type="xs:boolean" use="optional" default="false"/> - <xs:attribute name="final" type="xs:derivationSet"/> - <xs:attribute name="block" type="xs:blockSet"/> -
<xs:attribute name="form" type="xs:formChoice"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:complexType
name="topLevelElement"> - <xs:complexContent> - <xs:restriction base="xs:element"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> -
<xs:choice minOccurs="0"> - <xs:element name="simpleType" type="xs:localSimpleType"/> - <xs:element name="complexType"
type="xs:localComplexType"/> - </xs:choice> - <xs:group ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> - </xs:sequence> -
<xs:attribute name="ref" use="prohibited"/> - <xs:attribute name="form" use="prohibited"/> - <xs:attribute name="minOccurs" use="prohibited"/> - <xs:attribute
name="maxOccurs" use="prohibited"/> - <xs:attribute name="name" use="required" type="xs:NCName"/> - <xs:anyAttribute namespace="##other"
processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="localElement"> - <xs:complexContent> -
<xs:restriction base="xs:element"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:choice minOccurs="0"> - <xs:element
name="simpleType" type="xs:localSimpleType"/> - <xs:element name="complexType" type="xs:localComplexType"/> - </xs:choice> - <xs:group
ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> - </xs:sequence> - <xs:attribute name="substitutionGroup" use="prohibited"/> -
<xs:attribute name="final" use="prohibited"/> - <xs:attribute name="abstract" use="prohibited"/> - <xs:anyAttribute namespace="##other"
processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:element name="element" type="xs:topLevelElement"
id="element"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-element"/> - </xs:annotation> - </xs:element> - -
<xs:complexType name="group" abstract="true"> - <xs:annotation> - <xs:documentation> + </xs:annotation> + <xs:complexContent> + <xs:extension
base="xs:annotated"> + <xs:sequence> + <xs:choice minOccurs="0"> + <xs:element name="simpleType" type="xs:localSimpleType"/> + <xs:element
name="complexType" type="xs:localComplexType"/> + </xs:choice> + <xs:element name="alternative" type="xs:altType" + minOccurs="0"
maxOccurs="unbounded"/> + <xs:group ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attributeGroup
ref="xs:defRef"/> + <xs:attribute name="type" type="xs:QName"/> + <xs:attribute name="substitutionGroup"> + <xs:simpleType> + <xs:list
itemType="xs:QName"/> + </xs:simpleType> + </xs:attribute> + <xs:attributeGroup ref="xs:occurs"/> + <xs:attribute name="default" type="xs:string"/> +
<xs:attribute name="fixed" type="xs:string"/> + <xs:attribute name="nillable" type="xs:boolean" use="optional"/> + <xs:attribute name="abstract"
type="xs:boolean" default="false" + use="optional"/> + <xs:attribute name="final" type="xs:derivationSet"/> + <xs:attribute name="block" type="xs:blockSet"/>
+ <xs:attribute name="form" type="xs:formChoice"/> + <xs:attribute name="targetNamespace" type="xs:anyURI"/> + </xs:extension> + </xs:complexContent>
+ </xs:complexType> + <xs:complexType name="topLevelElement"> + <xs:complexContent> + <xs:restriction base="xs:element"> + <xs:sequence> +
<xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"> + <xs:element name="simpleType" type="xs:localSimpleType"/> + <xs:element
name="complexType" type="xs:localComplexType"/> + </xs:choice> + <xs:element name="alternative" type="xs:altType" + minOccurs="0"
maxOccurs="unbounded"/> + <xs:group ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="ref"
use="prohibited"/> + <xs:attribute name="form" use="prohibited"/> + <xs:attribute name="targetNamespace" use="prohibited"/> + <xs:attribute
name="minOccurs" use="prohibited"/> + <xs:attribute name="maxOccurs" use="prohibited"/> + <xs:attribute name="name" type="xs:NCName"
use="required"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> +
<xs:complexType name="localElement"> + <xs:complexContent> + <xs:restriction base="xs:element"> + <xs:sequence> + <xs:element ref="xs:annotation"
minOccurs="0"/> + <xs:choice minOccurs="0"> + <xs:element name="simpleType" type="xs:localSimpleType"/> + <xs:element name="complexType"
type="xs:localComplexType"/> + </xs:choice> + <xs:element name="alternative" type="xs:altType" + minOccurs="0" maxOccurs="unbounded"/> + <xs:group
ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="substitutionGroup" use="prohibited"/> +
<xs:attribute name="final" use="prohibited"/> + <xs:attribute name="abstract" use="prohibited"/> + <xs:anyAttribute namespace="##other"
processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:element name="element" type="xs:topLevelElement"
id="element"> + <xs:annotation> + <xs:documentation + source="..structures/structures.html#element-element"/> + </xs:annotation> + </xs:element> +
<xs:complexType name="altType"> + <xs:annotation> + <xs:documentation> + This type is used for 'alternative' elements. + </xs:documentation> +
</xs:annotation> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:choice minOccurs="0"> + <xs:element name="simpleType"
type="xs:localSimpleType"/> + <xs:element name="complexType" type="xs:localComplexType"/> + </xs:choice> + <xs:attribute name="test" type="xs:string"
use="optional"/> + <xs:attribute name="type" type="xs:QName" use="optional"/> + <xs:attribute name="xpathDefaultNamespace"
type="xs:xpathDefaultNamespace"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="group" abstract="true"> +
<xs:annotation> + <xs:documentation> group type for explicit groups, named top-level groups and group references</xs:documentation> - </xs:annotation> -
<xs:complexContent> - <xs:extension base="xs:annotated"> - <xs:group ref="xs:particle" minOccurs="0" maxOccurs="unbounded"/> - <xs:attributeGroup
ref="xs:defRef"/> - <xs:attributeGroup ref="xs:occurs"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:complexType
name="realGroup"> - <xs:complexContent> - <xs:restriction base="xs:group"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:choice
minOccurs="0" maxOccurs="1"> - <xs:element ref="xs:all"/> - <xs:element ref="xs:choice"/> - <xs:element ref="xs:sequence"/> - </xs:choice> - </xs:sequence>
- <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType
name="namedGroup"> - <xs:complexContent> - <xs:restriction base="xs:realGroup"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> -
<xs:choice minOccurs="1" maxOccurs="1"> - <xs:element name="all"> - <xs:complexType> - <xs:complexContent> - <xs:restriction base="xs:all"> - <xs:group
ref="xs:allModel"/> - <xs:attribute name="minOccurs" use="prohibited"/> - <xs:attribute name="maxOccurs" use="prohibited"/> - <xs:anyAttribute
namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - <xs:element name="choice"
type="xs:simpleExplicitGroup"/> - <xs:element name="sequence" type="xs:simpleExplicitGroup"/> - </xs:choice> - </xs:sequence> - <xs:attribute name="name"
use="required" type="xs:NCName"/> - <xs:attribute name="ref" use="prohibited"/> - <xs:attribute name="minOccurs" use="prohibited"/> - <xs:attribute
name="maxOccurs" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> -
</xs:complexType> - - <xs:complexType name="groupRef"> - <xs:complexContent> - <xs:restriction base="xs:realGroup"> - <xs:sequence> - <xs:element
ref="xs:annotation" minOccurs="0"/> - </xs:sequence> - </xs:complexType> - - <xs:complexType name="explicitGroup"> - <xs:annotation> - <xs:documentation> - group type for the three kinds of group</xs:documentation> -
```

</xs:annotation> - <xs:complexContent> - <xs:restriction base="xs:group"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:group ref="xs:nestedParticle" minOccurs="0" maxOccurs="unbounded"/> - <xs:sequence> - <xs:attribute name="name" type="xs:NCName" use="prohibited"/> - <xs:attribute name="ref" type="xs:QName" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="simpleExplicitGroup"> - <xs:complexContent> - <xs:restriction base="xs:explicitGroup"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:group ref="xs:nestedParticle" minOccurs="0" maxOccurs="unbounded"/> - <xs:sequence> - <xs:attribute name="minOccurs" use="prohibited"/> - <xs:attribute name="maxOccurs" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:group name="allModel"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:choice minOccurs="0" maxOccurs="unbounded"> - <xs:annotation> - <xs:documentation>This choice with min/max is here to - avoid a pb1m with the Elt:All/Choice/Seq - Particle derivation constraint</xs:documentation> - <xs:annotation> - <xs:element name="element" type="xs:narrowMaxMin"/> - <xs:choice> - <xs:sequence> - </xs:group> - - - <xs:complexType name="narrowMaxMin"> - <xs:annotation> - <xs:documentation>restricted max/min</xs:documentation> - <xs:annotation> - <xs:complexContent> - <xs:restriction base="xs:localElement"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:choice minOccurs="0"> - <xs:element name="simpleType" type="xs:localSimpleType"/> - <xs:element name="complexType" type="xs:localComplexType"/> - <xs:choice> - <xs:group ref="xs:identityConstraint" minOccurs="0" maxOccurs="unbounded"/> - <xs:sequence> - <xs:attribute name="minOccurs" use="optional" default="1"> - <xs:simpleType> - <xs:restriction base="xs:nonNegativeInteger"> - <xs:enumeration value="0"/> - <xs:enumeration value="1"/> - </xs:restriction> - </xs:simpleType> - <xs:attribute> - <xs:attribute name="maxOccurs" use="optional" default="1"> - <xs:simpleType> - <xs:restriction base="xs:allNNI"> - <xs:enumeration value="0"/> - <xs:enumeration value="1"/> + </xs:annotation> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:group ref="xs:particle" minOccurs="0" maxOccurs="unbounded"/> + <xs:attributeGroup ref="xs:occurs"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="realGroup"> + <xs:complexContent> + <xs:restriction base="xs:group"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0" maxOccurs="1"> + <xs:element ref="xs:all"/> + <xs:element ref="xs:choice"/> + <xs:element ref="xs:sequence"/> + </xs:choice> + </xs:sequence> + <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:simpleType> - <xs:attribute> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexType> - - <xs:complexType name="all"> - <xs:annotation> - <xs:documentation> - Only elements allowed inside</xs:documentation> - </xs:annotation> - <xs:complexContent> - <xs:restriction base="xs:explicitGroup"> - <xs:group ref="xs:allModel"/> - <xs:attribute name="minOccurs" use="optional" default="1"> - <xs:simpleType> - <xs:restriction base="xs:nonNegativeInteger"> - <xs:enumeration value="0"/> - <xs:enumeration value="1"/> - </xs:restriction> - </xs:simpleType> - </xs:attribute> - <xs:attribute name="maxOccurs" use="optional" default="1"> - <xs:simpleType> - <xs:restriction base="xs:allNNI"> - <xs:enumeration value="1"/> - </xs:restriction> - </xs:simpleType> - </xs:attribute> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexType> + </xs:complexContent> + </xs:complexType> - <xs:element name="all" id="all" type="xs:all"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-all"/> - </xs:annotation> - </xs:element> - - <xs:element name="choice" type="xs:explicitGroup" id="choice"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-choice"/> - </xs:annotation> - </xs:element> - - <xs:element name="sequence" type="xs:explicitGroup" id="sequence"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-sequence"/> - </xs:annotation> - </xs:element> - - <xs:element name="group" type="xs:namedGroup" id="group"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-group"/> - </xs:annotation> - </xs:element> - - <xs:complexType name="wildcard"> - <xs:complexContent> - <xs:extension base="xs:annotated"> - <xs:attribute name="namespace" type="xs:namespaceList" use="optional" default="##any"/> - <xs:attribute name="processContents" use="optional" default="strict"> - <xs:simpleType> - <xs:restriction base="xs:NMTOKEN"> - <xs:enumeration value="skip"/> - <xs:enumeration value="lax"/> - <xs:enumeration value="strict"/> + <xs:complexType name="namedGroup"> + <xs:complexContent> + <xs:restriction base="xs:realGroup"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="1" maxOccurs="1"> + <xs:element name="all"> + <xs:complexType> + <xs:complexContent> + <xs:restriction base="xs:all"> + <xs:group ref="xs:allModel"/> + <xs:attribute name="minOccurs" use="prohibited"/> + <xs:attribute name="maxOccurs" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="choice" type="xs:simpleExplicitGroup"/> + <xs:element name="sequence" type="xs:simpleExplicitGroup"/> + </xs:choice> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:attribute name="ref" use="prohibited"/> + <xs:attribute name="minOccurs" use="prohibited"/> + <xs:attribute name="maxOccurs" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:simpleType> - </xs:attribute> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:element name="any" id="any"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-any"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> - <xs:extension base="xs:wildcard"> - <xs:attributeGroup ref="xs:occurs"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - </xs:element> - - <xs:annotation> - <xs:documentation> - simple type for the value of the 'namespace' attr of - 'any' and 'anyAttribute'</xs:documentation> - </xs:annotation> - <xs:annotation> - <xs:documentation> - Value is - ##any - any non-conflicting WFXML/attribute at all - - ##other - any non-conflicting WFXML/attribute from - namespace other than targetNS - - ##local - any unqualified non-conflicting WFXML/attribute - one or - - any non-conflicting WFXML/attribute from - more URI the listed namespaces - references (space separated) - - ##targetNamespace or ##local may appear in the above list, to - refer to the targetNamespace of the enclosing - schema or an absent targetNamespace respectively</xs:documentation> - </xs:annotation> - - <xs:simpleType name="namespaceList"> - <xs:annotation> - <xs:documentation> - A utility type, not for public use</xs:documentation> - </xs:annotation> - <xs:union> - <xs:simpleType> - <xs:restriction base="xs:token"> - <xs:enumeration value="##any"/> - <xs:enumeration value="##other"/> - </xs:restriction> - </xs:simpleType> - <xs:simpleType> - <xs:list> - <xs:simpleType> - <xs:union memberTypes="xs:anyURI"> - <xs:simpleType> - <xs:restriction base="xs:token"> - <xs:enumeration value="##targetNamespace"/> - <xs:enumeration value="##local"/> - </xs:restriction> - </xs:simpleType> - </xs:union> - </xs:simpleType> - </xs:list> - </xs:simpleType> - </xs:union> - </xs:simpleType> - - <xs:element name="attribute" type="xs:topLevelAttribute" id="attribute"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-attribute"/> - </xs:annotation> - </xs:element> - - <xs:complexType name="attributeGroup" abstract="true"> - <xs:complexContent> - <xs:extension base="xs:annotated"> - <xs:group ref="xs:attrDecls"/> - <xs:attributeGroup ref="xs:deRef"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="namedAttributeGroup"> - <xs:complexContent> - <xs:restriction base="xs:attributeGroup"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - <xs:group ref="xs:attrDecls"/> - </xs:sequence> - <xs:attribute name="name" use="required" type="xs:NCName"/> - <xs:attribute name="ref" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:complexType name="attributeGroupRef"> - <xs:complexContent> - <xs:restriction base="xs:attributeGroup"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - </xs:sequence> - <xs:attribute name="ref" use="required" type="xs:QName"/> - <xs:attribute name="name" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:element name="attributeGroup" type="xs:namedAttributeGroup" id="attributeGroup"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-attributeGroup"/> - </xs:annotation> - </xs:element> - - <xs:element name="include" id="include"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-include"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> - <xs:extension base="xs:annotated"> - <xs:attribute name="schemaLocation" type="xs:anyURI" use="required"/> - </xs:extension> - </xs:complexContent> + <xs:complexType name="groupRef"> + <xs:complexContent> + <xs:restriction base="xs:realGroup"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="ref" type="xs:QName" use="required"/> + <xs:attribute name="name" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> - </xs:element> - - <xs:element name="redefine" id="redefine"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-redefine"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> - <xs:extension base="xs:openAttrs"> - <xs:choice minOccurs="0" maxOccurs="unbounded"> - <xs:element ref="xs:annotation"/> - <xs:group ref="xs:redefinable"/> - </xs:choice> - <xs:attribute name="schemaLocation" type="xs:anyURI" use="required"/> - <xs:attribute name="id" type="xs:ID"/> - </xs:extension> - </xs:complexContent> + <xs:complexType name="explicitGroup"> + <xs:annotation> + <xs:documentation> - group type for the three kinds of group</xs:documentation> + <xs:annotation> + <xs:complexContent> + <xs:restriction base="xs:group"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:nestedParticle" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="name" use="prohibited"/> + <xs:attribute name="ref" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> - </xs:complexType> - </xs:element> - - <xs:element name="import" id="import"> - <xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-import"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> - <xs:extension base="xs:annotated"> - <xs:attribute name="namespace" type="xs:anyURI"/> - <xs:attribute name="schemaLocation" type="xs:anyURI"/> - </xs:extension> - </xs:complexContent> + <xs:complexType name="simpleExplicitGroup"> + <xs:complexContent> + <xs:restriction base="xs:explicitGroup"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:nestedParticle" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="minOccurs" use="prohibited"/> + <xs:attribute name="maxOccurs" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> - </xs:complexType> - </xs:element> - - <xs:element name="selector" id="selector"> -

```
<xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-selector"/> - <xs:complexType> - <xs:complexContent>  
- <xs:extension base="xs:annotated"/> - <xs:attribute name="xpath" use="required"/> - <xs:simpleType> - <xs:annotation> -  
use<xs:documentation>A subset of XPath expressions for use in selectors</xs:documentation> - <xs:documentation>A utility type, not for public  
use</xs:documentation> - </xs:annotation> - <xs:restriction base="xs:token"/> - <xs:annotation> - <xs:documentation>The following pattern is intended to allow  
XPath - expressions per the following EBNF: - Selector ::= Path ( '|' Path )* - Path ::= ('/')? Step ( '/' Step )* - Step ::= '.' | NameTest - NameTest ::= QName | '*' |  
NCName | ':' '*' - child:: is also allowed - </xs:documentation> - </xs:annotation> - <xs:pattern value="(\\./)?(((child::)?(\\|c*:)?(\\|c*|*))\\.|)((child::)?(\\|c*:)?  
(\\|c*|*))\\.|))*((\\|c*/)?(((child::)?(\\|c*:)?(\\|c*|*))\\.|)((child::)?(\\|c*:)?(\\|c*|*))\\.|))*")*> - </xs:pattern> - </xs:restriction> - </xs:simpleType> -  
</xs:attribute> - </xs:extension> - </xs:complexType> - </xs:complexContent> - </xs:element> - - <xs:element name="field" id="field"/> - </xs:annotation> -  
<xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-field"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> -  
<xs:extension base="xs:annotated"/> - <xs:attribute name="xpath" use="required"/> - <xs:simpleType> - <xs:annotation> - <xs:documentation>A subset of XPath  
expressions for use in fields</xs:documentation> - <xs:documentation>A utility type, not for public use</xs:documentation> - </xs:annotation> - <xs:restriction  
base="xs:token"/> + <xs:group name="allModel"/> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:choice minOccurs="0"  
maxOccurs="unbounded"/> </xs:annotation> - <xs:documentation>The following pattern is intended to allow XPath - expressions per the same EBNF as for  
selector, - with the following change: - Path ::= ('/')? ( Step '/' ) * ( Step | '@' NameTest ) - </xs:documentation> + <xs:documentation>This choice with min/max is  
here to + avoid a pbml with the Elt:All/Choice/Seq + Particle derivation constraint</xs:documentation> </xs:annotation> - <xs:pattern value="(\\./)?(((child::)?  
(\\|c*:)?(\\|c*|*))\\.|))*((((child::)?(\\|c*:)?(\\|c*|*))\\.|)((attribute::|@)(\\|c*:)?(\\|c*|*))\\.|)((\\./)?(((child::)?(\\|c*:)?(\\|c*|*))\\.|))*((((child::)?(\\|c*:)?  
(\\|c*|*))\\.|)((attribute::|@)(\\|c*:)?(\\|c*|*)))))")*> - </xs:pattern> - </xs:restriction> - </xs:simpleType> - </xs:attribute> - </xs:extension> -  
</xs:complexContent> - </xs:complexType> - </xs:element> - - <xs:complexType name="keybase"> - <xs:complexContent> - <xs:extension  
base="xs:annotated"/> - <xs:sequence> - <xs:element ref="xs:selector"/> - <xs:element ref="xs:field" minOccurs="1" maxOccurs="unbounded"/> -  
<xs:sequence> - <xs:attribute name="name" type="xs:NCName" use="required"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - - <xs:group  
name="identityConstraint"/> - <xs:annotation> - <xs:documentation>The three kinds of identity constraints, all with - type of or derived from 'keybase'. -  
</xs:documentation> - </xs:annotation> - <xs:choice> - <xs:element ref="xs:unique"/> - <xs:element ref="xs:key"/> - <xs:element ref="xs:keyref"/> -  
</xs:choice> - </xs:group> - - <xs:element name="unique" type="xs:keybase" id="unique"/> - </xs:annotation> - <xs:documentation  
source="http://www.w3.org/TR/xmlschema-1/#element-unique"/> - </xs:annotation> - </xs:element> - <xs:element name="key" type="xs:keybase" id="key"/> -  
</xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-key"/> - </xs:annotation> - </xs:element> - <xs:element  
name="keyref" id="keyref"/> - </xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-keyref"/> - </xs:annotation> -  
</xs:complexType> - </xs:complexContent> - <xs:extension base="xs:keybase"> - <xs:attribute name="refer" type="xs:QName" use="required"/> -  
</xs:extension> - </xs:complexContent> - </xs:complexType> - </xs:element> - - <xs:element name="notation" id="notation"/> - </xs:annotation> -  
<xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-notation"/> - </xs:annotation> - <xs:complexType> - <xs:complexContent> -  
<xs:extension base="xs:annotated"/> - <xs:attribute name="name" type="xs:NCName" use="required"/> - <xs:attribute name="public" type="xs:public"/> -  
<xs:attribute name="system" type="xs:anyURI"/> - </xs:extension> - </xs:complexContent> - </xs:complexType> - </xs:element> - - <xs:simpleType  
name="public"/> - </xs:annotation> - <xs:documentation>A utility type, not for public use</xs:documentation> - <xs:documentation>- A public identifier, per  
ISO 8879</xs:documentation> - </xs:annotation> - <xs:restriction base="xs:token"/> - </xs:simpleType> - - <xs:element name="appinfo" id="appinfo"/> -  
</xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-appinfo"/> - </xs:annotation> - <xs:complexType mixed="true"/> -  
<xs:sequence minOccurs="0" maxOccurs="unbounded"/> - <xs:any processContents="lax"/> - </xs:sequence> - <xs:attribute name="source" type="xs:anyURI"/> -  
</xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:complexType> - </xs:element> - - <xs:element name="documentation"  
id="documentation"/> - </xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-documentation"/> - </xs:annotation> -  
<xs:complexType mixed="true"/> - <xs:sequence minOccurs="0" maxOccurs="unbounded"/> - <xs:any processContents="lax"/> + <xs:element name="element"  
type="xs:localElement"/> + <xs:element ref="xs:any"/> + <xs:element name="group"/> + <xs:complexType> + <xs:complexContent> + <xs:restriction  
base="xs:groupRef"/> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="minOccurs" fixed="1"  
type="xs:nonNegativeInteger"/> + <xs:attribute name="maxOccurs" fixed="1" type="xs:nonNegativeInteger"/> + </xs:restriction> + </xs:complexContent> +  
</xs:complexType> + </xs:element> + </xs:choice> </xs:sequence> - <xs:attribute name="source" type="xs:anyURI"/> - <xs:attribute ref="xml:lang"/> -  
<xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:complexType> - </xs:element> - - <xs:element name="annotation" id="annotation"/> -  
</xs:annotation> - <xs:documentation source="http://www.w3.org/TR/xmlschema-1/#element-annotation"/> - </xs:annotation> - <xs:complexType> +  
</xs:group> + <xs:complexType name="all"> + <xs:annotation> + <xs:documentation>+ Only elements allowed inside</xs:documentation> + </xs:annotation>  
<xs:complexContent> - <xs:extension base="xs:openAttrs"> - <xs:choice minOccurs="0" maxOccurs="unbounded"/> - <xs:element ref="xs:appinfo"/> -  
<xs:element ref="xs:documentation"/> - </xs:choice> - <xs:attribute name="id" type="xs:ID"/> - </xs:extension> + <xs:restriction base="xs:explicitGroup"> +  
<xs:group ref="xs:allModel"/> + <xs:attribute name="minOccurs" default="1" use="optional"/> + <xs:simpleType> + <xs:restriction  
base="xs:nonNegativeInteger"> + <xs:enumeration value="0"/> + <xs:enumeration value="1"/> + </xs:restriction> + </xs:simpleType> + </xs:attribute> +  
<xs:attribute name="maxOccurs" default="1" use="optional"/> + <xs:simpleType> + <xs:restriction base="xs:allNNI"> + <xs:enumeration value="0"/> +  
<xs:enumeration value="1"/> + </xs:restriction> + </xs:simpleType> + </xs:attribute> + <xs:anyAttribute namespace="##other" processContents="lax"/> +  
</xs:restriction> </xs:complexContent> - </xs:complexType> - </xs:element> - </xs:annotation> - <xs:documentation>- notations for use within XML Schema  
schemas</xs:documentation> - </xs:annotation> - - <xs:notation name="XMLSchemaStructures" public="structures"  
system="http://www.w3.org/2000/08/XMLSchema.xsd"/> - <xs:notation name="XML" public="REC-xml-19980210" system="http://www.w3.org/TR/1998/REC-  
xml-19980210"/> - - <xs:complexType name="anyType" mixed="true"/> - </xs:annotation> - <xs:documentation>- Not the real urType, but as close an  
approximation as we can - get in the XML representation</xs:documentation> - </xs:annotation> - <xs:sequence> - <xs:any minOccurs="0"  
maxOccurs="unbounded" processContents="lax"/> - </xs:sequence> - <xs:anyAttribute processContents="lax"/> - </xs:complexType> - - </xs:annotation> -  
</xs:documentation> - First the built-in primitive datatypes. These definitions are for - information only, the real built-in definitions are magic. -  
</xs:documentation> - - </xs:documentation> - For each built-in datatype in this schema (both primitive and - derived) can be uniquely addressed via a URI  
constructed - as follows: - 1) the base URI is the URI of the XML Schema namespace - 2) the fragment identifier is the name of the datatype - - For example, to  
address the int datatype, the URI is: - http://www.w3.org/2001/XMLSchema#int - - Additionally, each facet definition element can be uniquely - addressed via a  
URI constructed as follows: - 1) the base URI is the URI of the XML Schema namespace - 2) the fragment identifier is the name of the facet - - For example, to  
address the maxInclusive facet, the URI is: - http://www.w3.org/2001/XMLSchema#maxInclusive - - Additionally, each facet usage in a built-in datatype  
definition - can be uniquely addressed via a URI constructed as follows: - 1) the base URI is the URI of the XML Schema namespace - 2) the fragment identifier is  
the name of the datatype, followed - by a period (".") followed by the name of the facet - - For example, to address the usage of the maxInclusive facet in - the  
definition of int, the URI is: - http://www.w3.org/2001/XMLSchema#int.maxInclusive - - </xs:documentation> - </xs:annotation> - - </xs:simpleType  
name="string"/> - </xs:annotation> - </xs:appinfo> - <hfp:hasFacet name="length"/> - <hfp:hasFacet name="minLength"/> - <hfp:hasFacet  
name="maxLength"/> - <hfp:hasFacet name="pattern"/> - <hfp:hasFacet name="enumeration"/> - <hfp:hasFacet name="white
```

```

<xs:simpleType name="decimal" id="decimal">- <xs:annotation>- <xs:appinfo>- <hfp:hasFacet name="totalDigits"/>- <hfp:hasFacet name="fractionDigits"/>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="total"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="true"/>- </xs:appinfo> + </xs:element> + <xs:element name="sequence" type="xs:explicitGroup" id="sequence"> + <xs:annotation> <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#decimal"/> + source="../structures/structures.html#element-sequence"/> </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="decimal.whiteSpace"/>- </xs:restriction>- </xs:simpleType>- </xs:simpleType name="duration" id="duration">- <xs:annotation>- <xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#duration"/> + </xs:element> + <xs:element name="group" type="xs:namedGroup" id="group"> + <xs:annotation> + <xs:documentation>- source="../structures/structures.html#element-group"/> </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="duration.whiteSpace"/>- </xs:restriction>- </xs:simpleType>- </xs:simpleType name="dateTime" id="dateTime">- <xs:annotation>- <xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#dateTime"/> + </xs:element> + <xs:attributeGroup name="anyAttrGroup"> + <xs:attribute name="namespace" type="xs:namespaceList" + use="optional"/> + <xs:attribute name="notNamespace" use="optional"> + <xs:simpleType> + <xs:restriction base="xs:basicNamespaceList"> + <xs:minLength value="1"/> + </xs:restriction> + </xs:simpleType> + </xs:attribute> + <xs:attribute name="processContents" default="strict" use="optional"> + <xs:simpleType> + <xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="skip"/> + <xs:enumeration value="lax"/> + <xs:enumeration value="strict"/> + </xs:restriction> + </xs:simpleType> + </xs:attribute> + </xs:attributeGroup> + <xs:complexType name="wildcard"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:attributeGroup ref="xs:anyAttrGroup"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:element name="any" id="any"> + <xs:annotation> + <xs:documentation>- source="../structures/structures.html#element-any"/> </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="dateTime.whiteSpace"/>- </xs:restriction>- </xs:simpleType> + <xs:complexContent> + <xs:extension base="xs:wildcard"> + <xs:attribute name="notQName" type="xs:qnameList" + use="optional"/> + <xs:attributeGroup ref="xs:occurs"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:annotation> + <xs:documentation> + simple type for the value of the 'namespace' attr of + 'any' and 'anyAttribute'</xs:documentation> + </xs:annotation> + <xs:annotation> + <xs:documentation> + Value is + ##any - - any non-conflicting WFXML/attribute at all - <xs:simpleType name="time" id="time">- <xs:annotation>- <xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#time"/>- </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="time.whiteSpace"/>- </xs:restriction>- </xs:simpleType> + ##other - - any non-conflicting WFXML/attribute from + namespace other than targetNS - <xs:simpleType name="date" id="date">- <xs:annotation>- <xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#date"/>- </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="date.whiteSpace"/>- </xs:restriction>- </xs:simpleType> + ##local - - any unqualified non-conflicting WFXML/attribute - <xs:simpleType name="gYearMonth" id="gYearMonth">- <xs:annotation>- </xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#gYearMonth"/>- </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="gYearMonth.whiteSpace"/>- </xs:restriction>- </xs:simpleType> + one or - - any non-conflicting WFXML/attribute from + more URI the listed namespaces + references + (space separated) - <xs:simpleType name="gYear" id="gYear">- <xs:annotation>- </xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#gYear"/> + ##targetNamespace or ##local may appear in the above list, to + refer to the targetNamespace of the enclosing + schema or an absent targetNamespace respectively</xs:documentation> + </xs:annotation> + <xs:simpleType name="namespaceList"> + <xs:annotation> + <xs:documentation> + A utility type, not for public use</xs:documentation> </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="gYear.whiteSpace"/>- </xs:restriction> + <xs:union memberTypes="xs:specialNamespaceList xs:basicNamespaceList"/> </xs:simpleType>- </xs:simpleType name="gMonthDay" id="gMonthDay">- <xs:annotation>- </xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#gMonthDay"/>- </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="gMonthDay.whiteSpace"/>- </xs:restriction>- </xs:simpleType>- </xs:simpleType name="gDay" id="gDay">- <xs:annotation>- </xs:appinfo>- <hfp:hasFacet name="pattern"/>- <hfp:hasFacet name="enumeration"/>- <hfp:hasFacet name="whiteSpace"/>- <hfp:hasFacet name="maxInclusive"/>- <hfp:hasFacet name="maxExclusive"/>- <hfp:hasFacet name="minInclusive"/>- <hfp:hasFacet name="minExclusive"/>- <hfp:hasProperty name="ordered" value="partial"/>- <hfp:hasProperty name="bounded" value="false"/>- <hfp:hasProperty name="cardinality" value="countably infinite"/>- <hfp:hasProperty name="numeric" value="false"/>- </xs:appinfo>- <xs:documentation>- source="http://www.w3.org/TR/xmlschema-2/#gDay"/> + <xs:simpleType name="basicNamespaceList"> + <xs:annotation> + <xs:documentation> + A utility type, not for public use</xs:documentation> </xs:annotation>- <xs:restriction base="xs:anySimpleType">- <xs:whiteSpace value="collapse" fixed="true" id="gDay.whiteSpace"/>- </xs:restriction> + <xs:union memberTypes="xs:anyURI"> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="##targetNamespace"/> + <xs:enumeration value="##local"/> + </xs:restriction> + </xs:simpleType>
```

name="cardinality" value="countably infinite"/> - <hfp:hasProperty name="numeric" value="false"/> - </xs:appinfo> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#base64Binary"/> - </xs:annotation> - <xs:restriction base="xs:anySimpleType" - <xs:whiteSpace value="collapse" fixed="true" - id="base64Binary.whiteSpace"/> - </xs:restriction> - </xs:simpleType> - - </xs:simpleType name="anyURI" id="anyURI"> - <xs:annotation> - <xs:appinfo> - <hfp:hasFacet name="length"/> - <hfp:hasFacet name="minLength"/> - <hfp:hasFacet name="maxLength"/> - <hfp:hasFacet name="pattern"/> - <hfp:hasFacet name="enumeration"/> - <hfp:hasFacet name="whiteSpace"/> - <hfp:hasProperty name="ordered" value="false"/> - <hfp:hasProperty name="bounded" value="false"/> - <hfp:hasProperty name="cardinality" - value="countably infinite"/> - <hfp:hasProperty name="numeric" value="false"/> - </xs:appinfo> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#QName"/> + <xs:simpleType name="qnameList"> + <xs:annotation> + <xs:documentation> + A utility type, not for public use + </xs:documentation> </xs:annotation> - <xs:restriction base="xs:anySimpleType" - <xs:whiteSpace value="collapse" fixed="true" - id="QName.whiteSpace"/> - </xs:restriction> + <xs:list> + <xs:simpleType> + <xs:union memberTypes="xs:QName"> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="##defined"/> + <xs:enumeration value="##definedSibling"/> + </xs:restriction> + </xs:simpleType> + </xs:list> </xs:simpleType> - - <xs:simpleType name="NOTATION" id="NOTATION"> - <xs:annotation> - <xs:appinfo> - <hfp:hasFacet name="length"/> - <hfp:hasFacet name="minLength"/> - <hfp:hasFacet name="maxLength"/> - <hfp:hasFacet name="pattern"/> - <hfp:hasFacet name="enumeration"/> - <hfp:hasFacet name="whiteSpace"/> - <hfp:hasProperty name="ordered" value="false"/> - <hfp:hasProperty name="bounded" value="false"/> - <hfp:hasProperty name="cardinality" - value="countably infinite"/> - <hfp:hasProperty name="numeric" value="false"/> - </xs:appinfo> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#NOTATION"/> + <xs:simpleType name="qnameListA"> + <xs:annotation> </xs:documentation> - NOTATION cannot be used directly in a schema; rather a type - must be derived from it by specifying at least one enumeration - facet whose value is the name of a NOTATION declared in the - schema. + A utility type, not for public use </xs:documentation> </xs:annotation> - <xs:restriction base="xs:anySimpleType" - <xs:whiteSpace value="collapse" fixed="true" - id="NOTATION.whiteSpace"/> - </xs:restriction> + <xs:list> + <xs:simpleType> + <xs:union memberTypes="xs:QName"> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="##defined"/> + </xs:restriction> + </xs:simpleType> + </xs:union> + </xs:simpleType> + </xs:list> </xs:simpleType> - - <xs:simpleType name="normalizedString" id="normalizedString"> - <xs:annotation> - <xs:documentation> - Now the derived primitive types - </xs:documentation> - </xs:annotation> - - <xs:simpleType name="normalizedString" id="normalizedString"> + <xs:simpleType name="xpathDefaultNamespace"> + <xs:union memberTypes="xs:anyURI"> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="##defaultNamespace"/> + <xs:enumeration value="##targetNamespace"/> + <xs:enumeration value="##local"/> + </xs:restriction> + </xs:simpleType> + </xs:union> + </xs:simpleType> + <xs:element name="attribute" type="xs:topLevelAttribute" id="attribute"> <xs:annotation> </xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#normalizedString"/> + source=".../structures/structures.html#element-attribute"/> </xs:annotation> - <xs:restriction base="xs:string"> - <xs:whiteSpace value="replace" - id="normalizedString.whiteSpace"/> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="token" id="token"> + </xs:element> + <xs:complexType name="attributeGroup" abstract="true"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:group ref="xs:attrDecls"/> + <xs:attributeGroup ref="xs:defRef"/> + </xs:extension> + </xs:complexContent> + <xs:complexType> + <xs:complexType name="namedAttributeGroup"> + <xs:complexContent> + <xs:restriction base="xs:attributeGroup"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:attrDecls"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:attribute name="ref" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="attributeGroupRef"> + <xs:complexContent> + <xs:restriction base="xs:attributeGroup"> + <xs:sequence> + <xs:attribute name="name" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:element name="attributeGroup" type="xs:namedAttributeGroup" + id="attributeGroup"> <xs:annotation> </xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#token"/> + source=".../structures/structures.html#element-attributeGroup"/> </xs:annotation> - <xs:restriction base="xs:normalizedString"> - <xs:whiteSpace value="collapse" id="token.whiteSpace"/> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="language" id="language"> + </xs:element> + <xs:element name="include" id="include"> <xs:annotation> </xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#language"/> + source=".../structures/structures.html#element-include"/> </xs:annotation> - <xs:restriction base="xs:token"> - <xs:pattern - value="[a-zA-Z]{1,8}(-[a-zA-Z0-9]{1,8})*" - id="language.pattern"> - </xs:annotation> - </xs:documentation - source="http://www.ietf.org/rfc/rfc3066.txt"> - pattern specifies the content of section 2.12 of XML 1.0e2 - and RFC 3066 (Revised version of RFC 1766). - </xs:documentation> - </xs:annotation> - </xs:pattern> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="IDREFS" id="IDREFS"> - <xs:annotation> - <xs:appinfo> - <hfp:hasFacet name="length"/> - <hfp:hasFacet name="minLength"/> - <hfp:hasFacet name="maxLength"/> - <hfp:hasFacet name="enumeration"/> - <hfp:hasFacet name="whiteSpace"/> - <hfp:hasFacet name="pattern"/> - <hfp:hasProperty name="ordered" value="false"/> - <hfp:hasProperty name="bounded" value="false"/> - <hfp:hasProperty name="cardinality" - value="countably infinite"/> - <hfp:hasProperty name="numeric" value="false"/> - </xs:appinfo> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:attribute name="schemaLocation" type="xs:anyURI" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:element> + <xs:element name="redefine" id="redefine"> + <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#IDREFS"/> + source=".../structures/structures.html#element-redefine"/> </xs:annotation> - <xs:restriction> - <xs:simpleType> - <xs:list itemType="xs:IDREF"/> - </xs:simpleType> - <xs:minLength value="1" id="IDREFS.minLength"/> - </xs:restriction> - </xs:simpleType> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:openAttrs"> + <xs:choice minOccurs="0" maxOccurs="unbounded"> + <xs:element ref="xs:annotation"/> + <xs:group ref="xs:redefinable"/> + </xs:choice> + <xs:attribute name="schemaLocation" type="xs:anyURI" use="required"/> + <xs:attribute name="id" type="xs:ID"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> - <xs:simpleType name="ENTITIES" id="ENTITIES"> - <xs:annotation> - <xs:appinfo> - <hfp:hasFacet name="length"/> - <hfp:hasFacet name="minLength"/> - <hfp:hasFacet name="maxLength"/> - <hfp:hasFacet name="enumeration"/> - <hfp:hasFacet name="whiteSpace"/> - <hfp:hasFacet name="pattern"/> - <hfp:hasProperty name="ordered" value="false"/> - <hfp:hasProperty name="bounded" value="false"/> - <hfp:hasProperty name="cardinality" - value="countably infinite"/> - <hfp:hasProperty name="numeric" value="false"/> - </xs:appinfo> + <xs:element name="override" id="override"> + <xs:annotation> </xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#ENTITIES"/> + source=".../structures/structures.html#element-override"/> </xs:annotation> - <xs:restriction> - <xs:simpleType> - <xs:list itemType="xs:ENTITY"/> - </xs:simpleType> - <xs:minLength value="1" id="ENTITIES.minLength"/> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="NMTOKEN" id="NMTOKEN"> + <xs:complexContent> + <xs:extension base="xs:openAttrs"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + <xs:group ref="xs:schemaTop" minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="schemaLocation" type="xs:anyURI" use="required"/> + <xs:attribute name="id" type="xs:ID"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="import" id="import"> <xs:annotation> </xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#NMTOKEN"/> + source=".../structures/structures.html#element-import"/> </xs:annotation> - <xs:restriction base="xs:token"> - <xs:pattern value="\c+" id="NMTOKEN.pattern"> - </xs:annotation> - </xs:documentation - source="http://www.w3.org/TR/REC-xml#NT-Nmtoken"> - pattern matches production 7 from the XML spec - </xs:documentation> - </xs:annotation> - </xs:pattern> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="NMTOKENS" id="NMTOKENS"> - <xs:annotation> - <xs:appinfo> - <hfp:hasFacet name="length"/> - <hfp:hasFacet name="minLength"/> - <hfp:hasFacet name="maxLength"/> - <hfp:hasFacet name="enumeration"/> - <hfp:hasFacet name="whiteSpace"/> - <hfp:hasFacet name="pattern"/> - <hfp:hasProperty name="ordered" value="false"/> - <hfp:hasProperty name="bounded" value="false"/> - <hfp:hasProperty name="cardinality" - value="countably infinite"/> - <hfp:hasProperty name="numeric" value="false"/> - </xs:appinfo> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:attribute name="namespace" type="xs:anyURI"/> + <xs:attribute name="schemaLocation" type="xs:anyURI"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="selector" id="selector"> + <xs:annotation> </xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#NMTOKENS"/> + source=".../structures/structures.html#element-selector"/> </xs:annotation> - <xs:restriction> - <xs:simpleType> - <xs:list itemType="xs:NMTOKEN"/> - </xs:simpleType> - <xs:minLength value="1" id="NMTOKENS.minLength"/> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="Name" id="Name"> + <xs:complexType> + <xs:extension base="xs:annotated"> + <xs:attribute name="xpath" use="required"/> + </xs:extension> + </xs:complexType> + </xs:annotation> + <xs:documentation> A subset of XPath expressions for use +in selectors</xs:documentation> + <xs:documentation> A utility type, not for public use</xs:documentation> + </xs:annotation> + <xs:restriction base="xs:token"/> + </xs:simpleType> + </xs:attribute> + <xs:attribute name="xpathDefaultNamespace" type="xs:xpathDefaultNamespace"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="field" id="field"> + </xs:annotation> + </xs:documentation source=".../structures/structures.html#element-field"/> + </xs:annotation> + </xs:complexType> + </xs:complexContent> + </xs:extension base="xs:annotated"> + <xs:attribute name="xpath" use="required"/> + </xs:simpleType> + </xs:annotation> + </xs:documentation> A subset of XPath expressions for use +in fields</xs:documentation> + </xs:documentation> A utility

type, not for public + use</xs:documentation> + </xs:annotation> + <xs:restriction base="xs:token"/> + + </xs:simpleType> + </xs:attribute> + <xs:attribute name="xpathDefaultNamespace" type="xs:xpathDefaultNamespace"/> + </xs:extension> + </xs:complexType> + </xs:element> + <xs:complexType name="keybase"> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:sequence minOccurs="0"> + <xs:element ref="xs:selector"/> + <xs:element ref="xs:field" minOccurs="1" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName"/> + <xs:attribute name="ref" type="xs:QName"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:group name="identityConstraint"> <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#Name"/> + <xs:documentation> The three kinds of identity constraints, all with + type of or derived from 'keybase'. + </xs:annotation> - <xs:restriction base="xs:token"> - <xs:pattern value="\i\c*" id="Name.pattern"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/REC-xml#NT-Name"> - pattern matches production 5 from the XML spec - </xs:documentation> - </xs:annotation> - </xs:pattern> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="NCName" id="NCName"> + <xs:choice> + <xs:element ref="xs:unique"/> + <xs:element ref="xs:key"/> + <xs:element ref="xs:keyref"/> + </xs:choice> + <xs:element name="unique" type="xs:keybase" id="unique"/> <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#NCName"/> + <xs:documentation - source="http://www.w3.org/TR/structures/structures.html#element-unique"/> </xs:annotation> - <xs:restriction base="xs:Name"> - <xs:pattern value="[i-[:]]|[c-[:]]*" id="NCName.pattern"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/REC-xml-names/#NT-NCName"/> - pattern matches production 4 from the Namespaces in XML spec - </xs:documentation> - </xs:annotation> - </xs:pattern> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="ID" id="ID"> + </xs:element> + <xs:element name="key" type="xs:keybase" id="key"/> <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#ID"/> + <xs:documentation - source="http://www.w3.org/TR/structures/structures.html#element-key"/> </xs:annotation> - <xs:restriction base="xs:NCName"/> - </xs:simpleType> - - <xs:simpleType name="IDREF" id="IDREF"/> + </xs:element> + <xs:element name="keyref" id="keyref"/> <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#IDREF"/> + <xs:documentation - source="http://www.w3.org/TR/structures/structures.html#element-keyref"/> </xs:annotation> - <xs:restriction base="xs:NCName"/> - </xs:simpleType> - - <xs:simpleType name="ENTITY" id="ENTITY"/> + </xs:complexType> + <xs:complexContent> + <xs:extension base="xs:keybase"> + <xs:attribute name="refer" type="xs:QName"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:element name="notation" id="notation"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#ENTITY"/> + <xs:documentation - source="http://www.w3.org/TR/structures/structures.html#element-notation"/> </xs:annotation> - <xs:restriction base="xs:NCName"/> - </xs:simpleType> - - <xs:simpleType name="integer" id="integer"> + </xs:complexType> + <xs:complexContent> + <xs:extension base="xs:annotated"> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:attribute name="public" type="xs:public"/> + <xs:attribute name="system" type="xs:anyURI"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:simpleType name="public"> <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#integer"/> + <xs:documentation> + A utility type, not for public use</xs:documentation> + <xs:documentation> + A public identifier, per ISO 8879</xs:documentation> </xs:annotation> - <xs:restriction base="xs:decimal"> - <xs:fractionDigits value="0" fixed="true" id="integer.fractionDigits"/> - <xs:pattern value="[0-9]"/> - </xs:restriction> + <xs:restriction base="xs:token"> </xs:simpleType> - - <xs:simpleType name="nonPositiveInteger" id="nonPositiveInteger"> + <xs:element name="appinfo" id="appinfo"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#nonPositiveInteger"/> + <xs:documentation - source="http://www.w3.org/TR/structures/structures.html#element-appinfo"/> </xs:annotation> - <xs:restriction base="xs:integer"> - <xs:maxInclusive value="0" id="nonPositiveInteger.maxInclusive"/> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="negativeInteger" id="negativeInteger"> + <xs:complexType mixed="true"> + <xs:sequence minOccurs="0" maxOccurs="unbounded"> + <xs:any processContents="lax"/> + </xs:sequence> + <xs:attribute name="source" type="xs:anyURI"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:complexType> + <xs:element name="documentation" id="documentation"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#negativeInteger"/> + <xs:documentation - source="http://www.w3.org/TR/structures/structures.html#element-documentation"/> </xs:annotation> - <xs:restriction base="xs:nonPositiveInteger"> - <xs:maxInclusive value="-1" id="negativeInteger.maxInclusive"/> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="long" id="long"> + <xs:complexType mixed="true"> + <xs:sequence minOccurs="0" maxOccurs="unbounded"> + <xs:any processContents="lax"/> + </xs:sequence> + <xs:attribute name="source" type="xs:anyURI"/> + <xs:attribute ref="xml:lang"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:complexType> + </xs:element> + <xs:element name="annotation" id="annotation"> <xs:annotation> - <xs:annotation> - <xs:appinfo> - <hfp:hasProperty name="bounded" value="true"/> - <hfp:hasProperty name="cardinality" value="finite"/> - </xs:appinfo> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#long"/> + <xs:documentation - source="http://www.w3.org/TR/structures/structures.html#element-annotation"/> </xs:annotation> - <xs:restriction base="xs:integer"> - <xs:minInclusive value="-9223372036854775808" id="long.minInclusive"/> - <xs:maxInclusive value="9223372036854775807" id="long.maxInclusive"/> - </xs:restriction> - </xs:simpleType> - - <xs:simpleType name="int" id="int"> + <xs:complexType> + <xs:complexContent> + <xs:extension base="xs:openAttrs"> + <xs:choice minOccurs="0" maxOccurs="unbounded"> + <xs:element ref="xs:appinfo"/> + <xs:element ref="xs:documentation"/> + </xs:choice> + <xs:attribute name="id" type="xs:ID"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + </xs:element> + <xs:annotation> + <xs:documentation> + notations for use within schema documents</xs:documentation> + </xs:annotation> + <xs:notation name="XMLSchemaStructures" public="structures" + system="http://www.w3.org/2000/08/XMLSchema.xsd"/> + <xs:notation name="XML" public="REC-xml-19980210" + system="http://www.w3.org/TR/1998/REC-xml-19980210"/> + </xs:complexType name="anyType" mixed="true"> <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#int"/> + <xs:documentation> + Not the real urType, but as close an approximation as we can + get in the XML representation</xs:documentation> </xs:annotation> - <xs:restriction base="xs:long"> - <xs:minInclusive value="-2147483648" id="int.minInclusive"/> - <xs:maxInclusive value="2147483647" id="int.maxInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:sequence> + <xs:any minOccurs="0" maxOccurs="unbounded" processContents="lax"/> + </xs:sequence> + <xs:anyAttribute processContents="lax"/> + </xs:complexType> - <xs:simpleType name="short" id="short"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#short"/> - </xs:annotation> - <xs:restriction base="xs:int"> - <xs:minInclusive value="-32768" id="short.minInclusive"/> - <xs:maxInclusive value="32767" id="short.maxInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + <xs:documentation> + In keeping with the XML Schema WG's standard versioning policy, + the material in this schema document will persist at the URI + http://www.w3.org/2012/04/XMLSchema.xsd. - <xs:simpleType name="byte" id="byte"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#byte"/> - </xs:annotation> - <xs:restriction base="xs:short"> - <xs:minInclusive value="-128" id="byte.minInclusive"/> - <xs:maxInclusive value="127" id="byte.maxInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + At the date of issue it can also be found at the URI + http://www.w3.org/2009/XMLSchema/XMLSchema.xsd. - <xs:simpleType name="nonNegativeInteger" id="nonNegativeInteger"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#nonNegativeInteger"/> - </xs:annotation> - <xs:restriction base="xs:integer"> - <xs:minInclusive value="0" id="nonNegativeInteger.minInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + The schema document at that URI may however change in the future, + in order to remain compatible with the latest version of XSD + and its namespace. In other words, if XSD or the XML Schema + namespace change, the version of this document at + http://www.w3.org/2009/XMLSchema/XMLSchema.xsd will change accordingly; + the version at http://www.w3.org/2012/04/XMLSchema.xsd will not change. - <xs:simpleType name="unsignedLong" id="unsignedLong"> - <xs:annotation> - <xs:appinfo> - <hfp:hasProperty name="bounded" value="true"/> - <hfp:hasProperty name="cardinality" value="finite"/> - </xs:appinfo> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#unsignedLong"/> - </xs:annotation> - <xs:restriction base="xs:nonNegativeInteger"> - <xs:maxInclusive value="18446744073709551615" id="unsignedLong.maxInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + Previous dated (and unchanging) versions of this schema document + include: - <xs:simpleType name="unsignedInt" id="unsignedInt"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#unsignedInt"/> - </xs:annotation> - <xs:restriction base="xs:unsignedLong"> - <xs:maxInclusive value="4294967295" id="unsignedInt.maxInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + http://www.w3.org/2012/01/XMLSchema.xsd + (XSD 1.1 Proposed Recommendation) - <xs:simpleType name="unsignedShort" id="unsignedShort"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#unsignedShort"/> - </xs:annotation> - <xs:restriction base="xs:unsignedInt"> - <xs:maxInclusive value="65535" id="unsignedShort.maxInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + http://www.w3.org/2011/07/XMLSchema.xsd + (XSD 1.1 Candidate Recommendation) - <xs:simpleType name="unsignedByte" id="unsignedByte"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#unsignedByte"/> - </xs:annotation> - <xs:restriction base="xs:unsignedShort"> - <xs:maxInclusive value="255" id="unsignedByte.maxInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + http://www.w3.org/2009/04/XMLSchema.xsd + (XSD 1.1 Candidate Recommendation) - <xs:simpleType name="positiveInteger" id="positiveInteger"> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#positiveInteger"/> - </xs:annotation> - <xs:restriction base="xs:nonNegativeInteger"> - <xs:minInclusive value="1" id="positiveInteger.minInclusive"/> - </xs:restriction> - </xs:simpleType> + <xs:annotation> + http://www.w3.org/2004/10/XMLSchema.xsd + (XSD 1.0 Recommendation, Second Edition) - <xs:simpleType name="derivationControl"> - <xs:annotation> - <xs:documentation> - A utility type, not for public use</xs:documentation> + <xs:documentation> + A utility type, not for public use</xs:documentation> + <xs:annotation> - <xs:restriction base="xs:NMTOKEN"> - <xs:enumeration value="substitution"/> - <xs:enumeration value="extension"/> - <xs:enumeration value="restriction"/> - <xs:enumeration value="list"/> - <xs:enumeration value="union"/> - </xs:restriction> - </xs:simpleType> - <xs:group name="simpleDerivation"> - <xs:choice> - <xs:element ref="xs:restriction"/> - <xs:element ref="xs:list"/> - <xs:element ref="xs:union"/> - </xs:choice> - </xs:group> - <xs:simpleType name="simpleDerivationSet"> - <xs:annotation> - <xs:documentation> - #all or (possibly empty) subset of {restriction, union, list} - </xs:documentation> - <xs:documentation> + + <xs:simpleType name="derivationControl"> + <xs:annotation> + <xs:documentation> + A utility type, not for public use</xs:documentation> - </xs:annotation> - <xs:union> - </xs:simpleType> - <xs:restriction base="xs:token"> - <xs:enumeration value="#all"/> + </xs:annotation> + <xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="substitution"/> + <xs:enumeration value="extension"/> + <xs:enumeration

value="restriction"/> + <xs:enumeration value="list"/> + <xs:enumeration value="union"/> </xs:restriction> - </xs:simpleType> - <xs:simpleType> - <xs:restriction base="xs:derivationControl"> - <xs:enumeration value="list"/> - <xs:enumeration value="union"/> - <xs:enumeration value="restriction"/> - </xs:restriction> - </xs:simpleType> - </xs:restriction> - </xs:simpleType> - </xs:simpleType> - </xs:simpleType> + <xs:group name="simpleDerivation"> + <xs:choice> + <xs:element ref="xs:restriction"/> + <xs:element ref="xs:list"/> + <xs:element ref="xs:union"/> + </xs:choice> + </xs:group> + <xs:simpleType name="simpleDerivationSet"> + <xs:annotation> + <xs:documentation> + #all or (possibly empty) subset of {restriction, extension, union, list} + </xs:documentation> + <xs:documentation> + A utility type, not for public use</xs:documentation> + </xs:annotation> + <xs:union> + <xs:simpleType> + <xs:restriction base="xs:token"> + <xs:enumeration value="#all"/> + </xs:restriction> + </xs:simpleType> + <xs:simpleType> + <xs:restriction base="xs:derivationControl"> + <xs:enumeration value="list"/> + <xs:enumeration value="union"/> + <xs:enumeration value="restriction"/> + <xs:enumeration value="extension"/> + </xs:restriction> + </xs:simpleType> + </xs:list> + </xs:simpleType> + </xs:union> + </xs:simpleType> <xs:complexType name="simpleType" abstract="true"> <xs:complexContent> <xs:extension base="xs:annotated"> @@ -2173,7 +1615,6 @@ use</xs:documentation> </xs:extension> </xs:complexContent> </xs:complexType> - <xs:complexType name="topLevelSimpleType"> <xs:complexContent> <xs:restriction base="xs:simpleType"> @@ -2181,19 +1622,17 @@ use</xs:documentation> <xs:element ref="xs:annotation" minOccurs="0"/> <xs:group ref="xs:simpleDerivation"/> </xs:sequence> - <xs:attribute name="name" use="required" - type="xs:NCName"> + <xs:attribute name="name" type="xs:NCName" use="required"/> <xs:annotation> <xs:documentation> Required at the top level </xs:documentation> </xs:annotation> </xs:attribute> - <xs:anyAttribute namespace="##other" processContents="lax"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> </xs:restriction> </xs:complexContent> </xs:complexType> - <xs:complexType name="localSimpleType"> <xs:complexContent> <xs:restriction base="xs:simpleType"> @@ -2209,72 +1648,59 @@ use</xs:documentation> </xs:annotation> </xs:attribute> <xs:attribute name="final" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> </xs:restriction> </xs:complexContent> </xs:complexType> - <xs:element name="simpleType" type="xs:topLevelSimpleType" id="simpleType"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-simpleType"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-simpleType"/> + </xs:annotation> + </xs:element> + <xs:element name="facet" abstract="true"> + <xs:annotation> + <xs:documentation> + An abstract element, representing facets in general. + The facets defined by this spec are substitutable for + this element, and implementation-defined facets should + also name this as a substitution group head. + </xs:documentation> </xs:annotation> </xs:element> - - <xs:group name="facets"> - <xs:annotation> - <xs:documentation> - We should use a substitution group for facets, but - that's ruled out because it would allow users to - add their own, which we're not ready for yet. - </xs:documentation> - </xs:annotation> - <xs:choice> - <xs:element ref="xs:minExclusive"/> - <xs:element ref="xs:minInclusive"/> - <xs:element ref="xs:maxExclusive"/> - <xs:element ref="xs:maxInclusive"/> - <xs:element ref="xs:totalDigits"/> - <xs:element ref="xs:fractionDigits"/> - <xs:element ref="xs:length"/> - <xs:element ref="xs:minLength"/> - <xs:element ref="xs:maxLength"/> - <xs:element ref="xs:enumeration"/> - <xs:element ref="xs:whiteSpace"/> - <xs:element ref="xs:pattern"/> - </xs:choice> - </xs:group> - <xs:group name="simpleRestrictionModel"> - <xs:sequence> - <xs:element name="simpleType" type="xs:localSimpleType" minOccurs="0"/> - <xs:group ref="xs:facets" minOccurs="0" maxOccurs="unbounded"/> - </xs:sequence> + <xs:sequence> + <xs:element name="simpleType" type="xs:localSimpleType" minOccurs="0" maxOccurs="unbounded"/> + <xs:element ref="xs:facet"/> + <xs:any processContents="lax" + namespace="##other"/> + </xs:choice> + </xs:sequence> </xs:group> - <xs:element name="restriction" id="restriction"> - <xs:complexType> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-restriction"/> + <xs:complexType> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema11-2/#element-restriction"/> base attribute and simpleType child are mutually exclusive, but one or other is required </xs:documentation> </xs:annotation> <xs:complexContent> <xs:extension base="xs:annotated"> - <xs:group ref="xs:simpleRestrictionModel"/> - <xs:attribute name="base" type="xs:QName" use="optional"/> + <xs:group ref="xs:simpleRestrictionModel"/> + <xs:attribute name="base" type="xs:QName" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> - <xs:element name="list" id="list"> - <xs:complexType> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-list"/> + <xs:complexType> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema11-2/#element-list"/> itemType attribute and simpleType child are mutually exclusive, but one or other is required </xs:documentation> @@ -2283,19 +1709,18 @@ use</xs:documentation> <xs:extension base="xs:annotated"> <xs:sequence> <xs:element name="simpleType" type="xs:localSimpleType" - minOccurs="0"/> + minOccurs="0"/> </xs:sequence> <xs:attribute name="itemType" type="xs:QName" use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> </xs:element> - <xs:element name="union" id="union"> - <xs:complexType> - <xs:annotation> - <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-union"> + <xs:complexType> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema11-2/#element-union"> memberTypes attribute must be non-empty or there must be at least one simpleType child </xs:documentation> @@ -2304,7 +1729,7 @@ use</xs:documentation> <xs:extension base="xs:annotated"> <xs:sequence> <xs:element name="simpleType" type="xs:localSimpleType" - minOccurs="0" maxOccurs="unbounded"/> + minOccurs="0" maxOccurs="unbounded"/> </xs:sequence> <xs:attribute name="memberTypes" use="optional"/> </xs:simpleType> @@ -2315,71 +1740,88 @@ use</xs:documentation> </xs:complexContent> </xs:complexType> </xs:element> - <xs:extension base="xs:annotated"> <xs:attribute name="value" use="required"/> - <xs:attribute name="fixed" type="xs:boolean" use="optional" - default="false"/> + <xs:attribute name="fixed" type="xs:boolean" default="false" + use="optional"/> </xs:extension> </xs:complexContent> </xs:complexType> - - <xs:complexType name="noFixedFacet"> - <xs:complexContent> - <xs:restriction base="xs:facet"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - </xs:sequence> - <xs:attribute name="fixed" use="prohibited"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexContent> - </xs:complexType> - - <xs:element name="minExclusive" id="minExclusive" type="xs:facet"> + <xs:complexType name="noFixedFacet"> + <xs:complexContent> + <xs:restriction base="xs:facet"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="fixed" use="prohibited"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexContent> + </xs:complexType> + <xs:element name="minExclusive" type="xs:facet" + id="minExclusive" + substitutionGroup="xs:facet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-minExclusive"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-minExclusive"/> </xs:annotation> </xs:element> - <xs:element name="minInclusive" id="minInclusive" type="xs:facet"> + <xs:element name="minInclusive" type="xs:facet" + id="minInclusive" + substitutionGroup="xs:facet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-minInclusive"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-minInclusive"/> </xs:annotation> </xs:element> - - <xs:element name="maxExclusive" id="maxExclusive" type="xs:facet"> + <xs:element name="maxExclusive" type="xs:facet" + id="maxExclusive" + substitutionGroup="xs:facet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-maxExclusive"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-maxExclusive"/> </xs:annotation> </xs:element> - <xs:element name="maxInclusive" id="maxInclusive" type="xs:facet"> + <xs:element name="maxInclusive" type="xs:facet" + id="maxInclusive" + substitutionGroup="xs:facet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-maxInclusive"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-maxInclusive"/> </xs:annotation> </xs:element> - <xs:complexType name="numFacet"> <xs:restriction base="xs:facet"> - <xs:sequence> - <xs:element ref="xs:annotation" minOccurs="0"/> - </xs:sequence> - <xs:attribute name="value" type="xs:nonNegativeInteger" use="required"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> - </xs:restriction> - </xs:complexType> - </xs:element> - <xs:sequence> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="value" type="xs:nonNegativeInteger" use="required"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> + </xs:restriction> + </xs:complexType> + </xs:element> + <xs:sequence> + <xs:attribute name="value" type="xs:integer" use="required"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> </xs:restriction> </xs:complexContent> </xs:complexType> - <xs:element name="totalDigits" id="totalDigits"> + <xs:element name="totalDigits" id="totalDigits" + substitutionGroup="xs:facet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-totalDigits"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-totalDigits"/> </xs:annotation> </xs:documentation> </xs:element> <xs:complexType> <xs:complexContent> @@ -2388,48 +1830,56 @@ use</xs:documentation> </xs:element ref="xs:annotation" minOccurs="0"/> </xs:sequence> <xs:attribute name="value" type="xs:positiveInteger" use="required"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> </xs:restriction> </xs:complexContent> </xs:complexType> </xs:element> - <xs:element name="fractionDigits" type="xs:numFacet"> + <xs:element name="fractionDigits" type="xs:numFacet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-fractionDigits"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-fractionDigits"/> </xs:annotation> </xs:element> - <xs:element name="length" id="length" type="xs:numFacet"> + <xs:element name="length" type="xs:numFacet" id="length" + substitutionGroup="xs:facet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-length"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-length"/> </xs:annotation> </xs:element> - <xs:element name="minLength" type="xs:numFacet"> + <xs:element name="minLength" type="xs:numFacet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-minLength"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-minLength"/> </xs:annotation> </xs:element> - <xs:element name="maxLength" id="maxLength" type="xs:numFacet"> + <xs:element name="maxLength" type="xs:numFacet" id="maxLength" + substitutionGroup="xs:facet"> <xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema11-2/#element-maxLength"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-maxLength"/> </xs:annotation> </xs:element> - - <xs:element name="enumeration" id="enumeration" type="xs:noFixedFacet"> + <xs:element name="enumeration" type="xs:noFixedFacet" id="enumeration" + substitutionGroup="xs:facet"> </xs:annotation>

```

<xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-enumeration"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-enumeration"/> </xs:annotation> </xs:element> - - <xs:element name="whiteSpace" id="whiteSpace"> + <xs:element name="whiteSpace" id="whiteSpace"> + substitutionGroup="xs:facet"/> </xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-whiteSpace"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-whiteSpace"/> </xs:annotation> <xs:complexType> <xs:complexContent> @@ -2446,16 +1896,16 @@ use</xs:documentation> </xs:restriction> </xs:simpleType> </xs:attribute> - <xs:anyAttribute namespace="##other" processContents="lax"/> + <xs:anyAttribute namespace="##other" processContents="lax"/> </xs:restriction> </xs:complexType> </xs:complexType> </xs:element> - - <xs:element name="pattern" id="pattern"> + <xs:element name="pattern" id="pattern" id="pattern" + substitutionGroup="xs:facet"> </xs:annotation> <xs:documentation - source="http://www.w3.org/TR/xmlschema-2/#element-pattern"/> + source="http://www.w3.org/TR/xmlschema11-2/#element-pattern"/> </xs:annotation> <xs:complexType> <xs:complexContent> @@ -2463,11 +1913,85 @@ use</xs:documentation> <xs:sequence> <xs:element ref="xs:annotation" minOccurs="0"/> </xs:sequence> - <xs:attribute name="value" type="xs:string" use="required"/> - <xs:anyAttribute namespace="##other" processContents="lax"/> + <xs:attribute name="value" type="xs:string" use="required"/> + <xs:anyAttribute namespace="##other" + processContents="lax"/> + </xs:restriction> </xs:complexContent> </xs:complexType> </xs:element> + <xs:element name="assertion" type="xs:assertion" + id="assertion" substitutionGroup="xs:facet"> + </xs:annotation> + <xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema11-2/#element-assertion"/> + </xs:annotation> + <xs:element name="explicitTimezone" id="explicitTimezone" + substitutionGroup="xs:facet"> + </xs:annotation> + <xs:documentation + source="http://www.w3.org/TR/xmlschema11-2/#element-explicitTimezone"/> + </xs:annotation> + <xs:complexType> + <xs:complexContent> + <xs:restriction base="xs:facet"> + <xs:sequence> + <xs:element ref="xs:annotation" minOccurs="0"/> + </xs:sequence> + <xs:attribute name="value" use="required"> + <xs:simpleType> + <xs:restriction base="xs:NMTOKEN"> + <xs:enumeration value="optional"/> + <xs:enumeration value="required"/> + <xs:enumeration value="prohibited"/> + </xs:restriction> + </xs:simpleType> + </xs:attribute> + <xs:anyAttribute namespace="##other" processContents="lax"/> </xs:restriction> </xs:complexContent> </xs:complexType> </xs:element> + <xs:schema> + <xs:documentation> + In keeping with the XML Schema WG's standard versioning policy, + this schema document will persist at the URI + http://www.w3.org/2012/04/datatypes.xsd. + + At the date of issue it can also be found at the URI + http://www.w3.org/2009/XMLSchema/datatypes.xsd. + + The schema document at that URI may however change in the future, + in order to remain compatible with the latest version of XSD + and its namespace. In other words, if XSD or the XML Schema + namespace change, the version of this document at + http://www.w3.org/2009/XMLSchema/datatypes.xsd will change accordingly; + the version at http://www.w3.org/2012/04/datatypes.xsd will not change. + + Previous dated (and unchanging) versions of this schema document + include: + + http://www.w3.org/2012/01/datatypes.xsd + (XSD 1.1 Proposed Recommendation) + + http://www.w3.org/2011/07/datatypes.xsd + (XSD 1.1 Candidate Recommendation) + + http://www.w3.org/2009/04/datatypes.xsd + (XSD 1.1 Candidate Recommendation) + + http://www.w3.org/2004/10/datatypes.xsd + (XSD 1.0 Recommendation, Second Edition) + + http://www.w3.org/2001/05/datatypes.xsd + (XSD 1.0 Recommendation, First Edition) + + </xs:documentation> + </xs:annotation> + + + </xs:schema> \ No newline at end of file diff --git
a/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/BasicCompletionTest.java
b/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/BasicCompletionTest.java index 2fd555784..1082d1ada 100644 ---
a/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/BasicCompletionTest.java +++
b/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/BasicCompletionTest.java @@ -41,19 +41,21 @@ public static Test suite() {
suite.addTest(new BasicCompletionTest("testNoNamespaceCompletion")); suite.addTest(new BasicCompletionTest("testNoNamespaceCompletion1"));
suite.addTest(new BasicCompletionTest("testNoNamespaceCompletion2")); - suite.addTest(new BasicCompletionTest("testPurchaseOrder")); - suite.addTest(new BasicCompletionTest("testPurchaseOrder1"));
- suite.addTest(new BasicCompletionTest("testPurchaseOrder2")); - suite.addTest(new BasicCompletionTest("testCompletionFilter1")); - suite.addTest(new BasicCompletionTest("testCompletionFilter2"));
+ // Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new BasicCompletionTest("testPurchaseOrder")); +// suite.addTest(new BasicCompletionTest("testPurchaseOrder1"));
+// suite.addTest(new BasicCompletionTest("testPurchaseOrder2")); +// suite.addTest(new BasicCompletionTest("testCompletionFilter1")); +// suite.addTest(new BasicCompletionTest("testCompletionFilter2"));
suite.addTest(new BasicCompletionTest("testEmptyTag1")); suite.addTest(new BasicCompletionTest("testEmptyTag2")); suite.addTest(new BasicCompletionTest("testEmptyTag3")); suite.addTest(new BasicCompletionTest("testEmptyTag4")); - suite.addTest(new BasicCompletionTest("testEndtagCompletion2")); - suite.addTest(new BasicCompletionTest("testEndtagCompletion3")); - suite.addTest(new BasicCompletionTest("testCompletionWithAmpersand"));
+ // Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new BasicCompletionTest("testEndtagCompletion1")); +// suite.addTest(new BasicCompletionTest("testEndtagCompletion2")); +// suite.addTest(new BasicCompletionTest("testEndtagCompletion3")); +// suite.addTest(new BasicCompletionTest("testCompletionWithAmpersand"));
+// disabled since it accesses Net: // suite.addTest(new BasicCompletionTest("testSchemaFromRuntimeCatalog")); //suite.addTest(new BasicCompletionTest("testCompletionUsingSchemaFromCatalog"));
@@ -66,10 +66,11 @@ public static Test suite() {
suite.addTest(new BasicCompletionTest("testChildren2")); suite.addTest(new BasicCompletionTest("testImport1")); suite.addTest(new BasicCompletionTest("testInclude1")); - suite.addTest(new BasicCompletionTest("testElementValueCompletion1")); - suite.addTest(new BasicCompletionTest("testElementValueCompletion2")); - suite.addTest(new BasicCompletionTest("testAttributeCompletion1")); - suite.addTest(new BasicCompletionTest("testAttributeCompletion2"));
+ // Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTest(new BasicCompletionTest("testElementValueCompletion1")); +// suite.addTest(new BasicCompletionTest("testElementValueCompletion2")); +// suite.addTest(new BasicCompletionTest("testAttributeCompletion1")); +// suite.addTest(new BasicCompletionTest("testAttributeCompletion2"));
return suite; } diff --git
a/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/CompletionPerfTest.java
b/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/CompletionPerfTest.java index 2bd56e5d4..e986a6083 100644 ---
a/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/CompletionPerfTest.java +++
b/xml.schema.completion/test/unit/src/org/netbeans/modules/xml/schema/completion/CompletionPerfTest.java @@ -34,7 +34,9 @@ public CompletionPerfTest(String testName) {
TestSuite suite = new TestSuite(CompletionPerfTest.class); + TestSuite suite = new TestSuite();
+ // Disabled as referenced XSD file were partly not donated by oracle to apache +// suite.addTestSuite(CompletionPerfTest.class); return suite; } diff --git
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/SchemaRefCacheTest.java
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/SchemaRefCacheTest.java index 2f492c4bd..3ba848abd 100644 ---
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/SchemaRefCacheTest.java +++
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/SchemaRefCacheTest.java @@ -76,7 +76,8 @@ public static Test suite() {
suite.addTest(new SchemaRefCacheTest("testRedefinedTargetNamespaceChanged")); // NOI18N suite.addTest(new SchemaRefCacheTest("testImportedTargetNamespaceDeleted")); // NOI18N suite.addTest(new SchemaRefCacheTest("testDetachedSchemaGarbageCollected"));
// NOI18N - suite.addTest(new SchemaRefCacheTest("testCacheContainsRelevantComponents")); // NOI18N +// Disabled as referenced files were partly not donated by oracle to apache +// suite.addTest(new SchemaRefCacheTest("testCacheContainsRelevantComponents")); // NOI18N return suite; } diff --git
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/MultiFileTest.java
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/MultiFileTest.java index 9395877db..be7cc00c7 100644 ---
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/MultiFileTest.java +++
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/MultiFileTest.java @@ -40,77 +40,96 @@ import org.openide.filesystems.FileUtil;
/** * * * @author Administrator * * Disabled as referenced files were partly not donated by oracle to apache */
-public class MultiFileTest extends TestCase {
- private static String TEST_XSD = "resources/OrgChart.xsd";
- public MultiFileTest(String testName) {
- super(testName);
- }
- protected void setUp() throws Exception {
- }
- protected void tearDown() throws Exception {
- TestCatalogModel.getDefault().clearDocumentPool();
- }
- public void testGetImportedModelSources() throws Exception {
- if (!NamespaceLocation.ADDRESS.getResourceFile().exists()) {
- NamespaceLocation.ADDRESS.refreshResourceFile();
- }
- SchemaModel sm = TestCatalogModel.getDefault().getSchemaModel(NamespaceLocation.ORGCHART);
- // get imported model sources - SchemaImpl schema = (SchemaImpl)sm.getSchema();
- Collection<Import> importedModelSources = new LinkedList<Import>(schema.getImports());
- assertEquals("should be six imports", 6, importedModelSources.size());
- Iterator<Import> itr = importedModelSources.iterator();
- while(itr.hasNext()) {
- Import i = itr.next();
- try {
- SchemaModel sm2 = i.resolveReferencedModel();
- } catch (CatalogModelException ex) {
- itr.remove();
- }
- }
- assertEquals("only two imports are reachable", 1, importedModelSources.size());
- // ModelSource importedModelSource = importedModelSources.iterator().next().resolveReferencedModel().getModelSource();
- assertEquals("address.xsd", ((FileObject)importedModelSource.getLookup().lookup(FileObject.class)).getNameExt());
- // get imported model - ModelSource testImportedModelSource = TestCatalogModel.getDefault().createTestModelSource((FileObject) importedModelSource.getLookup().lookup(FileObject.class), false);
- SchemaModel sm1 = SchemaModelFactory.getDefault().getModel(testImportedModelSource);
- assertEquals("http://www.altova.com/IPO", sm1.getTargetNamespace());
- // - public void testGetIncludedModelSources() throws Exception {
- // get the model for OrgChart.xsd - URL orgChartUrl = getClass().getResource("../resources/ipo.xsd");
- File orgChartFile = new File(orgChartUrl.toURI());
- FileObject orgChartFileObj = FileUtil.toFileObject(orgChartFile);
- //ModelSource localTestModelSource = new TestModelSource(orgChartFileObj, false);
- ModelSource testModelSource = TestCatalogModel.getDefault().createTestModelSource(orgChartFileObj, false);
- SchemaModel sm =

```

```

SchemaModelFactory.getDefault().getModel(testModelSource); - - //register address.xsd with relative location (this is to be done only once - URL addressUrl =
getClass().getResource("../resources/address.xsd"); - TestCatalogModel.getDefault().addURI(new URI("address.xsd"),addressUrl.toURI()); - // get included
model sources - SchemaImpl schema = (SchemaImpl)sm.getSchema(); - Collection<Include> includedModelSources = schema.getIncludes(); -
assertEquals(1,includedModelSources.size()); - - ModelSource importedModelSource =
includedModelSources.iterator().next().resolveReferencedModel().getModelSource(); - assertEquals("address.xsd",
((FileObject)importedModelSource.getLookup().lookup(FileObject.class)).getNameExt()); - - // get included model - ModelSource testImportedModelSource =
TestCatalogModel.getDefault().createTestModelSource((FileObject) importedModelSource.getLookup().lookup(FileObject.class), false); - SchemaModel sm1 =
SchemaModelFactory.getDefault().getModel(testImportedModelSource); - assertNotNull(sm1); -
assertEquals(schema.getTargetNamespace(),sm1.getSchema().getTargetNamespace()); - } - } +/public class MultiFileTest extends TestCase { +/ +/ private static
String TEST_XSD = "resources/OrgChart.xsd"; +/ +/ public MultiFileTest(String testName) { +/ super(testName); +/ } +/ +/ protected void setUp() throws
Exception { +/ +/ +/ protected void tearDown() throws Exception { +/ TestCatalogModel.getDefault().clearDocumentPool(); +/ } +/ +/ +/ public void
testGetImportedModelSources() throws Exception { +/ if ( ! NamespaceLocation.ADDRESS.getResourceFile().exists() ) { +/
NamespaceLocation.ADDRESS.refreshResourceFile(); +/ } +/ SchemaModel sm =
TestCatalogModel.getDefault().getSchemaModel(NamespaceLocation.ORGCHART); +/ +/ get imported model sources +/ SchemaImpl schema =
(SchemaImpl)sm.getSchema(); +/ Collection<Import> importedModelSources = new LinkedList<Import>(schema.getImports()); +/ assertEquals("should be six
imports", 6 ,importedModelSources.size()); +/ Iterator<Import> itr = importedModelSources.iterator(); +/ while(itr.hasNext()) { +/ Import i = itr.next(); +/ try {
+/ SchemaModel sm2 = i.resolveReferencedModel(); +/ } catch (CatalogModelException ex) { +/ itr.remove(); +/ } +/ } +/ assertEquals("only two imports are
reachable", 1,importedModelSources.size()); +/ +/ ModelSource importedModelSource =
importedModelSources.iterator().next().resolveReferencedModel().getModelSource(); +/ assertEquals("address.xsd",
((FileObject)importedModelSource.getLookup().lookup(FileObject.class)).getNameExt()); +/ +/ get imported model +/ ModelSource testImportedModelSource =
TestCatalogModel.getDefault().createTestModelSource((FileObject) importedModelSource.getLookup().lookup(FileObject.class), false); +/ SchemaModel sm1 =
SchemaModelFactory.getDefault().getModel(testImportedModelSource); +/ assertEquals(sm1); +/
assertEquals("http://www.altova.com/IPO",sm1.getSchema().getTargetNamespace()); +/ } +/ +/ public void testGetIncludedModelSources() throws Exception {
+/ +/ get the model for OrgChart.xsd +/ URL orgChartUrl = getClass().getResource("../resources/ipo.xsd"); +/ File orgChartFile = new
File(orgChartUrl.toURI()); +/ FileObject orgChartFileObj = FileUtil.toFileObject(orgChartFile); +/ +/ModelSource localTestModelSource = new
TestModelSource(orgChartFileObj,false); +/ ModelSource testModelSource = TestCatalogModel.getDefault().createTestModelSource(orgChartFileObj, false); +/
SchemaModel sm = SchemaModelFactory.getDefault().getModel(testModelSource); +/ +/ //register address.xsd with relative location (this is to be done only
once +/ URL addressUrl = getClass().getResource("../resources/address.xsd"); +/ TestCatalogModel.getDefault().addURI(new
URI("address.xsd"),addressUrl.toURI()); +/ +/ +/ get included model sources +/ SchemaImpl schema = (SchemaImpl)sm.getSchema(); +/ Collection<Include>
includedModelSources = schema.getIncludes(); +/ assertEquals(1,includedModelSources.size()); +/ +/ +/ ModelSource importedModelSource =
includedModelSources.iterator().next().resolveReferencedModel().getModelSource(); +/ assertEquals("address.xsd",
((FileObject)importedModelSource.getLookup().lookup(FileObject.class)).getNameExt()); +/ +/ +/ get included model +/ ModelSource
testImportedModelSource = TestCatalogModel.getDefault().createTestModelSource((FileObject) importedModelSource.getLookup().lookup(FileObject.class),
false); +/ SchemaModel sm1 = SchemaModelFactory.getDefault().getModel(testImportedModelSource); +/ assertEquals(sm1); +/
assertEquals(schema.getTargetNamespace(),sm1.getSchema().getTargetNamespace()); +/ } +/ } diff --git
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/SchemaComponentImplTest.java
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/SchemaComponentImplTest.java index d32d56dbe..4a6fd88be 100644 ---
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/SchemaComponentImplTest.java +++
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/SchemaComponentImplTest.java @@ -133,51 +133,52 @@ public void
testGetAnnotations() throws IOException { assertEquals("only one annotation should be present", ann); } - public void testSetGlobalReference() throws
Exception { - SchemaModel mod = Util.loadSchemaModel("resources/ipo.xsd"); - Schema schema = mod.getSchema(); - SchemaComponentFactory fact =
mod.getFactory(); - - mod.startTransaction(); - GlobalAttributeGroup gap = fact.createGlobalAttributeGroup(); - schema.addAttributeGroup(gap); -
gap.setName("myAttrGroup2"); - LocalAttribute ga = fact.createLocalAttribute(); - gap.addLocalAttribute(ga); - ga.setName("ga"); - GlobalSimpleType gst =
FindSchemaComponentFromDOM.find( - GlobalSimpleType.class, schema, "/schema/simpleType[@name='Sku']"); - ga.setType(ga.createReferenceTo(gst,
GlobalSimpleType.class)); - - mod.endTransaction(); - - String v = ((AbstractDocumentComponent)ga).getPeer().getAttribute("type"); - assertEquals("ref should
have prefix", "ipo:Sku", v); - - mod.startTransaction(); - - /* <complexType name="myCT"> - <sequence> - <simpleType name="productName"
type="xsd:string"/> - <attributeGroup ref="ipo:myAttrGroup2"/> - </complexType> - */ - GlobalComplexType gct = fact.createGlobalComplexType(); -
schema.addComplexType(gct); - gct.setName("myCT"); - Sequence seq = Util.createSequence(mod, gct); - LocalElement le = Util.createLocalElement(mod, seq,
"productName", 0); - le.setType(le.createReferenceTo(Util.getPrimitiveType("string"), GlobalSimpleType.class)); - - AttributeGroupReference agr =
fact.createAttributeGroupReference(); - gct.addAttributeGroupReference(agr); - agr.setGroup(agr.createReferenceTo(gap, GlobalAttributeGroup.class)); - -
mod.endTransaction(); - - v = ((AbstractDocumentComponent)agr).getPeer().getAttribute("ref"); - assertEquals("ref should have prefix", "ipo:myAttrGroup2", v);
- } +/ Disabled as referenced files were partly not donated by oracle to apache +/ public void testSetGlobalReference() throws Exception { +/ SchemaModel mod
= Util.loadSchemaModel("resources/ipo.xsd"); +/ Schema schema = mod.getSchema(); +/ SchemaComponentFactory fact = mod.getFactory(); +/ +/
mod.startTransaction(); +/ GlobalAttributeGroup gap = fact.createGlobalAttributeGroup(); +/ schema.addAttributeGroup(gap); +/
gap.setName("myAttrGroup2"); +/ LocalAttribute ga = fact.createLocalAttribute(); +/ gap.addLocalAttribute(ga); +/ ga.setName("ga"); +/ GlobalSimpleType
gst = FindSchemaComponentFromDOM.find( +/ GlobalSimpleType.class, schema, "/schema/simpleType[@name='Sku']"); +/
ga.setType(ga.createReferenceTo(gst, GlobalSimpleType.class)); +/ +/ mod.endTransaction(); +/ +/ String v =
((AbstractDocumentComponent)ga).getPeer().getAttribute("type"); +/ assertEquals("ref should have prefix", "ipo:Sku", v); +/ +/ mod.startTransaction(); +/ +/
/* <complexType name="myCT"> +/ <sequence> +/ <simpleType name="productName" type="xsd:string"/> +/ <attributeGroup ref="ipo:myAttrGroup2"/> +/
</complexType> +/ */ +/ GlobalComplexType gct = fact.createGlobalComplexType(); +/ schema.addComplexType(gct); +/ gct.setName("myCT"); +/
Sequence seq = Util.createSequence(mod, gct); +/ LocalElement le = Util.createLocalElement(mod, seq, "productName", 0); +/
le.setType(le.createReferenceTo(Util.getPrimitiveType("string"), GlobalSimpleType.class)); +/ +/ AttributeGroupReference agr =
fact.createAttributeGroupReference(); +/ gct.addAttributeGroupReference(agr); +/ agr.setGroup(agr.createReferenceTo(gap, GlobalAttributeGroup.class)); +/ +/
mod.endTransaction(); +/ +/ v = ((AbstractDocumentComponent)agr).getPeer().getAttribute("ref"); +/ assertEquals("ref should have prefix",
"ipo:myAttrGroup2", v); +/ +/ public void testSetAndGetID() throws Exception { assertEquals("id attribute is optional", schema.getId()); diff --git
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xsd/CutPasteTest.java
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xsd/CutPasteTest.java index 0325a2422..f4aae0ac6 100644 ---
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xsd/CutPasteTest.java +++
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xsd/CutPasteTest.java @@ -113,65 +113,66 @@ public void
testCutPasteLocalElement() throws Exception { ((NodeImpl)leti.getPeer()).getId()=((NodeImpl)le2.getPeer()).getId(); } - /** - * testMultipleDnDAndUndo - */ -
public void testMultipleDnDAndUndo() throws Exception { - SchemaModel model = Util.loadSchemaModel("resources/PO_copypasteundoSequence.xsd"); -
UndoManager um = new UndoManager(); - model.addUndoableEditListener(um); - - Sequence seq = (Sequence)Util.findComponent( - model.getSchema(), -
"/schema/complexType[@name='PurchaseOrderType']/sequence"); - assert(seq != null); - LocalElement shipTo = (LocalElement)Util.findComponent( -
model.getSchema(), - "/schema/complexType[@name='PurchaseOrderType']" + - "sequence/element[@name='shipTo']"); - assert(shipTo != null); -
ElementReference comment = (ElementReference)Util.findComponent( - model.getSchema(), - "/schema/complexType[@name='PurchaseOrderType']" + -
"sequence/element[@ref='comment']"); - assert(comment != null); - - assertEquals(4, seq.getChildren().size()); - LocalElement copy_shipTo = (LocalElement)
shipTo.copy(seq); - model.startTransaction(); - seq.removeContent(shipTo); - seq.addContent(copy_shipTo, 3); - model.endTransaction(); - assertEquals(4,
seq.getChildren().size()); - - um.undo(); - assertEquals(4, seq.getChildren().size()); - - seq = (Sequence)Util.findComponent( - model.getSchema(), -
"/schema/complexType[@name='PurchaseOrderType']/sequence"); - assert(seq != null); - shipTo = (LocalElement)Util.findComponent( - model.getSchema(), -
"/schema/complexType[@name='PurchaseOrderType']" + - "sequence/element[@name='shipTo']"); - assert(shipTo != null); - comment =
(ElementReference)Util.findComponent( - model.getSchema(), - "/schema/complexType[@name='PurchaseOrderType']" + -
"sequence/element[@ref='comment']"); - assert(comment != null); - - ElementReference copy_comment = (ElementReference) comment.copy(seq); -
model.startTransaction(); - seq.removeContent(comment); - seq.addContent(copy_comment, 1); - model.endTransaction(); - assertEquals(4,
seq.getChildren().size()); - - um.undo(); - assertEquals(4, seq.getChildren().size()); - } +/ Disabled as referenced files were partly not donated by oracle to apache
+/ public void testMultipleDnDAndUndo() throws Exception { +/ SchemaModel model = Util.loadSchemaModel("resources/PO_copypasteundoSequence.xsd");
+/ UndoManager um = new UndoManager(); +/ model.addUndoableEditListener(um); +/ +/ Sequence seq = (Sequence)Util.findComponent( +/
model.getSchema(), +/ "/schema/complexType[@name='PurchaseOrderType']/sequence"); +/ assert(seq != null); +/ LocalElement shipTo =
(LocalElement)Util.findComponent( +/ model.getSchema(), +/ "/schema/complexType[@name='PurchaseOrderType']" + +/
"sequence/element[@name='PurchaseOrderType']" + +/
"sequence/element[@name='shipTo']"); +/ assert(shipTo != null); +/ comment =
(ElementReference)Util.findComponent( +/ model.getSchema(), +/ "/schema/complexType[@name='PurchaseOrderType']" + +/
"sequence/element[@ref='comment']"); +/ assert(comment != null); +/ +/ ElementReference copy_comment = (ElementReference) comment.copy(seq); +/
model.startTransaction(); +/ seq.removeContent(comment); +/ seq.addContent(copy_comment, 1); +/ model.endTransaction(); +/ assertEquals(4,
seq.getChildren().size()); +/ - um.undo(); +/ assertEquals(4, seq.getChildren().size()); +/ } +/

```

```

"sequence/element[@name='shipTo']"); // assert(shipTo != null); // ElementReference comment = (ElementReference)Util.findComponent( //
model.getSchema(), // "/schema/complexType[@name='PurchaseOrderType']" // + "sequence/element[@ref='comment']"); // assert(comment != null); // +
assertEquals(4, seq.getChildren().size()); // LocalElement copy_shipTo = (LocalElement) shipTo.copy(seq); // model.startTransaction(); //
seq.removeContent(shipTo); // seq.addContent(copy_shipTo, 3); // model.endTransaction(); // assertEquals(4, seq.getChildren().size()); // +
assertEquals(4, seq.getChildren().size()); // + seq = (Sequence)Util.findComponent( // model.getSchema(), //
"/schema/complexType[@name='PurchaseOrderType']/sequence"); // assert(seq != null); // shipTo = (LocalElement)Util.findComponent( //
model.getSchema(), // "/schema/complexType[@name='PurchaseOrderType']" // + "sequence/element[@name='shipTo']"); // assert(shipTo != null); //
comment = (ElementReference)Util.findComponent( // model.getSchema(), // "/schema/complexType[@name='PurchaseOrderType']" // +
"sequence/element[@ref='comment']"); // assert(comment != null); // + ElementReference copy_comment = (ElementReference) comment.copy(seq); //
model.startTransaction(); // seq.removeContent(comment); // seq.addContent(copy_comment, 1); // model.endTransaction(); // assertEquals(4,
seq.getChildren().size()); // + um.undo(); // assertEquals(4, seq.getChildren().size()); // + private Document sd; private SchemaModel model; diff --git
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xdm/SyncTest.java
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xdm/SyncTest.java index 039fba2fd..f77f530e6 100644 ---
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xdm/SyncTest.java +++
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/impl/xdm/SyncTest.java @@ -532,27 +532,28 @@ public void testSyncUndoUndo()
throws Exception { assertEquals(3, seqChildren.size()); } - public void testUndoSequenceCopy() throws Exception { - SchemaModel model =
Util.loadSchemaModel("resources/PO_copypasteundoSequence.xsd"); - UndoManager um = new UndoManager(); - model.addUndoableEditListener(um); - -
GlobalComplexType gct = (GlobalComplexType)Util.findComponent( - model.getSchema(), "/schema/complexType[@name='Items']"); - Sequence seq1 =
(Sequence)Util.findComponent( - model.getSchema(), "/schema/complexType[@name='USAddress']/sequence"); - assertEquals(1,
gct.getDefinition().getChildren().size()); - assertEquals(5, seq1.getChildren().size()); - Sequence seq2 = (Sequence) seq1.copy(gct); - model.startTransaction(); -
gct.setDefinition(seq2); - model.endTransaction(); - assertEquals(5, gct.getDefinition().getChildren().size()); - um.undo(); - assertEquals(1,
gct.getDefinition().getChildren().size()); - } // Disabled as referenced files were partly not donated by oracle to apache // public void testUndoSequenceCopy()
throws Exception { // SchemaModel model = Util.loadSchemaModel("resources/PO_copypasteundoSequence.xsd"); // UndoManager um = new
UndoManager(); // model.addUndoableEditListener(um); // + GlobalComplexType gct = (GlobalComplexType)Util.findComponent( // model.getSchema(),
"/schema/complexType[@name='Items']"); // Sequence seq1 = (Sequence) Util.findComponent( // model.getSchema(),
"/schema/complexType[@name='USAddress']/sequence"); // assertEquals(1, gct.getDefinition().getChildren().size()); // assertEquals(5,
seq1.getChildren().size()); // + Sequence seq2 = (Sequence) seq1.copy(gct); // model.startTransaction(); // gct.setDefinition(seq2); //
model.endTransaction(); // assertEquals(5, gct.getDefinition().getChildren().size()); // + um.undo(); // assertEquals(1,
gct.getDefinition().getChildren().size()); // + } public void testSyncAnnotationRemoveId() throws Exception { SchemaModel model =
Util.loadSchemaModel("resources/loanApplication_id.xsd"); diff --git
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/visitor/FindUsageVisitorTest.java
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/visitor/FindUsageVisitorTest.java index df7001c20..3352cb9db 100644 ---
a/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/visitor/FindUsageVisitorTest.java +++
b/xml.schema.model/test/unit/src/org/netbeans/modules/xml/schema/model/visitor/FindUsageVisitorTest.java @@ -100,12 +100,13 @@ public static Test suite()
{ return suite; } - public void testFindPath() throws Exception { - setUp1(); - this.assertEquals(49, findUsageCountForItem(global_element)); - this.assertEquals(3,
findUsageCountForItem(global_type)); - this.assertEquals(4, findUsageCountForItem(global_attribute_group)); - } // Disabled as referenced files were partly not
donated by oracle to apache // public void testFindPath() throws Exception { // setUp1(); // this.assertEquals(49, findUsageCountForItem(global_element)); //
this.assertEquals(3, findUsageCountForItem(global_type)); // this.assertEquals(4, findUsageCountForItem(global_attribute_group)); // + public int
findUsageCountForItem(NamedReferenceable<SchemaComponent> ref) { long startTime = System.currentTimeMillis(); diff --git a/xml.tax/110n.list
b/xml.tax/110n.list index 083e4ffad..73c6a27e6 100644 --- a/xml.tax/110n.list +++ b/xml.tax/110n.list @@ -1,3 +1,20 @@ + # Licensed to the Apache Software
Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + #
regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in
compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by
applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the
License. + # xml/tax read global ${110n-module}/lib/src/**/Bundle*.properties diff --git a/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/data/xstates.dtd
b/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/data/xstates.dtd index 354336739..a75ddc9f6 100644 --- a/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/data/xstates.dtd +++ b/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/data/xstates.dtd @@ -1,4 +1,24 @@ + <?xml
encoding="UTF-8" ?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> + <!-- Created by mschovanek on October 23, 2000, 6:44 PM --> diff --git a/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/io/data/dir/dir-b/level2.dtd b/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/dir-b/level2.dtd index
90990b3f3..5728c6dfd 100644 --- a/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/dir-b/level2.dtd +++ b/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/io/data/dir/dir-b/level2.dtd @@ -1,3 +1,23 @@ + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more
contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses
this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain
a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed
under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the
License for the + specific language governing permissions and limitations + under the License. + +--> + <ELEMENT element-b (#PCDATA)> + <ENTITY % c
SYSTEM "level3.dtd"> %c; \ No newline at end of file diff --git a/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/dir-b/level3.dtd
b/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/dir-b/level3.dtd index 5e286fe7b..8ed476411 100644 --- a/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/io/data/dir/dir-b/level3.dtd +++ b/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/dir-b/level3.dtd @@ -1,21 @@
+ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with
this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License");
you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + +
Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> + <ELEMENT element-c (#PCDATA)> diff --git a/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/level1.dtd
b/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/level1.dtd index ad464d2b6..5463d8663 100644 --- a/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/io/data/dir/level1.dtd +++ b/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/dir/level1.dtd @@ -1,3 +1,23 @@ + <!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work
for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may
not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> + <ELEMENT element (#PCDATA)> + <ENTITY % b SYSTEM "dir-b/level2.dtd"> %b; \ No newline at end of file diff --git
a/xml.tax/lib/test/unit/src/org/netbeans/tax/dom/data/Prototype.xml b/xml.tax/lib/test/unit/src/org/netbeans/tax/dom/data/Prototype.xml index
43c5e6875..cb70e843d 100644 --- a/xml.tax/lib/test/unit/src/org/netbeans/tax/dom/data/Prototype.xml +++
b/xml.tax/lib/test/unit/src/org/netbeans/tax/dom/data/Prototype.xml @@ -1,3 +1,23 @@ + <!-- + + Licensed to the Apache Software Foundation (ASF) under one
+ or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You
may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software
distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the
License for the + specific language governing permissions and limitations + under the License. + +--> <root> <child attribute="value1"/>
<text>data</text> diff --git a/xml.text.obsolete90/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass

```

```
b/xml.text.obsolete90/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass index 11e1b782d..46cdf9238
100644 --- a/xml.text.obsolete90/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass +++
b/xml.text.obsolete90/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass @@ -1,5 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> +<!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <web-app xmlns="http://java.sun.com/xml/ns/j2ee"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/j2ee/web-
app_2_4.xsd" diff --git a/xml.text.obsolete90/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample2-.pass
b/xml.text.obsolete90/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample2-.pass deleted file mode 100644
index 700be9a76..000000000 ---
a/xml.text.obsolete90/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample2-.pass +++ /dev/null @@ -1,1716
+0,0 @@ -<?xml version="1.0" encoding="UTF-8"?> +<!-- *- sgml-indent-step: 2 *- --> +<!-- -The contents of this file are subject to the terms of the Common
Development -and Distribution License (the License). You may not use this file except in -compliance with the License. - -You can obtain a copy of the License at
http://www.netbeans.org/cddl.html -or http://www.netbeans.org/cddl.txt. - -When distributing Covered Code, include this CDDL Header Notice in each file -and
include the License file at http://www.netbeans.org/cddl.txt. -If applicable, add the following below the CDDL Header, with the fields -enclosed by brackets []
replaced by your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -The Original Software is NetBeans. The Initial
Developer of the Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -Microsystems, Inc. All Rights Reserved. ---> -<project
name="nbbuild" default="all" basedir="." -> -<import file="default.xml"/> -<!-- To make people happy who want to do 'ant clean all': --> -<target name="all"
depends="build,commit-validation" description="Build the IDE and run basic validation tests."/> -<target name="all-nozip" depends="build-nozip,commit-
validation" description="Build the IDE (no ZIP file, unpacked) and run basic validation tests."/> -<target name="assure-ant"/> -<condition
property="ant.version.is.good"/> -<!-- this is in 1.6.3 only --> -<!-- actually needed for 'executable' attr on <javadoc>, at least --> -<available
classname="org.apache.tools.ant.types.mappers.FilterMapper"/> -</condition> -<fail unless="ant.version.is.good"/> -You need to have ant 1.6.3 at least to build
NetBeans. -</fail> -</target> -<target name="bootstrap" - description="Bootstrap NetBeans-specific Ant extensions." - depends="jdk-init,assure-jdk-
1.4,assure-ant"/> -<echo message="Bootstrapping NetBeans-specific Ant extensions..." - /> -<property name="ant.jar" value="${ant.home}/lib/ant.jar"/> -<path
id="bootstrap-cp"/> -<pathelement location="${ant.jar}"/> -<fileset dir=".." -> -<!-- For JavaHelp indexing: --> -<include name="nbbuild/external/jhall*.jar"/> -
</fileset> -</path> -<!-- Sanity check: --> -<pathconvert pathsep=":" property="class.files.in.antsrc"/> -<path> -<fileset dir="antsrc"/> -<include
name="**/*.class"/> -</fileset> -</path> -</pathconvert> -<fail -> -<condition> -<not> -<equals arg1="${class.files.in.antsrc}" arg2=""/> -</not> -
</condition> - You have stray *.class files in ${basedir}/antsrc which you must remove. - Probably you failed to clean your sources before updating them from
CVS. -</fail> -<!-- OK, continue: --> -<mkdir dir="build/antclasses"/> -<javac srcdir="antsrc" destdir="build/antclasses" deprecation="true"
debug="${build.compiler.debug}"/> -<source="1.4"/> -<classpath refid="bootstrap-cp"/> -<javac> -<jar jarfile="nbantext.jar"/> -<fileset dir="build/antclasses"/> -
<fileset dir="antsrc"/> -<exclude name="**/*.java"/> -<exclude name="**/*.html"/> -<exclude name="package-list"/> -</fileset> -</jar> -</target> -
<target name="init-module-list" depends="bootstrap"/> -<!-- Define modules. --> -<resolve name="modules" value="config.modules.${moduleconfig}"/> -
<resolve name="fixedmodules" value="config.fixedmodules.${moduleconfig}"/> -<property name="allmodules" value="${fixedmodules}.${modules}"/> -
</target> -<target name="set-buildnumber" unless="buildnumber"/> -<timestamp> -<format property="buildnumber" pattern="yyMMdd"/> -</timestamp> -<timestamp> -
<format property="buildday" pattern="d MMM yyyy" locale="en"/> -</timestamp> -<target name="init" depends="init-module-list,set-
buildnumber,init-tasks"/> -<taskdef name="cleanall" classname="org.netbeans.nbbuild.CleanAll" classpath="nbantext.jar"/> -<taskdef name="nbmerge"
classname="org.netbeans.nbbuild.NbMerge" classpath="nbantext.jar"/> -<taskdef name="for-each" classname="org.netbeans.nbbuild.ForEach"
classpath="nbantext.jar"/> -<taskdef name="getdependsclusters" classname="org.netbeans.nbbuild.GetDependsClusters" classpath="nbantext.jar"/> -<taskdef
name="repeat" classname="org.netbeans.nbbuild.Repeat" classpath="nbantext.jar"/> -<!-- We need absolute path to ${netbeans.dest} --> -<property
name="netbeans.dest.abs" location="${netbeans.dest}"/> -<!-- Overridable. Note: need not necessarily be a number at all): --> -<property name="buildnum"
value="dev-${buildnumber}"/> -<property name="sanitystart.args" value="-J-Dnetbeans.close=true ${sanitystart.args.additional}"/> -<!-- Set up automatic all-
* targets: --> -<taskdef name="insert-module-all-targets" classname="org.netbeans.nbbuild.InsertModuleAllTargets" classpath="nbantext.jar"/> -<insert-module-
all-targets/> -</target> -<target name="all-java/storagebuilder" depends="init"/> -<antcall target="build-one-cluster-dependencies" inheritall="false"/> -<param
name="one.cluster.dependencies" value="nb.cluster.platform,nb.cluster.id"/> -<param name="one.cluster.name" value="this-cluster"/> -</antcall> -<echo
message="Building java/storagebuilder library..."> -<ant dir="..java/storagebuilder" target="jar"/> -</target> -<target name="all-ide/branding"
depends="init"/> -<echo message="Building module ide/branding..."> -<getdependsclusters name="dependsClusters" list="${nb.clusters.list}"/> -<antcall
target="build-one-cluster-dependencies" inheritAll="false"/> -<param name="one.cluster.dependencies" value="${dependsClusters}"/> -<param
name="one.cluster.name" value="this-cluster"/> -</antcall> -<ant dir="..ide/branding" target="netbeans"/> -</target> -<target name="all-installer"
description="Dummy target for build system compatibility"/> -<target name="all-tomcatint/tomcat5/bundled" depends="init"/> -<getdependsclusters
name="dependsClusters" list="${nb.clusters.list}"/> -<antcall target="build-one-cluster-dependencies" inheritAll="false"/> -<param
name="one.cluster.dependencies" value="${dependsClusters}"/> -<param name="one.cluster.name" value="this-cluster"/> -</antcall> -<!-- XXX this and xtest
are clumsy: <antcall target="all-monitor"/> will not work since the subproject used by antcall does *not* have the synthetic targets! --> -<ant dir="..monitor"/> -
<echo message="Building module tomcatint/tomcat5/bundled..."> -<ant dir="..tomcatint/tomcat5/bundled" target="netbeans"/> -</target> -<target name="all-
translatedfiles" depends="init"/> -<echo message="Building module translatedfiles..."> -<getdependsclusters name="dependsClusters"
list="${nb.clusters.list}"/> -<antcall target="build-one-cluster-dependencies" inheritAll="false"/> -<param name="one.cluster.dependencies" -
value="${dependsClusters}"/> -<param name="one.cluster.name" value="this-cluster"/> -</antcall> -<ant dir="..translatedfiles" target="netbeans"/> -</target> -
<target name="all-xtest" depends="init"/> -<getdependsclusters name="dependsClusters" list="${clusters.list}"/> -<antcall target="build-one-cluster-
dependencies" inheritAll="false"/> -<param name="one.cluster.dependencies" value="${dependsClusters}"/> -<param name="one.cluster.name" value="this-
cluster"/> -</antcall> -<ant dir="..xtest/nbjunit"/> -<echo message="Building module xtest..."> -<ant dir="..xtest" antfile="build.xml" target="netbeans"/> -
</target> -<!-- this is project is not a netbeans module project, so we do a no-op - here. The code in appsrvbridge gets built by XXX --> -<target name="all-
serverplugins/sun/appsrvbridge" depends="init"/> -<echo message="Building module serverplugins/sun/appsrvbridge... NO-OP"/> -</target> -<!-- build NBMS
for selected modules --> -<target name="build-nbms" depends="init"/> -<!-- It's good idea to call merge target before this one. - NbMerge.java can set property
"modules" to the list of realy - build modules (excluding fixedmodules which it must build everytime). --> -<mkdir dir="nbms" /> -<property
name="nbm.target.dir" location="nbms" /> -<for-each startdir=".." target="nbm" locations="${allmodules}"/> -</target> -<target name="nbm"/> -<!-- dummy
target --> -<property name="jnlp.signjar.keystore" location="build/default.keystore" /> -<available property="jnlp.signjar.keystore.exists"
file="${jnlp.signjar.keystore}"/> -<target name="jnlp-generate-keystore" depends="init" unless="jnlp.signjar.keystore.exists"> -<property
name="jnlp.signjar.alias" value="jnlp" /> -<property name="jnlp.signjar.password" value="netbeans" /> -<property name="jnlp.signjar.vendor"
value="CN=NetBeans, OU=NetBeans, O=netbeans.org, C=US" /> -<mkdir dir="${jnlp.signjar.keystore}/.." /> -<echo message="Going to create default
keystore in ${jnlp.signjar.keystore}"/> -<genkey - alias="${jnlp.signjar.alias}" - keystore="${jnlp.signjar.keystore}" - storepass="${jnlp.signjar.password}" -
dname="${jnlp.signjar.vendor}"/> -</target> -<target name="build-jnlp" depends="init,jnlp-generate-keystore"> -<fail message="Property jnlp.codebase
must be set to final location of your JNLP files!" unless="jnlp.codebase" /> -<property name="jnlp.dest.dir" location="build/jnlp" /> -<mkdir
dir="${jnlp.dest.dir}"/> -<for-each startdir=".." target="jnlp" locations="${config.modules.jnlp}"/> -</target> -<target name="set-config-to-javadoc"> -
<property name="moduleconfig" value="javadoc" /> -</target> -<!-- build javadoc for selected modules --> -<target name="build-javadoc" depends="set-
config-to-javadoc,init" description="Builds Javadoc documentation for modules; on branches pass e.g. -
Djavadoc.web.root=http://www.netbeans.org/download/release35/javadoc"> -<ant dir=".", target="merge"> -<property name="modules" value="${modules}"/> -
<property name="fixedmodules" value="${fixedmodules}"/> -<property name="merge.dependent.modules" value="true"/> -<property
name="stop.when.broken.module" value="false"/> -</ant> -<mkdir dir="build/ModulesExportedInterfaces" /> -<property name="export.interfaces"
location="build/ModulesExportedInterfaces" /> -<mkdir dir="build/APIChanges" /> -<property name="export.apichanges" location="build/APIChanges" /> -
<!-- build javadoc for supported APIs --> -<for-each startdir=".." target="javadoc" locations="${fixedmodules}"/> -<!-- build javadoc for unsupported APIs --> -
<for-each startdir=".." target="javadoc" locations="${modules}"/> -<antcall inheritall="true" inheritrefs="true" target="javadoc-generate-xml" /> -<antcall
inheritall="true" inheritrefs="true" target="javadoc-generate-html" /> -<antcall inheritall="true" inheritrefs="true" target="javadoc-check-broken-links" /> -
</target> -<target name="javadoc-generate-xml" depends="set-config-to-javadoc,init"> -<echo file="build/APIChanges/header.gen">&lt;?xml version="1.0"
encoding="UTF-8"?&gt; -&lt;changes&gt; -</echo> -<echo file="build/APIChanges/footer.gen">-&lt;/changes&gt; -</echo> -<concat
destfile="${netbeans.javadoc.dir}/apichanges.xml"> -<fileset dir="build/APIChanges" includes="header.gen" /> -<fileset dir="build/APIChanges" includes="**
excludes="*.gen" /> -<fileset dir="build/APIChanges" includes="footer.gen" /> -</concat> -<echo file="build/ModulesExportedInterfaces/header.gen">&lt;?;
```

```
xml version="1.0" encoding="UTF-8"?>& - &lt;apis&gt; - </echo> - - <echo file="build/ModulesExportedInterfaces/footer.gen" - &lt;apis&gt; - </echo> - -
<concat destfile="${netbeans.javadoc.dir}/modules.xml" - <fileset dir="build/ModulesExportedInterfaces" includes="header.gen" /> - <fileset
dir="build/ModulesExportedInterfaces" includes="*" excludes="*.gen" /> - <fileset dir="build/ModulesExportedInterfaces" includes="footer.gen" /> - </concat> -
- <taskdef name="javadoc-index" - classpath="nbantext.jar" - classname="org.netbeans.nbbuild.JavadocIndex" - /> - - <javadoc-index
target="${netbeans.javadoc.dir}/allclasses.xml" - > - <packageslist dir="${netbeans.javadoc.dir}" - > - <include name="**/allclasses-noframe.html" /> -
</packageslist> - </javadoc-index> - </target> - - <target name="javadoc-generate-html" depends="set-config-to-javadoc,init" - > - <tstamp> - <format
property="modules-javadoc-date" pattern="d MMM yyyy" locale="en" /> - <tstamp> - <style - in="${netbeans.javadoc.dir}/modules.xml" -
out="${netbeans.javadoc.dir}/usecases.html" - style="javadoctools/export2usecases.xml" - > - <param name="date" expression="${modules-javadoc-date}" /> -
</style> - - <style - in="${netbeans.javadoc.dir}/apichanges.xml" - out="${netbeans.javadoc.dir}/apichanges.html" - style="javadoctools/export2apichanges.xml" -
> - <param name="date" expression="${modules-javadoc-date}" /> - <param name="changes-since-year" expression="${previous.release.year}" /> - <param
name="changes-since-day" expression="${previous.release.day}" /> - <param name="changes-since-month" expression="${previous.release.month}" /> - <param
name="include-introduction" expression="true" /> - </style> - - <copy file="javadoctools/netbeans.css" tofile="${netbeans.javadoc.dir}/netbeans.css" /> -
<condition property="javadoc.style.sheet.exists" - > - <available file="${netbeans.javadoc.dir}/org-openide-util/javadoc.css" /> - </condition> - - <fail
unless="javadoc.style.sheet.exists" - > - The org-openide-util/javadoc.css has to exist as we are referring to it from master module javadoc pages. If it does not
anymore, update - the javadoctools/export*.xsl templates. - </fail> - - <style - in="${netbeans.javadoc.dir}/allclasses.xml" -
out="${netbeans.javadoc.dir}/allclasses-frame.html" - style="javadoctools/export2allclasses.xml" - > - </style> - - <style -
in="${netbeans.javadoc.dir}/modules.xml" - out="${netbeans.javadoc.dir}/overview-frame.html" - style="javadoctools/export2allmodules.xml" - > - <param
name="date" expression="${modules-javadoc-date}" /> - </style> - - <style - in="${netbeans.javadoc.dir}/modules.xml" -
out="${netbeans.javadoc.dir}/layers.html" - style="javadoctools/export2layer.xml" - > - <param name="date" expression="${modules-javadoc-date}" /> - </style> -
- <style - in="${netbeans.javadoc.dir}/modules.xml" - out="${netbeans.javadoc.dir}/overview-summary.html" - style="javadoctools/export2html.xml" - > - <param
name="date" expression="${modules-javadoc-date}" /> - </style> - - <!-- at the end generate the index.html so people know where to start --> - <echo
file="${netbeans.javadoc.dir}/index.html" - ><![CDATA[ - <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset/EN"
"http://www.w3.org/TR/html4/frameset.dtd" - ><HTML><HEAD><TITLE>NetBeans API Index</TITLE> - </HEAD> - <FRAMESET cols="20%,80%" title=""
onLoad="top.loadFrames()" - > - <FRAMESET rows="30%,70%" title="" onLoad="top.loadFrames()" - > - <FRAME src="overview-frame.html"
name="packageListFrame" title="All Modules" - > - <FRAME src="allclasses-frame.html" name="packageFrame" title="All classes" - > - </FRAMESET> - <FRAME
src="overview-summary.html" name="classFrame" title="Module, package, class and interface descriptions" scrolling="yes" - > - <NOFRAMES> - <H2>Frame
Alert</H2> - <P> - This document is designed to be viewed using the frames feature. If you see this message, you are using a non-frame-capable web client. - Link
to<A HREF="overview-summary.html">Non-frame version.</A> - </NOFRAMES> - </FRAMESET> - </HTML> - ]]></echo> - - <replace
dir="${netbeans.javadoc.dir}" - > - <include name="*.html" /> - <replacefilter token="@JDK@" value="http://java.sun.com/j2se/1.4.2/docs/api/" - > - <replacefilter
token="http://root/" value="." /> - <replacefilter token="${javadoc.web.root}" value="." /> - </replace> - - <echo message="Javadoc index has been generated to
${netbeans.javadoc.dir}/index.html" /> - </target> - - <target name="javadoc-check-broken-links" depends="init" unless="javadoc.skip.brokenlinks.check" - > -
<taskdef name="checklinks" classname="org.netbeans.nbbuild.CheckLinks" - > - <classpath> - <pathelement location="nbantext.jar" /> - </classpath> - </taskdef> -
<checklinks basedir="${netbeans.javadoc.dir}" checkexternal="${javadoc.check.external.links}" checkspaces="false" failonerror="true" - > - <include
name="**/overview-summary.html" /> - <include name="**/apichanges.html" /> - <include name="**/architecture-summary.html" /> - <include name="**/**/package-
summary.html" /> - <include name="**/**/doc-files/**/*.*.html" /> - <include name="*.html" /> - </checklinks> - </target> - <target name="build-messaging"
depends="init" - > - <echo message="Starting a build for NetBeans (build ${buildnum}, config '${moduleconfig}') ..." /> - <echo message="Selected modules:
${modules}" /> - <echo message="OS: ${os.name} ${os.version} Locale: ${user.language} ${user.region}" /> - <echo message="Java: ${nbjdk.home}" /> -
</target> - - <!-- Use of nbmerge target has the effect of automatically depending on all-X for every module. --> - <!-- It also runs dltree(dir=wherever) and
copydir(src=../X/netbeans,dest=wherever) to create the IDE install. --> - <target name="build-nozip" depends="clean-cluster-flags,build-clusters"
description="Build the IDE but do not create a final ZIP file." - > - <loadproperties srcFile="${clusters.list.file}" /> - - <loadproperties
srcfile="${netbeans.dest.dir}/moduleCluster.properties" /> - - <mkdir dir="${netbeans.dest.dir}/bin" /> - <copy file="..ide/launcher/unix/netbeans"
todir="${netbeans.dest.dir}/bin" /> - <chmod file="${netbeans.dest.dir}/bin/netbeans" perm="ugo+rx" /> - <copy file="..ide/launcher/windows/netbeans.exe"
todir="${netbeans.dest.dir}/bin" /> - <copy file="..ide/launcher/windows/nb.exe" todir="${netbeans.dest.dir}/bin" /> - <copy
file="..ide/launcher/os2/netbeans.cmd" todir="${netbeans.dest.dir}/bin" /> - <!-- if anybody knows better place for icons, let me know: jtulach@netbeans.org --> -
<copy file="..ide/launcher/os2/nbos2icons.zip" todir="${netbeans.dest.dir}/${nb.cluster.nb.dir}" /> - <mkdir dir="${netbeans.dest.dir}/etc" /> - <copy
file="..ide/launcher/netbeans.conf" todir="${netbeans.dest.dir}/etc" /> - <echo message="${netbeans.dest.dir}/${nb.cluster.platform.dir}/lib/nbexec" /> -
<fixcrlf eol="lf" srcdir="${netbeans.dest.dir}" - > - <include name="etc/netbeans.conf" /> - <include name="bin/netbeans" /> - <include
name="${nb.cluster.platform.dir}/lib/nbexec" /> - </fixcrlf> - <fixcrlf eol="crlf" srcdir="${netbeans.dest.dir}" - > - <include name="bin/netbeans.cmd" /> -
<include name="${nb.cluster.platform.dir}/lib/nbexec.cmd" /> - </fixcrlf> - - <echo file="${netbeans.dest.dir}/build_info">NetBeans dev build -----
Number: ${buildnum} - Date: ${buildday} - Branch: trunk - Tag: - </echo> - </target> - - <target name="build" depends="build-nozip" -
description="Create a complete build including a ZIP distribution (but do not try it)." - > - <delete file="NetBeans-${buildnum}.zip" /> - <delete
file="NetBeans-${buildnum}-build-extra-data.zip" /> - - <property name="nb-extra-files" value="*.built,test/**/*.extra/**/*.*" /> - - <!-- package the zip file --> - <zip
destfile="NetBeans-${buildnum}.zip" update="true" duplicate="preserve" - > - <zipfileset file="${netbeans.dest.dir}/bin/netbeans" filemode="755"
prefix="${netbeans.dest.dir}/bin" /> - <zipfileset file="${netbeans.dest.dir}/${nb.cluster.platform.dir}/lib/nbexec" filemode="755"
prefix="${netbeans.dest.dir}/${nb.cluster.platform.dir}/lib" /> - <zipfileset dir="${netbeans.dest.dir}/${nb.cluster.ide.dir}/ant/bin" filemode="755"
prefix="${netbeans.dest.dir}/${nb.cluster.ide.dir}/ant/bin" - > - <exclude name="*.bat" /> - <exclude name="*.cmd" /> - </zipfileset> - <zipfileset
dir="${netbeans.dest.dir}" filemode="755" prefix="${netbeans.dest.dir}" - > - <include name="**/*.sh" /> - </zipfileset> - <zipfileset dir="${netbeans.dest.dir}"
prefix="${netbeans.dest.dir}" excludes="${nb-extra-files}" - > - <!-- XXX exclude the temporary cluster for parts of openide --> - <exclude name="tmp" /> - <exclude
name="tmp/**/*.*" /> - </zipfileset> - </zip> - - <!-- package the zip file with extra files not to be included in regular product package --> - <!-- <zip
destfile="NetBeans-${buildnum}-build-extra-data.zip" update="true" duplicate="preserve" - > - <zipfileset dir="${netbeans.dest.dir}" prefix="${netbeans.dest}"
includes="${nb-extra-files}" /> - </zip> - - - - <echo>Build created; see NetBeans-${buildnum}.zip (in nbbuild). - If you like, you may run the IDE straight
from - the ${netbeans.dest.dir}/bin directory. - (For example, type: ant tryme) - </echo> - - <target name="delete-and-merge" depends="merge-
delete,merge" /> - - <target name="merge-delete" depends="init" - > - <delete dir="${netbeans.dest.dir}" /> - </target> - - <target name="merge" depends="build-
messaging" - > - <mkdir dir="${netbeans.dest.dir}" /> - <nbmerge failonerror="${stop.when.broken.modules}" - dest="${netbeans.dest.dir}" - topdir=".." -
fixedmodules="${fixedmodules}" - modules="${modules}" - builtmodulesproperty="${built.modules.property}" - targetprefix="all." -
mergedependentmodules="${merge.dependent.modules}" - > - <nbmerge> - <chmod perm="ugo+x" - > - <fileset dir="${netbeans.dest.dir}" - > - <include
name="bin/netbeans" /> - <include name="bin/**/*.pl" /> - <include name="jakarta-tomcat-*/bin/*.sh" /> - </fileset> - </chmod> - </target> - - <target
name="build-platform" depends="init" - > - <run-depend-build clusters-to-build="nb.cluster.platform,nb.cluster.harness" /> - </target> - - <target name="build-
cluster" depends="init" - > - <run-depend-build clusters-to-build="${cluster.name}" /> - </target> - - <macrodef name="resolve" - > - <attribute name="name" /> -
<attribute name="value" /> - <sequential> - <property name="@{name}" value="${@{value}}*" /> - </sequential> - </macrodef> - - <macrodef name="run-
depend-build" - > - <attribute name="clusters-to-build" /> - <sequential> - <echo>Repeat @{clusters-to-build}</echo> - <repeat target="build-one-cluster"
name="one.cluster.name" values="@{clusters-to-build}" /> - </sequential> - </macrodef> - - <target name="build-clusters" depends="init" - > - <run-depend-build
clusters-to-build="${nb.clusters.list}" /> - </target> - - <target name="build-one-cluster-dependencies-check" - > - <condition property="${one.cluster.name}-
hasNoDependencies" - > - <equals arg1="${one.cluster.dependencies}" arg2="" trim="true" /> - </condition> - <echo>Dependency prop: ${one.cluster.name}-
hasNoDependencies:</echo> - <echo>Cluster dep: ${one.cluster.dependencies}</echo> - <resolve name="test.prop" value="${one.cluster.name}-
hasNoDependencies" /> - <echo>Cluster dep prp: ${test.prop}</echo> - </target> - - <target name="build-one-cluster-dependencies" - depends="build-one-cluster-
dependencies-check" - unless="${one.cluster.name}-hasNoDependencies" - > - <run-depend-build clusters-to-build="${one.cluster.dependencies}" /> - </target> - -
<target name="build-one-cluster-check" - > - <condition property="${one.cluster.name}-is-built" - > - <available
file="${netbeans.dest.dir}/${one.cluster.name}.built" /> - </condition> - <resolve name="test1.prop" value="${one.cluster.name}-is-built" /> - <echo>Cluster
${one.cluster.name} is: ${test1.prop}</echo> - </target> - - <target name="build-one-cluster" unless="${one.cluster.name}-is-built" depends="build-one-cluster-
check" - > - <echo message="Building ${one.cluster.name} modules" /> - <resolve name="one-cluster-modules" value="${one.cluster.name}" /> - <resolve
name="one-cluster-dependencies" value="${one.cluster.name}.depends" /> - <echo>${one-cluster-modules}</echo> - <echo>Dependencies: ${one-cluster-
dependencies}</echo> - <insert-module-all-targets/> - <!-- we are in a subproject, so need to reinsert the targets... XXX <antcall> and thus <repeat> apparently
reparates the Ant script from disk! --> - <antcall target="build-one-cluster-dependencies" inheritAll="false" - > - <param name="one.cluster.dependencies"
value="${one.cluster.dependencies}" /> - <param name="one.cluster.name" value="${one.cluster.name}" /> - </antcall> - > - <mkdir dir="${netbeans.dest.dir}" /> -
<nbmerge failonerror="${stop.when.broken.modules}" - dest="${netbeans.dest.dir}" - topdir="${nb_all}" - fixedmodules="${nb_all}" - builtmodules="${one-cluster-modules}" -
builtmodulesproperty="${built.modules.property}" - targetprefix="all." - mergedependentmodules="false" - > - </nbmerge> - <touch
file="${netbeans.dest.dir}/${one.cluster.name}.built" /> - </target> - - <target name="zipclusters" depends="init" - > - <mkdir dir="${netbeans.build.dir}/zips" /> -
```



```
<repeat target="zip-one-cluster" name="one.cluster.name" values="${clusters.list}" /> - <!-- package the misc files --> - <zip
destfile="${netbeans.build.dir}/zips/${clusters.prefix}-misc-${buildnum}.zip" update="true" duplicate="preserve"> - <zipfileset dir="${netbeans.dest.dir}"
filemode="755"> - <include name="bin/netbeans"> - <zipfileset> - <zipfileset dir="${netbeans.dest.dir}"> - <include name="bin/**"> - <include
name="etc/**"> - </zipfileset> - </zip> - </target> - <target name="zip-one-cluster"> - <taskdef name="setclusterpatternset"
classname="org.netbeans.nbbuild.SetClusterPatternSet" classpath="nbantext.jar"> - <taskdef name="setcluster" classname="org.netbeans.nbbuild.SetCluster"
classpath="nbantext.jar"> - <loadproperties srcFile="${clusters.list.file}" /> - <loadproperties srcFile="cluster-description.properties" /> - <setcluster
cluster="${one.cluster.name}" name="one.cluster.dir" /> - <setclusterpatternset cluster="${one.cluster.name}" name="${one.cluster.name}.files"
trackingpath="${netbeans.dest.dir}" clusterdir="${one.cluster.dir}" /> - <resolve name="zipcluster.file" value="${one.cluster.name}.pkg.filename"> - <zip
destfile="${netbeans.build.dir}/zips/${clusters.prefix}-${zipcluster.file}-${buildnum}.zip" update="true" duplicate="preserve"> - <zipfileset
dir="${netbeans.dest.dir}" filemode="755"> - <include name="${one.cluster.dir}/lib/nbexec"> - <zipfileset> - <zipfileset dir="${netbeans.dest.dir}"
filemode="755"> - <include name="${one.cluster.dir}/ant/bin/**"> - <exclude name="${one.cluster.dir}/ant/bin/*.bat"> - <exclude
name="${one.cluster.dir}/ant/bin/*.cmd"> - </zipfileset> - <zipfileset dir="${netbeans.dest.dir}"> - <patternset refid="${one.cluster.name}.files"> -
</zipfileset> - </zip> - </target> - <target name="create-rpms-proto"> - <mkdir dir="${netbeans.build.dir}/rpms"> - <repeat target="create-one-rpm-proto"
name="one.cluster.name" values="${clusters.list}" /> - </target> - <target name="create-one-rpm-proto"> - <taskdef name="setcluster"
classname="org.netbeans.nbbuild.SetCluster" classpath="nbantext.jar"> - <loadproperties srcFile="cluster-description.properties" /> - <loadproperties srcFile="cluster-
description.properties" /> - <setcluster cluster="${one.cluster.name}" name="one.cluster.dir" /> - <mkdir dir="${netbeans.build.dir}/rpms"> - <resolve
name="pkg.name" value="${one.cluster.name}.pkg.name"> - <resolve name="pkg.version" value="${one.cluster.name}.pkg.version"> - <resolve
name="pkg.desc" value="${one.cluster.name}.pkg.desc"> - <resolve name="pkg.vendor" value="${one.cluster.name}.pkg.vendor"> - <resolve
name="pkg.email" value="${one.cluster.name}.pkg.email"> - <resolve name="pkg.rpm.name" value="${one.cluster.name}.pkg.rpm.name"> - <resolve
name="pkg.rpm.requires" value="${one.cluster.name}.pkg.rpm.requires"> - <resolve name="pkg.rpm.group" value="${one.cluster.name}.pkg.rpm.group"> -
<resolve name="pkg.rpm.url" value="${one.cluster.name}.pkg.rpm.url"> - <resolve name="pkg.rpm.copyright"
value="${one.cluster.name}.pkg.rpm.copyright"> - <resolve name="pkg.rpm.map" value="${one.cluster.name}.pkg.rpm.map"> - <resolve
name="pkg.rpm.prefix" value="${one.cluster.name}.pkg.rpm.prefix"> - <echo file="${netbeans.build.dir}/rpms/${pkg.rpm.name}.spec"> - %define
global_product_version ${pkg.version} - %define global_product_release 00 - %define _prefix ${pkg.rpm.prefix} - Version: %{global_product_version} -
Release: %{global_product_release} - Group: ${pkg.rpm.group} - Copyright: ${pkg.rpm.copyright} - Vendor: ${pkg.rpm.vendor} - URL: ${pkg.rpm.url} - Prefix:
%_prefix - AutoReqProv: no - Name: ${pkg.rpm.name} - Summary: ${pkg.name} - %description - ${pkg.desc} - %files - %erpm_map ${pkg.rpm.map}
nb_destdir - %dir ${pkg.rpm.map} - % ${pkg.rpm.map} / ${one.cluster.dir} </echo> - </target> - <target name="create-svr4s-proto"> - <mkdir
dir="${netbeans.build.dir}/rpms"> - <repeat target="create-one-svr4-proto" name="one.cluster.name" values="${clusters.list}" /> - </target> - <target
name="create-one-svr4-proto"> - <taskdef name="setcluster" classname="org.netbeans.nbbuild.SetCluster" classpath="nbantext.jar"> - <loadproperties
srcFile="cluster-description.properties" /> - <loadproperties srcFile="cluster-description.properties" /> - <setcluster cluster="${one.cluster.name}" name="one.cluster.dir" /> -
<mkdir dir="${netbeans.build.dir}/svr4s"> - <resolve name="pkg.name" value="${one.cluster.name}.pkg.name"> - <resolve name="pkg.version"
value="${one.cluster.name}.pkg.version"> - <resolve name="pkg.desc" value="${one.cluster.name}.pkg.desc"> - <resolve name="pkg.vendor"
value="${one.cluster.name}.pkg.vendor"> - <resolve name="pkg.email" value="${one.cluster.name}.pkg.email"> - <resolve name="pkg.svr4.pkg"
value="${one.cluster.name}.pkg.svr4.pkg"> - <resolve name="pkg.svr4.maxinst" value="${one.cluster.name}.pkg.svr4.maxinst"> - <resolve
name="pkg.svr4.sunw_pkgvers" value="${one.cluster.name}.pkg.svr4.sunw_pkgvers"> - <resolve name="pkg.svr4.hotline"
value="${one.cluster.name}.pkg.svr4.hotline"> - <resolve name="pkg.svr4.classes" value="${one.cluster.name}.pkg.svr4.classes"> - <resolve
name="pkg.svr4.basedir" value="${one.cluster.name}.pkg.svr4.basedir"> - <resolve name="pkg.svr4.pkginst" value="${one.cluster.name}.pkg.svr4.pkginst"> -
<resolve name="pkg.svr4.category" value="${one.cluster.name}.pkg.svr4.category"> - <echo file="${netbeans.build.dir}/svr4s/${pkg.svr4.pkg}.spec"> -
PKG=${pkg.svr4.pkg} - NAME=${pkg.name} - ARCH=sparc - VERSION=${pkg.version} - MAXINST=${pkg.svr4.maxinst} -
CATEGORY=${pkg.svr4.category} - SUNW_PKGVERS=${pkg.svr4.sunw_pkgvers} - DESC=${pkg.desc} - VENDOR=${pkg.vendor} -
HOTLINE=${pkg.svr4.hotline} - EMAIL=${pkg.email} - CLASSES=${pkg.svr4.classes} - BASEDIR=${pkg.svr4.basedir} - PKGINST=${pkg.svr4.pkginst}
</echo> - </target> - <target name="sanity-check" depends="testuserdir-delete,sanity-start" description="Test whether the build can start up without
problems." /> - <target name="testuserdir-delete-init" depends="init"> - <property name="test.user.dir.lock" location="${test.user.dir}/lock"> - <available
property="app.running" file="${test.user.dir.lock}" /> - </target> - <target name="testuserdir-delete-ok" depends="testuserdir-delete-init" unless="app.running">
<delete dir="${test.user.dir}" /> - </target> - <target name="testuserdir-delete-fail" depends="testuserdir-delete-init" if="app.running"> - <!-- #66799: best to
warn about this condition... --> - <fail>Will not delete ${test.user.dir} because ${test.user.dir.lock} still exists; kill any running process and delete lock file if
necessary</fail> - </target> - <target name="testuserdir-delete" depends="testuserdir-delete-ok,testuserdir-delete-fail"> - <target name="sanity-start"
depends="init,maybe-build-nozip,jdk-init"> - <mkdir dir="${test.user.dir}" /> - <echo>Starting the IDE as a sanity check...</echo> - <echo>WARNING - the
sanity-start target is deprecated. Use commit-validation instead.</echo> - <!-- XXX better would be to scan start log for stacktraces and just show those; --> - <!--
possibly after filtering for duplicates or something like this. --> - <!-- Timeout is ten minutes; should be enough for valid start, while preventing --> - <!-- a
deadlock from hanging an automated build: --> - <exec os="Windows NT Windows 95 Windows 98 Windows 2000 Windows 2003 Windows XP"
executable="${netbeans.dest.abs}/bin/nb.exe" failonerror="yes" timeout="600000"> - <arg value="--jdkhome"> - <arg file="${nbjdk.home}" /> - <arg value="--
userdir"> - <arg file="${test.user.dir}" /> - <arg line="${sanitystart.args}" /> - </exec> - <exec os="Linux SunOS Solaris Mac OS X" dir="." executable="sh"
failonerror="yes" timeout="600000"> - <arg value="${netbeans.dest.abs}/bin/netbeans"> - <arg value="--jdkhome"> - <arg file="${nbjdk.home}" /> - <arg
value="--userdir"> - <arg file="${test.user.dir}" /> - <arg line="${sanitystart.args}" /> - </exec> - <echo>Finished starting the IDE, pay attention to any reported
errors.</echo> - </target> - <target name="check-for-build"> - <available property="have-build" file="${netbeans.dest.dir}/bin/netbeans"> - </target> - <target
name="maybe-build-nozip" depends="check-for-build" unless="have-build"> - <ant dir="${basedir}" target="build-nozip"> - </target> - <target name="nozip-
check"> - depends="build-nozip,sanity-check"> - <echo>WARNING - the nozip-check target is deprecated. Use all-nozip instead.</echo> - </target> - <target
name="tryme-setup-debug-args" if="debug.port"> - <property name="debug.pause" value="n"> - <property name="debug.server" value="y"> - <property
name="tryme.debug.args" value="-J-Xdebug -J-Xnoagent -J-
Xrunjvdp:transport=dt_socket,suspend=${debug.pause},server=${debug.server},address=${debug.port}" /> - </target> - <target name="tryme-debug"
depends="jdk-presetdef-nbjpdastart" description="Start IDE in debugger. May only be called from within IDE."> - <nbjpdastart name="NetBeans"
addressproperty="debug.port" transport="dt_socket"> - <classpath> - <fileset dir="${netbeans.dest.dir}"> - <include name="**/*.jar"> - </fileset> - </classpath>
- </nbjpdastart> - <property name="debug.server" value="n"> - <antcall target="tryme"> - </target> - <target name="tryme-profile" depends="jdk-presetdef-
nbprofiledirect" description="Start IDE in debugger. May only be called from within IDE."> - <property name="profiler.roots.path" value="profiler.roots.all"> -
<fileset id="profiler.roots.all" dir="${netbeans.dest.dir}"> - <include name="**/*.jar"> - </fileset> - <nbprofiledirect jvmargsprefix="-J" -
jvmargsproperty="profiler.jvmargs"> - mainclass="org.netbeans.Main" - > - <classpath> - <fileset dir="${netbeans.dest.dir}"> - <include name="**/*.jar"> -
</fileset> - </classpath> - <rootpath> - <fileset refid="${profiler.roots.path}" /> - </rootpath> - </nbprofiledirect> - <antcall target="tryme"> - <param
name="tryme.args" value="${profiler.jvmargs}" /> - </antcall> - </target> - <target name="tryme" depends="init,maybe-build-nozip,tryme-setup-debug-args,
jdk-init" - description="Try running the IDE interactively (build it first if needed) - It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in
debug mode" - > - <property name="tryme.debug.args" value="" /> - <exec os="Windows NT Windows 95 Windows 98 Windows 2000 Windows 2003
Windows XP" executable="${netbeans.dest.abs}/bin/nb.exe" failonerror="yes"> - <arg value="--jdkhome"> - <arg file="${nbjdk.home}" /> - <arg value="--
userdir"> - <arg file="${test.user.dir}" /> - <arg line="${tryme.args}" /> - <arg line="${tryme.debug.args}" /> - </exec> - <exec os="Linux SunOS Solaris Mac
OS X" dir="." executable="sh" failonerror="yes"> - <arg value="${netbeans.dest}/bin/netbeans"> - <arg value="--jdkhome"> - <arg file="${nbjdk.home}" /> -
<arg value="--userdir"> - <arg file="${test.user.dir}" /> - <arg line="${tryme.args}" /> - <arg line="${tryme.debug.args}" /> - </exec> - </target> - <target
name="l10n-kill" depends="init"> - <taskdef name="l10n" classname="org.netbeans.nbbuild.L10nTask" - classpath="nbantext.jar"> - <delete
dir="${l10n.dist.dir}" /> - <mkdir dir="${l10n.dist.dir}" /> - <delete dir="tmp"> - <mkdir dir="tmp"> - <property name="nbroot" location=".." /> - <l10n
topdirs="${nbroot}" modules="${fixedmodules},${modules}" - localizablefile="${l10n.list}" generatedfile="${l10n.list.translated}" - distdir="${l10n.dist.dir}"
changedfile="${l10n.list.changed}" - builddir="tmp" buildnumber="${buildnumber}" - excludepattern="**/ja,**/*_ja.*" /> - <delete dir="tmp"> - </target> -
<target name="bootstrap-javadoc" - depends="bootstrap" - description="Generate Javadoc for Ant extensions."> - <!-- XXX this ought to be deleted at some point.
--> - <!-- Can be done anyway by apisupport/ant, and published as regular module Javadoc --> - <!-- by the regular daily Javadoc build process. --> - <!-- Then all
of this stuff can be deleted from the www part of CVS. --> - <mkdir dir="www/nbantext-javadoc"> - <delete> - <fileset dir="www/nbantext-javadoc"> - <include
name="**/*.html"> - </fileset> - </delete> - <tstamp> - <javadoc sourcepath="antsrc" - destdir="www/nbantext-javadoc" -
packagenames="org.netbeans.nbbuild.*" - windowtitle="NetBeans Ant Extensions" - doctitle="Extended Ant Tasks for Building NetBeans" -
nodeprecatedlist="true" - notree="true" - noindex="true" - nohelp="true" - nonavbar="true" - author="false" - version="false" - bottom="Built on ${buildday}" - >
- <classpath refid="bootstrap-cp"> - <link href="http://nagoya.apache.org/ftp/javadoc/ant/build/javadocs" offline="true" packagelstoc="antsrc"> -
</javadoc> - </target> - <target name="clean-external"> - <subant target="clean"> - <fileset dir=".."> - <include name="**/external/build.xml"> - <include
name="contrib/**/external/build.xml"> - </fileset> - </subant> - </target> - <target name="real-clean" depends="clean,clean-external" - description="Clean
```



```
name="j2ee" > - <jars dir="${netbeans.dest.dir}" > - <include name="${nb.cluster.j2ee.dir}/**/*.jar" /> - </jars> - </input> - <input name="nb" > - <jars
dir="${netbeans.dest.dir}" > - <include name="${nb.cluster.nb.dir}/**/*.jar" /> - </jars> - </input> - <input name="harness" > - <jars dir="${netbeans.dest.dir}"
> - <include name="${nb.cluster.harness.dir}/**/*.jar" /> - </jars> - </input> - <output type="group-dependencies" file="${generated.files.dir}/cluster-deps.txt"
/> - <output type="group-implementation-dependencies" file="${generated.files.dir}/cluster-impl-deps.txt" /> - <output type="modules"
file="${generated.files.dir}/modules.txt" /> - <output type="dependencies" file="${generated.files.dir}/deps.txt" /> - <output type="implementation-
dependencies" file="${generated.files.dir}/impl-deps.txt" /> - <output type="public-packages" file="${generated.files.dir}/public-packages.txt" /> - <output
type="shared-packages" file="${generated.files.dir}/shared-packages.txt" /> - <output type="friend-packages" file="${generated.files.dir}/friend-packages.txt" />
- <output type="external-libraries" file="${generated.files.dir}/external-libraries.txt" /> - </deps> - </target> - - <target name="check-public-packages"
depends="generate-golden-files" > - <property name="check.public.packages.golden" location="${golden.files.dir}/public-packages.txt" /> - <property
name="check.public.packages.template" location="${template.files.dir}/public-packages.txt" /> - <property name="check.public.packages.generated"
location="${generated.files.dir}/public-packages.txt" /> - - <condition property="check-public-packages-are-they-the-same" > - <filematch
file1="${check.public.packages.template}" file2="${check.public.packages.generated}" /> - </condition> - - - <exec os="Linux SunOS Solaris " dir="."
executable="diff" failonerror="no" timeout="60000" > - <arg value="-U"/> - <arg value="15"/> - <arg value="${check.public.packages.template}" /> - <arg
value="${check.public.packages.generated}" /> - </exec> - - <fail unless="check-public-packages-are-they-the-same" >! - *** Public packages has changed! *** -
- Differences were found while comparing file - ${check.public.packages.template} - with - ${check.public.packages.generated} - - This means that the set of
public packages changed since the previously known one. - Some packages may have been added, some of them may have been removed - Either by changing
manifest of a module or by adding or removing a class file - from a module package. - - - Changing the packages may or may not be ok. It means that an api of -
whole product changes and as such it is subject to review. If you passed - your review and want to change the list of public packages, then please - update the
golden file at - ${check.public.packages.golden} - and run the test once again. - - Read more about the Verification Framework: -
http://openide.netbeans.org/proposals/arch/clusters.html#verify - - Look at for information about reviews: - http://openide.netbeans.org/tutorial/review-steps.html -
- Check the page about APIs: - http://openide.netbeans.org/tutorial/api-design.html#api - </fail> - </target> - - <target name="check-friend-packages"
depends="generate-golden-files" > - <property name="check.friend.packages.golden" location="${golden.files.dir}/friend-packages.txt" /> - <property
name="check.friend.packages.template" location="${template.files.dir}/friend-packages.txt" /> - <property name="check.friend.packages.generated"
location="${generated.files.dir}/friend-packages.txt" /> - - <condition property="check-friend-packages-are-they-the-same" > - <filematch
file1="${check.friend.packages.template}" file2="${check.friend.packages.generated}" /> - </condition> - - - <exec os="Linux SunOS Solaris " dir="."
executable="diff" failonerror="no" timeout="60000" > - <arg value="-U"/> - <arg value="15"/> - <arg value="${check.friend.packages.template}" /> - <arg
value="${check.friend.packages.generated}" /> - </exec> - - <fail unless="check-friend-packages-are-they-the-same" >! - *** Friend packages has changed! *** -
- Differences were found while comparing file - ${check.friend.packages.template} - with - ${check.friend.packages.generated} - - This means that the set of
friend packages changed since the previously known one. - Some packages may have been added, some of them may have been removed - Either by changing
manifest of a module or by adding or removing a class file - from a module package. - - - Changing the packages may or may not be ok. It means that an api of -
whole product changes and as such it is subject to review. If you passed - your review and want to change the list of friend packages, then please - update the
golden file at - ${check.friend.packages.golden} - and run the test once again. - - Read more about the Verification Framework: -
http://openide.netbeans.org/proposals/arch/clusters.html#verify - - Look at for information about reviews: - http://openide.netbeans.org/tutorial/review-steps.html -
- Check the page about APIs: - http://openide.netbeans.org/tutorial/api-design.html#api - </fail> - </target> - - <target name="check-shared-packages"
depends="generate-golden-files, jdk-init" unless="have-jdk-1.5" > - <property name="check.shared.packages.golden" location="${golden.files.dir}/shared-
packages.txt" /> - <property name="check.shared.packages.template" location="${template.files.dir}/shared-packages.txt" /> - <property
name="check.shared.packages.generated" location="${generated.files.dir}/shared-packages.txt" /> - - <condition property="check-shared-packages-are-they-the-
same" > - <filematch file1="${check.shared.packages.template}" file2="${check.shared.packages.generated}" /> - </condition> - - - <exec os="Linux SunOS
Solaris Mac OS X" dir="." executable="diff" failonerror="no" timeout="60000" > - <arg value="-U"/> - <arg value="15"/> - <arg
value="${check.shared.packages.template}" /> - <arg value="${check.shared.packages.generated}" /> - </exec> - - <fail unless="check-shared-packages-are-they-
the-same" >! - *** Shared packages has changed! *** - - Differences were found while comparing file - ${check.shared.packages.template} - with -
${check.shared.packages.generated} - - This means that the set of shared packages changed since the previously known one. - Some packages may have been
added, some of them may have been removed - Either by changing manifest of a module or by adding or removing a class file - from a module package. - - -
Removing shared packages is ok. Adding shared packages is silly, complicates - and slows down module system and startup of the application. Do not do that! - If
you are removing a shared package please update - ${check.shared.packages.golden} - and run the test once again. - - Read more about the Verification
Framework: - http://openide.netbeans.org/proposals/arch/clusters.html#verify - - Look at for information about reviews: -
http://openide.netbeans.org/tutorial/review-steps.html - - Check the page about APIs: - http://openide.netbeans.org/tutorial/api-design.html#api - </fail> - </target>
- - <target name="check-external-libraries" depends="generate-golden-files" > - <property name="check.external.libraries.golden"
location="${golden.files.dir}/external-libraries.txt" /> - <property name="check.external.libraries.template" location="${template.files.dir}/external-libraries.txt"
/> - <property name="check.external.libraries.generated" location="${generated.files.dir}/external-libraries.txt" /> - - <condition property="check-external-
libraries-are-they-the-same" > - <filematch file1="${check.external.libraries.template}" file2="${check.external.libraries.generated}" /> - </condition> - - - <exec
os="Linux SunOS Solaris Mac OS X" dir="." executable="diff" failonerror="no" timeout="60000" > - <arg value="-U"/> - <arg value="15"/> - <arg
value="${check.external.libraries.template}" /> - <arg value="${check.external.libraries.generated}" /> - </exec> - - <fail unless="check-external-libraries-are-
they-the-same" >! - *** List of external libraries has changed! *** - - Differences were found while comparing file - ${check.external.libraries.template} - with -
${check.external.libraries.generated} - - This means that the set of external libraries (JARs that are not NetBeans - modules or does not have NetBeans-Own-
Library: true in manifest) has - changed since the previously known one. Some libraries may have been added, - some of them may have been removed, they MD5
checksum or size has been changed. - - Changing the external libraries is ok, but requires legal approval everytime - new version of a library is put into the product.
If you have the approval - want to change the list of external libraries, then please - update the golden file at - ${check.external.libraries.golden} - and run the test
once again. - - Read more about the Verification Framework: - http://openide.netbeans.org/proposals/arch/clusters.html#verify - - Look at for information about
reviews: - http://openide.netbeans.org/tutorial/review-steps.html - - Check the page about APIs: - http://openide.netbeans.org/tutorial/api-design.html#api - </fail>
- </target> - - <target name="check-modules" depends="generate-golden-files" > - <property name="check.modules.golden"
location="${golden.files.dir}/modules.txt" /> - <property name="check.modules.template" location="${template.files.dir}/modules.txt" /> - <property
name="check.modules.generated" location="${generated.files.dir}/modules.txt" /> - - <condition property="check-modules-are-they-the-same" > - <filematch
file1="${check.modules.template}" file2="${check.modules.generated}" /> - </condition> - - - <exec os="Linux SunOS Solaris Mac OS X" dir="."
executable="diff" failonerror="no" timeout="60000" > - <arg value="-U"/> - <arg value="15"/> - <arg value="${check.modules.template}" /> - <arg
value="${check.modules.generated}" /> - </exec> - - <fail unless="check-modules-are-they-the-same" >! - *** List of modules has changed! *** - - Differences
were found while comparing file - ${check.modules.template} - with - ${check.modules.generated} - - This means that the set of modules changed since the
previously known one. - Adding or removing a module significantly affects the set of APIs the - product offers and as such is subject to review. If you passed - your
review and want to change the list of modules, then please - update the golden file at - ${check.modules.golden} - and run the test once again. - - Read more about
the Verification Framework: - http://openide.netbeans.org/proposals/arch/clusters.html#verify - - Look at for information about reviews: -
http://openide.netbeans.org/tutorial/review-steps.html - - Check the page about APIs: - http://openide.netbeans.org/tutorial/api-design.html#api - </fail> - </target>
- - <target name="check-dependencies" depends="generate-golden-files" > - <antcall target="check-dependencies-subroutine" > - <param
name="check.dependencies.golden" location="${golden.files.dir}/deps.txt" /> - <param name="check.dependencies.template"
location="${template.files.dir}/deps.txt" /> - <param name="check.dependencies.generated" location="${generated.files.dir}/deps.txt" /> - </antcall> - </target> -
- <target name="check-implementation-dependencies" depends="generate-golden-files" > - <antcall target="check-dependencies-subroutine" > - <param
name="check.dependencies.golden" location="${golden.files.dir}/impl-deps.txt" /> - <param name="check.dependencies.template"
location="${template.files.dir}/impl-deps.txt" /> - <param name="check.dependencies.generated" location="${generated.files.dir}/impl-deps.txt" /> - </antcall> -
</target> - - <target name="check-cluster-dependencies" depends="generate-golden-files" > - <antcall target="check-dependencies-subroutine" > - <param
name="check.dependencies.golden" location="${golden.files.dir}/cluster-deps.txt" /> - <param name="check.dependencies.template"
location="${template.files.dir}/cluster-deps.txt" /> - <param name="check.dependencies.generated" location="${generated.files.dir}/cluster-deps.txt" /> -
</antcall> - </target> - - <target name="check-cluster-implementation-dependencies" depends="generate-golden-files" > - <antcall target="check-dependencies-
subroutine" > - <param name="check.dependencies.golden" location="${golden.files.dir}/cluster-impl-deps.txt" /> - <param name="check.dependencies.template"
location="${template.files.dir}/cluster-impl-deps.txt" /> - <param name="check.dependencies.generated" location="${generated.files.dir}/cluster-impl-deps.txt" />
- </antcall> - </target> - - <target name="check-dependencies-subroutine" > - <condition property="check-dependencies-are-they-the-same" > - <filematch
file1="${check.dependencies.template}" file2="${check.dependencies.generated}" /> - </condition> - - - <exec os="Linux SunOS Solaris Mac OS X" dir="."
executable="diff" failonerror="no" timeout="60000" > - <arg value="-U"/> - <arg value="15"/> - <arg value="${check.dependencies.template}" /> - <arg
value="${check.dependencies.generated}" /> - </exec> - - <fail unless="check-dependencies-are-they-the-same" >! - *** List of dependencies has changed! *** -
- Differences were found while comparing file - ${check.dependencies.template} - with - ${check.dependencies.generated} - - This means that the set of
```

dependencies changed since the previously known one. - Adding a dependency can restrict the ways how a final product can be assembled - and as such it forms an important aspect of API and is subject to review. - If you passed your review or you are sure you want to change the - list of dependencies, then please update the golden file at - `${check.dependencies.golden}` - and run the test once again. - - Read more about the Verification Framework: - <http://openide.netbeans.org/proposals/arch/clusters.html#verify> - - Look at for information about reviews: - <http://openide.netbeans.org/tutorial/review-steps.html> -

- Check the page about APIs and dependencies being important: - <http://openide.netbeans.org/tutorial/api-design.html#api> - </fail> - </target> - - - <target name="generate-files-layout" depends="generate-golden-files-init" > - <property name="generated.files.dir" location="build/generated" /> - <mkdir dir="\${generated.files.dir}" /> - - <property name="check.files.layout.golden" location="\${golden.files.dir}/files-layout.txt" /> - <property name="check.files.layout.template" location="\${template.files.dir}/files-layout.txt" /> - <property name="check.files.layout.generated" location="\${generated.files.dir}/files-layout.txt" /> - - <property name="check-file-layout-root" location="\${netbeans.dest.dir}" /> - <fileset id="check-file-layout" dir="\${check-file-layout-root}" casesensitive="yes" > - <include name="platform/**/*.xml" /> - <include name="enterprise/**/*.xml" /> - <include name="nb/**/*.xml" /> - <include name="harness/**/*.xml" /> - </fileset> - - <pathconvert property="check-file-layout" refid="check-file-layout" dirsep="/" pathsep="," > - <map from="\${check-file-layout-root}\${file.separator}" to="" /> - </pathconvert> - <mkdir dir="build/generated" /> - <echo message="\${check-file-layout}\${line.separator}" file="\${check.files.layout.generated}" /> - <replace file="\${check.files.layout.generated}" token="," value="\${line.separator}" /> - <replace file="\${check.files.layout.generated}" token="\" value="\" /> - <condition property="check-files-are-they-the-same" > - <filesmatch file1="\${check.files.layout.template}" file2="\${check.files.layout.generated}" /> - </condition> - - - </target> - - - <target name="check-files-layout" depends="generate-files-layout" > - <exec os="Linux SunOS Solaris Mac OS X" dir="." executable="diff" failonerror="no" timeout="60000" > - <arg value="U" /> - <arg value="15" /> - <arg value="\${check.files.layout.template}" /> - <arg value="\${check.files.layout.generated}" /> - </exec> - - <fail unless="check-files-are-they-the-same" >! - *** Layout of files has changed! *** - - Differences were found while comparing file `${check.files.layout.generated}` with - `${check.files.layout.template}` - This means that the layout of files changed since the previously known one. - Some files may have been added, some of them may have been removed or renamed. - - Changing the layout may or may not be ok. If you are sure that you want to - change the layout of files, then update the golden file at - `${check.files.layout.golden}` - and run the test once again. If you got this warning without intending - to change the layout of files, think twice whether your commit is really - correct and consider asking for a review first. - - Read more about the Verification Framework: - <http://openide.netbeans.org/proposals/arch/clusters.html#verify> - - Look at for information about reviews: - <http://openide.netbeans.org/tutorial/review-steps.html> -

- Check the page about APIs and files layout being an API: - <http://openide.netbeans.org/tutorial/api-design.html#api> - </fail> - </target> - - <target name="check-clusters-content" depends="bootstrap,init-tasks" > - <taskdef name="checkcontent" classname="org.netbeans.nbbuild.CheckClustersContent" classpath="nbantext.jar" /> - <checkcontent clusters="\${nb.clusters.list}" trackingPath="\${netbeans.dest.dir}" kitDestDir="\${netbeans.dest.dir}" > - <exclude name="extra/**" /> - <exclude name="testtools/**" /> - <exclude name="bin/**" /> - <exclude name="README.html" /> - <exclude name="CREDITS.html" /> - <exclude name="LICENSE.txt" /> - <exclude name="DISTRIBUTION.txt" /> - <exclude name="THIRDPARTYLICENSE.txt" /> - <exclude name="nb.cluster.*" /> - <exclude name="etc/netbeans.conf" /> - <exclude name="build_info" /> - <exclude name="module_tracking.xml" /> - <exclude name="moduleCluster.properties" /> - <exclude name="netbeans.css" /> - </checkcontent> - - </target> - - <target name="check-module-configs" depends="bootstrap" description="Sanity-check build.properties and cluster.properties." > - <taskdef name="checkmoduleconfigs" classname="org.netbeans.nbbuild.CheckModuleConfigs" classpath="nbantext.jar" /> - <checkmoduleconfigs nbroot="." /> - </target> - - <target name="display-l10n-list-matches" description="Show which files are actually matched by an l10n.list in some module." > - <property name="nbroot" location="." /> - <input addproperty="module" >Select a top-level module (e.g. "java") to display results for:</input> - <property name="listfile" location="\${nbroot}/\${module}/l10n.list" /> - <echo>\${listfile}:1: Matches follow... (click on hyperlinks from IDE)</echo> - <echo>(warning: 'exclude' directives not honored here yet)</echo><!-- XXX use filtersets or something to fix --> - <apply parallel="false" executable="sh" > - <arg value="-c" /> - <arg value="echo \$0:1" /> - <fileset dir="\${nbroot}" includesfile="\${listfile}" /> - </apply> - </target> - - <target name="increment-spec-versions" depends="bootstrap,init-module-list" description="Increment all standard module specification versions. Pass -Dbranch=true if not on the trunk." > - <property name="branch" value="false" /> - <taskdef name="incrspecvers" classname="org.netbeans.nbbuild.IncrementSpecificationVersions" classpath="nbantext.jar" /> - <incrspecvers nbroot="." modules="\${allmodules}" branch="\${branch}" /> - </target> - - </project> diff --git

a/xml.text.obsolete90/test/unit/data/input/XMLFormatterTest/testReformat/web.xml
b/xml.text.obsolete90/test/unit/data/input/XMLFormatterTest/testReformat/web.xml index 65c946790..cacd1dff6 100644 ---
a/xml.text.obsolete90/test/unit/data/input/XMLFormatterTest/testReformat/web.xml +++
b/xml.text.obsolete90/test/unit/data/input/XMLFormatterTest/testReformat/web.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/j2ee/web-app_2_4.xsd" diff --git

a/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/invalid.xml
b/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/invalid.xml index ae45b834c..5093417b3 100644 ---
a/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/invalid.xml +++
b/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/invalid.xml @@ -1,4 +1,24 @@ <?xml version="1.0"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root> <A> diff --git a/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/test.xml

b/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/test.xml index 50740e4b4..3d30c043a 100644 ---
a/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/test.xml +++
b/xml.text.obsolete90/test/unit/src/org/netbeans/modules/xml/text/syntax/test.xml @@ -1,4 +1,24 @@ <?xml version="1.0"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <company name="Sun Microsystems Inc." > <employee ssn="xxx-xx-xxxx" id="123" address="16 Network Circle" diff --git

a/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass
b/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass index 11e1b782d..46cdf9238 100644 ---
a/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass +++
b/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample1.pass @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/j2ee/web-app_2_4.xsd" diff --git a/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample2.pass

b/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample2.pass index a52e98334..e4d15eb41 100644 ---
a/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample2.pass +++
b/xml.text/test/unit/data/goldenfiles/org/netbeans/modules/xml/text/indent/XMLFormatterTest/testReformatSample2.pass @@ -1,21 +1,23 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- *- sgml-indent-step: 2 *- --> <!-- The contents of this file are subject to the terms of the Common Development -and Distribution License (the License). You may not use this file except in -compliance with the License. -You can obtain a copy of the License at <http://www.netbeans.org/cddl.html> -or <http://www.netbeans.org/cddl.txt>. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor

license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -When distributing Covered Code, include this CDDL Header Notice in each file -and include the License file at <http://www.netbeans.org/cddl.txt>. -If applicable, add the following below the CDDL Header, with the fields -enclosed by brackets [] replaced by your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -The Original Software is NetBeans. The Initial Developer of the Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -Microsystems, Inc. All Rights Reserved. --> <project name="nbbuild" default="all" basedir=". "> diff --git a/xml.text/test/unit/data/input/XMLFormatterTest/testReformat/web.xml b/xml.text/test/unit/data/input/XMLFormatterTest/testReformat/web.xml index 65c946790..cacd1dff6 100644 --- a/xml.text/test/unit/data/input/XMLFormatterTest/testReformat/web.xml +++ b/xml.text/test/unit/data/input/XMLFormatterTest/testReformat/web.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/j2ee/web-app-2_4.xsd" diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/AbstractTestCase.java b/xml.text/test/unit/src/org/netbeans/modules/xml/text/AbstractTestCase.java index 98ba32855..037582e70 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/AbstractTestCase.java +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/AbstractTestCase.java @@ -114,20 +114,16 @ protected XMLSyntaxSupport getSyntaxSupport(String path) throws Exception { /** * Converts expected result data into a string. See result*.txt files. */ - protected String getExpectedResultAsString(String resultFile) { + protected String getExpectedResultAsString(String resultFile) throws IOException { StringBuilder expectedResult = new StringBuilder(); - InputStream in = AbstractTestCase.class.getResourceAsStream(resultFile); - Scanner scanner = new Scanner(in); - try { - while(scanner.hasNextLine()) { - expectedResult.append(scanner.nextLine()); - } - } finally { - scanner.close(); - try { - in.close(); - } catch (IOException ex) { - //stupid catch + try (InputStream in = AbstractTestCase.class.getResourceAsStream(resultFile); + Scanner scanner = new Scanner(in)) { + while (scanner.hasNextLine()) { + String line = scanner.nextLine(); + if (!line.trim().startsWith("#")) { + expectedResult.append(line); + expectedResult.append("\n"); + } } } return expectedResult.toString(); diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/XMLBraceMatcherTest.java b/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/XMLBraceMatcherTest.java index b8f03c9a7..d98821a6d 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/XMLBraceMatcherTest.java +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/XMLBraceMatcherTest.java @@ -72,88 +72,957 @@ public void testPI() throws Exception { public void testDeclaration() throws Exception { BaseDocument doc = getDocument("bracematch/test.xml"); //inside "<!DOCTYPE" - XMLBraceMatcher instance = new XMLBraceMatcher(doc, 44); + XMLBraceMatcher instance = new XMLBraceMatcher(doc, 866); int[] origin = instance.doFindOrigin(); - assert(origin[0] == 39 && origin[1] == 48); + assert(origin[0] == 861 && origin[1] == 870); int[] match = instance.doFindMatches(); - assert(match[0] == 78 && match[1] == 79); + assert(match[0] == 900 && match[1] == 901); //between "<!DOCTYPE" and ">" - instance = new XMLBraceMatcher(doc, 65); + instance = new XMLBraceMatcher(doc, 887); origin = instance.doFindOrigin(); assert(origin == null); match = instance.doFindMatches(); //in declaration end i.e. ">" - instance = new XMLBraceMatcher(doc, 79); + instance = new XMLBraceMatcher(doc, 901); origin = instance.doFindOrigin(); - assert(origin[0] == 78 && origin[1] == 79); + assert(origin[0] == 900 && origin[1] == 901); match = instance.doFindMatches(); - assert(match[0] == 39 && match[1] == 48); + assert(match[0] == 861 && match[1] == 870); } public void testComment() throws Exception { BaseDocument doc = getDocument("bracematch/test.xml"); //inside start of comment i.e. "<!--" - XMLBraceMatcher instance = new XMLBraceMatcher(doc, 81); + XMLBraceMatcher instance = new XMLBraceMatcher(doc, 903); int[] origin = instance.doFindOrigin(); - assert(origin[0] == 80 && origin[1] == 84); + assert(origin[0] == 902 && origin[1] == 906); int[] match = instance.doFindMatches(); - assert(match[0] == 103 && match[1] == 106); + assert(match[0] == 925 && match[1] == 928); //somewhere between "<!--" and "-->" - instance = new XMLBraceMatcher(doc, 95); + instance = new XMLBraceMatcher(doc, 917); origin = instance.doFindOrigin(); assert(origin == null); match = instance.doFindMatches(); //inside "-->" - instance = new XMLBraceMatcher(doc, 105); + instance = new XMLBraceMatcher(doc, 927); origin = instance.doFindOrigin(); - assert(origin[0] == 103 && origin[1] == 106); + assert(origin[0] == 925 && origin[1] == 928); match = instance.doFindMatches(); - assert(match[0] == 80 && match[1] == 84); + assert(match[0] == 902 && match[1] == 906); } public void testTag1() throws Exception { BaseDocument doc = getDocument("bracematch/test.xml"); //inside start of root tag "<root" - XMLBraceMatcher instance = new XMLBraceMatcher(doc, 110); + XMLBraceMatcher instance = new XMLBraceMatcher(doc, 932); int[] origin = instance.doFindOrigin(); - assert(origin[0] == 107 && origin[1] == 126); + assert(origin[0] == 929 && origin[1] == 948); int[] match = instance.doFindMatches(); - assert(match[0] == 204 && match[1] == 211); + assert(match[0] == 1026 && match[1] == 1033); //somewhere between "<root" and ">" - instance = new XMLBraceMatcher(doc, 120); + instance = new XMLBraceMatcher(doc, 942); origin = instance.doFindOrigin(); - assert(origin[0] == 107 && origin[1] == 126); + assert(origin[0] == 929 && origin[1] == 948); match = instance.doFindMatches(); //inside "</root>" - instance = new XMLBraceMatcher(doc, 207); + instance = new XMLBraceMatcher(doc, 1029); origin = instance.doFindOrigin(); - assert(origin[0] == 204 && origin[1] == 211); + assert(origin[0] == 1026 && origin[1] == 1033); match = instance.doFindMatches(); - assert(match[0] == 107 && match[1] == 112); - assert(match[2] == 125 && match[3] == 126); + assert(match[0] == 929 && match[1] == 934); + assert(match[2] == 947 && match[3] == 948); } public void testTag2() throws Exception { BaseDocument doc = getDocument("bracematch/test.xml"); //just before > in "<root..." - XMLBraceMatcher instance = new XMLBraceMatcher(doc, 125); + XMLBraceMatcher instance = new XMLBraceMatcher(doc, 947); int[] origin = instance.doFindOrigin(); - assert(origin[0] == 107 && origin[1] == 126); + assert(origin[0] == 929 && origin[1] == 948); int[] match = instance.doFindMatches(); - assert(match[0] == 204 && match[1] == 211); + assert(match[0] == 1026 && match[1] == 1033); //just before > in "</root..." - instance = new XMLBraceMatcher(doc, 210); + instance = new XMLBraceMatcher(doc, 1032); origin = instance.doFindOrigin(); - assert(origin[0] == 204 && origin[1] == 211); + assert(origin[0] == 1026 && origin[1] == 1033); match = instance.doFindMatches(); - assert(match[0] == 107 && match[1] == 112); - assert(match[2] == 125 && match[3] == 126); + assert(match[0] == 929 && match[1] == 934); + assert(match[2] == 947 && match[3] == 948); } } diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/test.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/test.xml index 09ef08dff..478877d63 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/test.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/bracematch/test.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE taglib PUBLIC "hello" "hello"> <!-- Hello World. diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/ElementResultItemDocumentationTest.java b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/ElementResultItemDocumentationTest.java index b3dff6b3..05e770fb8 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/ElementResultItemDocumentationTest.java +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/ElementResultItemDocumentationTest.java @@ -199,7 +199,7 @@ public void testFileDocumentation() throws Exception { CompletionDocumentation file = doc.resolveLink(url.toString()); assertNotNull(file); assertEquals("URL must be openable in browser", url, file.getURL()); - assertTrue("Invalid content of the linked doc", file.getText().contains("This is an URL resource with <a href="); + assertTrue("Invalid content of the linked doc", file.getText().contains("This is an URL resource with <a href=")); /** @ -283,7 +283,7 @ public DescriptionSource resolveLink(String link) { assertNull("Must not be openable in browser", resolved.getURL()); // fwk is able to fetch contents assertTrue("Framework must fetch contents of linked URL", - resolved.getText().startsWith("Resource referenced by relative link")); + resolved.getText().contains("Resource referenced by relative link")); CompletionDocumentation parent = doc.resolveLink("customContent"); assertEquals(PLAIN_DESCRIPTION_TEXT, parent.getText()); diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/parentDoc.html b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/parentDoc.html index e34fbd2d8..90a539afc 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/parentDoc.html +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/parentDoc.html @@ -1,1 +1,21 @@ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing,

+ software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> Document in parent directory \ No newline at end of file diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/docResource.html b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/docResource.html index 617061967..94d1b84fd 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/docResource.html +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/docResource.html @@ -1,2 +1,22 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> This is an URL resource with relative link and absolute link diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/relativeLink1.html b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/relativeLink1.html index c9215a021..52648c746 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/relativeLink1.html +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/completion/res/relativeLink1.html @@ -1 +1,21 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> Resource referenced by relative link \ No newline at end of file diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/XMLSyntaxSupportTest.java b/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/XMLSyntaxSupportTest.java index d1c3f14de..bbfe81ca2 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/XMLSyntaxSupportTest.java +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/XMLSyntaxSupportTest.java @@ -39,8 +39,8 @@ public XMLSyntaxSupportTest(String testName) { public static Test suite() { TestSuite suite = new TestSuite(); -- suite.addTest(new XMLSyntaxSupportTest("testParseForward")); -- suite.addTest(new XMLSyntaxSupportTest("testParseBackward")); + suite.addTest(new XMLSyntaxSupportTest("testParseForward")); + suite.addTest(new XMLSyntaxSupportTest("testParseBackward")); suite.addTest(new XMLSyntaxSupportTest("testTokens")); return suite; } @@ -53,10 +53,10 @@ public void testParseForward() throws Exception { SyntaxElement se = support.getElementChain(1); StringBuilder actualResult = new StringBuilder(); while (se != null) { - actualResult.append("Class: " + se.getClass().getSimpleName() + " Offset: " + se.getElementOffset() + " Length: " + se.getElementLength()); + actualResult.append("Class: " + se.getClass().getSimpleName() + " Offset: " + se.getElementOffset() + " Length: " + se.getElementLength() + "\n"); se = se.getNext(); } - assert(getExpectedResultAsString("dom/result1.txt").equals(actualResult.toString())); + assertEquals(getExpectedResultAsString("dom/result1.txt"), actualResult.toString()); } public void testParseBackward() throws Exception { @@ -65,20 +65,20 @@ public void testParseBackward() throws Exception { SyntaxElement se = support.getElementChain(doc.getElementChain(1)-1); StringBuilder actualResult = new StringBuilder(); while (se != null) { - actualResult.append("Class: " + se.getClass().getSimpleName() + " Offset: " + se.getElementOffset() + " Length: " + se.getElementLength()); + actualResult.append("Class: " + se.getClass().getSimpleName() + " Offset: " + se.getElementOffset() + " Length: " + se.getElementLength() + "\n"); se = se.getPrevious(); } - assert(getExpectedResultAsString("dom/result2.txt").equals(actualResult.toString())); + assertEquals(getExpectedResultAsString("dom/result2.txt"), actualResult.toString()); } public void testTokens() throws Exception { BaseDocument doc = getDocument("syntax/test.xml"); XMLSyntaxSupport support = XMLSyntaxSupport.getSyntaxSupport(doc); - Token token = support.getPreviousToken(30); + Token token = support.getPreviousToken(852); System.out.println("Token: " + token.id() + " Text: " + token.text()); - token = support.getPreviousToken(31); + token = support.getPreviousToken(852 + 1); System.out.println("Token: " + token.id() + " Text: " + token.text()); - token = support.getPreviousToken(32); + token = support.getPreviousToken(852 + 2); System.out.println("Token: " + token.id() + " Text: " + token.text()); } diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result1.txt b/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result1.txt index 7e0368609..795d404f5 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result1.txt +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result1.txt @@ -1,18 +1,36 @@ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. Class: ProcessingInstruction Offset: 0 Length: 21 -Class: Text Offset: 21 Length: 1 -Class: StartTag Offset: 22 Length: 38 -Class: Text Offset: 60 Length: 5 -Class: StartTag Offset: 65 Length: 103 -Class: Text Offset: 168 Length: 13 -Class: EndTag Offset: 181 Length: 11 -Class: Text Offset: 192 Length: 5 -Class: StartTag Offset: 197 Length: 10 -Class: CDATASection Offset: 207 Length: 37 -Class: EndTag Offset: 244 Length: 11 -Class: Text Offset: 255 Length: 5 -Class: Comment Offset: 260 Length: 40 -Class: Text Offset: 300 Length: 5 -Class: StartTag Offset: 305 Length: 11 -Class: Text Offset: 316 Length: 1 -Class: EndTag Offset: 317 Length: 10 -Class: Text Offset: 327 Length: 1 +Class: TextImpl Offset: 21 Length: 1 +Class: Comment Offset: 22 Length: 821 +Class: TextImpl Offset: 843 Length: 1 +Class: StartTag Offset: 844 Length: 38 +Class: TextImpl Offset: 882 Length: 5 +Class: StartTag Offset: 887 Length: 103 +Class: TextImpl Offset: 990 Length: 13 +Class: EndTag Offset: 1003 Length: 11 +Class: TextImpl Offset: 1014 Length: 5 +Class: StartTag Offset: 1019 Length: 10 +Class: CDATASection Offset: 1029 Length: 37 +Class: EndTag Offset: 1066 Length: 11 +Class: TextImpl Offset: 1077 Length: 5 +Class: Comment Offset: 1082 Length: 40 +Class: TextImpl Offset: 1122 Length: 5 +Class: EmptyTag Offset: 1127 Length: 11 +Class: TextImpl Offset: 1138 Length: 1 +Class: EndTag Offset: 1139 Length: 10 +Class: TextImpl Offset: 1149 Length: 2 diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result2.txt b/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result2.txt index 46ee555b1..a1467ac2e 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result2.txt +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/dom/result2.txt @@ -1,18 +1,32 @@ -Class: Text Offset: 327 Length: 1 -Class: EndTag Offset: 317 Length: 10 -Class: Text Offset: 316 Length: 1 -Class: EmptyTag Offset: 305 Length: 11 -Class: Text Offset: 300 Length: 5 -Class: Comment Offset: 260 Length: 40 -Class: Text Offset: 255 Length: 5 -Class: EndTag Offset: 244 Length: 11 -Class: CDATASection Offset: 207 Length: 37 -Class: StartTag Offset: 197 Length: 10 -Class: Text Offset: 192 Length: 5 -Class: EndTag Offset: 181 Length: 11 -Class: Text Offset: 168 Length: 13 -Class: StartTag Offset: 65 Length: 103 -Class: Text Offset: 60 Length: 5 -Class: StartTag Offset: 22 Length: 38 -Class: Text Offset: 21 Length: 1 + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +Class: EndTag Offset: 1139 Length: 10 +Class: EmptyTag Offset: 1127 Length: 11 +Class: TextImpl Offset: 1122 Length: 5 +Class: Comment Offset: 1082 Length: 40 +Class: TextImpl Offset: 1077 Length: 5 +Class: EndTag Offset: 1066 Length: 11 +Class: CDATASection Offset: 1029 Length: 37 +Class: StartTag Offset: 1019 Length: 10 +Class: TextImpl Offset: 1014 Length: 5 +Class: EndTag Offset: 1003 Length: 11 +Class: TextImpl Offset: 990 Length: 13 +Class: StartTag Offset: 887 Length: 103 +Class: TextImpl Offset: 882 Length: 5 +Class: StartTag Offset: 844 Length: 38 +Class: Comment Offset: 22 Length: 821 Class: ProcessingInstruction Offset: 0 Length: 21 diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/1998stats.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/1998stats.xml index ffc426ceb..a93b56da3 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/1998stats.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/1998stats.xml @@ -1,5 +1,24 @@ +<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <SEASON> <YEAR>1998</YEAR> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/XMLLexerFormatterTest.java b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/XMLLexerFormatterTest.java index bbd7e0c7e..43017eef6 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/XMLLexerFormatterTest.java +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/XMLLexerFormatterTest.java @@ -86,7 +86,7 @@ public void testFormatSubsection() throws


```

Exception { BaseDocument inputDoc = getDocument("indent/input_sub.xml"); //format a subsection of the inputDoc XMLLexerFormatter formatter = new
XMLLexerFormatter(null); - LineDocument formattedDoc = formatter.doReformat(inputDoc, 72, 97); + LineDocument formattedDoc =
formatter.doReformat(inputDoc, 893, 918); System.out.println(formattedDoc.getText(0, formattedDoc.getLength())); LineDocument outputDoc =
getDocument("indent/output_sub.xml"); assertTrue (compare(formattedDoc, outputDoc)); @@ -126,7 +126,7 @@ public void testFormatSubsection1() throws
Exception { BaseDocument inputDoc = getDocument("indent/input_sub1.xml"); //format a subsection of the inputDoc XMLLexerFormatter formatter = new
XMLLexerFormatter(null); - LineDocument formattedDoc = formatter.doReformat(inputDoc, 46, 74); + LineDocument formattedDoc =
formatter.doReformat(inputDoc, 868, 896); System.out.println(formattedDoc.getText(0, formattedDoc.getLength())); LineDocument outputDoc =
getDocument("indent/output_sub1.xml"); assertTrue (compare(formattedDoc, outputDoc)); @@ -136,7 +136,7 @@ public void testFormatSubsection2() throws
Exception { BaseDocument inputDoc = getDocument("indent/input_sub2.xml"); //format a subsection of the inputDoc XMLLexerFormatter formatter = new
XMLLexerFormatter(null); - LineDocument formattedDoc = formatter.doReformat(inputDoc, 63, 80); + LineDocument formattedDoc =
formatter.doReformat(inputDoc, 885, 899); System.out.println(formattedDoc.getText(0, formattedDoc.getLength())); LineDocument outputDoc =
getDocument("indent/output_sub2.xml"); assertTrue (compare(formattedDoc, outputDoc)); @@ -169,8 +169,8 @@ public void
testFormatSubsection_PreserveWhitespace() throws Exception { BaseDocument inputDoc = getDocument("indent/input_preserve.xml"); //format the inputDoc
XMLLexerFormatter formatter = new XMLLexerFormatter(null); - System.out.println("SECTION:" + inputDoc.getText(91, 87)); - LineDocument formattedDoc
= formatter.doReformat(inputDoc, 91, 91 + 87); + System.out.println("SECTION:" + inputDoc.getText(913, 87)); + LineDocument formattedDoc =
formatter.doReformat(inputDoc, 913, 913 + 87); System.out.println(formattedDoc.getText(0, formattedDoc.getLength())); LineDocument outputDoc =
getDocument("indent/output_preserve.xml"); assertTrue(compare(formattedDoc, outputDoc)); diff --git
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input.xml index
09514e256..5c94a6a77 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input.xml +++
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to
the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!-- hello world --> <wrap> <root> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input2.xsd
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input2.xsd index 74ccb6c63..1254fd5bf 100644 ---
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input2.xsd +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input2.xsd @@ -1,5
+1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +
specific language governing permissions and limitations + under the License. + +--> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://xml.netbeans.org/schema/Namespaces2" xmlns:tns="http://xml.netbeans.org/schema/Namespaces2" diff --git
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_attrIndent.xml
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_attrIndent.xml index 5452540e5..6a4399d04 100644 ---
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_attrIndent.xml +++
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_attrIndent.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <root var1="not indented" var2="aligned with var1"> <child diff --git
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_breaksMixedContent.xml
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_breaksMixedContent.xml index 31f3a2889..0cc53b7c8 100644 ---
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_breaksMixedContent.xml +++
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_breaksMixedContent.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +
<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work
for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may
not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <root> <para> This is one sentence. diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_cdataContent.xml
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_cdataContent.xml index 2bd299e70..f02a0a54b 100644 ---
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_cdataContent.xml +++
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_cdataContent.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <root> <a> <b><![CDATA[some content diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_contentIndent.xml
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_contentIndent.xml index f11c9ebcb..393e7a1ac 100644 ---
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_contentIndent.xml +++
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_contentIndent.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!-- hello world --> <wrap> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_emptyComment.xml
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_emptyComment.xml index 32aabeadc..a0ded8249 100644 ---
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_emptyComment.xml +++
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_emptyComment.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <root> <!-- diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_nestedSame.xml
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_nestedSame.xml index 0e9440b07..10379c348 100644 ---
a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_nestedSame.xml +++
b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_nestedSame.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless

```

required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root> <elem1> <elem1></elem1> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_newlineInTags.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_newlineInTags.xml index fa928e1a4..23daf691a 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_newlineInTags.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_newlineInTags.xml @@ -1,6 +1,26 @@ <?xml encoding="UTF8" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root attribute1="val" > diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_preserve.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_preserve.xml index 258c41edf..c02165869 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_preserve.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_preserve.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root name="a" xml:space="preserve"> Keep this diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_processingXml.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_processingXml.xml index 29ed5233e..e05d02cf9 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_processingXml.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_processingXml.xml @@ -1,6 +1,26 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root> </root> \ No newline at end of file diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub.xml index b90b24d1f..37e9277e9 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub.xml @@ -1,7 +1,26 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- bug#131223 --> <root> <a>hello world </root> +</root> \ No newline at end of file diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub1.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub1.xml index 98a437a1f..9ad2b09c1 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub1.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub1.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root> <test attr="replace"></test> <a> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub2.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub2.xml index 5c4dde8c..abd0e4dcb 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub2.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_sub2.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root> <a> <test attr="replace"></test> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_tagAtStatOfLine.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_tagAtStatOfLine.xml index 9060b2a2d..ab1148ccf 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_tagAtStatOfLine.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_tagAtStatOfLine.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <web-app version="2.4" xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_withpreserve.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_withpreserve.xml index 5818ecd5..7c017396d 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_withpreserve.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/input_withpreserve.xml @@ -1,2 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <root><node><nest xml:space="preserve"><child>Do not format</child><child>And do not format this</child></nest></node></root> \ No newline at end of file diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output.xml index 463a0e6ba..1459ac272 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- hello world --> <wrap> <root> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output2.xsd b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output2.xsd index 3682accd1..a0d604459 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output2.xsd +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output2.xsd @@ -1,5

+1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" targetNamespace="http://xml.netbeans.org/schema/Namespcae2" xmlns:tns="http://xml.netbeans.org/schema/Namespcae2" diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_attrsIndent.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_attrsIndent.xml index 71eea0d31..60b267056 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_attrsIndent.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_attrsIndent.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root var1="not indented" var2="aligned with var1"> <child diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_breaksMixedContent.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_breaksMixedContent.xml index 9e5252ae8..72ee208c8 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_breaksMixedContent.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_breaksMixedContent.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root> <para> This is one sentence. diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_cdataContent.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_cdataContent.xml index 053d3177c..df2c10fe0 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_cdataContent.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_cdataContent.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root> <a> <![CDATA[some content diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_contentIndent.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_contentIndent.xml index 0c22dce54..17daaf48c 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_contentIndent.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_contentIndent.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- hello world --> <wrap> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_emptyComment.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_emptyComment.xml index fc871c4b3..0a9ce9cdd 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_emptyComment.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_emptyComment.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root> <!-- diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_nestedSame.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_nestedSame.xml index 69e73dc1e..3fbc75a64 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_nestedSame.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_nestedSame.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root> <elem1> <elem1></elem1> diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_newlineInTags.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_newlineInTags.xml index 6be3aa1ac..8a6c2fcb5 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_newlineInTags.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_newlineInTags.xml @@ -1,6 +1,26 @@ <?xml encoding="UTF8" ?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root attribute1="val" > diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_preserve.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_preserve.xml index 387ca40ab..d1afa8474 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_preserve.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_preserve.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <root name="a" xml:space="preserve"> Keep this @@ -9,4 +29,4 @@ is<nest xml:space="default"> </nest>, and this too </root> </root> \ No newline at end of file diff --git a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_processingXml.xml b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_processingXml.xml index 5307ff458..122543bef 100644 --- a/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_processingXml.xml +++ b/xml.text/test/unit/src/org/netbeans/modules/xml/text/indent/output_processingXml.xml @@ -1,6 +1,26 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless

HTTPBindingValidator.Verb_required=The <http:binding> element requires a verb attribute with a value of either "GET" or "POST". diff --git
a/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/mime/validation/Bundle.properties
b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/mime/validation/Bundle.properties index 967df10e7..6638d5efa 100644 ---
a/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/mime/validation/Bundle.properties +++
b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/mime/validation/Bundle.properties @@ -1,41 +1,19 @@ -# DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. +# Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license
agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you
under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the
License at + # Copyright (c) 2009, 2016 Oracle and/or its affiliates. All rights reserved. + # http://www.apache.org/licenses/LICENSE-2.0 + # Oracle and Java are
registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the
terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the -
"License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-
gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License.
When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle
designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - #
accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying
information: - # "Portions Copyrighted [year] [name of copyright owner]" - # - # If you wish your version of this file to be governed by only the CDDL - # or only
the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2]
license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL
Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - #
Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): - # Package specific
ResourceBundle properties file + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS
IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing
permissions and limitations + # under the License. AP2901_INPUT=WS-I(AP2901): The <wsdl:input> uses neither the WSDL MIME Binding as described in
WSDL 1.1 Section 5 nor WSDL SOAP binding as described in WSDL 1.1 Section 3. AP2901_OUTPUT=WS-I(AP2901): The <wsdl:output> uses neither the
WSDL MIME Binding as described in WSDL 1.1 Section 5 nor WSDL SOAP binding as described in WSDL 1.1 Section 3. diff --git
a/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap/validation/Bundle.properties
b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap/validation/Bundle.properties index 375a69094..9ff0c93b4 100644 ---
a/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap/validation/Bundle.properties +++
b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap/validation/Bundle.properties @@ -1,41 +1,19 @@ -# DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. +# Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license
agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you
under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the
License at + # Copyright (c) 2007, 2016 Oracle and/or its affiliates. All rights reserved. + # http://www.apache.org/licenses/LICENSE-2.0 + # Oracle and Java are
registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the
terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the -
"License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-
gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License.
When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle
designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - #
accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying
information: - # "Portions Copyrighted [year] [name of copyright owner]" - # - # If you wish your version of this file to be governed by only the CDDL - # or only
the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2]
license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL
Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - #
Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): - # Package specific
ResourceBundle properties file + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS
IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing
permissions and limitations + # under the License. SOAPBindingValidator.Transport_URI_required=Transport URI required on <soap:binding> element
SOAPBindingValidator.Unsupported_transport=The <soap:binding> element only supports a transport URI of http://schemas.xmlsoap.org/soap/http. No other
transport is currently supported. diff --git a/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap12/validation/Bundle.properties
b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap12/validation/Bundle.properties index 542b56438..59f4816ff 100644 ---
a/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap12/validation/Bundle.properties +++
b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/model/extensions/soap12/validation/Bundle.properties @@ -1,41 +1,19 @@ -# DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. +# Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license
agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you
under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the
License at + # Copyright (c) 2009, 2016 Oracle and/or its affiliates. All rights reserved. + # http://www.apache.org/licenses/LICENSE-2.0 + # Oracle and Java are
registered trademarks of Oracle and/or its affiliates. - # Other names may be trademarks of their respective owners. - # - # The contents of this file are subject to the
terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the -
"License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-
gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License.
When distributing the software, include this License Header - # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle
designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - #
accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying
information: - # "Portions Copyrighted [year] [name of copyright owner]" - # - # If you wish your version of this file to be governed by only the CDDL - # or only
the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2]
license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL
Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - #
Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): - # Package specific
ResourceBundle properties file + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS
IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing
permissions and limitations + # under the License. SOAPBindingValidator.Transport_URI_required=Transport URI required on <soap:binding> element
SOAPBindingValidator.Unsupported_transport=The <soap:binding> element only supports a transport URI of http://schemas.xmlsoap.org/soap/http OR
http://www.w3.org/2003/05/soap/bindings/HTTP/. No other transport is currently supported. diff --git
a/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/validator/resources/wsdl-2004-08-24.xsd
b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/validator/resources/wsdl-2004-08-24.xsd new file mode 100644 index 000000000..70c31ff34 --- /dev/null
+++ b/xml.wsdl.model/src/org/netbeans/modules/xml/wsdl/validator/resources/wsdl-2004-08-24.xsd @@ -0,0 +1,306 @@ +<?xml version="1.0"
encoding="UTF-8"?> +<!-- + Copyright 2001 - 2005, International Business Machines Corporation and Microsoft Corporation + All Rights Reserved + + License
for WSDL Schema Files + + The Authors grant permission to copy and distribute the WSDL Schema + Files in any medium without fee or royalty as long as this
notice and + license are distributed with them. The originals of these files can + be located at: + + http://schemas.xmlsoap.org/wsdl/2004-08-24.xsd + + THESE
SCHEMA FILES ARE PROVIDED "AS IS," AND THE AUTHORS MAKE NO REPRESENTATIONS + OR WARRANTIES, EXPRESS OR IMPLIED,
REGARDING THESE FILES, INCLUDING, BUT NOT + LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE, + NON-INFRINGEMENT OR TITLE. THE AUTHORS WILL NOT BE LIABLE FOR ANY DIRECT, + INDIRECT, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF OR + RELATING TO ANY USE OR DISTRIBUTION OF THESE FILES. + + The name and trademarks of
the Authors may NOT be used in any manner, + including advertising or publicity pertaining to these files or any program + or service that uses these files, written
prior permission. Title to copyright + in these files will at all times remain with the Authors. + + No other rights are granted by implication, estoppel or otherwise. +
+ + --> +<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" + xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/" +

```

targetNamespace="http://schemas.xmlsoap.org/wsdl/" elementFormDefault="qualified"> <xs:complexType mixed="true" name="tDocumentation"> +
<xs:sequence> + <xs:any minOccurs="0" maxOccurs="unbounded" processContents="lax"/> + </xs:sequence> + </xs:complexType> + <xs:complexType
name="tDocumented"> + <xs:annotation> + <xs:documentation> + This type is extended by component types to allow them to be documented +
</xs:documentation> + </xs:annotation> + <xs:sequence> + <xs:element name="documentation" type="wsdl:tDocumentation" minOccurs="0"/> +
</xs:sequence> + </xs:complexType> + <!-- implemented resolution of swa124 --> + <xs:complexType name="tExtensibleAttributesDocumented"
abstract="true"> + <xs:complexContent> + <xs:extension base="wsdl:tDocumented"> + <xs:annotation> + <xs:documentation> + This type is extended by
component types to allow attributes from other namespaces to be added. + </xs:documentation> + </xs:annotation> + <xs:sequence> + <xs:any
namespace="##other" minOccurs="0" maxOccurs="unbounded" processContents="lax"/> + </xs:sequence> + <xs:anyAttribute namespace="##other"
processContents="lax"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <!-- implemented resolution of swa124 --> + <xs:complexType
name="tExtensibleDocumented" abstract="true"> + <xs:complexContent> + <xs:extension base="wsdl:tDocumented"> + <xs:annotation> + <xs:documentation> +
This type is extended by component types to allow elements from other namespaces to be added. + </xs:documentation> + </xs:annotation> + <xs:sequence> +
<xs:any namespace="##other" minOccurs="0" maxOccurs="unbounded" processContents="lax"/> + </xs:sequence> + <xs:anyAttribute namespace="##other"
processContents="lax"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:element name="definitions" type="wsdl:tDefinitions"> +
<xs:key name="message"> + <xs:selector xpath="wsdl:message"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="portType"> + <xs:selector
xpath="wsdl:portType"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key name="binding"> + <xs:selector xpath="wsdl:binding"/> + <xs:field
xpath="@name"/> + </xs:key> + <xs:key name="service"> + <xs:selector xpath="wsdl:service"/> + <xs:field xpath="@name"/> + </xs:key> + <xs:key
name="import"> + <xs:selector xpath="wsdl:import"/> + <xs:field xpath="@namespace"/> + </xs:key> + </xs:element> + <xs:group
name="anyTopLevelOptionalElement"> + <xs:annotation> + <xs:documentation> + Any top level optional element allowed to appear more than once - any child
of definitions element except wsdl:types. Any extensibility element is allowed in any place. + </xs:documentation> + </xs:annotation> + <xs:choice> +
<xs:element name="import" type="wsdl:tImport"/> + <xs:element name="types" type="wsdl:tTypes"/> + <xs:element name="message" type="wsdl:tMessage"> +
<xs:unique name="part"> + <xs:selector xpath="wsdl:part"/> + <xs:field xpath="@name"/> + </xs:unique> + </xs:element> + <xs:element name="portType"
type="wsdl:tPortType"> + <xs:element name="binding" type="wsdl:tBinding"/> + <xs:element name="service" type="wsdl:tService"> + <xs:unique
name="port"> + <xs:selector xpath="wsdl:port"/> + <xs:field xpath="@name"/> + </xs:unique> + </xs:element> + </xs:choice> + </xs:group> + <!--
implemented resolution of er015 and UPA fix. ASK --> + <xs:complexType name="tDefinitions"> + <xs:complexContent> + <xs:extension
base="wsdl:tExtensibleDocumented"> + <xs:sequence minOccurs="0"> + <xs:group ref="wsdl:anyTopLevelOptionalElement"/> + <xs:choice minOccurs="0"
maxOccurs="unbounded"> + <xs:group ref="wsdl:anyTopLevelOptionalElement"/> + <xs:any namespace="##other" processContents="lax"/> + </xs:choice> +
</xs:sequence> + <xs:attribute name="targetNamespace" type="xs:anyURI" use="optional"/> + <xs:attribute name="name" type="xs:NCName" use="optional"/>
+ </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="tImport"> + <xs:complexContent> + <xs:extension
base="wsdl:tExtensibleAttributesDocumented"> + <xs:attribute name="namespace" type="xs:anyURI" use="required"/> + <xs:attribute name="location"
type="xs:anyURI" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="tTypes"> +
<xs:complexContent> + <xs:extension base="wsdl:tExtensibleDocumented"> + </xs:complexContent> + </xs:complexType> + <xs:complexType
name="tMessage"> + <xs:complexContent> + <xs:extension base="wsdl:tExtensibleDocumented"> + <xs:sequence> + <xs:element name="part"
type="wsdl:tPart" + minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName" use="required"/> +
</xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="tPart"> + <xs:complexContent> + <xs:extension
base="wsdl:tExtensibleAttributesDocumented"> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:attribute name="element"
type="xs:QName" use="optional"/> + <xs:attribute name="type" type="xs:QName" use="optional"/> + </xs:extension> + </xs:complexContent> +
</xs:complexType> + <xs:complexType name="tPortType"> + <xs:complexContent> + <xs:extension base="wsdl:tExtensibleAttributesDocumented"> +
<xs:sequence> + <xs:element name="operation" type="wsdl:tOperation" + minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute
name="name" type="xs:NCName" use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="tOperation">
+ <xs:complexContent> + <xs:extension base="wsdl:tExtensibleDocumented"> + <xs:sequence> + <xs:choice> + <xs:group ref="wsdl:request-response-or-one-
way-operation"/> + <xs:group ref="wsdl:solicit-response-or-notification-operation"/> + </xs:choice> + </xs:sequence> + <xs:attribute name="name"
type="xs:NCName" use="required"/> + <xs:attribute name="parameterOrder" type="xs:NMTOKENS" use="optional"/> + </xs:extension> +
</xs:complexContent> + </xs:complexType> + <xs:group name="request-response-or-one-way-operation"> + <xs:sequence> + <xs:element name="input"
type="wsdl:tParam"/> + <xs:sequence minOccurs="0"> + <xs:element name="output" type="wsdl:tParam"/> + <xs:element name="fault" type="wsdl:tFault" +
minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + </xs:group> + <xs:group name="solicit-response-or-notification-operation"> +
<xs:sequence> + <xs:element name="output" type="wsdl:tParam"/> + <xs:sequence minOccurs="0"> + <xs:element name="input" type="wsdl:tParam"/> +
<xs:element name="fault" type="wsdl:tFault" + minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + </xs:group> +
<xs:complexType name="tParam"> + <xs:complexContent> + <xs:extension base="wsdl:tExtensibleAttributesDocumented"> + <xs:attribute name="name"
type="xs:NCName" use="optional"/> + <xs:attribute name="message" type="xs:QName" use="required"/> + </xs:extension> + </xs:complexContent> +
</xs:complexType> + <xs:complexType name="tFault"> + <xs:complexContent> + <xs:extension base="wsdl:tExtensibleAttributesDocumented"> + <xs:attribute
name="name" type="xs:NCName" use="required"/> + <xs:attribute name="message" type="xs:QName" use="required"/> + </xs:extension> +
</xs:complexContent> + </xs:complexType> + <xs:complexType name="tBinding"> + <xs:complexContent> + <xs:extension
base="wsdl:tExtensibleDocumented"> + <xs:sequence> + <xs:element name="operation" type="wsdl:tBindingOperation" minOccurs="0"
maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:attribute name="type" type="xs:QName"
use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="tBindingOperationMessage"> +
<xs:complexContent> + <xs:extension base="wsdl:tExtensibleDocumented"> + <xs:attribute name="name" type="xs:NCName" use="optional"/> +
</xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="tBindingOperationFault"> + <xs:complexContent> + <xs:extension
base="wsdl:tExtensibleDocumented"> + <xs:attribute name="name" type="xs:NCName" use="required"/> + </xs:extension> + </xs:complexContent> +
</xs:complexType> + <xs:complexType name="tBindingOperation"> + <xs:complexContent> + <xs:extension base="wsdl:tExtensibleDocumented"> +
<xs:sequence> + <xs:element name="input" type="wsdl:tBindingOperationMessage" minOccurs="0"/> + <xs:element name="output" +
type="wsdl:tBindingOperationMessage" minOccurs="0"/> + <xs:element name="fault" type="wsdl:tBindingOperationFault" minOccurs="0"
maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName" use="required"/> + </xs:extension> + </xs:complexContent> +
</xs:complexType> + <xs:complexType name="tService"> + <xs:complexContent> + <xs:extension base="wsdl:tExtensibleDocumented"> + <xs:sequence> +
<xs:element name="port" type="wsdl:tPort" + minOccurs="0" maxOccurs="unbounded"/> + </xs:sequence> + <xs:attribute name="name" type="xs:NCName"
use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:complexType name="tPort"> + <xs:complexContent> + <xs:extension
base="wsdl:tExtensibleDocumented"> + <xs:attribute name="name" type="xs:NCName" use="required"/> + <xs:attribute name="binding" type="xs:QName"
use="required"/> + </xs:extension> + </xs:complexContent> + </xs:complexType> + <xs:attribute name="arrayType" type="xs:string"/> + <xs:attribute
name="required" type="xs:boolean"/> + <xs:complexType name="tExtensibilityElement" abstract="true"> + <xs:attribute ref="wsdl:required" use="optional"/> +
</xs:complexType> + </xs:schema> diff --git a/xml.wsdl.model/test/unit/src/org/netbeans/modules/xml/wsdl/model/ImportTest.java
b/xml.wsdl.model/test/unit/src/org/netbeans/modules/xml/wsdl/model/ImportTest.java index 92dcfd1a4..4ff56bd19 100644 ---
a/xml.wsdl.model/test/unit/src/org/netbeans/modules/xml/wsdl/model/ImportTest.java +++
b/xml.wsdl.model/test/unit/src/org/netbeans/modules/xml/wsdl/model/ImportTest.java @@ -126,20 +126,22 @@ public void testXsdTypeWithoutImport() throws
Exception { assertEquals("string", gt.getName()); } - public void testImportSameNamespaceWsdl() throws Exception { - WSDLModel model =
Util.loadWSDLModel("resources/GoogleFlow.wsdl"); - Operation op = model.findComponentByName("initiate", Operation.class); - Message referencedMessage
= op.getInput().getMessage().get(); - assertEquals("Imported model has same namespace", model.getDefinitions().getTargetNamespace(), -
referencedMessage.getModel().getDefinitions().getTargetNamespace()); - } +// Disabled as referenced files were partly not donated by oracle to apache +// public
void testImportSameNamespaceWsdl() throws Exception { +// WSDLModel model = Util.loadWSDLModel("resources/GoogleFlow.wsdl"); +// Operation op =
model.findComponentByName("initiate", Operation.class); +// Message referencedMessage = op.getInput().getMessage().get(); +// assertEquals("Imported model
has same namespace", model.getDefinitions().getTargetNamespace(), +// referencedMessage.getModel().getDefinitions().getTargetNamespace()); +// } - public
void testUnqualifiedSchemaReference() throws Exception { - WSDLModelImpl model =
(WSDLModelImpl)Util.loadWSDLModel("resources/SiebelInterface.wsdl"); - String xpath =
"/definitions/message[@name='SiebelInterfaceRequest']/part[@name='SWEExtData']"; - Part part = Util.find(Part.class, model, xpath); -
assertNotNull("part.element should resolve w/o prefix", part.getElement().get()); - } +// Disabled as referenced files were partly not donated by oracle to apache +//
public void testUnqualifiedSchemaReference() throws Exception { +// WSDLModelImpl model =
(WSDLModelImpl)Util.loadWSDLModel("resources/SiebelInterface.wsdl"); +// String xpath =
"/definitions/message[@name='SiebelInterfaceRequest']/part[@name='SWEExtData']"; +// Part part = Util.find(Part.class, model, xpath); +//
assertNotNull("part.element should resolve w/o prefix", part.getElement().get()); +// } public void testReferenceToOtherEmbeddedSchema() throws Exception {
WSDLModelImpl model = (WSDLModelImpl)Util.loadWSDLModel("resources/Sumador.wsdl"); diff --git a/xml.xam/apichanges.xml b/xml.xam/apichanges.xml

```



```
index 5040d6269..f43409a32 100644 --- a/xml.xam/apichanges.xml +++ b/xml.xam/apichanges.xml @@ -1,5 +1,4 @@ <?xml version="1.0" encoding="UTF-8"?
> <!-- Search for CHANGEME in this document when copying and using it: --> <!-- Licensed to the Apache Software Foundation (ASF) under one diff --git
a/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/dom/ReadOnlyAccessTest.java
b/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/dom/ReadOnlyAccessTest.java index 3f1c08df7..f6ead9d29 100644 ---
a/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/dom/ReadOnlyAccessTest.java +++
b/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/dom/ReadOnlyAccessTest.java @@ -49,58 @@ public static Test suite() { public void
testFindPosition() throws Exception { TestModel2 model = Util.loadModel("resources/test1.xml"); - assertEquals(38 + lsl,
model.getRootComponent().findPosition()); + assertEquals(860 + lsl, model.getRootComponent().findPosition()); assertEquals(4,
model.getRootComponent().getChildren().size()); TestComponent2 component = model.getRootComponent().getChildren().get(0); assertEquals("a",
component.getPeer().getLocalName()); - assertEquals(133 + lsl * 4, component.findPosition()); + assertEquals(955 + lsl * 4, component.findPosition()); } public
void testFindPositionWithPrefix() throws Exception { TestModel2 model = Util.loadModel("resources/test1.xml"); TestComponent2.B b =
model.getRootComponent().getChildren(TestComponent2.B.class).get(0); TestComponent2.Aa aa = b.getChildren(TestComponent2.Aa.class).get(0); -
assertEquals(206 + lsl * 6, aa.findPosition()); + assertEquals(1028 + lsl * 6, aa.findPosition()); } public void testFindPositionWithElementTagInAttr() throws
Exception { TestModel2 model = Util.loadModel("resources/test1.xml"); TestComponent2.C c =
model.getRootComponent().getChildren(TestComponent2.C.class).get(0); - assertEquals(245 + lsl * 8, c.findPosition()); + assertEquals(1067 + lsl * 8,
c.findPosition()); } public void testFindElement() throws Exception { TestModel2 model = Util.loadModel("resources/test1.xml"); TestComponent2 component =
model.getRootComponent().getChildren().get(0); - assertEquals(component, model.findComponent(133 + lsl * 4)); - assertEquals(component,
model.findComponent(147 + lsl * 4)); - assertEquals(component, model.findComponent(161 + lsl * 5)); + assertEquals(component, model.findComponent(955 +
lsl * 4)); + assertEquals(component, model.findComponent(969 + lsl * 4)); + assertEquals(component, model.findComponent(983 + lsl * 5)); } public void
testFindElementWithPrefix() throws Exception { TestModel2 model = Util.loadModel("resources/test1.xml"); TestComponent2.B b =
model.getRootComponent().getChildren(TestComponent2.B.class).get(0); TestComponent2.Aa aa = b.getChildren(TestComponent2.Aa.class).get(0); -
assertEquals(aa, model.findComponent(206 + lsl * 6)); - assertEquals(aa, model.findComponent(218 + lsl * 6)); - assertEquals(aa, model.findComponent(232 + lsl
* 6)); + assertEquals(aa, model.findComponent(1028 + lsl * 6)); + assertEquals(aa, model.findComponent(1040 + lsl * 6)); + assertEquals(aa,
model.findComponent(1054 + lsl * 6)); } public void testFindElementWithTagInAttr() throws Exception { TestModel2 model =
Util.loadModel("resources/test1.xml"); TestComponent2.C c = model.getRootComponent().getChildren(TestComponent2.C.class).get(0); - assertEquals(c,
model.findComponent(245 + lsl * 8)); - assertEquals(c, model.findComponent(249 + lsl * 8)); - assertEquals(c, model.findComponent(261 + lsl * 8)); +
assertEquals(c, model.findComponent(1067 + lsl * 8)); + assertEquals(c, model.findComponent(1071 + lsl * 8)); + assertEquals(c, model.findComponent(1083 +
lsl * 8)); } public void testFindElementGivenTextPosition() throws Exception { TestModel2 model = Util.loadModel("resources/test1.xml"); TestComponent2 root
= model.getRootComponent(); TestComponent2.B b = root.getChildren(TestComponent2.B.class).get(0); - assertEquals(b, model.findComponent(201 + lsl * 5)); -
assertEquals(root, model.findComponent(244 + lsl * 8)); - assertEquals(root, model.findComponent(265 + lsl * 9)); + assertEquals(b, model.findComponent(1023
+ lsl * 5)); + assertEquals(root, model.findComponent(1066 + lsl * 8)); + assertEquals(root, model.findComponent(1087 + lsl * 9)); } public void
testGetXmlFragment() throws Exception { diff --git a/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/locator/api/dummyFile.txt
b/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/locator/api/dummyFile.txt index e69de29bb..d0d402485 100644 ---
a/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/locator/api/dummyFile.txt +++
b/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/locator/api/dummyFile.txt @@ -0,0 +1,18 @@
+ # Licensed to the Apache Software Foundation (ASF)
+ under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright
+ ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with
+ the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in
+ writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND,
+ either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + +Dummy file \ No newline at
+ end of file diff --git a/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/resources/test1.xml
b/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/resources/test1.xml index 55d5f1217..ef93eb720 100644 ---
a/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/resources/test1.xml +++ b/xml.xam/test/unit/src/org/netbeans/modules/xml/xam/resources/test1.xml @@
-1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?>
+ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
+ agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
+ under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
+ at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
+ distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +
+ specific language governing permissions and limitations + under the License. + +-->
+ <test xmlns="http://www.test.com/TestModel"
+ xmlns:t2="http://www.test2.com/TestModel" > diff --git a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/XDMMModelTest.java
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/XDMMModelTest.java index 491e019b6..a2c846f39 100644 ---
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/XDMMModelTest.java +++ b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/XDMMModelTest.java
@@ -61,7 +61,8 @@ public static Test suite() { suite.addTest(new XDMMModelTest("testModifyNegative")); suite.addTest(new
XDMMModelTest("testSyncAndNamespace")); suite.addTest(new XDMMModelTest("testSyncToEmptyRoot")); - suite.addTest(new
XDMMModelTest("testXDMMModelSize")); +// Disabled as referenced files were partly not donated by oracle to apache +// suite.addTest(new
XDMMModelTest("testXDMMModelSize")); return suite; } diff --git a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/DiffFinderTest.java
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/DiffFinderTest.java index 6d9a5e88a..70025ce4a 100644 ---
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/DiffFinderTest.java +++
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/DiffFinderTest.java @@ -52,8 +52,9 @@ public static Test suite() { suite.addTest(new
DiffFinderTest("testFindDiff1")); suite.addTest(new DiffFinderTest("testFindDiff2")); suite.addTest(new DiffFinderTest("testFindDiff3")); - suite.addTest(new
DiffFinderTest("testFindDiffPerf")); - suite.addTest(new DiffFinderTest("testFindDiffPerf2")); +// Disabled as referenced files were partly not donated by oracle to
+ apache +// suite.addTest(new DiffFinderTest("testFindDiffPerf")); +// suite.addTest(new DiffFinderTest("testFindDiffPerf2")); suite.addTest(new
DiffFinderTest("testElementAddedBeforeChildAttributeChange")); suite.addTest(new DiffFinderTest("testElementAddedBeforeChildAttributeChange2")); return
suite; diff --git a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/MergeDiffTest.java
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/MergeDiffTest.java index 4b119d90b..5f773b053 100644 ---
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/MergeDiffTest.java +++
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/diff/MergeDiffTest.java @@ -77,12 +77,14 @@ public static Test suite() { TestSuite suite = new
TestSuite(); suite.addTest(new MergeDiffTest("testMerge1")); suite.addTest(new MergeDiffTest("testMerge2")); - suite.addTest(new
MergeDiffTest("testMerge3")); +// Disabled as referenced files were partly not donated by oracle to apache +// suite.addTest(new MergeDiffTest("testMerge3"));
suite.addTest(new MergeDiffTest("testMerge4")); suite.addTest(new MergeDiffTest("testMerge5")); suite.addTest(new MergeDiffTest("testMerge6"));
suite.addTest(new MergeDiffTest("testMerge7")); - suite.addTest(new MergeDiffTest("testMerge8")); +// Disabled as referenced files were partly not donated by
+ oracle to apache +// suite.addTest(new MergeDiffTest("testMerge8")); suite.addTest(new MergeDiffTest("testMerge9")); suite.addTest(new
MergeDiffTest("testMerge10")); suite.addTest(new MergeDiffTest("testPrettyPrint")); @@ -94,7 +96,8 @@ public static Test suite() { suite.addTest(new
MergeDiffTest("testPosChange3")); suite.addTest(new MergeDiffTest("testPosChange3_2")); suite.addTest(new MergeDiffTest("testPosChange3_3")); -
suite.addTest(new MergeDiffTest("testMergeVenetianBlindPO")); +// Disabled as referenced files were partly not donated by oracle to apache +//
suite.addTest(new MergeDiffTest("testMergeVenetianBlindPO")); suite.addTest(new MergeDiffTest("testForwardReorderNodeWithChangesOnChildren"));
suite.addTest(new MergeDiffTest("testMergeReformatDiff")); return suite; diff --git
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/nodes/XMLSyntaxParserTest.java
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/nodes/XMLSyntaxParserTest.java index 73dcd3893..c3cddb628 100644 ---
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/nodes/XMLSyntaxParserTest.java +++
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/nodes/XMLSyntaxParserTest.java @@ -62,7 +62,8 @@ public static Test suite() { suite.addTest(new
XMLSyntaxParserTest("testParseTestXML")); suite.addTest(new XMLSyntaxParserTest("testMultiRootXML")); suite.addTest(new
XMLSyntaxParserTest("testParseWSDL")); - suite.addTest(new XMLSyntaxParserTest("testParsePerformance")); +// Disabled as referenced files were partly not
+ donated by oracle to apache +// suite.addTest(new XMLSyntaxParserTest("testParsePerformance")); return suite; } diff --git
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/perf/XDMPPerfNumberTest.java
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/perf/XDMPPerfNumberTest.java index 5e3ce6d75..f84d3150c 100644 ---
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/perf/XDMPPerfNumberTest.java +++
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/perf/XDMPPerfNumberTest.java @@ -87,9 +87,10 @@ protected void tearDown() throws Exception {
```

```

public static Test suite() { TestSuite suite = new TestSuite(); - suite.addTest(new XDMPerfNumberTest("testReadUsingDOM")); - suite.addTest(new
XDMPerfNumberTest("testReadUsingSyntaxParser")); - suite.addTest(new XDMPerfNumberTest("testReadUsingXDM")); +// Disabled as referenced files were
partly not donated by oracle to apache +// suite.addTest(new XDMPerfNumberTest("testReadUsingDOM")); +// suite.addTest(new
XDMPerfNumberTest("testReadUsingSyntaxParser")); +// suite.addTest(new XDMPerfNumberTest("testReadUsingXDM")); return suite; } diff --git
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/FindNamespaceVisitorTest.java
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/FindNamespaceVisitorTest.java index b1aaf7d25..cfb21cd64 100644 ---
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/FindNamespaceVisitorTest.java +++
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/FindNamespaceVisitorTest.java @@ -52,8 +52,9 @@ protected void setUp() throws Exception { }
public static Test suite() { - TestSuite suite = new TestSuite(FindNamespaceVisitorTest.class); - + TestSuite suite = new TestSuite(); +// Disabled as referenced files
were partly not donated by oracle to apache +// suite.addTestSuite(FindNamespaceVisitorTest.class); return suite; } diff --git
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/XPathFinderTest.java
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/XPathFinderTest.java index 83c928258..54730819a 100644 ---
a/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/XPathFinderTest.java +++
b/xml.xdm/test/unit/src/org/netbeans/modules/xml/xdm/visitor/XPathFinderTest.java @@ -46,8 +46,9 @@ protected void tearDown() throws Exception { } public
static Test suite() { - TestSuite suite = new TestSuite(XPathFinderTest.class); - + TestSuite suite = new TestSuite(); +// Disabled as referenced files were partly not
donated by oracle to apache +// suite.addTestSuite(XPathFinderTest.class); return suite; } diff --git a/xml/test/qa-functional/data/ActionsTestProject/nbproject/ant-
deploy.xml b/xml/test/qa-functional/data/ActionsTestProject/nbproject/ant-deploy.xml index 7ec8e3029..f879516d0 100644 --- a/xml/test/qa-
functional/data/ActionsTestProject/nbproject/ant-deploy.xml +++ b/xml/test/qa-functional/data/ActionsTestProject/nbproject/ant-deploy.xml @@ -1,4 +1,24 @@
<?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See
the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project default="-deploy-ant" basedir="."> <target name="-init-cl-deployment-env"
if="-deploy.ant.enabled"> <property file="${deploy.ant.properties.file}" /> diff --git a/xml/test/qa-functional/data/ActionsTestProject/nbproject/project.properties
b/xml/test/qa-functional/data/ActionsTestProject/nbproject/project.properties index 9798f13dc..12db51632 100644 --- a/xml/test/qa-
functional/data/ActionsTestProject/nbproject/project.properties +++ b/xml/test/qa-functional/data/ActionsTestProject/nbproject/project.properties @@ -1,3 +1,20
@@ @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this
work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License");
you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0
+ # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and
limitations + # under the License. + build.classes.dir=${build.web.dir}/WEB-INF/classes build.classes.excludes=**/*.java,**/*.form build.dir=build diff --git
a/xml/test/qa-functional/data/ActionsTestProject/nbproject/project.xml b/xml/test/qa-functional/data/ActionsTestProject/nbproject/project.xml index
fccfd54f..e35ab38dc 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/nbproject/project.xml +++ b/xml/test/qa-
functional/data/ActionsTestProject/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project
xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.web.project</type> <configuration> diff --git a/xml/test/qa-
functional/data/ActionsTestProject/web/DTDFormed.dtd b/xml/test/qa-functional/data/ActionsTestProject/web/DTDFormed.dtd index 63a7f3ad4..33637d97b
100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/DTDFormed.dtd +++ b/xml/test/qa-functional/data/ActionsTestProject/web/DTDFormed.dtd @@
-1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +
specific language governing permissions and limitations + under the License. + +--> <!-- Document : DTDFormed.dtd diff --git a/xml/test/qa-
functional/data/ActionsTestProject/web/DTDFormed.xml b/xml/test/qa-functional/data/ActionsTestProject/web/DTDFormed.xml index 76408222e..91c1066e5
100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/DTDFormed.xml +++ b/xml/test/qa-functional/data/ActionsTestProject/web/DTDFormed.xml
@@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor
license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to
you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the
License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the
License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the +
specific language governing permissions and limitations + under the License. + +--> <!-- Document : newXMLDocument.xml diff --git a/xml/test/qa-
functional/data/ActionsTestProject/web/META-INF/context.xml b/xml/test/qa-functional/data/ActionsTestProject/web/META-INF/context.xml index
2ec66add..672c9d8ce 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/META-INF/context.xml +++ b/xml/test/qa-
functional/data/ActionsTestProject/web/META-INF/context.xml @@ -1,2 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the
Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <Context path="/ActionsTestProject"/> diff --git a/xml/test/qa-functional/data/ActionsTestProject/web/WEB-INF/web.xml b/xml/test/qa-
functional/data/ActionsTestProject/web/WEB-INF/web.xml index 9c9847127..960ff545b 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/WEB-
INF/web.xml +++ b/xml/test/qa-functional/data/ActionsTestProject/web/WEB-INF/web.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!--
+ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work
for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may
not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/j2ee/web-app_2_4.xsd" diff --git a/xml/test/qa-
functional/data/ActionsTestProject/web/XMLSchema2GUI.xsl b/xml/test/qa-functional/data/ActionsTestProject/web/XMLSchema2GUI.xsl index
6bb1f4226..6fae36f9e 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/XMLSchema2GUI.xsl +++ b/xml/test/qa-
functional/data/ActionsTestProject/web/XMLSchema2GUI.xsl @@ -1,5 +1,24 @@ <?xml version="1.0"?> - +<!-- + + Licensed to the Apache Software
Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding
copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance
+ with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to
in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either
express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- XML Schema ==> HTML
form corresponding the Schema --> diff --git a/xml/test/qa-functional/data/ActionsTestProject/web/index.jsp b/xml/test/qa-
functional/data/ActionsTestProject/web/index.jsp index e5dd68a55..c9389353 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/index.jsp +++
b/xml/test/qa-functional/data/ActionsTestProject/web/index.jsp @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF

```

licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <%@page contentType="text/html"%> <%@page pageEncoding="UTF-8"%> <%-- diff --git a/xml/test/qa-functional/data/ActionsTestProject/web/sampleXMLSchema.xml b/xml/test/qa-functional/data/ActionsTestProject/web/sampleXMLSchema.xml index 7d3be718f..cd54d4fa4 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/sampleXMLSchema.xml +++ b/xml/test/qa-functional/data/ActionsTestProject/web/sampleXMLSchema.xml @@ -1,4 +1,24 @@ <?xml version="1.0"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- Commented out for IE5 which doesn't understand : diff --git a/xml/test/qa-functional/data/ActionsTestProject/web/shiporder.xsd b/xml/test/qa-functional/data/ActionsTestProject/web/shiporder.xsd index a1632b06..7a56e8b17 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/shiporder.xsd +++ b/xml/test/qa-functional/data/ActionsTestProject/web/shiporder.xsd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"> <xs:simpleType name="stringtype"> diff --git a/xml/test/qa-functional/data/ActionsTestProject/web/shiporders.xml b/xml/test/qa-functional/data/ActionsTestProject/web/shiporders.xml index d453fa2ec..aea6b214b 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/shiporders.xml +++ b/xml/test/qa-functional/data/ActionsTestProject/web/shiporders.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <shiporders> <shiporder orderid="188923"> <orderperson>John Smith</orderperson> diff --git a/xml/test/qa-functional/data/ActionsTestProject/web/well.xml b/xml/test/qa-functional/data/ActionsTestProject/web/well.xml index c33face75..b75bd302b 100644 --- a/xml/test/qa-functional/data/ActionsTestProject/web/well.xml +++ b/xml/test/qa-functional/data/ActionsTestProject/web/well.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE note [<!ELEMENT note (to, from, heading, body)> <!ELEMENT to (#PCDATA)> diff --git a/xml/test/qa-functional/data/CoreTemplatesTestProject/build.xml b/xml/test/qa-functional/data/CoreTemplatesTestProject/build.xml index 75c52fd48..f9f3ec4d9 100644 --- a/xml/test/qa-functional/data/CoreTemplatesTestProject/build.xml +++ b/xml/test/qa-functional/data/CoreTemplatesTestProject/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/ant-deploy.xml b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/ant-deploy.xml index 7ec8e3029..f879516d0 100644 --- a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/ant-deploy.xml +++ b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/ant-deploy.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project default="-deploy-ant" basedir="."> <target name="-init-cl-deployment-env" if="deploy.ant.enabled"> <property file="\${deploy.ant.properties.file}"/> diff --git a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/jax-ws.xml b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/jax-ws.xml index ce6790073..e365c431d 100644 --- a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/jax-ws.xml +++ b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/jax-ws.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <jax-ws xmlns="http://www.netbeans.org/ns/jax-ws/1"> <services/> <clients/> diff --git a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.properties b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.properties index 9c2428b50..bada817b2 100644 --- a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.properties +++ b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.properties @@ -1,3 +1,20 @@ + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + build.classes.dir=\${build.web.dir}/WEB-INF/classes build.classes.excludes=**/*.java,**/*.form build.dir=build diff --git a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.xml b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.xml index 2a38ad4cc..73852c1bb 100644 --- a/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.xml +++ b/xml/test/qa-functional/data/CoreTemplatesTestProject/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.web.project</type> <configuration> diff --git a/xml/test/qa-functional/data/CoreTemplatesTestProject/web/META-INF/context.xml b/xml/test/qa-functional/data/CoreTemplatesTestProject/web/META-INF/context.xml index 5f812e0f4..c77bfb3d4 100644 --- a/xml/test/qa-functional/data/CoreTemplatesTestProject/web/META-INF/context.xml +++ b/xml/test/qa-functional/data/CoreTemplatesTestProject/web/META-INF/context.xml @@ -1,2 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to

you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <Context path="/CoreTemplatesTestProject"/> diff --git a/xml/test/qa-functional/data/CoreTemplatesTestProject/web/WEB-INF/web.xml b/xml/test/qa-functional/data/CoreTemplatesTestProject/web/WEB-INF/web.xml index 9c9847127..960ff545b 100644 --- a/xml/test/qa-functional/data/CoreTemplatesTestProject/web/WEB-INF/web.xml +++ b/xml/test/qa-functional/data/CoreTemplatesTestProject/web/WEB-INF/web.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/j2ee/web-app_2_4.xsd" diff --git a/xml/test/qa-functional/data/DTDActionsTestProject/build.xml b/xml/test/qa-functional/data/DTDActionsTestProject/build.xml index 1da747ef6..77967b340 100644 --- a/xml/test/qa-functional/data/DTDActionsTestProject/build.xml +++ b/xml/test/qa-functional/data/DTDActionsTestProject/build.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- You may freely edit this file. See commented blocks below for --> <!-- some examples of how to customize the build. --> <!-- (If you delete it and reopen the project it will be recreated.) --> diff --git a/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/ant-deploy.xml b/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/ant-deploy.xml index 7ec8e3029..f879516d0 100644 --- a/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/ant-deploy.xml +++ b/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/ant-deploy.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project default="-deploy-ant" basedir="."> <target name="-init-cl-deployment-env" if="deploy.ant.enabled"> <property file="\${deploy.ant.properties.file}" /> diff --git a/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.properties b/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.properties index c8909af7e..3446cb847 100644 --- a/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.properties +++ b/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.properties @@ -1,3 +1,20 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + build.classes.dir=\${build.web.dir}/WEB-INF/classes build.classes.excludes=**/*.java,**/*.form build.dir=build diff --git a/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.xml b/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.xml index 0e7945966..432c85e83 100644 --- a/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.xml +++ b/xml/test/qa-functional/data/DTDActionsTestProject/nbproject/project.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.web.project</type> <configuration> diff --git a/xml/test/qa-functional/data/DTDActionsTestProject/web/META-INF/context.xml b/xml/test/qa-functional/data/DTDActionsTestProject/web/META-INF/context.xml index 2894b7053..5beabccf3 100644 --- a/xml/test/qa-functional/data/DTDActionsTestProject/web/META-INF/context.xml +++ b/xml/test/qa-functional/data/DTDActionsTestProject/web/META-INF/context.xml @@ -1,2 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <Context path="/DTDActionsTestProject"/> diff --git a/xml/test/qa-functional/data/DTDActionsTestProject/web/WEB-INF/web.xml b/xml/test/qa-functional/data/DTDActionsTestProject/web/WEB-INF/web.xml index 9c9847127..960ff545b 100644 --- a/xml/test/qa-functional/data/DTDActionsTestProject/web/WEB-INF/web.xml +++ b/xml/test/qa-functional/data/DTDActionsTestProject/web/WEB-INF/web.xml @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/j2ee/web-app_2_4.xsd" diff --git a/xml/test/qa-functional/data/DTDActionsTestProject/web/testDTD.dtd b/xml/test/qa-functional/data/DTDActionsTestProject/web/testDTD.dtd index ad7a1be11..857ee688d 100644 --- a/xml/test/qa-functional/data/DTDActionsTestProject/web/testDTD.dtd +++ b/xml/test/qa-functional/data/DTDActionsTestProject/web/testDTD.dtd @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <ENTITY AUTHOR "John Doe"> <ENTITY COMPANY "JD Power Tools, Inc."> <ENTITY EMAIL "jd@jd-tools.com"> diff --git a/xml/test/qa-functional/data/people.xsd b/xml/test/qa-functional/data/people.xsd index dbde8b8cf..e717e800b 100644 --- a/xml/test/qa-functional/data/people.xsd +++ b/xml/test/qa-functional/data/people.xsd @@ -1,3 +1,23 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"> <!--deklarace jednoduchých typů --> <xs:simpleType name="plat"> diff --git a/xml/test/qa-functional/data/sample.dtd b/xml/test/qa-functional/data/sample.dtd index a0a7f9f1a..ee1b075e5 100644 --- a/xml/test/qa-functional/data/sample.dtd +++ b/xml/test/qa-functional/data/sample.dtd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +-->

ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- Document : newemptyDTD.dtd diff --git a/xml/test/unit/data/dummyXMLDocument.xml b/xml/test/unit/data/dummyXMLDocument.xml index 466dfdd97..e91c60905 100644 --- a/xml/test/unit/data/dummyXMLDocument.xml +++ b/xml/test/unit/data/dummyXMLDocument.xml @@ -1,2 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- Document : dtd.dtd diff --git a/xml/test/unit/src/org/netbeans/modules/xml/wizard/data/dtd.dtd b/xml/test/unit/src/org/netbeans/modules/xml/wizard/data/dtd.dtd index 7c5907082..edc16c364 100644 --- a/xml/test/unit/src/org/netbeans/modules/xml/wizard/data/dtd.dtd +++ b/xml/test/unit/src/org/netbeans/modules/xml/wizard/data/dtd.dtd @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!-- Document : schemaWithNS.xsd ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

613. juneau001 commented on issue #117: [NETBEANS-54] Module Review j2ee.persistence URL: <https://github.com/apache/incubator-netbeans/pull/117#issuecomment-339787511> Thanks @matthiasblaesing I appreciate the assistance. Not sure why the rebase and squash did not work, maybe I missed a commit in between. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

614. geertjanw commented on issue #194: [NETBEANS-54] Module Review java.platform.ui URL: <https://github.com/apache/incubator-netbeans/pull/194#issuecomment-339788481> Thanks, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

615. geertjanw closed pull request #194: [NETBEANS-54] Module Review java.platform.ui URL: <https://github.com/apache/incubator-netbeans/pull/194> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 6e4217417..daf0311bb 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2009,6 +2009,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="java.api.common/src/org/netbeans/modules/java/api/common/project/ui/customizer/vmo/gen/CommandLine.tokens" /> <!--generated by ANTLR--> <exclude name="java.editor/src/org/netbeans/modules/java/editor/resources/JavaExample" /> <!--no degree of creativity--> <exclude name="java.j2semodule/src/org/netbeans/modules/java/j2semodule/ui/resources/module-info.java.template" /> <!--template file--> + <exclude name="java.platform.ui/src/org/netbeans/modules/java/platform/resources/templates/javaplatform.xml" /> <!--template file--> <exclude name="javafx2.kit/release/VERSION.txt" /> <!--generated file--> <exclude name="javafx2.project/src/org/netbeans/modules/javafx2/project/templates/**" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="javawebstart/AntTasks/build/**" /> <!-- generated build files --> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

616. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-339822005> Thanks Javier, I didn't know about that. Is this something committers do? Or something I was meant to do as a contributor? I mis-spoke in my prior comment, what I was concerned about was squashing a conflict merge, i.e. the additional commits are to do with sorting out the conflict with base (I don't know why GitHub made me do 2 commits. I read somewhere a git can get confused with how it tracks conflicts if you mess around with squashing. Is there something else I can do to finish this as a contributor? Cheers Ross > On 27 Oct 2017, at 5:40 am, Javier A. Ortiz Bultron <notifications@github.com> wrote: > > In all my GitHub projects I can configure how PR are handled. From allowing all types (merge, squash, etc.) to selecting one or some of them. > > If squashing is the preferred way it should be probably the only option. Usually the person(s) configured to merge to trunk can choose which one. > > <<https://user-images.githubusercontent.com/2817343/32070839-27439ce8-ba53-11e7-8b4b-0b97e2136695.png>> > — > You are receiving this because you authored the thread. > Reply to this email directly, view it on GitHub <<https://github.com/apache/incubator-netbeans/pull/163#issuecomment-339760312>>, or mute the thread <<https://github.com/notifications/unsubscribe-auth/AXKC2P8DbNmSAXydNECz8VBZYqJkHb1-ks5wNISgaJpZM4P-f2H>>. > ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

617. geertjanw commented on issue #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: <https://github.com/apache/incubator-netbeans/pull/181#issuecomment-339908629> Something happened here: <https://issues.apache.org/jira/browse/NETBEANS-105> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

618. jlahoda commented on issue #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: <https://github.com/apache/incubator-netbeans/pull/181#issuecomment-340083459> Ok (we should look at using a more standard artefact, but as you say, that is a separate task). Thanks for fixing this. -- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

619. vieiro commented on a change in pull request #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: https://github.com/apache/incubator-netbeans/pull/181#discussion_r147527253 ##### File path: libs.osgi/build.xml ##### @@ -22,4 +22,29 @@ <project basedir="." default="netbeans" name="libs.osgi"> <description>Builds, tests, and runs the project org.netbeans.libs.osgi</description> <import file="..nbbuild/templates/projectized.xml"/> + + <!-- A task to check if the binary 'external/resolver-1.2.jar' exists --> Review comment: Idea: This should read "A task to check if the binary 'external/osgi.cmpn-4.2.jar exists" ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

620. vieiro commented on a change in pull request #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: https://github.com/apache/incubator-netbeans/pull/181#discussion_r147527324 ##### File path: libs.osgi/build.xml ##### @@ -22,4 +22,29 @@ <project basedir="." default="netbeans" name="libs.osgi"> <description>Builds, tests, and runs the project org.netbeans.libs.osgi</description> <import file="..nbbuild/templates/projectized.xml"/> + + <!-- A task to check if the binary 'external/resolver-1.2.jar' exists --> + <target name="check-requires-patching-maven-sources"> + <available file="external/osgi.cmpn-4.2.jar" property="sources-already-patched" /> + </target> + + <!-- 'javac-init' task is invoked after maven sources have been downloaded + to 'external/org.osgi.compendium-4.2.0.jar' + (see external/binaries-list). + Netbeans had its own copy of osgi.cmpn-4.2.jar, which is identical to + the downloaded binary. The downloaded binary contains the source code + in addition to the compiled class files. + The sources are now stripped from the binary to create the original file + netbeans used to bundle. + --> + <target name="-prepare-patched-binary" depends="-check-requires-patching-maven-sources" unless="sources-already-patched"> + <echo message="Patching org.osgi.compendium-4.2.0 for Netbeans..." /> + <zip destfile="external/osgi.cmpn-4.2.jar"> +

<zipfileset src="external/org.osgi.compendium-4.2.0.jar" excludes="OSGI-OPT/**" /> + </zip> + </target> + + <!-- Hook into harness "basic-init" task -->
Review comment: Another idea: This should read "Hook into harness "javac-init" task" ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

621. geertjanw commented on issue #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42#issuecomment-340160179> What about these, can you exclude them via Rat or license them: editor/demosrc/base/org/netbeans/editor/example/res/template.html_ editor/demosrc/base/org/netbeans/editor/example/res/template.java_ editor/demosrc/properties-addon/org/netbeans/editor/example/res/template.properties editor/test/qa-functional/src/org/netbeans/test/editor/suites/keybindings/actions.txt editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation1.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation2.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation3.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation4.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation5.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation6.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation7.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation8.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotationBrowseable1.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotationBrowseable2.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotationBrowseable3.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotationPriority1.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotationPriority2.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotationPriority3.xml editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotationPriority4.xml ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

622. geertjanw opened a new pull request #197: [NETBEANS-54] excluding test data from project.ant URL: <https://github.com/apache/incubator-netbeans/pull/197> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

623. geertjanw opened a new pull request #198: [NETBEANS-54] Module Review welcome URL: <https://github.com/apache/incubator-netbeans/pull/198> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

624. geertjanw opened a new pull request #199: [NETBEANS-54] excluding nbbuild/netbeans/** via Rat URL: <https://github.com/apache/incubator-netbeans/pull/199> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

625. matthiasblaesing closed pull request #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: <https://github.com/apache/incubator-netbeans/pull/181> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/libs.osgi/build.xml b/libs.osgi/build.xml index 3a50ab838..978f82a50 100644 --- a/libs.osgi/build.xml +++ b/libs.osgi/build.xml @@ -22,4 +22,29 @@ <project basedir="." default="netbeans" name="libs.osgi"> <description>Builds, tests, and runs the project org.netbeans.libs.osgi</description> <import file="..nbbuild/templates/projectized.xml"/> + + <!-- A task to check if the binary 'external/org.osgi.cmpn-4.2.jar' exists --> + <target name="check-requires-patching-maven-sources"> + <available file="external/org.osgi.cmpn-4.2.jar" property="sources-already-patched" /> + </target> + + <!-- '-javac-init' task is invoked after maven sources have been downloaded + to 'external/org.osgi.compendium-4.2.0.jar' + (see external/binaries-list). + Netbeans had its own copy of osgi.cmpn-4.2.jar, which is identical to + the downloaded binary. The downloaded binary contains the source code + in addition to the compiled class files. + The sources are now stripped from the binary to create the original file + netbeans used to bundle. + --> + <target name="prepare-patched-binary" depends="check-requires-patching-maven-sources" unless="sources-already-patched"> + <echo message="Patching org.osgi.compendium-4.2.0 for Netbeans..." /> + <zip destfile="external/org.osgi.cmpn-4.2.jar"> + <zipfileset src="external/org.osgi.compendium-4.2.0.jar" excludes="OSGI-OPT/**" /> + </zip> + </target> + + <!-- Hook into harness "javac-init" task --> + <target name="javac-init" depends="prepare-patched-binary, projectized-common, -javac-init" /> </project> diff --git a/libs.osgi/external/binaries-list b/libs.osgi/external/binaries-list index 17e5e684e..04a2d9c82 100644 --- a/libs.osgi/external/binaries-list +++ b/libs.osgi/external/binaries-list @@ -14,5 +14,5 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -972E6455724DC6ADB1C1912F53B5E3D7DF20C5FD org.netbeans.external:osgi.cmpn:4.2 +1E506145EC53132BCE79CE8798D98026B598FD48 org.osgi:org.osgi.compendium:4.2.0 2F2FBFF3FB80F91B159A7FA9F0C42A894BB8BCC5 org.osgi:osgi.core:5.0.0 diff --git a/libs.osgi/external/org.osgi-5.0-license.txt b/libs.osgi/external/org.osgi-5.0-license.txt index 84b2da9b0..807a5531d 100644 --- a/libs.osgi/external/org.osgi-5.0-license.txt +++ b/libs.osgi/external/org.osgi-5.0-license.txt @@ -1,6 +1,6 @@ Name: OSGi Version: 5.0 -Files: osgi.core-5.0.0.jar osgi.cmpn-4.2.jar +Files: osgi.core-5.0.0.jar osgi.cmpn-4.2.jar org.osgi.compendium-4.2.0.jar Description: OSGi specification (core & compendium). License: Apache-2.0 Origin: OSGi ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

626. matthiasblaesing commented on issue #181: [NETBEANS-54] Module Review libs.osgi (followup) URL: <https://github.com/apache/incubator-netbeans/pull/181#issuecomment-340185592> Merged after adjusting the build.xml by @vieviro comments. Thank you for having a look. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

627. matthiasblaesing commented on issue #197: [NETBEANS-54] excluding test data from project.ant URL: <https://github.com/apache/incubator-netbeans/pull/197#issuecomment-340197381> I had a look at the testdata and there is no reason to exclude them from rat. I created PR #200 which holds the adjusted headers and fixes the unittests of the module. I'd appreciate a review. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

628. asfgit closed pull request #175: [NETBEANS-54] Module Review extexecution.process (patch) URL: <https://github.com/apache/incubator-netbeans/pull/175> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/extexecution.process/build.xml b/extexecution.process/build.xml index e7740a42d..cce235db9 100644 --- a/extexecution.process/build.xml +++ b/extexecution.process/build.xml @@ -22,4 +22,47 @@ <project basedir="." default="netbeans" name="extexecution.process"> <description>Builds, tests, and runs the project org.netbeans.modules.extexecution.process</description> <import file="..nbbuild/templates/projectized.xml"/> + + <!-- A task to check if the binary 'external/winp-1.14-patched.jar' exists --> + <target name="check-requires-patching-maven-sources"> + <available file="external/winp-1.14-patched.jar" property="sources-already-patched" /> + </target> + + <!-- '-javac-init' task is invoked after maven sources have been downloaded + to 'external/winp-1.14-sources.jar' + (see external/binaries-list). + Then if 'external/winp-1.14-patched.jar' does NOT exist... + --> + <target name="prepare-patched-binary" depends="check-requires-patching-maven-sources" unless="sources-already-patched"> + <echo message="Patching winp-1.14-sources.jar for Netbeans..." /> + <taskdef name="patchfile" classname="org.netbeans.nbbuild.extlibs.PatchFile" classpath="\${nbantext.jar}" /> + <!-- ... 1. Prepares a 'build/external-patch/[sources|classes]' working directories --> + <delete dir="build/external-patch" /> + <mkdir dir="build/external-patch/sources" /> + <!-- ... 2. Unzips maven sources --> + <unzip src="external/winp-1.14-sources.jar" dest="build/external-patch/sources" /> + <!-- ... 3. Applies patch 'external/winp-1.14-netbeans.patch' --> + <patchfile dir="build/external-patch/sources" patchfile="external/winp.patch" /> + <!-- ... 4. Compiles sources to build/external-patch/classes --> + <mkdir dir="build/external-patch/classes" /> + <javac srcdir="build/external-patch/sources" destdir="build/external-patch/classes" /> + <exclude name="org/apache/xml/resolver/tests/**" /> + </javac> + <!-- ... 4.1. Copy DLLs in sources to classes --> + <copy todir="build/external-patch/classes"> + <fileset dir="build/external-patch/sources"> + <include name="**/*.dll" /> + </fileset> + </copy> + <!-- ... 5. Creates a jar in 'external/winp-1.14-patched.jar' --> + <jar destfile="external/winp-1.14-patched.jar"> + <fileset dir="build/external-patch/classes" /> + </jar> + </target> + + <!-- Hook into harness "javac-init" task --> + <target name="javac-init" depends="prepare-patched-binary, projectized-common, -javac-init" /> </project> diff --git a/extexecution.process/external/binaries-list b/extexecution.process/external/binaries-list index 87de4d3d6..2cc34cd6d 100644 --- a/extexecution.process/external/binaries-list +++ b/extexecution.process/external/binaries-list @@ -15,9 +15,7 @@ @ -15,9 +15,7 @@ # # specific language governing permissions and limitations # under the License. # -# winp-1.14-patcher.jar is a patched version of the maven artifact: -# 6A56E64B5F9E78D1F30F960425F7758D08B2A390 org.jvnet.winp:winp:1.1 - C9757EFB2CFBA523A7375A78FA9ECFAFD0AC505 winp-1.14-patched.jar +40E6E127818C371375F8E8D42BBEAF613BDA63A2 org.jvnet.winp:winp:1.14:sources 2E07375E5CA3A452472F0E87FB33F243F7A5C08C org.jvnet.libpam4j:libpam4j:1.1 # processtreekiller is not available in Maven, and its web page was hosted in Kenai, now extinct. 6819C79348FCFA75125C834E7D3B742582DCA34D processtreekiller-1.0.7.jar diff --git a/extexecution.process/external/winp.patch b/extexecution.process/external/winp.patch index abfa9297e..c6669bb83 100644 --- a/extexecution.process/external/winp.patch +++ b/extexecution.process/external/winp.patch @@ -1,9 +1,22 @@ -# This patch file was generated by NetBeans

IDE -# This patch can be applied using context Tools: Apply Diff Patch action on respective folder. -# It uses platform neutral UTF-8 encoding. -# Above lines and this line are ignored by the patching process. ---- /home/sickboy/Desktop/backup/src/main/java/org/jvnet/winp/Native.java -+++ /home/sickboy/Desktop/winp/src/main/java/org/jvnet/winp/Native.java ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ http://www.apache.org/licenses/LICENSE-2.0 ++ -- Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. +diff -ruN org/jvnet/winp/Native.java patched-org/jvnet/winp/Native.java +-- - org/jvnet/winp/Native.java 2009-11-10 10:30:26.000000000 +0100 ++++ patched-org/jvnet/winp/Native.java 2017-10-22 07:11:19.462328071 +0200 @@ -73,8 +73,9 @@ filePortion = filePortion.substring(2); filePortion = URLDecoder.decode(filePortion); ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

629. matthiasblaesing commented on issue #175: [NETBEANS-54] Module Review extexecution.process (patch) URL: <https://github.com/apache/incubator-netbeans/pull/175#issuecomment-340198642> Merged - thank you! ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

630. geertjanw commented on issue #199: [NETBEANS-54] excluding nbbuild/licenses/** via Rat URL: <https://github.com/apache/incubator-netbeans/pull/199#issuecomment-340200275> Thanks, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

631. geertjanw closed pull request #199: [NETBEANS-54] excluding nbbuild/licenses/** via Rat URL: <https://github.com/apache/incubator-netbeans/pull/199> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 84448511b..8ce3bbf1e 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2017,6 +2017,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="languages/yaml/src/org/netbeans/modules/languages/yaml/*.yml" /> <!--Files used in GUI as sample/starting point--> <exclude name="lib.uihandler/test/unit/src/**" /> <!--test data--> <exclude name="mercurial/src/org/netbeans/modules/mercurial/util/log/**" /> <!-- user templates for mercurial commits, etc. --> + <exclude name="nbbuild/licenses/**" /> <exclude name="nbbuild/netbeans/**" /> <exclude name="nbbuild/testuserdir/**" /> <exclude name="o.apache.tools.ant.module/release/VERSION.txt" /> <!-- generated file--> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

632. geertjanw commented on issue #197: [NETBEANS-54] excluding test data from project.ant URL: <https://github.com/apache/incubator-netbeans/pull/197#issuecomment-340200317> Makes sense, will take a look, and close this one. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

633. geertjanw commented on issue #198: [NETBEANS-54] Module Review welcome URL: <https://github.com/apache/incubator-netbeans/pull/198#issuecomment-340200429> Thanks, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

634. geertjanw closed pull request #198: [NETBEANS-54] Module Review welcome URL: <https://github.com/apache/incubator-netbeans/pull/198> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/welcome/src/org/netbeans/modules/welcome/resources/Bundle.properties b/welcome/src/org/netbeans/modules/welcome/resources/Bundle.properties index b52bca8d1..782ffab9e 100644 --- a/welcome/src/org/netbeans/modules/welcome/resources/Bundle.properties +++ b/welcome/src/org/netbeans/modules/welcome/resources/Bundle.properties @@ -1,44 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ http://www.apache.org/licenses/LICENSE-2.0 ++ -- Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# -# Contributor(s): -# Sample ResourceBundle properties file - - -# Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. ## Web Links # ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

635. matthiasblaesing closed pull request #197: [NETBEANS-54] excluding test data from project.ant URL: <https://github.com/apache/incubator-netbeans/pull/197> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index fccb6ec3e..e617a9a30 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2038,6 +2038,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!--no degree of creativity--> + <exclude name="project.ant/test/unit/src/org/netbeans/spi/project/support/ant/data/**" /> <!--test data--> <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/*-license.txt" /> <!--licenses--> <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/license-default.txt" /> <!--licenses--> <exclude name="projectuiapi/test/unit/src/org/netbeans/modules/project/uiapi/data/*.txt" /> <!--test data--> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

636. junichi11 opened a new pull request #202: [NETBEANS-54] Module Review queries URL: <https://github.com/apache/incubator-netbeans/pull/202> Exclude "queries/test/unit/src/org/netbeans/api/queries/data/*" from rat ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

637. junichi11 opened a new pull request #203: [NETBEANS-54] Module Review root files URL: <https://github.com/apache/incubator-netbeans/pull/203> - Add the license header to README.md and .travis.yml We can add the license header to these. Or should we add these to rat exclusions? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

638. junichi11 closed pull request #202: [NETBEANS-54] Module Review queries URL: <https://github.com/apache/incubator-netbeans/pull/202> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index c43c71b0f..fac230db7

100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2044,6 +2044,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="projectuiapi/test/unit/src/org/netbeans/modules/project/uiapi/data/*.txt" /> <!--test data--> <exclude name="properties/src/org/netbeans/modules/properties/sample.properties.template" /> <!-- template file --> <exclude name="properties.syntax/src/org/netbeans/modules/properties/syntax/PropertiesExample" /> <!-- user visible example for properties language --> + <exclude name="queries/test/unit/src/org/netbeans/api/queries/data/*" /> <!--test data--> <exclude name="selenium2.java/src/org/netbeans/modules/selenium2/java/SeleneseIT.java.template" /> <!--template file--> <exclude name="spellchecker.dictionary_en/release/modules/dict/*.description" /> <!--Description Files--> <exclude name="spi.navigator/test/unit/src/org/netbeans/modules/navigator/resources/lastsel/file.lastsel_mime1" /> <!--empty file--> -----

This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

639. junichi11 opened a new pull request #206: [NETBEANS-54] Module Review updatecenters URL: <https://github.com/apache/incubator-netbeans/pull/206> Update the license header in mf-layer.xml ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

640. geertjanw commented on issue #203: [NETBEANS-54] Module Review root files URL: <https://github.com/apache/incubator-netbeans/pull/203#issuecomment-340482645> No, this is perfect, thanks. Merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

641. geertjanw closed pull request #203: [NETBEANS-54] Module Review root files URL: <https://github.com/apache/incubator-netbeans/pull/203> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/.travis.yml b/.travis.yml index 9fc9227b3..34ba11133 100644 --- a/.travis.yml +++ b/.travis.yml @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. language: java jdk: - oraclejdk8 diff --git a/README.md b/README.md index 16e79df6a..fe2138aae 100644 --- a/README.md +++ b/README.md @@ -1,3 +1,24 @@ + + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +> + # Apache NetBeans Apache NetBeans is an open source development environment, tooling platform, and application framework. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

642. junichi11 opened a new pull request #207: [NETBEANS-54] Module Review o.n.upgrader URL: <https://github.com/apache/incubator-netbeans/pull/207> Add the license header to systemoptionsimport. This file is used in `o.n.upgrader/src/org/netbeans/upgrade/systemoptions/Importer.java` (see the following). I think that it can be added the license header because it is used as a properties file. <https://github.com/apache/incubator-netbeans/blob/7fd9f79a84d02b6122a4089b9b65fc7f8ca3dcb7/o.n.upgrader/src/org/netbeans/upgrade/systemoptions/Importer.java#L33> <https://github.com/apache/incubator-netbeans/blob/7fd9f79a84d02b6122a4089b9b65fc7f8ca3dcb7/o.n.upgrader/src/org/netbeans/upgrade/systemoptions/Importer.java#L85-L94> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

643. javydreamer commented on issue #207: [NETBEANS-54] Module Review o.n.upgrader URL: <https://github.com/apache/incubator-netbeans/pull/207#issuecomment-340523909> Is that the only place it is used? I wouldn't be surprised it was used from somewhere else. If not, why not making it a proper properties file? i.e. systemoptionsimport.properties ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

644. matthiasblaesing commented on issue #207: [NETBEANS-54] Module Review o.n.upgrader URL: <https://github.com/apache/incubator-netbeans/pull/207#issuecomment-340538401> I would not rename the file. I would consider the use of the Properties parser as an implementation detail and not call it a properties file (in fact I consider this a misuse of Properties). The loose syntax I see: - each line is interpreted independently - a leading # introduces a comment - empty lines are ignored - lines with content represent a single file to be imported So I would merge it as is. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

645. borxa opened a new pull request #208: [NETBEANS-54] Module Review refactoring.java URL: <https://github.com/apache/incubator-netbeans/pull/208> Add license to freemarker files: - Class.java.template - license-default.txt ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

646. junichi11 commented on issue #207: [NETBEANS-54] Module Review o.n.upgrader URL: <https://github.com/apache/incubator-netbeans/pull/207#issuecomment-340621456> Thank you for reviewing it! Probably, only this place. Generally, `key=value` form is used in a *.property file. But it does not have `=value`. I guess that the author just wanted to get an item per line and the author just used the Properties because it could do that. (We can imagine this from Matthias's comment.) So it would be better we use the current file name. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

647. junichi11 closed pull request #206: [NETBEANS-54] Module Review updatecenters URL: <https://github.com/apache/incubator-netbeans/pull/206> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/updatecenters/src/org/netbeans/modules/updatecenters/resources/mf-layer.xml b/updatecenters/src/org/netbeans/modules/updatecenters/resources/mf-layer.xml index 8a6c911d0..347daf85d 100644 --- a/updatecenters/src/org/netbeans/modules/updatecenters/resources/mf-layer.xml +++ b/updatecenters/src/org/netbeans/modules/updatecenters/resources/mf-layer.xml @@ -1,48 +1,94 @@ <?xml version="1.0" encoding="UTF-8"?> <!DOCTYPE filesystem PUBLIC "-//NetBeans/DTD Filesystem 1.2/EN" "http://www.netbeans.org/dtds/filesystem-1_2.dtd"> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -Contributor(s): - -The Original Software is NetBeans. The Initial Developer of the Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2007 Sun -Microsystems, Inc. All Rights Reserved. - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you

do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --> <filesystem> -----

This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

648. rosslamont commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-340626976> OK, not sure what is holding this back, but I've done all I can here. Ready to merge -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

649. junichi11 commented on issue #208: [NETBEANS-54] Module Review refactoring.java URL: <https://github.com/apache/incubator-netbeans/pull/208#issuecomment-340637384> Thank you for working on this. Could you please create a topic branch? Then, please add your changes there. The master branch should be used to update with the upstream master branch. <https://github.com/apache/incubator-netbeans/pull/134> was already squashed and merged. But your master branch has their commits. So we have to squash to avoid adding some commits every time when we merge your current master branch into our master branch. To clean your master branch, - Backup your current change: e.g. `https://patch-diff.githubusercontent.com/raw/apache/incubator-netbeans/pull/208.diff` - Close this PR - Remove your master branch - ``git fetch upstream`` - Checkout master branch: e.g. ``git checkout -b master upstream/master`` - Push your master branch: e.g. ``git push origin master`` probably, need `-f`` option to overwrite your master branch. - Create a topic branch: e.g. ``git checkout -b your-branch-name`` - Apply your backup to your topic branch - Push your topic branch - New PR ****NOTE****: I can be wrong. So you should google if you are not sure above. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

650. junichi11 commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-340655691> Probably, ``rebase`` is preferred than ``merge`` when a PR is provided. I may be wrong but... - Just in case, save your changes e.g. `https://patch-diff.githubusercontent.com/raw/apache/incubator-netbeans/pull/163.diff` - ``git remote add upstream https://github.com/apache/incubator-netbeans`` - ``git checkout master`` - ``git pull upstream master`` - ``git push origin master`` - ``git checkout maven_indexer`` - ``git reset --hard [commit id]`` (reset your merges) - ``git rebase maven_indexer`` (if there are conflicts, fix them, then, add them, ``rebase --continue``) - ``git push origin maven_indexer`` (probably, need `-f`` option to overwrite, i.e. ``git push -f origin maven_indexer``) Anyone, Are these OK? -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

651. arushinha opened a new pull request #209: [NETBEANS-54] Module Review o.apache.commons.lang URL: <https://github.com/apache/incubator-netbeans/pull/209> Added maven coordinate for external resource commons-lang-2.6.jar -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

652. arushinha opened a new pull request #210: [NETBEANS-54] Module Review o.apache.commons.codec URL: <https://github.com/apache/incubator-netbeans/pull/210> Added maven coordinate for external resource commons-codec-1.3.jar -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

653. geertjanw commented on issue #209: [NETBEANS-54] Module Review o.apache.commons.lang URL: <https://github.com/apache/incubator-netbeans/pull/209#issuecomment-340720955> Looks good, thanks a lot. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

654. borxa closed pull request #208: [NETBEANS-54] Module Review refactoring.java URL: <https://github.com/apache/incubator-netbeans/pull/208> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template index eadb04611..de7967234 100644 --- a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template +++ b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/*" > <#assign licensePrefix = " * " > <#assign licenseLast = " */" > diff --git a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt index 7b7b68d84..6d4afc2da 100644 --- a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt +++ b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#if licenseFirst?? > \${licenseFirst} </#if> -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

655. borxa opened a new pull request #211: [NETBEANS-54] Module Review refactoring.java URL: <https://github.com/apache/incubator-netbeans/pull/211> Add license to freemarker files: - Class.java.template - license-default.txt -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

656. arushinha opened a new pull request #212: [NETBEANS-54] Module Review o.apache.commons.logging URL: <https://github.com/apache/incubator-netbeans/pull/212> Added maven coordinate for external resource commons-logging-1.1.1.jar Hash is changed as per the jar present in maven repository -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

657. matthiasblaesing closed pull request #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/maven.indexer/external/binaries-list b/maven.indexer/external/binaries-list index 16be5dd22..0527a4b99 100644 --- a/maven.indexer/external/binaries-list +++ b/maven.indexer/external/binaries-list @@ -15,8 +15,8 @@ # specific language governing permissions and limitations # under the License. 627EC612B8D50EE42C2D0F13DF5476E26D696634 @org-core-6.0-SNAPSHOT-patched.jar -20540C6347259F35A0D264605B22CE2A13917066 lucene-core-5.5.3.jar - D276E74D57C64ED5F9A09A48DA05B7555E8709A lucene-highlighter-5.5.3.jar -E2452203D2C44CAC5AC42B34E5DCC0A44BF29A53 lucene-queryparser-5.5.3.jar -CF734AB72813AF33DC1544CE61ABC5C17B9D35E9 lucene-analyzers-common-5.5.3.jar -479C1E06DB31C432330183F5CAE684163F186146 javax.annotation-api-1.2.jar +20540C6347259F35A0D264605B22CE2A13917066 org.apache.lucene:lucene-core:5.5.3 +D276E74D57C64ED5F9A09A48DA05B7555E8709A org.apache.lucene:lucene-highlighter:5.5.3 +E2452203D2C44CAC5AC42B34E5DCC0A44BF29A53 org.apache.lucene:lucene-queryparser:5.5.3 +CF734AB72813AF33DC1544CE61ABC5C17B9D35E9 org.apache.lucene:lucene-analyzers-common:5.5.3 +479C1E06DB31C432330183F5CAE684163F186146 javax.annotation:javax.annotation-api:1.2 diff --git a/maven.indexer/external/mvn-indexer.patch b/maven.indexer/external/mvn-indexer.patch index 1e36ec2a4..7e0d35c7c 100644 --- a/maven.indexer/external/mvn-indexer.patch +++ b/maven.indexer/external/mvn-indexer.patch @@ -1,3 +1,21 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of

- the License at + * + * <http://www.apache.org/licenses/LICENSE-2.0> + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + */ diff --git a/indexer-cli/src/main/java/org/apache/maven/index/cli/NexusIndexerCli.java b/indexer-cli/src/main/java/org/apache/maven/index/cli/NexusIndexerCli.java index 9f33f67..e57a2a7 100644 --- a/indexer-cli/src/main/java/org/apache/maven/index/cli/NexusIndexerCli.java diff --git a/nbbuild/build.xml b/nbbuild/build.xml index cf5dc9eda..fa966b6f1 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2018,6 +2018,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.yaml" /> <!--Files used in GUI as sample/starting point--> <exclude name="lib.uihandler/test/unit/src/**" /> <!--test data--> <exclude name="maven.htmlui/src/org/netbeans/modules/maven/htmlui/UIDefaults" /> <!-- config file with no place for license header--> + <exclude name="maven.indexer/external/NOTICE-patched-indexer-core-6.0.0" /> <!--no degree of creativity--> <exclude name="mercurial/src/org/netbeans/modules/mercurial/util/log**" /> <!-- user templates for mercurial commits, etc. --> <exclude name="nbbuild/netbeans/**" /> <exclude name="nbbuild/testuserdir/**" /> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
658. matthiasblaesing commented on issue #163: [NETBEANS-54] Module Review maven.indexer URL: <https://github.com/apache/incubator-netbeans/pull/163#issuecomment-340740005> Merged - thank you. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
659. matthiasblaesing commented on issue #212: [NETBEANS-54] Module Review o.apache.commons.logging URL: <https://github.com/apache/incubator-netbeans/pull/212#issuecomment-340874798> commons-logging has a notice file, that should be included in the distribution. See for an example here: <https://github.com/apache/incubator-netbeans/commit/a204dcca4b7bd99954e6e67a0331ec172542332c> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
660. matthiasblaesing commented on issue #210: [NETBEANS-54] Module Review o.apache.commons.codec URL: <https://github.com/apache/incubator-netbeans/pull/210#issuecomment-340875149> commons-codec has a notice file, that should be included in the distribution. See for an example here: <https://github.com/apache/incubator-netbeans/commit/a204dcca4b7bd99954e6e67a0331ec172542332c> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
661. matthiasblaesing commented on issue #209: [NETBEANS-54] Module Review o.apache.commons.lang URL: <https://github.com/apache/incubator-netbeans/pull/209#issuecomment-340875562> commons-lang has a notice file, that should be included in the distribution. See for an example here: <https://github.com/apache/incubator-netbeans/commit/a204dcca4b7bd99954e6e67a0331ec172542332c> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
662. geertjanw commented on issue #211: [NETBEANS-54] Module Review refactoring.java URL: <https://github.com/apache/incubator-netbeans/pull/211#issuecomment-341092126> Thanks, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
663. geertjanw closed pull request #211: [NETBEANS-54] Module Review refactoring.java URL: <https://github.com/apache/incubator-netbeans/pull/211> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template index eadb04611..de7967234 100644 --- a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template +++ b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/Class.java.template @@ -1,3 +1,23 @@ + * + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + * + * <#assign licenseFirst = "/*" > <#assign licensePrefix = " * " > <#assign licenseLast = " */" > diff --git a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt index 7b7b68d84..6d4afc2da 100644 --- a/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt +++ b/refactoring.java/test/unit/src/org/netbeans/modules/refactoring/java/test/resources/license-default.txt @@ -1,3 +1,23 @@ + * + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * <http://www.apache.org/licenses/LICENSE-2.0> + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. + * + * <#if licenseFirst?? > \${licenseFirst} </#if> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
664. geertjanw opened a new pull request #218: [NETBEANS-54] Module Review xml.jaxb URL: <https://github.com/apache/incubator-netbeans/pull/218> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
665. geertjanw opened a new pull request #219: [NETBEANS-54] Module Review websvc.saas.codegen.java URL: <https://github.com/apache/incubator-netbeans/pull/219> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
666. geertjanw opened a new pull request #220: [NETBEANS-54] Module Review performance URL: <https://github.com/apache/incubator-netbeans/pull/220> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
667. geertjanw commented on issue #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42#issuecomment-341365224> Or is there a problem when these files are relicensed, e.g., tests fail? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
668. arushinha commented on issue #210: [NETBEANS-54] Module Review o.apache.commons.codec URL: <https://github.com/apache/incubator-netbeans/pull/210#issuecomment-341368497> Added the Notice file from http://svn.apache.org/repos/asf/commons/proper/codec/tags/CODEC_1_3/NOTICE.txt ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
669. geertjanw opened a new pull request #221: [NETBEANS-54] adding license headers to uml files in openide.windows URL: <https://github.com/apache/incubator-netbeans/pull/221> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
670. arushinha commented on issue #212: [NETBEANS-54] Module Review o.apache.commons.logging URL: <https://github.com/apache/incubator-netbeans/pull/212#issuecomment-341370862> Added commons.logging notice from <http://svn.apache.org/repos/asf/commons/proper/logging/tags/commons-logging-1.1.1/NOTICE.txt> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

671. geertjanw opened a new pull request #222: [NETBEANS-54] Module Review javahelp URL: <https://github.com/apache/incubator-netbeans/pull/222> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

672. geertjanw opened a new pull request #223: [NETBEANS-54] Module Review libs.nbi.ant URL: <https://github.com/apache/incubator-netbeans/pull/223> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

673. arushinha commented on issue #209: [NETBEANS-54] Module Review o.apache.commons.lang URL: <https://github.com/apache/incubator-netbeans/pull/209#issuecomment-341375126> 1. Added notice file from https://svn.apache.org/repos/asf/commons/_moved_to_git/lang/tags/LANG_2_6/NOTICE.txt 2. Also license filename was changed to common-lang-2.6-license.txt
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

674. geertjanw opened a new pull request #224: [NETBEANS-54] adding licenses to uml files in openide.nodes URL: <https://github.com/apache/incubator-netbeans/pull/224> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

675. geertjanw opened a new pull request #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225> ----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

676. geertjanw opened a new pull request #226: [NETBEANS-54] adding license headers to UML files in openide.options URL: <https://github.com/apache/incubator-netbeans/pull/226> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

677. geertjanw opened a new pull request #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: <https://github.com/apache/incubator-netbeans/pull/227> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

678. matthiasblaesing commented on issue #212: [NETBEANS-54] Module Review o.apache.commons.logging URL: <https://github.com/apache/incubator-netbeans/pull/212#issuecomment-341408121> Thank you - looks good. Merging! -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

679. matthiasblaesing closed pull request #212: [NETBEANS-54] Module Review o.apache.commons.logging URL: <https://github.com/apache/incubator-netbeans/pull/212> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.apache.commons.logging/external/binaries-list b/o.apache.commons.logging/external/binaries-list index fd43abf6f..5f562869c 100644 --- a/o.apache.commons.logging/external/binaries-list +++ b/o.apache.commons.logging/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -2D859791FBF7D880591864BD4004D8442A8A3B81 commons-logging-1.1.1.jar +5043BFEB3DB072ED80FBD362E7CAF00E885D8AE commons-logging:commons-logging:1.1.1 diff --git a/o.apache.commons.logging/external/commons-logging-1.1.1-notice.txt new file mode 100644 index 000000000..3d948f5a6 --- /dev/null +++ b/o.apache.commons.logging/external/commons-logging-1.1.1-notice.txt @@ -0,0 +1,5 @@ +Apache Commons Logging +Copyright 2003-2007 The Apache Software Foundation + +This product includes software developed by +The Apache Software Foundation (<http://www.apache.org/>). -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

680. matthiasblaesing commented on issue #209: [NETBEANS-54] Module Review o.apache.commons.lang URL: <https://github.com/apache/incubator-netbeans/pull/209#issuecomment-341408438> Thanks for ensuring correct naming! -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

681. matthiasblaesing closed pull request #209: [NETBEANS-54] Module Review o.apache.commons.lang URL: <https://github.com/apache/incubator-netbeans/pull/209> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.apache.commons.lang/external/binaries-list b/o.apache.commons.lang/external/binaries-list index 560390362..dd6121416 100644 --- a/o.apache.commons.lang/external/binaries-list +++ b/o.apache.commons.lang/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -0CE1EDB914C94EBC388F086C6827E8BDEEC71AC2 commons-lang-2.6.jar +0CE1EDB914C94EBC388F086C6827E8BDEEC71AC2 commons-lang:commons-lang:2.6 diff --git a/o.apache.commons.lang/external/org.apache.commons.lang-2.6.0.v201404270220-license.txt b/o.apache.commons.lang/external/common-lang-2.6-license.txt similarity index 100% rename from o.apache.commons.lang/external/org.apache.commons.lang-2.6.0.v201404270220-license.txt rename to o.apache.commons.lang/external/common-lang-2.6-license.txt diff --git a/o.apache.commons.lang/external/common-lang-2.6-notice.txt new file mode 100644 index 000000000..c0696a6c3 --- /dev/null +++ b/o.apache.commons.lang/external/common-lang-2.6-notice.txt @@ -0,0 +1,5 @@ +Apache Commons Lang +Copyright 2001-2011 The Apache Software Foundation + +This product includes software developed by +The Apache Software Foundation (<http://www.apache.org/>). \ No newline at end of file -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

682. matthiasblaesing closed pull request #210: [NETBEANS-54] Module Review o.apache.commons.codec URL: <https://github.com/apache/incubator-netbeans/pull/210> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.apache.commons.codec/build.xml b/o.apache.commons.codec/build.xml index af4316748..20f87dffa 100644 --- a/o.apache.commons.codec/build.xml +++ b/o.apache.commons.codec/build.xml @@ -23,7 +23,7 @@ <import file="..nbbuild/templates/projectized.xml"/> <target name="jar"> <jar jarfile="\${cluster}/\${module.jar}"> - <zipfileset src="external/apache-commons-codec-1.3.jar"/> + <zipfileset src="external/commons-codec-1.3.jar"/> </manifest> <attribute name="Bundle-SymbolicName" value="org.apache.commons.codec"/> <attribute name="Bundle-Version" value="1.3.0"/> diff --git a/o.apache.commons.codec/external/binaries-list b/o.apache.commons.codec/external/binaries-list index b34abc540..9caf2fac6 100644 --- a/o.apache.commons.codec/external/binaries-list +++ b/o.apache.commons.codec/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -FD32786786E2ADB664D5ECC965DA47629DCA14BA apache-commons-codec-1.3.jar +FD32786786E2ADB664D5ECC965DA47629DCA14BA commons-codec:commons-codec:1.3 diff --git a/o.apache.commons.codec/external/org.apache.commons.codec-1.3.0-license.txt b/o.apache.commons.codec/external/commons-codec-1.3-license.txt similarity index 100% rename from o.apache.commons.codec/external/org.apache.commons.codec-1.3.0-license.txt rename to o.apache.commons.codec/external/commons-codec-1.3-license.txt diff --git a/o.apache.commons.codec/external/commons-codec-1.3-notice.txt new file mode 100644 index 000000000..7196130f7 --- /dev/null +++ b/o.apache.commons.codec/external/commons-codec-1.3-notice.txt @@ -0,0 +1,2 @@ +This product includes software developed by +The Apache Software Foundation (<http://www.apache.org/>). \ No newline at end of file diff --git a/o.apache.commons.codec/nbproject/project.xml b/o.apache.commons.codec/nbproject/project.xml index 72f270a8e..19e85cb94 100644 --- a/o.apache.commons.codec/nbproject/project.xml +++ b/o.apache.commons.codec/nbproject/project.xml @@ -28,7 +28,7 @@ <public-packages/> <class-path-extension> <runtime-relative-path>org-apache-commons-codec.jar</runtime-relative-path> - <binary-origin>external/apache-commons-codec-1.3.jar</binary-origin> + <binary-origin>external/commons-codec-1.3.jar</binary-origin> </class-path-extension> </data> </configuration> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

683. geertjanw opened a new pull request #228: [NETBEANS-54] Module Review jump to URL: <https://github.com/apache/incubator-netbeans/pull/228> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

684. geertjanw commented on issue #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42#issuecomment-341431686> Reopening with the above question. -----
----- This is an automated message from the Apache Git Service.

To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

685. vieiro opened a new pull request #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42> - No external libraries. - Checked Rat report: added license to project files. Did NOT add license to editor/demosrc/README nor to the rest of test files. - Unit tests `org.netbeans.editor.PlainDocumentCompatibilityRandomTest` and `org.netbeans.modules.editor.NbEditorToolBarTest` fail (but they were also failing before this PR). - QA Tests should be run. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
686. geertjanw opened a new pull request #229: [NETBEANS-54] Module Review `spi.navigator` & `spi.palette` URL: <https://github.com/apache/incubator-netbeans/pull/229> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
687. vieiro commented on issue #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42#issuecomment-341436166> Will take a look at them tonight. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
688. geertjanw opened a new pull request #230: [NETBEANS-54] Module Review ide URL: <https://github.com/apache/incubator-netbeans/pull/230> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
689. geertjanw opened a new pull request #231: [NETBEANS-54] Module Review `jemmy` URL: <https://github.com/apache/incubator-netbeans/pull/231> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
690. geertjanw opened a new pull request #232: [NETBEANS-54] Module Review `jellytools.platform` URL: <https://github.com/apache/incubator-netbeans/pull/232> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
691. vieiro opened a new pull request #233: [NETBEANS-54] Module Review `o.eclipse.core.runtime` URL: <https://github.com/apache/incubator-netbeans/pull/233> - Added maven coordinates for the binary. - No other licensing issues found (but for `manifest.mf`, to be handled centrally). ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
692. geertjanw commented on issue #233: [NETBEANS-54] Module Review `o.eclipse.core.runtime` URL: <https://github.com/apache/incubator-netbeans/pull/233#issuecomment-341592945> Thanks, looks good. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
693. junichi11 commented on a change in pull request #42: [NETBEANS-54] Module Review editor URL: https://github.com/apache/incubator-netbeans/pull/42#discussion_r148699327 ##### File path: `nbbuild/build.xml` ##### @@ -2002,6 +2002,14 @@ It is possible to use - `Ddebug.port=3234` - `Ddebug.pause=y` to start the system in `d` <exclude name="debugger.jpda/test/unit/src/org/netbeans/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!-- test data --> + <exclude name="editor/test/qa-functional/data/projects/editor_test/src/**/*.txt" /> <!-- test data --> + <exclude name="editor/test/qa-functional/data/**/*.pass" /> <!-- qa test data --> + <exclude name="editor/test/qa-functional/src/org/netbeans/test/editor/suites/keybindings/actions.txt" /> <!-- qa test data --> + <exclude name="editor/test/qa-functional/data/projects/editor_test/src/org/netbeans/test/editor/search/IncrementalSearchTest/**/*.txt" /> <!-- qa test data --> Review comment: This line is excluded with `<exclude name="*/test/qa-functional/data/**" />`. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
694. junichi11 commented on a change in pull request #42: [NETBEANS-54] Module Review editor URL: https://github.com/apache/incubator-netbeans/pull/42#discussion_r148699047 ##### File path: `nbbuild/build.xml` ##### @@ -2002,6 +2002,14 @@ It is possible to use - `Ddebug.port=3234` - `Ddebug.pause=y` to start the system in `d` <exclude name="debugger.jpda/test/unit/src/org/netbeans/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!-- test data --> + <exclude name="editor/test/qa-functional/data/projects/editor_test/src/**/*.txt" /> <!-- test data --> + <exclude name="editor/test/qa-functional/data/**/*.pass" /> <!-- qa test data --> Review comment: These two lines are excluded with `<exclude name="*/test/qa-functional/data/**" />`. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
695. junichi11 commented on a change in pull request #42: [NETBEANS-54] Module Review editor URL: https://github.com/apache/incubator-netbeans/pull/42#discussion_r148699900 ##### File path: `nbbuild/build.xml` ##### @@ -2002,6 +2002,14 @@ It is possible to use - `Ddebug.port=3234` - `Ddebug.pause=y` to start the system in `d` <exclude name="debugger.jpda/test/unit/src/org/netbeans/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!-- test data --> + <exclude name="editor/test/qa-functional/data/projects/editor_test/src/**/*.txt" /> <!-- test data --> + <exclude name="editor/test/qa-functional/data/**/*.pass" /> <!-- qa test data --> + <exclude name="editor/test/qa-functional/src/org/netbeans/test/editor/suites/keybindings/actions.txt" /> <!-- qa test data --> + <exclude name="editor/test/qa-functional/data/projects/editor_test/src/org/netbeans/test/editor/search/IncrementalSearchTest/**/*.txt" /> <!-- qa test data --> + <exclude name="editor/test/unit/src/org/netbeans/modules/editor/resources/**/*.xml" /> <!-- unit test data --> Review comment: I suggest `<exclude name="editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation*.xml" />`. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
696. junichi11 commented on a change in pull request #232: [NETBEANS-54] Module Review `jellytools.platform` URL: https://github.com/apache/incubator-netbeans/pull/232#discussion_r148709253 ##### File path: `jellytools.platform/src/org/netbeans/jellytools/version_info` ##### @@ -1,3 +1,19 @@ + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. Review comment: This file is used as a manifest file. So, probably, the license header cannot be added. <https://github.com/apache/incubator-netbeans/blob/7f1440637c74b193db41a9cc26437f94cb41c79c/jellytools.platform/src/org/netbeans/jellytools/JellyVersion.java#L73-L80> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
697. vieiro commented on issue #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42#issuecomment-341626789> Thanks, guys, for your reviews. I'll do a new PR tonight/EU Time. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
698. geertjanw closed pull request #222: [NETBEANS-54] Module Review `javahelp` URL: <https://github.com/apache/incubator-netbeans/pull/222> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): `diff --git a/javahelp/src/org/netbeans/modules/javahelp/resources/favorites_2_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/favorites_2_0.dtd index 526b34457..a892681a9 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/favorites_2_0.dtd +++`

b/javahelp/src/org/netbeans/modules/javahelp/resources/favorites_2_0.dtd @@ -1,10 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> <!-- This is the DTD for favorites - Copyright (c) 2001 Sun Microsystems +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. - @(#)favorites_2_0.dtd 1.2 03/19/02 --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_1_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_1_0.dtd index bc743bb57..deeee37e3 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_1_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_1_0.dtd @@ -1,10 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for helpset - Copyright (c) 1998,1999 Sun Microsystems +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. - @(#)helpset_1_0.dtd 1.5 01/14/99 --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_2_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_2_0.dtd index f59f220fa..e2e911791 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_2_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/helpset_2_0.dtd @@ -1,10 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for helpset - Copyright (c) 1998,1999 Sun Microsystems +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. - @(#)helpset_2_0.dtd 1.5 06/05/03 --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/index_1_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/index_1_0.dtd index 7f7b1ab67..d2266cb8d 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/index_1_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/index_1_0.dtd @@ -1,10 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for Index - Copyright (c) 1998 Sun Microsystems +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. - @(#)index_1_0.dtd 1.2 01/03/99 --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/index_2_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/index_2_0.dtd index 4b51dfe2..06ab255a3 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/index_2_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/index_2_0.dtd @@ -1,10 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for Index - Copyright (c) 1998 Sun Microsystems +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. - @(#)index_2_0.dtd 1.4 06/05/03 --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/map_1_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/map_1_0.dtd index dd4d13db2..637b0eeb9 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/map_1_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/map_1_0.dtd @@ -1,10 +1,23 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for (flat) Maps - Copyright (c) 1998 Sun Microsystems - - @(#)map_1_0.dtd 1.1 12/17/98 +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/map_2_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/map_2_0.dtd index d241d8374..cab8725c1 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/map_2_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/map_2_0.dtd @@ -1,10 +1,23 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for (flat) Maps - Copyright (c) 1998 Sun Microsystems - - @(#)map_2_0.dtd 1.1 03/19/02 +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/toc_1_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/toc_1_0.dtd index a5e9337b8..96bc0d813 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/toc_1_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/toc_1_0.dtd @@ -1,10 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for TOC - Copyright (c) 1998 Sun Microsystems +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. - @(#)toc_1_0.dtd 1.3 01/03/99 --> diff --git

a/javahelp/src/org/netbeans/modules/javahelp/resources/toc_2_0.dtd b/javahelp/src/org/netbeans/modules/javahelp/resources/toc_2_0.dtd index d8b6908b3..646864dd1 100644 --- a/javahelp/src/org/netbeans/modules/javahelp/resources/toc_2_0.dtd +++

b/javahelp/src/org/netbeans/modules/javahelp/resources/toc_2_0.dtd @@ -1,10 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1"?> <!-- This is the DTD for TOC - Copyright (c) 1998 Sun Microsystems +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. - @(#)toc_2_0.dtd 1.4 06/05/03 --> -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

699. geertjanw closed pull request #231: [NETBEANS-54] Module Review jemmy URL: <https://github.com/apache/incubator-netbeans/pull/231> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/jemmy/CHANGES b/jemmy/CHANGES index c81e834b3..d2d9b6100 100644 --- a/jemmy/CHANGES +++ b/jemmy/CHANGES @@ -1,44 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 2009-2017 Oracle and/or its affiliates. All rights reserved. -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not

use this file except in compliance with the -# License. You can obtain a copy of the License at -# <http://www.netbeans.org/cddl-gplv2.html> -# or
nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the
software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -#
particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If
applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions
Copyrighted [year] [name of copyright owner]" -# Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See
the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache
License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + #
Contributor(s): + # <http://www.apache.org/licenses/LICENSE-2.0> + # -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun
Microsystems, Inc. Portions Copyright 2009-2010 Sun -# Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by
only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the
[CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under
either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and
therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. + # Unless
required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES
OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the
License. + #VERSION 1.0.1 1. Jemmy versioning has been started. diff --git a/jemmy/src/org/netbeans/modules/jemmy/idemodule/Bundle.properties
b/jemmy/src/org/netbeans/modules/jemmy/idemodule/Bundle.properties index 3ca118a78..2b3297369 100644 ---
a/jemmy/src/org/netbeans/modules/jemmy/idemodule/Bundle.properties +++ b/jemmy/src/org/netbeans/modules/jemmy/idemodule/Bundle.properties @@ -1,45
+1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + # Licensed to the Apache Software Foundation (ASF) under one
+ # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The
ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # -# Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + # <http://www.apache.org/licenses/LICENSE-2.0> + # -
Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this
file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution
License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -#
<http://www.netbeans.org/cddl-gplv2.html> -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and
limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -#
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2
section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets []
replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# Contributor(s): -# -# The Original Software is
NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -# Microsystems, Inc. All Rights
Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "
[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license,
a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as
provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -#
made subject to such option by the copyright holder. -# Author: Adam Sotona + # Unless required by applicable law
or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF
ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. # Module
properties: OpenIDE-Module-Name=Jemmy diff --git a/jemmy/test/unit/gui_resource b/jemmy/test/unit/gui_resource index 78b009d4f..bbd07f965 100644 ---
a/jemmy/test/unit/gui_resource +++ b/jemmy/test/unit/gui_resource @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or
more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License.
#Forte4Java #Windows diff --git a/jemmy/test/unit/jemmy.timeouts
b/jemmy/test/unit/jemmy.timeouts index dd6d2a68e..54c5ea78e 100644 --- a/jemmy/test/unit/jemmy.timeouts +++ b/jemmy/test/unit/jemmy.timeouts @@ -1,3
+1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with
this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + #
"License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # + #
<http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + #
specific language governing permissions and limitations + # under the License. Waiter.WaitingTime=11111 QueueTool.WaitQueueEmptyTimeout=10000
FrameWaiter.AfterFrameTimeout=100 diff --git a/jemmy/test/unit/testlist b/jemmy/test/unit/testlist index 3806c12d3..78bc8e308 100644 ---
a/jemmy/test/unit/testlist +++ b/jemmy/test/unit/testlist @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or
contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF
licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You
may obtain a copy of the License at + # + # <http://www.apache.org/licenses/LICENSE-2.0> + # + # Unless required by applicable law or agreed to in writing, + # software
distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or
implied. See the License for the + # specific language governing permissions and limitations + # under the License. org.netbeans.jemmy.testing.jemmy_001
org.netbeans.jemmy.testing.jemmy_002 org.netbeans.jemmy.testing.jemmy_003 ----- This is an automated
message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about
this service, please contact Infrastructure at: users@infra.apache.org

700. geertjanw closed pull request #229: [NETBEANS-54] Module Review spi.navigator & spi.palette URL: <https://github.com/apache/incubator-netbeans/pull/229>
This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull
request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git
a/spi.navigator/src/org/netbeans/modules/navigator/resources/navigator.wsmode b/spi.navigator/src/org/netbeans/modules/navigator/resources/navigator.wsmode
index 3efca0fb9..0ecb6e2b6 100644 --- a/spi.navigator/src/org/netbeans/modules/navigator/resources/navigator.wsmode +++
b/spi.navigator/src/org/netbeans/modules/navigator/resources/navigator.wsmode @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- + Licensed
to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional
information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this
file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless required by
applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!DOCTYPE mode PUBLIC "-//NetBeans/DTD Mode Properties 2.0/EN" "http://www.netbeans.org/dtds/mode-properties2_0.dtd"> diff --git
a/spi.palette/src/org/netbeans/modules/palette/resources/commonpalette.wsmode b/spi.palette/src/org/netbeans/modules/palette/resources/commonpalette.wsmode
index f3e79db85..0933fd776 100644 --- a/spi.palette/src/org/netbeans/modules/palette/resources/commonpalette.wsmode +++
b/spi.palette/src/org/netbeans/modules/palette/resources/commonpalette.wsmode @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> + <!-- +
Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for
additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not
use this file except in compliance + with the License. You may obtain a copy of the License at + + <http://www.apache.org/licenses/LICENSE-2.0> + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <!DOCTYPE mode PUBLIC "-//NetBeans/DTD Mode Properties 2.0/EN" "http://www.netbeans.org/dtds/mode-properties2_0.dtd"> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the
URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

701. geertjanw closed pull request #228: [NETBEANS-54] Module Review jumpto URL: <https://github.com/apache/incubator-netbeans/pull/228> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/jumpto/nbproject/project.xml b/jumpto/nbproject/project.xml index ff9ec269d..31b1bd0e5 100644 --- a/jumpto/nbproject/project.xml +++ b/jumpto/nbproject/project.xml @@ -19,52 +19,6 @@ under the License. --> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. --> <!-- Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. --> <!-- Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. --> <!-- The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" --> <!-- Contributor(s): --> <!-- The Original Software is the Accelerators module. --> <!-- The Initial Developer of the Original Software is Andrei Badea. --> <!-- Portions Copyright 2005-2006 Andrei Badea. --> <!-- All Rights Reserved. --> <!-- If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. --> <!-- However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --> <!--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.apisupport.project</type> <configuration> diff --git a/jumpto/src/org/netbeans/modules/jumpto/file/Bundle.properties b/jumpto/src/org/netbeans/modules/jumpto/file/Bundle.properties index e51e9b20d..655f24ef8 100644 --- a/jumpto/src/org/netbeans/modules/jumpto/file/Bundle.properties +++ b/jumpto/src/org/netbeans/modules/jumpto/file/Bundle.properties @@ -1,45 +1,19 @@ DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" --# -# Contributor(s): --# -# The Original Software is the Accelerators module. --# -# The Initial Developer of the Original Software is Andrei Badea. --# -# Portions Copyright 2005-2006 Andrei Badea. --# -# All Rights Reserved. --# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -#" [Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. --# -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. --# Unless required by applicable law or agreed to in writing, --# software distributed under the License is distributed on an --# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY --# KIND, either express or implied. See the License for the --# specific language governing permissions and limitations --# under the License. # FileSearchAction CTL_FileSearchAction=Go to &File... diff --git a/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchAction.java b/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchAction.java index 56875ce9e..1a451510e 100644 --- a/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchAction.java +++ b/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchAction.java @@ -1,47 +1,20 @@ DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" -- * - * Contributor(s): -- * - * The Original Software is the Accelerators module. - * The Initial Developer of the Original Software is Andrei Badea. - * Portions Copyright 2005-2006 Andrei Badea. - * All Rights Reserved. +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ + * Contributor(s): markiewb@netbeans.org diff --git a/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchOptions.java b/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchOptions.java index 8371c72fc..bce4f58df 100644 --- a/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchOptions.java +++ b/jumpto/src/org/netbeans/modules/jumpto/file/FileSearchOptions.java @@ -1,47 +1,20 @@ DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" -- * - * Contributor(s): -- * - * The Original Software is the Accelerators module. - * The Initial Developer of the Original Software is Andrei Badea. - * Portions Copyright 2005-2006 Andrei Badea. - * All Rights Reserved. +/** + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ + * package org.netbeans.modules.jumpto.file; diff --git a/jumpto/src/org/netbeans/modules/jumpto/resources/Bundle.properties b/jumpto/src/org/netbeans/modules/jumpto/resources/Bundle.properties index a0f3a9894..5e751286c 100644 ---

```

a/jumpton/src/org/netbeans/modules/jumpton/resources/Bundle.properties +++ b/jumpton/src/org/netbeans/modules/jumpton/resources/Bundle.properties @@ -1,45
+1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +# Licensed to the Apache Software Foundation (ASF) under one
+# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The
ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You
may obtain a copy of the License at # -# Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. +# http://www.apache.org/licenses/LICENSE-2.0 # -
# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this
file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution
License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -#
http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and
limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -#
nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2
section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets []
replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# Contributor(s): -# -# The Original Software is
the Accelerators module. -# The Initial Developer of the Original Software is Andrei Badea. -# Portions Copyright 2005-2006 Andrei Badea. -# All Rights
Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "
[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license,
a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as
provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -#
made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is
distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +#
specific language governing permissions and limitations +# under the License. OpenIDE-Module-Name=Jump To OpenIDE-Module-Display-Category=Editing
diff --git a/jumpton/src/org/netbeans/modules/jumpton/resources/layer.xml b/jumpton/src/org/netbeans/modules/jumpton/resources/layer.xml index
280994247..3edc96740 100644 --- a/jumpton/src/org/netbeans/modules/jumpton/resources/layer.xml +++
b/jumpton/src/org/netbeans/modules/jumpton/resources/layer.xml @@ -1,48 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- DO NOT ALTER OR
REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names
may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 - -The contents of this file are subject to the terms of either the
GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may
not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or
nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the
software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular
file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable,
add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year]
[name of copyright owner]" - -Contributor(s): - -The Original Software is the Accelerators module. -The Initial Developer of the Original Software is Andrei
Badea. -Portions Copyright 2005-2006 Andrei Badea. -All Rights Reserved. - -If you wish your version of this file to be governed by only the CDDL -or only the
GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license."
If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2
or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license,
then the option applies only if the new code is -made subject to such option by the copyright holder. + Unless required by applicable law or agreed to in writing, +
software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.
See the License for the + specific language governing permissions and limitations + under the License. --> <!-- diff --git
a/jumpton/test/unit/src/org/netbeans/modules/jumpton/common/HighlightingNameFormatterTest.java
b/jumpton/test/unit/src/org/netbeans/modules/jumpton/common/HighlightingNameFormatterTest.java index 684f4923a..22e69241a 100644 ---
a/jumpton/test/unit/src/org/netbeans/modules/jumpton/common/HighlightingNameFormatterTest.java +++
b/jumpton/test/unit/src/org/netbeans/modules/jumpton/common/HighlightingNameFormatterTest.java @@ -1,44 +1,20 @@ -/* - * DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 2012 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered
trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms
of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - *
"License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-
gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License.
When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle
designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - *
accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying
information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be governed by only the CDDL - * or
only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version
2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the
GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL -
* Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/** + * Licensed to the Apache Software
Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + *
regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in
compliance + * with the License. You may obtain a copy of the License at + * Contributor(s): + * markiewb@netbeans.org + *
http://www.apache.org/licenses/LICENSE-2.0 + * - * Portions Copyrighted 2012 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in
writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND,
either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package
org.netbeans.modules.jumpton.common; ----- This is an automated message from the Apache Git Service. To
respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at:
users@infra.apache.org

```

702. geertjanw closed pull request #230: [NETBEANS-54] Module Review ide URL: <https://github.com/apache/incubator-netbeans/pull/230> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/ide/bluej110n.list b/ide/bluej110n.list index bb276dc12..40488f663 100644 --- a/ide/bluej110n.list +++ b/ide/bluej110n.list @@ -1,3 +1,20 @@ -# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +# ide/bluej-suite/branding/**/Bundle.properties ide/bluej-suite/branding/**/gif ide/bluej-suite/bluej-welcome/**/Bundle.properties diff --git a/ide/launcher/macosx/NetBeansLauncher/English.lproj/MainMenu.nib/info.nib b/ide/launcher/macosx/NetBeansLauncher/English.lproj/MainMenu.nib/info.nib index e0da0549c..ed3fb27a8 100644 --- a/ide/launcher/macosx/NetBeansLauncher/English.lproj/MainMenu.nib/info.nib +++ b/ide/launcher/macosx/NetBeansLauncher/English.lproj/MainMenu.nib/info.nib @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + + --> <!DOCTYPE plist PUBLIC "-//Apple Computer//DTD PLIST 1.0/EN" "http://www.apple.com/DTDs/PropertyList-1.0.dtd"> <plist

version="1.0"> <dict> diff --git a/ide/launcher/netbeans.clusters b/ide/launcher/netbeans.clusters index 4e2e8859a..2ea6c1cb9 100644 ---

a/ide/launcher/netbeans.clusters +++ b/ide/launcher/netbeans.clusters @@ -1,3 +1,20 @@ # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # # http://www.apache.org/licenses/LICENSE-2.0 # # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # platform cluster first platform # application cluster second diff --git a/ide/launcher/netbeans.conf b/ide/launcher/netbeans.conf index e8620d591..dbf8640f1 100644 --- a/ide/launcher/netbeans.conf +++ b/ide/launcher/netbeans.conf @@ -1,3 +1,20 @@ # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # # http://www.apache.org/licenses/LICENSE-2.0 # # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # Default locations of userdir and cachedir: #

(http://wiki.netbeans.org/FaqWhatIsUserdir) # diff --git a/ide/launcher/windows/.dep.inc b/ide/launcher/windows/.dep.inc index 4560e55af..08c0aeb8f 100644 --- a/ide/launcher/windows/.dep.inc +++ b/ide/launcher/windows/.dep.inc @@ -1,3 +1,20 @@ # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # # http://www.apache.org/licenses/LICENSE-2.0 # # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # This code depends on make tool being used DEPPFILES=\$(wildcard \$(addsuffix .d, \$(OBJECTFILES))) ifneq (\$(DEPPFILES),) ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

703. geertjanw closed pull request #223: [NETBEANS-54] Module Review libs.nbi.ant URL: <https://github.com/apache/incubator-netbeans/pull/223> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/libs.nbi.ant/stub/ext/components/products/helloworld/src/org/mycompany/wizard/panels/Bundle.properties b/libs.nbi.ant/stub/ext/components/products/helloworld/src/org/mycompany/wizard/panels/Bundle.properties index 1c1b64d4a..96cb31b91 100644 --- a/libs.nbi.ant/stub/ext/components/products/helloworld/src/org/mycompany/wizard/panels/Bundle.properties +++ b/libs.nbi.ant/stub/ext/components/products/helloworld/src/org/mycompany/wizard/panels/Bundle.properties @@ -1,41 +1,19 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # # Copyright (c) 2010, 2016 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # # Contributor(s): # HelloWorldPanel.java # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. P.title={product-name} Installation P.description=Choose destination folder. P.destination.label.text=&Install {product-name} to: diff --git a/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/utls/applications/Bundle.properties b/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/utls/applications/Bundle.properties index 56afab3a2..33168547e 100644 --- a/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/utls/applications/Bundle.properties +++ b/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/utls/applications/Bundle.properties @@ -1,41 +1,19 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # # Copyright (c) 2010, 2016 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # # Contributor(s): ##### # NetBeansRCPUtils.java - NU.error.cannot.get.userdir=Can't get application userdir from {0} diff --git a/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/wizard/components/sequences/Bundle.properties b/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/wizard/components/sequences/Bundle.properties index 57bd06c16..69c1e5866 100644 --- a/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/wizard/components/sequences/Bundle.properties +++ b/libs.nbi.ant/stub/ext/engine/src/org/mycompany/installer/wizard/components/sequences/Bundle.properties @@ -1,41 +1,20 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # # Copyright (c) 2010, 2016 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and

limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # # Contributor(s): ##### # MainSequence.java MS.IA.title=Installation MS.IA.description=Please wait while the installer installs {product-name}. diff --git a/libs.nbi.ant/stub/template.xml b/libs.nbi.ant/stub/template.xml index e324b15b7..8b05d454d 100644 --- a/libs.nbi.ant/stub/template.xml +++ b/libs.nbi.ant/stub/template.xml @@ -1,3 +1,23 @@ <!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <project name="build installers" default="build" basedir="." --> <!--> <property file="{basedir}/template.properties"/>--> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub

704. geertjanw closed pull request #219: [NETBEANS-54] Module Review websvc.saas.codegen.java URL: <https://github.com/apache/incubator-netbeans/pull/219>
This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/Bundle.properties b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/Bundle.properties index 4043c5fb8..ad582864b 100644 --- a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/Bundle.properties +++ b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/Bundle.properties @@ -1,45 +1,19 @@ # DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. ## Licensed to the Apache Software Foundation (ASF) under one ## or more contributor license agreements. See the NOTICE file ## distributed with this work for additional information ## regarding copyright ownership. The ASF licenses this file ## to you under the Apache License, Version 2.0 (the ## "License"); you may not use this file except in compliance ## with the License. You may obtain a copy of the License at # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. ## http://www.apache.org/licenses/LICENSE-2.0 ## Oracle and Java are registered trademarks of Oracle and/or its affiliates. ## Other names may be trademarks of their respective owners. ## The contents of this file are subject to the terms of either the GNU ## General Public License Version 2 only ("GPL") or the Common ## Development and Distribution License("CDDL") (collectively, the ## "License"). You may not use this file except in compliance with the ## License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the ## specific language governing permissions and limitations under the ## License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # Contributor(s): # # The Original Software is NetBeans. The Initial Developer of the Original # Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun # Microsystems, Inc. All Rights Reserved. # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # Sample ResourceBundle properties file # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. OpenIDE-Module-Name=SaaS Services Code Generation for Java OpenIDE-Module-Display-Category=Java diff --git a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/ApiKeyAuthenticator.template b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/ApiKeyAuthenticator.template index 95402f981..4904eb515 100644 -- - a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/ApiKeyAuthenticator.template +++ b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/ApiKeyAuthenticator.template @@ -1,4 +1,23 @@ <!-- FreeMarker template (see http://freemarker.org) --> <!-- FreeMarker template (see http://freemarker.org) + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> <#assign licenseLast = " */"> diff --git a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/HttpBasicAuthenticator.template b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/HttpBasicAuthenticator.template index f68c9724b..04cb19f70 100644 --- a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/HttpBasicAuthenticator.template +++ b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/HttpBasicAuthenticator.template @@ -1,4 +1,23 @@ <!-- FreeMarker template (see http://freemarker.org) --> <!-- FreeMarker template (see http://freemarker.org) + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> <#assign licenseLast = " */"> diff --git a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestConnection.template b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestConnection.template index f570264e4..f2e26a59f 100644 --- a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestConnection.template +++ b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestConnection.template @@ -1,4 +1,23 @@ <!-- FreeMarker template (see http://freemarker.org) --> <!-- FreeMarker template (see http://freemarker.org) + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> <#assign licenseLast = " */"> diff --git a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestResponse.template b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestResponse.template index c4364b93d..e0a698d08 100644 --- a/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestResponse.template +++ b/websvc.saas.codegen.java/src/org/netbeans/modules/websvc/saas/codegen/java/resources/RestResponse.template @@ -1,4 +1,23 @@ <!-- FreeMarker template (see http://freemarker.org) --> <!-- FreeMarker template (see http://freemarker.org) + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied.

See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> <#assign licenseLast = " *"/> diff --git a/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SaaSService.template b/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SaaSService.template index b29f79956..d1736f36c 100644 --- a/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SaaSService.template +++ b/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SaaSService.template @@ -1,4 +1,23 @@ -<#-- FreeMarker template (see http://freemarker.org) --> +<#-- FreeMarker template (see http://freemarker.org) + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> <#assign licenseLast = " *"/> diff --git

a/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SessionKeyAuthenticator.template b/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SessionKeyAuthenticator.template index 5b1f1132a..2da0f0c80 100644 --- a/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SessionKeyAuthenticator.template +++ b/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SessionKeyAuthenticator.template @@ -1,4 +1,23 @@ -<#-- FreeMarker template (see http://freemarker.org) --> +<#-- FreeMarker template (see http://freemarker.org) + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> <#assign licenseLast = " *"/> diff --git

a/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SignedUrlAuthenticator.template b/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SignedUrlAuthenticator.template index 3330c2467..4e0dfa10b 100644 --- a/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SignedUrlAuthenticator.template +++ b/webmvc.saas.codegen.java/src/org/netbeans/modules/webmvc/saas/codegen/java/resources/SignedUrlAuthenticator.template @@ -1,4 +1,23 @@ -<#-- FreeMarker template (see http://freemarker.org) --> +<#-- FreeMarker template (see http://freemarker.org) + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign licensePrefix = " * "> <#assign licenseLast = " *"/> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

705. geertjanw commented on issue #218: [NETBEANS-54] Module Review xml.jaxb URL: <https://github.com/apache/incubator-netbeans/pull/218#issuecomment-341673939> Thanks a lot for the review, makes sense, will do. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

706. matthiasblaesing closed pull request #233: [NETBEANS-54] Module Review o.eclipse.core.runtime URL: <https://github.com/apache/incubator-netbeans/pull/233> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.eclipse.core.runtime/external/binaries-list b/o.eclipse.core.runtime/external/binaries-list index 071544d04..cb8539372 100644 --- a/o.eclipse.core.runtime/external/binaries-list +++ b/o.eclipse.core.runtime/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -D2D2105B1E3C9E2FA6240AD088237A57590DDA8D org.eclipse.core.runtime-3.7.0_nosignature.jar +6658C235056134F7E86295E751129508802D71F2 org.eclipse.core.runtime-3.7.0 diff --git a/o.eclipse.core.runtime/nbproject/project.properties b/o.eclipse.core.runtime/nbproject/project.properties index 611e0becf..dd023c945 100644 --- a/o.eclipse.core.runtime/nbproject/project.properties +++ b/o.eclipse.core.runtime/nbproject/project.properties @@ -14,6 +14,6 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -release.external/org.eclipse.core.runtime-3.7.0_nosignature.jar=modules/org-eclipse-core-runtime.jar +release.external/org.eclipse.core.runtime-3.7.0.jar=modules/org-eclipse-core-runtime.jar is.autoload=true nbm.module.author=Tomas Stupka diff --git a/o.eclipse.core.runtime/nbproject/project.xml b/o.eclipse.core.runtime/nbproject/project.xml index 56ba189a0..908d3427c 100644 --- a/o.eclipse.core.runtime/nbproject/project.xml +++ b/o.eclipse.core.runtime/nbproject/project.xml @@ -76,7 +76,7 @@ </public-packages> <class-path-extension> <runtime-relative-path>org-eclipse-core-runtime.jar</runtime-relative-path> - <binary-origin>external/org.eclipse.core.runtime-3.7.0_nosignature.jar</binary-origin> + <binary-origin>external/org.eclipse.core.runtime-3.7.0.jar</binary-origin> <class-path-extension> </data> </configuration> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

707. geertjanw commented on issue #226: [NETBEANS-54] adding license headers to UML files in openide.options URL: <https://github.com/apache/incubator-netbeans/pull/226#issuecomment-341843803> Thanks for the review! Merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

708. geertjanw closed pull request #226: [NETBEANS-54] adding license headers to UML files in openide.options URL: <https://github.com/apache/incubator-netbeans/pull/226> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/openide.options/uml/options.argo b/openide.options/uml/options.argo index 84dc573a5..bfa9ac79d 100644 --- a/openide.options/uml/options.argo +++ b/openide.options/uml/options.argo @@ -1,4 +1,24 @@ -<?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE argo SYSTEM "argo.dtd"> <argo> <documentation> diff --git a/openide.options/uml/options.xml b/openide.options/uml/options.xml index d716a478c..17cfd1877 100644 --- a/openide.options/uml/options.xml +++ b/openide.options/uml/options.xml @@ -1,4 +1,24 @@ -<?xml version="1.0" encoding="UTF-8" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE XMI SYSTEM "uml13.dtd"> <XMI xmi.version="1.0"> <XMI.header> diff --git a/openide.options/uml/options_classdiagram8.pgml b/openide.options/uml/options_classdiagram8.pgml index 5db37f03c..19dbde928 100644 --- a/openide.options/uml/options_classdiagram8.pgml +++ b/openide.options/uml/options_classdiagram8.pgml @@ -1,4 +1,24 @@ -<?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLClassDiagram|-44-24--118--42-572200:e11d48b612;-7ff0" name="options class" diff --git

- a/openide.options/uml/options_usecasediagram3.pgml b/openide.options/uml/options_usecasediagram3.pgml index 1a056dbb2..b5ea53bc7 100644 ---
a/openide.options/uml/options_usecasediagram3.pgml +++ b/openide.options/uml/options_usecasediagram3.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLUseCaseDiagram|-44-24--118--42-572200:e11d48b612:-7ff0" name="use case diagram 3" -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
709. geertjanw commented on issue #221: [NETBEANS-54] adding license headers to uml files in openide.windows URL: <https://github.com/apache/incubator-netbeans/pull/221#issuecomment-341843893> Thanks for the review! Merging now. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
710. geertjanw closed pull request #221: [NETBEANS-54] adding license headers to uml files in openide.windows URL: <https://github.com/apache/incubator-netbeans/pull/221> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/openide.windows/uml/windowsAPI.argo b/openide.windows/uml/windowsAPI.argo index 4be8ee56..ea56b567a 100644 --- a/openide.windows/uml/windowsAPI.argo +++ b/openide.windows/uml/windowsAPI.argo @@ -1,4 +1,24 @@ <?xml version = "1.0" encoding = "ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE argo SYSTEM "argo.dtd" > <argo <documentation> diff --git a/openide.windows/uml/windowsAPI.xmi b/openide.windows/uml/windowsAPI.xmi index 8daac2f36..b137dc6f7 100644 --- a/openide.windows/uml/windowsAPI.xmi +++ b/openide.windows/uml/windowsAPI.xmi @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE XMI SYSTEM "xmi13.dtd"> <XMI xmi.version="1.0"> <XMI.header> diff --git a/openide.windows/uml/windowsAPI_classdiagram1.pgml b/openide.windows/uml/windowsAPI_classdiagram1.pgml index 460d399d0..11a82c601 100644 --- a/openide.windows/uml/windowsAPI_classdiagram1.pgml +++ b/openide.windows/uml/windowsAPI_classdiagram1.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLClassDiagram|-44-24--118--42-4c0a7f:e140cb5010:-8000" name="windows" diff --git a/openide.windows/uml/windowsAPI_classdiagram2.pgml b/openide.windows/uml/windowsAPI_classdiagram2.pgml index b08ce785f..7e39f86e4 100644 --- a/openide.windows/uml/windowsAPI_classdiagram2.pgml +++ b/openide.windows/uml/windowsAPI_classdiagram2.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLClassDiagram|-44-24--118--42-4c0a7f:e140cb5010:-8000" name="inputoutput" diff --git a/openide.windows/uml/windowsAPI_usecasediagram1.pgml b/openide.windows/uml/windowsAPI_usecasediagram1.pgml index 6ed9ba3c8..880c4590c 100644 --- a/openide.windows/uml/windowsAPI_usecasediagram1.pgml +++ b/openide.windows/uml/windowsAPI_usecasediagram1.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLUseCaseDiagram|-44-24--118--42-4c0a7f:e140cb5010:-8000" name="use case diagram 1" -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
711. geertjanw commented on issue #232: [NETBEANS-54] Module Review jellytools.platform URL: <https://github.com/apache/incubator-netbeans/pull/232#issuecomment-341853421> Thanks for the review — and will follow your insights here ASAP. -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
712. geertjanw commented on issue #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: <https://github.com/apache/incubator-netbeans/pull/227#issuecomment-341853553> Thanks a lot for the review! ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
713. borxa opened a new pull request #235: [NETBEANS-54] Module Review html.editor URL: <https://github.com/apache/incubator-netbeans/pull/235> Files to be solved centrally: html.editor/src/org/netbeans/modules/html/editor/options/ui/formatSample.html
html.editor/src/org/netbeans/modules/html/editor/resources/HTMLExample.html.editor/src/org/netbeans/modules/html/editor/resources/XHTMLExample.html.editor/src/org/netbeans/modules/html/editor/todo.txt Added license to html catalog files (i don't know if these files need to be licensed):
html.editor/src/org/netbeans/modules/html/editor/resources/DTDs/3_2/catalog.html.editor/src/org/netbeans/modules/html/editor/resources/DTDs/4_0/catalog.html.editor/src/org/netbeans/modules/html/editor/resources/DTDs/4_01/catalog.html.editor/src/org/netbeans/modules/html/editor/resources/DTDs/xhtml/catalog (they are parsed in html.editor/src/org/netbeans/modules/html/editor/NbReaderProvider.java:981) This module use external "library" html-4.01.zip for html help. It doesn't exist in maven public repositories. It is downloaded from <https://www.w3.org/TR/html401/> Module should be updated to HTML5
<https://www.w3.org/TR/html5/> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
714. vieiro opened a new pull request #236: [NETBEANS-54] Module Review editor (rat exclusions) URL: <https://github.com/apache/incubator-netbeans/pull/236> - Added test files to rat exclusion list. - Added a license to a README file. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
715. vieiro commented on issue #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42#issuecomment-341875816> See #236 [@geertjanw](https://github.com/apache/incubator-netbeans/pull/236) I missed your first comments completely (lost in email folders), please open an issue for these updates, I won't miss those! Closing this PR now. ----- This is an automated message from the Apache

Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

716. vieiro closed pull request #42: [NETBEANS-54] Module Review editor URL: <https://github.com/apache/incubator-netbeans/pull/42> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/editor/demosrc/README b/editor/demosrc/README index 23c7ca80b..70a9628b7 100644 --- a/editor/demosrc/README +++ b/editor/demosrc/README @@ -1,3 +1,5 @@ +Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. + Introduction: This is the implementation of simple standalone editor application. It is based on the fact that NetBeans editors are pure swing editors. diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 12bd9ada1..237a9ffa1 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2002,6 +2002,14 @@ It is possible to use - Ddebug.port=3234 - Ddebug.pause=y to start the system in d <exclude name="debugger.jpda/test/unit/src/org/netbeans/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!-- test data --> <exclude name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!-- test data --> + <exclude name="editor/test/qa-functional/data/projects/editor_test/src/org/netbeans/test/editor/search/IncrementalSearchTest/**.txt" /> <!-- qa test data --> + <exclude name="editor/test/qa-functional/src/org/netbeans/test/editor/suites/keybindings/actions.txt" /> <!-- qa test data --> + <exclude name="editor/test/qa-functional/data/projects/editor_test/src/org/netbeans/test/editor/search/IncrementalSearchTest/**.txt" /> <!-- qa test data --> + <exclude name="editor/test/unit/src/org/netbeans/modules/editor/resources/**/*.xml" /> <!-- unit test data --> + <exclude name="editor/demosrc/base/org/netbeans/editor/example/res/template.java_" /> <!-- template file --> + <exclude name="editor/demosrc/base/org/netbeans/editor/example/res/template.html_" /> <!-- template file --> + <exclude name="editor/demosrc/properties-addon/org/netbeans/editor/example/res/template.properties" /> <!-- template file --> <exclude name="editor.fold/test/unit/src/org/netbeans/modules/editor/fold/FoldContentReader.txt" /> <!-- test data --> <exclude name="editor.plain/src/org/netbeans/modules/editor/plain/resources/PlainTextExample" /> <!-- license would be visible to users in the Fonts/Colors settings--> <exclude name="editor.settings.storage/test/unit/src/org/netbeans/modules/editor/settings/storage/compatibility/p1/**" /> <!-- test data --> -----
- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
717. vieiro opened a new pull request #237: [NETBEANS-54] Module Review o.eclipse.equinox.app URL: <https://github.com/apache/incubator-netbeans/pull/237> - Added maven coordinates for the external binary. - No other licensing issues found. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
718. vieiro opened a new pull request #238: [NETBEANS-54] Module Review o.eclipse.equinox.common URL: <https://github.com/apache/incubator-netbeans/pull/238> - Added maven coordinates for the external binary. - No other licensing issues found. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
719. geertjanw commented on issue #224: [NETBEANS-54] adding licenses to uml files in openide.nodes URL: <https://github.com/apache/incubator-netbeans/pull/224#issuecomment-341882768> Merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
720. geertjanw closed pull request #224: [NETBEANS-54] adding licenses to uml files in openide.nodes URL: <https://github.com/apache/incubator-netbeans/pull/224> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/openide.nodes/uml/classdiagram6.pgml b/openide.nodes/uml/classdiagram6.pgml index 83db18f43..e585a7e31 100644 --- a/openide.nodes/uml/classdiagram6.pgml +++ b/openide.nodes/uml/classdiagram6.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLClassDiagram|-44-24--118--42-79338f:e107ce5672:-7fea" name="properties" diff --git a/openide.nodes/uml/classdiagram7.pgml b/openide.nodes/uml/classdiagram7.pgml index 9a0552dae..e9e11a26d 100644 --- a/openide.nodes/uml/classdiagram7.pgml +++ b/openide.nodes/uml/classdiagram7.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLClassDiagram|-44-24--118--42-79338f:e107ce5672:-7fea" name="datatransfer" diff --git a/openide.nodes/uml/classdiagram8.pgml b/openide.nodes/uml/classdiagram8.pgml index 6d85c9c4c..bd6e497a4 100644 --- a/openide.nodes/uml/classdiagram8.pgml +++ b/openide.nodes/uml/classdiagram8.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE argo SYSTEM "argo.dtd"> <argo> <documentation> diff --git a/openide.nodes/uml/node_API.xmi b/openide.nodes/uml/node_API.xmi index e8bf33bf4..eced6ad75 100644 --- a/openide.nodes/uml/node_API.xmi +++ b/openide.nodes/uml/node_API.xmi @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE XMI SYSTEM "uml13.dtd"> <XMI xmi.version="1.0"> <XMI.header> diff --git a/openide.nodes/uml/node_API_API_classdiagram3.pgml b/openide.nodes/uml/node_API_API_classdiagram3.pgml index 074f354ed..a4946da9a 100644 --- a/openide.nodes/uml/node_API_API_classdiagram3.pgml +++ b/openide.nodes/uml/node_API_API_classdiagram3.pgml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml description="uci.uml.visual.UMLClassDiagram|-44-24--118--42-79338f:e107ce5672:-7fea" name="children" diff --git

a/openide.nodes/uml/node_API_API_classdiagram4.pgml b/openide.nodes/uml/node_API_API_classdiagram4.pgml index 423dd78b9..54bff3b93 100644 ---
a/openide.nodes/uml/node_API_API_classdiagram4.pgml +++ b/openide.nodes/uml/node_API_API_classdiagram4.pgml @@ -1,4 +1,24 @@<?xml
version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See
the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml
description="uci.uml.visual.UMLClassDiagram]-44-24--118--42-79338f:e107ce5672:-7fea" name="nodes" diff --git
a/openide.nodes/uml/node_API_API_classdiagram5.pgml b/openide.nodes/uml/node_API_API_classdiagram5.pgml index 7749bf29c..4c94881b4 100644 ---
a/openide.nodes/uml/node_API_API_classdiagram5.pgml +++ b/openide.nodes/uml/node_API_API_classdiagram5.pgml @@ -1,4 +1,24 @@<?xml
version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See
the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml
description="uci.uml.visual.UMLClassDiagram]-44-24--118--42-79338f:e107ce5672:-7fea" name="ordering" diff --git
a/openide.nodes/uml/node_API_API_usecasediagram3.pgml b/openide.nodes/uml/node_API_API_usecasediagram3.pgml index bda426694..b82554c39 100644 --
- a/openide.nodes/uml/node_API_API_usecasediagram3.pgml +++ b/openide.nodes/uml/node_API_API_usecasediagram3.pgml @@ -1,4 +1,24 @@<?xml
version="1.0" encoding="ISO-8859-1" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See
the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <!DOCTYPE pgml SYSTEM "pgml.dtd"> <pgml
description="uci.uml.visual.UMLUseCaseDiagram]-44-24--118--42-79338f:e107ce5672:-7fea" name="use case diagram 3" -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the
specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
721. geertjanw commented on issue #232: [NETBEANS-54] Module Review jellytools.platform URL: https://github.com/apache/incubator-
netbeans/pull/232#issuecomment-341888182 OK, removed the license as suggested by @junichi11. ----- This is
an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For
queries about this service, please contact Infrastructure at: users@infra.apache.org
722. geertjanw commented on issue #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: https://github.com/apache/incubator-
netbeans/pull/227#issuecomment-341888340 Is there a way to integrate your changes via GitHub -- or must I manually rework the code in my fork and then push?
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub
and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
723. geertjanw commented on issue #236: [NETBEANS-54] Module Review editor (rat exclusions) URL: https://github.com/apache/incubator-
netbeans/pull/236#issuecomment-341888446 Great, thanks, merging. ----- This is an automated message from the
Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please
contact Infrastructure at: users@infra.apache.org
724. geertjanw closed pull request #236: [NETBEANS-54] Module Review editor (rat exclusions) URL: https://github.com/apache/incubator-netbeans/pull/236 This is
a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request
(from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/editor/demosrc/README b/editor/demosrc/README index
23c7ca80b..70a9628b7 100644 --- a/editor/demosrc/README +++ b/editor/demosrc/README @@ -1,3 +1,5 @@ +Licensed to the Apache Software
Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. + Introduction: This is the
implementation of simple standalone editor application. It is based on the fact that NetBeans editors are pure swing editors. diff --git a/nbbuild/build.xml
b/nbbuild/build.xml index 12bd9ada1..fb2dbdb3 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2002,6 +2002,11 @@ It is possible to use -
Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude
name="debugger.jpda/test/unit/src/org/netbeans/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data --> <exclude
name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!--test data--> <exclude
name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!--test data--> + <exclude
name="editor/demosrc/base/org/netbeans/editor/example/res/template.html" /> <!-- template file --> + <exclude
name="editor/demosrc/base/org/netbeans/editor/example/res/template.java" /> <!-- template file --> + <exclude name="editor/demosrc/properties-
addon/org/netbeans/editor/example/res/template.properties" /> <!-- template file --> + <exclude name="editor/test/qa-
functional/src/org/netbeans/test/editor/suites/keybindings/actions.txt" /> <!-- test data --> + <exclude
name="editor/test/unit/src/org/netbeans/modules/editor/resources/testAnnotation*.xml" /> <!-- test data --> <exclude
name="editor.fold/test/unit/src/org/netbeans/modules/editor/fold/FoldContentReader.txt" /> <!--test data--> <exclude
name="editor.plain/src/org/netbeans/modules/editor/plain/resources/PlainTextExample" /> <!--license would be visible to users in the Fonts/Colors settings-->
<exclude name="editor.settings.storage/test/unit/src/org/netbeans/modules/editor/settings/storage/compatibility/p1/**" /> <!--test data--> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above
to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
725. matthiasblaesing commented on issue #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: https://github.com/apache/incubator-
netbeans/pull/227#issuecomment-341894037 @geertjanw for this small change this workflow is overkill, but its good to try :) I pushed my change into a branch
in my repository (branch PR227-update): https://github.com/matthiasblaesing/incubator-netbeans.git You can pull my changes with: `` git pull
https://github.com/matthiasblaesing/incubator-netbeans.git PR227-update `` As I used your commits unmodified a fast-forward merge will be done. After the
merge one other unittest will fail, that failure is not caused by this changeset and already fixed in master. ----- This
is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For
queries about this service, please contact Infrastructure at: users@infra.apache.org
726. geertjanw commented on issue #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: https://github.com/apache/incubator-
netbeans/pull/227#issuecomment-341894528 I think it worked. ----- This is an automated message from the
Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please
contact Infrastructure at: users@infra.apache.org
727. junichi11 commented on issue #232: [NETBEANS-54] Module Review jellytools.platform URL: https://github.com/apache/incubator-
netbeans/pull/232#issuecomment-341894836 Thank you for fixing it! We can exclude `version_info` from rat as well as `*.mf`.
https://github.com/apache/incubator-netbeans/blob/19ec0a5a4d7183ff3c201c804c631fbef938392/nbbuild/build.xml#L1979 -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the
specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
728. geertjanw commented on issue #232: [NETBEANS-54] Module Review jellytools.platform URL: https://github.com/apache/incubator-
netbeans/pull/232#issuecomment-341895116 Thanks a lot for the support, and merging. ----- This is an automated
message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about
this service, please contact Infrastructure at: users@infra.apache.org
729. geertjanw closed pull request #232: [NETBEANS-54] Module Review jellytools.platform URL: https://github.com/apache/incubator-netbeans/pull/232 This is a
PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request
(from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/jellytools.platform/src/org/netbeans/jellytools/timeouts
b/jellytools.platform/src/org/netbeans/jellytools/timeouts index 4737be238..86dd1913a 100644 --- a/jellytools.platform/src/org/netbeans/jellytools/timeouts +++
b/jellytools.platform/src/org/netbeans/jellytools/timeouts @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more
contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses

this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License.

ComponentOperator.WaitComponentTimeout=30000 ComponentOperator.WaitComponentEnabledTimeout=10000 ComponentOperator.WaitFocusTimeout=1000
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

730. matthiasblaesing commented on issue #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: <https://github.com/apache/incubator-netbeans/pull/227#issuecomment-341900059> Thanks - build looks good, unit tests work correctly - feel free to merge. -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

731. geertjanw commented on issue #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: <https://github.com/apache/incubator-netbeans/pull/227#issuecomment-341902049> Great, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

732. geertjanw closed pull request #227: [NETBEANS-54] adding license headers to various files in nbbuild URL: <https://github.com/apache/incubator-netbeans/pull/227> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries index 174ac962c..6f6c60da6 100644
--- a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries +++ b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries @@ -1,3 +1,19 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, software +# distributed under the License is distributed on an "AS IS" BASIS, +# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. +# See the License for the specific language governing permissions and +# limitations under the License. + # List of patterns (one per line) to skip over in VerifyLibsAndLicenses.testNoStrayThirdPartyBinaries. # Uses standard Ant pattern syntax, in \${nb_all} among modules included in cluster config. # Implicit includes is **/*.jar **/*.zip. diff --git a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binary-overlaps b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binary-overlaps index 90501676d..e40d2b129 100644
--- a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binary-overlaps +++ b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binary-overlaps @@ -1,3 +1,19 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, software +# distributed under the License is distributed on an "AS IS" BASIS, +# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. +# See the License for the specific language governing permissions and +# limitations under the License. + # List of patterns (one pair per line) to skip over in CreateLicenseSummary.testBinariesAreUnique. # Both sides of the pair must match for the pair to be skipped. # Uses standard Ant pattern syntax, with the basedir being the root of the NB build. diff --git a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-overlaps b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-overlaps index db4eb0b56..400ec1b86 100644
--- a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-overlaps +++ b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-overlaps @@ -1,3 +1,19 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, software +# distributed under the License is distributed on an "AS IS" BASIS, +# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. +# See the License for the specific language governing permissions and +# limitations under the License. + # List of patterns (one pair per line) to skip over in VerifyLibsAndLicenses.testBinaryUniqueness. # Both sides of the pair must match for the pair to be skipped. # Uses standard Ant pattern syntax, in \${nb_all} among modules included in cluster config. diff --git a/nbbuild/hudson/core-main b/nbbuild/hudson/core-main index 81bf326b9..4175c77f6 100644
--- a/nbbuild/hudson/core-main +++ b/nbbuild/hudson/core-main @@ -1,4 +1,22 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + set -x ANT_OPTS="\$ANT_OPTS -Xmx1G" diff --git a/nbbuild/hudson/javascript-tests b/nbbuild/hudson/javascript-tests index aa2387681..58844b25a 100644
--- a/nbbuild/hudson/javascript-tests +++ b/nbbuild/hudson/javascript-tests @@ -1,3 +1,21 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + ant || exit 2 ant -f javascript.editing/build-javascript.xml runtests || exit 3 diff --git a/nbbuild/hudson/nbms-and-javadoc b/nbbuild/hudson/nbms-and-javadoc index 2aa4a712f..eabe0bc1c 100755
--- a/nbbuild/hudson/nbms-and-javadoc +++ b/nbbuild/hudson/nbms-and-javadoc @@ -1,4 +1,22 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + set -x keystore=\$SECRET/NBstore diff --git a/nbbuild/hudson/round-robin-build b/nbbuild/hudson/round-robin-build index 1ac1095b1..07cfa2ed8 100644
--- a/nbbuild/hudson/round-robin-build +++ b/nbbuild/hudson/round-robin-build @@ -1,5 +1,22 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + dobuild() { RESULT=`pwd`/nbbuild/build/test-results.txt export RESULT diff --git a/nbbuild/hudson/round-robin-push b/nbbuild/hudson/round-robin-push index aa34c469d..e0fe781bf 100644
--- a/nbbuild/hudson/round-robin-push +++ b/nbbuild/hudson/round-robin-push @@ -1,5 +1,22 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + [-n "\$pop_url"] || exit 101 if [-z "\$pop_build_info"]; then pop_build_info="nbbuild/build/build_info" diff --git a/nbbuild/hudson/round-sync b/nbbuild/hudson/round-sync index 19af80c12..9b5fbbadde 100644
--- a/nbbuild/hudson/round-sync +++ b/nbbuild/hudson/round-sync @@ -1,5 +1,22 @@ +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# <http://www.apache.org/licenses/LICENSE-2.0> +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. + [-n "\$push_username"] || exit 102 [-n "\$push_password"] || exit 103 [-n "\$push_repo"] || exit 104 diff --git a/nbbuild/hudson/sigtests b/nbbuild/hudson/sigtests index 4d8ebd37c..867a549ae 100644

a/nbbuild/hudson/sigtests +++ b/nbbuild/hudson/sigtests @@ -1,5 +1,22 @@ #!/bin/sh +# Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + if [-z "\$JOB_URL"]; then JOB_URL=http://deadlock.netbeans.org/job/nbms-and-javadoc/ fi diff --git a/nbbuild/hudson/team-private-repo b/nbbuild/hudson/team-private-repo index 370f2da95..9059a1899 100644 --- a/nbbuild/hudson/team-private-repo +++ b/nbbuild/hudson/team-private-repo @@ -1,4 +1,22 @@ #!/bin/bash + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + if [-z \$repository && -n \$1]; then repository = \$1 fi diff --git a/nbbuild/hudson/team-repo b/nbbuild/hudson/team-repo @@ -1,5 +1,22 @@ #!/bin/sh + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + if [-z \$repository && -n \$1]; then repository = \$1 fi diff --git a/nbbuild/hudson/test-platform b/nbbuild/hudson/test-platform index 409e5208d..e536b06e6 100644 --- a/nbbuild/hudson/test-platform +++ b/nbbuild/hudson/test-platform @@ -1,5 +1,22 @@ #!/bin/sh + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + # XXX consider using lastStableBuild BUILD= `wget http://deadlock.netbeans.org/hudson/job/trunk/lastSuccessfulBuild/buildNumber -O -` diff --git a/nbbuild/hudson/trunk b/nbbuild/hudson/trunk index e6f4f8970..708c2e9ae 100644 --- a/nbbuild/hudson/trunk +++ b/nbbuild/hudson/trunk @@ -1,2 +1,20 @@ #!/bin/sh + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + ant -Dcontinue.after.failing.tests=true -Dtest.fail.on.error=false build-nozip commit-validation build-test-dist diff --git a/nbbuild/javadoctools/export2branding.xml b/nbbuild/javadoctools/export2branding.xml index 3eb61a0f0..40a9d3073 100644 --- a/nbbuild/javadoctools/export2branding.xml +++ b/nbbuild/javadoctools/export2branding.xml @@ -1,47 +1,23 @@ <?xml version="1.0" encoding="UTF-8" ?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -Contributor(s): - -The Original Software is NetBeans. The Initial Developer of the 77Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -Microsystems, Inc. All Rights Reserved. - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --> <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"> <xsl:output method="html"/> diff --git a/nbbuild/javadoctools/export2layer.xml b/nbbuild/javadoctools/export2layer.xml index c7be1249c..4c582d12b 100644 --- a/nbbuild/javadoctools/export2layer.xml +++ b/nbbuild/javadoctools/export2layer.xml @@ -1,47 +1,23 @@ <?xml version="1.0" encoding="UTF-8" ?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -Contributor(s): - -The Original Software is NetBeans. The Initial Developer of the 77Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -Microsystems, Inc. All Rights Reserved. - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --> <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"> <xsl:output method="html"/> diff --git a/nbbuild/javadoctools/export2property.xml b/nbbuild/javadoctools/export2property.xml index 73c0f025e..ad0b1982a 100644 --- a/nbbuild/javadoctools/export2property.xml +++ b/nbbuild/javadoctools/export2property.xml @@ -1,47 +1,23 @@ <?xml version="1.0" encoding="UTF-8" ?> <!-- DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -The contents of this file are subject to the terms of either

the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -<http://www.netbeans.org/cddl-gplv2.html> -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -Contributor(s): - -The Original Software is NetBeans. The Initial Developer of the 77Original -Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -Microsystems, Inc. All Rights Reserved. - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. --> <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"> <xsl:output method="html"/> diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml index b221e805e..5a6050ac1 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml +++ b/nbbuild/test/unit/src/org/netbeans/nbbuild/CheckLicenseAnt.xml @@ -1,5 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <project name="Test" basedir="." default="all" > <taskdef name="checkl" classname="org.netbeans.nbbuild.CheckLicense" diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-cnd-dwarfdiscovery.xml b/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-cnd-dwarfdiscovery.xml index e20d525da..19a26715f 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-cnd-dwarfdiscovery.xml +++ b/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-cnd-dwarfdiscovery.xml @@ -1,4 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.apisupport.project</type> <configuration> diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-core.kit.xml b/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-core.kit.xml index b0365231e..5f6fb1ae5 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-core.kit.xml +++ b/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependencies-core.kit.xml @@ -1,4 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <project xmlns="http://www.netbeans.org/ns/project/1"> <type>org.netbeans.modules.apisupport.project</type> <configuration> diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependenciesTest.java b/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependenciesTest.java index acb901586..a8d2beabb 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependenciesTest.java +++ b/nbbuild/test/unit/src/org/netbeans/nbbuild/FixDependenciesTest.java @@ -55,6 +55,7 @@ public void testWrongIndentation() throws Exception { } + String input = readFile (xml); execute (f, new String[] { }); String result = readFile (xml); @@ -77,8 +78,20 @@ public void testWrongIndentation() throws Exception { cnt++; } + // Skip common prefix for input + result, assumption: inputfile is + // correctly formatted. A license header can contain empty lines this + // way. + int common = 0; + for(int i = 0; i < input.length() && i < result.length(); i++) { + if(input.charAt(i) == result.charAt(i)) { + common = i; + } else { + break; + } + } + assertEquals("There are three dependencies\n" + result, 3, cnt); - for (String line : result.split("\n")) { + for (String line : result.substring(common).split("\n")) { if (line.trim().length() == 0) { fail("No empty lines:\n" + result); } diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/autoupdate.xml b/nbbuild/test/unit/src/org/netbeans/nbbuild/autoupdate.xml index fd77bb8d1..892c66142 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/autoupdate.xml +++ b/nbbuild/test/unit/src/org/netbeans/nbbuild/autoupdate.xml @@ -1,4 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <project name="changeme" default="all" basedir="." > <property name="force" value="false"/> <target name="all"> diff --git a/nbbuild/test/unit/src/org/netbeans/nbbuild/org-netbeans-api-annotations-common.xml b/nbbuild/test/unit/src/org/netbeans/nbbuild/org-netbeans-api-annotations-common.xml index 1d6a7bcba..776dcd762 100644 --- a/nbbuild/test/unit/src/org/netbeans/nbbuild/org-netbeans-api-annotations-common.xml +++ b/nbbuild/test/unit/src/org/netbeans/nbbuild/org-netbeans-api-annotations-common.xml @@ -1,5 +1,22 @@ <?xml version="1.0" encoding="UTF-8"?> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + <http://www.apache.org/licenses/LICENSE-2.0> + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <!DOCTYPE module_updates PUBLIC "-//NetBeans//DTD Autoupdate Catalog 2.6//EN" "http://www.netbeans.org/dtds/autoupdate-catalog-2_6.dtd"> <module_updates timestamp="46/00/08/13/11/2009"> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

733. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341903209> Can someone advise how to resolve the conflict here? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
734. matthiasblaesing commented on issue #235: [NETBEANS-54] Module Review html.editor URL: <https://github.com/apache/incubator-netbeans/pull/235#issuecomment-341903714> My reading of NbReaderProvider is, that there can't be comments in the catalog files. At this point the catalog files are useless, as the corresponding DTDs do not present anymore. I raised [NETBEANS-114](<https://issues.apache.org/jira/browse/NETBEANS-114>) for this. To get this on I would do this: - remove the license from the catalog files - add excludes to build.xml for rat: ``xml <exclude name="html.editor/src/org/netbeans/modules/html/editor/options/ui/formatSample.html" /> <!--user visible file template--> <exclude name="html.editor/src/org/netbeans/modules/html/editor/resources/HTMLExample" /> <!--user visible file template--> <exclude name="html.editor/src/org/netbeans/modules/html/editor/resources/XHTMLExample" /> <!--user visible file template--> <exclude name="html.editor/src/org/netbeans/modules/html/editor/todo.txt" /> <!--no degree of creativity--> <exclude name="html.editor/src/org/netbeans/modules/html/editor/resources/DTDs/*catalog" /> <!--no degree of creativity--> `` ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
735. matthiasblaesing closed pull request #238: [NETBEANS-54] Module Review o.eclipse.equinox.common URL: <https://github.com/apache/incubator-netbeans/pull/238> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.eclipse.equinox.common/external/binaries-list b/o.eclipse.equinox.common/external/binaries-list index 72d560dd6..18a56387f 100644 --- a/o.eclipse.equinox.common/external/binaries-list +++ b/o.eclipse.equinox.common/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied.

See the License for the # specific language governing permissions and limitations # under the License. -4EE275AE73A140A403903D7E4DBA68C8FBB07001 org.eclipse.equinox.common_3.6.0.v20110523_nosignature.jar +AB81FD273D933406A855D23A3C341B668B2F9CEf org.jibx.config.3rdparty.org.eclipse.org.eclipse.equinox.common:3.6.0.v20110523 diff --git a/o.eclipse.equinox.common/nbproject/project.properties b/o.eclipse.equinox.common/nbproject/project.properties index 262c8b39d..91a2ee6ba 100644 --- a/o.eclipse.equinox.common/nbproject/project.properties +++ b/o.eclipse.equinox.common/nbproject/project.properties @@ -14,6 +14,6 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -release.external/org.eclipse.equinox.common_3.6.0.v20110523_nosignature.jar=modules/org-eclipse-equinox-common.jar +release.external/org.eclipse.equinox.common-3.6.0.v20110523.jar=modules/org-eclipse-equinox-common.jar is.autoload=true -nbm.module.author=Tomas Stupka \ No newline at end of file +nbm.module.author=Tomas Stupka diff --git a/o.eclipse.equinox.common/nbproject/project.xml b/o.eclipse.equinox.common/nbproject/project.xml index bea66c285..09098eeba 100644 --- a/o.eclipse.equinox.common/nbproject/project.xml +++ b/o.eclipse.equinox.common/nbproject/project.xml @@ -28,8 +28,8 @@ <public-packages/> <class-path-extension> <runtime-relative-path>org-eclipse-equinox-common.jar</runtime-relative-path> + <binary-origin>external/org.eclipse.equinox.common-3.6.0.v20110523_nosignature.jar</binary-origin> + <binary-origin>external/org.eclipse.equinox.common-3.6.0.v20110523.jar</binary-origin> </class-path-extension> </data> </configuration> </project> \ No newline at end of file +</project> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

736. matthiasblaesing closed pull request #237: [NETBEANS-54] Module Review o.eclipse.equinox.app URL: <https://github.com/apache/incubator-netbeans/pull/237> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/o.eclipse.equinox.app/external/binaries-list b/o.eclipse.equinox.app/external/binaries-list index bdd9386b7..7cf1d975d 100644 --- a/o.eclipse.equinox.app/external/binaries-list +++ b/o.eclipse.equinox.app/external/binaries-list @@ -14,4 +14,4 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -BD55836AABD558DC643A7844B78866AD990544BC org.eclipse.equinox.app-1.3.100_nosignature.jar +E7169B33D352F5DDB6EACE73F5A4D29AAE3B91EC org.eclipse.equinox.org.eclipse.equinox.app:1.3.100 diff --git a/o.eclipse.equinox.app/nbproject/project.properties b/o.eclipse.equinox.app/nbproject/project.properties index aac99d85b..9618ba067 100644 --- a/o.eclipse.equinox.app/nbproject/project.properties +++ b/o.eclipse.equinox.app/nbproject/project.properties @@ -14,6 +14,6 @@ # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. -release.external/org.eclipse.equinox.app-1.3.100_nosignature.jar=modules/org-eclipse-equinox-app.jar +release.external/org.eclipse.equinox.app-1.3.100.jar=modules/org-eclipse-equinox-app.jar is.autoload=true nbm.module.author=Tomas Stupka diff --git a/o.eclipse.equinox.app/nbproject/project.xml b/o.eclipse.equinox.app/nbproject/project.xml index 99bc147bc..412dc589a 100644 --- a/o.eclipse.equinox.app/nbproject/project.xml +++ b/o.eclipse.equinox.app/nbproject/project.xml @@ -39,7 +39,7 @@ <public-packages/> <class-path-extension> <runtime-relative-path>org-eclipse-equinox-app.jar</runtime-relative-path> - <binary-origin>external/org.eclipse.equinox.app-1.3.100_nosignature.jar</binary-origin> + <binary-origin>external/org.eclipse.equinox.app-1.3.100.jar</binary-origin> </class-path-extension> </data> </configuration> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
737. matthiasblaesing commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341905492> To resolve the conflict I suggest that you: - rebase the changes onto master - resolve the conflict while rebasing - push the updated branch (you'll need to do a forced-push to be able to push a rebased branch) ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
738. geertjanw commented on issue #220: [NETBEANS-54] Module Review performance URL: <https://github.com/apache/incubator-netbeans/pull/220#issuecomment-341910995> Great, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
739. geertjanw closed pull request #220: [NETBEANS-54] Module Review performance URL: <https://github.com/apache/incubator-netbeans/pull/220> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/performance/actionsframework/src/org/netbeans/actions/examples/actions.properties b/performance/actionsframework/src/org/netbeans/actions/examples/actions.properties index fbd453937..61a306158 100644 --- a/performance/actionsframework/src/org/netbeans/actions/examples/actions.properties +++ b/performance/actionsframework/src/org/netbeans/actions/examples/actions.properties @@ -1,41 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +# Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # Copyright (c) 2004, 2016 Oracle and/or its affiliates. All rights reserved. + # http://www.apache.org/licenses/LICENSE-2.0 + # Oracle and Java are registered trademarks of Oracle and/or its affiliates. + # Other names may be trademarks of their respective owners. + # The contents of this file are subject to the terms of either the GNU - # General Public License Version 2 only ("GPL") or the Common - # Development and Distribution License("CDDL") (collectively, the - # "License"). You may not use this file except in compliance with the - # License. You can obtain a copy of the License at - # http://www.netbeans.org/cddl-gplv2.html - # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - # specific language governing permissions and limitations under the - # License. When distributing the software, include this License Header + # Notice in each file and include the License file at - # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - # particular file as subject to the "Classpath" exception as provided - # by Oracle in the GPL Version 2 section of the License file that - # accompanied this code. If applicable, add the following below the - # License Header, with the fields enclosed by brackets [] replaced by - # your own identifying information: - # Portions Copyrighted [year] [name of copyright owner]" - # - # If you wish your version of this file to be governed by only the CDDL - # or only the GPL Version 2, indicate your decision by adding - # "[Contributor] elects to include this software in this distribution - # under the [CDDL or GPL Version 2] license." If you do not indicate a - # single choice of license, a recipient has the option to distribute - # your version of this file under either the CDDL, the GPL Version 2 or - # to extend the choice of license to its licensees as provided above. - # However, if you add GPL Version 2 code and therefore, elected the GPL - # Version 2 license, then the option applies only if the new code is - # made subject to such option by the copyright holder. - # - # Contributor(s): - # Sample ResourceBundle properties file + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. file=File edit=Edit diff --git a/performance/benchmarks/test/reports/src/org/netbeans/performance/results/ComparePanel.form b/performance/benchmarks/test/reports/src/org/netbeans/performance/results/ComparePanel.form index ae681c40f..acc6aa1fe 100644 --- a/performance/benchmarks/test/reports/src/org/netbeans/performance/results/ComparePanel.form +++ b/performance/benchmarks/test/reports/src/org/netbeans/performance/results/ComparePanel.form @@ -1,5 +1,5 @@ <?xml version="1.0" encoding="UTF-8" ?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> +<Form version="1.3" maxVersion="1.3" type="org.netbeans.modules.form.forminfo.JPanelFormInfo"> <AuxValues> <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer" value="0"/> diff --git a/performance/benchmarks/test/reports/style-html.xsl b/performance/benchmarks/test/reports/style-html.xsl index 5a1dae144..9f077251a 100644 --- a/performance/benchmarks/test/reports/style-html.xsl +++ b/performance/benchmarks/test/reports/style-html.xsl @@ -1,4 +1,4 @@ <?xml version="1.0" encoding="windows-1250"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"> diff --git a/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.bpel b/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.bpel index 1c47a2ec6..83ab399f3 100644 --- a/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.bpel +++

b/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.bpel @@ -1,5 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +
<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work
for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may
not use this file except in compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless
required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the
License. + +--> <process name="SynchronousSample" targetNamespace="http://enterprise.netbeans.org/bpel/SynchronousSample/SynchronousSample_1" diff --
git a/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.wsdl b/performance/enterprise/test/qa-
functional/data/BPELTestProject/src/SynchronousSample.wsdl index dfbeb1d60..e7a9d7229 100644 --- a/performance/enterprise/test/qa-
functional/data/BPELTestProject/src/SynchronousSample.wsdl +++ b/performance/enterprise/test/qa-
functional/data/BPELTestProject/src/SynchronousSample.wsdl @ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache
Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information +
regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in
compliance + with the License. You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law
or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +
KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <definitions
xmlns="http://schemas.xmlsoap.org/wsdl/" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/" diff --git a/performance/enterprise/test/qa-
functional/data/BPELTestProject/src/SynchronousSample.xsd b/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.xsd index
1d05efacc..14e7a843c 100644 --- a/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.xsd +++
b/performance/enterprise/test/qa-functional/data/BPELTestProject/src/SynchronousSample.xsd @@ -1,25 +1,24 @@ <?xml version="1.0" encoding="UTF-8"?> -
<!-- - The contents of this file are subject to the terms of the Common Development - and Distribution License (the License). You may not use this file except in -
compliance with the License. - - You can obtain a copy of the License at http://www.netbeans.org/cddl.html - or http://www.netbeans.org/cddl.txt. - - When
distributing Covered Code, include this CDDL Header Notice in each file - and include the License file at http://www.netbeans.org/cddl.txt. - If applicable, add the
following below the CDDL Header, with the fields - enclosed by brackets [] replaced by your own identifying information: - "Portions Copyrighted [year] [name
of copyright owner]" - - The Original Software is NetBeans. The Initial Developer of the Original - Software is Sun Microsystems, Inc. Portions Copyright 1997-
2007 Sun - Microsystems, Inc. All Rights Reserved. ---> + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license
agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you
under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License
at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is
distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://xml.netbeans.org/schema/SynchronousSample" xmlns:tns="http://xml.netbeans.org/schema/SynchronousSample" diff --git
a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/ant-deploy.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/nbproject/ant-deploy.xml index 5524a1cf0..5d61b47bd 100644 ---
a/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/ant-deploy.xml +++
b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/nbproject/ant-deploy.xml @@ -1,4 +1,24 @@ <?xml
version="1.0" encoding="UTF-8"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the
NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache
License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <project default="-deploy-ant" basedir="."> <target name="-init-cl-deployment-env"
if="-deploy.ant.enabled"> <property file="\${deploy.ant.properties.file}"/> diff --git a/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusAirline.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusAirline.xml index 55b5d8298..487743bb1
100644 --- a/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusAirline.xml +++
b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusAirline.xml
@@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
<SOAP-ENV:Body> <TravelItinerary xmlns="http://www.opentravel.org/OTA/2003/05"> diff --git a/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusHotel.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusHotel.xml index 16525b5f3..c80e0c107
100644 --- a/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusHotel.xml +++
b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusHotel.xml
@@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
<SOAP-ENV:Body> <TravelItinerary xmlns="http://www.opentravel.org/OTA/2003/05"> diff --git a/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusVehicle.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusVehicle.xml index c18f63648..e1c11964a
100644 --- a/performance/enterprise/test/qa-
functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusVehicle.xml +++
b/performance/enterprise/test/qa-functional/data/TravelReservationService/ReservationPartnerServices/src/java/partnerservices/callback/ItineraryPlusVehicle.xml
@@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0
(the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + +
http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed
on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language
governing permissions and limitations + under the License. + +--> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
<SOAP-ENV:Body> <TravelItinerary xmlns="http://www.opentravel.org/OTA/2003/05"> diff --git a/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/AssemblyInformation.xml b/performance/enterprise/test/qa-
functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/AssemblyInformation.xml index d09e2a650..17bd1621e 100644 ---
a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/AssemblyInformation.xml +++
b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/AssemblyInformation.xml @@ -1,4
+1,24 @@ <?xml version="1.0" encoding="UTF-8" standalone="no"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more
contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses
this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a
copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed
under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the

License for the + specific language governing permissions and limitations + under the License. + +--> <jbi xmlns="http://java.sun.com/xml/ns/jbi" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" version="1.0" xsi:schemaLocation="http://java.sun.com/xml/ns/jbi .jbi.xsd"> <service-assembly> <identification> diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/BindingComponentInformation.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/BindingComponentInformation.xml index 6fab6b32c..4eb2b9b5a 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/BindingComponentInformation.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/BindingComponentInformation.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8" standalone="no"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <component-info-list> <component-info> <description>File Binding</description> diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/ComponentInformation.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/ComponentInformation.xml index a4123507d..753f7bb88 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/ComponentInformation.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/src/conf/ComponentInformation.xml @@ -1,4 +1,24 @@ <?xml version="1.0" encoding="UTF-8" standalone="no"?> +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <component-info-list> <component-info> <description>File Binding</description> diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Concurrent.properties b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Concurrent.properties index 0501129c3..f3a98bee3 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Concurrent.properties +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Concurrent.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. calculatethroughput=false comparisontype=identical concurrentthreads=1 diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Input.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Input.xml index 5d6c80182..851df3806 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Input.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Input.xml @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <SOAP-ENV:Envelope xmlns:Location="http://schemas.xmlsoap.org/soap/envelope/" http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Output.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Output.xml index b92e3a2a5..efc07a710 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Output.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasAirline/Output.xml @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <?xml version="1.0" encoding="UTF-8"?> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://schemas.xmlsoap.org/soap/envelope/ http://schemas.xmlsoap.org/soap/envelope/"> <SOAP-ENV:Header/> diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Concurrent.properties b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Concurrent.properties index a48f5ce35..baf80654a 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Concurrent.properties +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Concurrent.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. calculatethroughput=false comparisontype=identical concurrentthreads=1 diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Input.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Input.xml index 783623893..927bd15de 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Input.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Input.xml @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <SOAP-ENV:Envelope xmlns:Location="http://schemas.xmlsoap.org/soap/envelope/" http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Output.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Output.xml index 78f95f5c0..a112f8dfb 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Output.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasHotel/Output.xml @@ -1,3 +1,23 @@ +<!-- + + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless

required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <?xml version="1.0" encoding="UTF-8"?> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"> <SOAP-ENV:Body> diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Concurrent.properties b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Concurrent.properties index 949b9ad2b..663c33199 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Concurrent.properties +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Concurrent.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. calculateThroughput=false comparisonType=identical concurrentThreads=1 diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Input.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Input.xml index c0f56871b..31a3e21b8 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Input.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Input.xml @@ -1,3 +1,23 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + +--> <SOAP-ENV:Envelope xsi:schemaLocation="http://schemas.xmlsoap.org/soap/envelope/" http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Output.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Output.xml index 1143b453a..6af24c2f9 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Output.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasNoReservations/Output.xml @@ -1,3 +1,23 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + +--> <?xml version="1.0" encoding="UTF-8"?> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://schemas.xmlsoap.org/soap/envelope/" http://schemas.xmlsoap.org/soap/envelope/"> <SOAP-ENV:Header> diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Concurrent.properties b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Concurrent.properties index 4594c02c5..d0b7fb56c 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Concurrent.properties +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Concurrent.properties @@ -1,3 +1,19 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. calculateThroughput=false comparisonType=identical concurrentThreads=1 diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Input.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Input.xml index 8feed265c..a19b4b805 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Input.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Input.xml @@ -1,3 +1,23 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + +--> <SOAP-ENV:Envelope xsi:schemaLocation="http://schemas.xmlsoap.org/soap/envelope/" http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Output.xml b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Output.xml index 5f566af5d..7a4931484 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Output.xml +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/HasVehicle/Output.xml @@ -1,3 +1,23 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + +--> <?xml version="1.0" encoding="UTF-8"?> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://schemas.xmlsoap.org/soap/envelope/" http://schemas.xmlsoap.org/soap/envelope/"> <SOAP-ENV:Header> diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/all-tests.properties b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/all-tests.properties index a80c23aa0..de4c3cc1a 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/all-tests.properties +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/all-tests.properties @@ -1,17 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. testcases=HasNoReservations,HasAirline,HasVehicle,HasHotel diff --git a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/selected-tests.properties b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/selected-tests.properties index 9ec481fcb..56a6dd7d8 100644 --- a/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/selected-tests.properties +++ b/performance/enterprise/test/qa-functional/data/TravelReservationService/TravelReservationServiceApplication/test/selected-tests.properties @@ -1,17 @@ + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + #

distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++
http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. testcases=HasHotel diff --git a/performance/jtrace/linux/Makefile b/performance/jtrace/linux/Makefile
b/performance/jtrace/linux/Makefile index c2e6d5425..dc3be15fa 100644 --- a/performance/jtrace/linux/Makefile +++ b/performance/jtrace/linux/Makefile @@ -1,47 +1,21 @@
@ # -*- Makefile -* # -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# Contributor(s): -# -# The Original Software is Forte for Java, Community Edition. The Initial -# Developer of the Original Software is Sun Microsystems, Inc. Portions -# Copyright 1997-2006 Sun Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# -# Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++
http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. JDK_HOME = /usr/local/jdk diff --git a/performance/jtrace/win32/Makefile b/performance/jtrace/win32/Makefile index de9e48e9e..e00940653 100644 --- a/performance/jtrace/win32/Makefile +++ b/performance/jtrace/win32/Makefile @@ -1,47 +1,21 @@
@ # -*- Makefile -* # -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. -# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# Contributor(s): -# -# The Original Software is Forte for Java, Community Edition. The Initial -# Developer of the Original Software is Sun Microsystems, Inc. Portions -# Copyright 1997-2006 Sun Microsystems, Inc. All Rights Reserved. -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# -# Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++
http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. JDK_HOME = c:\jdk1.3.1_03 diff --git a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/allComponents/VisualMIDletMIDP20.vmd b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/allComponents/VisualMIDletMIDP20.vmd index fb445cf62..c56c2d377 100644 --- a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/allComponents/VisualMIDletMIDP20.vmd +++ b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/allComponents/VisualMIDletMIDP20.vmd @@ -1,4 +1,24 @@
@<?xml version="1.0" encoding="UTF-8"?> +<!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++
http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. ++> <VisualDesign projectType="vmd-midp" version="1.1"> <Document version="2"> <Component componentID="0" typeID="C#Root"> diff --git a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/simple/VisualMIDlet.vmd b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/simple/VisualMIDlet.vmd index ad166ce41..f22b9296c 100644 --- a/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/simple/VisualMIDlet.vmd +++ b/performance/mobility/test/qa-functional/data/MobileApplicationVisualMIDlet/src/simple/VisualMIDlet.vmd @@ -1,4 +1,24 @@
@<?xml version="1.0" encoding="UTF-8"?> +<!-- ++ Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at ++ ++
http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. ++> <VisualDesign projectType="vmd-midp" version="1"> <Document version="1"> <Component componentID="0" typeID="C#Root"> diff --git a/performance/sparrow/lib/ext/PLACEHOLDER.txt b/performance/sparrow/lib/ext/PLACEHOLDER.txt index 2bc74a82a..9fe523720 100644 --- a/performance/sparrow/lib/ext/PLACEHOLDER.txt +++ b/performance/sparrow/lib/ext/PLACEHOLDER.txt @@ -1,2 +1,17 @@
@ ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++
http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software ++ distributed under the License is distributed on an "AS IS" BASIS, ++ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. ++ See the License for the specific language governing permissions and ++ limitations under the License. This directory should hold jcommon and jfreechart.jar, available from sourceforge. There is an ant task in the build script that will download them. diff --git a/performance/sparrow/src/org/netbeans/performance/definitions/PLACEHOLDER.txt b/performance/sparrow/src/org/netbeans/performance/definitions/PLACEHOLDER.txt index 82d796b66..d4ac6123e 100644 --- a/performance/sparrow/src/org/netbeans/performance/definitions/PLACEHOLDER.txt +++ b/performance/sparrow/src/org/netbeans/performance/definitions/PLACEHOLDER.txt @@ -1,3 +1,18 @@
@ ++ Licensed to the Apache Software Foundation (ASF) under one ++ or more contributor license agreements. See the NOTICE file ++ distributed with this work for additional information ++ regarding copyright ownership. The ASF licenses this file ++ to you under the Apache License, Version 2.0 (the ++ "License"); you may not use this file except in compliance ++ with the License. You may obtain a copy of the License at ++ ++
http://www.apache.org/licenses/LICENSE-2.0 ++ ++ Unless required by applicable law or agreed to in writing, ++ software ++ distributed under the License is distributed on an "AS IS" BASIS, ++ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. ++ See the License for the specific language governing permissions and ++ limitations under the License. This directory is for XML definitions for charts, queries, filters and so forth once the infrastructure for that is completed. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

740. matthiasblaesing commented on issue #235: [NETBEANS-54] Module Review html.editor URL: <https://github.com/apache/incubator-netbeans/pull/235#issuecomment-341914172> For reference: I opened #240 that restores the removed documents mentioned above. Both PRs together should clear the html.editor module completely. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
741. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341920049> It should be OK now. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
742. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341920950> Yes, I used the GitHub web interface, not the command line. I wanted to see if it was possible to use the conflict like that, and it seems to have worked. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
743. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341920950> Yes, I used the GitHub web interface, not the command line. I wanted to see if it was possible to fix the conflict like that, and it seems to have worked. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
744. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341920950> Yes, I used the GitHub web interface, not the command line. I wanted to see if it was possible to fix the conflict like that, and it seems to have worked. It seems to be the officially supported approach by GitHub, since this is the result of using the web interface. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
745. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341922662> @matthiasblaesing, is this safe to merge from your point of view, if not, will just close this and start a new pull request. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
746. matthiasblaesing commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341924911> Yes this looks safe. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
747. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341926516> OK, merging. And if this works without side effects, we're able to resolve conflicts via GitHub (versus multiple and potentially error prone command line calls), which is nice. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
748. geertjanw closed pull request #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 748a7ba0d..18616bc3c 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -1981,6 +1981,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/*.pass" /> <!--generated test files--> <exclude name="**/*.pass2" /> <!--generated test files--> <exclude name="**/*.ref" /> <!--would cause tests to fail--> + <exclude name="**/*.ser" /> <!--do not natively support comments--> <exclude name="**/*.url" /> <!--no degree of creativity--> <exclude name="**/external/*.license.txt" /> <!--licenses for external dependencies--> <exclude name="**/external/*.notice.txt" /> <!--notices for external dependencies--> @@ -1993,6 +1994,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/build/**" /> <exclude name="**/test/unit/data/**" /> <exclude name="**/test/qa-functional/data/**" /> + <exclude name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!--test data--> <exclude name="apisupport.ant/src/org/netbeans/modules/apisupport/project/resources/license-*.txt" /> <!--template file--> <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> @@ -2042,6 +2044,9 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="o.apache.tools.ant.module/release/VERSION.txt" /> <!--generated file--> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java" /> <!-- user visible file template --> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml_" /> <!-- user visible file template --> + <exclude name="o.n.core/licenses/**" /> <!-- license files --> + <exclude name="o.n.core/test/unit/src/org/netbeans/core/projects/cache/data/**" /> <!-- test data --> + <exclude name="openide.nodes/test/unit/src/org/openide/nodes/data/**" /> <!-- test data --> <exclude name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!--no degree of creativity--> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
749. matthiasblaesing commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341929759> @geertjanw if it helps you or others I'm ok with this, but I'll stay with the CLI tools, which also happily work with non-github repositories. Remember: sourceforge mostly died because they decided that "free project hosting" does not pay bills and then began to modify projects binaries - if github pulls a stunt like that, I will just go on and work against the apache hosted repository. What is more with the CLI (or other local tools) I can pull from other sources than github, so if contributors don't like github, but host their changes in another public git repository (bitbucket, gitlab, ...) we can still pull their changes. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
750. geertjanw opened a new pull request #242: [NETBEANS-54] exclude files without creativity via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/242> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
751. geertjanw commented on issue #242: [NETBEANS-54] exclude files without creativity via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/242#issuecomment-341933093> Great, thanks, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
752. geertjanw closed pull request #242: [NETBEANS-54] exclude files without creativity via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/242> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 18616bc3c..69ab0f773 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -1976,10 +1976,14 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <taskdef> <patternset id="non.rat"> <!--add new one alphabetically--> - <exclude name="**/*.mf" /> <!--do not natively support comments--> + <exclude name="**/*.exists" /> <!--no degree of creativity--> + <exclude name="**/*.mf" /> <!--do not natively support comments--> + <exclude name="**/*.MF" /> <!--do not natively support comments--> + <exclude name="**/*.nib" /> <!--do not natively support comments--> <exclude name="**/*.palette_item" /> <!--no degree of creativity--> <exclude name="**/*.pass" /> <!--generated test files--> <exclude name="**/*.pass2" /> <!--generated test files--> + <exclude name="**/*.pbxproj" /> <!--generated test files--> <exclude name="**/*.ref" /> <!--would cause tests to fail--> <exclude name="**/*.ser" /> <!--do not natively support comments--> <exclude name="**/*.url" /> <!--no degree of creativity--> @@ -1992,6 +1996,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/nbproject/private/**" /> <!--user-specific files --> <exclude name="**/src/META-INF/**" /> <!--no degree of creativity--> <exclude name="**/build/**" /> + <exclude name="**/package-list" /> <!--no degree of creativity--> <exclude name="**/test/unit/data/**" /> <exclude name="**/test/qa-functional/data/**" /> <exclude

- name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
753. geertjanw opened a new pull request #243: [NETBEANS-54] excluding specific files for various reasons via Rat ex... URL: <https://github.com/apache/incubator-netbeans/pull/243> ...clusions ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
754. geertjanw opened a new pull request #244: [NETBEANS-54] relicensing 3 files in nbbuild module URL: <https://github.com/apache/incubator-netbeans/pull/244> --- ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
755. geertjanw closed pull request #243: [NETBEANS-54] excluding specific files for various reasons via Rat ex... URL: <https://github.com/apache/incubator-netbeans/pull/243> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 69ab0f773..225885912 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2021,6 +2021,7 @@ It is possible to use - Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/Hibernate*.xml" /> <!-- template files--> <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.java" /> <!--template file--> <exclude name="hudson.subversion/test/unit/src/org/netbeans/modules/hudson/subversion/sample-entries-file" /> <!--test data--> + <exclude name="ide/launcher/macosx/NetBeansLauncher/ReadMe.rtf" /> <!--does not natively support comments--> <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/dd/resources/*.xsd" /> <!-- XSDs for usage at runtime and code generation - the XSDs are not modified, so covered by <https://www.apache.org/legal/resolved.html#category-b> --> <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/ui/resources/*.xml" /> <!-- user visible file template --> <exclude name="j2ee.persistence/src/org/netbeans/modules/j2ee/persistence/wizard/jpacontroller/resources/*.txt" /> <!-- user visible file template --> @@ -2035,16 +2036,21 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="javafx2.kit/release/VERSION.txt" /> <!-- generated file--> <exclude name="javafx2.project/src/org/netbeans/modules/javafx2/project/templates/**" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="javawebstart/AntTasks/build/**" /> <!-- generated build files --> + <exclude name="jellytools.platform/src/org/netbeans/jellytools/version_info" /> <!--does not natively support comments--> <exclude name="junit.ui/src/org/netbeans/modules/junit/ui/resources/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="languages.diff/src/org/netbeans/modules/languages/diff/DiffExample.diff" /> <!--license would be visible to users in the Fonts/Colors settings--> <exclude name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.yaml" /> <!--Files used in GUI as sample/starting point--> <exclude name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.yml" /> <!--Files used in GUI as sample/starting point--> + <exclude name="lib.uihandler/src/org/netbeans/lib/uihandler/pubKey" /> <!--no degree of creativity--> <exclude name="lib.uihandler/test/unit/src/**" /> <!--test data--> <exclude name="maven.htmlui/src/org/netbeans/modules/maven/htmlui/UIDefaults" /> <!-- config file with no place for license header--> <exclude name="maven.indexer/external/NOTICE-patched-indexer-core-6.0.0" /> <!--no degree of creativity--> <exclude name="mercurial/src/org/netbeans/modules/mercurial/util/log*" /> <!-- user templates for mercurial commits, etc. --> + <exclude name="nbbuild/hudson/hgmail-profiler" /> <!--no degree of creativity--> + <exclude name="nbbuild/110n.patterns" /> <!--no degree of creativity--> <exclude name="nbbuild/licenses/**" /> <exclude name="nbbuild/netbeans/**" /> + <exclude name="nbbuild/tagref" /> <!--no degree of creativity--> <exclude name="nbbuild/testuserdir/**" /> <exclude name="o.apache.tools.ant.module/release/VERSION.txt" /> <!--generated file--> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask.java" /> <!-- user visible file template --> @@ -2052,6 +2058,8 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="o.n.core/licenses/**" /> <!-- license files --> <exclude name="o.n.core/test/unit/src/org/netbeans/core/projects/cache/data/**" /> <!-- test data --> <exclude name="openide.nodes/test/unit/src/org/openide/nodes/data/**" /> <!-- test data --> + <exclude name="openide.util/src/org/openide/util/UtilitiesTranslateEmpty.txt" /> <!-- license would cause tests to fail --> + <exclude name="openide.util/test/unit/src/org/openide/util/LookupUsesRequestProcessorTest.resource" /> <!-- license would cause tests to fail --> <exclude name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!--no degree of creativity--> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
756. geertjanw closed pull request #244: [NETBEANS-54] relicensing 3 files in nbbuild module URL: <https://github.com/apache/incubator-netbeans/pull/244> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/misc/bundlecheck.pl b/nbbuild/misc/bundlecheck.pl index 3a6357636..e8b929f40 100644 --- a/nbbuild/misc/bundlecheck.pl +++ b/nbbuild/misc/bundlecheck.pl @@ -1,46 +1,21 @@ #!/usr/bin/env perl # -* perl -*
-# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # Contributor(s): # # The Original Software is NetBeans. The Initial Developer of the Original # Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun # Microsystems, Inc. All Rights Reserved. # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # Unless required by applicable law or agreed to in writing, # software distributed under the License is distributed on an # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY # KIND, either express or implied. See the License for the # specific language governing permissions and limitations # under the License. require 5.005; use File::Find; diff --git a/nbbuild/misc/bundlewc.pl b/nbbuild/misc/bundlewc.pl index f56834787..9bea7af8f 100644 --- a/nbbuild/misc/bundlewc.pl +++ b/nbbuild/misc/bundlewc.pl @@ -1,46 +1,21 @@ #!/usr/bin/env perl # -* perl -*
-# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # Contributor(s): # # The Original Software is NetBeans. The Initial Developer of the Original # Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun # Microsystems, Inc. All Rights Reserved. # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license,

a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. \$totalwc = 0; \$totalc = 0; diff --git a/nbbuild/templates/no-testcoverage.xml b/nbbuild/templates/no-testcoverage.xml index 8f53325a7..007e23371 100644 --- a/nbbuild/templates/no-testcoverage.xml +++ b/nbbuild/templates/no-testcoverage.xml @@ -1,6 +1,23 @@ <?xml version="1.0" encoding="UTF-8"?> <project name="no-testcoverage"> <!-- Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + Fallback testcoverage implementation. Just fails with appropriate message. --> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

757. geertjanw commented on issue #225: [NETBEANS-54] exclude .ser files via Rat exclusions URL: <https://github.com/apache/incubator-netbeans/pull/225#issuecomment-341955624> Makes sense. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
758. geertjanw opened a new pull request #245: [NETBEANS-54] excluding files via Rat that would cause tests to fail etc URL: <https://github.com/apache/incubator-netbeans/pull/245> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
759. geertjanw closed pull request #245: [NETBEANS-54] excluding files via Rat that would cause tests to fail etc URL: <https://github.com/apache/incubator-netbeans/pull/245> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 225885912..8b72b021f 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -1986,7 +1986,10 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/*.pbxproj" /> <!--generated test files--> <exclude name="**/*.ref" /> <!--would cause tests to fail--> <exclude name="**/*.ser" /> <!--do not natively support comments--> <exclude name="**/*.sln" /> <!--would cause tests to fail--> <exclude name="**/*.url" /> <!--no degree of creativity--> <exclude name="**/*.user" /> <!--would cause tests to fail--> <exclude name="**/*.vcproj" /> <!--would cause tests to fail--> <exclude name="**/external/*-license.txt" /> <!--licenses for external dependencies--> <exclude name="**/external/*-notice.txt" /> <!--notices for external dependencies--> <exclude name="**/nbproject/*.sig" /> <!--generated signatures for past versions--> @@ -1996,9 +1999,12 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/nbproject/private/**" /> <!--user-specific files--> <exclude name="**/src/META-INF/**" /> <!--no degree of creativity--> <exclude name="**/build/**" /> <exclude name="**/.dep.inc" /> <!--no degree of creativity--> + <exclude name="**/Makefile-vc" /> <!--no degree of creativity--> + <exclude name="**/Makefile-vc-wo-ctrl" /> <!--no degree of creativity--> <exclude name="**/package-list" /> <!--no degree of creativity--> - <exclude name="**/test/unit/data/**" /> - <exclude name="**/test/qa-functional/data/**" /> + <exclude name="**/test/unit/data/**" /> <!--would cause tests to fail--> + <exclude name="**/test/qa-functional/data/**" /> <!--would cause tests to fail--> <exclude name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!-- test data --> <exclude name="apisupport.ant/src/org/netbeans/modules/apisupport/project/resources/license-*.txt" /> <!--template file--> @@ -2051,7 +2057,10 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="nbbuild/licenses/**" /> <exclude name="nbbuild/netbeans/**" /> <exclude name="nbbuild/tagref" /> <!--no degree of creativity--> + <exclude name="nbbuild/notice-stub.txt" /> <!--Apache notice file--> + <exclude name="nbbuild/standard-nbm-license.txt" /> <!--license file--> + <exclude name="nbbuild/testserdir/**" /> <!--engine/nbproject/profiler-build-impl.xml" /> <!--generated, no degree of creativity --> <exclude name="o.apache.tools.ant.module/release/VERSION.txt" /> <!--generated file--> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java" /> <!-- user visible file template --> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml" /> <!-- user visible file template --> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
760. geertjanw opened a new pull request #246: [NETBEANS-54] excluding 8 files without creativity via Rat URL: <https://github.com/apache/incubator-netbeans/pull/246> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
761. geertjanw closed pull request #246: [NETBEANS-54] excluding 8 files without creativity via Rat URL: <https://github.com/apache/incubator-netbeans/pull/246> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index b872b021f..034041752 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2064,9 +2064,17 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="o.apache.tools.ant.module/release/VERSION.txt" /> <!--generated file--> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java" /> <!-- user visible file template --> <exclude name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml" /> <!-- user visible file template --> + <exclude name="o.n.bootstrap/test/unit/src/org/fakepkg/resource1.txt" /> <!--no degree of creativity--> + <exclude name="o.n.bootstrap/test/unit/src/org/fakepkg/resource2.txt" /> <!--no degree of creativity--> <exclude name="o.n.core/licenses/**" /> <!-- license files --> + <exclude name="o.n.core/test/unit/src/org/netbeans/core/modules/jars/localized-manifest/locmani/something.txt" /> <!--no degree of creativity--> <exclude name="o.n.core/test/unit/src/org/netbeans/core/projects/cache/data/**" /> <!-- test data --> <exclude name="openide.nodes/test/unit/src/org/openide/nodes/data/**" /> <!-- test data --> + <exclude name="openide.util.lookup/test/unit/src/org/openide/util/lookup/MetaInfServicesLookupTestRunnable.txt" /> <!--no degree of creativity--> + <exclude name="openide.util.lookup/test/unit/src/org/openide/util/lookup/problem100320.txt" /> <!--no degree of creativity--> + <exclude name="openide.util.lookup/test/unit/src/org/openide/util/lookup/problem249414.txt" /> <!--no degree of creativity--> + <exclude name="openide.util.lookup/test/unit/src/org/openide/util/lookup/services-jar-1.txt" /> <!--no degree of creativity--> + <exclude name="openide.util.lookup/test/unit/src/org/openide/util/lookup/services-jar-2.txt" /> <!--no degree of creativity--> <exclude name="openide.util.ui/test/unit/src/org/openide/util/UtilitiesTranslateEmpty.txt" /> <!-- license would cause tests to fail --> <exclude name="openide.util/test/unit/src/org/openide/util/LookupUsesRequestProcessorTest.resource" /> <!-- license would cause tests to fail --> <exclude name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
762. borxa commented on issue #235: [NETBEANS-54] Module Review html.editor URL: <https://github.com/apache/incubator-netbeans/pull/235#issuecomment-341996028> License from catalog files removed ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
763. asfgit closed pull request #235: [NETBEANS-54] Module Review html.editor URL: <https://github.com/apache/incubator-netbeans/pull/235> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/html.editor/src/org/netbeans/modules/html/editor/Bundle.properties b/html.editor/src/org/netbeans/modules/html/editor/Bundle.properties index 93afa1306..2a219fdb 100644 --- a/html.editor/src/org/netbeans/modules/html/editor/Bundle.properties +++ b/html.editor/src/org/netbeans/modules/html/editor/Bundle.properties @@ -1,44 +1,19 @@ @ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - # Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. + # Licensed to the Apache Software Foundation (ASF) under one + # or more contributor license agreements. See the NOTICE file + # distributed with this work for additional information + # regarding copyright ownership. The ASF licenses this file + # to you under the Apache License, Version 2.0 (the + # "License"); you may not use this file except in compliance + # with the License. You may obtain a copy of the License at + # http://www.apache.org/licenses/LICENSE-2.0 + # + # Unless required by applicable law or agreed to in writing, + # software distributed under the License is distributed on an + # "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + # KIND, either express or implied. See the License for the + # specific language governing permissions and limitations + # under the License. + Fallback testcoverage implementation. Just fails with appropriate message. --> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Contributor(s): -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -# Microsystems, Inc. All Rights Reserved. -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License.

HtmlCompletionOptionsPanel.autocompleteQuotesAfterEQSCheckBox.text=Equals-sign (=) Keypress After Attribute Name Autocompletes Quote Set
HtmlCompletionOptionsPanel.autocompleteQuotesCheckBox.text=Quote-mark (") Keypress After Attribute Name Autocompletes Closing Quote
HtmlCompletionOptionsPanel.completionOffersEndTagAfterLt.text=Completion Offers End Tags After Less Than (<) Character diff --git
a/html.editor/src/org/netbeans/modules/html/editor/hints/Bundle.properties b/html.editor/src/org/netbeans/modules/html/editor/hints/Bundle.properties index
ab4dc3874..ea391606a 100644 --- a/html.editor/src/org/netbeans/modules/html/editor/hints/Bundle.properties +++
b/html.editor/src/org/netbeans/modules/html/editor/hints/Bundle.properties @@ -1,44 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES
OR THIS HEADER. -# Copyright 1997-2010 Oracle and/or its affiliates. All rights reserved. +# Licensed to the Apache Software Foundation (ASF) under one
+ # or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The
ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You
may obtain a copy of the License at +# +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Oracle and Java are registered trademarks of Oracle and/or its
affiliates. -# Other names may be trademarks of their respective owners. -# The contents of this file are subject to the terms of either the GNU -# General Public
License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file
except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-
2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License
Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the
"Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following
below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of
copyright owner]" -# Contributor(s): -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc.
Portions Copyright 1997-2006 Sun -# Microsystems, Inc. All Rights Reserved. -# If you wish your version of this file to be governed by only the CDDL -# or
only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version
2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL
Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -#
Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. +# Unless required by applicable law or
agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
+ # KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. #Options csl-
hints/text/html/hints/general=HTML Validator diff --git a/html.editor/src/org/netbeans/modules/html/editor/hints/css/Bundle.properties
b/html.editor/src/org/netbeans/modules/html/editor/hints/css/Bundle.properties index dd1b3f995..1f239219b 100644 ---
a/html.editor/src/org/netbeans/modules/html/editor/hints/css/Bundle.properties +++ b/html.editor/src/org/netbeans/modules/html/editor/hints/css/Bundle.properties
@@ -1,44 +1,19 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -# Copyright 1997-2010 Oracle and/or its affiliates. All
rights reserved. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed
with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +#
"License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# +# Oracle and Java are registered
trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# The contents of this file are subject to the terms of
either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -#
"License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-
gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License.
When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle
designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -#
accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying
information: -# "Portions Copyrighted [year] [name of copyright owner]" -# Contributor(s): -# The Original Software is NetBeans. The Initial Developer of the
Original -# Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -# Microsystems, Inc. All Rights Reserved. -# If you wish your version of this
file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this
distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your
version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL
Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright
holder. +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +# software distributed under the
License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the
the +# specific language governing permissions and limitations +# under the License. #Options csl-hints/text/html/hints/css=CSS

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

764. matthiasblaesing commented on issue #235: [NETBEANS-54] Module Review html.editor URL: <https://github.com/apache/incubator-netbeans/pull/235#issuecomment-342001268> Thank you - I added the excludes for the build.xml and merged this. html.editor is now clean. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

765. junichi11 commented on issue #207: [NETBEANS-54] Module Review o.n.upgrader URL: <https://github.com/apache/incubator-netbeans/pull/207#issuecomment-342379117> I'll merge this later. Please let me know if there is a problem. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

766. junichi11 opened a new pull request #255: [NETBEANS-54] Module Review api.templates URL: <https://github.com/apache/incubator-netbeans/pull/255> - Remove the license header from utf8.xml because unit tests fail. - Exclude utf8.xml from rat. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

767. junichi11 closed pull request #207: [NETBEANS-54] Module Review o.n.upgrader URL: <https://github.com/apache/incubator-netbeans/pull/207> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git
a/o.n.upgrader/src/org/netbeans/upgrade/systemoptions/systemoptionsimport b/o.n.upgrader/src/org/netbeans/upgrade/systemoptions/systemoptionsimport index
6caf84336..d30b68ebd 100644 --- a/o.n.upgrader/src/org/netbeans/upgrade/systemoptions/systemoptionsimport +++
b/o.n.upgrader/src/org/netbeans/upgrade/systemoptions/systemoptionsimport @@ -1,3 +1,19 @@ +# Licensed to the Apache Software Foundation (ASF) under
one + # or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership.
The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License.
You may obtain a copy of the License at +# +# http://www.apache.org/licenses/LICENSE-2.0 +# +# Unless required by applicable law or agreed to in writing, +#
software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express
or implied. See the License for the +# specific language governing permissions and limitations +# under the License. Services/org-netbeans-core-
IDESettings.settings Services/org-netbeans-modules-derby-DerbyOptions.settings Services/org-apache-tools-ant-module-AntSettings.settings -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

768. junichi11 closed pull request #255: [NETBEANS-54] Module Review api.templates URL: <https://github.com/apache/incubator-netbeans/pull/255> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/api.templates/test/unit/src/org/netbeans/modules/templates/utf8.xml b/api.templates/test/unit/src/org/netbeans/modules/templates/utf8.xml index 5bddc48f0..b508d10e4 100644 --- a/api.templates/test/unit/src/org/netbeans/modules/templates/utf8.xml +++ b/api.templates/test/unit/src/org/netbeans/modules/templates/utf8.xml @@ -1,24 +1,3 @@ -<!-- - - Licensed to the Apache Software Foundation (ASF) under one - or more contributor license agreements. See the NOTICE file - distributed with this work for additional information - regarding copyright ownership. The ASF licenses this file - to you under the Apache License, Version 2.0 (the - "License"); you may not use this file except in compliance - with the License. You may obtain a copy of the License at - - http://www.apache.org/licenses/LICENSE-2.0 - - Unless required by applicable law or agreed to in writing, - software distributed under the License is distributed on an - "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY - KIND, either express or implied. See the License for the - specific language governing permissions and limitations - under the License. - --> - print("<?xml version='1.0'?>"); print("<root>"); print("Žlutoučký kůň skákal přes čtvero mezí."); diff --git a/nbbuild/build.xml b/nbbuild/build.xml index db1024677..11c14a173 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2005,9 +2005,10 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/package-list" /> <!--no degree of creativity--> <exclude name="**/test/unit/data/**" /> <!--would cause tests to fail--> <exclude name="**/test/qa-functional/data/**" /> <!--would cause tests to fail--> <exclude name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!--test data--> <exclude name="api.templates/test/unit/src/org/netbeans/modules/templates/utf8.xml" /> <!--test data--> <exclude name="apisupport.ant/src/org/netbeans/modules/apisupport/project/resources/license-*.txt" /> <!--template file--> + <exclude name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CascadeStyleSheet.css.template" /> <!-- user visible template --> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CssExample" /> <!-- user visible template --> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

769. geertjanw opened a new pull request #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: <https://github.com/apache/incubator-netbeans/pull/271> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

770. geertjanw commented on issue #218: [NETBEANS-54] Module Review xml.jaxb URL: <https://github.com/apache/incubator-netbeans/pull/218#issuecomment-343731008> Reverted the license header changes on the test data files. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

771. matthiasblaesing opened a new pull request #272: [NETBEANS-54] Further license cleanup URL: <https://github.com/apache/incubator-netbeans/pull/272> There are two changes: - cleanup the xml.jaxb module by moving test-data into `xml.jaxb/test/unit/data` and fix the remaining files in the modules - cleanup modules where the CDDL is still present in primary or secondary (file generation) elements ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

772. matthiasblaesing commented on issue #218: [NETBEANS-54] Module Review xml.jaxb URL: <https://github.com/apache/incubator-netbeans/pull/218#issuecomment-343739147> @geertjanw you latest change reverts all changes you did to the xml.jaxb module. As this looked abandonned I had a look at it yesterday and also covered a few more files. Please have a look at PR #272 which holds both changesets. Merging that would also close this PR. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

773. matthiasblaesing commented on a change in pull request #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: https://github.com/apache/incubator-netbeans/pull/271#discussion_r150411500 ##### File path: nbbuild/build.xml ##### @@ -2024,8 +2027,11 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="editor.plain/src/org/netbeans/modules/editor/plain/resources/PlainTextExample" /> <!--license would be visible to users in the Fonts/Colors settings--> <exclude name="editor.settings.storage/test/unit/src/org/netbeans/modules/editor/settings/storage/compatibility/p1/**" /> <!--test data--> <exclude name="extbrowser/test/unit/src/org/netbeans/modules/extbrowser/data/mac_defaults_*/" /> <!--test data--> + <exclude name="form/src/org/netbeans/modules/form/resources/templates/**" /> <!--template files--> <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/Hibernate*.xml" /> <!--template files--> <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax" /> <!--template file--> + <exclude name="html/src/org/netbeans/modules/html/templates/**" /> <!--template files--> Review comment: This should not be here. The license header there is CDDL-GPL-2-CP and needs to be adjusted. I fixed that in #272. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

774. matthiasblaesing closed pull request #272: [NETBEANS-54] Further license cleanup URL: <https://github.com/apache/incubator-netbeans/pull/272> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/api.htmlui/test/unit/src/org/netbeans/api/htmlui/empty.html b/api.htmlui/test/unit/src/org/netbeans/api/htmlui/empty.html index 36d74b74b..7f152d47c 100644 --- a/api.htmlui/test/unit/src/org/netbeans/api/htmlui/empty.html +++ b/api.htmlui/test/unit/src/org/netbeans/api/htmlui/empty.html @@ -19,47 +19,6 @@ <!DOCTYPE html> <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - -Copyright 2014 Oracle and/or its affiliates. All rights reserved. - -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. - -The contents of this file are subject to the terms of either the GNU - General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. - However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. - -Contributor(s): - -Portions Copyrighted 2014 Sun Microsystems, Inc. --> <html> <head> <title>TODO supply a title</title> diff --git a/beans/src/org/netbeans/modules/beans/resources/beansSetting.gif b/beans/src/org/netbeans/modules/beans/resources/beansSetting.gif deleted file mode 100644 index b09c4afe5..000000000 Binary files a/beans/src/org/netbeans/modules/beans/resources/beansSetting.gif and /dev/null differ diff --git a/gsf.testrunner.ui/src/META-INF/netbeans/translate.names b/gsf.testrunner.ui/src/META-INF/netbeans/translate.names index 1a8b11322..0308f66da 100644 --- a/gsf.testrunner.ui/src/META-INF/netbeans/translate.names +++ b/gsf.testrunner.ui/src/META-INF/netbeans/translate.names @@ -1,39 +1,20 @@ b/gsf.testrunner.ui/src/META-INF/netbeans/translate.names +++ b/gsf.testrunner.ui/src/META-INF/netbeans/translate.names @@ -1,39 +1,20 @@ -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + - http://www.apache.org/licenses/LICENSE-2.0 + - Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> + print("<?xml version='1.0'?>"); print("<root>"); print("Žlutoučký kůň skákal přes čtvero mezí."); diff --git a/nbbuild/build.xml b/nbbuild/build.xml index db1024677..11c14a173 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2005,9 +2005,10 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/package-list" /> <!--no degree of creativity--> <exclude name="**/test/unit/data/**" /> <!--would cause tests to fail--> <exclude name="**/test/qa-functional/data/**" /> <!--would cause tests to fail--> <exclude name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!--test data--> <exclude name="api.templates/test/unit/src/org/netbeans/modules/templates/utf8.xml" /> <!--test data--> <exclude name="apisupport.ant/src/org/netbeans/modules/apisupport/project/resources/license-*.txt" /> <!--template file--> + <exclude name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CascadeStyleSheet.css.template" /> <!-- user visible template --> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CssExample" /> <!-- user visible template --> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. ++ http://www.apache.org/licenses/LICENSE-2.0 # ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. + # Contributor(s): # Changed filename of actions Actions/UnitTests/org-netbeans-modules-gsf-testrunner-TestCreatorAction.instance=Actions/UnitTests/org-netbeans-modules-gsf-testrunner-ui-TestCreatorAction.instance diff --git a/gsf.testrunner/src/META-INF/netbeans/translate.names b/gsf.testrunner/src/META-INF/netbeans/translate.names index 8a4d6cee6..f0cb86c4d 100644 --- a/gsf.testrunner/src/META-INF/netbeans/translate.names +++ b/gsf.testrunner/src/META-INF/netbeans/translate.names @@ -1,40 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # Copyright (c) 2012, 2016 Oracle and/or its affiliates. All rights reserved. # http://www.apache.org/licenses/LICENSE-2.0 # # Oracle and Java are registered trademarks of Oracle and/or its affiliates. # Other names may be trademarks of their respective owners. # # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common # Development and Distribution License("CDDL") (collectively, the # "License"). You may not use this file except in compliance with the # License. You can obtain a copy of the License at # http://www.netbeans.org/cddl-gplv2.html # or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the # specific language governing permissions and limitations under the # License. When distributing the software, include this License Header # Notice in each file and include the License file at # nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this # particular file as subject to the "Classpath" exception as provided # by Oracle in the GPL Version 2 section of the License file that # accompanied this code. If applicable, add the following below the # License Header, with the fields enclosed by brackets [] replaced by # your own identifying information: # "Portions Copyrighted [year] [name of copyright owner]" # # If you wish your version of this file to be governed by only the CDDL # or only the GPL Version 2, indicate your decision by adding # "[Contributor] elects to include this software in this distribution # under the [CDDL or GPL Version 2] license." If you do not indicate a # single choice of license, a recipient has the option to distribute # your version of this file under either the CDDL, the GPL Version 2 or # to extend the choice of license to its licensees as provided above. # However, if you add GPL Version 2 code and therefore, elected the GPL # Version 2 license, then the option applies only if the new code is # made subject to such option by the copyright holder. # # Contributor(s): ++ Unless required by applicable law or agreed to in writing, ++ software distributed under the License is distributed on an ++ "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY ++ KIND, either express or implied. See the License for the ++ specific language governing permissions and limitations ++ under the License. + # Changed filename of actions Actions/JUnitTests/org-netbeans-modules-junit-CreateTestAction.instance=Actions/UnitTests/org-netbeans-modules-gsf-testrunner-TestCreatorAction.instance Actions/JUnitTests/org-netbeans-modules-junit-actions-RunTestMethodAction.instance=Actions/CommonTestRunner/org-netbeans-modules-gsf-testrunner-TestMethodRunnerAction.instance diff --git a/html/src/org/netbeans/modules/html/templates/html.html b/html/src/org/netbeans/modules/html/templates/html.html index 31d550dc0..3be05ddd4 100644 --- a/html/src/org/netbeans/modules/html/templates/html.html +++ b/html/src/org/netbeans/modules/html/templates/html.html @@ -1,41 +1,22 @@ -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). -You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> \${doctype} <assign licenseFirst = "<!--" --> diff --git a/html/src/org/netbeans/modules/html/templates/xhtml.xhtml b/html/src/org/netbeans/modules/html/templates/xhtml.xhtml index a3d6bab8f..430b344e4 100644 -- a/html/src/org/netbeans/modules/html/templates/xhtml.xhtml +++ b/html/src/org/netbeans/modules/html/templates/xhtml.xhtml @@ -1,42 +1,23 @@ <?xml version="1.0" encoding="\${encoding}"?> <!-- -DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. -Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at -Oracle and Java are registered trademarks of Oracle and/or its affiliates. -Other names may be trademarks of their respective owners. + http://www.apache.org/licenses/LICENSE-2.0 -The contents of this file are subject to the terms of either the GNU -General Public License Version 2 only ("GPL") or the Common -Development and Distribution License("CDDL") (collectively, the -"License"). -You may not use this file except in compliance with the -License. You can obtain a copy of the License at -http://www.netbeans.org/cddl-gplv2.html -or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -specific language governing permissions and limitations under the -License. When distributing the software, include this License Header -Notice in each file and include the License file at -nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -particular file as subject to the "Classpath" exception as provided -by Oracle in the GPL Version 2 section of the License file that -accompanied this code. If applicable, add the following below the -License Header, with the fields enclosed by brackets [] replaced by -your own identifying information: -"Portions Copyrighted [year] [name of copyright owner]" + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. -If you wish your version of this file to be governed by only the CDDL -or only the GPL Version 2, indicate your decision by adding -"[Contributor] elects to include this software in this distribution -under the [CDDL or GPL Version 2] license." If you do not indicate a -single choice of license, a recipient has the option to distribute -your version of this file under either the CDDL, the GPL Version 2 or -to extend the choice of license to its licensees as provided above. -However, if you add GPL Version 2 code and therefore, elected the GPL -Version 2 license, then the option applies only if the new code is -made subject to such option by the copyright holder. -Contributor(s): --> <assign licenseFirst = ""> diff --git a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries index 6f6c60da6..b283ee14f 100644 --- a/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries +++ b/nbbuild/antsrc/org/netbeans/nbbuild/extlibs/ignored-binaries @@ -1,49 +1,6 @@ -49,6 @@ derby/release/modules/ext/derbysampled.zip # Not distributed with product, only used during build: nbbuild/external/apitest*.jar # Developed under CDDL inside nb.org (later snapshot moved to dev.java.net): -apisupport.paintapp/PaintApp-suite/ColorChooser/release/modules/ext/ColorChooser.jar # Build by NetBeans team mobility.databindingme/lib/* diff --git a/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle.properties b/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle.properties index a04b1907a..48479befb 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle.properties +++ b/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle.properties @@ -1,19 +1,19 @@ -# The contents of this file are subject to the terms of the Common Development -and Distribution License (the License). You may not use this file except in -compliance with the License. # Licensed to the Apache Software Foundation (ASF) under one # or more contributor license agreements. See the NOTICE file # distributed with this work for additional information # regarding copyright ownership. The ASF licenses this file # to you under the Apache License, Version 2.0 (the # "License"); you may not use this file except in compliance # with the License. You may obtain a copy of the License at # http://www.netbeans.org/cddl.html # or http://www.netbeans.org/cddl.txt. # http://www.apache.org/licenses/LICENSE-2.0 # # When distributing Covered Code, include this CDDL Header Notice in each file # and include the License file at http://www.netbeans.org/cddl.txt. # If applicable, add the following below the CDDL Header, with the fields # enclosed by brackets [] replaced by your own identifying information: # "Portions Copyrighted [year] [name of copyright

owner]" -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -# Microsystems, Inc. All Rights Reserved. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. # VERSIONING (TopLogging, MainWindow) # {0} - build number diff --git a/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle20kB.properties b/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle20kB.properties index 7a5928918..f8d66637c 100644 --- a/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle20kB.properties +++ b/performance.java/test/qa-functional/data/PerformanceTestData/src/org/netbeans/test/performance/Bundle20kB.properties @@ -1,19 +1,19 @@ -# The contents of this file are subject to the terms of the Common Development -# and Distribution License (the License). You may not use this file except in -# compliance with the License. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at # -# You can obtain a copy of the License at http://www.netbeans.org/cddl.html -# or http://www.netbeans.org/cddl.txt. +# http://www.apache.org/licenses/LICENSE-2.0 # -# When distributing Covered Code, include this CDDL Header in each file -# and include the License file at http://www.netbeans.org/cddl.txt. -# If applicable, add the following below the CDDL Header, with the fields -# enclosed by brackets [] replaced by your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# The Original Software is NetBeans. The Initial Developer of the Original -# Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -# Microsystems, Inc. All Rights Reserved. +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. # VERSIONING (TopLogging, MainWindow) # {0} - build number diff --git a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/MoveTest/testMoveClass.pass b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/MoveTest/testMoveClass.pass index baf97ce82..a2f8a3e43 100644 --- a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/MoveTest/testMoveClass.pass +++ b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/MoveTest/testMoveClass.pass @@ -34,46 +34,23 @@ public class Reference { } } ==>StatRef -/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 2012 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at - * Contributor(s); + * http://www.apache.org/licenses/LICENSE-2.0 * - * Portions Copyrighted 2008 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package moveSource; diff --git a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameClass.pass b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameClass.pass index 6f4ab0d12..b5a5fa803 100644 --- a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameClass.pass +++ b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameClass.pass @@ -32,46 +32,23 @@ public class Renamed { } } Created file: ==>Renamed.java -/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 2012 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at - * Contributor(s); + * http://www.apache.org/licenses/LICENSE-2.0 * - * Portions Copyrighted 2012 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package renameClass; diff --git a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameCtor.pass b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameCtor.pass index fd04b1771..7b3e8f0c4 100644 --- a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameCtor.pass +++ b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenameCtor.pass @@ -36,46 +36,23 @@ public class RenamedCtor { } } Created file: ==>RenamedCtor.java -/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 2012 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at - * Contributor(s); + * http://www.apache.org/licenses/LICENSE-2.0 * - * Portions Copyrighted 2008 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package renameClass; diff

```
--git a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenamePackage.pass b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenamePackage.pass index b1ed9b72d..c0599eb19 100644 ---
a/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenamePackage.pass +++ b/refactoring.java/test/qa-functional/data/goldenfiles/org/netbeans/modules/test/refactoring/RenameTest/testRenamePackage.pass @@ -32,46 +32,23 @@ Created directory: /renamedPkg
Created file: ==>RenamePkg.java -/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 2012 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * http://www.apache.org/licenses/LICENSE-2.0 + * - * Portions Copyrighted 2012 Sun Microsystems, Inc. + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package renamedPkg; diff -
--git a/schema2beans/test/unit/data/TestGroupUnbounded.java b/schema2beans/test/unit/data/TestGroupUnbounded.java index 1cb1d2089..e2bf10536 100644 ---
a/schema2beans/test/unit/data/TestGroupUnbounded.java +++ b/schema2beans/test/unit/data/TestGroupUnbounded.java @@ -1,42 +1,20 @@ -/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Sun designates this - * particular file as subject to the "Classpath" exception as provided - * by Sun in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * Contributor(s): - * - * The Original Software is NetBeans. The Initial Developer of the original - * Code is Sun Microsystems, Inc. PGroupUnbounded Copyright 1997-2006 Sun - * Microsystems, Inc. All rights reserved. + * http://www.apache.org/licenses/LICENSE-2.0 + * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * Contributor(s): - * - * The Original Software is NetBeans. The Initial Developer of the original - * Code is Sun Microsystems, Inc. PGroupUnbounded Copyright 1997-2006 Sun - * Microsystems, Inc. All rights reserved. + * http://www.apache.org/licenses/LICENSE-2.0 + * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations + * under the License. */ import java.io.*; diff --git
a/subversion/src/org/netbeans/modules/subversion/ui/wizards/importstep/Bundle.properties
b/subversion/src/org/netbeans/modules/subversion/ui/wizards/importstep/Bundle.properties index ac7c03956..fcbf5d9df 100644 ---
a/subversion/src/org/netbeans/modules/subversion/ui/wizards/importstep/Bundle.properties +++
b/subversion/src/org/netbeans/modules/subversion/ui/wizards/importstep/Bundle.properties @@ -1,40 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# Copyright (c) 2006, 2016 Oracle and/or its affiliates. All rights reserved. +# http://www.apache.org/licenses/LICENSE-2.0 +# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the "Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# -# Contributor(s): +# Unless required by applicable law or agreed to in writing, +# software distributed under the License is distributed on an +# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +# KIND, either express or implied. See the License for the +# specific language governing permissions and limitations +# under the License. +## ImportStep.java BK2014=Repository Folder must be specified diff --git a/xml.jaxb/src/org/netbeans/modules/xml/jaxb/CodeTemplates.xml
b/xml.jaxb/src/org/netbeans/modules/xml/jaxb/CodeTemplates.xml index 450ba66c1..36bfc2bf3 100644 ---
a/xml.jaxb/src/org/netbeans/modules/xml/jaxb/CodeTemplates.xml +++ b/xml.jaxb/src/org/netbeans/modules/xml/jaxb/CodeTemplates.xml @@ -1,4 +1,20 @@
<?xml version="1.0" encoding="UTF-8"?> +<!-- + Licensed to the Apache Software Foundation (ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + Unless required by applicable law or agreed to in writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <!DOCTYPE codetemplates PUBLIC "-//NetBeans//DTD Editor Code Templates settings 1.0//EN" "http://www.netbeans.org/dtds/EditorCodeTemplates-1_0.dtd"> <codetemplates> <codetemplate abbreviation="jaxbmn" xml:space="preserve"> diff --git
a/xml.jaxb/src/org/netbeans/modules/xml/jaxb/ui/Bundle.properties b/xml.jaxb/src/org/netbeans/modules/xml/jaxb/ui/Bundle.properties index
aa8077f47..259d5a89a 100644 ---
a/xml.jaxb/src/org/netbeans/modules/xml/jaxb/ui/Bundle.properties +++
b/xml.jaxb/src/org/netbeans/modules/xml/jaxb/ui/Bundle.properties @@ -1,40 +1,20 @@ -# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. +# Licensed to the Apache Software Foundation (ASF) under one +# or more contributor license agreements. See the NOTICE file +# distributed with this work for additional information +# regarding copyright ownership. The ASF licenses this file +# to you under the Apache License, Version 2.0 (the +# "License"); you may not use this file except in compliance +# with the License. You may obtain a copy of the License at +# Copyright (c) 2007, 2016 Oracle and/or its affiliates. All rights reserved. +# http://www.apache.org/licenses/LICENSE-2.0 +# -# Oracle and Java are registered trademarks of Oracle and/or its affiliates. -# Other names may be trademarks of their respective owners. -# -# The contents of this file are subject to the terms of either the GNU -# General Public License Version 2 only ("GPL") or the Common -# Development and Distribution License("CDDL") (collectively, the -# "License"). You may not use this file except in compliance with the -# License. You can obtain a copy of the License at -# http://www.netbeans.org/cddl-gplv2.html -# or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the -# specific language governing permissions and limitations under the -# License. When distributing the software, include this License Header -# Notice in each file and include the License file at -# nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this -# particular file as subject to the
```

"Classpath" exception as provided -# by Oracle in the GPL Version 2 section of the License file that -# accompanied this code. If applicable, add the following below the -# License Header, with the fields enclosed by brackets [] replaced by -# your own identifying information: -# "Portions Copyrighted [year] [name of copyright owner]" -# -# If you wish your version of this file to be governed by only the CDDL -# or only the GPL Version 2, indicate your decision by adding -# "[Contributor] elects to include this software in this distribution -# under the [CDDL or GPL Version 2] license." If you do not indicate a -# single choice of license, a recipient has the option to distribute -# your version of this file under either the CDDL, the GPL Version 2 or -# to extend the choice of license to its licensees as provided above. -# However, if you add GPL Version 2 code and therefore, elected the GPL -# Version 2 license, then the option applies only if the new code is -# made subject to such option by the copyright holder. -# -# Contributor(s): -# Unless required by applicable law or agreed to in writing, -# software distributed under the License is distributed on an -# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY -# KIND, either express or implied. See the License for the -# specific language governing permissions and limitations -# under the License. + # Labels LBL_JAXBWizTitle=Configure XML Binding

LBL_XSDFileLoc=XSD File Location: diff --git a/xml.jaxb/test/unit/src/data/BuildFile1.xml
b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFile1.xml similarity index 100% rename from xml.jaxb/test/unit/src/data/BuildFile1.xml rename to xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFile1.xml diff --git a/xml.jaxb/test/unit/src/data/BuildFile2.xml
b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFile2.xml similarity index 100% rename from xml.jaxb/test/unit/src/data/BuildFile2.xml rename to xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFile2.xml diff --git a/xml.jaxb/test/unit/src/data/BuildFile3.xml
b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFile3.xml similarity index 100% rename from xml.jaxb/test/unit/src/data/BuildFile3.xml rename to xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFile3.xml diff --git a/xml.jaxb/test/unit/src/data/BuildFileEmptyCatalog.xml
b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFileEmptyCatalog.xml similarity index 100% rename from
xml.jaxb/test/unit/src/data/BuildFileEmptyCatalog.xml rename to xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/BuildFileEmptyCatalog.xml diff --git a/xml.jaxb/test/unit/src/data/ConfigFile1.xml b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFile1.xml similarity index 100% rename from
xml.jaxb/test/unit/src/data/ConfigFile1.xml rename to xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFile1.xml diff --git a/xml.jaxb/test/unit/src/data/ConfigFile2.xml b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFile2.xml similarity index 100% rename from
xml.jaxb/test/unit/src/data/ConfigFile2.xml rename to xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFile2.xml diff --git a/xml.jaxb/test/unit/src/data/ConfigFile3.xml b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFile3.xml similarity index 100% rename from
xml.jaxb/test/unit/src/data/ConfigFile3.xml rename to xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFile3.xml diff --git a/xml.jaxb/test/unit/src/data/ConfigFileEmptyCatalog.xml b/xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFileEmptyCatalog.xml similarity index 100% rename from
xml.jaxb/test/unit/src/data/ConfigFileEmptyCatalog.xml rename to
xml.jaxb/test/unit/data/org/netbeans/modules/xml/jaxb/util/ConfigFileEmptyCatalog.xml diff --git a/xml.jaxb/test/unit/src/org/netbeans/modules/xml/jaxb/util/XSLTest.java b/xml.jaxb/test/unit/src/org/netbeans/modules/xml/jaxb/util/XSLTest.java index
991bd02b4..bfac65a3 100644 --- a/xml.jaxb/test/unit/src/org/netbeans/modules/xml/jaxb/util/XSLTest.java +++
b/xml.jaxb/test/unit/src/org/netbeans/modules/xml/jaxb/util/XSLTest.java @@ -22,6+22,7 @@ import java.io.BufferedReader; import java.io.File; import
java.io.FileInputStream; import java.io.FileNotFoundException; import java.io.IOException; import java.io.InputStream; @@
-45,16+46,14 @@ * @author gmpatil / public class XSLTest extends NbTestCase { - private static final String CONFIG_FILE1 = "/data/ConfigFile1.xml";
//NOI18N - private static final String CONFIG_FILE2 = "/data/ConfigFile2.xml"; //NOI18N - private static final String CONFIG_FILE3 =
"/data/ConfigFile3.xml"; //NOI18N - private static final String CONFIG_EMPTY_CAT = - "/data/ConfigFileEmptyCatalog.xml"; //NOI18N - private static final
String BUILD_FILE1 = "/data/BuildFile1.xml"; //NOI18N - private static final String BUILD_FILE2 = "/data/BuildFile2.xml"; //NOI18N - private static final
String BUILD_FILE3 = "/data/BuildFile3.xml"; //NOI18N - private static final String BUILD_EMPTY_CAT = - "/data/BuildFileEmptyCatalog.xml"; //NOI18N +
private static final String CONFIG_FILE1 = "ConfigFile1.xml"; //NOI18N + private static final String CONFIG_FILE2 = "ConfigFile2.xml"; //NOI18N + private
static final String CONFIG_FILE3 = "ConfigFile3.xml"; //NOI18N + private static final String CONFIG_EMPTY_CAT = "ConfigFileEmptyCatalog.xml";
//NOI18N + private static final String BUILD_FILE1 = "BuildFile1.xml"; //NOI18N + private static final String BUILD_FILE2 = "BuildFile2.xml"; //NOI18N +
private static final String BUILD_FILE3 = "BuildFile3.xml"; //NOI18N + private static final String BUILD_EMPTY_CAT = "BuildFileEmptyCatalog.xml";
//NOI18N private static final String XSL_FILE = "/org/netbeans/modules/xml/jaxb/resources/JAXBBuild.xml"; //NOI18N @@ -70,10+69,15 @@ public void
setUp() throws Exception { public void tearDown() throws Exception { } - private InputStream getInputStream(String filePath){ + private InputStream
getFromClasspath(String filePath){ return this.getClass().getResourceAsStream(filePath); } + private InputStream getDatafile(String filename) throws
FileNotFoundException{ + String dataFilename = "/org/netbeans/modules/xml/jaxb/util/" + filename; + return new FileInputStream(new File(getDataDir(),
dataFilename)); } + private String getString(InputStream stream) throws IOException{ BufferedReader br = new BufferedReader(new
InputStreamReader(stream)); StringBuffer sb = new StringBuffer(); @@ -100,8+104,8 @@ private void compareStream(InputStream file1, InputStream file2)
throws IOException private void transformConfig2Build(String configFile, String buildFile){ try { - Source xmlSource = new
StreamSource(getInputStream(configFile)); - Source xslSource = new StreamSource(getInputStream(XSL_FILE)); + Source xmlSource = new
StreamSource(getDatafile(configFile)); + Source xslSource = new StreamSource(getFromClasspath(XSL_FILE)); File tmpFile =
java.io.File.createTempFile(TEMP_BUILD_FILE, ".xml"); //System.out.println("tmpFile:" + tmpFile.getAbsolutePath()); tmpFile.deleteOnExit(); @@ -115,7
+119,7 @@ private void transformConfig2Build(String configFile, String buildFile){ xformer.transform(xmlSource, result); // Compare. fos.close(); -
compareStream(getInputStream(buildFile), new FileInputStream(tmpFile)); + compareStream(getDatafile(buildFile), new FileInputStream(tmpFile)); } catch
(TransformerConfigurationException ex) { Logger.getLogger("global").log(Level.SEVERE, null, ex); fail("TransformerConfigurationException"); diff --git
a/xml.tax/lib/test/qa-functional/src/org/netbeans/tax/io/data/goldenfiles/TreeBuilderTest/testAttlistWithRefsInstance.pass b/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/io/data/goldenfiles/TreeBuilderTest/testAttlistWithRefsInstance.pass index 7a35d3f63..e454392aa 100644 --- a/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/io/data/goldenfiles/TreeBuilderTest/testAttlistWithRefsInstance.pass +++ b/xml.tax/lib/test/qa-
functional/src/org/netbeans/tax/io/data/goldenfiles/TreeBuilderTest/testAttlistWithRefsInstance.pass @@ -45,22+45,24 @@ <?xml version="1.0"
encoding="UTF-8"?> <!-- The contents of this file are subject to the terms of the Common Development -and Distribution License (the License). You may not
use this file except in -compliance with the License. - -You can obtain a copy of the License at http://www.netbeans.org/cddl.html -or
http://www.netbeans.org/cddl.txt. - -When distributing Covered Code, include this CDDL Header Notice in each file -and include the License file at
http://www.netbeans.org/cddl.txt. -If applicable, add the following below the CDDL Header, with the fields -enclosed by brackets [] replaced by your own
identifying information: -"Portions Copyrighted [year] [name of copyright owner]" - -The Original Software is NetBeans. The Initial Developer of the Original -
Software is Sun Microsystems, Inc. Portions Copyright 1997-2006 Sun -Microsystems, Inc. All Rights Reserved. + + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing,
+ software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express
or implied. See the License for the + specific language governing permissions and limitations + under the License. + --> <!-- Created by pk97937 on June 21,
2001, 4:23 PM --> diff --git a/xml.text/src/org/netbeans/modules/xml/text/syntax/javacc/DTDSyntax.jj
b/xml.text/src/org/netbeans/modules/xml/text/syntax/javacc/DTDSyntax.jj index fa7f72b80..664d995ed 100644 ---
a/xml.text/src/org/netbeans/modules/xml/text/syntax/javacc/DTDSyntax.jj +++ b/xml.text/src/org/netbeans/modules/xml/text/syntax/javacc/DTDSyntax.jj @@
-61,44+61,23 @@ options { PARSER_BEGIN(DTDSyntax) -/* - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - *
Copyright (c) 1997, 2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other
names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version
2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in
compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP.
See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License
Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the
"Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following
below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of
copyright owner]" +/* + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file +
distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version
2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at - * - * If you wish your
version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this
software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to
distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - *
However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to
such option by the copyright holder. + * http://www.apache.org/licenses/LICENSE-2.0 - * - * Contributor(s): + * Unless required by applicable law or agreed to in
writing, + *

software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package org.netbeans.modules.xml.text.syntax.javacc; diff --git a/xml/text/src/org/netbeans/modules/xml/text/syntax/javacc/XMLSyntax.jj b/xml/text/src/org/netbeans/modules/xml/text/syntax/javacc/XMLSyntax.jj index 26deb7479..78c10935a 100644 --- a/xml/text/src/org/netbeans/modules/xml/text/syntax/javacc/XMLSyntax.jj +++ b/xml/text/src/org/netbeans/modules/xml/text/syntax/javacc/XMLSyntax.jj @@ -60,44 +60,23 @@ options { PARSER_BEGIN(XMLSyntax) } - * - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright (c) 1997, 2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" + * + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Contributor(s): + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. */ package org.netbeans.modules.xml.text.syntax.javacc; diff --git a/xml/bin/gen-icons_xml.sh b/xml/bin/gen-icons_xml.sh index c0a0a0de3..c4efc4f93 100644 --- a/xml/bin/gen-icons_xml.sh +++ b/xml/bin/gen-icons_xml.sh @@ -48,87 +48,45 @@ for dir in api catalog core css tax text-edit tools tree-edit xsl schema; do if ["\$GENERATE" == "true"]; then DESC_FILE=\$ICONS/description.properties - echo "# - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 1997, 2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" + echo "# \ + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Contributor(s): + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. " > \$DESC_FILE fi DATA=\$WWW/\$dir/data/icons.xml echo "<?xml version='1.0' encoding='UTF-8'> <!-- - * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER. - * - * Copyright 1997, 2010 Oracle and/or its affiliates. All rights reserved. - * - * Oracle and Java are registered trademarks of Oracle and/or its affiliates. - * Other names may be trademarks of their respective owners. - * - * The contents of this file are subject to the terms of either the GNU - * General Public License Version 2 only ("GPL") or the Common - * Development and Distribution License("CDDL") (collectively, the - * "License"). You may not use this file except in compliance with the - * License. You can obtain a copy of the License at - * http://www.netbeans.org/cddl-gplv2.html - * or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the - * specific language governing permissions and limitations under the - * License. When distributing the software, include this License Header - * Notice in each file and include the License file at - * nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this - * particular file as subject to the "Classpath" exception as provided - * by Oracle in the GPL Version 2 section of the License file that - * accompanied this code. If applicable, add the following below the - * License Header, with the fields enclosed by brackets [] replaced by - * your own identifying information: - * "Portions Copyrighted [year] [name of copyright owner]" - * - * If you wish your version of this file to be governed by only the CDDL - * or only the GPL Version 2, indicate your decision by adding - * "[Contributor] elects to include this software in this distribution - * under the [CDDL or GPL Version 2] license." If you do not indicate a - * single choice of license, a recipient has the option to distribute - * your version of this file under either the CDDL, the GPL Version 2 or - * to extend the choice of license to its licensees as provided above. - * However, if you add GPL Version 2 code and therefore, elected the GPL - * Version 2 license, then the option applies only if the new code is - * made subject to such option by the copyright holder. - * - * Contributor(s): + * Licensed to the Apache Software Foundation (ASF) under one + * or more contributor license agreements. See the NOTICE file + * distributed with this work for additional information + * regarding copyright ownership. The ASF licenses this file + * to you under the Apache License, Version 2.0 (the + * "License"); you may not use this file except in compliance + * with the License. You may obtain a copy of the License at + * + * http://www.apache.org/licenses/LICENSE-2.0 + * + * Unless required by applicable law or agreed to in writing, + * software distributed under the License is distributed on an + * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + * KIND, either express or implied. See the License for the + * specific language governing permissions and limitations + * under the License. --> " > \$DATA -----

----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

775. matthiasblaesing closed pull request #218: [NETBEANS-54] Module Review xml.jaxb URL: <https://github.com/apache/incubator-netbeans/pull/218> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
776. geertjanw commented on issue #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: <https://github.com/apache/incubator-netbeans/pull/271#issuecomment-343864526> So, should I simply close this one, is everything handled in #272? ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
777. matthiasblaesing commented on issue #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: <https://github.com/apache/incubator-netbeans/pull/271#issuecomment-343998973> No, #272 makes the exclude you introduced in 2033 obsolete, so that should be removed, The `VERSIONS.txt` excludes can be replaced with a single wildcard exclude as shown above. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
778. matthiasblaesing commented on issue #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: <https://github.com/apache/incubator-netbeans/pull/271#issuecomment-345548468> @geertjanw I extended your work by adding the ALv2 header to all VERSION.txt files. You established this in a prior fix and I think it is a good idea. Please see here: <https://github.com/matthiasblaesing/incubator-netbeans/tree/pr271-followup> You can full that into your tree as: `` git pull https://github.com/matthiasblaesing/incubator-netbeans.git pr271-followup `` ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
779. geertjanw commented on issue #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: <https://github.com/apache/incubator-netbeans/pull/271#issuecomment-346583435> OK, I'll use that to pull this into my tree, but does anything from here need to be pushed to Apache NetBeans Git? Sorry, it's getting too complex for me in this PR, if there's a way you can commit this, that would be great. -----

This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org

780. asfgit closed pull request #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: <https://github.com/apache/incubator-netbeans/pull/271> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 5a0c39c84..1d7f74287 100644 --- a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2032,6 +2032,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="**/*.mf" /> <!--do not natively support comments--> <exclude name="**/*.MF" /> <!--do not natively support comments--> <exclude name="**/*.nib" /> <!--do not natively support comments--> + <exclude name="**/*.oql" /> <!--do not natively support comments--> <exclude name="**/*.palette_item" /> <!--no degree of creativity--> <exclude name="**/*.pass" /> <!--generated test files--> <exclude name="**/*.pass2" /> <!--generated test files--> @@ -2060,6 +2061,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="api.search/test/unit/src/org/netbeans/modules/search/data/**" /> <!--test data--> <exclude name="api.templates/test/unit/src/org/netbeans/modules/templates/utf8.xml" /> <!--test data--> <exclude name="apisupport.ant/src/org/netbeans/modules/apisupport/project/resources/license-*.txt" /> <!--template file--> + <exclude name="apisupport.installer/src/org/netbeans/modules/apisupport/installer/resources/licenses/**" /> <!--three license files--> <exclude name="autoupdate.services/test/unit/src/org/netbeans/modules/autoupdate/updateprovider/data/**" /> <!-- test data --> <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CascadeStyleSheet.css.template" /> <!-- user visible template --> @@ -2077,8 +2079,10 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="editor.plain/src/org/netbeans/modules/editor/plain/resources/PlainTextExample" /> <!--license would be visible to users in the Fonts/Colors settings--> <exclude name="editor.settings.storage/test/unit/src/org/netbeans/modules/editor/settings/storage/compatibility/p1/**" /> <!--test data--> <exclude name="extbrowser/test/unit/src/org/netbeans/modules/extbrowser/data/mac_defaults_*" /> <!--test data--> + <exclude name="form/src/org/netbeans/modules/form/resources/templates/**" /> <!--template files--> <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/Hibernate*.xml" /> <!--template files--> <exclude name="hibernate/src/org/netbeans/modules/hibernate/resources/HibernateUtil.javax" /> <!--template file--> + <exclude name="html/test/unit/src/org/netbeans/modules/html/data/**" /> <!--test data--> <exclude name="html.editor/src/org/netbeans/modules/html/editor/options/ui/formatSample.html" /> <!--user visible file template--> <exclude name="html.editor/src/org/netbeans/modules/html/editor/resources/HTMLExample" /> <!--user visible file template--> <exclude name="html.editor/src/org/netbeans/modules/html/editor/resources/XHTMLExample" /> <!--user visible file template--> @@ -2093,6 +2097,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="java.api.common/src/org/netbeans/modules/java/api/common/project/ui/customizer/vmo/gen/CommandLine.tokens" /> <!--generated by ANTLR--> <exclude name="java.editor/src/org/netbeans/modules/java/editor/resources/JavaExample" /> <!--no degree of creativity--> <exclude name="java.j2semodule/src/org/netbeans/modules/java/j2semodule/ui/resources/module-info.java.template" /> <!--template file--> + <exclude name="java.kit/release/VERSION.txt" /> <!--generated file--> <exclude name="java.platform.ui/src/org/netbeans/modules/java/platform/resources/templates/javaplatform.xml" /> <!--template file--> <exclude name="java.project.ui/src/org/netbeans/modules/java/project/ui/resources/*.template" /> <!-- template files --> <exclude name="java.source/test-excludes.txt" /> <!-- test context --> @@ -2139,6 +2144,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!--no degree of creativity--> <exclude name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!--no degree of creativity--> + <exclude name="profiler/release/VERSION.txt" /> <!--generated file--> <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/*-license.txt" /> <!--licenses--> <exclude name="projectui/src/org/netbeans/modules/project/ui/resources/license-default.txt" /> <!--licenses--> <exclude name="projectuiapi/test/unit/src/org/netbeans/modules/project/uiapi/data/*.txt" /> <!--test data--> ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
781. geertjanw commented on issue #271: [NETBEANS-54] excluding specific files, e.g., licenses via Rat URL: <https://github.com/apache/incubator-netbeans/pull/271#issuecomment-346706801> Thank you! :) ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
782. emilianbold opened a new pull request #299: [NETBEANS-54] Module Review usersguide URL: <https://github.com/apache/incubator-netbeans/pull/299> Added ASF license footer, replaced the old copyright notice with Apache 2.0. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
783. geertjanw commented on issue #299: [NETBEANS-54] Module Review usersguide URL: <https://github.com/apache/incubator-netbeans/pull/299#issuecomment-347483655> Nice, thanks, merging. ----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
784. geertjanw closed pull request #299: [NETBEANS-54] Module Review usersguide URL: <https://github.com/apache/incubator-netbeans/pull/299> This is a PR merged from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor.htm index c7dad932a..bbca0b026 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor.htm @@ -45,7 +45,7 @@ Using the CSS Source Editor</h1> <table summary="" cellpadding="0" cellspacing="0" width="100%"> <tr> <td align="left" width="86%"> - Copyright&copy;&nbsp;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved. +Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. </td> </tr> </table> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor001.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor001.htm index b742f03a8..9c34fa891 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor001.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor001.htm @@ -211,7 +211,7 @@ CSS Source Editor</h1> <table summary="" cellpadding="0" cellspacing="0" width="100%"> <tr> <td align="left" width="86%"> - Copyright&copy;&nbsp;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved. +Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. </td> </tr> </table> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor002.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor002.htm index 25cb449f..e09828516 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor002.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor002.htm @@ -88,7 +88,7 @@ Add CSS Property Dialog Box</h1> <table summary="" cellpadding="0" cellspacing="0" width="100%"> <tr> <td align="left" width="86%"> - Copyright&copy;&nbsp;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved. +Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. </td> </tr> </table> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor003.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor003.htm index 8e6e8bd40..e22b827f3 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor003.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor003.htm @@ -122,7 +122,7 @@ Edit CSS Rules Dialog Box</h1> <table summary="" cellpadding="0" cellspacing="0" width="100%"> <tr> <td align="left" width="86%"> - Copyright&copy;&nbsp;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved. +Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0. </td> </tr> </table> diff --git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor004.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor004.htm index 97876d8f6..f8ac29ecd 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor004.htm +++ b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_css_editor004.htm @@ -164,7 +164,7 @@ CSS Styles Window</h1> <table summary="" cellpadding="0" cellspacing="0" width="100%"> <tr> <td align="left" width="86%"> - Copyright&copy;&nbsp;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved. +Licensed to the Apache

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
summary="" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans072.htm
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans072.htm index 85b6fc269..fbbba4919 100755 ---
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans072.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans072.htm @@ -32,20 +32,36 @@ <h1>Legal Notices</h1> <a name="BEGIN"
id="BEGIN"></a> <p>DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.</p> <p>Copyright &copy; 1997, 2016, Oracle and/or its
affiliates. All rights reserved.</p> <p>Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective
owners.</p> <p>The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the
License at <code dir="ltr"> + <p> +Licensed to the Apache Software Foundation (ASF) under one +or more contributor license agreements. See the NOTICE file
+distributed with this work for additional information +regarding copyright ownership. The ASF licenses this file +to you under the Apache License, Version 2.0
(the +"License"); you may not use this file except in compliance +with the License. You may obtain a copy of the License at </p> + <p> +<code dir="ltr">
<object classid="java:org.netbeans.modules.javahelp.BrowserDisplayer"> <param name="content" value="http://www.netbeans.org/cddl-gplv2.html"> <param
name="text" value="<html><u>http://www.netbeans.org/cddl-gplv2.html</u></html>"> <param name="content"
value="http://www.apache.org/licenses/LICENSE-2.0"> <param name="text" value="<html><u>http://www.apache.org/licenses/LICENSE-2.0</u></html>">
<param name="textFontSize" value="medium"> <param name="textColor" value="blue"> </object> </code> or nbbuild/licenses/CDDL-GPL-2-CP. See the
License for the specific language governing permissions and limitations under the License. When distributing the software, include this License Header Notice in
each file and include the License file at nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this particular file as subject to the "Classpath" exception as
provided by Oracle in the GPL Version 2 section of the License file that accompanied this code. If applicable, add the following below the License Header, with
the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyrighted [year] [name of copyright owner]"</p> <p>Contributor(s):
</p> <p>The original software is NetBeans. The initial developer of the original software was Sun Microsystems, Inc., portions copyright 1997-2006 Sun
Microsystems, Inc. All rights reserved.</p> <p>If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your
decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you do not indicate a single
choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its
licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new
code is made subject to such option by the copyright holder.</p> <p>Oracle is not responsible for the availability of third-party Web sites mentioned in this
document. Oracle does not endorse and is not responsible or liable for any content, advertising, products, or other materials on or available from such sites or
resources. Oracle will not be responsible or liable for any damage or loss caused or alleged to be caused by or in connection with use of or reliance on any such
content, goods, or services available on or through any such sites or resources.</p> </code> </p> + <p> +Unless required by applicable law or agreed to in
writing, +software distributed under the License is distributed on an +"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY +KIND, either
express or implied. See the License for the +specific language governing permissions and limitations +under the License. </p> <!-- --> <!-- Start Footer --> @@
-54,7 +70,7 @@ <h1>Legal Notices</h1> <table summary="" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a
href="legal_notice.htm"> -Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans073.htm
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans073.htm index c2ea51dd1..c902b4033 100755 ---
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans073.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans073.htm @@ -92,7 +92,7 @@ <h1>Internationalization Wizard</h1> <table
summary="" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans074.htm
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans074.htm index 38142b8ef..93318ba16 100755 ---
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans074.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans074.htm @@ -84,7 +84,7 @@ <h1>Notifications Window</h1> <table summary=""
cellspacing="0" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm index 0b4e9956f..705820fb2 100755 ---
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans075.htm @@ -199,7 +199,7 @@ <h1>Tasks Window</h1> <table summary=""
cellspacing="0" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm index febe032c5..ca4624384 100755 ---
a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_working_netbeans076.htm @@ -138,7 +138,7 @@ <h1>Javadoc Index Search Window</h1> <table
summary="" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm index
faaa906e..e329c0aca 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml.htm @@ -45,7 +45,7 @@ <h1>Using XML</h1> <table summary="" cellpadding="0"
width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm index
5e5419618..8e9a7f791 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml001.htm @@ -205,7 +205,7 @@ <h1>About the XML Source Editor</h1> <table summary=""
cellspacing="0" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm index
8ab1895fd..17886f154 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml002.htm @@ -97,7 +97,7 @@ <h1>Add Catalog Dialog Box</h1> <table summary=""
cellspacing="0" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm index
74089a77c..9bf6b9fb3 100755 --- a/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm +++
b/usersguide/javahelp/org/netbeans/modules/usersguide/f1_xml003.htm @@ -115,7 +115,7 @@ <h1>XSL Transformation Dialog Box</h1> <table summary=""
cellspacing="0" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&copy;2017,&nbsp;Oracle&nbsp;and/or&nbsp;its&nbsp;affiliates.&nbsp;All&nbsp;rights&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
```

```
git a/usersguide/java/org/netbeans/modules/usersguide/f1_xml004.htm b/usersguide/java/org/netbeans/modules/usersguide/f1_xml004.htm index
c118e7342..d5be20132 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/f1_xml004.htm +++
b/usersguide/java/org/netbeans/modules/usersguide/f1_xml004.htm @@ -196,7 +196,7 @@ <h1>XML Editor Toolbar</h1> <table summary=""
cellspacing="0" cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&nbsp;&copy;&nbsp;&nbsp;&nbsp;2017,&nbsp;&nbsp;&nbsp;Oracle&nbsp;&nbsp;&nbsp;and/or&nbsp;&nbsp;&nbsp;its&nbsp;&nbsp;&nbsp;affiliates.&nbsp;&nbsp;&nbsp;All&nbsp;&nbsp;&nbsp;rights&nbsp;&nbsp;&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/java/org/netbeans/modules/usersguide/prefacehelp.htm b/usersguide/java/org/netbeans/modules/usersguide/prefacehelp.htm index
c32c49c9d..52c4d63ff 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/prefacehelp.htm +++
b/usersguide/java/org/netbeans/modules/usersguide/prefacehelp.htm @@ -97,7 +97,7 @@ <h2>Conventions</h2> <table summary="" cellpadding="0"
cellpadding="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&nbsp;&copy;&nbsp;&nbsp;&nbsp;2016,&nbsp;&nbsp;&nbsp;Oracle&nbsp;&nbsp;&nbsp;and/or&nbsp;&nbsp;&nbsp;its&nbsp;&nbsp;&nbsp;affiliates.&nbsp;&nbsp;&nbsp;All&nbsp;&nbsp;&nbsp;rights&nbsp;&nbsp;&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> diff --
git a/usersguide/java/org/netbeans/modules/usersguide/titlehelp.htm b/usersguide/java/org/netbeans/modules/usersguide/titlehelp.htm index
ec54fa931..7731878e1 100755 --- a/usersguide/java/org/netbeans/modules/usersguide/titlehelp.htm +++
b/usersguide/java/org/netbeans/modules/usersguide/titlehelp.htm @@ -37,23 +37,33 @@ <h1>NetBeans</h1> <hr /> <p>NetBeans IDE Online Help</p>
<p>E80915-01</p> <p>Copyright &copy; 2013, 2017&nbsp;&nbsp;&nbsp;Oracle and/or its affiliates. All rights reserved.</p> <p>Primary Author: Alyona Stashkova,
Catherine Pickersgill, Akhilesh Swarnkaar</p> <p>This software and related documentation are provided under a license agreement containing restrictions on use
and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy,
reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse
engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.</p> <p>The information contained herein is
subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.</p> <p>If this is software or
related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:
</p> <p>U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware,
and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and
agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system,
integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the
programs. No other rights are granted to the U.S. Government.</p> <p>This software or hardware is developed for general use in a variety of information
management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal
injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other
measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous
applications.</p> <p>Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.</p> -
<p>Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or
registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of
Advanced Micro Devices. UNIX is a registered trademark of The Open Group.</p> <p>This software or hardware and documentation may provide access to or
information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all
warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle.
Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products,
or services, except as set forth in an applicable agreement between you and Oracle.</p> +<p> + Licensed to the Apache Software Foundation (ASF) under one + or
more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership. The ASF
licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License. You may
obtain a copy of the License at +</p> +<p> + http://www.apache.org/licenses/LICENSE-2.0 +</p> +<p> + Unless required by applicable law or agreed to in
writing, + software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either
express or implied. See the License for the + specific language governing permissions and limitations + under the License. +</p> +!-- Start Footer --> <table
summary="" cellpadding="0" cellspacing="0" width="100%"> <tr> <td align="left" width="86%"><a href="legal_notice.htm"> -
Copyright&nbsp;&copy;&nbsp;&nbsp;&nbsp;2017,&nbsp;&nbsp;&nbsp;Oracle&nbsp;&nbsp;&nbsp;and/or&nbsp;&nbsp;&nbsp;its&nbsp;&nbsp;&nbsp;affiliates.&nbsp;&nbsp;&nbsp;All&nbsp;&nbsp;&nbsp;rights&nbsp;&nbsp;&nbsp;reserved.</a> +Licensed to the Apache
Software Foundation (ASF) under one or more contributor license agreements; and to You under the Apache License, Version 2.0.</a> </td> </tr> </table> -----
----- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and
use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
785. matthiasblaesing opened a new pull request #311: [NETBEANS-54] Various module reviews URL: https://github.com/apache/incubator-netbeans/pull/311 -
Removed unused files without license headers - Added various headers - Added various exclusions With this we are down to only one module: hibernate. The
hibernate XSDs are only licensed under LGPL and so can't be included. I would not add them to the excludes. -----
- This is an automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific
comment. For queries about this service, please contact Infrastructure at: users@infra.apache.org
786. geertjanw commented on issue #311: [NETBEANS-54] Various module reviews URL: https://github.com/apache/incubator-netbeans/pull/311#issuecomment-
348637305 Awesome, merging. ----- This is an automated message from the Apache Git Service. To respond to
the message, please log on GitHub and use the URL above to go to the specific comment. For queries about this service, please contact Infrastructure at:
users@infra.apache.org
787. geertjanw closed pull request #311: [NETBEANS-54] Various module reviews URL: https://github.com/apache/incubator-netbeans/pull/311 This is a PR merged
from a forked repository. As GitHub hides the original diff on merge, it is displayed below for the sake of provenance: As this is a foreign pull request (from a
fork), the diff is supplied below (as it won't show otherwise due to GitHub magic): diff --git a/css.editor/todo b/css.editor/todo index b72e8caf8..1ca059e31 100644
--- a/css.editor/todo +++ b/css.editor/todo @@ -1,3 +1,6 @@ +Licensed to the Apache Software Foundation (ASF) under one or more contributor +license
agreements; and to You under the Apache License, Version 2.0 + C++ modules list (source http://www.css3.info/modules/) * Selectors diff --git
a/java.hints/build.xml b/java.hints/build.xml index beb6df4b2..d37020e16 100644 --- a/java.hints/build.xml +++ b/java.hints/build.xml @@ -20,13 +20,5 @@ -->
<project name="java.hints" default="netbeans" basedir="."> - <import file="..\\nbbuild\\templates\\projectized.xml"/> - - <target name="test" depends="pre-
test,projectized-common.test"> - </target> - - <target name="pre-test"> - <property name="test.unit.excludes.files" location="test-excludes.txt"/> - </target> - +
<import file="..\\nbbuild\\templates\\projectized.xml"/> </project> diff --git a/java.hints/test-excludes.txt b/java.hints/test-excludes.txt deleted file mode 100644
index beb5f9e05..000000000 --- a/java.hints/test-excludes.txt +++ /dev/null @@ -1 +0,0 @@ - **/JavaHintsProviderTest* diff --git
a/java.hints/test/unit/src/org/netbeans/modules/java/hints/errors/Class.template b/java.hints/test/unit/src/org/netbeans/modules/java/hints/errors/Class.template
index 864746b92..e7172a25c 100644 --- a/java.hints/test/unit/src/org/netbeans/modules/java/hints/errors/Class.template +++
b/java.hints/test/unit/src/org/netbeans/modules/java/hints/errors/Class.template @@ -1,3 +1,21 @@ +<!-- + Licensed to the Apache Software Foundation (ASF)
under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright ownership.
The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the License.
You may obtain a copy of the License at + + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing, +
software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express or
implied. See the License for the + specific language governing permissions and limitations + under the License. +--> <#if package?? && package != ""> package
$[package]; diff --git a/java.hints/test/unit/src/org/netbeans/modules/java/hints/infrastructure/ErrorHintsProviderTest.java b/java.hints/test/unit/src/org/netbeans/modules/java/hints/infrastructure/ErrorHintsProviderTest.java index
ec8cdd969..35e661650 100644 ---
a/java.hints/test/unit/src/org/netbeans/modules/java/hints/infrastructure/ErrorHintsProviderTest.java +++
a/java.hints/test/unit/src/org/netbeans/modules/java/hints/infrastructure/ErrorHintsProviderTest.java @@ -60,12 +60,6 @@ public ErrorHintsProviderTest(String
testName) { super(testName); } - // public static Test suite() { - // TestSuite suite = new TestSuite(JavaHintsProviderTest.class); - // - // return suite; - // } - private
FileObject testSource; private JavaSource js; private CompilationInfo info; diff --git a/java.navigation/test/log.txt b/java.navigation/test/log.txt deleted file mode
100644 index c3f893856..000000000 --- a/java.navigation/test/log.txt +++ /dev/null @@ -1 +0,0 @@ -ant -verbose -
Dnetbeans.dest.dir=/home/pzajac/builds/netbeans -Dtest.type=qa-functional -Dtest.attrs=validation diff --git a/java.source/build.xml
b/java.source/build.xml index 262ea1328..b2c518f73 100644 --- a/java.source/build.xml +++ b/java.source/build.xml @@ -22,13 +22,5 @@ <project basedir="."
default="netbeans" name="java.source"> <import file="..\\nbbuild\\templates\\projectized.xml"/> <property name="nb.modules.dir" value="modules"/> - - <target
name="test" depends="pre-test,projectized-common.test"> - </target> - - <target name="pre-test"> - <property name="test.unit.excludes.files" location="test-
excludes.txt"/> - </target> - </project> diff --git a/java.source/test-excludes.txt b/java.source/test-excludes.txt deleted file mode 100644 index
c5f1fdb99..000000000 --- a/java.source/test-excludes.txt +++ /dev/null @@ -1 +0,0 @@ - **/CachingFileManagerTest* - **/CachingZipArchiveTest* -
```

```

**/BasicPerformanceTest* **/CachingFolderArchiveTest* **/GeneratorTest* **/FileManagerTest* **/PerfJavaInterfaceGCTest* **/PerfResolveTest* -
**/PerfBatchCompilationTest* **/AnnotationOnLocVarTest* **/ClashingImportsTest* **/ImportFormatTest* **/LabelsTest* **/MemberAdditionTest* -
**/MethodBodyTextTest* **/UiUtilsTest* **/RepositoryUpdaterTest* **/ClassIndexTest* \ No newline at end of file diff --git
a/jshell.support/src/org/netbeans/modules/jshell/resources/ShellClass.java.template
b/jshell.support/src/org/netbeans/modules/jshell/resources/ShellClass.java.template index 9a193f2d3..06883b35e 100644 ---
a/jshell.support/src/org/netbeans/modules/jshell/resources/ShellClass.java.template +++
b/jshell.support/src/org/netbeans/modules/jshell/resources/ShellClass.java.template @@ -1,3 +1,23 @@ +<#-- + + Licensed to the Apache Software Foundation
(ASF) under one + or more contributor license agreements. See the NOTICE file + distributed with this work for additional information + regarding copyright
ownership. The ASF licenses this file + to you under the Apache License, Version 2.0 (the + "License"); you may not use this file except in compliance + with the
License. You may obtain a copy of the License at + http://www.apache.org/licenses/LICENSE-2.0 + + Unless required by applicable law or agreed to in writing,
+ software distributed under the License is distributed on an + "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY + KIND, either express
or implied. See the License for the + specific language governing permissions and limitations + under the License. + +--> <#assign licenseFirst = "/"> <#assign
licensePrefix = " " "> <#assign licenseLast = " */"> diff --git a/lib.profiler/test/qa-functional/coverage.txt b/lib.profiler/test/qa-functional/coverage.txt index
4979f1e44..6ea59405d 100644 --- a/lib.profiler/test/qa-functional/coverage.txt +++ b/lib.profiler/test/qa-functional/coverage.txt @@ -1,3 +1,6 @@ +Licensed to the
Apache Software Foundation (ASF) under one or more contributor +license agreements; and to You under the Apache License, Version 2.0. + What
functionality the functional tests cover. Test of calibration diff --git a/nbbuild/build.xml b/nbbuild/build.xml index 120e4c74e..4e65b5c14 100644 ---
a/nbbuild/build.xml +++ b/nbbuild/build.xml @@ -2051,7 +2051,7 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d
<exclude name="**/nbproject/jfx-impl.xml" /> <!--generated, no degree of creativity --> <exclude name="**/nbproject/private/**" /> <!--user-specific files -->
<exclude name="**/src/META-INF/**" /> <!--no degree of creativity--> - <exclude name="**/build/**" /> + <exclude name="**/build/**" /> <!-- build artifacts -
--> <exclude name="**/.dep.inc" /> <!--no degree of creativity--> <exclude name="**/Makefile-vc" /> <!--no degree of creativity--> <exclude
name="**/Makefile-vc-wo-crt" /> <!--no degree of creativity--> @@ -2067,7 +2067,6 @@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the
system in d <exclude name="beans/src/org/netbeans/modules/beans/resources/templates/*.template" /> <!--license would be visible when users edit the templates
inside their IDE--> <exclude name="css.editor/src/org/netbeans/modules/css/resources/CascadeStyleSheet.css.template" /> <!-- user visible template --> <exclude
name="css.editor/src/org/netbeans/modules/css/resources/CssExample" /> <!-- user visible template --> - <exclude name="css.editor/todo" /> <!-- no degree of
creativity --> <exclude name="debugger.jpda/test/unit/src/org/netbeans/api/debugger/jpda/testapps/JspLineBreakpointApp.txt" /> <!-- test data --> <exclude
name="diff/test/unit/src/org/netbeans/modules/diff/builtin/provider/*.txt" /> <!--test data--> <exclude
name="diff/test/unit/src/org/netbeans/modules/diff/builtin/visualizer/data/**" /> <!--test data--> @@ -2102,15 +2101,18 @@ It is possible to use -
Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude name="java.j2semodule/src/org/netbeans/modules/java/j2semodule/ui/resources/module-
info.java.template" /> <!--template file--> <exclude name="java.platform.ui/src/org/netbeans/modules/java/platform/resources/templates/javaplatfom.xml" /> <!--
template file--> <exclude name="java.project.ui/src/org/netbeans/modules/java/project/ui/resources/*.template" /> <!-- template files --> - <exclude
name="java.source.test-excludes.txt" /> <!-- test context --> <exclude name="java.source/src/org/netbeans/modules/**.template" /> <!-- template files -->
<exclude name="javafx2.project/src/org/netbeans/modules/javafx2/project/templates/**" /> <!--license would be visible when users edit the templates inside their
IDE--> - <exclude name="javawebstart/AntTasks/build/**" /> <!-- generated build files --> <exclude
name="jellytools.platform/src/org/netbeans/jellytools/version_info" /> <!--does not natively support comments--> + <exclude
name="jshell.support/src/org/netbeans/modules/jshell/resources/consoleExample.jsh" /> <!-- file is used as sample for syntax highlighting in GUI --> + <exclude
name="jshell.support/test/unit/src/org/netbeans/modules/jshell/support/*.txt" /> <!--test data--> <exclude
name="junit.ui/src/org/netbeans/modules/junit/ui/resources/*.template" /> <!--license would be visible when users edit the templates inside their IDE--> <exclude
name="languages.diff/src/org/netbeans/modules/languages/diff/DiffExample.diff" /> <!--license would be visible to users in the Fonts/Colors settings--> <exclude
name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.yaml" /> <!--Files used in GUI as sample/starting point--> <exclude
name="languages.yaml/src/org/netbeans/modules/languages/yaml/*.yaml" /> <!--Files used in GUI as sample/starting point--> + <exclude
name="lexer/demo/src/org/netbeans/modules/lexer/demo/**.txt" /> <!-- test data --> + <exclude
name="lib.profiler/test/unit/src/org/netbeans/lib/profiler/heap/testHeapDumpLog.txt" /> <!--test data--> + <exclude
name="lib.profiler/release/lib/deployed/**.map" /> <!-- companion files for CDDL licensed binaries --> <exclude
name="lib.uihandler/src/org/netbeans/lib/uihandler/pubKey" /> <!--no degree of creativity--> <exclude name="lib.uihandler/test/unit/src/**" /> <!--test data-->
<exclude name="maven.htmlui/src/org/netbeans/modules/maven/htmlui/UIDefaults" /> <!-- config file with no place for license header--> @@ -2129,8 +2131,6
@@ It is possible to use -Ddebug.port=3234 -Ddebug.pause=y to start the system in d <exclude
name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/CustomTask_java" /> <!-- user visible file template --> <exclude
name="o.apache.tools.ant.module/src/org/apache/tools/ant/module/resources/Project.xml_" /> <!-- user visible file template --> <exclude
name="o.n.bootstrap/readme/*.txt" /> <!--READMEs--> - <exclude name="o.n.bootstrap/test/unit/src/org/fakepkg/resource1.txt" /> <!--no degree of creativity-->
- <exclude name="o.n.bootstrap/test/unit/src/org/fakepkg/resource2.txt" /> <!--no degree of creativity--> <exclude name="o.n.core/licenses/**" /> <!-- license files
--> <exclude name="o.n.core/test/unit/src/org/netbeans/core/modules/jars/localized-manifest/locmani/something.txt" /> <!--no degree of creativity--> <exclude
name="o.n.core/test/unit/src/org/netbeans/core/projects/cache/data/**" /> <!-- test data --> @@ -2142,9 +2142,9 @@ It is possible to use -Ddebug.port=3234 -
Ddebug.pause=y to start the system in d <exclude name="openide.util.lookup/test/unit/src/org/openide/util/lookup/services-jar-2.txt" /> <!--no degree of creativity-
--> <exclude name="openide.util.ui/test/unit/src/org/openide/util/UtilitiesTranslateEmpty.txt" /> <!-- license would cause tests to fail --> <exclude
name="openide.util.test/unit/src/org/openide/util/LookupUsesRequestProcessorTest.resource" /> <!-- license would cause tests to fail --> - <exclude
name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> - <exclude
name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!--no degree of creativity--> - <exclude
name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!--no degree of creativity--> + <exclude
name="options.editor/src/org/netbeans/modules/options/colors/AllLanguagesExample" /> <!--no degree of creativity--> + <exclude
name="options.editor/src/org/netbeans/modules/options/colors/HighlightingExample" /> <!--no degree of creativity--> + <exclude
name="options.editor/src/org/netbeans/modules/options/indentation/indentationExample" /> <!--no degree of creativity--> <exclude
name="projectui/src/org/netbeans/modules/project/ui/resources/*.license.txt" /> <!--licenses--> <exclude
name="projectui/src/org/netbeans/modules/project/ui/resources/license-default.txt" /> <!--licenses--> <exclude
name="projectuiapi/test/unit/src/org/netbeans/modules/project/uiapi/data/*.txt" /> <!--test data--> diff --git a/o.n.bootstrap/test/unit/src/org/fakepkg/resource1.txt
b/o.n.bootstrap/test/unit/src/org/fakepkg/resource1.txt index 651c9de60..6b1b1ed1e 100644 --- a/o.n.bootstrap/test/unit/src/org/fakepkg/resource1.txt +++
b/o.n.bootstrap/test/unit/src/org/fakepkg/resource1.txt @@ -1 +1,4 @@ +Licensed to the Apache Software Foundation (ASF) under one or more contributor
+license agreements; and to You under the Apache License, Version 2.0. + first dummy resource diff --git a/o.n.bootstrap/test/unit/src/org/fakepkg/resource2.txt
b/o.n.bootstrap/test/unit/src/org/fakepkg/resource2.txt index 295fb5d88..6cca230b7 100644 --- a/o.n.bootstrap/test/unit/src/org/fakepkg/resource2.txt +++
b/o.n.bootstrap/test/unit/src/org/fakepkg/resource2.txt @@ -1 +1,4 @@ +Licensed to the Apache Software Foundation (ASF) under one or more contributor
+license agreements; and to You under the Apache License, Version 2.0. + second dummy resource ----- This is an
automated message from the Apache Git Service. To respond to the message, please log on GitHub and use the URL above to go to the specific comment. For
queries about this service, please contact Infrastructure at: users@infra.apache.org
788. [~GeertjanWielenga], [~bdelacretaz] What is the current status of this mega issue? It has not been updated 12/07/2017. Please resolve/close it if its possible!
789. Good point. I think this issue can be closed once we have graduated from the Apache incubator. Since that can only be done once each and every license-related
issue is solved, the fact that we'll be a top level Apache project will be evidence that we can close this specific issue as resolved.
790. I'm closing this one as we have graduated.
```