

Item 315

**git\_comments:**

1. CPU Based Circuit Breaker Triggering Threshold The triggering threshold is defined in units of CPU utilization. The configuration to control this is as below:
2. CPU Based Circuit Breaker Control Flag Use the following flag to control the behaviour of this circuit breaker
3. Memory Circuit Breaker Control Flag Use the following flag to control the behaviour of this circuit breaker

**git\_commits:**

1. **summary:** Update Circuit Breaker configured as a standard plugin (#1785)  
**message:** Update Circuit Breaker configured as a standard plugin (#1785)

**github\_issues:**

**github\_issues\_comments:**

**github\_pulls:**

1. **title:** Update Circuit Breaker configured as a standard plugin  
**body:** This commit refactors circuit breaker configurations to use PluginInfo and reduce the footprint on SolrConfig.

**github\_pulls\_comments:**

**github\_pulls\_reviews:**

1. Make `CircuitBreakerManager` implement `PluginInfoInitialized`
2. standard syntax for enabled is ``<ircuitBreaker class="solr.CircuitBreakerManager" enabled="true">``
3. can we avoid adding new suppress to the code please?
4. Unfortunately, that is the way NamedArgs are structured in PluginInfo -- we need to fix that before we remove this warning. I will follow up.

**jira\_issues:**

**jira\_issues\_comments:**