

Item 95

**git\_comments:**

**git\_commits:**

1. **summary:** GEODE-3695 Remove unused protobuf messages from new protocol  
**message:** GEODE-3695 Remove unused protobuf messages from new protocol removed create/destroy region messages and responses  
**label:** code-design

**github\_issues:**

**github\_issues\_comments:**

**github\_pulls:**

**github\_pulls\_comments:**

**github\_pulls\_reviews:**

**jira\_issues:**

1. **summary:** Remove unused protobuf messages from new protocol  
**description:** In the interest of clarity and to avoid confusion, remove any unused protobuf messages/handlers from the new protocol code (e.g., create/destroy region messages). We'll add these back as we implement the messages.  
**label:** code-design
2. **summary:** Remove unused protobuf messages from new protocol  
**description:** In the interest of clarity and to avoid confusion, remove any unused protobuf messages/handlers from the new protocol code (e.g., create/destroy region messages). We'll add these back as we implement the messages.
3. **summary:** Remove unused protobuf messages from new protocol  
**description:** In the interest of clarity and to avoid confusion, remove any unused protobuf messages/handlers from the new protocol code (e.g., create/destroy region messages). We'll add these back as we implement the messages.
4. **summary:** Remove unused protobuf messages from new protocol  
**description:** In the interest of clarity and to avoid confusion, remove any unused protobuf messages/handlers from the new protocol code (e.g., create/destroy region messages). We'll add these back as we implement the messages.  
**label:** code-design
5. **summary:** Remove unused protobuf messages from new protocol  
**description:** In the interest of clarity and to avoid confusion, remove any unused protobuf messages/handlers from the new protocol code (e.g., create/destroy region messages). We'll add these back as we implement the messages.  
**label:** code-design

**jira\_issues\_comments:**

1. **body:** Commit e2802d2b834c992ab29ed70409bf077031aa9a43 in geode's branch refs/heads/develop from [~bschuchardt] [ <https://gitbox.apache.org/repos/asf?p=geode.git;h=e2802d2> ] GEODE-3695 Remove unused protobuf messages from new protocol removed create/destroy region messages and responses  
**label:** code-design
2. Commit 2c04972162b96aed07b3ff76144b2b22ed6582a1 in geode's branch refs/heads/develop from [~bschuchardt] [ <https://gitbox.apache.org/repos/asf?p=geode.git;h=2c04972> ] GEODE-3695 Remove unused protobuf messages from new protocol removed ping messages
3. Commit 2c04972162b96aed07b3ff76144b2b22ed6582a1 in geode's branch refs/heads/feature/GEODE-3679 from [~bschuchardt] [ <https://gitbox.apache.org/repos/asf?p=geode.git;h=2c04972> ] GEODE-3695 Remove unused protobuf messages from new protocol removed ping messages