Item 105
git_comments:

git_commits:

1. **summary:** Working on CLOUDSTACK-427 (hardcoded steps) and CLOUDSTACK-313 (cross references)
   message: Working on CLOUDSTACK-427 (hardcoded steps) and CLOUDSTACK-313 (cross references)
   label: code-design

github_issues:

github_issues_comments:

github_pulls:

github_pulls_comments:

github_pulls_reviews:

jira_issues:

1. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
   label: code-design
2. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
3. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
4. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
5. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
6. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
7. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.

8. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
9. **summary:** Change hardcoded step number references to dynamic links
   description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
10. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
11. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
12. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
13. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
14. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
    label: code-design
15. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
    label: documentation
16. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
17. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
18. **summary:** Change hardcoded step number references to dynamic links
    description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
    label: code-design
19. **summary:** Change hardcoded step number references to dynamic links

description: Numbered steps are sometimes referred to from elsewhere in the text with a hardcoded step number, like "See step 4.". Replace this with a dynamic reference that will get the right step number at doc build time. <listitem id="step-to-link-to"> <para>Text of the step...</para> </listitem> <listitem> <para>See step <xref linkend="step-to-link-to"/> ...</para> </listitem> See also CLOUDSTACK-313.
label: code-design

jira_issues_comments:

1. **body:** Moving to "Future" release as we clean up the list for 4.1.0.
   label: code-design
2. Commit 8303dd167388688c6679c7957ff428c713e31d77 in branch refs/heads/4.1 from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=8303dd1] Working on CLOUDSTACK-427 (hardcoded steps) and CLOUDSTACK-313 (cross references)
3. Commit 38dcf4e3043eb0b78b19fbc7c9e0793d67a8828a in branch refs/heads/master from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=38dcf4e] Working on CLOUDSTACK-427 (hardcoded steps) and CLOUDSTACK-313 (cross references)
4. Commit 456e71e3b3373f70af6e830050ddac752290c43f in branch refs/heads/4.1 from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=456e71e] CLOUDSTACK-427 removing a hardcoded reference from the AWS API Setup docs
5. Commit b2a9d7558cf28ad33374e944df6c4361dbab0a8b in branch refs/heads/master from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=b2a9d75] CLOUDSTACK-427 removing a hardcoded reference from the AWS API Setup docs
6. Commit 0e9162ef5410d1daa0519fe1771efaf528d32060 in branch refs/heads/4.1 from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=0e9162e] CLOUDSTACK-427: Fixing hardcoded steps in Changing the Console Proxy SSL Certificate and Domain doc.
7. Commit 996b53bf43402f70260dc2cc76c588bfecdf6fb5 in branch refs/heads/master from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=996b53b] CLOUDSTACK-427: Fixing hardcoded steps in Changing the Console Proxy SSL Certificate and Domain doc.
8. Commit 10625fdd8096ebfcc76d930d85a13b5126646c37 in branch refs/heads/4.1 from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=10625fd] CLOUDSTACK-427: Fixing hardcoded reference in Citrix XenServer Installation doc.
9. Commit 0daf66bcd3ea97c190292f86eeaaab21f28394ad in branch refs/heads/master from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=0daf66b] CLOUDSTACK-427: Fixing hardcoded reference in Citrix XenServer Installation doc.
10. Commit 5811ecd7eb72a703df28efa3531485b4cdf6bc19 in branch refs/heads/4.1 from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=5811ecd] CLOUDSTACK-427: Fixing more instances of hardcoded steps in documentation.
11. Commit 20e2617f46a1233c2ad71b444252cb7b808dfbeb in branch refs/heads/master from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=20e2617] CLOUDSTACK-427: Fixing more instances of hardcoded steps in documentation.
12. Commit 2c1fa0a0cba00dda919e9afb36a84b8f45675123 in branch refs/heads/4.1 from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=2c1fa0a] CLOUDSTACK-427: Fixing more instances of hardcoded steps in documentation. (upload volume doc)
13. Commit d6a392d3e0b67ee3a6eba3ddf31423b1a03a9bc6 in branch refs/heads/master from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=d6a392d] CLOUDSTACK-427: Fixing more instances of hardcoded steps in documentation. (upload volume doc in master)
14. **body:** Commit f05bb5946710f214a63287b0f216cb27b8acb6a4 in branch refs/heads/4.1 from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=f05bb59] CLOUDSTACK-427: More cleanup of hardcoded references. This is probably all for this pass on 4.1
   label: code-design
15. **body:** There may be a few more lurking, but I've whacked the ones I could find outside the Release Notes (which will be edited separately.)
   label: documentation
16. Commit 1cbbc855622a125ff8a72c0336b89253abbb6696 in branch refs/heads/master from [~jzb] [https://git-wip-us.apache.org/repos/asf?p=incubator-cloudstack.git;h=1cbbc85] the last remnants of CLOUDSTACK-427
17. closing since 4.1.0 is now released