Item 305
git_comments:

1. * * Return a simple greeting message for someone. * * @param name A person's name. * @param place Where the person is from.
2. * Licensed to the Apache Software Foundation (ASF) under one or more * contributor license agreements. See the NOTICE file distributed with * this work for additional information regarding copyright ownership. * The ASF licenses this file to You under the Apache License, Version 2.0 * (the "License"); you may not use this file except in compliance with * the License. You may obtain a copy of the License at * * http://www.apache.org/licenses/LICENSE-2.0 * * Unless required by applicable law or agreed to in writing, software * distributed under the License is distributed on an "AS IS" BASIS, * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. * See the License for the specific language governing permissions and * limitations under the License.
3. +build integration
4. * * Return a simple greeting message for someone. * * @param name A person's name. * @param place Where the person is from.
5. * Licensed to the Apache Software Foundation (ASF) under one or more * contributor license agreements. See the NOTICE file distributed with * this work for additional information regarding copyright ownership. * The ASF licenses this file to You under the Apache License, Version 2.0 * (the "License"); you may not use this file except in compliance with * the License. You may obtain a copy of the License at * * http://www.apache.org/licenses/LICENSE-2.0 * * Unless required by applicable law or agreed to in writing, software * distributed under the License is distributed on an "AS IS" BASIS, * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. * See the License for the specific language governing permissions and * limitations under the License.
6. +build integration
7. a single package is specified in deployment YAML file with "package" key
8. being deprecated, used in deployment.yaml

git_commits:

1. **summary:** Adding deprecation warning for using package in deployment file (#418)
   message: Adding deprecation warning for using package in deployment file (#418) * Adding deprecation warning for using package in deployment file * Converting array of packages to map * updating integration tests deployment files * binding input values instead of param struct * Adding integration tests * git is forcing to rename integration tests as previous commit created some discrepancy

github_issues:

1. **title:** Deployment.yaml files all use "package" key, spec. has "packages"
   body: In every test's Deployment.yaml (and of course the code supports this) the key "package:" is used; however, the spec. has always had the plural "packages:" this key name change will impact all files. I would be happy to support both "package" (singular) and "packages" (plural) as long as we display a warning, but our tests should use what is in the spec.
   label: code-design
2. **title:** Deployment.yaml files all use "package" key, spec. has "packages"
   body: In every test's Deployment.yaml (and of course the code supports this) the key "package:" is used; however, the spec. has always had the plural "packages:" this key name change will impact all files. I would be happy to support both "package" (singular) and "packages" (plural) as long as we display a warning, but our tests should use what is in the spec.
3. **title:** Deployment.yaml files all use "package" key, spec. has "packages"
   body: In every test's Deployment.yaml (and of course the code supports this) the key "package:" is used; however, the spec. has always had the plural "packages:" this key name change will impact all files. I would be happy to support both "package" (singular) and "packages" (plural) as long as we display a warning, but our tests should use what is in the spec.
4. **title:** Deployment.yaml files all use "package" key, spec. has "packages"
   body: In every test's Deployment.yaml (and of course the code supports this) the key "package:" is used; however, the spec. has always had the plural "packages:" this key name change will impact all files. I would be happy to support both "package" (singular) and "packages" (plural) as long as we display a warning, but our tests should use what is in the spec.

5. **title:** Deployment.yaml files all use "package" key, spec. has "packages"
   body: In every test's Deployment.yaml (and of course the code supports this) the key "package:" is used; however, the spec. has always had the plural "packages:" this key name change will impact all files. I would be happy to support both "package" (singular) and "packages" (plural) as long as we display a warning, but our tests should use what is in the spec.

github_issues_comments:

1. **body:** @pritidesai can you please look at changing this globally; see if we can allow (in some deprecated manner, perhaps issue a WARNING message) and allow the "package" (singular) to be supported for some period of time and mark/comment the code to indicated we should remove this at a later date (perhaps open a low priority issue as well to remind us).
   label: code-design
2. Please close this as its fixed with PR #418
3. Priti fixed in PR 418 not only fixed the warning, but also the actual root of the problem. WTG!

github_pulls:

1. **title:** Adding deprecation warning for using package in deployment file
   body: Closes issue #393 **Fix 1: Produce WARNING when deployment file has `package` instead of `packages`:** ``` wskdeploy -p /Users/pritidesai/Documents/goworkspace/src/github.com/apache/incubator-openwhisk-wskdeploy/tests/src/integration/flagstests/ ==> Output: 2017/08/30 01:42:19 Unmarshal Openwhisk info from internet 2017/08/30 01:42:19 Using /Users/pritidesai/Documents/goworkspace/src/github.com/apache/incubator-openwhisk-wskdeploy/tests/src/integration/flagstests/manifest.yaml for deployment 2017/08/30 01:42:19 The URL is https://openwhisk.ng.bluemix.net/api, selected from .wskprops 2017/08/30 01:42:19 The auth key is set, selected from .wskprops 2017/08/30 01:42:19 The namespace is ****, selected from .wskprops 2017/08/30 01:42:19 WARNING: The package YAML key in deployment file will soon be deprecated. Please use packages instead as described in specifications. 2017/08/30 01:42:19 Deploying package helloWorldFlags ... 2017/08/30 01:42:20 Done! 2017/08/30 01:42:20 Deploying action helloWorldFlags/greeting ... 2017/08/30 01:42:20 Done! Done! Deploying rule myRule ... Done! 2017/08/30 01:42:20 Deployment completed successfully. ``` **Fix 2: Update all the deployment files we have, replacing `package` with `packages`:** Original: ``` application: name: sampleApp package: name: samplePackage actions: ``` Updated to: ``` application: name: sampleApp packages: samplePackage: actions: ``` **Fix 3: wskdeploy was failing to provide parameters from deployment file while deploying actions, they were inserted as "string" instead of actual value:** ``` /wskdeploy -m tests/src/integration/flagstests/manifest.yaml -d tests/src/integration/flagstests/deployment.yml -i -v 2017/08/30 13:16:27 Unmarshal Openwhisk info from internet 2017/08/30 13:16:27 The URL is https://openwhisk.ng.bluemix.net/api, selected from .wskprops 2017/08/30 13:16:27 The auth key is set, selected from .wskprops 2017/08/30 13:16:27 The namespace is *****, selected from .wskprops ____ ___ _ _ _ _ _ _ /\ \ / _ \ _ __ ___ _ __ | | | | |__ (_)___| | | __ /\ /__\ \ | | | | '_ \ / _ \'_ \| | | | '_ \| / __| |/ / / ___ \ / | |_| | |_) | __/ | | | |/\| | | | | __ \ < \ \ / V ___/| .__/ ___|_| |_|__/__|_| |_|_|___/_|_\ ___\/ |_| Packages: Name: helloWorldFlags bindings: * action: greeting bindings: - place : "string" - name : "string" annotations: Triggers: * trigger: locationUpdateFlags bindings: annotations: Rules * rule: myRule - trigger: locationUpdateFlags - action: helloWorldFlags/greeting Do you really want to deploy this? (y/N): ``` With this PR: ``` ./wskdeploy -m tests/src/integration/flagstests/manifest.yaml -d tests/src/integration/flagstests/deployment.yml -i -v 2017/08/30 13:11:04 Unmarshal Openwhisk info from internet 2017/08/30 13:11:04 The URL is https://openwhisk.ng.bluemix.net/api, selected from .wskprops 2017/08/30 13:11:04 The auth key is set, selected from .wskprops 2017/08/30 13:11:04 The namespace is ****, selected from .wskprops ____ ___ _ _ _ _ _ /\ \ / _ \ _ __ ___ _ __ | | | | |__ (_)___| | | __ /\ /__\ \ | | | | '_ \ / _ \'_ \| | | | '_ \| / __| |/ / / ___ \ / | |_| | |_) | __/ | | | |/\| | | | | __ \ < \ \ / V ___/| .__/ ___|_| |_|__/__|_| |_|_|___/_|_\ ___\/ |_| Packages: Name: helloWorldFlags bindings: * action: greeting bindings: - name : "Bernie" - place : "Vermont" annotations: Triggers: * trigger: locationUpdateFlags bindings: annotations: Rules * rule: myRule - trigger: locationUpdateFlags - action: helloWorldFlags/greeting Do you really want to deploy this? (y/N): ```

github_pulls_comments:

1. this is ready to review :)
2. @pritidesai @lzbj Please do not use log. any more. We need to get rid of it for our message management.

github_pulls_reviews:

1. Amy?
2. :)

jira_issues:

jira_issues_comments: