

git_comments:

git_commits:

1. **summary:** Replaced direct use of member variable in the mojo user agent when loading stats from Traffic Monitor that prevented large responses from being returned to the caller. This resolves #1388.
message: Replaced direct use of member variable in the mojo user agent when loading stats from Traffic Monitor that prevented large responses from being returned to the caller. This resolves #1388.

github_issues:

1. **title:** ORT does not install required packages during syncds
body: Currently, if the delivery service configuration requires a new package that is not installed, ORT cannot install it unless it is run in badass mode. We should update ORT to install missing packages during a syncds run, for example, if a new plugin is required. This is currently handled via package profile parameters that are used during a badass mode.
label: code-design
2. **title:** ORT does not install required packages during syncds
body: Currently, if the delivery service configuration requires a new package that is not installed, ORT cannot install it unless it is run in badass mode. We should update ORT to install missing packages during a syncds run, for example, if a new plugin is required. This is currently handled via package profile parameters that are used during a badass mode.
3. **title:** ORT does not install required packages during syncds
body: Currently, if the delivery service configuration requires a new package that is not installed, ORT cannot install it unless it is run in badass mode. We should update ORT to install missing packages during a syncds run, for example, if a new plugin is required. This is currently handled via package profile parameters that are used during a badass mode.
4. **title:** ORT does not install required packages during syncds
body: Currently, if the delivery service configuration requires a new package that is not installed, ORT cannot install it unless it is run in badass mode. We should update ORT to install missing packages during a syncds run, for example, if a new plugin is required. This is currently handled via package profile parameters that are used during a badass mode.

github_issues_comments:

1. **body:** @elsloo - can you put a severity level label on this? trivial, minor, major, critical...
label: code-design
2. @rob05c - any thoughts on this guy?

github_pulls:

github_pulls_comments:

github_pulls_reviews:

jira_issues:

jira_issues_comments: