OMB Approved No. 2900-0807
Respondent Burden: 45 Minutes
Expiration Date: 04/30/2017

Department of Veterans Affairs

NECK (CERVICAL SPINE) CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) ***WILL NOT PAY*** OR ***REIMBURSE*** ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION ON REVERSE BEFORE COMPLETING FORM.

NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER
56	55

NOTE TO PHYSICIAN - The veteran or service member is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the claim. VA reserves the right to confirm the authenticity of ALL DBQs completed by private health care providers.

MEDICAL RECORD REVIEW

WAS THE VETERAN'S VA CLAIMS FILE REVIEWED?

33 YES 32 NO

IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDED IN THE VETERAN'S VA CLAIMS FILE:

57

IF NO, CHECK ALL RECORDS REVIEWED:

- 34 Military service treatment records
- 35 Military service personnel records
- 36 Military enlistment examination
- 37 Military separation examination
- 38 Military post-deployment questionnaire
- 39 Department of Defense Form 214 Separation Documents
- 40 Veterans Health Administration medical records *(VA treatment records)*
- 41 Civilian medical records
- 42 Interviews with collateral witnesses *(family and others who have known the veteran before and after military service)*
- 44 Other: 59
- 43 No records were reviewed

SECTION I - DIAGNOSIS

NOTE: These are condition(s) for which an evaluation has been requested on an exam request form (Internal VA) or for which the Veteran has requested medical evidence be provided for submission to VA.

1A. LIST THE CLAIMED CONDITION(S) THAT PERTAIN TO THIS DBQ:

58

NOTE: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition, explain your findings and reasons in comments section.

Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis, or an approximate date determined through record review or reported history.

1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) *(Check all that apply)*:

45 The Veteran does not have a current diagnosis associated with any claimed condition listed above. *(Explain your findings and reasons in comments section.)*

46	Mechanical cervical pain syndrome	ICD Code: 31	Date of diagnosis: 30
47	Cervical sprain/strain	ICD Code: 28	Date of diagnosis: 29
48	Cervical spondylosis *(degenerative joint disease of cervical spine)*	ICD Code: 27	Date of diagnosis: 26
49	Degenerative disc disease	ICD Code: 24	Date of diagnosis: 25
50	Foraminal stenosis/central stenosis	ICD Code: 23	Date of diagnosis: 22
51	Intervertebral disc syndrome	ICD Code: 20	Date of diagnosis: 21
52	Radiculopathy	ICD Code: 19	Date of diagnosis: 18
53	Myelopathy	ICD Code: 16	Date of diagnosis: 17
7	Ankylosis of the cervical spine	ICD Code: 9	Date of diagnosis: 8
6	Ankylosing spondylitis of the cervical spine (*neck)*	ICD Code: 4	Date of diagnosis: 5
1	Vertebral fracture (*vertebrae of the neck)*	ICD Code: 3	Date of diagnosis: 2

54 Other *(specify)*

Other diagnosis #1: 62

ICD Code: 14 Date of diagnosis: 15

Other diagnosis #2: 61

ICD Code: 13 Date of diagnosis: 12

Other diagnosis #3: 60

ICD Code: 10 Date of diagnosis: 11

SECTION I - DIAGNOSIS *(Continued)*

1C. COMMENTS *(if any):*

100

1D. WAS AN OPINION REQUESTED ABOUT THIS CONDITION *(internal VA only)*?

74 YES 73 NO 72 N/A

SECTION II - MEDICAL HISTORY

2A. DESCRIBE THE HISTORY *(including onset and course)* OF THE VETERAN'S CERVICAL SPINE *(neck)* CONDITION *(brief summary):*

65

2B. DOMINANT HAND:

103 RIGHT 102 LEFT 101 AMBIDEXTROUS

2C. DOES THE VETERAN REPORT THAT FLARE-UPS IMPACT THE FUNCTION OF THE CERVICAL SPINE *(neck)*?

71 YES 70 NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF THE IMPACT OF FLARE-UPS IN HIS OR HER OWN WORDS:

66

2D. DOES THE VETERAN REPORT HAVING ANY FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT OF THE CERVICAL SPINE *(neck) (regardless of repetitive use)*?

68 YES 69 NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT IN HIS OR HER OWN WORDS:

67

SECTION III - INITIAL RANGE OF MOTION *(ROM)* MEASUREMENTS

Measure ROM with a goniometer. During the examination be cognizant of painful motion, which could be evidenced by visible behavior such as facial expression, wincing, etc..., on pressure or manipulation. Document painful movement in Section 5.

Following the initial assessment of ROM, perform repetitive use testing. For VA purposes, repetitive use testing must be included in all joint exams. The VA has determined that 3 repetitions of ROM (at a minimum) can serve as a representative test of the effect of repetitive use. After the initial measurement, reassess ROM after 3 repetitions. Report post-test measurements in question 4A.

3A. INITIAL ROM MEASUREMENTS

	Joint Movement	ROM Measurement	If ROM testing is not indicated for the veteran's condition or not able to be performed, please explain why, and then proceed to Section 5:
NECK All Normal	Forward Flexion (normal endpoint = 45 degrees)	96 85 Not indicated 95 Not able to perform	97
	Extension (normal endpoint = 45 degrees)	86 94 Not indicated 93 Not able to perform	98
	Right Lateral Flexion (normal endpoint = 45 degrees)	87 88 Not indicated 89 Not able to perform	99
	Left Lateral Flexion (normal endpoint = 45 degrees)	90 91 Not indicated 92 Not able to perform	77
	Right Lateral Rotation (normal endpoint = 80 degrees)	78 83 Not indicated 79 Not able to perform	75
	Left Lateral Rotation (normal endpoint = 80 degrees)	82 80 Not indicated 81 Not able to perform	76

SECTION III - INITIAL RANGE OF MOTION *(ROM)* MEASUREMENTS *(Continued)*

3B. DO ANY ABNORMAL ROMs NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?

107 YES *(you will be asked to further describe these limitations in Section 7 below)*

106 NO, EXPLAIN WHY THE ABNORMAL ROMs DO NOT CONTRIBUTE:

105

3C. IF ROM DOES NOT CONFORM TO THE NORMAL RANGE OF MOTION IDENTIFIED ABOVE BUT IS NORMAL FOR THIS VETERAN *(for reasons other than a neck condition, such as age, body habitus, neurologic disease),* EXPLAIN:

104

SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING

4A. POST-TEST ROM MEASUREMENTS

Is the veteran able to perform repetitive-use testing?	Is there additional limitation in ROM after repetitive-use testing?	Joint Movement	Post-test ROM Measurement
112 Yes If yes, perform repetitive-use testing 113 No If no, provide reason below, then proceed to Section 5 116	115 Yes 114 No, there is no change in ROM after repetitive testing If yes, report ROM after a minimum of 3 repetitions. If no, documentation of ROM after repetitive-use testing is not required.	Forward Flexion	109
		Extension	108
		Left Lateral Flexion	110
		Right Lateral Flexion	111
		Left Lateral Rotation	117
		Right Lateral Rotation	118

4B. DO ANY POST-TEST ADDITIONAL LIMITATIONS OF ROMs NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?

121 YES *(you will be asked to further describe these limitations in Section 7 below)*

120 NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMs DO NOT CONTRIBUTE:

119

SECTION V - PAIN

5A. ROM MOVEMENTS PAINFUL ON ACTIVE, PASSIVE AND/OR REPETITIVE USE TESTING

Are any ROM movements painful on active, passive and/or repetitive use testing? *(If yes, identify whether active, passive, and/or repetitive use in question 5D)*	If yes *(there are painful movements)*, does the pain contribute to functional loss or additional limitation of ROM?	If no *(the pain does not contribute to functional loss or additional limitation of ROM)*, explain why the pain does not contribute:
122 Yes 123 No	124 Yes *(you will be asked to further describe these limitations in Section 7 below)* 125 No	126

5B. PAIN WHEN USED IN WEIGHT-BEARING OR IN NON WEIGHT-BEARING-BEARING

Is there pain when the joint is used in weight-bearing or non weight-bearing? *(If yes, identify whether weight-bearing or non weight-bearing in question 5D)*	If yes *(there is pain when used in weight-bearing or non weight-bearing)*, does the pain contribute to functional loss or additional limitation of ROM?	If no *(the pain does not contribute to functional loss or additional limitation of ROM)*, explain why the pain does not contribute:
131 Yes 130 No	129 Yes *(you will be asked to further describe these limitations in Section 7 below)* 128 No	127

5C. LOCALIZED TENDERNESS OR PAIN ON PALPATION

Does the Veteran have localized tenderness or pain on palpation of joints or soft tissue?	If yes, describe including location, severity and relationship to condition(s) listed in the Diagnosis section:
132 Yes 133 No	134

5D. COMMENTS, IF ANY:

135

SECTION VI - GUARDING AND MUSCLE SPASM

6A. DOES THE VETERAN HAVE GUARDING OR MUSCLE SPASM OF THE CERVICAL SPINE *(neck)*?

149 YES 148 NO

6B. GAIT:

142 NORMAL

143 ABNORMAL

Due to:

144 Muscle spasm

145 Guarding

147 Other, describe and provide etiology:

150

146 UNABLE TO EVALUATE, PROVIDE REASON:

151

6C. SPINAL CONTOUR:

141 NORMAL

140 ABNORMAL

Due to:

139 Muscle spasm

138 Guarding

137 Other, describe and provide etiology:

136

152 UNABLE TO EVALUATE, PROVIDE REASON:

153

SECTION VII - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM

NOTE: The VA defines functional loss as the inability, due to damage or infection in parts of the system, to perform normal working movements of the body with normal excursion, strength, speed, coordination and/or endurance. As regards the joints, factors of disability reside in reductions of their normal excursion of movements in different planes.
Using information from the history and physical exam, select the factors below that contribute to functional loss or impairment (regardless of repetitive use) or to additional limitation of ROM after repetitive use for the joint or extremity being evaluated on this DBQ:

7A. CONTRIBUTING FACTORS OF DISABILITY *(check all that apply and indicate side affected)*:

156 Less movement than normal *(due to ankylosis, limitation or blocking, adhesions, tendon-tie-ups, contracted scars, etc.)*

161 More movement than normal *(from flail joints, resections, nonunion of fractures, relaxation of ligaments, etc.)*

155 Weakened movement *(due to muscle injury, disease or injury of peripheral nerves, divided or lengthened tendons, etc.)*

154 Excess fatigability

168 Incoordination, impaired ability to execute skilled movements smoothly

167 Pain on movement

166 Swelling

165 Deformity

164 Atrophy of disuse

157 Instability of station

160 Disturbance of locomotion

158 Interference with sitting

159 Interference with standing

163 Other, describe:

162

SECTION VII - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM *(Continued)*

NOTE: If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion on whether pain, weakness, fatigability, or incoordination could significantly limit functional ability during flare-ups or when the joint is ***used repeatedly over a period of time*** and that opinion, if feasible, should be expressed in terms of the degree of additional ROM loss due to pain on use or during flare-ups. The following section will assist you in providing this required opinion.

7B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION?

170 YES *(If yes, complete question 7C and 7D)*

169 NO *(If no, proceed to question 7D)*

7C. CONTRIBUTING FACTORS OF DISABILITY ASSOCIATED WITH LIMITATION OF MOTION

Can pain, weakness, fatigability, or incoordination significantly limit functional ability during flare-ups or when the joint is ***used repeatedly over a period of time?***	If yes, please estimate ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time:			If there is a functional loss due to pain, during flare-ups and/or when the joint is used repeatedly over a period of time but the limitation of ROM cannot be estimated, please describe the functional loss:
183 Yes 184 No	Forward Flexion	181	179 Est. ROM is not feasible	185
	Extension	182	180 Est. ROM is not feasible	
	Right Lateral Flexion	171	178 Est. ROM is not feasible	
	Left Lateral Flexion	177	176 Est. ROM is not feasible	
	Right Lateral Rotation	172	175 Est. ROM is not feasible	
	Left Lateral Rotation	174	173 Est. ROM is not feasible	

7D. CONTRIBUTING FACTORS OF DISABILITY NOT ASSOCIATED WITH LIMITATION OF MOTION

IS THERE ANY FUNCTIONAL LOSS *(not associated with limitation of motion)* DURING FLARE-UPS OR WHEN THE JOINT IS USED REPEATEDLY OVER A PERIOD OF TIME OR OTHERWISE?

187 YES 188 NO

IF YES, DESCRIBE:

186

SECTION VIII - MUSCLE STRENGTH TESTING

8A. MUSCLE STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE:

0/5 No muscle movement
1/5 Palpable or visible muscle contraction, but no joint movement
2/5 Active movement with gravity eliminated
3/5 Active movement against gravity
4/5 Active movement against some resistance
5/5 Normal strength

Side	Flexion/ Extension	Rate Strength	Is there a reduction in muscle strength?	If yes, is the reduction entirely due to the claimed condition in the Diagnosis section?	If no (the reduction is not entirely due to the claimed condition), provide rationale:
RIGHT All Normal	Shoulder Adduction	198 /5	201 Yes 202 No	204 Yes 203 No	199
	Shoulder Abduction	189 /5			
	Shoulder Flexion	190 /5			
	Shoulder Rotation	197 /5			
	Elbow Flexion	196 /5			
	Elbow Extension	191 /5			
	Wrist Flexion	192 /5			
	Wrist Extension	193 /5			
	Finger Flexion	195 /5			
	Finger Abduction	194 /5			

SECTION VIII - MUSCLE STRENGTH TESTING *(Continued)*

8A. MUSCLE STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE *(Continued)*:

0/5 No muscle movement
1/5 Palpable or visible muscle contraction, but no joint movement
2/5 Active movement with gravity eliminated
3/5 Active movement against gravity
4/5 Active movement against some resistance
5/5 Normal strength

Side	Flexion/ Extension	Rate Strength	Is there a reduction in muscle strength?	If yes, is the reduction entirely due to the claimed condition in the Diagnosis section?	If no (the reduction is not entirely due to the claimed condition), provide rationale:
LEFT All Normal	Shoulder Adduction	/5 227	230 Yes 231 No	233 Yes 232 No	228
	Shoulder Abduction	/5 218			
	Shoulder Flexion	/5 219			
	Shoulder Rotation	/5 226			
	Elbow Flexion	/5 225			
	Elbow Extension	/5 220			
	Wrist Flexion	/5 221			
	Wrist Extension	/5 222			
	Finger Flexion	/5 224			
	Finger Abduction	/5 223			

8B. DOES THE VETERAN HAVE MUSCLE ATROPHY?

205 YES 206 NO

IF YES, IS THE MUSCLE ATROPHY DUE TO THE CLAIMED CONDITION IN THE DIAGNOSIS SECTION?

207 YES 208 NO IF NO, PROVIDE RATIONALE:

209

FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.

LOCATION OF MUSCLE ATROPHY:

213 RIGHT UPPER EXTREMITY *(specify location of measurement such as "10cm above or below elbow")*:

212

CIRCUMFERENCE OF MORE NORMAL SIDE: 211 cm CIRCUMFERENCE OF ATROPHIED SIDE: 210 cm

217 LEFT UPPER EXTREMITY *(specify location of measurement such as "10cm above or below elbow")*:

215

CIRCUMFERENCE OF MORE NORMAL SIDE: 214 cm CIRCUMFERENCE OF ATROPHIED SIDE: 216 cm

8C. COMMENTS, IF ANY:

234

SECTION IX - ANKYLOSIS

COMPLETE THIS SECTION IF VETERAN HAS ANKYLOSIS OF THE CERVICAL SPINE *(neck)*.

NOTE: For VA compensation purposes, unfavorable ankylosis is a condition in which the entire cervical spine, the entire thoracolumbar spine, or the entire spine is fixed in flexion or extension, and the ankylosis results in one or more of the following: difficulty walking because of a limited line of vision; restricted opening of the mouth and chewing; breathing limited to diaphragmatic respiration; gastrointestinal symptoms due to pressure of the costal margin on the abdomen; dyspnea or dysphagia; atlantoaxial or cervical subluxation or dislocation; or neurologic symptoms due to nerve root stretching. Fixation of a spinal segment in neutral position (0 degrees) always represents favorable ankylosis.

9A. INDICATE SEVERITY OF ANKYLOSIS:

239 Favorable ankylosis of the entire cervical spine

238 Unfavorable ankylosis of the entire cervical spine

236 Unfavorable ankylosis of the entire spine *(cervical and thoracolumbar)*

237 No ankylosis

9B. COMMENTS, IF ANY:

235

SECTION X - REFLEX EXAM

10A. DEEP TENDON REFLEXES - RATE DEEP TENDON REFLEXES (DTRs) ACCORDING TO THE FOLLOWING SCALE:

0 Absent
1+ Hypoactive
2+ Normal
3+ Hyperactive without clonus
4+ Hyperactive with clonus

RIGHT: All Normal BICEPS: 327 TRICEPS: 322 BRACHIORADIALS: 326

LEFT: All Normal BICEPS: 323 TRICEPS: 324 BRACHIORADIALS: 325

10B. COMMENTS, IF ANY:

328

SECTION XI - SENSORY EXAM

11A. RESULTS FOR SENSATION TO LIGHT TOUCH *(dermatome)* TESTING:

Side	Shoulder Area *(C5)*	Inner/Outer Forearm *(C6/T1)*	Hand/Fingers *(C6-8)*
RIGHT All Normal	299 Normal 264 Decreased 298 Absent	277 Normal 279 Decreased 278 Absent	276 Normal 274 Decreased 275 Absent
LEFT All Normal	265 Normal 273 Decreased 266 Absent	269 Normal 267 Decreased 268 Absent	270 Normal 272 Decreased 271 Absent

11B. WERE OTHER SENSORY TESTS INDICATED AND PERFORMED?

302 YES 303 NO

IF YES, INDICATE RESULTS:

Side	Position Sense *(grasp index finger/great toe on sides and ask patient to identify up and down movement)* 304 Not tested	Vibration Sensation *(place low-pitched tuning fork over DIP joint of index finger/IP joint of great toe)* 301 Not tested	Cold Sensation *(test distal extremities for cold sensation with side of tuning fork or other cold object)* 300 Not tested
RIGHT	280 Normal 296 Decreased 297 Absent	295 Normal 294 Decreased 293 Absent	290 Normal 291 Decreased 292 Absent
LEFT	289 Normal 282 Decreased 281 Absent	283 Normal 284 Decreased 285 Absent	288 Normal 287 Decreased 286 Absent

11C. OTHER SENSORY FINDINGS, IF ANY:

251

SECTION XII - RADICULOPATHY

NOTE: Radiculopathy is considered to be any condition due to disease of the nerve roots and nerves located in the neck.

12A. DOES THE VETERAN HAVE RADICULAR PAIN OR ANY OTHER SUBJECTIVE SYMPTOMS DUE TO RADICULOPATHY?

305 YES 317 NO

IF YES, COMPLETE QUESTIONS 12B-12K, INCLUDING SYMPTOMS, SEVERITY OF RADICULOPATHY AND NERVE ROOTS INVOLVED *(check all that apply)*

IF THE VETERAN REPORTED RADICULAR-TYPE SYMPTOMS IN THE MEDICAL HISTORY SECTION ABOVE THAT YOU FIND ARE NOT DUE TO RADICULOPATHY, PLEASE PROVIDE RATIONALE:

252

12B. CONSTANT PAIN, AT TIMES EXCRUCIATING *(subjective symptom)*

306 Present 312 Absent *(does not occur)* 313 Pain is present, but not due to radiculopathy *(if checked, provide rationale in question 12J below)*

If present, indicate location and severity:

Right upper extremity: 309 None 308 Mild 307 Moderate 310 Severe

Left upper extremity: 314 None 315 Mild 316 Moderate 311 Severe

12C. INTERMITTENT PAIN *(subjective symptom)*

263 Present 257 Absent *(does not occur)* 256 Pain is present, but not due to radiculopathy *(if checked, provide rationale in question 12J below)*

If present, indicate location and severity:

Right upper extremity: 260 None 261 Mild 262 Moderate 259 Severe

Left upper extremity: 255 None 254 Mild 253 Moderate 258 Severe

12D. DULL PAIN *(subjective symptom)*

240 Present 246 Absent *(does not occur)* 247 Pain is present, but not due to radiculopathy *(if checked, provide rationale in question 12J below)*

If present, indicate location and severity:

Right upper extremity: 243 None 242 Mild 241 Moderate 244 Severe

Left upper extremity: 248 None 249 Mild 250 Moderate 245 Severe

SECTION XII - RADICULOPATHY *(Continued)*

12E. PARESTHESIAS AND/OR DYSESTHESIAS *(subjective symptom)*

348 Present 354 Absent *(does not occur)* 355 Paresthesias and/or dysesthesias are present, but not due to radiculopathy *(if checked, provide rationale in question 12J below)*

If present, indicate location and severity:

Right upper extremity: 351 None 350 Mild 349 Moderate 352 Severe

Left upper extremity: 356 None 357 Mild 358 Moderate 353 Severe

12F. NUMBNESS *(subjective symptom)*

347 Present 341 Absent *(does not occur)* 340 Numbness is present, but not due to radiculopathy *(if checked, provide rationale in question 12J below)*

If present, indicate location and severity:

Right upper extremity: 344 None 345 Mild 346 Moderate 343 Severe

Left upper extremity: 339 None 338 Mild 329 Moderate 342 Severe

12G. DOES THE VETERAN HAVE ANY OBJECTIVE FINDINGS DUE TO RADICULOPATHY NOT ADDRESSED IN THE PHYSICAL EXAM SECTION?

369 YES 359 NO

IF YES, DESCRIBE:

370

12H. INDICATE SEVERITY OF RADICULOPATHY *(evaluate severity by incorporating the effects of subjective symptoms and objective findings, if any)* AND SIDE AFFECTED:

Right upper extremity: 332 Not affected 331 Mild 330 Moderate 333 Severe

Left upper extremity: 335 Not affected 336 Mild 337 Moderate 334 Severe

12I. SPECIFY NERVE ROOTS INVOLVED *(check all that apply)*:

360 INVOLVEMENT OF C5/C6 NERVE ROOTS *(upper radicular group)*

If checked, indicate side affected: 372 Right 371 Left 373 Both

368 INVOLVEMENT OF C7 NERVE ROOTS *(middle radicular group)*

If checked, indicate side affected: 366 Right 367 Left 365 Both

361 INVOLVEMENT OF C8/TI NERVE ROOTS *(lower radicular group)*

If checked, indicate side affected: 363 Right 362 Left 364 Both

12J. COMMENTS, IF ANY:

374

SECTION XIII - OTHER NEUROLOGIC ABNORMALITIES

13. DOES THE VETERAN HAVE ANY OTHER OBJECTIVE NEUROLOGIC ABNORMALITIES OR FINDINGS *(including, but not limited to bowel or bladder problems due to cervical myelopathy)* ASSOCIATED WITH A CERVICAL SPINE *(neck)* CONDITION?

386 YES 385 NO

IF YES, DESCRIBE CONDITION AND ITS RELATIONSHIP TO ANY CONDITION LISTED IN THE DIAGNOSIS SECTION:

375

NOTE: If there are neurological abnormalities other than those addressed in the Physical Exam or Radiculopathy sections above, ALSO complete appropriate Disability Benefits Questionnaire for each condition identified.

SECTION XIV - INTERVERTEBRAL DISC SYNDROME *(IVDS)* AND INCAPACITATING EPISODES

NOTE: For VA purposes, IVDS is a group of signs and symptoms due to nerve root irritation that commonly includes back pain and sciatica (pain along the course of the sciatic nerve) in the case of lumbar disc disease, and neck and arm or hand pain in the case of cervical disc disease.

14A. DOES THE VETERAN HAVE IVDS OF THE CERVICAL SPINE?

376 YES 377 NO

14B. IF YES TO QUESTION 14A ABOVE, HAS THE VETERAN HAD ANY INCAPACITATING EPISODES *(a period of acute signs and symptoms due to IVDS that requires bed rest prescribed by a physician and treatment by a physician)* OVER THE PAST 12 MONTHS?

378 YES 384 NO

14C. IF YES TO QUESTION 14B ABOVE, PROVIDE THE TOTAL DURATION OF ALL INCAPACITATING EPISODES OVER THE PAST 12 MONTHS:

379 Less than 1 week

383 At least 1 week but less than 2 weeks

380 At least 2 weeks but less than 4 weeks

381 At least 4 weeks but less than 6 weeks

382 At least 6 weeks

SECTION XIV - INTERVERTEBRAL DISC SYNDROME *(IVDS)* AND INCAPACITATING EPISODES *(Continued)*

14D. COMMENTS, IF ANY:

428

SECTION XV - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS

15A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS *(surgical or otherwise)* RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

396 YES 395 NO IF YES, COMPLETE QUESTIONS 15B-15D.

15B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

389 YES 390 NO IF YES, DESCRIBE *(brief summary)*:

388

15C. DOES THE VETERAN HAVE ANY SCARS *(surgical or otherwise)* RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

391 YES 392 NO

IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM *(6 square inches);* OR ARE LOCATED ON THE HEAD, FACE OR NECK?

393 YES 394 NO IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.

IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.

Location: 397 Measurements: length 398 cm X width 399 cm.

NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.

15D. COMMENTS, IF ANY:

387

SECTION XVI - ASSISTIVE DEVICES

16A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE?

401 YES 402 NO IF YES, IDENTIFY ASSISTIVE DEVICES USED *(check all that apply and indicate frequency):*

419 Wheelchair	Frequency of use:	418 Occasional	417 Regular	416 Constant
403 Brace	Frequency of use:	421 Occasional	425 Regular	426 Constant
415 Crutches	Frequency of use:	414 Occasional	413 Regular	412 Constant
404 Cane	Frequency of use:	409 Occasional	410 Regular	411 Constant
408 Walker	Frequency of use:	407 Occasional	406 Regular	405 Constant
420 Other: 427	Frequency of use:	424 Occasional	423 Regular	422 Constant

16B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:

400

SECTION XVII - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES

17. DUE TO THE VETERAN'S CERVICAL SPINE *(neck)* CONDITION, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? *(Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)*

433 YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN.

432 NO

IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: 430 RIGHT UPPER 431 LEFT UPPER

FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES *(brief summary)*:

429

NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.

SECTION XVIII - DIAGNOSTIC TESTING

NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened. Imaging studies are not required to make the diagnosis of IVDS; Electromyography (EMG) studies are rarely required to diagnose radiculopathy in the appropriate clinical setting. For purposes of this examination, the diagnoses of IVDS and radiculopathy can be made by a history of characteristic radiating pain and/or sensory changes in the legs, and objective clinical findings, which may include the asymmetrical loss or decrease of reflexes, decreased strength and/or abnormal sensation.

18A. HAVE IMAGING STUDIES OF THE CERVICAL SPINE BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?

441 YES 440 NO

IF YES, IS ARTHRITIS DOCUMENTED?

434 YES 435 NO

18B. DOES THE VETERAN HAVE A VERTEBRAL FRACTURE?

436 YES 437 NO IF YES, PROVIDE PERCENT OF LOSS OF VERTEBRAL BODY HEIGHT: 447 %

18C. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS OR RESULTS?

438 YES 439 NO IF YES, PROVIDE TYPE OF TEST OR PROCEDURE, DATE AND RESULTS *(brief summary)*:

442

18D. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:

443

SECTION XIX - FUNCTIONAL IMPACT

NOTE: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.

19. REGARDLESS OF THE VETERAN'S CURRENT EMPLOYMENT STATUS, DO THE CONDITION(S) LISTED IN THE DIAGNOSIS SECTION IMPACT HIS OR HER ABILITY TO PERFORM ANY TYPE OF OCCUPATIONAL TASK *(such as standing, walking, lifting, sitting, etc.)*?

446 YES 445 NO IF YES, DESCRIBE THE FUNCTIONAL IMPACT OF EACH CONDITION, PROVIDING ONE OR MORE EXAMPLES:

444

SECTION XX - REMARKS

20. REMARKS, IF ANY:

448

SECTION XXI - PHYSICIAN'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

21A. PHYSICIAN'S SIGNATURE	21B. PHYSICIAN'S PRINTED NAME	21C. DATE SIGNED
455	452	451

21D. PHYSICIAN'S PHONE NUMBER	21E. PHYSICIAN'S MEDICAL LICENSE NUMBER	21F. PHYSICIAN'S ADDRESS
454	453	450

NOTE: VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.

IMPORTANT - Physician please fax the completed form to 449 _____

(VA Regional Office FAX No.)

NOTE: A list of VA Regional Office FAX Numbers can be found at **www.vba.va.gov/disabilityexams** or obtained by calling 1-800-827-1000.

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.