



ALUMNO:

Alexis Yahir Alvarez León

MATERIA:

Sistemas Operativos

Gestion usuarios y usos

“ICO”

“COMPARTE LA FELICIDAD”

17/09/2026

En esta tarea se va a practicar lo visto en clase este día 17/09/2026 ya que vimos como crear usuarios y añadirlos a grupos y en este caso se harán 3 grupos y 5 usuarios que se agregaran a los grupos

Primero vamos a crear los usuarios, en este caso se utiliza el comando sudo adduser y el nombre del usuario en este caso Alexis que soy yo, Erick, Freddy, Hazzo y Jose Antonio ya que con ellos convivio en mi mayoría de clases y los voy añadir a los grupos que voy a crear

```
axel2@DESKTOP-I6U7L83:~$ sudo adduser alexisvalvarez
[sudo] password for axel2:
info: Adding user 'alexisvalvarez' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group 'alexisvalvarez' (1015) ...
info: Adding new user 'alexisvalvarez' (1015) with group 'alexisvalvarez (1015)' ...
info: Creating home directory '/home/alexisvalvarez' ...
info: Copying files from '/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for alexisvalvarez
Enter the new value, or press ENTER for the default
  Full Name []: 3232
  Room Number []: 23232
  Work Phone []: 23232
  Home Phone []: 244
  Other []: estudiante
Is the information correct? [Y/n] y
info: Adding new user 'alexisvalvarez' to supplemental / extra groups 'users' ...
info: Adding user 'alexisvalvarez' to group 'users' ...
axel2@DESKTOP-I6U7L83:~$ sudo adduser freddy
info: Adding user 'freddy' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group 'freddy' (1016) ...
info: Adding new user 'freddy' (1016) with group 'freddy (1016)' ...
info: Creating home directory '/home/freddy' ...
info: Copying files from '/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for freddy
Enter the new value, or press ENTER for the default
  Full Name []: 2343
  Room Number []: 2222
  Work Phone []: 1111
  Home Phone []: 22222
  Other []: estudiante
Is the information correct? [Y/n] y
info: Adding new user 'freddy' to supplemental / extra groups 'users' ...
info: Adding user 'freddy' to group 'users' ...
```

```
axel2@DESKTOP-16U7L83:~$ sudo adduser erick
info: Adding user 'erick' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group 'erick' (1017) ...
info: Adding new user 'erick' (1017) with group 'erick (1017)' ...
info: Creating home directory '/home/erick' ...
info: Copying files from '/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for erick
Enter the new value, or press ENTER for the default
Full Name []: 664444
Room Number []: 33322
Work Phone []: 9890
Home Phone []: 00987
Other []: estudiante
Is the information correct? [Y/n] y
info: Adding new user 'erick' to supplemental / extra groups 'users' ...
info: Adding user 'erick' to group 'users' ...
axel2@DESKTOP-16U7L83:~$ sudo adduser joseantonio
info: Adding user 'joseantonio' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group 'joseantonio' (1018) ...
info: Adding new user 'joseantonio' (1018) with group 'joseantonio (1018)' ...
info: Creating home directory '/home/joseantonio' ...
info: Copying files from '/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for joseantonio
Enter the new value, or press ENTER for the default
Full Name []: 2222
Room Number []: 112344
Work Phone []: 32233
Home Phone []: 2222
Other []: estudiante
Is the information correct? [Y/n] y
info: Adding new user 'joseantonio' to supplemental / extra groups 'users' ...
info: Adding user 'joseantonio' to group 'users' ...
axel2@DESKTOP-16U7L83:~$ sudo adduser hazzo
```

```
axel2@DESKTOP-16U7L83:~$ sudo adduser hazzo
Enter the new value, or press ENTER for the default
Full Name []: 2222
Room Number []: 112344
Work Phone []: 32233
Home Phone []: 2222
Other []: estudiante
Is the information correct? [Y/n] y
info: Adding new user 'joseantonio' to supplemental / extra groups 'users' ...
info: Adding user 'joseantonio' to group 'users' ...
axel2@DESKTOP-16U7L83:~$ sudo adduser hazzo
info: Adding user 'hazzo' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group 'hazzo' (1019) ...
info: Adding new user 'hazzo' (1019) with group 'hazzo (1019)' ...
info: Creating home directory '/home/hazzo' ...
info: Copying files from '/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for hazzo
Enter the new value, or press ENTER for the default
Full Name []: 12233
Room Number []: 55667
Work Phone []: 2211
Home Phone []: 1456
Other []: estudiante
Is the information correct? [Y/n] y
info: Adding new user 'hazzo' to supplemental / extra groups 'users' ...
info: Adding user 'hazzo' to group 'users' ...
axel2@DESKTOP-16U7L83:~$
```

Herramienta Recortes

Captura de pantalla copiada en el portapapeles
Guardado automáticamente en la carpeta de
capturas de pantalla.

Marcado y uso compartido

Para verificar que si se crearon se utiliza el comando sudo cat /etc/group peor también se puede ocupar el de shadow o passwd

```
axel2@DESKTOP-I6U7L83: ~  
nogroup:x:65534:  
systemd-journal:x:999:  
systemd-network:x:998:  
crontab:x:997:  
systemd-timesync:x:996:  
input:x:995:  
sgx:x:994:  
kvm:x:993:  
render:x:992:  
messagebus:x:101:  
syslog:x:102:  
systemd-resolve:x:991:  
uidd:x:103:  
ssh:x:104:  
landscape:x:105:  
polkitd:x:990:  
admin:x:106:  
netdev:x:107:  
axel2:x:1000:  
docker:x:1001:axel2  
mysql:x:108:  
cruz:x:1002:  
alvarez:x:1003:  
gutierrez:x:1004:  
concepcion:x:1005:  
herrera:x:1006:  
valeria:x:1007:  
yess:x:1008:  
moctezuma:x:1009:  
garcia:x:1010:  
colorado:x:1011:  
fransua:x:1012:  
hazem:x:1013:  
Carlos:x:1014:  
alexisalvarez:x:1015:  
freddy:x:1016:  
erick:x:1017:  
joseantonio:x:1018:  
hazzo:x:1019:  
axel2@DESKTOP-I6U7L83: $
```

Ahora vamos a crear los grupos se crean con el comando de sudo groupadd y el nombre de mis materias las cuales son protocolos de comunicación de software, protocolos de comunicación de redes y tecnologías computacionales 2 y como se ve en la captura me comi le tras al momento de crear los grupos

```
axel2@DESKTOP-I6U7L83: ~  
Enter the new value, or press ENTER for the default  
Full Name []: 2222  
Room Number []: 112344  
Work Phone []: 32233  
Home Phone []: 2222  
Other []: estudiante  
Is the information correct? [Y/n] y  
info: Adding new user 'joseantonio' to supplemental / extra groups 'users' ...  
info: Adding user 'joseantonio' to group 'users' ...  
axel2@DESKTOP-I6U7L83:~$ sudo adduser hazzo  
info: Adding user 'hazzo' ...  
info: Selecting UID/GID from range 1000 to 59999 ...  
info: Adding new group 'hazzo' (1019) ...  
info: Adding new user 'hazzo' (1019) with group 'hazzo (1019)' ...  
info: Creating home directory '/home/hazzo' ...  
info: Copying files from '/etc/skel' ...  
New password:  
Retype new password:  
passwd: password updated successfully  
Changing the user information for hazzo  
Enter the new value, or press ENTER for the default  
Full Name []: 12233  
Room Number []: 55667  
Work Phone []: 2211  
Home Phone []: 1456  
Other []: estudiante  
Is the information correct? [Y/n] y  
info: Adding new user 'hazzo' to supplemental / extra groups 'users' ...  
info: Adding user 'hazzo' to group 'users' ...  
axel2@DESKTOP-I6U7L83:~$ sudo groupadd Protocolos_comunicacion_software  
axel2@DESKTOP-I6U7L83:~$ sudo groupadd Protocolos_comunicacion_redes  
axel2@DESKTOP-I6U7L83:~$ sudo groupadd Tecno_dos  
axel2@DESKTOP-I6U7L83:~$
```

Y para ver que si crearon los grupos se utiliza el comando sudo cat /etc/group

```
axel2@DESKTOP-I6U7L83: ~  
systemd-network:x:998:  
crontab:x:997:  
systemd-timesync:x:996:  
input:x:995:  
sgx:x:994:  
kvm:x:993:  
render:x:992:  
messagebus:x:101:  
syslog:x:102:  
systemd-resolve:x:991:  
uuidd:x:103:  
ssh:x:100:  
landscape:x:105:  
polkitd:x:990:  
admin:x:106:  
netdev:x:107:  
axel2:x:1000:  
docker:x:1001:axel2  
mysql:x:108:  
cruz:x:1002:  
alvarez:x:1003:  
guitierrez:x:1004:  
concepcion:x:1005:  
herrera:x:1006:  
valeria:x:1007:  
yess:x:1008:  
moctezuma:x:1009:  
garcia:x:1010:  
colorado:x:1011:  
fransua:x:1012:  
hazem:x:1013:  
Carlos:x:1014:  
alexisalvarez:x:1015:  
freddy:x:1016:  
erick:x:1017:  
joseantonio:x:1018:  
hazzo:x:1019:  
Protocolos_comunicacion_software:x:1020:  
Protocolos_comunicacion_redes:x:1021:  
Tecno_dos:x:1022:  
axel2@DESKTOP-I6U7L83:~$
```

Ahora como añadir los usuarios a los grupos con ayuda de este comando

for u in alexisalvarez freddy erick joseantonio hazzo; do for g in

Protocolos_comunicacion_software Protocolos_comunicacion_redes Tecno_dos; do

sudo gpasswd -a \$u \$g; done; done

donde tiene el gpasswd y el -a se puede añadir todos los usuarios en una sola línea de comando a los grupos ya que el for u es una variable para los usuarios, la g es otra variable para los grupos, \$u se reemplaza por el usuario actual, y el \$g por el grupo actual, ya el done es el final de este comando(ciclo)

```
axel2@DESKTOP-I6U7L83: ~  
docker:x:1001:axel2  
mysql:x:1008:  
cruz:x:1002:  
alvarez:x:1003:  
guitierrez:x:1004:  
concepcion:x:1005:  
herrera:x:1006:  
valeria:x:1007:  
yess:x:1008:  
moctezuma:x:1009:  
garcia:x:1010:  
colorado:x:1011:  
fransua:x:1012:  
hazem:x:1013:  
Carlos:x:1014:  
alexisalvarez:x:1015:  
freddy:x:1016:  
erick:x:1017:  
joseantonio:x:1018:  
hazzo:x:1019:  
Procolos_comincacion_software:x:1020:  
Procolcos_comunicacion_redes:x:1021:  
Tecno_dos:x:1022:  
axel2@DESKTOP-I6U7L83:~$ for u in alexisalvarez freddy erick joseantonio hazzo; do for g in Procolos_comincacion_software Procolcos_comunicacion_redes Tecno_dos; do sudo gpasswd -a $u $g; done; done  
Adding user alexisalvarez to group Procolos_comincacion_software  
Adding user alexisalvarez to group Procolcos_comunicacion_redes  
Adding user alexisalvarez to group Tecno_dos  
Adding user freddy to group Procolos_comincacion_software  
Adding user freddy to group Procolcos_comunicacion_redes  
Adding user freddy to group Tecno_dos  
Adding user erick to group Procolos_comincacion_software  
Adding user erick to group Procolcos_comunicacion_redes  
Adding user erick to group Tecno_dos  
Adding user joseantonio to group Procolos_comincacion_software  
Adding user joseantonio to group Procolcos_comunicacion_redes  
Adding user joseantonio to group Tecno_dos  
Adding user hazzo to group Procolos_comincacion_software  
Adding user hazzo to group Procolcos_comunicacion_redes  
Adding user hazzo to group Tecno_dos  
axel2@DESKTOP-I6U7L83:~$
```

Y para ver si si s epodo, y si si?
se utiliza el comando sudo cat /etc/group

```
axel2@DESKTOP-I6U7L83: ~  
systemd-network:x:998:  
crontab:x:997:  
systemd-timesync:x:996:  
input:x:995:  
sgx:x:994:  
kvm:x:993:  
render:x:992:  
messagebus:x:101:  
syslog:x:102:  
systemd-resolve:x:991:  
uidd:x:103:  
_ssh:x:104:  
landscape:x:105:  
polkitd:x:990:  
admin:x:106:  
netdev:x:107:  
axel2:x:1000:  
docker:x:1001:axel2  
mysql:x:1008:  
cruz:x:1002:  
alvarez:x:1003:  
guitierrez:x:1004:  
concepcion:x:1005:  
herrera:x:1006:  
valeria:x:1007:  
yess:x:1008:  
moctezuma:x:1009:  
garcia:x:1010:  
colorado:x:1011:  
fransua:x:1012:  
hazem:x:1013:  
Carlos:x:1014:  
alexisalvarez:x:1015:  
freddy:x:1016:  
erick:x:1017:  
joseantonio:x:1018:  
hazzo:x:1019:  
Procolos_comincacion_software:x:1020:alexisalvarez,freddy,erick,joseantonio,hazzo  
Procolcos_comunicacion_redes:x:1021:alexisalvarez,freddy,erick,joseantonio,hazzo  
Tecno_dos:x:1022:alexisalvarez,freddy,erick,joseantonio,hazzo  
axel2@DESKTOP-I6U7L83:~$
```

y en efecto ya en los grupos se ven los usuarios eso significa que el anterior comando si funciona jeje