Hazel Phi: 11-type-constructors

August 12, 2021

SYNTAX

Kind	κ	$::=$	$\texttt{Type} \mid \texttt{KHole} \mid \texttt{S}_{\kappa}(\tau) \mid \Pi_{t::\kappa_1}.\kappa_2$
User Types	$\hat{\tau}$	$::=$	$t \mid \texttt{bse} \mid \hat{\tau_1} \oplus \hat{\tau_2} \mid (\!\|\!)^{\texttt{u}} \mid (\!\|\hat{\tau}\|\!)^{\texttt{u}} \mid \lambda t{::}\texttt{Type}.\hat{\tau} \mid \hat{\tau_1}\ \hat{\tau_2}$
Internal Types	τ	$::=$	$t \mid \texttt{bse} \mid \tau_1 \oplus \tau_2 \mid (\!\|\!)^{\texttt{u}} \mid (\!\|\tau\|\!)^{\texttt{u}} \mid (\!\|t\|\!)^{\texttt{u}} \mid \lambda t{::}\kappa.\tau \mid \tau_1\ \tau_2$
Base Types	$\texttt{bse}$	$::=$	$\texttt{Int} \mid \texttt{Float} \mid \texttt{Bool}$
BinOp	$\oplus$	$::=$	$\times \mid + \mid \rightarrow$
Type Pattern			
User Expression			
Internal Expression			

DECLARATIVES

$\boxed{\Delta;\Phi \vdash \tau ::> \kappa}$ τ has principal (well formed) kind κ

$$\frac{\Delta;\Phi \vdash \mathsf{OK}}{\Delta;\Phi \vdash \texttt{bse} ::> \texttt{S}_{\texttt{Type}}(\texttt{bse})}\ \texttt{PK-Base} \qquad \frac{\Delta;\Phi_1, t{::}\kappa, \Phi_2 \vdash \mathsf{OK}}{\Delta;\Phi \vdash t ::> \texttt{S}_{\kappa}(t)}\ \texttt{PK-Var}$$

$$\frac{\Delta;\Phi \vdash \tau_1{::}\texttt{Type} \qquad \Delta;\Phi \vdash \tau_2{::}\texttt{Type}}{\Delta;\Phi \vdash \tau_1 \oplus \tau_2 ::> \texttt{S}_{\texttt{Type}}(\tau_1 \oplus \tau_2)}\ \texttt{PK-}\oplus \qquad \frac{\Delta_1, \mathrm{u}{::}\kappa, \Delta_2;\Phi \vdash \mathsf{OK}}{\Delta;\Phi \vdash (\!\|\!)^{\texttt{u}} ::> \texttt{S}_{\kappa}((\!\|\!)^{\texttt{u}})}\ \texttt{PK-EHole}$$

$$\frac{\Delta_1, \mathrm{u}{::}\kappa, \Delta_2;\Phi \vdash \mathsf{OK} \qquad \Delta;\Phi \vdash \tau{::}\kappa_1}{\Delta;\Phi \vdash (\!\|\tau\|\!)^{\texttt{u}} ::> \texttt{S}_{\kappa}((\!\|\tau\|\!)^{\texttt{u}})}\ \texttt{PK-NEHole} \qquad \frac{\Delta_1, \mathrm{u}{::}\kappa, \Delta_2;\Phi \vdash \mathsf{OK} \qquad t \notin \Phi}{\Delta;\Phi \vdash (\!\|t\|\!)^{\texttt{u}} ::> \texttt{S}_{\kappa}((\!\|t\|\!)^{\texttt{u}})}\ \texttt{PK-Unbound}$$

$$\frac{\Delta;\underline{\Phi, t{::}\kappa_1} \vdash \tau ::> \kappa_2}{\Delta;\Phi \vdash \lambda t{::}\kappa_1.\tau ::> \texttt{S}_{\Pi_{t::\kappa_1}.\kappa_2}(\lambda t{::}\kappa_1.\tau)}\ \texttt{PK-}\lambda$$

$$\frac{\Delta;\Phi \vdash \tau_1 ::> \kappa \qquad \Delta;\Phi \vdash \kappa \overset{\blacktriangleright}{\scriptstyle\Pi} \Pi_{t::\kappa_1}.\kappa_2 \qquad \Delta;\Phi \vdash \tau_2{::}\kappa_1}{\Delta;\Phi \vdash \tau_1\ \tau_2 ::> [\tau_2/t]\kappa_2}\ \texttt{PK-Ap}$$

$\boxed{\Delta;\Phi\vdash\tau::\kappa}$ τ is well formed at kind κ

$$\frac{\Delta;\Phi\vdash\tau::>\mathsf{S}_{\kappa}(\tau)}{\Delta;\Phi\vdash\tau::\kappa}\;\texttt{WFaK-1}\qquad\qquad\frac{\Delta;\Phi\vdash\tau::>\kappa_1\qquad\Delta;\Phi\vdash\kappa_1\lesssim\kappa}{\Delta;\Phi\vdash\tau::\kappa}\;\texttt{WFaK-Subsump}$$

$$\frac{\Delta;\Phi\vdash\tau::>\kappa}{\Delta;\Phi\vdash\tau::\kappa}\;\texttt{WFaK-Reit}\qquad\qquad\frac{\Delta;\Phi\vdash\tau::\kappa}{\Delta;\Phi\vdash\tau::\mathsf{S}_{\kappa}(\tau)}\;\texttt{WFaK-Self}$$

$$\frac{\Delta;\Phi\vdash\tau::\Pi_{t::\kappa_3}.\kappa_4\qquad\Delta;\Phi\vdash\Pi_{t::\kappa_3}.\kappa_4\lesssim\Pi_{t::\kappa_1}.\kappa_2}{\Delta;\Phi\vdash\tau::\Pi_{t::\kappa_1}.\kappa_2}\;\texttt{WFaK-}\Pi\texttt{CSKTrans}$$

$$\frac{\Delta;\Phi\vdash\tau::\mathsf{S}_{\kappa}(\tau_1)\qquad\Delta;\Phi\vdash\tau_1::\kappa}{\Delta;\Phi\vdash\tau::\kappa}\;\texttt{WFaK-Flatten}$$

$\boxed{\Delta;\Phi\vdash\kappa\overset{\blacktriangleright}{\Pi}\Pi_{t::\kappa_1}.\kappa_2}$ κ has matched Π-kind $\Pi_{t::\kappa_1}.\kappa_2$

$$\frac{\Delta;\Phi\vdash\mathsf{OK}}{\Delta;\Phi\vdash\texttt{KHole}\overset{\blacktriangleright}{\Pi}\Pi_{t::\texttt{KHole}}.\texttt{KHole}}\;\overset{\blacktriangleright}{\Pi}\texttt{-KHole}\qquad\qquad\frac{\Delta;\Phi\vdash\kappa\equiv\mathsf{S}_{\texttt{KHole}}(\tau)}{\Delta;\Phi\vdash\kappa\overset{\blacktriangleright}{\Pi}\Pi_{t::\mathsf{S}_{\texttt{KHole}}(\tau)}.\mathsf{S}_{\texttt{KHole}}(\tau\ t)}\;\overset{\blacktriangleright}{\Pi}\texttt{-SKHole}$$

$$\frac{\Delta;\Phi\vdash\kappa\equiv\Pi_{t::\kappa_1}.\kappa_2}{\Delta;\Phi\vdash\kappa\overset{\blacktriangleright}{\Pi}\Pi_{t::\kappa_1}.\kappa_2}\;\overset{\blacktriangleright}{\Pi}\texttt{-}\Pi$$

$\boxed{\Delta;\Phi\vdash\kappa_1\equiv\kappa_2}$ κ_1 is equivalent to κ_2

$$\frac{\Delta;\Phi\vdash\kappa\ \mathsf{OK}}{\Delta;\Phi\vdash\kappa\equiv\kappa}\;\texttt{KEquiv-Refl}\qquad\qquad\frac{\Delta;\Phi\vdash\kappa_2\equiv\kappa_1}{\Delta;\Phi\vdash\kappa_1\equiv\kappa_2}\;\texttt{KEquiv-Symm}$$

$$\frac{\Delta;\Phi\vdash\kappa_1\equiv\kappa_3\qquad\Delta;\Phi\vdash\kappa_3\equiv\kappa_2}{\Delta;\Phi\vdash\kappa_1\equiv\kappa_2}\;\texttt{KEquiv-Trans}$$

$$\frac{\Delta;\Phi\vdash\tau::\mathsf{S}_{\kappa}(\tau_1)}{\Delta;\Phi\vdash\mathsf{S}_{\mathsf{S}_{\kappa}(\tau_1)}(\tau)\equiv\mathsf{S}_{\kappa}(\tau_1)}\;\texttt{KEquiv-SKind}_{\texttt{SKind}}$$

$$\frac{\Delta;\Phi\vdash\tau::\Pi_{t::\kappa_1}.\kappa_2}{\Delta;\Phi\vdash\mathsf{S}_{\Pi_{t::\kappa_1}.\kappa_2}(\tau)\equiv\Pi_{t_1::\kappa_1}.\mathsf{S}_{[t_1/t]\kappa_2}(\tau\ t_1)}\;\texttt{KEquiv-SKind}_{\Pi}$$

$$\frac{\Delta;\Phi\vdash\kappa_1\equiv\kappa_2\qquad\Delta;\underline{\Phi,t::\kappa_1}\vdash\kappa_3\equiv\kappa_4}{\Delta;\Phi\vdash\Pi_{t::\kappa_1}.\kappa_2\equiv\Pi_{t::\kappa_3}.\kappa_4}\;\texttt{KEquiv-}\Pi$$

$$\frac{\Delta;\Phi\vdash\tau_1\overset{\kappa_1}{\equiv}\tau_2\qquad\Delta;\Phi\vdash\kappa_1\equiv\kappa_2}{\Delta;\Phi\vdash\mathsf{S}_{\kappa_1}(\tau_1)\equiv\mathsf{S}_{\kappa_2}(\tau_2)}\;\texttt{KEquiv-SKind}$$

$\boxed{\Delta; \Phi \vdash \kappa_1 \lesssim \kappa_2}$ κ_1 is a consistent subkind of κ_2

$$\frac{\Delta; \Phi \vdash \kappa \ \mathsf{OK}}{\Delta; \Phi \vdash \mathtt{KHole} \lesssim \kappa}\ \texttt{CSK-KHoleL} \qquad \frac{\Delta; \Phi \vdash \kappa \ \mathsf{OK}}{\Delta; \Phi \vdash \kappa \lesssim \mathtt{KHole}}\ \texttt{CSK-KHoleR}$$

$$\frac{\Delta; \Phi \vdash \mathsf{S}_{\mathtt{KHole}}(\tau) \ \mathsf{OK} \qquad \Delta; \Phi \vdash \kappa \ \mathsf{OK}}{\Delta; \Phi \vdash \mathsf{S}_{\mathtt{KHole}}(\tau) \lesssim \kappa}\ \texttt{CSK-SKind}_{\texttt{KHole}}\texttt{L}$$

$$\frac{\Delta; \Phi \vdash \kappa \ \mathsf{OK} \qquad \Delta; \Phi \vdash \mathsf{S}_{\mathtt{KHole}}(\tau) \ \mathsf{OK}}{\Delta; \Phi \vdash \kappa \lesssim \mathsf{S}_{\mathtt{KHole}}(\tau)}\ \texttt{CSK-SKind}_{\texttt{KHole}}\texttt{R}$$

$$\frac{\Delta; \Phi \vdash \kappa_1 \equiv \kappa_2}{\Delta; \Phi \vdash \kappa_1 \lesssim \kappa_2}\ \texttt{CSK-KEquiv} \qquad \frac{\Delta; \Phi \vdash \kappa_1 \equiv \kappa_3 \qquad \Delta; \Phi \vdash \kappa_3 \lesssim \kappa_4 \qquad \Delta; \Phi \vdash \kappa_4 \equiv \kappa_2}{\Delta; \Phi \vdash \kappa_1 \lesssim \kappa_2}\ \texttt{CSK-Normal}$$

$$\frac{\Delta; \Phi \vdash \mathsf{S}_\kappa(\tau) \ \mathsf{OK}}{\Delta; \Phi \vdash \mathsf{S}_\kappa(\tau) \lesssim \kappa}\ \texttt{CSK-SKind} \qquad \frac{\Delta; \Phi \vdash \kappa_3 \lesssim \kappa_1 \qquad \Delta; \underline{\Phi, t{::}\kappa_3} \vdash \kappa_2 \lesssim \kappa_4}{\Delta; \Phi \vdash \Pi_{t::\kappa_1}.\kappa_2 \lesssim \Pi_{t::\kappa_3}.\kappa_4}\ \texttt{CSK-}\Pi$$

$$\frac{\Delta; \Phi \vdash \kappa_1 \lesssim \kappa_2 \qquad \Delta; \Phi \vdash \tau_1 \overset{\kappa_1}{\equiv} \tau_2}{\Delta; \Phi \vdash \mathsf{S}_{\kappa_1}(\tau_1) \lesssim \mathsf{S}_{\kappa_2}(\tau_2)}\ \texttt{CSK-?}$$

$\boxed{\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2}$ τ_1 is provably equivalent to τ_2 at kind κ

$$\frac{\Delta; \Phi \vdash \tau{::}\kappa}{\Delta; \Phi \vdash \tau \overset{\kappa}{\equiv} \tau}\ \texttt{EquivAK-Refl} \qquad \frac{\Delta; \Phi \vdash \tau_2 \overset{\kappa}{\equiv} \tau_1}{\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2}\ \texttt{EquivAK-Symm}$$

$$\frac{\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_3 \qquad \Delta; \Phi \vdash \tau_3 \overset{\kappa}{\equiv} \tau_1}{\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2}\ \texttt{EquivAK-Trans}$$

$$\frac{\Delta; \Phi \vdash \tau_1 \ {::>}\ \kappa_1 \qquad \Delta; \Phi \vdash \kappa_1 \equiv \mathsf{S}_\kappa(\tau_2)}{\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2}\ \texttt{EquivAK-SKind}$$

$$\frac{\Delta; \Phi \vdash \tau_1{::}\Pi_{t::\kappa_1}.\kappa_3 \qquad \Delta; \Phi \vdash \tau_2{::}\Pi_{t::\kappa_1}.\kappa_4 \qquad \Delta; \underline{\Phi, t{::}\kappa_1} \vdash \tau_1 \ t \overset{\kappa_2}{\equiv} \tau_2 \ t}{\Delta; \Phi \vdash \tau_1 \overset{\Pi_{t::\kappa_1}.\kappa_2}{\equiv} \tau_2}\ \texttt{EquivAK-}\Pi$$

$$\frac{\Delta; \Phi \vdash \tau_1 \overset{\Pi_{t::\kappa_1}.\kappa_2}{\equiv} \tau_3 \qquad \Delta; \Phi \vdash \tau_2 \overset{\kappa_1}{\equiv} \tau_4}{\Delta; \Phi \vdash \tau_1 \ \tau_2 \overset{[\tau_2/t]\kappa_2}{\equiv} \tau_3 \ \tau_4}\ \texttt{EquivAK-Ap}$$

$$\frac{\Delta; \Phi \vdash \tau_1 \overset{\mathsf{S}_\kappa(\tau)}{\equiv} \tau_2}{\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2}\ (1)$$

$$\frac{\Delta; \Phi \vdash \tau_1 \overset{\mathtt{Type}}{\equiv} \tau_3 \qquad \Delta; \Phi \vdash \tau_2 \overset{\mathtt{Type}}{\equiv} \tau_4}{\Delta; \Phi \vdash \tau_1 \oplus \tau_2 \overset{\mathtt{Type}}{\equiv} \tau_3 \oplus \tau_4}\ (2) \qquad \frac{\Delta; \Phi \vdash \kappa_1 \equiv \kappa_2 \qquad \Delta; \underline{\Phi, t{::}\kappa_1} \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2}{\Delta; \Phi \vdash \lambda t{::}\kappa_1.\tau_1 \overset{\Pi_{t::\kappa_1}.\kappa}{\equiv} \lambda t{::}\kappa_2.\tau_2}\ (3)$$

$$\frac{\Delta; \Phi \vdash \tau_1 \overset{\kappa_1}{\equiv} \tau_2 \qquad \Delta; \Phi \vdash \kappa_1 \equiv \kappa}{\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2}\ (4)$$

$\boxed{\Delta;\Phi \vdash \kappa\ \mathsf{OK}}$ κ is well formed

$$\frac{\Delta;\Phi \vdash \mathsf{OK}}{\Delta;\Phi \vdash \mathtt{Type}\ \mathsf{OK}}\ \texttt{KWF-Type} \qquad \frac{\Delta;\Phi \vdash \mathsf{OK}}{\Delta;\Phi \vdash \mathtt{KHole}\ \mathsf{OK}}\ \texttt{KWF-KHole} \qquad \frac{\Delta;\Phi \vdash \tau{::}\kappa}{\Delta;\Phi \vdash \mathsf{S}_\kappa(\tau)\ \mathsf{OK}}\ \texttt{KWF-SKind}$$

$$\frac{\Delta;\underline{\Phi, t{::}\kappa_1} \vdash \kappa_2\ \mathsf{OK}}{\Delta;\Phi \vdash \Pi_{t::\kappa_1}.\kappa_2\ \mathsf{OK}}\ \texttt{KWF-}\Pi$$

$\boxed{\Delta;\Phi \vdash \mathsf{OK}}$ Context is well formed

$$\frac{}{\cdot;\cdot \vdash \mathsf{OK}}\ \texttt{CWF-Nil} \qquad \frac{t \notin \Phi \qquad \Delta;\Phi \vdash \kappa\ \mathsf{OK}}{\Delta;\underline{\Phi, t{::}\kappa} \vdash \mathsf{OK}}\ \texttt{CWF-TypVar} \qquad \frac{\mathrm{u} \notin \Delta \qquad \Delta;\Phi \vdash \kappa\ \mathsf{OK}}{\underline{\Delta, \mathrm{u}{::}\kappa};\Phi \vdash \mathsf{OK}}\ \texttt{CWF-Hole}$$

Metatheory

subderivation preserving inferences:

- premiss
- COK (Context OK)
- PoS (premiss of subderivation)

Lemma 1 (COK). *If $\Delta;\Phi \vdash \mathcal{J}$, then $\Delta;\Phi \vdash OK$ in a subderivation (where $\Delta;\Phi \vdash \mathcal{J} \neq \Delta;\Phi \vdash OK$)*

Proof. By induction on derivations.
No interesting cases. □

Lemma 2 (Exchange).
If $\Delta;\Phi_1, t_{L1}{::}\kappa_{L1}, t_{L2}{::}\kappa_{L2}, \Phi_2 \vdash \mathcal{J}$ and $\Delta;\Phi_1, t_{L2}{::}\kappa_{L2}, t_{L1}{::}\kappa_{L1}, \Phi_2 \vdash OK$, then $\Delta;\Phi_1, t_{L2}{::}\kappa_{L2}, t_{L1}{::}\kappa_{L1}, \Phi_2 \vdash \mathcal{J}$

Proof. By induction on derivations.
No interesting cases.
(Only rules with Φ extended in the consequent are interesting, which is only CWF-TypVar, but when $\mathcal{J}$ is CWF, Exchange is identity) □

Corollary 3 (Marked-Exchange).
If $\Delta;\underline{\underline{\Phi, t_{L1}{::}\kappa_{L1}}, t_{L2}{::}\kappa_{L2}} \vdash \mathcal{J}$ and $\Delta;\underline{\underline{\Phi, t_{L2}{::}\kappa_{L2}}, t_{L1}{::}\kappa_{L1}} \vdash OK$, then $\Delta;\underline{\underline{\Phi, t_{L2}{::}\kappa_{L2}}, t_{L1}{::}\kappa_{L1}} \vdash \mathcal{J}$

Proof. Exchange when $\Phi_2 = \cdot$ □

Lemma 4 (Weakening).
If $\Delta;\Phi \vdash \mathcal{J}$ and $\Delta;\underline{\Phi, t_L{::}\kappa_L} \vdash OK$ and $t_L \notin \mathcal{J}$ and $\forall t \in \kappa_L, t \notin \mathcal{J}$, then $\Delta;\underline{\Phi, t_L{::}\kappa_L} \vdash \mathcal{J}$

Proof. see addendum □

Lemma 5 (K-Substitution).
If $\Delta;\Phi \vdash \tau_{L1}{::}\kappa_{L1}$ and $\Delta;\underline{\Phi, t_L{::}\kappa_{L1}} \vdash \tau_{L2}{::}\kappa_{L2}$, then $\Delta;\Phi \vdash [\tau_{L1}/t_L]\tau_{L2}{::}[\tau_{L1}/t_L]\kappa_{L2}$
(induction on $\Delta;\underline{\Phi, t_L{::}\kappa_{L1}} \vdash \tau_{L2}{::}\kappa_{L2}$)

Lemma 6 (PK-Substitution). *If $\Delta;\Phi \vdash \tau_{L1}{::}\kappa_{L1}$ and $\Delta;\underline{\Phi, t_L{::}\kappa_{L1}} \vdash \tau_{L2} ::> \kappa_{L2}$ and $\Delta;\Phi \vdash [\tau_{L1}/t_L]\tau_{L2} ::> \kappa_{L3}$, then $\Delta;\Phi \vdash [\tau_{L2}/t_L]\kappa_{L2} \equiv \kappa_{L3}$*

Lemma 7 (OK-Substitution).
If $\Delta;\Phi \vdash \tau_L{::}\kappa_{L1}$ and $\Delta;\underline{\Phi, t_L{::}\kappa_{L1}} \vdash \kappa_{L2}$ OK, then $\Delta;\Phi \vdash [\tau_L/t_L]\kappa_{L2}$ OK
(induction on $\Delta;\underline{\Phi, t_L{::}\kappa_{L1}} \vdash \kappa_{L2}$ OK)

Theorem 8 (OK-PK). *If* $\Delta; \Phi \vdash \tau ::> \kappa$, *then* $\Delta; \Phi \vdash \kappa$ *OK*

Theorem 9 (OK-WFaK). *If* $\Delta; \Phi \vdash \tau :: \kappa$, *then* $\Delta; \Phi \vdash \kappa$ *OK*

Theorem 10 (OK-MatchPi). *If* $\Delta; \Phi \vdash \kappa \overset{\blacktriangleright}{\Pi} \Pi_{t::\kappa_1}.\kappa_2$, *then* $\Delta; \Phi \vdash \kappa$ *OK and* $\Delta; \Phi \vdash \Pi_{t::\kappa_1}.\kappa_2$ *OK*

Theorem 11 (OK-KEquiv). *If* $\Delta; \Phi \vdash \kappa_1 \equiv \kappa_2$, *then* $\Delta; \Phi \vdash \kappa_1$ *OK and* $\Delta; \Phi \vdash \kappa_2$ *OK*

Theorem 12 (OK-CSK). *If* $\Delta; \Phi \vdash \kappa_1 \lesssim \kappa_2$, *then* $\Delta; \Phi \vdash \kappa_1$ *OK and* $\Delta; \Phi \vdash \kappa_2$ *OK*

Theorem 13 (OK-EquivAK). *If* $\Delta; \Phi \vdash \tau_1 \overset{\kappa}{\equiv} \tau_2$, *then* $\Delta; \Phi \vdash \tau_1 :: \kappa$ *and* $\Delta; \Phi \vdash \tau_2 :: \kappa$ *and* $\Delta; \Phi \vdash \kappa$ *OK*

Proof. see addendum $\square$

Proof.

Weakening

By induction on derivations.

Note: When applying Weakening in the induction, check that the left premiss is always a subderivation, and check variable exclusion conditions are satisfied (usually checked elsewhere in the derivation).

$$
\dfrac{
\dfrac{
\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \tau ::> \kappa_2}\,\texttt{premiss}
\qquad
\dfrac{
\dfrac{
\dfrac{\dfrac{}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{IH}}{t_L\notin\Phi}\,\texttt{PoS}
\quad
\dfrac{\dfrac{}{t_L\notin\mathcal{J}}\,\texttt{IH}\quad\dfrac{}{t\in\mathcal{J}}}{t_L\neq t}
\quad
\dfrac{\dfrac{}{t_L\notin\mathcal{J}}\,\texttt{IH}}{t_L\notin\kappa_1}
}{t_L\notin\underline{\Phi, t{::}\kappa_1}}
\quad
\dfrac{
\dfrac{\dfrac{}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{IH}}{\Delta;\Phi\vdash\kappa_L\ \mathsf{OK}}\,\texttt{PoS}
\quad
\dfrac{\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \tau ::> \kappa_2}\,\texttt{premiss}}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{COK}
}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash\kappa_L\ \mathsf{OK}}\,\texttt{Weakening}
}{\Delta;\underline{\underline{\Phi, t{::}\kappa_1}, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{CWF-TypVar}
}{\Delta;\underline{\underline{\Phi, t{::}\kappa_1}, t_L{::}\kappa_L}\vdash \tau ::> \kappa_2}\,\texttt{Weakening}
\qquad
\dfrac{
\dfrac{
\dfrac{\dfrac{\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \tau ::> \kappa_2}\,\texttt{premiss}}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{COK}}{t\notin\Phi}\,\texttt{PoS}
\quad
\dfrac{\dfrac{}{t_L\notin\mathcal{J}}\,\texttt{IH}\quad\dfrac{}{t\in\mathcal{J}}}{t\neq t_L}
\quad
\dfrac{\dfrac{}{\forall\dot t\in\kappa_L, \dot t\notin\mathcal{J}}\,\texttt{IH}\quad\dfrac{}{t\in\mathcal{J}}}{t\notin\kappa_L}
}{t\notin\underline{\Phi, t_L{::}\kappa_L}}
\quad
\dfrac{
\dfrac{\dfrac{\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \tau ::> \kappa_2}\,\texttt{premiss}}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{COK}}{\Delta;\Phi\vdash\kappa_1\ \mathsf{OK}}\,\texttt{PoS}
\quad
\dfrac{}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{IH}
}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash\kappa_1\ \mathsf{OK}}\,\texttt{Weakening}
}{\Delta;\underline{\underline{\Phi, t_L{::}\kappa_L}, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{CWF-TypVar}
}{\Delta;\underline{\underline{\Phi, t_L{::}\kappa_L}, t{::}\kappa_1}\vdash \tau ::> \kappa_2}\,\texttt{Marked-Exchange}
}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \lambda t{::}\kappa_1.\tau ::> \mathsf{S}_{\Pi_{t::\kappa_1}.\kappa_2}(\lambda t{::}\kappa_1.\tau)}\,\texttt{PK-}\lambda
$$

$$
\dfrac{
\dfrac{\dfrac{}{\Delta;\Phi\vdash\kappa_1\equiv\kappa_2}\,\texttt{premiss}\quad\dfrac{}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{IH}}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash\kappa_1\equiv\kappa_2}\,\texttt{Weakening}
\qquad
\dfrac{
\dfrac{
\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \tau ::> \kappa_2}\,\texttt{premiss}
\qquad
\dfrac{
\dfrac{
\dfrac{\dfrac{}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{IH}}{t_L\notin\Phi}\,\texttt{PoS}
\quad
\dfrac{\dfrac{}{t_L\notin\mathcal{J}}\,\texttt{IH}\quad\dfrac{}{t\in\mathcal{J}}}{t_L\neq t}
\quad
\dfrac{\dfrac{}{t_L\notin\mathcal{J}}\,\texttt{IH}}{t_L\notin\kappa_1}
}{t_L\notin\underline{\Phi, t{::}\kappa_1}}
\quad
\dfrac{
\dfrac{\dfrac{}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{IH}}{\Delta;\Phi\vdash\kappa_L\ \mathsf{OK}}\,\texttt{PoS}
\quad
\dfrac{\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \kappa_3\equiv\kappa_4}\,\texttt{premiss}}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{COK}
}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash\kappa_L\ \mathsf{OK}}\,\texttt{Weakening}
}{\Delta;\underline{\underline{\Phi, t{::}\kappa_1}, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{CWF-TypVar}
}{\Delta;\underline{\underline{\Phi, t{::}\kappa_1}, t_L{::}\kappa_L}\vdash \tau ::> \kappa_2}\,\texttt{Weakening}
\qquad
\dfrac{
\dfrac{
\dfrac{\dfrac{\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \kappa_3\equiv\kappa_4}\,\texttt{premiss}}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{COK}}{t\notin\Phi}\,\texttt{PoS}
\quad
\dfrac{\dfrac{}{t_L\notin\mathcal{J}}\,\texttt{IH}\quad\dfrac{}{t\in\mathcal{J}}}{t\neq t_L}
\quad
\dfrac{\dfrac{}{\forall\dot t\in\kappa_L, \dot t\notin\mathcal{J}}\,\texttt{IH}\quad\dfrac{}{t\in\mathcal{J}}}{t\notin\kappa_L}
}{t\notin\underline{\Phi, t_L{::}\kappa_L}}
\quad
\dfrac{
\dfrac{\dfrac{\dfrac{}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \kappa_3\equiv\kappa_4}\,\texttt{premiss}}{\Delta;\underline{\Phi, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{COK}}{\Delta;\Phi\vdash\kappa_1\ \mathsf{OK}}\,\texttt{PoS}
\quad
\dfrac{}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \mathsf{OK}}\,\texttt{IH}
}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash\kappa_1\ \mathsf{OK}}\,\texttt{Weakening}
}{\Delta;\underline{\underline{\Phi, t_L{::}\kappa_L}, t{::}\kappa_1}\vdash \mathsf{OK}}\,\texttt{CWF-TypVar}
}{\Delta;\underline{\underline{\Phi, t_L{::}\kappa_L}, t{::}\kappa_1}\vdash \kappa_3\equiv\kappa_4}\,\texttt{Marked-Exchange}
}{\Delta;\underline{\Phi, t_L{::}\kappa_L}\vdash \Pi_{t::\kappa_1}.\kappa_2\equiv\Pi_{t::\kappa_3}.\kappa_4}\,\texttt{KEquiv-}\Pi
\qquad
\dfrac{}{sim}\,\texttt{CSK-}\Pi
\qquad
\dfrac{}{sim}\,\texttt{EquivAK-}\Pi
\qquad
\dfrac{}{sim}\,\texttt{KWF-}\Pi
$$

O?K-.*

By simultaneous induction on derivations.

The interesting cases per lemma:

K-Substitution by type size??

OK-Substitution

OK-PK

$$
\dfrac{\dfrac{\dfrac{}{\Delta;\Phi\vdash \mathtt{bse} ::> \mathsf{S}_{\mathtt{Type}}(\mathtt{bse})}\,\texttt{premiss}}{\Delta;\Phi\vdash \mathtt{bse}{::}\mathtt{Type}}\,\texttt{WFaK-1}}{\Delta;\Phi\vdash \mathsf{S}_{\mathtt{Type}}(\mathtt{bse})\ \mathsf{OK}}\,\texttt{KWF-SKind}
\qquad\qquad
\dfrac{}{\Delta;\Phi\vdash [\tau_2/t]\kappa_2\ \mathsf{OK}}\,\texttt{OK-Substitution}
$$

OK-WFaK

□

Theorem 14 (PK-Unicity)**.** *If* $\Delta;\Phi \vdash \tau_L ::> \kappa_{L1}$ *and* $\Delta;\Phi \vdash \tau_L ::> \kappa_{L2}$ *then* $\kappa_{L1} = \kappa_{L2}$

Theorem 15. *If* $\Delta;\Phi \vdash \tau ::> \kappa_1$ *and* $\Delta;\Phi \vdash \tau :: \kappa_2$*, then* $\Delta;\Phi \vdash \kappa_1 \lesssim \kappa_2$

Theorem 16. *If* $\Delta;\Phi \vdash \kappa_1 \lesssim \mathtt{S}_{\kappa_2}(\tau)$*, then* $\Delta;\Phi \vdash \kappa_1 \lesssim \kappa_2$

Elaboration

TODO