Software Requirements Specification

Version 1.0
<-Annotated version>>
May 18,2021
Archiving and Enquiring system

Hassan Teamleader

Hassan Al kady

Alaa Hallabo

Hazem Al sheikh Saaed

Submitted in partial fulfillment

Of the requirements of

4th year project software Engineering

Table of Contents

1.0. Introduction	3
1.1. Purpose	
1.2. Scope of Project	
1.3. Glossary	4
1.4. References	4
1.5. Overview of Document	
2.0 Overall Description	6
2.1 System Environment	6
2.2 Functional Requirements Specification	
2.2.1 Patient Use Case	
Use case: Inquiry about record	8
2.2.2 Patient Use Case	
Use case: Inquiry about hospital information	9
2.2.3 Patient Use Case	11
Use case: Search for doctor	11
2.2.4 Doctor Use Cases	12
Use case: Patient Managment	
Use case: Record Managment	
2.2.6 Hospital Manger Use Case	14
Use case: Hospital Resources Managment	
2.2.7 Application Manger Use Case	
Use case: Hospitals and Doctors Managment	
2.3 User Characteristics	
2.4 Non-Functional Requirements	16
3.0. Requirements Specification	17
3.1 External Interface Requirements	17
3.2 Functional Requirements	
3.2.1 Inquiry about record	17
3.2.2 Inquiry about hospital information	
3.2.3 Search for doctor	19
3.2.4 Patient Managment	20
3.2.5 Record Managment	21
3.2.6 Hospital Resources Managment	22
3.2.7 Hospitals and Doctors Managment	
3.3 Detailed Non-Functional Requirements	
3.3.1 Logical Structure of the Data	
3.3.2 Security	27
List of Figures	

1.0 Introduction

1.1 purpose

The purpose of this document is to present a detailed description of the Archiving and Enquiring system. It will explain the purpose and features of the system ,the interfaces of the system, what the system will do, the constraints under which it must operate and how the system will react to external stimuli. This document is intended for both the stakeholders and the developers of the system and will be proposed to the Ministry of Health for its approval.

1.2 Scope of Project

This software system will be a website for archiving medical records by doctors in Homs, to facilitate the medical process by providing a tool on the internet to archive pathological diagnoses, which would otherwise have to be performed manually.

In detail, the system is designed for doctors in Homs to archive disease records ,and doctors review disease diagnoses and other doctors. The public can access their medical information through the android application, in addition to inquiring about hospital locations, details, and doctors working in them.

1.3 Glossary

Term	Definition
Doctor	The person who treats the
	sick and writes the
	diagnoses.
Patient	A person who have disease.
Diagnose	Disease that is prescribed by
	a doctor with medications,
	tests and radiographs.
Database	Collection of all the
	information monitored by
	this system.
Software Requirements	A document that completely
Specification	describes all of the functions
	Of a proposed system and the
	constraints under which it
	must operate. For example,
	this document.
Stakeholder	Any person with an interest
	in the project who is not a
	developer.

1.4 References

IEEE. *IEEE Std 830-1998 IEEE Recommended practice for software* ÷ *Requirements Specifications.* IEEE Computer Society. 1998.

1.5 Overview of Document


The next chapter, the Overall Description section., of this document gives an overview of the functionally of the product. It describes the informal requirements and is used to establish a context for the technical requirements specification in the next chapter.

The third chapter, Requirements Specification section, of this document is written primarily for the developers and describes in technical terms the details of the functionality of the product.

Both sections of the document describe the same software production in its entirety, but are intended for different audiences and thus use different language.

2.0 Overall Description

2.1 System Environment



The medical record system has four active actors and one cooperating system.

Everybody accesses the record through the Internet.

Any patient communication with the system is through android app.

The doctor and the hospital manager communication with the system is through web app.

Application manager accesses the entire system directly.

There is a link to the (existing) Ministry of Health.

2.2 functional Requirements Specification

This section outlines the use cases for each of the active people separately. The patient, the doctor and the hospital manager have only one use case apiece while the application manager is the main actor in the system.

2.2.1 Patient Use Case

Use case: inquiry about record

Diagram:



Patient

Brief Description

The patient accesses the android application and searches for the private medical record.

Initial Step-By-Step Description

Before this use case can be initiated, the patient has already accessed the medical record website.

- 1. The patient open the android app
- 2. The patient enters the national number
- 3. The system shows the results.

Xref: Section 3.2.1 inquiry about record





figure 2- adding record process

2.2.2 patient use case

In case of multiple patients, this term refers to the principle patient, with whom all communication is made.

Use case: Inquiries about hospital information.

Diagram:



Brief Description

The patient accesses the android application and searches for hospital information.

Initial Step-By-Step Description

Before this use case can be initiated, the patient has already accessed the medical record website.

- 1. The system displays all the hospitals in homs
- 2. The patient is given the choice to search by name, hospital name, equipment, or available room.
- 3. The system shows the results.

Xref: section 3.2.2 Inquiries about hospital information

2.2.3 patient use case

Use case: search for doctor

Diagram:



Patient

Brief Description:

the patient accesses the android application and searches for a specific doctor.

Initial Step-By-Step Description:

Before this use case can be initiated, the patient has already accessed the medical record website.

- 1. The patient has the option to search for a doctor through his specialty or the hospital he works in.
- 2. The system shows the results.

Xref: section 3.2.2 search for doctor

2.2.4 doctor use case

Use Case: patient management.

Diagram:



Brief Description:

Add patient, modify patient information.

Initial Step-By-Step Description:

Before this use case can be initiated, the doctor has already accessed the medical record website.

- 1. the doctor logs onto the website and searches for the patient by the national number.
- 2. The system offers it two options, either searching for an existing patient or adding a patient.
- 3. The system shows the results.
- 4. The system allows the doctor to modify a patient.

Xref: section 3.2.3 add patient.

2.2.5 doctor use case

Use Case: record management.

Diagram:



Brief Description:

Add diagnose, modify diagnose information.

Initial Step-By-Step Description:

Before this use case can be initiated, the doctor has already accessed the medical record website.

- 1. the doctor logs onto the website and searches for the patient by the national number.
- 2. The system shows the results.
- 3. The system allows the doctor to modify a record or adding a record.

Xref: section 3.2.4 add diagnose.

2.2.6 **hospital manager use case**

Use Case: hospital resource management.

Diagram:



Hospital manager

Brief Description:

Organizing rooms, equipment and doctors.

Initial Step-By-Step Description:

Before this use case can be initiated, the hospital manager has already accessed the medical record website.

- 1. The hospital manager logs into the website, and all the information about the hospital is shown to him.
- 2. The system allows him to modify the equipment, rooms and doctors.

Xref: section 3.2.5 Update the hospital status.

2.2.7 application manager use case

Use Case: hospital and doctors management.

Diagram:



App manager

Brief Description:

Organizing rooms, equipment and doctors.

Initial Step-By-Step Description:

Before this use case can be initiated, the hospital manager has already accessed the medical record website.

- 1. The application manager logs into the website.
- 2. The system allows him modify the information of all hospitals and doctors.
- 3. The system shows it a list of hospitals and doctors in the system.

Xref: section 3.2.5 Update hospital and doctor status.

2.3 User Characteristics

The doctor should be familiar with dealing with internet browsers, logins, and scheduling programs. The doctor is expected to be Internet literate and be able to use search engine.

The patient should be familiar with dealing with the Android application and expected to be Internet literate and be able to use search engine.

The application manager and the hospital manager should be familiar with dealing with internet browser, dealing with data,

And expected to be Internet literate and be able to use search engine.

2.4 Non-Functional Requirements

The medical records will be on a server with high speed Internet capability .the physical machine to be used will be determined by the Ministry of health. the software developed here assumes the use of a tool such as entity framework for connection between the web pages and the database. The speed of the patient's connection will depend on the hardware used rather than characteristics of the system.

The application manager works on a computer that has access to the SQL Server database and the windows system.

3.0 Requirements Specification

3.1 External Interface Requirements

3.2 Functional Requirement

The logical structure of the data is contained in section 3.3.1

3.2.1 Inquiry about record

Use Case Name	Inquiry about record	
Xref	Section 3.2.1 Inquiry about	
	record	
	SDD,section 7.1	
Trigger	The patient accesses the	
	medical record app	
precondition	The web displayed with grid of	
	search.	
Basic Path	 The patient open the android app The patient enters the national number The system shows the results. 	
Alternative Path	NON	
Exception Path	The patient may abandon the	
	search at any time.	

3.2.2 Inquiries about hospital information.

Use Case Name	Inquiries about hospital	
USE Case Name	Inquiries about hospital information	
Xref	section 3.2.2 Inquiries about	
	hospital information	
Trigger	The patient accesses the	
	medical record app	
Precondition	The web displayed with grid of	
	search.	
Basic Path	1. The system displays all	
	the hospitals in homs	
	2. The patient is given the	
	choice to search by	
	name, hospital name,	
	equipment, or available	
	room.	
	3. The system shows the	
	results.	
Alternative Path	If the user decides to search	
	by equipment 3- a list of	
	equipment for each hospital	
	appears.	
	If the user decides to search	
	by rooms, a list of availble	
	room appears.	
Exception Path	Î Î	
Exception ratii	The patient may abandon the	
	search at any time.	

3.2.3 search for doctor

Use Case Name	search for doctor	
Xref	section 3.2.2 search for	
	doctor	
Trigger	The patient accesses the	
	medical record app	
Precondition	The web displayed with grid of	
	search.	
Basic Path	1.The patient has the option to search for a doctor through his specialty or the hospital he works in.2.The system shows the results.	
Alternative Path	If the user decides to search by hospital 3- a list of hospitals appears. If the user decides to search by specialization 3- a list of reference appears.	
Exception Path	The patient may abandon the search at any time.	

3.2.4 patient management

Use Case Name	patient management	
	<u> </u>	
Xref	section 3.2.3 add patient.	
Trigger	The doctor accesses the	
	medical record website	
Precondition	The web displayed with grid of	
	search.	
Basic Path	1. the doctor logs onto the	
	website and searches	
	for the patient by the	
	national number.	
	2. The system offers it two	
	options, either	
	searching for an	
	existing patient or	
	adding a patient.	
	3. The system shows the	
	results.	
	4. The system allows the	
	doctor to modify a	
	patient.	
Alternative Path	NON	
Exception Path	The doctor may abandon the	
	search at any time.	

3.2.5 record management.

Use Case Name	record management.	
Xref	section 3.2.4 add diagnose.	
Trigger	The doctor accesses the	
	medical record website	
Precondition	The web displayed with grid of	
	search.	
Basic Path	 the doctor logs onto the website and searches for the patient by the national number. The system shows the results. The system allows the doctor to modify a record or adding a record. 	
Alternative Path	NON	
Exception Path	The doctor may abandon the	
	search at any time.	

3.2.6 hospital resource management.

Use Case Name	hospital resource	
	management.	
Xref	section 3.2.5 Update the	
	hospital status.	
Trigger	The hospital manager accesses	
	the medical record website	
Precondition	The web displayed with grid of	
	search.	
Basic Path	1. The hospital manager	
	logs into the website,	
	and all the information	
	about the hospital is	
	shown to him.	
	2. The system allows him	
	to modify the	
	equipment, rooms and	
	doctors.	
Alternative Path	If the hospital manager	
	decides to modify on the	
	equipment 3- a list of mods	
	appears.	
Exception Path	The hospital manager may	
	abandon the search at any	
	time.	


3.2.7 : hospital and doctors management.

Use Case Name	hospital and doctors	
	management.	
Xref	section 3.2.5 Update	
	hospital and doctor status.	
Trigger	The application manager	
	accesses the medical record	
	website	
Precondition	The web displayed with grid	
	of search.	
Basic Path	1. The application	
	manager logs into the	
	website.	
	2. The system allows him	
	modify the	
	information of all	
	hospitals and doctors.	
	3. The system shows it a	
	lits of hospitals and	
	doctors in the system.	
Alternative Path	If the application manager	
	decides to modify on the	
	rooms and doctors 3- a list	
	of mods appears.	
Exception Path	The application manager may	
	abandon the search at any	
	time.	

3.3 Detailed Non-Funcional Requirements

3.3.1 Logical Structure of the Data

The logial structure of the data to be stored in the internal medical record database is given below



The data descriptions of each of these data entities is as follows:

Patient Data Entity

Data Item	Type	Description	Comment
Id-p	Integer	The national	Used as
		number	foreign key in
			hospital
First name	Text	First name of	
		patient	
Last name	Text	Last name of	
		patient	
Age	Integer	The age of	
		patient	
sex	Text	Gender of	
		patient	
birthday	Integer	Birthday of	
		patient	

Hospital Manger Data Entity

Data Item	Type	Description	Comment
Id-h	Integer	The special	Used as
		number of	foreign key
		hospital	
name	Text	Name of	
		hospital	
address	Text	Address of	
		hospital	
phone	Integer	Phone of	
		hospital	

Docotr Data Entity

Data Item	Type	Description	Comment
Id-d	Integer	The special	Used as
		number of	foreign key
		doctor	
First name	Text	First name of	
		patient	
Last name	Text	Last name of	
		patient	
phone	Integer	Phone	
		number of	
		doctor	
c-address	Text	The clinic	When the
		address of	doctor works
		the doctor	in hospital
			and has his
			own clinic
specialization	Text	The	
		specialization	
		of the doctor	

3.3.2 Security

The system is on a server that has its own protection, there are permissions for the hospital administrator to modify his hospital and he cannot modify or delete anything related to the rest of the hospitals.

All accounts in the system are protected with an encrypted password, in addition to the protection it provides Windows Defender.