

Machine Setup

Welcome! Prior to attending the seminar talk, please ensure you have done the following.

1. Install R and RStudio

- a. Download both software at <https://posit.co/download/rstudio-desktop/>.
- b. Once the download completes, double-click on the `.exe` file to run the installer. Simply follow the steps of the installer to finish.

1: Install R

RStudio requires R 3.6.0+. Choose a version of R that matches your computer's operating system.

R is not a Posit product. By clicking on the link below to download and install R, you are leaving the Posit website. Posit disclaims any obligations and all liability with respect to R and the R website.

DOWNLOAD AND INSTALL R

2: Install RStudio

DOWNLOAD RSTUDIO DESKTOP FOR WINDOWS


Size: 281.27 MB | [SHA-256: 9E6F68CA](#) | Version: 2025.05.0+496 |
Released: 2025-05-05

Note: These are two different softwares, so please ensure you have installed both of them. For more detailed guideline, visit [link](#).

2. Download Workshop material

- a. Visit <https://github.com/haziqj/aiti-talk> on your search engine.
- b. Press on the green `code` icon on top right.

- c. Option 1: Open with Github Desktop and clone the repo onto a convenient location on your computer. Option 2: Download the zip file and unzip onto a convenient location on your computer.
- d. Click on `aiti-talk.Rproj` to open the project in RStudio.



3. Install all packages

- a. Launch Rstudio app directly. It will look something like:




Figure 1: Source: [Link](#)

Note: Previously, we installed both R (language) and Rstudio (IDE). However, all coding can be done in just Rstudio.

b. Install the following R packages by running the following code in the console pane:

```
install.packages(c(
  "tidyverse",
  "tinyplot",
  "sf",
  "bruneimap",
  "tidytext",
  "tm",
  "wordcloud",
  "gtsummary",
  "devtools",
```

```
"scales",  
"mvtnorm",  
"titanic",  
"ggthemes",  
"viridis",  
"ggrepel",  
"RColorBrewer"  
)  
  
devtools::install_github("haleyjeppson/ggmosaic")
```

4. Ready to start!

Quick Tips

- To work on long chunks of codes, it is recommended to use the **source** pane by creating a R Script.
- To create a R Script: **File > New File > R Script**
- To run code: press **Ctrl + Enter** (Windows) or **Cmd + Enter** (Mac). Alternatively, press **run** icon (top right) of the **source** pane.
- To load libraries for additional functions, run the codes in **source** pane:


```
library(tidyverse)  
library(ggplot2)
```

Try it out!

```
print("Hello, World!")
```

```
[1] "Hello, World!"
```

```
plot(pressure)
```



From simple printing to complex visualisation, possibilities are now limitless, Happy coding!