

Unnamed Project

Replications:1

Time Units:Hours

Key Performance Indicators

System	Average
Number Out	11,652

Unnamed Project

Replications: 1 Time Units: Hours

Entity

Time

VA Time	Average	Half Width	Minimum Value	Maximum Value
Students	0.00	0.000000000	0.00	0.00
NVA Time	Average	Half Width	Minimum Value	Maximum Value
Students	0.00	0.000000000	0.00	0.00
Wait Time	Average	Half Width	Minimum Value	Maximum Value
Students	0.00251589	0.000656545	0.00	0.02485891
Transfer Time	Average	Half Width	Minimum Value	Maximum Value
Students	0.00	0.000000000	0.00	0.00
Other Time	Average	Half Width	Minimum Value	Maximum Value
Students	0.00	0.000000000	0.00	0.00
Total Time	Average	Half Width	Minimum Value	Maximum Value
Students	0.00251589	0.000656545	0.00	0.02485891

Other

Number In

Value

Elevator Cabins	1.0000
Students	11654.00



Number Out

Value

Elevator Cabins	0.00
Students	11652.00

Unnamed Project

Replications:1Time Units:Hours

Entity

Other

WIP	Average	Half Width	Minimum Value	Maximum Value
Elevator Cabins	1.0000	(Insufficient)	0.00	1.0000
Students	2.4438	0.850834673	0.00	26.0000

Unnamed Project

Replications: 1 Time Units: Hours

Queue

Time

Waiting Time	Average	Half Width	Minimum Value	Maximum Value
Check empty.Queue	0.00709257	0.000678885	0.00000099	0.04121398
Elevator Cabin.Queue	0.00448507	(Correlated)	0.00222936	0.00888889
Floor 1 Waiting Line.Queue	0.00595342	(Correlated)	0.00	0.01627519
Floor 2 Waiting Line.Queue	0.00754732	(Insufficient)	0.00038383	0.01426529
Floor 3 Waiting Line Down.Queue	0.00702959	(Insufficient)	0.00	0.01768158
Floor 3 Waiting Line Up.Queue	0.00718741	(Insufficient)	0.00	0.01584767
Floor 4 Waiting Line Down.Queue	0.00645458	(Insufficient)	0.00	0.01773142
Floor 4 Waiting Line Up.Queue	0.00682019	(Insufficient)	0.00	0.01696070
Floor 5 Waiting Line Down.Queue	0.00767405	(Insufficient)	0.00060440	0.01499568
Floor 5 Waiting Line Up.Queue	0.00999727	(Insufficient)	0.00999727	0.00999727
Floor 6 Waiting Line Down.Queue	0.00674576	0.000594726	0.00	0.01750390
Floor 6 Waiting Line Up.Queue	0.00725968	(Insufficient)	0.00	0.01715566
Floor 7 Waiting Line.Queue	0.00849514	(Insufficient)	0.00015550	0.01649202
Floor 8 Waiting Line.Queue	0.00810610	(Insufficient)	0.00	0.01652558
Go go go.Queue	0.00	0.000000000	0.00	0.00

Other

Number Waiting	Average	Half Width	Minimum Value	Maximum Value
Check empty.Queue	0.2388	0.036656109	0.00	1.0000
Elevator Cabin.Queue	0.9918	0.300477687	0.00	20.0000
Floor 1 Waiting Line.Queue	0.5869	0.318037058	0.00	22.0000
Floor 2 Waiting Line.Queue	0.01446570	(Insufficient)	0.00	2.0000
Floor 3 Waiting Line Down.Queue	0.04979293	(Insufficient)	0.00	5.0000
Floor 3 Waiting Line Up.Queue	0.08744679	(Insufficient)	0.00	7.0000
Floor 4 Waiting Line Down.Queue	0.1226	0.096806523	0.00	11.0000
Floor 4 Waiting Line Up.Queue	0.1068	(Insufficient)	0.00	7.0000
Floor 5 Waiting Line Down.Queue	0.01023207	(Insufficient)	0.00	2.0000
Floor 5 Waiting Line Up.Queue	0.00083311	(Insufficient)	0.00	1.0000
Floor 6 Waiting Line Down.Queue	0.2541	0.159750100	0.00	11.0000
Floor 6 Waiting Line Up.Queue	0.07199186	(Insufficient)	0.00	6.0000
Floor 7 Waiting Line.Queue	0.04743121	(Insufficient)	0.00	4.0000
Floor 8 Waiting Line.Queue	0.0993	(Insufficient)	0.00	5.0000
Go go go.Queue	0.00	(Insufficient)	0.00	1.0000

Unnamed Project

Replications: 1 Time Units: Hours

Resource

Usage

Instantaneous Utilization	Average	Half Width	Minimum Value	Maximum Value
Elev	0.00	(Insufficient)	0.00	0.00
Number Busy	Average	Half Width	Minimum Value	Maximum Value
Elev	0.00	(Insufficient)	0.00	0.00
Number Scheduled	Average	Half Width	Minimum Value	Maximum Value
Elev	0.00	(Insufficient)	0.00	0.00
Scheduled Utilization	Value			
Elev	0.00			
Total Number Seized	Value			
Elev	0.00			