

# FHSIS — MONTHLY FORM M1

## Program Accomplishment / Service Coverage Report

|                   |                  |             |                     |                      |                       |
|-------------------|------------------|-------------|---------------------|----------------------|-----------------------|
| Reporting Period  | January 2026     | Barangay    | Barangay San Jose   | BHS / Facility       | San Jose BHS          |
| Municipality/City | Pili             | Province    | Camarines Sur       | Projected Population | 15420                 |
| Prepared by       | Maria Santos, RN | Designation | Public Health Nurse | Validated by         | Dr. J. Dela Cruz, MHO |

### SECTION A — Family Planning Services

#### A1. Modern FP Unmet Need

| Code | Indicator                                                            | Age Group |       |       | Total | Remarks                |
|------|----------------------------------------------------------------------|-----------|-------|-------|-------|------------------------|
|      |                                                                      | 10-14     | 15-19 | 20-49 |       |                        |
| A1_1 | Women of reproductive age with unmet need for modern family planning | 0         | 1     | 2     | 1     | Sample remark for A1_1 |

#### A2. Use of Family Planning Method

| Code       | Indicator                                       | Age Group |       |       | Total | Remarks                    |
|------------|-------------------------------------------------|-----------|-------|-------|-------|----------------------------|
|            |                                                 | 10-14     | 15-19 | 20-49 |       |                            |
| A2_btl     | Female Sterilization / BTL                      | 0         | 1     | 2     | 1     | Sample remark for A2_btl   |
| A2_nsv     | Male Sterilization / NSV                        | 1         | 2     | 3     | 2     |                            |
| A2_condom  | Condom                                          | 2         | 3     | 0     | 3     |                            |
| A2_pop     | Pills — POP                                     | 3         | 0     | 1     | 4     |                            |
| A2_coc     | Pills — COC                                     | 0         | 1     | 2     | 5     |                            |
| A2_dmpa    | Injectables — DMPA/POI                          | 1         | 2     | 3     | 1     |                            |
| A2_implant | Implant                                         | 2         | 3     | 0     | 2     |                            |
| A2_iud_i   | IUD — Interval (IUD-I)                          | 3         | 0     | 1     | 3     | Sample remark for A2_iud_i |
| A2_iud_pp  | IUD — Post-Partum (IUD-PP)                      | 0         | 1     | 2     | 4     |                            |
| A2_lam     | NFP — LAM                                       | 1         | 2     | 3     | 5     |                            |
| A2_bbt     | NFP — BBT                                       | 2         | 3     | 0     | 1     |                            |
| A2_cmm     | NFP — CMM                                       | 3         | 0     | 1     | 2     |                            |
| A2_stm     | NFP — STM                                       | 0         | 1     | 2     | 3     |                            |
| A2_sdm     | NFP — SDM                                       | 1         | 2     | 3     | 4     |                            |
| A2_total   | Total Current Users (all methods, End of Month) | 2         | 3     | 0     | 5     | Sample remark for A2_total |

#### A3. Deworming (WRA)

| Code | Indicator                                              | Total | Remarks                |
|------|--------------------------------------------------------|-------|------------------------|
| A3_1 | Women 20-49 years old given 2 doses of deworming drugs | 1     | Sample remark for A3_1 |

### SECTION B — Maternal Care and Services

#### B1. Prenatal Care

| Code  | Indicator                                                                 | Age Group |       |       | Total | Remarks                |
|-------|---------------------------------------------------------------------------|-----------|-------|-------|-------|------------------------|
|       |                                                                           | 10-14     | 15-19 | 20-49 |       |                        |
| B1_1  | Pregnant women with at least 4 prenatal check-ups                         | 0         | 1     | 2     | 1     | Sample remark for B1_1 |
| B1_2  | Pregnant women assessed for nutritional status during the first trimester | 1         | 2     | 3     | 2     |                        |
| B1_2a | First-trimester pregnant women with normal BMI                            | 2         | 3     | 0     | 3     |                        |
| B1_2b | First-trimester pregnant women with low BMI                               | 3         | 0     | 1     | 4     |                        |
| B1_2c | First-trimester pregnant women with high BMI                              | 0         | 1     | 2     | 5     |                        |
| B1_3  | Pregnant women (first time) given at least 2 doses of Td                  | 1         | 2     | 3     | 1     |                        |
| B1_4  | Pregnant women (second+) given at least 3 doses of Td / Td2 Plus          | 2         | 3     | 0     | 2     |                        |
| B1_5  | Pregnant women who completed iron with folic acid supplementation         | 3         | 0     | 1     | 3     | Sample remark for B1_5 |
| B1_6  | Pregnant women who completed calcium carbonate supplementation            | 0         | 1     | 2     | 4     |                        |
| B1_7  | Pregnant women given iodine capsules                                      | 1         | 2     | 3     | 5     |                        |
| B1_8  | Pregnant women given one dose of deworming tablet                         | 2         | 3     | 0     | 1     |                        |
| B1_9  | Pregnant women screened for syphilis                                      | 3         | 0     | 1     | 2     |                        |

| B1. Prenatal Care |                                                                |           |       |       |       |                         |
|-------------------|----------------------------------------------------------------|-----------|-------|-------|-------|-------------------------|
| Code              | Indicator                                                      | Age Group |       |       | Total | Remarks                 |
|                   |                                                                | 10-14     | 15-19 | 20-49 |       |                         |
| B1_10             | Pregnant women tested positive for syphilis                    | 0         | 1     | 2     | 3     |                         |
| B1_11             | Pregnant women screened for Hepatitis B                        | 1         | 2     | 3     | 4     |                         |
| B1_12             | Pregnant women tested positive for Hepatitis B                 | 2         | 3     | 0     | 5     | Sample remark for B1_12 |
| B1_13             | Pregnant women screened for HIV                                | 3         | 0     | 1     | 1     |                         |
| B1_14             | Pregnant women tested for CBC or Hgb/Hct count                 | 0         | 1     | 2     | 2     |                         |
| B1_15             | Pregnant women tested for CBC or Hgb/Hct diagnosed with anemia | 1         | 2     | 3     | 3     |                         |
| B1_16             | Pregnant women screened for gestational diabetes               | 2         | 3     | 0     | 4     |                         |
| B1_17             | Pregnant women tested positive for gestational diabetes        | 3         | 0     | 1     | 5     |                         |

| B2. Intrapartum Care and Delivery Outcome |                                                         |  |       |                          |
|-------------------------------------------|---------------------------------------------------------|--|-------|--------------------------|
| Code                                      | Indicator                                               |  | Total | Remarks                  |
| B2_18                                     | Number of deliveries                                    |  | 1     | Sample remark for B2_18  |
| B2_19                                     | Number of live births                                   |  | 2     |                          |
| B2_20a                                    | Live births with normal birth weight                    |  | 3     |                          |
| B2_20b                                    | Live births with low birth weight                       |  | 4     |                          |
| B2_20c                                    | Live births with unknown birth weight                   |  | 5     |                          |
| B2_21                                     | Deliveries attended by skilled health professionals     |  | 1     |                          |
| B2_21a                                    | Deliveries attended by a Doctor                         |  | 2     |                          |
| B2_21b                                    | Deliveries attended by a Nurse                          |  | 3     | Sample remark for B2_21b |
| B2_21c                                    | Deliveries attended by a Midwife                        |  | 4     |                          |
| B2_22                                     | Deliveries attended by non-skilled health professionals |  | 5     |                          |
| B2_22a                                    | Deliveries attended by Hilot/TBA                        |  | 1     |                          |
| B2_22b                                    | Deliveries attended by others                           |  | 2     |                          |
| B2_23                                     | Health facility-based deliveries                        |  | 3     |                          |
| B2_24a                                    | Deliveries in a public health facility                  |  | 4     |                          |
| B2_24b                                    | Deliveries in a private health facility                 |  | 5     | Sample remark for B2_24b |
| B2_25                                     | Non-facility-based deliveries                           |  | 1     |                          |
| B2_26a                                    | Vaginal deliveries                                      |  | 2     |                          |
| B2_26b                                    | Deliveries by cesarean section                          |  | 3     |                          |
| B2_27a                                    | Full-term births                                        |  | 4     |                          |
| B2_27b                                    | Pre-term births                                         |  | 5     |                          |
| B2_27c                                    | Fetal deaths                                            |  | 1     |                          |
| B2_27d                                    | Abortion / miscarriage                                  |  | 2     | Sample remark for B2_27d |

| B3. Postpartum and Newborn Care |                                                                          |           |       |       |       |                         |
|---------------------------------|--------------------------------------------------------------------------|-----------|-------|-------|-------|-------------------------|
| Code                            | Indicator                                                                | Age Group |       |       | Total | Remarks                 |
|                                 |                                                                          | 10-14     | 15-19 | 20-49 |       |                         |
| B3_28                           | Postpartum women + newborn who completed at least 2 postpartum check-ups | 0         | 1     | 2     | 1     | Sample remark for B3_28 |
| B3_29                           | Postpartum women who completed iron with folic acid supplementation      | 1         | 2     | 3     | 2     |                         |
| B3_30                           | Postpartum women with Vitamin A supplementation                          | 2         | 3     | 0     | 3     |                         |

| SECTION C — Child Care and Services |                      |      |        |       |                        |  |
|-------------------------------------|----------------------|------|--------|-------|------------------------|--|
| C1. Immunization Services           |                      |      |        |       |                        |  |
| Code                                | Indicator            | Sex  |        | Total | Remarks                |  |
|                                     |                      | Male | Female |       |                        |  |
| C1_1                                | CPAB                 | 0    | 1      | 1     | Sample remark for C1_1 |  |
| C1_2                                | BCG                  | 1    | 2      | 2     |                        |  |
| C1_3                                | HepB within 24 hours | 2    | 3      | 3     |                        |  |

| C1. Immunization Services |                                  |      |        |       |                         |
|---------------------------|----------------------------------|------|--------|-------|-------------------------|
| Code                      | Indicator                        | Sex  |        | Total | Remarks                 |
|                           |                                  | Male | Female |       |                         |
| C1_4                      | DPT-Hib-HepB (Penta) 1           | 0    | 4      | 4     |                         |
| C1_5                      | DPT-Hib-HepB (Penta) 2           | 1    | 1      | 5     |                         |
| C1_6                      | DPT-Hib-HepB (Penta) 3           | 2    | 2      | 1     |                         |
| C1_7                      | OPV 1                            | 0    | 3      | 2     |                         |
| C1_8                      | OPV 2                            | 1    | 4      | 3     | Sample remark for C1_8  |
| C1_9                      | OPV 3                            | 2    | 1      | 4     |                         |
| C1_10                     | IPV                              | 0    | 2      | 5     |                         |
| C1_11                     | PCV 1                            | 1    | 3      | 1     |                         |
| C1_12                     | PCV 2                            | 2    | 4      | 2     |                         |
| C1_13                     | MCV 1                            | 0    | 1      | 3     |                         |
| C1_14                     | MCV 2                            | 1    | 2      | 4     |                         |
| C1_15                     | FIC (Fully Immunized Child)      | 2    | 3      | 5     | Sample remark for C1_15 |
| C1_16                     | CIC (Completely Immunized Child) | 0    | 4      | 1     |                         |
| C1_17                     | Td, Grade 1 (November)           | 1    | 1      | 2     |                         |
| C1_18                     | MR, Grade 1 (November)           | 2    | 2      | 3     |                         |
| C1_19                     | Td, Grade 7 (November)           | 0    | 3      | 4     |                         |
| C1_20                     | MR, Grade 7 (November)           | 1    | 4      | 5     |                         |

| C2. Nutrition Services |                                                                                  |      |        |       |                         |
|------------------------|----------------------------------------------------------------------------------|------|--------|-------|-------------------------|
| Code                   | Indicator                                                                        | Sex  |        | Total | Remarks                 |
|                        |                                                                                  | Male | Female |       |                         |
| C2_21                  | Newborns initiated on breastfeeding within 90 minutes of birth                   | 0    | 1      | 1     | Sample remark for C2_21 |
| C2_22                  | Preterm/LBW infants given iron supplementation                                   | 1    | 2      | 2     |                         |
| C2_23                  | Infants 6 months old seen                                                        | 2    | 3      | 3     |                         |
| C2_24                  | Infants exclusively breastfed until the 6th month                                | 0    | 4      | 4     |                         |
| C2_25                  | Infants 6 months initiated to complementary feeding WITH continued breastfeeding | 1    | 1      | 5     |                         |
| C2_26                  | Infants 6 months initiated to complementary feeding, no longer/never breastfed   | 2    | 2      | 1     |                         |
| C2_27                  | Infants 6-11 months old seen                                                     | 0    | 3      | 2     |                         |
| C2_28                  | Infants 6-11 months given 1 dose Vitamin A 100,000 IU                            | 1    | 4      | 3     | Sample remark for C2_28 |
| C2_29                  | Children 12-59 months old seen                                                   | 2    | 1      | 4     |                         |
| C2_30                  | Children 12-59 months given 2 doses Vitamin A 200,000 IU                         | 0    | 2      | 5     |                         |
| C2_31                  | Infants 6-11 months who completed MNP supplementation                            | 1    | 3      | 1     |                         |
| C2_32                  | Children 12-23 months old seen                                                   | 2    | 4      | 2     |                         |
| C2_33                  | Children 12-23 months who completed MNP supplementation                          | 0    | 1      | 3     |                         |

| C2b. Child Nutritional Status |                                                 |      |        |       |                                 | C3. Deworming Services (Children/Adolescents) |                                                   |      |        |       |                         |
|-------------------------------|-------------------------------------------------|------|--------|-------|---------------------------------|-----------------------------------------------|---------------------------------------------------|------|--------|-------|-------------------------|
| Code                          | Indicator                                       | Sex  |        | Total | Remarks                         | Code                                          | Indicator                                         | Sex  |        | Total | Remarks                 |
|                               |                                                 | Male | Female |       |                                 |                                               |                                                   | Male | Female |       |                         |
| C2_status_34                  | Children with Moderate Acute Malnutrition (MAM) | 0    | 1      | 1     | Sample remark for C2_status_mam | C3_35                                         | 1-19 year olds given 2 doses of deworming drug    | 0    | 1      | 1     | Sample remark for C3_35 |
| C2_status_35                  | Children with Severe Acute Malnutrition (SAM)   | 1    | 2      | 2     |                                 | C3_35a                                        | PSAC 1-4 years old dewormed with 2 doses          | 1    | 2      | 2     |                         |
| C2_status_36                  | Children Overweight/Obese                       | 2    | 3      | 3     |                                 | C3_35b                                        | SAC 5-9 years old dewormed with 2 doses           | 2    | 3      | 3     |                         |
| C2_status_37                  | Children with Normal nutritional status         | 0    | 4      | 4     |                                 | C3_35c                                        | Adolescents 10-19 years old dewormed with 2 doses | 0    | 4      | 4     |                         |

| C4. Management of Sick Infants and Children |                                   |      |        |       |                         |
|---------------------------------------------|-----------------------------------|------|--------|-------|-------------------------|
| Code                                        | Indicator                         | Sex  |        | Total | Remarks                 |
|                                             |                                   | Male | Female |       |                         |
| C4_36                                       | Sick infants 6-11 months old seen | 0    | 1      | 1     | Sample remark for C4_36 |

| C4. Management of Sick Infants and Children |                                                           |      |        |       |                         |
|---------------------------------------------|-----------------------------------------------------------|------|--------|-------|-------------------------|
| Code                                        | Indicator                                                 | Sex  |        | Total | Remarks                 |
|                                             |                                                           | Male | Female |       |                         |
| C4_37                                       | Sick infants 6-11 months old who received Vitamin A       | 1    | 2      | 2     |                         |
| C4_38                                       | Sick children 12-59 months old seen                       | 2    | 3      | 3     |                         |
| C4_39                                       | Sick children 12-59 months old who received Vitamin A     | 0    | 4      | 4     |                         |
| C4_40                                       | Diarrhea cases 0-59 months old seen                       | 1    | 1      | 5     |                         |
| C4_41                                       | Diarrhea cases 0-59 months old who received ORS           | 2    | 2      | 1     |                         |
| C4_42                                       | Diarrhea cases 0-59 months old who received ORS with zinc | 0    | 3      | 2     |                         |
| C4_43                                       | Pneumonia cases 0-59 months old seen                      | 1    | 4      | 3     | Sample remark for C4_43 |
| C4_44                                       | Pneumonia cases 0-59 months old who completed treatment   | 2    | 1      | 4     |                         |

| SECTION D — Oral Care and Services |                                                                           |      |        |       |                       |
|------------------------------------|---------------------------------------------------------------------------|------|--------|-------|-----------------------|
| D. Oral Care and Services          |                                                                           |      |        |       |                       |
| Code                               | Indicator                                                                 | Sex  |        | Total | Remarks               |
|                                    |                                                                           | Male | Female |       |                       |
| D_1                                | Children 12-59 months orally fit upon examination or after rehabilitation | 0    | 1      | 1     | Sample remark for D_1 |
| D_2                                | Clients 5 years old and above with DMFT (Decayed-Missing-Filled Teeth)    | 1    | 2      | 2     |                       |
| D_3                                | Infants 0-11 months who received Basic Oral Health Care (BOHC)            | 2    | 3      | 3     |                       |
| D_4                                | Children 1-4 years old who received BOHC                                  | 0    | 4      | 4     |                       |
| D_5                                | Children 5-9 years old who received BOHC                                  | 1    | 1      | 5     |                       |
| D_6                                | Adolescents 10-14 years old who received BOHC                             | 2    | 2      | 1     |                       |
| D_7                                | Adolescents 15-19 years old who received BOHC                             | 0    | 3      | 2     |                       |
| D_8                                | Adults 20-59 years old who received BOHC                                  | 1    | 4      | 3     | Sample remark for D_8 |
| D_9                                | Senior citizens 60 years old and above who received BOHC                  | 2    | 1      | 4     |                       |
| D_10                               | Pregnant women who received BOHC                                          | 0    | 2      | 5     |                       |

| SECTION E — Infectious Disease Prevention & Control |                                                    |      |        |       |                        |
|-----------------------------------------------------|----------------------------------------------------|------|--------|-------|------------------------|
| E1. Filariasis                                      |                                                    |      |        |       |                        |
| Code                                                | Indicator                                          | Sex  |        | Total | Remarks                |
|                                                     |                                                    | Male | Female |       |                        |
| E1_1                                                | Filariasis cases/mass drug administration (annual) | 0    | 1      | 1     | Sample remark for E1_1 |

| E2. Schistosomiasis |                                                         |       |                        |
|---------------------|---------------------------------------------------------|-------|------------------------|
| Code                | Indicator                                               | Total | Remarks                |
| E2_1                | Patients seen                                           | 1     | Sample remark for E2_1 |
| E2_2                | Suspected cases seen                                    | 2     |                        |
| E2_3                | Acute clinically diagnosed cases                        | 3     |                        |
| E2_4                | Confirmed acute cases                                   | 4     |                        |
| E2_5                | Chronic clinically diagnosed cases                      | 5     |                        |
| E2_6                | Confirmed chronic cases                                 | 1     |                        |
| E2_7                | Confirmed cases (acute and chronic)                     | 2     |                        |
| E2_8                | Cases treated                                           | 3     | Sample remark for E2_8 |
| E2_9                | Confirmed chronic cases referred to a hospital facility | 4     |                        |

| E5. Tuberculosis |                                                                |      |        |       |                        |
|------------------|----------------------------------------------------------------|------|--------|-------|------------------------|
| Code             | Indicator                                                      | Sex  |        | Total | Remarks                |
|                  |                                                                | Male | Female |       |                        |
| E5_1             | Notified TB cases, all forms                                   | 0    | 1      | 1     | Sample remark for E5_1 |
| E5_2             | Registered bacteriologically-confirmed DR-TB / RR-MDR-TB cases | 1    | 2      | 2     |                        |
| E5_3             | TB (all forms) cured and completely treated                    | 2    | 3      | 3     |                        |
| E5_4             | DR-TB / RR-MDR-TB cases cured and completed treatment          | 0    | 4      | 4     |                        |

| E7. Leprosy |                                                          |      |        |       |                        |
|-------------|----------------------------------------------------------|------|--------|-------|------------------------|
| Code        | Indicator                                                | Sex  |        | Total | Remarks                |
|             |                                                          | Male | Female |       |                        |
| E7_1        | Leprosy cases on treatment during the reporting period   | 0    | 1      | 1     | Sample remark for E7_1 |
| E7_2        | Newly detected leprosy cases during the reporting period | 1    | 2      | 2     |                        |

SECTION F — Non-Communicable Disease Prevention & Control

| F. NCD Prevention and Control |                                                             |      |        |       |                       |
|-------------------------------|-------------------------------------------------------------|------|--------|-------|-----------------------|
| Code                          | Indicator                                                   | Sex  |        | Total | Remarks               |
|                               |                                                             | Male | Female |       |                       |
| F_1                           | Adults risk-assessed using the NCD risk-assessment protocol | 0    | 1      | 1     | Sample remark for F_1 |
| F_2                           | Current smokers                                             | 1    | 2      | 2     |                       |
| F_3                           | Alcohol binge drinkers                                      | 2    | 3      | 3     |                       |
| F_4                           | Overweight/Obese                                            | 0    | 4      | 4     |                       |

| E6. Malaria |                                                           |           |     |      |        |       |                        |
|-------------|-----------------------------------------------------------|-----------|-----|------|--------|-------|------------------------|
| Code        | Indicator                                                 | Age Group |     | Sex  |        | Total | Remarks                |
|             |                                                           | <5        | >=5 | Male | Female |       |                        |
| E6_1        | Probable/clinically-diagnosed malaria and confirmed cases | 0         | 1   | 0    | 1      | 1     | Sample remark for E6_1 |
| E6_2        | Laboratory-confirmed malaria deaths                       | 1         | 2   | 1    | 2      | 2     |                        |

| E8. Rabies |                      |      |        |       |                        |
|------------|----------------------|------|--------|-------|------------------------|
| Code       | Indicator            | Sex  |        | Total | Remarks                |
|            |                      | Male | Female |       |                        |
| E8_1       | Animal bite cases    | 0    | 1      | 1     | Sample remark for E8_1 |
| E8_2       | Deaths due to rabies | 1    | 2      | 2     |                        |

| F. NCD Prevention and Control |                                                            |      |        |       |         |
|-------------------------------|------------------------------------------------------------|------|--------|-------|---------|
| Code                          | Indicator                                                  | Sex  |        | Total | Remarks |
|                               |                                                            | Male | Female |       |         |
| F_9                           | Newly identified hypertensive adults                       | 2    | 1      | 4     |         |
| F_10                          | Newly identified adults with Type 2 Diabetes Mellitus      | 0    | 2      | 5     |         |
| F_11                          | Senior citizens screened for visual acuity                 | 1    | 3      | 1     |         |
| F_12                          | Senior citizens diagnosed with eye disease(s)              | 2    | 4      | 2     |         |
| F_13                          | Senior citizens who received one dose of PPV               | 0    | 1      | 3     |         |
| F_14                          | Senior citizens who received one dose of influenza vaccine | 1    | 2      | 4     |         |

SECTION G — Environmental Health and Sanitation

| G. Environmental Health and Sanitation |                                                                           |       |                         |
|----------------------------------------|---------------------------------------------------------------------------|-------|-------------------------|
| Code                                   | Indicator                                                                 | Total | Remarks                 |
| G_1                                    | Households with access to basic safe water supply                         | 1     | Sample remark for G_1   |
| G_1_1                                  | Households with Level I water supply                                      | 2     |                         |
| G_1_2                                  | Households with Level II water supply                                     | 3     |                         |
| G_1_3                                  | Households with Level III water supply                                    | 4     |                         |
| G_2                                    | Households using safely managed drinking-water services                   | 5     |                         |
| G_3                                    | Households with a basic sanitation facility                               | 1     |                         |
| G_3_1                                  | Households with pour/flush toilet connected to septic tank                | 2     |                         |
| G_3_2                                  | Households with pour/flush toilet connected to a sewer/approved treatment | 3     | Sample remark for G_3_2 |
| G_3_3                                  | Households with a ventilated improved pit (VIP) latrine                   | 4     |                         |
| G_4                                    | Households using safely managed sanitation services                       | 5     |                         |
| G_5                                    | Industrial establishments issued with a sanitary permit                   | 1     |                         |
| G_6                                    | Barangays declared Zero Open Defecation (ZOD)                             | 2     |                         |

SECTION H — Mortality and Natality

| H1. Mortality |              |      |        |       |                        | H1. Mortality |                 |       |         |
|---------------|--------------|------|--------|-------|------------------------|---------------|-----------------|-------|---------|
| Code          | Indicator    | Sex  |        | Total | Remarks                | Code          | Indicator       | Total | Remarks |
|               |              | Male | Female |       |                        | H1_2          | Maternal deaths | 2     |         |
| H1_1          | Total deaths | 0    | 1      | 1     | Sample remark for H1_1 |               |                 |       |         |

| H1. Mortality |                       |      |        |       |                        |
|---------------|-----------------------|------|--------|-------|------------------------|
| Code          | Indicator             | Sex  |        | Total | Remarks                |
|               |                       | Male | Female |       |                        |
| H1_3          | Under-five deaths     | 2    | 3      | 3     |                        |
| H1_4          | Infant deaths         | 0    | 4      | 4     |                        |
| H1_5          | Neonatal deaths       | 1    | 1      | 5     |                        |
| H1_6          | Fetal deaths          | 2    | 2      | 1     |                        |
| H1_7          | Early neonatal deaths | 0    | 3      | 2     |                        |
| H1_8          | Perinatal deaths      | 1    | 4      | 3     | Sample remark for H1_8 |

| H1. Mortality |                                        |           |           |                   |     |     |       |       |       |       |       |       |       |       |       |       |       |       |     |      |        |       |         |
|---------------|----------------------------------------|-----------|-----------|-------------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|--------|-------|---------|
| Code          | Indicator                              | Age Group |           |                   |     |     |       |       |       |       |       |       |       |       |       |       |       |       |     | Sex  |        | Total | Remarks |
|               |                                        | 0-6 days  | 7-28 days | 29 days-11 months | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70+ | Male | Female |       |         |
| H1_detail     | Mortality by underlying cause (ICD-10) | 0         | 1         | 2                 | 3   | 0   | 1     | 2     | 3     | 0     | 1     | 2     | 3     | 0     | 1     | 2     | 3     | 0     | 1   | 2    | 1      | 4     |         |

| H2. Natality |                                     |           |       |       |       |                        |
|--------------|-------------------------------------|-----------|-------|-------|-------|------------------------|
| Code         | Indicator                           | Age Group |       |       | Total | Remarks                |
|              |                                     | 10-14     | 15-19 | 20-49 |       |                        |
| H2_1         | Live births (by mother's age group) | 0         | 1     | 2     | 1     | Sample remark for H2_1 |