
Gluteal region and hip joint

Topics

- The gluteal muscles
- Hip abductors
- Sciatic foramina greater/lesser
- Short rotators of the hip
- Obturator sign clinical - appendicitis
- Structures passing through sciatic foramina
- Piriformis syndrome
- Relations of sciatic nerve
- Vascular anastomoses of the hip

Surface Anatomy

L4
Supracristal
plane



Hips

Buttocks


Thigh

Gluteal sulcus

gluteus maximus goes beyond the sulcus

Intergluteal cleft


Supra cristal plane is useful for finding L4 for Lumbar puncture



Gluteal muscles

names reflect amount of muscle

Gluteus maximus



Right Post. view

Gluteus medius




Right Lateral view

Gluteus minimus



Right Lateral view


The three gluteal lines of the Ilium



gluteus medius attaches between posterior and anterior gluteal line

amximus attaches to sacrum a


attaches to sacrum and ilila crest



attaches at illiotibial band and femur

Sobotta's Atlas and Text-book of Human Anatomy

Gluteal muscles posterior view




etween anterior and inferior gluteal line

attaches to greater picanter

obturator is an object that obscures vision?

Lower fibres of gluteus maximus insert into iliotibial tract

upper fibres attach at the femur



Tensor
Fasciae
Latae


hip abductor - gluteus minimus and medius also abductors

Gluteus maximus


Iliotibial tract


gluteus
minimus
and medius
are also
stabilisers
for hip

Safe site for large intramuscular injections





Gluteus Medius






Gluteus Minimus






Unilateral hip abductor weakness




Gray's Anatomy for students




---------- Pelvic inlet

Gray's Anatomy for students



Radiopaedia



Pelvic inlet

Iliopectineal line

StartRadiology






Diagram to show right side of pelvis but with levator ani removed




Coakley Diagram

Diagram to show position of internal iliac artery and its two subdivisions in the MALE




Coakley Diagram

Diagram to show position of iliac vessels in the MALE



Coakley Diagram

Sciatic Foramina




Gray's Anatomy for students

Posterior aspect of right gluteal region




Gray's Anatomy for students

Short rotators of the hip



Obturator sign is elicited in suspected appendicitis



Stretch
By int.
rotation

AMERICAN FAMILY PHYSICIAN

Acute Appendicitis: Review and Update

D M Hardin Jr [1]

Stretch Obturator internus by internal rotation of the femur




AMERICAN FAMILY PHYSICIAN
Acute Appendicitis: Review and Update
D M Hardin Jr [1]

Structures passing through greater sciatic foramen

Above Piriformis:
Superior gluteal nerve
Superior gluteal vessels

Below Piriformis:
Inferior gluteal nerve
Inferior gluteal vessels
Sciatic nerve
Post. Cutaneous nerve of thigh
Nerve to quadratus femoris
Nerve to obturator internus
Pudendal nerve
Internal Pudendal vessels



pudendal nerve winds around the ischials spine

Gray's Anatomy for students


Piriformis Syndrome



88%

11%

feeling pins and needles at leg and sole of foot after excercise, after rest it is gone









0.86%


0.13%


Relation of sciatic nerve to piriformis muscle in 1,510 limbs studied


try to produce diagrams on this template












Coakley diagram




Coakley diagram

Blood supply to hip joint

Trochanteric and cruciate anastomosis

cross



Mnemonic:
Upper anastomosis does not receive branch from lowest artery,
lower anastomosis does not receive branch from highest artery.

REMINDER: ANATOMY OF BLOOD SUPPLY TO HIP IS IMPORTANT

