

Vote Selling in the United States: Introducing Machine Learning Methods to Analyzing Conjoint Experimental Data

HÉCTOR BAHAMONDE ^{*1} and

CRISTOBAL QUININAO ^{†2}

¹Assistant Professor, Instituto de Ciencias Sociales, O'Higgins University (Chile)

²Assistant Professor, Instituto de Ciencias de la Ingeniería O'Higgins University
(Chile)

August 24, 2020

Abstract

Abstract here

Please consider downloading the last version of the paper [here](#).

Keywords— conjoint; vector support machines; support for democracy; United States.

^{*}hector.bahamonde@uoh.cl; www.HectorBahamonde.com.

[†]cristobal.quininao@uoh.cl; [PAGINA AQUI](#).

We both thank.

I. CLASSICAL CONJOINT ANALYSES

TEST

```
## Warning in paste0("package:", package): NAs introduced by coercion to integer range
## Warning in paste(nof2, ".tex", sep = ""): NAs introduced by coercion to integer
range
## Warning in paste("system('texcount -inc -incbib -total -sum ", noftex, "'", intern=TRUE)",
: NAs introduced by coercion to integer range
## Warning in prettyNum(.Internal(format(x, trim, digits, nsmall, width, 3L, : NAs
introduced by coercion to integer range
## Warning in paste0("[0-9]{", big.interval + 1L, ",}"): NAs introduced by coercion
to integer range
## Warning in paste0("[0-9]{", big.interval + 1L, ",}"): NAs introduced by coercion
to integer range
## Warning in paste0(B., c(decimal.mark, "")[iN + 1L], A.): NAs introduced by coercion
to integer range
```

..... Word count: 189

II. APPENDIX

I. Appendix

First Appendix