

Contact PR-AYC-G Run 1 - Master Comprehensive Suite Reanalysis v1.1

Amended anchor classification: conceptually predeclared / not runner-registered

Boundary: This is a private exploratory analysis report. K_HT-topo is treated as a human-scale network-state proxy. This report does not claim cellular OSM, microtubules, biophotons, consciousness proof, or a molecular hidden variable.

1. Executive verdict

- ALS fullscreen black-white-black start-pulse validation passed for Control, Target, and Contextual Override.
- The Contact anchor family was conceptually predeclared in planning, but not loaded into PRAYCG1.9 before acquisition; the run is therefore not machine-registered confirmatory.
- Target was the strongest meaning branch by both self-report and phase-level MeaningGamma/TSP.
- Two Target-local CandidateLocal K_HT-topo / MRED event locks appeared around 161-166 seconds after Target onset.
- The correct claim level is strong exploratory / future-freeze candidate, not strict pre-registered confirmation.
- OCM025 did not produce an Override-wide cue-update pass; RSM showed useful arithmetic/guess-risk structure in the Override branch.
- The topological-network interpretation is stronger than cellular OSM language for this human EEG run.

2. Run identity and anchor classification

Run metadata summary

field	value
participant_id	hoyt
session_id	S001
run_label	Contact
protocol_version	1.900
control_video	C:/Users/hoytb/Desktop/PRAYCGStimulus/Contact/cuedals2/ Contact_final_scene_MediaPrep_v1_6S_20260810_162501/ stimulus_control_cued_phase_scrambled>Contact_final_scene_v1_6S.mp4
target_video	C:/Users/hoytb/Desktop/PRAYCGStimulus/Contact/cuedals2/ Contact_final_scene_MediaPrep_v1_6S_20260810_162501/ stimulus_target_cued>Contact_final_scene_v1_6S.mp4
override_video	C:/Users/hoytb/Desktop/PRAYCGStimulus/Contact/cuedals2/ Contact_final_scene_MediaPrep_v1_6S_20260810_162501/ stimulus_override_cued>Contact_final_scene_v1_6S.mp4
target_override_hash_match	True
cue_count	99
expected_sum	515
entered_override_sum	502
override_sum_correct	False
baseline_seconds	120.000
washout_seconds	120.000
final_reflection_baseline_seconds	120.000
channel_map_confirmed	True
channel_map_confidence	LOCKED
predeclared_anchor_file	
anchor_schedule_not_loaded	True
analysis_note	Continuous physiology was aligned to event markers using the three ALS fullscreen start pulses and sample-index timebase.

Anchor classification is amended to: conceptually predeclared / not runner-registered. The Contact A1-A4 anchor family existed in planning, but the machine record did not contain a loaded anchor schedule. This distinction matters because strict confirmatory language requires the locked anchor file to be selected in the runner and emitted into StasisMarkers before acquisition.

Amended anchor classification

field	value
anchor_classification	CONCEPTUALLY_PREDECLARED / NOT_RUNNER_REGISTERED
strict_runner_registered_confirmatory	False
anchor_schedule_loaded_marker_present	False
anchor_schedule_not_loaded_marker_present	True
predeclared_anchor_file_in_run_config	
recommended_claim_level	strong exploratory / future-freeze candidate, not strict confirmatory anchor pass
anchor_family_prior_planning	CONTACT_A1_PENSACOLA_REALIZATION;

field	value
	CONTACT_A2_AVATAR_FATHER_RECOGNITION; CONTACT_A3_EXISTENTIAL_PAYLOAD_ONSET; CONTACT_A4_SMALL_MOVES_TAPER_RELEASE

Anchor audit evidence

check	value
ANCHOR_SCHEDULE_LOADED marker present	False
ANCHOR_SCHEDULE_NOT_LOADED marker present	True
Number of event-log markers starting ANCHOR_	1
ANCHOR_markers found	ANCHOR_SCHEDULE_NOT_LOADED
predeclared_anchor_file in run_config_media_selection.json	"
True Contact anchor schedule file found in runfiles/qc	False
Anchor schedule file candidates	
Analysis interpretation includes predeclared_anchor_file values	[""]

3. Acquisition and ALS timing


Stream coverage summary

name	type	channel_count	nominal_rate	n_samples	covers_baseline1	covers_control	covers_target	covers_override
OpenBCIStatusMarkers	Markers	1	0.000	421	True	True	True	True
PolarHRV	ECG	1	0.000	2699	True	True	True	True
OpenBCIAnalogAux	AnalogAux	3	125.000	270000	True	True	True	True
StasisMarkers	Markers	1	0.000	696	True	True	True	True
VernierRespirationBelt	Respiration	1	20.000	22167	True	False	False	False
ALS_PT19_Timing	LightSensor	1	125.000	270000	True	True	True	True
obci_eeg1	EEG	16	125.000	270000	True	True	True	True

ALS fullscreen movie-start pulse QC

branch	detected	onset_minus_marker_sec	pulse_duration_sec_est	max_value	mean_value	pass_basic
CONTROL_1	True	-0.075	0.737	88.000	68.223	True
TARGET_1	True	0.145	0.745	87.500	67.801	True
CONTEXTUAL_OVERRIDE_1	True	-0.070	0.737	87.000	68.348	True

Interpretation: all three movie starts passed the ALS start-pulse criterion. The continuous streams were aligned using the validated ALS pulse timebase and sample-index alignment. This improves timing confidence relative to earlier runs with missed or non-marker-locked ALS pulses.



4. Subjective and confound reports

Final master subjective report

branch	Meaning	Empathy	Absorption	EmotionalAfterglow	StoryActiveWashout	AnalyticEffort	NumberCueDistraction	TaskCompleteness	frozen_note
CONTROL	1	1	1	1	1	1	0	7	none
OVERRIDE	4	4	3	3	4	8	8	8	none, billions of years resonated again slightly but way less so than target.
TARGET	7	7	7	6	6	2	1	7	the initial scene where she realizes its her father and it actually is his consciousness but its not. that was meaningful to me. also, when the dad says near the end of the clip, this is the way it has been for billions of years, i found this mean...

Branch confound registry



branch	rating_AudioVideoSyncProblem	rating_AudioComprehensionDifficulty	rating_ExternalNoiseIntrusion	rating_ExternalNoiseDistraction	rating_CueLegibilityProblem	rating_CueBlurProblem	rating_EyeStrainOrSquintNeed	note_audio_video_sync	note_external_noise	note_running_sum
Control	0	0	0	2	0	0	0	animal chirps 2/3rd thru washout	see before	
Target	1	2	2	2	1	1	1	audio/video is slightly desynced by about a 1/4 second, it wasnt particularly distracting more than 1-2 times.	birds cawing on occasion, little distraction	
Override	2	2	1	1	1	1	1	same audio desync as target, it was not distracting this time	birds cawing, not distracting	yes, i had to guess 2-3 times in order to stay on task. i stalled 4-5 times but only guessed 2-3

Interpretation: Target was subjectively meaning-rich and had low analytic effort. Override was task-loaded and subjectively less absorbed. Mild audio-video sync and external bird-noise confounds were reported but not at disqualifying intensity. These should remain covariates and caution flags.

5. Phase-level feature summary

Phase-level Topo-OSM / PR-AYC-G features

condition	meaninggamma_score	tsp_z	taskgamma_score	theta_integration_z	alpha_posterior_z	nas_score	artifact_score	gamma_visual_30_45_z
BASELINE_1	0.762	0.098	2.022	7.177	2.068	-1.827	2.875	4.426
BASELINE_2_REFLECTION	1.456	1.255	0.370	0.347	0.900	-0.005	1.023	1.343
CONTEXTUAL_OVERRIDE_1	-0.247	-0.364	0.205	0.298	0.455	-0.448	0.200	0.779
CONTROL_1	-0.392	-0.413	0.074	0.808	0.960	-0.653	0.674	0.140
TARGET_1	1.010	1.039	-0.215	0.804	1.230	0.094	0.562	-0.198
WASHOUT_1	-0.592	-0.530	-0.106	0.747	0.403	-0.387	0.238	-0.412
WASHOUT_2	0.391	0.506	-0.439	0.142	1.158	0.024	0.088	-0.767
WASHOUT_3	-0.167	-0.182	0.164	0.552	0.713	-0.414	0.346	0.102



Key direction: Target MeaningGamma=1.010 and TSP=1.039, versus Control MeaningGamma=-0.392, TSP=-0.413, and Override MeaningGamma=-0.247, TSP=-0.364. Target also had lower taskgamma than Override. This supports a Target-specific meaning-recognition profile, but not a mechanism-level OSM claim.

6. CandidateLocal K_HT-topo and MRED

Exploratory event locks

condition	anchor_source	anchor_metric	condition_offset_sec	peak_score	K_HT_topo_local	K_percentile_by_condition	theta_delay_10_10	theta_delay_10_30	MR_score	ENC_score	mred_quadrant	event_lock_candidate
TARGET_1	physiology_exploratory	meaninggamma_score	161.007	1.864	4.375	100.000	-0.649	2.171	2.357	1.038	MR_HIGH_ENC_HIGH	True
TARGET_1	physiology_exploratory	tsp_z	166.007	2.330	3.511	96.000	-1.933	1.872	2.115	0.375	MR_HIGH_ENC_LOW	True

Interpretation: the two event locks are both in Target around 161-166 s. The first is a MeaningGamma event with K_HT-topo percentile 100 and positive delayed theta. The second is a TSP event with K_HT-topo percentile 96 and positive delayed theta. Because anchor registration was not present in the run files, these are anchor-consistent exploratory / future-freeze candidates, not strict machine-registered confirmations.

Top Target CandidateLocal/MRED rows by K_HT-topo

condition	anchor_source	anchor_metric	condition_offset_sec	peak_score	K_HT_topo_local	K_percentile_by_condition	theta_delta_0_10	theta_delta_10_30	MR_score	ENC_score	mred_quadrant	event_location_candidate
TARGET_1	physiology_exploratory	meaninggamma_score	161.007	1.864	4.375	100.000	-0.649	2.171	2.357	1.038	MR_HIGH_ENC_HIGH	True
TARGET_1	physiology_exploratory	tsp_z	166.007	2.330	3.511	96.000	-1.933	1.872	2.115	0.375	MR_HIGH_ENC_LOW	True
TARGET_1	physiology_exploratory	meaninggamma_score	170.007	2.351	3.106	92.000	-1.672	2.624	1.913	0.902	MR_HIGH_ENC_HIGH	False
TARGET_1	physiology_exploratory	tsp_z	28.007	1.838	2.523	86.000	0.002	0.345	1.382	0.250	MR_HIGH_ENC_LOW	False
TARGET_1	physiology_exploratory	meaninggamma_score	28.007	1.869	2.523	86.000	0.002	0.345	1.396	0.250	MR_HIGH_ENC_LOW	False
TARGET_1	physiology_exploratory	meaninggamma_score	281.007	2.524	2.153	78.000	0.832	0.370	1.495	0.584	MR_HIGH_ENC_LOW	False
TARGET_1	physiology_exploratory	tsp_z	281.007	2.744	2.153	78.000	0.832	0.370	1.592	0.584	MR_HIGH_ENC_LOW	False
TARGET_1	physiology_exploratory	tsp_z	263.007	2.222	1.604	70.000	1.287	1.541	1.075	1.424	MR_HIGH_ENC_HIGH	False
TARGET_1	physiology_exploratory	meaninggamma_score	263.007	1.978	1.604	70.000	1.287	1.541	0.967	1.424	MR_HIGH_ENC_HIGH	False
TARGET_1	physiology_exploratory	tsp_z	14.007	3.045	1.579	62.000	-1.308	-0.877	1.428	-0.947	MR_HIGH_ENC_LOW	False
TARGET_1	physiology_exploratory	meaninggamma_score	14.007	3.003	1.579	62.000	-1.308	-0.877	1.409	-0.947	MR_HIGH_ENC_LOW	False
TARGET_1	physiology_exploratory	meaninggamma_score	57.007	1.827	0.496	54.000	0.372	0.702	0.323	0.596	MR_LOW_ENC_LOW	False

7. NAST - Narrative Absorption State Transition

NAST phase transitions

transition	prephase	postphase	pre_alpha_poserior_z	post_alpha_poserior_z	del_alpha_poserior_z	pre_alpha_droprox_y_z	post_alpha_droprox_y_z	del_alpha_droprox_y_z	pre_meaninggamma_score	post_meaninggamma_score	del_meaninggamma_score	pre_tsp_z	post_tsp_z	del_tsp_z	pre_tas_kgamascore	post_tas_kgamascore	del_tas_kgamascore	pre_the_integratio_n_z	post_theta_in_tegratio_n_z	del_theta_in_tegratio_n_z	pre_nas_score	post_nas_score	del_nas_score	pre_artifact_score	post_artifact_score	del_artifact_score
BASELINE_1->CONTROL_1	BASELINE_1	CONTROL_1	0.736	-0.507	-1.242	-0.736	0.507	1.242	-0.676	0.076	0.753	-0.829	-0.019	0.810	0.732	0.329	-0.403	2.030	-0.481	-2.511	-1.146	-0.243	0.903	1.507	1.401	-0.106
WASHOUT_1->TARGET_1	WASHOUT_1	TARGET_1	-0.431	-0.004	0.427	0.431	0.004	-0.427	-1.044	2.154	3.198	-0.933	1.849	2.781	-0.422	2.031	2.453	-0.419	0.304	0.722	-0.242	0.123	0.365	0.179	1.342	1.163
WASHOUT_2->CONTROL_1_OVERRIDDEN	WASHOUT_2	CONTROL_1_OVERRIDDEN_1	1.032	-0.098	-1.130	-1.032	0.098	1.130	-0.330	2.214	2.544	-0.206	1.842	2.048	-0.201	1.506	1.706	-0.156	0.895	1.051	-0.336	0.246	0.582	0.076	1.241	1.166

transi tion	pre phas e	post phas e	pre alp ha _p os ter ior _z	post alp ha _p ost eri or _z	del ta alp ha _p os ter ior _z	pre alp ha _d ro p _pr ox y _z	post alp ha _d ro p _pr ox y _z	del ta alp ha _d ro p _pr ox y _z	pre me ani ng ga ma _s co re	post me ani ng ga ma _s co re	del ta me ani ng ga ma _s co re	pre t sp _z	post ts p _z	del ta tsp _z	pre t as kg am ma _s co re	post tas kg am ma _s co re	del ta tas kg am ma _s co re	pre t he ta _int eg ratio n _z	post th eta _in te gr ati on _z	del ta the ta _int eg ratio n _z	pre na s _sc ore	post na s _sc ore	del ta na s _sc ore	pre art ifa ct _sc ore	post art ifa ct _sc ore	del ta art ifa ct _sc ore	
1																											

Top NAST onset candidates

condition	time_lsl	condition_offset sec	nas_score	alpha_drop_pro xy_z	meaninggamma score	tsp_z	taskgamma_sco re	artifact_score
CONTEXTUAL_O VERRIDE_1	2453.214	28.992	1.546	0.417	2.793	2.701	-0.894	0.355
CONTEXTUAL_O VERRIDE_1	2464.214	39.992	1.214	0.822	1.596	1.671	-0.944	0.439
CONTEXTUAL_O VERRIDE_1	2443.214	18.992	0.938	0.482	3.078	2.774	1.620	0.710
CONTEXTUAL_O VERRIDE_1	2429.214	4.992	0.919	0.473	2.231	2.003	-0.653	1.297
TARGET_1	1935.214	46.007	1.713	1.191	2.361	2.351	-1.296	0.380
TARGET_1	2152.214	263.007	1.636	0.980	1.978	2.222	-0.731	0.083
TARGET_1	2078.214	189.007	1.631	1.026	2.083	2.299	-1.038	0.617
TARGET_1	1903.214	14.007	1.598	0.665	3.003	3.045	0.335	0.372
TARGET_1	2168.214	279.007	1.577	1.106	1.970	2.188	-0.636	0.337
TARGET_1	2067.214	178.007	1.436	0.444	2.376	2.517	-0.896	0.968
TARGET_1	2125.214	236.007	1.400	1.029	1.817	1.888	-0.590	0.000
TARGET_1	2186.214	297.007	1.303	0.499	1.286	1.469	-1.711	0.000
TARGET_1	1945.214	56.007	1.250	0.283	1.564	1.664	-1.701	0.242
TARGET_1	1916.214	27.007	1.232	0.766	1.757	1.770	-0.823	0.262
TARGET_1	2086.214	197.007	1.142	0.562	1.384	1.658	-0.321	0.170

Interpretation: Target shows a strong increase in MeaningGamma and TSP relative to Washout 1, but NAST is not simply an alpha-drop story. Override also shows early semantic/task activity, suggesting analytic stance plus residual semantic access rather than a clean task-only state.


8. Topo-OSM network-state layer

Topo-OSM phase state vectors

condition	n_windows	theta_integrati on_z	alpha_posteri or_z	meaninggam ma_score	tsp_z	taskgamma_s core	gamma_visual _30_45_z	artifact_score
BASELINE_1	120	7.177	2.068	0.762	0.098	2.022	4.426	2.875
CONTROL_1	303	0.808	0.960	-0.392	-0.413	0.074	0.140	0.674
WASHOUT_1	120	0.747	0.403	-0.592	-0.530	-0.106	-0.412	0.238
TARGET_1	301	0.804	1.230	1.010	1.039	-0.215	-0.198	0.562
WASHOUT_2	120	0.142	1.158	0.391	0.506	-0.439	-0.767	0.088
CONTEXTUAL OVERRIDE_1	300	0.298	0.455	-0.247	-0.364	0.205	0.779	0.200
WASHOUT_3	120	0.552	0.713	-0.167	-0.182	0.164	0.102	0.346
BASELINE_2_ REFLECTION	119	0.347	0.900	1.456	1.255	0.370	1.343	1.023

Topo-OSM transition distances

transition	topo_state_distance
BASELINE_1 -> CONTROL_1	8.390
WASHOUT_1 -> TARGET_1	2.424
WASHOUT_2 -> CONTEXTUAL_OVERRIDE_1	2.121




Interpretation: Topo-OSM here means network-state topology, not cellular or molecular OSM. The state-vector distances show the largest transition from Baseline to Control, with smaller but interpretable transitions into Target and Override. Target remains distinct because of MeaningGamma/TSP elevation and lower taskgamma relative to Override.

9. OCM025 / RSM / CVB / SquintProxy

OCM025 phase summary

condition	DR_gamma_z	WMU_theta_z	MAINT_theta_z	OCM_score	OCM_event_vs_target_control_null	compute_stall_score	cue_visibility_burden	squint_proxy	latent_guess_risk
CONTEXTUAL_OVERRIDE_1	0.019	-0.213	-0.083	-0.212	1	-0.239	-0.149	0.440	0.449
CONTROL_1	0.381	-0.194	-0.043	-0.030	0	-0.203	-0.223	0.203	0.442
TARGET_1	-0.177	0.436	-0.045	-0.046	0	-0.028	-0.063	0.412	0.460



Top Override cue microstate candidates

condition	cue_index	value	cue_start_sec	cue_start_isl	content_start_sec	pre_taskgamma	rec_taskgamma	pre_tasktheta	upd_tasktheta	main_tasktheta	rec_visualgamma	upd_visualgamma	main_visualgamma	fp1_hf	artifact_hf	DR_gamma	WMU_theta	MALNT_theta	visual_search_upd	visual_search_maint	contrast_pre_badge_0_1	DR_gamma_z	WMU_theta_z	MALNT_theta_z	visual_search_upd_z	visual_search_maint_z	fp1_hf_z	artifact_hf_z	artifact_score	OCM_score	OCM_event_vs_target_control_null	prior_sum	new_sum	prior_units	carry_required	high_carry_load	hard9_pattern	large_sum_load	large_sum_load_z	carry_required_z	high_carry_load_z	hard9_pattern_z	arithmetic_compute_load	compute_stall_score	cue_visibility_burden	latent_guess_risk		
	72	3	217.235	2641.457	216.000	0.780	0.667	3.110	5.927	13.806	1.410	1.261	1.444	1.161	0.849	-0.113	2.817	1.0696	-0.149	0.034	1.000	-0.610	2.635	1.0122	-0.592	0.150	1.949	-0.748	0.975	2.640	True	384	387	4	0	0	0	5.953	0.527	-2.001	-0.674	0.000	-0.484	3.667	3.352	1.267	0.985	

condition	UALL_OVERRIDE_1	CONTEXTUAL_OVERRIDE_1	CONTEXTUAL_OVERRIDE_1	CONTEXTUAL_OVERRIDE_1
cue_index		43	56	21
value		4	9	7
cue_start_sec		130.235	169.235	64.235
cue_start_isl	7	2554.457	2593.457	2488.457
content_start_sec		129.000	168.000	63.000
pre_task_gamma		0.762	0.722	0.593
rec_task_gamma		0.692	0.834	0.893
pre_task_theta		2.498	2.874	2.037
upd_task_theta		5.643	4.894	3.092
maint_task_theta		2.894	2.850	2.255
rec_visual_gamma		1.521	1.525	1.232
upd_visual_gamma		1.446	1.195	1.661
maint_visual_gamma		1.428	1.172	1.204
fp1_hf		0.884	0.841	0.822
artifact_hf		0.939	0.859	1.132
DR_gamma		0.070	0.112	0.299
WMU_theta		3.145	2.020	1.055
MALNT_theta		0.396	0.024	0.217
visual_search_upd		0.075	0.331	0.383
visual_search_maint		0.093	0.354	0.028
control_pre_badge_0_1		1.000	1.000	1.000
DR_gamma_z		0.391	0.534	0.492
WMU_theta_z		2.954	1.861	0.923
MALNT_theta_z		0.333	0.066	0.163
visual_search_upd_z		0.263	0.389	0.751
visual_search_maint_z		0.320	0.285	0.077
fp1_hf_z		0.192	0.522	0.677
artifact_hf_z		0.131	0.676	1.187
artifact_score		0.000	0.000	0.593
OCM_score		1.092	0.945	0.880
OCM_event_vs_target_control_null		False	False	False
prior_sum		228	306	115
new_sum		232	315	122
prior_units		8	6	5
carry_required		1	1	1
high_carry_load		3	6	3
hard9_pattern		0	0	0
large_sum_load		5.434	5.727	4.754
carry_required_z		0.000	0.000	0.000
high_carry_load_z		1.349	3.372	1.349
hard9_pattern_z		0.000	0.000	0.000
arithmetic_compute_load		0.254	0.911	0.095
compute_stall_score		1.185	0.814	0.234
latent_guess_risk		0.125	0.340	0.025
sqint_proxy		0.714	0.440	0.443

Significant RSM correlations in Override

x	y	spearman_rho	p_value	n
arithmetic_compute_load	latent_guess_risk	0.556	0.000	99
high_carry_load	latent_guess_risk	0.411	0.000	99
carry_required	latent_guess_risk	0.382	0.000	99
large_sum_load	sqint_proxy	-0.297	0.003	99
arithmetic_compute_load	compute_stall_score	0.279	0.005	99
arithmetic_compute_load	sqint_proxy	-0.258	0.010	99

x	y	spearman_rho	p_value	n
large_sum_load	latent_guess_risk	0.247	0.014	99
hard9_pattern	latent_guess_risk	0.232	0.022	99

Interpretation: OCM025 did not show a clean Override-wide working-memory-update pass. However, RSM showed that latent guess-risk tracked arithmetic compute load, carry-required status, high-carry load, hard9 pattern, and large-sum load. This matches the self-report of several stalls and 2-3 guesses to stay on task. SquintProxy is retained only as an artifact/visual-strain covariate, not a direct eye-tracking measure.

10. Full module registry and claim-level map

Master Comprehensive Suite v1.4.7/1.4.8-style module registry for Contact Run 1

module	status	interpretation
Run metadata and media identity	PASS	Loaded runfiles, media hashes, cue schedule, branch timing, and channel-map status.
Stream inventory / timebase	PASS_WITH_ALS_ALIGNMENT	Continuous EEG/ALS aligned by sample-index timebase and validated ALS pulses.
ALS-PT19 fullscreen start-pulse QC	PASS	All three movie starts detected within +/-0.25 s of markers.
Anchor audit	CONCEPTUALLY_PREDECLARED_NOT_RUNNER_REGISTERED	Prior Contact anchors existed in planning, but event log/config show anchor file was not loaded.
Subjective report	TARGET_STRONG	Final ratings favored Target: Meaning/Empathy/Absorption all 7; Control 1; Override task-loaded.
Confound registry	MILD_CONFOUND_COVARIATES	Mild A/V sync, audio comprehension, and external noise ratings; not disqualifying.
GammaScalpel / MeaningGamma / TaskGamma	TARGET_MEANING_DIRECTIONAL	Target MeaningGamma and TSP exceeded Control and Override; Override had higher taskgamma than Target.
TemporalSemanticProxy	TARGET_DIRECTIONAL	Target TSP positive and greater than Control/Override.
CandidateLocal_KHT-topo	TARGET_LOCAL_LOCKS_EXPLORATORY	Two Target-local event locks around 161-166 s, not runner-registered confirmatory.
MRED_v0.1	TARGET_MR_ENC_CLUSTER	Target 161-166 s cluster shows MR_HIGH_ENC_HIGH / MR_HIGH_ENC_LOW pattern.
NAST_v0.1	MIXED_USEFUL	Target showed large MeaningGamma/TSP increase from W1; not simple alpha-drop-only.
OCM025_v0.2	NO_CLEAN_OVERRIDE_WIDE_PASS	Only one Override OCM event above Target/Control null.
RSM/CVB/SquintProxy	RSM_INFORMATIVE	Latent guess-risk tracked arithmetic load/carry/hard9; SquintProxy is only a covariate.
TopoOSM_NetworkState	DIRECTIONAL_EXPLORATORY	Target forms a distinct network-state vector; transition distances reported.
LSO/SPM Subtitle Override	NOT_APPLICABLE	No subtitle override condition or subtitle file was present.

LSO/SPM Subtitle Override modules were not applicable because this Contact run did not include a subtitle override condition or subtitle timing/gaze file. Anchor registration modules produced the amended classification: conceptually predeclared, not runner-registered.

11. Updated conclusion

- Contact Run 1 is the strongest ALS-validated, Target-favoring exploratory PR-AYC-G run currently summarized here.
- The physiological event cluster around 161-166 s is consistent with prior Contact anchor expectations, especially the father/avatar recognition family, but it is not runner-registered confirmatory.
- The strict future standard is PRAYCG1.9C with a MediaPrep-generated LOCKED anchor JSON loaded before acquisition.
- The next Contact run should explicitly load the Contact A1-A4 anchor file, emit ANCHOR_DEF and scheduled anchor markers, and then re-test the 161-166 s family prospectively.
- The human-scale interpretation is Topo-OSM / network-state topology. No cellular OSM or hidden molecular Y claim is supported by this run.