

Arrival Run 1 - Latest Master Suite Exploratory Rerun

Status: exploratory rerun from available processed Arrival feature tables. No new raw-XDF extraction was performed in this pass.

Executive verdict

Arrival remains a strong hypothesis-generating PR-AYC-G run for the recognition-versus-encoding distinction. The latest modules do not convert it into a clean endpoint pass. The clearest retained pattern is: Target shows a NAST-style transition into narrative absorption and several conceptual anchors show Target-dominant immersion/recognition proxies, but CandidateLocal KHT-topo/BIT strict event-lock remains negative.

Data basis and limitations

Feature rows analyzed: 1378. Phases: {'BASELINE_1': 115, 'CONTEXTUAL_OVERRIDE_1': 308, 'CONTROL_1': 308, 'TARGET_1': 308, 'WASHOUT_1': 114, 'WASHOUT_2': 114, 'WASHOUT_3': 111}. Available: canonical feature frame, EEG-window feature table, prior CandidateLocal KHT cross-boundary table, prior NAST/OCM tables, cue schedule, self-report summary. Not available: v1.8 Arrival full media regressors, raw EOG/eye tracking, runner-registered anchor file.

Module registry

	status	primary_table	interpretation	limitation
rkState	completed	arrival_topo_osm_phase_state_vectors.csv	Phase-state topology summarized across baselines/washouts/branches.	ROI metadata is channel-map-cautioned for Arrival.
KHT-topo / MRED	completed	arrival_candidate_local_kht_topo_mred_event_table.csv	Cross-boundary CandidateLocal KHT reviewed; no strict event lock.	Uses prior processed feature tables; not raw-XDF re-extra
	completed	arrival_nip_mred_component_timeseries.csv	Recognition/encoding proxies computed continuously and by anchors.	Feature-derived proxy; no population inference.
	completed	arrival_nast_phase_transition_table.csv	Arrival Target shows NAST-style WASHOUT1->TARGET transition from existing module	Uses prior NAST window feature table.
CVB / SquintProxy	completed	arrival_ocm025_rsm_cvb_squint_cue_table.csv	Override cue-update/working-memory burden reviewed; no clean OCM pass.	Uses prior OCM table; SquintProxy remains artifact proxy
	completed	arrival_tti_global_summary.csv	Reception/extraction Target-vs-Override contrast computed.	Exploratory single-run construct, not moral/clinical score.
0.1	completed	arrival_cii_anchor_integrals.csv	Narrative immersion proxies computed over conceptual Arrival anchor windows.	Anchors are conceptual/future-freeze, not runner-registered
	partial	arrival_cet_cue_residualization_model_summary.csv	Cue-only cinematic entrainment residualization and state-vector echo analysis co	No v1.8 Arrival full media regressors available; full CET-R
/ OCU_v0.1	partial	arrival_mred_itp_anchor_summary.csv	Feature-state complexity and blink-sentinel proxy analysis completed.	No raw XDF LZ / true EOG/eye tracker in this rerun; proxy

Phase-state / Topo-OSM summary

phase	n_windows	meaning_gamma_z	tsp_z	theta_primary_z	task_gamma_z	MR_score	ENC_score	NIP_density
BASELINE_1	115	-0.471	0.152	0.124	0.601	-0.325	-0.082	0.004
CONTEXTUAL_OVERRIDE_1	308	-0.889	-0.717	0.464	0.813	-0.738	0.142	0.004
CONTROL_1	308	0.087	-0.169	0.050	-0.144	-0.129	-0.083	0.045
TARGET_1	308	0.913	0.878	0.435	-0.699	0.461	0.146	0.272
WASHOUT_1	114	0.076	-0.850	-0.115	-0.314	-0.365	-0.129	0.014
WASHOUT_2	114	0.859	0.893	0.056	-0.556	0.523	-0.032	0.225
WASHOUT_3	111	-0.771	-0.026	0.242	0.988	-0.468	0.031	0.005

NAST - narrative absorption state transition

transition	delta_alpha_proxy_z	delta_meaning_gamma_z	delta_tsp_z	delta_task_gamma_z	delta_theta_primary_z	interpretation
BASELINE_1->CONTROL_1	-0.108	1.010	0.542	-0.884	0.008	alpha suppression + meaning/TSP rise candidate
WASHOUT_1->TARGET_1	-0.102	0.600	1.434	-0.022	0.020	alpha suppression + meaning/TSP rise candidate
WASHOUT_2->CONTEXTUAL_OVERRIDE_1	0.080	-2.263	-0.874	2.542	1.518	no alpha-suppression transition

Interpretation: WASHOUT_1->TARGET retains the strongest NAST-style Target transition: alpha suppression plus MeaningGamma/TSP rise. Override looks more like analytic/task reorientation.

CandidateLocal KHT-topo / MRED

Strict cross-boundary CandidateLocal KHT event locks: 0 / 48 target-candidate rows.

search_window	predictor_name	peak_sec	anchor_sec	K_local	K_local_percentile_by_phase	delta_theta_10_30_vs_pre	candidate_local_kht_event_lock_cross_boundary	interpretation_cross_boundary
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.831	False	local_K_without_theta_handoff
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.739	False	local_K_without_theta_handoff
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.558	False	local_K_without_theta_handoff
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.436	False	local_K_without_theta_handoff
whole_target	meaninggamma_score	68.000	91.000	0.649	94.545	-1.110	False	not_locked
whole_target	meaninggamma_score	68.000	91.000	0.649	94.545	-0.785	False	not_locked
whole_target	meaninggamma_score	68.000	91.000	0.649	94.545	0.271	False	not_locked
whole_target	meaninggamma_score	68.000	91.000	0.649	94.545	0.028	False	not_locked

NIP/BIT/CII/IAQ

Strict BIT passes: 0 / 5 conceptual anchors.

anchor_id	target_CII	control_CII	override_CII	target_minus_control_CII	target_minus_override_CII	IAQ_target_vs_override	target_specific_CII
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0	0.346	0.007	0.000	0.338	0.346	0.997	True
ARR_A2_STARDUST_CRINGE_120P0	0.332	0.009	0.000	0.323	0.332	0.997	True
ARR_A3_READING_LETTERS_169P0	0.615	0.004	0.000	0.611	0.615	0.998	True
ARR_A4_CHILD_LIFE_MONTAGE_251P0	0.204	0.001	0.000	0.203	0.204	0.995	True
ARR_A5_HELD_BY_YOU_FINAL_310P0	0.022	0.000	0.000	0.022	0.022	0.956	True

TTI - reception/extraction tradeoff

	target_MR	override_MR	target_ENC	override_ENC	target_task_gamma	override_task_gamma	target_artifact	override_artifact	interpretation			
33	0.461	-0.738	0.146	0.142	-0.699	0.813	1.206	-0.066	positive means Target retained more reception/integration w			
	anchor_id				TTI_anchor	target_MR	override_MR	target_ENC	override_ENC	target_task_gamma	override_task_gamma	IAQ_target_vs_override
	ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0				0.565	0.758	-0.567	0.020	0.222	-1.037	0.378	0.997
	ARR_A2_STARDUST_CRINGE_120P0				0.755	0.698	-0.768	0.223	-0.190	-1.057	0.360	0.997
	ARR_A3_READING_LETTERS_169P0				0.834	0.729	-0.664	0.565	-0.173	-0.939	0.464	0.998
	ARR_A4_CHILD_LIFE_MONTAGE_251P0				0.418	0.339	-0.782	-0.039	0.180	-1.406	0.687	0.995
	ARR_A5_HELD_BY_YOU_FINAL_310P0				0.127	-0.364	-0.919	0.165	0.216	1.028	1.344	0.956

OCM025 / RSM / CVB / SquintProxy

Override cues analyzed: 104. Cue-update events: 19. Arrival does not show a clean Override-wide working-memory update pass.

x		y	spearman_rho	p_value	n
arithmetic_compute_load		compute_stall_score	0.244	0.014	104
arithmetic_compute_load		latent_guess_risk	0.558	0.000	104
carry_required		compute_stall_score	0.056	0.579	104
carry_required		latent_guess_risk	0.234	0.018	104
high_carry_load		latent_guess_risk	0.255	0.010	104
hard9_pattern		compute_stall_score	0.093	0.350	104
hard9_pattern		latent_guess_risk	0.137	0.169	104
cue_visibility_burden		latent_guess_risk	0.659	0.000	104

cue_index	value	running_sum	prior_units_digit	carry_required	hard9_pattern	compute_stall_score	cue_visibility_burden	latent_guess_risk
55.000	9.000	306.000	7.000	1.000	1.000	3.434	0.946	0.943
88.000	2.000	460.000	8.000	1.000	0.000	4.895	0.751	0.942
60.000	10.000	337.000	7.000	1.000	0.000	3.153	0.891	0.925
48.000	9.000	265.000	6.000	1.000	0.000	2.554	1.076	0.891
39.000	10.000	219.000	9.000	1.000	0.000	2.779	0.267	0.874
32.000	8.000	177.000	9.000	1.000	0.000	1.295	1.581	0.859
98.000	2.000	509.000	7.000	0.000	0.000	1.957	1.429	0.858
83.000	1.000	437.000	6.000	0.000	0.000	2.271	0.989	0.833

CET/EET - cue-only residualization and echo analysis

phase		train_r2	blocked_cv_r2	n	limitation			
CONTROL_1		0.005	-0.063	308	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this works			
TARGET_1		0.007	-0.050	308	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this works			
CONTEXTUAL_OVERRIDE_1		0.012	-0.005	308	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this works			
POOLED		0.002	-0.062	924	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this works			

	label	start_sec	end_sec	control_cue_resid_CII	target_cue_resid_CII	override_cue_resid_CII	target_minus_control_cue_resid_CII	target_minus_override_cue_resid_CII
ICE_068P0	Future/tragedy acceptance line	58.000	78.000	0.008	0.346	0.000	0.338	0.346
	"Star dust" cringe / aversive semantic prediction error	112.000	128.000	0.008	0.331	-0.001	0.323	0.332
	Mother teaches daughter letters	156.000	176.000	0.009	0.621	0.006	0.611	0.615
	Child-life montage under tragic foreknowledge	240.000	265.000	0.002	0.204	0.000	0.203	0.204
	Final embrace / held-by-you line	300.000	313.000	0.006	0.028	0.006	0.022	0.022

anchor_id			comparison_window	cosine_similarity	euclidean_distance	claim_level
ARR_A5_HELD_BY_YOU_FINAL_310P0			WASHOUT_3_first30	0.976	0.768	state-vector echo proxy; not replay proof
ARR_A5_HELD_BY_YOU_FINAL_310P0			BASELINE_1_all	0.940	0.859	state-vector echo proxy; not replay proof
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0			WASHOUT_2_all	0.929	1.171	state-vector echo proxy; not replay proof
ARR_A5_HELD_BY_YOU_FINAL_310P0			WASHOUT_3_all	0.893	0.972	state-vector echo proxy; not replay proof
ARR_A4_CHILD_LIFE_MONTAGE_251P0			WASHOUT_2_first30	0.878	2.056	state-vector echo proxy; not replay proof
ARR_A2_STARDUST_CRINGE_120P0			WASHOUT_2_all	0.870	1.456	state-vector echo proxy; not replay proof
ARR_A3_READING_LETTERS_169P0			WASHOUT_2_all	0.846	1.595	state-vector echo proxy; not replay proof
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0			WASHOUT_2_first30	0.842	1.466	state-vector echo proxy; not replay proof
ARR_A4_CHILD_LIFE_MONTAGE_251P0			WASHOUT_2_all	0.815	2.646	state-vector echo proxy; not replay proof

anchor_id	comparison_window	cosine_similarity	euclidean_distance	claim_level
ARR_A2_STARDUST_CRINGE_120P0	WASHOUT_2_first30	0.778	1.772	state-vector echo proxy; not replay proof

MRED-ITP - complexity and ocular proxy layer

anchor_id	C_strike	C_settle	complexity_settlement_index	blink_suppression_proxy	blink_release_proxy	ACG_feature_proxy_flag	OCU_proxy_flag	MRED_ITP_strict_pass
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0	-1.476	-1.075	-0.401	0	0	False	False	False
ARR_A2_STARDUST_CRINGE_120P0	-0.948	0.248	-1.197	4	0	False	False	False
ARR_A3_READING_LETTERS_169P0	-0.797	1.343	-2.140	1	0	False	False	False
ARR_A4_CHILD_LIFE_MONTAGE_251P0	0.576	-0.178	0.755	2	0	True	False	False
ARR_A5_HELD_BY_YOU_FINAL_310P0	0.854		0.854	-1	-2	False	False	False

Interpretation: this pass used feature-state complexity and blink-sentinel proxies only. It is not raw EEG Lempel-Ziv complexity and not EOG-confirmed blink analysis.

Overall conclusion

The latest suite additions strengthen the interpretation that Arrival is not a clean KHT-topo endpoint but is valuable for model refinement. The run supports the MRED idea that semantic-affective recognition can occur without reliable theta-indexed integration, especially for familiar material. Future work should use runner-registered anchors, full stimulus-fingerprint regressors, and explicit familiarity/novelty covariates.

Boundary

Exploratory only. No inference to OSM biology, microtubules, biophotons, consciousness, or literal thermodynamic entropy reduction.