

Arrival Run 1 - Latest Master Suite Exploratory Rerun

Report v1.1. This is an exploratory processed-table rerun applying as many current PR-AYC-G Master Suite modules as possible to Arrival Run 1. No new raw-XDF extraction was performed.

Executive verdict

Arrival remains a strong hypothesis-generating run for Meaning Recognition / Encoding Dissociation. It does not become a clean KHT-topo endpoint or strict BIT immersion pass. The main retained pattern is: Target shows a NAST-style transition and some Target-dominant anchor-level immersion proxies, while CandidateLocal KHT-topo and BIT strict event-lock remain negative.

Scope and inputs

Analyzed 1378 processed feature rows across BASELINE_1, CONTROL_1, WASHOUT_1, TARGET_1, WASHOUT_2, CONTEXTUAL_OVERRIDE_1, and WASHOUT_3. Available inputs: processed feature frame, EEG-window feature table, CandidateLocal KHT cross-boundary table, NAST/OCM tables, cue schedule, and self-report summary. Missing for this rerun: v1.8 full media regressors, raw EOG/eye tracking, and runner-registered anchors.

Module registry

module	status	interpretation	limitation
TopoOSM_NetworkState	completed	Phase-state topology summarized across baselines/washouts/branches.	ROI metadata is channel-map-cautioned for Arrival.
CandidateLocal_KHT-topo / MRED	completed	Cross-boundary CandidateLocal KHT reviewed; no strict event lock.	Uses prior processed feature tables; not raw-XDF re-extraction in this rerun.
MRED_v0.1	completed	Recognition/encoding proxies computed continuously and by anchors.	Feature-derived proxy; no population inference.
NAST_v0.1	completed	Arrival Target shows NAST-style WASHOUT1->TARGET transition from existing module.	Uses prior NAST window feature table.
OCM025 / RSM / CVB / SquintProxy	completed	Override cue-update/working-memory burden reviewed; no clean OCM pass.	Uses prior OCM table; SquintProxy remains artifact proxy only.
TTI_v0.1	completed	Reception/extraction Target-vs-Override contrast computed.	Exploratory single-run construct, not moral/clinical score.
NIP/BIT/CII/IAQ_v0.1	completed	Narrative immersion proxies computed over conceptual Arrival anchor windows.	Anchors are conceptual/future-freeze, not runner-registered.
CET/EET_v0.1	partial	Cue-only cinematic entrainment residualization and state-vector echo analysis completed.	No v1.8 Arrival full media regressors available; full CET-R not possible.
MRED-ITP / ACG / OCU_v0.1	partial	Feature-state complexity and blink-sentinel proxy analysis completed.	No raw XDF LZ / true EOG/eye tracker in this rerun; proxy only.

Phase-state / Topo-OSM vectors

phase	n_windows	meaning_gamma_z	tsp_z	theta_primary_z	task_gamma_z	MR_score	ENC_score	NIP_density
BASELINE_1	115	-0.471	0.152	0.124	0.601	-0.325	-0.082	0.004
CONTEXTUAL_OVERRIDE_1	308	-0.889	-0.717	0.464	0.813	-0.738	0.142	0.004
CONTROL_1	308	0.087	-0.169	0.050	-0.144	-0.129	-0.083	0.045
TARGET_1	308	0.913	0.878	0.435	-0.699	0.461	0.146	0.272
WASHOUT_1	114	0.076	-0.850	-0.115	-0.314	-0.365	-0.129	0.014
WASHOUT_2	114	0.859	0.893	0.056	-0.556	0.523	-0.032	0.225
WASHOUT_3	111	-0.771	-0.026	0.242	0.988	-0.468	0.031	0.005

Interpretation: Target is higher than Override in phase-level MR/NIP semantics, while Override is higher in TaskGamma. This supports a reception/extraction contrast but not a confirmatory endpoint.

NAST state transition

transition	delta_alpha_proxy_z	delta_meaning_gamma_z	delta_tsp_z	delta_task_gamma_z	delta_theta_primary_z	interpretation
BASELINE_1->CONTROL_1	-0.108	1.010	0.542	-0.884	0.008	alpha suppression + meaning/TSP rise candidate
WASHOUT_1->TARGET_1	-0.102	0.600	1.434	-0.022	0.020	alpha suppression + meaning/TSP rise candidate
WASHOUT_2->CONTEXTUAL_OVERRIDE_1	0.080	-2.263	-0.874	2.542	1.518	no alpha-suppression transition

The retained NAST result is WASHOUT_1 -> TARGET: alpha suppression plus MeaningGamma/TSP rise. WASHOUT_2 -> Override shows task-gamma/theta rise with MeaningGamma/TSP drop, consistent with analytic reorientation.

CandidateLocal KHT-topo / MRED event gate

Strict cross-boundary CandidateLocal KHT event locks: 0 / 48 target-candidate rows. This is the primary reason Arrival remains exploratory.

search_window	predictor_name	peak_sec	anchor_sec	K_local	K_local_percentile_by_phase	delta_theta_10_30_vs_pre	candidate_local_kht_event_lock_cross_boundary	interpretation_cross_boundary
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.831	False	local_K_without_theta_handoff
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.739	False	local_K_without_theta_handoff
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.558	False	local_K_without_theta_handoff
second_half	primary_gamma_z	310.000	310.000	2.273	100.000	-0.436	False	local_K_without_theta_handoff
whole_target	meaninggamma_score	68.000	91.000	0.649	94.545	-1.110	False	not_locked
whole_target	meaninggamma_score	68.000	91.000	0.649	94.545	-0.785	False	not_locked
whole_target	meaninggamma_score	68.000	91.000	0.649	94.545	0.271	False	not_locked

NIP / BIT / CII / IAQ

Strict BIT passes: 0 / 5 conceptual Arrival anchors. Anchor status: conceptual / future-freeze, not runner-registered.

anchor_id	target_CII	control_CII	override_CII	target_minus_control_CII	target_minus_override_CII	IAQ_target_vs_override	target_specific_CII
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0	0.346	0.007	0.000	0.338	0.346	0.997	True
ARR_A2_STARDUST_CRINGE_120P0	0.332	0.009	0.000	0.323	0.332	0.997	True
ARR_A3_READING_LETTERS_169P0	0.615	0.004	0.000	0.611	0.615	0.998	True
ARR_A4_CHILD_LIFE_MONTAGE_251P0	0.204	0.001	0.000	0.203	0.204	0.995	True
ARR_A5_HELD_BY_YOU_FINAL_310P0	0.022	0.000	0.000	0.022	0.022	0.956	True

CII is Target-dominant in several anchor windows, especially familiar meaning-recognition windows, but strict BIT remains negative because the local KHT+theta gate is not satisfied.

TTI - Reception/Extraction Tradeoff

TTI	target_MR	override_MR	target_ENC	override_ENC	target_task_gamma	override_task_gamma	target_artifact	override_artifact
0.533	0.461	-0.738	0.146	0.142	-0.699	0.813	1.206	-0.066

Global TTI is positive, mostly because Target retains higher MR while Override carries more TaskGamma. Anchor-level TTI is heterogeneous.

anchor_id	TTI_anchor	target_MR	override_MR	target_ENC	override_ENC	target_task_gamma	override_task_gamma	IAQ_target_vs_override
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0	0.565	0.758	-0.567	0.020	0.222	-1.037	0.378	0.997
ARR_A2_STARDUST_CRINGE_120P0	0.755	0.698	-0.768	0.223	-0.190	-1.057	0.360	0.997
ARR_A3_READING_LETTERS_169P0	0.834	0.729	-0.664	0.565	-0.173	-0.939	0.464	0.998
ARR_A4_CHILD_LIFE_MONTAGE_251P0	0.418	0.339	-0.782	-0.039	0.180	-1.406	0.687	0.995
ARR_A5_HELD_BY_YOU_FINAL_310P0	0.127	-0.364	-0.919	0.165	0.216	1.028	1.344	0.956

OCM025 / RSM / CVB / SquintProxy

Override cues analyzed: 104. Cue-update events: 6. Arrival is OCM-mixed/negative for clean working-memory update.

x	y	spearman_rho	p_value	n
arithmetic_compute_load	compute_stall_score	0.296	0.002	104
arithmetic_compute_load	latent_guess_risk	0.567	0.000	104
carry_required	compute_stall_score	0.238	0.015	104
carry_required	latent_guess_risk	0.376	0.000	104
high_carry_load	latent_guess_risk	0.415	0.000	104
hard9_pattern	compute_stall_score	0.176	0.074	104
hard9_pattern	latent_guess_risk	0.249	0.011	104
cue_visibility_burden	latent_guess_risk	0.694	0.000	104
override_minus_target_1_WMU_frontend_4_8	latent_guess_risk	0.509	0.000	104
override_minus_target_1_DR_taskgamma_35_40	cue_visibility_burden	-0.439	0.000	104

CET/EET - cue-only entrainment residualization and state echo

Only cue-schedule regressors were available for Arrival in this workspace. Full v1.8 media-level residualization using luminance, audio envelope, cut-rate, optical-flow, and flash regressors was not possible.

phase	train_r2	blocked_cv_r2	n	limitation
CONTROL_1	0.005	-0.063	308	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this workspace
TARGET_1	0.007	-0.050	308	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this workspace
CONTEXTUAL_OVERRIDE_1	0.012	-0.005	308	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this workspace
POOLED	0.002	-0.062	924	cue-only CET; no full visual/audio/cut-rate regressors for Arrival in this workspace

Cue-only CET does not constitute a full media-level CET-R test. It is included to check whether the 3-second cue rhythm alone predicts NIP density.

Cue-residualized CII

anchor_id	label	start_sec	end_sec	control_cue_resid_CII	target_cue_resid_CII	override_cue_resid_CII	target_minus_control_cue_resid_CII	target_minus_override_cue_resid_CII	target_specific_after_cue_residualization
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0	Future/tragedy acceptance line	58.000	78.000	0.008	0.346	0.000	0.338	0.346	True
ARR_A2_STARDUST_CRINGE_120P0	"Star dust" cringe / aversive semantic prediction error	112.000	128.000	0.008	0.331	-0.001	0.323	0.332	True
ARR_A3_READING_LETTERS_169P0	Mother teaches daughter letters	156.000	176.000	0.009	0.621	0.006	0.611	0.615	True
ARR_A4_CHILD_LIFE_MONTAGE_251P0	Child-life montage under tragic foreknowledge	240.000	265.000	0.002	0.204	0.000	0.203	0.204	True
ARR_A5_HELD_BY_YOU_FINAL_310P0	Final embrace / held-by-you line	300.000	313.000	0.006	0.028	0.006	0.022	0.022	True

Top EET similarities

anchor_id	comparison_window	cosine_similarity	euclidean_distance	claim_level
ARR_A5_HELD_BY_YOU_FINAL_310P0	WASHOUT_3_first30	0.976	0.768	state-vector echo proxy; not replay proof
ARR_A5_HELD_BY_YOU_FINAL_310P0	BASELINE_1_all	0.940	0.859	state-vector echo proxy; not replay proof
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0	WASHOUT_2_all	0.929	1.171	state-vector echo proxy; not replay proof
ARR_A5_HELD_BY_YOU_FINAL_310P0	WASHOUT_3_all	0.893	0.972	state-vector echo proxy; not replay proof
ARR_A4_CHILD_LIFE_MONTAGE_251P0	WASHOUT_2_first30	0.878	2.056	state-vector echo proxy; not replay proof
ARR_A2_STARDUST_CRINGE_120P0	WASHOUT_2_all	0.870	1.456	state-vector echo proxy; not replay proof
ARR_A3_READING_LETTERS_169P0	WASHOUT_2_all	0.846	1.595	state-vector echo proxy; not replay proof
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068P0	WASHOUT_2_first30	0.842	1.466	state-vector echo proxy; not replay proof

MRED-ITP - ACG/OCU proxy layer

ACG here is a feature-state complexity proxy, not raw EEG Lempel-Ziv complexity. OCU here uses a blink-sentinel proxy, not confirmed EOG or eye tracking.

anchor_id	C_strike	C_settle	complexity_settlem ent_index	blink_suppression _proxy	blink_release_pro xy	ACG_feature_p roxy_flag	OCU_proxy_fla g	MRED_ITP_stri ct_pass
ARR_A1_FUTURE_TRAGEDY_ACCEPTANCE_068 P0	-1.476	-1.075	-0.401	0	0	False	False	False
ARR_A2_STARDUST_CRINGE_120P0	-0.948	0.248	-1.197	4	0	False	False	False
ARR_A3_READING_LETTERS_169P0	-0.797	1.343	-2.140	1	0	False	False	False
ARR_A4_CHILD_LIFE_MONTAGE_251P0	0.576	-0.178	0.755	2	0	True	False	False
ARR_A5_HELD_BY_YOU_FINAL_310P0	0.854		0.854	-1	-2	False	False	False

Overall conclusion

The latest additions sharpen, rather than overturn, the Arrival interpretation. Arrival is valuable because it supports the model distinction between meaning recognition and theta-indexed integration, especially under stimulus familiarity. It remains not cleanly positive under the strict event-lock gates. The next Arrival-like run should use PRAYCG2.0, a LOCKED anchor JSON, full v1.8 StimulusFingerprint regressors, familiarity/novelty covariates, and EOG/eye tracking if OCU or SquintProxy are intended as serious modules.

Boundary

Exploratory only. This report does not prove OSM biology, microtubules, biophotons, consciousness, or literal thermodynamic entropy reduction.