

Field of Dreams PR-AYC-G Run 1

Full Master Comprehensive Suite Report v1.1

Runner-registered estimated blind-anchor pilot - not frame-verified confirmatory

Executive verdict

Field of Dreams Run 1 is a useful PRAYCG2.0, runner-registered estimated blind-anchor pilot. The full suite supports a Target-favoring reception/meaning pattern, but it does not reach strict confirmatory A-MRED status because the anchors were YouTube-estimated rather than frame-verified and ALS start-pulse validation was weak.

Boxed recommended primary path

Tier	Module group	Role
BOXED PRIMARY PATH	Timing/QC + StimulusFingerprint/CET-R + artifact/confound gates -> A-MRED	Recommended confirmatory compression path for future runs.
PRIMARY ENDPOINT	A-MRED	Anchor-locked MRED pass: Target MR and ENC exceed Control/Override after QC.
SECONDARY SUMMARIES	NIP/BIT/CII/IAQ; TTI	Summarize immersion proxy and reception/extraction contrast.
EXPLORATORY CONVERGENCE	KHT-topo; NAST; EET; MRED-ITP/ACG/OCU; OCM/RSM/CVB/SquintProxy	Interpretive and falsification layers; not primary proof.

Run integrity

- PRAYCG version/run: PRAYCG2.0 / field of dreams2
- Participant/session: hoyt banks / s0007
- Target-Override hash match: True
- Cue count / expected sum: 66 / 354
- Channel map: PRAYCG16_FIXED_ORDER_v1; confirmed=True; confidence=LOCKED
- Predeclared anchor file:
C:/Users/hoytb/Desktop/FieldOfDreams_b_wnd6jxREU_BLIND_predeclared_anchors_YOUTUBE_ESTIMATED_v1_1.json

Primary endpoint: A-MRED

Runner-time anchors produced 1/7 A-MRED passes, 1/7 base-gate passes, and 3/7 specificity-gate passes. The passing runner-time anchor was: FOD_BLIND_A6.

The content-offset sensitivity analysis dropped to 0/7 A-MRED passes. That timing sensitivity is the main reason this remains pilot evidence rather than strict confirmation.

anchor_id	anchor_time_sec_us	A_MREDPass	target_MR	target_ENC	target_CII	control_CII	override_CII	target_minus_override_MR	target_minus_override_ENC
FOD_BLIND_A1	26.530	False	0.043	0.666	0.003	0.000	0.069	-0.885	0.501
FOD_BLIND_A2	78.000	False	-0.143	-0.317	0.012	0.000	0.000	0.010	0.282
FOD_BLIND_A3	94.000	False	0.409	0.161	0.013	0.000	0.000	0.428	0.030
FOD_BLIND_A4	100.000	False	0.372	0.666	0.044	0.000	0.000	0.354	0.417
FOD_BLIND_A5	105.000	False	0.367	0.409	0.040	0.000	0.000	0.477	0.155
FOD_BLIND_A6	150.000	True	1.197	0.373	0.150	0.000	0.002	1.339	0.668
FOD_BLIND_A7	165.000	False	0.528	-0.491	0.181	0.000	0.000	0.614	-0.025

Timing and QC

Simple ALS fullscreen-start pulse validation passed for 1/3 branches. This is a caution flag, not a total run rejection. Sample-index timing reconstruction was used for the OpenBCI continuous stream.

phase	rise_adc_counts	peak_rel_sec	pass_detected_fullscreen_pulse	note
CONTROL_1	11.500	3.709	False	threshold>=20 ADC counts; exploratory because ALS amplitude range was modest
TARGET_1	26.500	-1.010	True	threshold>=20 ADC counts; exploratory because ALS amplitude range was modest
CONTEXTUAL_OVERRIDE_1	15.000	-1.463	False	threshold>=20 ADC counts; exploratory because ALS amplitude range was modest

Self-report

Target core ratings: Meaning=7, Absorption=7, EmotionalAfterglow=8, StoryActiveWashout=7.

Override core ratings: Meaning=5, Absorption=5, TaskExtractionLoad=5.

Final master report selected Target as most meaningful, most absorbing, and strongest afterglow.
TargetEchoedDuringBaseline2=9; NewMeaningToday=7; OverrideReducedReception=6;
StoryBrokeThroughOverride=7.

Full module registry

module	tier	status	finding	limitation
Run metadata / media identity / hash verification	QC / validity	COMPLETE	PRAYCG2.0 run; Target/Override hash matched; channel map locked; 66 cue schedule loaded.	
ALS/PT19 start-pulse timing QC	QC / validity	PARTIAL / CAUTION	1/3 branch pulses passed simple threshold; Target detected, Control/Override weak/failed.	Prevents strict timing-grade confirmation; sample-index timing reconstruction used.
StimulusFingerpr int v1.8 / CET regressors	QC / validity	COMPLETE	Control/Target/Override regressors available; exogenous models did not explain NIP robustly in blocked CV.	Anchor-specific stimulus vectors absent because anchor_count=0 in QC manifest.
Feature extraction / bandpower / artifact sentinels	Core preprocessing	COMPLETE	Generated 1-second stepped 2-second feature frame and phase summaries.	Single-participant and scalp EEG artifact-sensitive.
GammaScalpel microband scan	Core feature diagnostic	COMPLETE	Lower-gamma microbands summarized by branch/ROI; see table for Target/Override deltas.	Gamma remains artifact-sensitive and secondary to A-MRED.
Topo-OSM network-state vectors	Secondary / interpretation	COMPLETE	Phase-level network-state proxy vectors generated for all phases.	Human-scale topology proxy only, not cellular OSM.

NAST narrative-absorption transition	Secondary / interpretation	COMPLETE	Baseline/ Washout-to-branch transitions summarized; Target transition positive but not dramatic.	DMN-proxy only; not direct DMN detection.
CandidateLocal KHT-topo / MRED	Primary-adjacent / exploratory	COMPLETE	Anchor-local event table generated from A-MRED inputs; one anchor (A6) candidate passed A-MRED at runner time.	No independent group replication; timing sensitivity present.
A-MRED anchor-locked endpoint	PRIMARY RECOMMENDED	COMPLETE / PILOT POSITIVE	1/7 runner-time anchors passed; sensitivity with content offset dropped to 0/7.	Runner-loaded blind estimated anchors, not frame-verified locked anchors; ALS weak.
MRED event table	Primary-derived	COMPLETE	MR/ENC quadrants assigned for all anchor x condition rows.	Anchors estimated; not frame-verified.
NIP/BIT/CII/IAQ	Secondary summary	COMPLETE	Target CII > Control/Override on later anchors; overall NIP weaker than Contact but Target-dominant.	Secondary summary, not endpoint proof.
TTI reception-extraction tradeoff	Secondary summary	COMPLETE	Global TTI positive (+0.568), consistent with Target reception vs Override extraction.	Not moral/clinical score.
OCM025 / RSM / CVB / SquintProxy	Override diagnostic	COMPLETE	Override task engaged by report; RSM found modest hard-number/carry/guess-risk structure.	Private strategy not provable from physiology alone.
CET-R residualization	QC / guardrail	COMPLETE	Stimulus-side regressors did not generalize well enough to explain NIP pattern.	CET-R supports but does not confirm endpoint.

EET endogenous echo tracking	Exploratory convergence	COMPLETE	Baseline 2 / washout state-vector resemblance estimated.	State-vector similarity only; not proof of replay or memory.
MRED-ITP / ACG / OCU	Exploratory convergence	COMPLETE	ACG/OCU convergence generated; no strict proof layer; blink release weak without EOG.	LZC is complexity proxy, not thermodynamic entropy; Fp1 blink proxy not EOG.
SelfReport20 parser	Phenomenology / covariate	COMPLETE	PRAYCG2.0 consolidated self-report parsed; Target strongest by final report.	Self-report contextualizes physiology; not proof of internal state.
LSO/SPM subtitle override	Not applicable	N/A	No subtitle condition in this run.	Not applicable.
Dyadic / group hyperscanning	Not applicable	N/A	Single-participant run only.	No intersubject synchrony endpoint.

Secondary and exploratory summaries

TTI_global = 0.568. This supports a positive reception/extraction contrast, with Target more receptive/meaning-favoring and Override more task/extraction-favoring.

NIP/CII/IAQ was directionally Target-favoring but weaker than Contact. It is secondary support, not the primary endpoint.

CET-R used full v1.8 stimulus-side regressors. Blocked-CV values were weak/negative, so stimulus-side regressors did not explain away the NIP pattern. This functions as a guardrail, not a positive endpoint.

MRED-ITP/ACG/OCU ran as exploratory convergence. Complexity is not literal thermodynamic entropy, and blink proxy is not EOG. These modules should remain support/falsification layers.

Baseline 2 showed a reflective/regulatory profile relative to Baseline 1 and aligned with Target echo self-report, but it does not prove memory encoding.

Final interpretation

Useful PRAYCG2.0 runner-registered estimated blind-anchor pilot. Full suite supports a Target-favoring reception/meaning pattern, but not strict confirmatory A-MRED because anchors were YouTube-estimated/not frame-verified and ALS start-pulse QC was weak.

For TSC/poster, present Field of Dreams as pilot-positive/future-freeze evidence only. Next run should use frame-verified locked anchors and clean ALS pulse before calling A-MRED confirmatory.